



22500149657

SEVENTY-FOURTH ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES IN ENGLAND AND WALES.

(1911.)

Presented to both Houses of Parliament by Command of His Majesty.



LONDON:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
By DARLING AND SON, LTD., BACON STREET, E.

To be purchased, either directly or through any Bookseller, from
WYMAN AND SONS, LIMITED, FETTER LANE, E.C., and 32, ABINGDON STREET, S.W.,
and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH; or
E. PONSONBY, LIMITED, 116, GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

1913.

[Cd. 6578.] Price 5s. 8d.

ii

WELLCOME INSTITUTE LIBRARY	
Coll.	we1M0mec
Call	
No.	

CONTENTS

OF THE

REGISTRAR-GENERAL'S ANNUAL REPORT FOR 1911.

	PAGE.
INTRODUCTORY REMARKS—	
Salient Features of the Vital Statistics of the Year	vii
Changes in the Form and Contents of the Report	vii
REVIEW by DR. STEVENSON of the VITAL STATISTICS of the YEAR—	
POPULATION—	
Census and Estimated	xii
Factors for Estimating	xii
MARRIAGES—	
Number	xii
Changes in the Marriage-rate	xii
Methods of Calculating Marriage-rates	xii
Marriage-rates of Bachelors, Spinsters, Widowers and Widows; Average Annual Marriage-rates per 1000 Unmarried and Widowed. Persons at Six Age Groups, 1880-2; 1890-2; 1900-2; and 1911	xiv
Proportions of First Marriages and Re-marriages in 1000 Marriages	xv
Marriages of Bachelors, Spinsters, Widowers and Widows of Various Ages per 1000 Marriages at All Ages, 1886-1911	xv
The Divorced	xvi
Average Annual Number of Persons Divorced and of Divorced Persons who Re-married, 1876-1911	xvi
Marriages of Minors	xvi
Minors Married per 1000 at All Ages, 1876-1911	xvi
Mean Age at Marriage	xvi
Mean Ages of Men and of Women at Marriage, 1896-1911	xvii
Signature in Marriage Register	xvii
Buildings in which Marriage may be Solemnized	xvii
Manner of Solemnization	xviii
BIRTHS—	
Number	xix
Changes in the Birth-rate	xix
Age and Marital Condition of Women in relation to Birth-rate, 1871-1911	xix
Birth-rate and Fertility—Significance and Changes, 1876-1911	xx
Factors influencing the Fall in Birth-rate, 1876-80 to 1911	xxi
Fertility in Different Parts of the Country in Various Classes of Area	xxii
Geographical Divisions employed (North, Midlands, South, Wales)	xxiii
Sex Proportions at Birth	xxiv
Illegitimate Births	xxiv
Illegitimate Birth-rates and Fertility, 1876-1911	xxiv
in Different Classes of Area, and Parts of the Country, 1911	xxv
Natural Increase per 1000 living, 1876-1911	xxvi
in Different Classes of Area and Parts of the Country, 1911	xxvi
DEATHS—	
Number	xxvii
Changes in Death-rate	xxvii
Standardization of Death-rates for differences of Sex and Age Constitution	xxvii
Methods employed	xxvii
Description of Direct Method	xxvii
Selection of Standard Population	xxvii
International Standard	xxviii
English Standard employed by Bureau of American Census	xxviii
Substitution of term "Standardized" for "Corrected" Death-rate	xxviii
Description of Indirect Method	xxviii
Reason for Differences in the Results of the two Methods with Tabular Comparison	xxx
Mortality of Each Sex	xxxi
Male Excess at Various Ages	xxxi
Analysis of Cause of this Excess	xxxi
Mortality at Different Ages	xxxii
Excess at all Ages in the North	xxxii
Excess of Mortality of Females at certain Ages in Wales	xxxii
Infant Mortality in 1911 and other Recent Years	xxxiii
Comparison of Diarrhoeal and Non-Diarrhoeal Infant Mortality and Climatic Conditions, 1876-1911	xxxiv

REVIEW by DR. STEVENSON of the VITAL STATISTICS of the YEAR—*continued*.

PAGE.

DEATHS—*continued*.

Reality of Reduction	xxxiv
In Various Classes of Area in Different Parts of the Country	xxxv
Mortality in Early Childhood and Survivors at Ages 1, 2, and 5 Years	xxxv
Combined Effect of Fertility and Mortality—Effective Fertility	xxxvii
Causes of Infantile Mortality—	
Increase or Reduction at Various Ages as compared with 1906-10	xxxviii
Relation to Sex and Legitimacy in Various Classes of Area in Different Parts of the Country	xxxix
Mortality of Legitimate Infants and Fathers' Occupation	xl
Grouping of Occupations by Social Class	xl
Mortality Experience of the Several Classes	xli
Possibilities of Reduction at Various Ages and from Various Causes	xli
Occupations experiencing Highest and Lowest Rates	xliv
Mortality of Illegitimate Infants and Mothers' Occupation	xl
Occupations experiencing Highest and Lowest Rates	xl
Comparison of Highest Legitimate and Lowest Illegitimate Mortality	xlvi
Peculiarities of Illegitimate Mortality—its characteristic Age distribution	xlvi
Centenarians	xlviii
Mortality at Individual Years of Age	xlviii
Accuracy of Statement of Age in Registration as compared with the Census	xlviii
Mortality in Town and Country	xl
Crude and Standardised Death-rates in Different Classes of Area	xl
Comparison at Ages of Mortality of Males and Females in Different Classes of Area	l
Comparison at Ages of Mortality in each Sex by Class of Area	li
Anomalous Mortality recorded for Young Adults in London and Rural Districts	li

CAUSES OF DEATH—

Details shown for Various Areas	lii
Comparison of Registrar-General's with International Short List	liii
Proportions of Total Mortality due to Various Causes	liv
Characteristics of the Mortality of 1911	lv

ENTERIC FEVER—

Diminution in Mortality	lv
Mortality (Crude and Standardized), Prevalence and Fatality compared for Different Classes of Area, and Parts of the Country	lv

SMALL-POX	lvii
-----------	------

MEASLES—

Trend of Mortality in recent Years	lvii
Variations in Age Distribution of Mortality and their significance	lvii
Mortality in Different Classes of Area and Parts of the Country	lvii
Fatality Experience of Metropolitan Asylums Board	lviii
Complications of Fatal Measles	lix
Results of Treatment in Fever Hospital	lix

SCARLET FEVER—

Trend of Mortality	lix
Prevalence, Fatality, and Mortality in Different Classes of Area and Parts of the Country	lx
Proportion of Deaths occurring in Institutions	lxi
Complications of Fatal Scarlet Fever	lxi

WHOOPING COUGH—

Trend of recent Mortality	lxii
Mortality in Different Classes of Area and Parts of the Country	lxii
Variations in Age Distribution of Mortality and their significance	lxiii
Fatality Experience of Metropolitan Asylums Board	lxiii
Complications of Fatal Whooping Cough	lxiii

DIPHTHERIA AND CROUP—

Significance of the term "Croup," its obsolescence	lxiv
Trend of Mortality	lxiv
Mortality, Prevalence, and Fatality in Different Classes of Area and Parts of the Country	lxiv
Variations in Age Distribution of Mortality and their significance	lxvi
Proportion of Deaths occurring in Institutions	lxvi
Complications of Fatal Diphtheria	lxvi
Standardization of Death-rates for Different Classes of Area and Parts of the Country	lxvii

INFLUENZA—

Trend of Mortality	lxvii
Mortality in Different Classes of Area and Parts of the Country	lxvii
Significance of the term "Influenza," and Weight attached to it in Classification	lxviii
Complications of Fatal Influenza	lxviii

VACCINIA	lxix
----------	------

TUBERCULOSIS—

Trend of recent Mortality	lxix
As a Complication of Deaths from the Epidemic Diseases	lxix

REVIEW by DR. STEVENSON of the VITAL STATISTICS of the YEAR—*continued*.

PHthisis—

The Title more comprehensive than in Old List	lxx
Effect of Urbanization on Mortality	lxx
Mortality by Sex and Age in Different Classes of Area, and comparison with England and Wales	lxxi
Excess of Mortality of Males in Different Classes of Area	lxxii
Mortality at All Ages and over 65 years in Different Classes of Area and Parts of the Country	lxxii
Excess of Mortality of Aged Persons in London and its probable significance ...	lxxii
Age and Sex Distribution of Mortality in Wales	lxxiv

TUBERCULOUS MENINGITIS	lxxiv
-------------------------------	-------

OTHER TUBERCULOUS DISEASES	lxxiv
-----------------------------------	-------

CANCER—

Crude and Standardized Mortality in Different Classes of Area	lxxv
Proportions of Deaths occurring in Institutions in Different Classes of Area ...	lxxv
Mortality by Sex and Age in Different Classes of Area	lxxv
Bearing of the Differences noted upon the Reality of Increase in Cancer Mortality	lxxvii
Mortality at certain Ages in Different Classes of Area and Parts of the Country ...	lxxvii
Parts of the Body affected by Fatal Cancer at Ages in each Sex	lxxviii
Mortality by Sex and Age of Cancer of Various Organs	lxxviii
Comparison of the Frequency of Cancer of Various Organs in Institutions and elsewhere, with distinction of Sex and Age	lxxviii
Age Distribution of Mortality from Cancer of Various Organs in Institutions and elsewhere	lxxix
Proportion of Mortality from Cancer of various Organs occurring in Different Classes of Institutions	lxxxii
Significance attaching to Peculiarities of Institutional Mortality	lxxxiii

TUMOURS (not returned as Malignant)—

Classification by Sex, Age and Organ affected	lxxxiii
--	---------

ALCOHOLISM—

The Title less comprehensive than in Old List	lxxxv
Alcoholism as a Secondary Cause of Death	lxxxv
Classification of Deaths by Sex, Age, and Primary Cause	lxxxvi

POLIOMYELITIS	lxxxvi
----------------------	--------

PNEUMONIA (All Forms)	lxxxvi
------------------------------	--------

As a Complication of the Infective Diseases	lxxxvii
--	---------

Mortality in Different Classes of Area and Parts of the Country	lxxxvii
--	---------

LOBAR PNEUMONIA AND "PNEUMONIA" (Type not stated)—

Standardized Mortality, and Deaths by Sex and Age in Different Classes of Area	lxxxviii
Low Mortality of Young Persons in London	lxxxviii

THE PUERPERAL STATE—

Details of Cause of Death, distinguishing Age	xc
Deaths at Ages from various Causes complicated by Pregnancy or Childbirth ...	xc

ANAESTHETICS—

Difference from former Practice in Tabulation	xcii
Deaths connected with the Administration of various Anaesthetics, distinguishing Sex and Age	xciii
Conditions for which Anaesthetics were administered	xciii
Status Lymphaticus	xciv

ILL-DEFINED CAUSES OF DEATH—

Deaths so classified and Comparison with previous Years	xciv
Change in Form and Increase in Number of Inquiries addressed to Medical Practitioners	xcv
Principal Results of these Inquiries, and their Importance	xcv

DEATHS IN INSTITUTIONS FOR THE SICK OR INFIRM—

Original Purpose and History of this Tabulation	xcvi
Change of its Form in 1911	xcvii
Proportion of total Mortality occurring in various Classes of Institutions, in Different Classes of Area and Parts of the Country	xcvii

UNITED KINGDOM—

Population	xcviii
Marriages	xcviii
Births	xcix
Deaths	xcix
Infantile Mortality	xcix

MORTALITY IN THE ARMY	c
------------------------------	---

MORTALITY IN THE NAVY	c
------------------------------	---

BIRTHS AND DEATHS AT SEA	c
---------------------------------	---

PROGRESS OF REGISTRATION	c
---------------------------------	---

OFFENCES AGAINST THE REGISTRATION ACTS	ci
---	----

SEARCHES AND CERTIFICATES	ci
----------------------------------	----

METEOROLOGY OF THE YEAR 1911	cii
-------------------------------------	-----

TABLES—

1. United Kingdom : Population of its several portions estimated to the middle of each of the years 1862–1911	2
2. Estimated Population of England and Wales and Main Divisions in the middle of the year 1911, by sexes at ages	4
3. Estimated Population of aggregate Urban and Rural Areas in Administrative Counties in the middle of the year 1911, by sexes at ages	5
4. Estimated Population of County Boroughs in the middle of the year 1911, by sexes at ages	13
5. Marriages, Births, and Deaths, 1862–1911	19
6. Annual Marriage-, Birth-, and Death-rates and Infantile Mortality, 1838–1911	20
7. Annual Marriage-, Birth-, and Crude Death-rates in each Quarter in Groups of Years, 1838–1911, and in each year, 1902–1911	21
8. Churches and Chapels of the Established Church and Registered Buildings in which Marriages could be legally solemnized, 31st December, 1911	21
9. England and Wales and London, in 1000 Marriages, 1862–1911— Manner of Solemnization	22
10. First Marriages, Re-marriages, Marriages of Minors and Signatures by Mark	23
11. Registration Counties, in 1,000 Marriages, Manner of Solemnization, 1911	24
12. Proportions of First Marriages, Re-marriages, Marriages of Minors, Signatures by Mark ; and Marriage-rates, 1901–10 and 1911	25
13. Annual Death-rates at Twelve Groups of Ages, General Death-rate corrected for Sex and Age Constitution, and Infantile Mortality, 1838–1911—Persons	26
14. Males	27
15. Females	28
16. Mortality by Sex, Age, and Locality, 1911	29
17. Administrative Counties—Crude Death-rate at all Ages, Death-rates at Ages, including Infantile Mortality, together with Crude Death-rate at All Ages in Urban and Rural Aggregates, 1911—Males and Females	30
18. County Boroughs—Crude Death-rate at All Ages, Death-rates at Ages, including Infantile Mortality, 1911—Males and Females	32
19. Deaths from Various Causes at all Ages, 1897–1911—Males, Females, and Persons (List of Causes as in use prior to 1911)	35
20. Crude Annual Death-rates from Various Causes at all Ages to a Million living, 1897–1911—Males, Females, and Persons (List of Causes as in use prior to 1911)	45
21. Crude Death-rates at all Ages from Various Causes, 1911 (New List)	55
22. Annual Death-rates from the Principal Epidemic Diseases, 1838–1911	60
23. Mortality from Several Causes, by sex and age, 1911—All Areas...	61
24. London	63
25. County Boroughs	64
26. Other Urban Districts	66
27. Rural Districts	68
28. Infant Mortality by Sex, Age, Cause, and Legitimacy—1911	71
28A. Mortality of Legitimate Infants in relation to Occupation of Father	73
28B. Legitimate Infantile Mortality by Age and Cause of Various Social Classes as indicated by Occupation	88
28C. Mortality of Illegitimate Infants in relation to Occupation of Mother...	90
28D. Infantile Mortality of Illegitimate Children of Female Domestic Servants by Age and Cause	93
29. Infantile Mortality by Age, Cause, and Legitimacy, 1911—Administrative Areas	94
30. Names on Registers, Searches and Fees received at the General Register Office, 1862–1911	99
31. Islands in the British Seas. Area and Population ; and Births and Deaths, 1886–1911	100
32. Balance inward or outward on Passenger Movement into and out of the United Kingdom, 1895–1911	100
33. Army—Strength and Mortality, 1872–1911	101
34. Royal Navy—Mortality in the Service Afloat, 1872–1911	101
35. Merchant Service, Number and Mortality of Masters and Seamen employed in Sea-going Vessels (excluding Fishing Vessels and Yachts) registered in the United Kingdom and the Isle of Man, 1890–91 to 1910–1911	102
36. Age Constitution of Populations of Several Countries	103
37. International Vital Statistics	104
38. Meteorological Elements, Greenwich, 1861–1911	116
39. Quarterly, 1911	118
40. Meteorological Table for London, 1911	120
41. Meteorological Elements at Several Stations, 1911	122

	PAGE.
ABSTRACTS—	
MARRIAGES—	
Analysis of, in Registration Divisions and Counties; showing (a) mode of Solemnization, (b) number in each quarter of the year, (c) Previous Civil Condition of Persons married, (d) Marriages of Persons not of Full Age, and (e) Signatures by mark in Marriage Register	126
Ages of Persons married in England and Wales and in London, distinguishing Bachelors, Spinsters, Widowers, Widows	130
In Registration Districts	145
Estimated Population, Births (Legitimate and Illegitimate), Birth-rate, Deaths, Death-rate (Crude and Standardized), Standardizing Factor, Infant Mortality and Natural Increase in each Administrative Area	148
DEATHS—	
By Sex, and for Females by Condition as to Marriage, at each Year of Age	179
By Sex and Age—	
County Boroughs	180
Metropolitan Boroughs	185
Urban and Rural Portions of Counties... ..	187
From Various Causes by Sex and Age—	
England and Wales	194
London	224
County Boroughs	242
Other Urban Districts	260
Rural Districts	278
In various Classes of Institutions, distinguishing Sex, Cause, and Class of Institution, and for Certain Causes, Age also	296
By Sex and Short Lists of Causes and Ages—	
Summarized Areas	313
Metropolitan Boroughs	324
County Boroughs	339
Urban and Rural Portions of Counties	377
By Sex and Short List of Causes in Administrative Areas	438
Deaths from Accident and Negligence in England and Wales, distinguishing Age, and Cause or Nature of Accident; Males and Females	538
Deaths from Suicide in England and Wales, distinguishing Age and Method; Males and Females	550
Deaths from Murder in England and Wales, distinguishing Age and Method; Males and Females	554
Deaths from Manslaughter in England and Wales, distinguishing Age and Method; Males and Females	556
Secondary Causes of Deaths allocated to Titles 1-19	558
DIAGRAMS—	
I. Birth-rates, 1881-1911. Ratio per cent. of the Rate in each Year to the Mean Rate in 1876-80	xxi
II. Infantile mortality from Diarrhoeal Diseases and from other Causes and Climatic Conditions, 1870-1911	xxxiii
III. Mortality at different Ages in various Classes of Area per cent. of Mortality at the same Ages in England and Wales <i>facing page</i>	1
IV. Proportion of Deaths from the Principal Causes to Total Deaths	liv
V. Mortality from Epidemic Diseases, 1856-1910 <i>facing page</i>	lv
VI. Phthisis—Standardized mortality per Million Population	lxxii

R E P O R T

TO

THE RIGHT HONOURABLE JOHN BURNS, M.P.,

PRESIDENT OF THE LOCAL GOVERNMENT BOARD, &c., &c.

(1911.)

SIR,

I HAVE the honour to submit to you my Report on the estimated population, and on the marriages, births, and deaths registered in England and Wales during the year 1911.

From returns furnished by the registrars acting throughout the country, the provisional numbers of marriages, births, and deaths for the year 1911 have already been published in the "General Abstract" and in somewhat greater detail as regards the causes of death for the counties of England and Wales, and for London and other large towns in the "Annual Summary," which publication was issued in July 1912.

The present report also relates to the year 1911, but the statistics have been compiled from the registers deposited in this office, and they have been analysed in far greater detail than was possible in the "Annual Summary."

The salient features of the vital statistics of 1911 are as follows :—The marriage-rate was 15·2 per 1,000, being 0·3 below the average in the ten years 1901–1910. It is satisfactory to note, however, that the rate in 1911 was 0·2 per 1000 above that in 1910, which in turn had shown an increase of 0·3 over the rate in 1909, while the provisional figures as yet available for 1912 show a further increase of 0·3 per 1,000.

The birth-rate in 1911 was 24·4 per 1,000 and was 2·8 below the average for the preceding decennium ; it was the lowest rate on record, being no less than 0·7 below that of 1910, which was the next lowest, while the provisional figures for 1912 indicate a further fall of 0·6 per 1,000.

The death-rate in 1911 was 14·6 per 1,000, and was 0·8 below the average for the ten preceding years ; it was 1·1 per 1,000 above that recorded in 1910, which was the lowest on record. The provisional rate for 1912 is, however, only 13·3, or 0·2 less than the low record of 1910. Of the total increase of 1·1 in the death-rate of 1911 no less than 0·8 is accounted for by excess of diarrhoeal mortality, and if allowance be made for this and for other effects of the extraordinary climatic conditions of 1911 it will appear that the recent improvement in mortality was well maintained in that year.

Infantile mortality was 130 per 1,000 births, being 25 per 1,000 more than in 1910 and the highest recorded since 1906. Exclusive of diarrhoeal mortality, however, the rate in 1911 was only 2 per 1,000 in excess of that for 1910, which was the lowest until then recorded. The provisional rate for 1912 is only 95, so that there appears to be no reason to doubt the reality of the fall that has taken place during the present century.

As regards the principal epidemic diseases, measles as well as diarrhoeal diseases showed more than average mortality. On the other hand, the death-rate from scarlet fever was the lowest recorded, that from whooping cough the lowest except for the rate in 1909, that for diphtheria and croup the lowest except for 1910, and that for enteric fever the lowest except for 1909 and 1910.

Cancer caused a higher death-rate both among males and among females than in any preceding year, but the rates from bronchitis and from phthisis, as well as from all forms of tuberculosis were lower than in any previous year except 1910.

In the present Report are contained for the first time all those changes which were foreshadowed in the first Annual Report for which I was responsible, that for the year 1908 (the 71st Annual Report of the Registrar-General, Cd. 4961 of 1909), and which were more fully discussed in my two subsequent Reports. The primary change which either directly or indirectly has led to all the rest has been the substitution of the

administrative for the registration area as the local unit of tabulation for births and deaths, a change which, by bringing these Reports into line not only with the "Annual Summary" issued from this office, but also with the statistics furnished by the local sanitary authorities to the Local Government Board, will render them of much greater service both to those engaged in Public Health administration and to scientific inquirers generally. The transference from one set of areas to another, in the absence of a most desirable legislative reform which would identify registration with administrative areas, presented practical difficulties which have only been overcome by the adoption of a system of cards mechanically sorted and counted, and it has not yet been found possible to apply the change to marriages, which are still being tabulated by registration areas.

Two new features of the first importance, arising directly from the change in regard to the areas of tabulation, have also taken shape in the present Report, both designed to further the object of remedying that want of co-ordination between the statistics of this office and those of other departments which were commented upon in a previous Report. These are the use of the International List of Causes of Death, employed, also by many other countries, and the allocation of all deaths, as far as possible, to the area of residence. Both these changes resulted from the necessity of harmonising the basis of the vital statistics compiled by medical officers of health, to meet the requirements of the Local Government Board, with those prepared in the General Register Office now that, for the first time, the two sets of figures were to apply to the same areas. The list of causes of death issued by the Local Government Board for the purposes of local returns differed from that in use here; and while a partial system of transference of deaths to area of residence was prescribed by the Board, nothing of the kind had ever been attempted in these Reports. If the absurdity of duplicate statistics for the same areas, necessarily in discord with each other, was to be avoided it was necessary to reach an agreement with the Local Government Board for an identical policy on both points.

The solution of the difficulty in regard to the classification of causes of death was found in the common adoption of a condensed form of the International List of Causes of Death, a policy which on other grounds had much to recommend it (*see* 72nd Annual Report, page vii). The complete International List, considerably amplified in its application to the entire country, is used in the tables on pages 194-312; and the condensed list in those on pages 313-536.

To meet the difficulty as to allocation of deaths to the area of residence, rules governing this transference were agreed upon with the Local Government Board, and are now in use by medical officers of health as well as in this Office. These rules may be found on page xlvii of the "Manual of Causes of Death," issued in January 1912, by this Department (*see* 73rd Annual Report, page vii). They prescribe transference of all deaths to the area of residence where this differs from the area of death, so that the system is more complete in theory than that hitherto prescribed by the Local Government Board. It is also much more complete in practice, for a comprehensive system of circulating information in regard to such transferable deaths, of which there are found to be about 40,000 a year, has been instituted, and, with the voluntary help of county and local health officers, is working well. Certain difficulties have been experienced in regard to it, owing chiefly to the imperfect manner in which the records of some institutions for the sick are kept, but these are being gradually overcome, and from the first the new system has marked a great advance upon the old. Since its introduction in this country a similar reform has been instituted in Scotland at the instance of the Scottish Local Government Board. Transference also of births occurring in lying-in institutions to the parents' areas of residence is for the first time carried out in this Report.

A third consequence of the adoption of the administrative area as the local unit of tabulation is to be found in the size of this Report, which in its form, as well as in the nature of its contents, initiates a new series. There were at the date of the recent census 1,885 administrative areas in England and Wales (inclusive of the 62 administrative counties and 29 Metropolitan boroughs), as against only 634 registration districts; and the substitution of the administrative for the registration area as the basis of tabulation has therefore involved the trebling of the amount of tabular matter to be presented. In addition to this cause for increase in the bulk of the Report, there is the further fact that the use of a system of tabulation by means of mechanically sorted and counted cards has immensely extended, as was foreseen, the possibilities of tabulation in regard to each area dealt with, so that much useful information can now be presented for the more important areas at all events which it would have been impracticable to give formerly, notwithstanding the smaller number dealt with. The combined operation of these two factors has so increased the bulk of the Report that an alteration in its form has been found necessary. It is not without regret that I have determined upon this change as

the new form of volume is much more cumbersome than the old, but the circumstances left no alternative unless the Report was to be issued in two or more volumes; and the common experience of national statistical offices throughout the world points to the use of a larger page than that hitherto in use for the presentation of tabular matter of this kind.

Some of the new features in this Report, to most of which the methods of tabulation now employed have led, may next be briefly pointed out.

A summary of the most important vital statistics of every administrative area in the country is provided on pages 148-178. Nothing of the kind has hitherto been available, it being necessary to collate some hundreds of local reports, differing greatly in form and value, in order to obtain corresponding information for previous years. These reports have for the most part, a merely local circulation, and indeed a number of them are not even printed, and therefore the information referred to has hitherto been practically unobtainable in complete form. Moreover even so far as it could be got from the local reports it has been of uncertain and unequal value, as statistics compiled by a multitude of different local authorities necessarily must be. The reader is now furnished with the chief facts for every area in a form not only complete for all so far as it goes, but also comparable for all, since the same rules and conventions of tabulation have been applied to every area on the list. Those who have most experience of the comparison of statistics compiled in different localities will best appreciate the value of a table dealing uniformly and impartially with all.

Attention may be drawn here to a feature of this table which must greatly enhance its value to the sanitarian, and which in the great majority of cases represents an advance upon the information hitherto at his disposal. At the request of the Society of Medical Officers of Health, factors for standardizing the general death-rate of all administrative areas in the country have been calculated, and are now published in the table together with the standardized death-rates obtained by their use. These rates may be compared with confidence, since they take into account and allow for the varying sex- and age-constitution of the various populations, whereas comparison of death-rates in their crude form, as ordinarily calculated, may be most misleading.

The statement, on pages 148-178, of the number of deaths from all causes and at all ages for every area is supplemented for the more important areas (administrative counties with distinction of their urban and rural portions, county boroughs, and, in London, metropolitan boroughs) by an analysis of these deaths by cause and age in combination, as in the form of tabulation required by the Local Government Board from local authorities, but with the additional distinction of sex (pages 313-437), and by an analysis giving greater detail of age but omitting the cause of death (pages 179-193). Deaths in the smaller and less important areas are analysed by sex and cause, but not by age, on pages 438-536.

It is impracticable to show the rate of mortality corresponding to the many thousands of statements of numbers of deaths in these various tables, but in order to afford the student the means of making such calculations for any important areas or groups of areas for which he may require them, estimates of the population, distinguishing sex and age, of all counties and county boroughs, have been included in the Report. Similar estimates for registration counties have been prepared for the purposes of previous Reports, but it has not been deemed necessary hitherto to publish them.

As an example of the manner in which these estimated populations, together with the corresponding deaths, may be combined to afford suggestive contrasts in mortality, the comparisons made, for the first time, in this Report between the North, Midlands, and South of England, and Wales, may be referred to. These comparisons have proved to be of great interest, and it may be hoped, now that the material for them has been supplied, that other similar comparisons will be made outside this Office, and that these also will increase our knowledge of the distribution, and ultimately, of the remediable causes, of mortality in this country.

Comparisons such as these may be very fallacious unless care is taken to compare like with like. The urban area is necessarily at a disadvantage, so far as mortality is concerned, in comparison with the rural; and as the counties contain both in very varying proportions they do not form suitable units for comparison, either singly or in combination. For this reason care has been taken to preserve the distinction between their urban and rural elements, so that it is possible to compare, say, the rural population of any section of the country with that of any other, so far as it is indicated by the division into urban and rural districts. This distinction has been observed throughout in the comparisons made between different parts of the country. The fact that the largest towns, as county boroughs, are outside the limits of the administrative counties has

suggested a ready means of extending it so as to differentiate urban areas among themselves according to size, in addition to distinguishing them from rural areas. The urban areas included in the counties roughly represent the smaller and the county boroughs the larger towns of the country, while London stands alone in representing a third and quite exceptional type of city development. We have thus three grades of urban area, varying in regard to the size of the individual towns, and these with the rural areas make up four great divisions of the population from this point of view. Tabulation has been carried out in great detail for these four divisions, so that it is now possible to measure the effects of urban conditions of life with some precision, whereas hitherto but rough approximations could be made in regard to this matter. A number of interesting and important facts have been brought to light by studying the returns of 1911 from this point of view, and as the number of years to which the method has been applied increases there will be a corresponding increase in the value of its results.

The system of tabulating deaths mechanically by means of cards, which has greatly facilitated the increased detail of statement already referred to, has made it possible to increase the information afforded in the tables in a number of other directions as well. Thus, as a direct consequence of the introduction of the card system, deaths are now tabulated by individual years of age, and those of females by conjugal condition (page 179), and in the tables showing detail of cause and age in combination, quinquennial age-groups have replaced decennial from age 25 onwards.

It has become possible also to classify deaths according to their place of occurrence, as is done on pages 296-312 and elsewhere. The information so afforded is of very considerable interest, especially at a time like the present, when a new era is opening in this country with regard to the arrangements for treatment of disease. Deaths in general have in these tables been classified by sex, nature of area whether urban or rural, cause, and place of occurrence; and those from certain causes have been classified also by age. The introduction of the latter distinction, however, makes the tabulation so elaborate that it can only be carried out in sections, and a start has therefore been made with the first important causes of the International List only, to be followed next year by a second section, and so on till the ground has been completely covered in ten years.

The same scheme for division of labour has had to be resorted to in regard to another innovation of 1911, which has resulted in the very elaborate, but it is hoped, useful tables on pages 558-577. When the card system was adopted it was seen that its uses need not be confined to the information punched on the cards for tabulation by electrical machinery. This information can be supplemented in certain cases by additional particulars extracted from the register and written, not punched, upon the cards, which are then for this purpose sorted and counted by hand. The elasticity of the system can thus be indefinitely extended if the number of cards so treated is kept within bounds. So far the principal application of this method has been in the tabulation of secondary causes of death, and to keep the work within manageable proportions one section of the list of causes only has been so dealt with for the year 1911.

For all other deaths in 1911, as for all deaths in every previous Annual Report, a single cause of death had to be selected for tabulation, though in very many instances two or more are mentioned in the register. This selection is carried out according to certain rules set forth in the Manual of Causes of Death, but their operation is in many cases far from satisfactory, facts of material importance being often inevitably suppressed. For this reason a system has now been inaugurated of writing on the cards allocated to certain causes of death a full statement of all the additional particulars contained in the registers regarding their causation, and of using these cards for the tabulation by hand of this additional information. The system has been applied in 1911 to the infectious diseases, and the results obtained are shown on pages 558-571. Much information of real interest in regard to the frequency of various diseases as causes of death, and to the combinations of fatal disease, which has been awaiting extraction from the registers for the past 70 years (the idea was actually suggested by Dr. Farr 60 years ago), will now gradually be made available by the operation of this scheme.

Another important instance of the use, for the first time, of material which has long been available is afforded by the classification of the infant mortality of the year according to parent's occupation (Tables 28A-28D and pages xl-xlv). In order to compare the fertility of those engaged in different occupations all the births registered in 1911 have been tabulated (without the aid of cards) according to the occupation of the parent—of the father if the child was legitimate, or of the mother if illegitimate. The results will be published in the next Decennial Supplement as a pendant to the tables relating to occupational mortality; but the tabulation in this form of the births has afforded an opportunity for preparing the sections of this Report which relate

to occupational infant mortality. The extent of their bearing upon the prevention of infant mortality may prove to be a controversial matter, depending upon the relative importance attributable to inheritance and environment as factors causing mortality, but at the least it must be regarded as very considerable. The results obtained will be supplemented and in some respects extended by the tabulation, now in progress, of the replies to the questions put at the recent census as to number of children born and since dead. In some respects the census material is better, and in other respects worse suited to the purpose in view, which includes the relation of infant and child mortality to occupation of father (and, if any, of mother as well), industry, social status, housing conditions, age of parents, duration of marriage, number in family, and so forth. On most of these subjects the registration material can at present throw no light, but so far as its scope extends it applies more precisely to the mortality of infants under one year of age than will the census material. From the two sources of information in conjunction it may be anticipated that our knowledge of the causes and conditions of the mortality of young children in this country will be greatly extended.

I will conclude this brief account of the very considerable changes embodied in the present Report by an expression of my own satisfaction at having been associated with an improvement of so much importance in the methods of presenting the vital statistics of the country, and of my high appreciation of the ability, energy and resource shown by Dr. Stevenson in planning and carrying out the work with the zealous and skilful co-operation of the statistical staff, among whom I may specially mention Mr. Finch, senior clerk in this branch of the department. These changes had necessarily to be postponed until the first year of a new decennium; but we have now accomplished all, and more than all, that we set out four years ago to do; and my only regret is that, owing to the heavy labour which its preparation has imposed on a small staff, the presentation of this Report should have been delayed until so late a date in the present year. I fully recognise that the value of statistics is much enhanced by their early publication, and I have every reason to expect, owing to the arrangements which have been made for the purpose, that in future years the Annual Report will appear not later than the autumn of the year succeeding that to which it relates. This will be a considerable advance on the practice of former years.

I have to convey my thanks to the Registrars-General of Scotland and Ireland, and the various Foreign and Colonial Authorities for the information from which the International Vital Statistics have been compiled, and to Dr. W. N. Shaw, F.R.S., for the Meteorological Report of the year 1911.

I have the honour to be, Sir,

Your obedient Servant,

BERNARD MALLET,

Registrar-General.

General Register Office,
Somerset House,
August, 1913.

REVIEW OF THE VITAL STATISTICS OF THE YEAR 1911.

POPULATION.

The final report on the census of 1911, which was not available when the last issue of this Report was published, shows that the total population of England and Wales on April 3rd, 1911, was 36,070,492, or 4,777 less than the number published in the Preliminary Census Report, upon which the various estimates of population in the Annual Report for 1910 were founded.

On the assumption of a continuance of increase by geometrical progression at the rate experienced during 1901–1911 the population at the middle of the year 1911 is estimated to have been 36,163,833; and on the further assumption of a continuance in arithmetical progression of the change in the proportion of the sexes experienced between the last two censuses this total is estimated to have been made up of 17,490,847 males and 18,672,986 females.

For parts of the country the method adopted in this Report for the calculation of estimated populations is that described in the Annual Report for 1907, pages cxxxii–cxxxiv and in that for 1910, pages xi and xii.

The revised totals of census population have involved a slight modification of the factors published in last year's Report for the calculation of estimates of populations for the years 1901–1910, but the change is so slight that the factors need not be re-stated.

The factors in use or to be used for 1911 and subsequent years are as follows:—

1911	·02634780	1916	·56787619
1912	·13242746	1917	·67958101
1913	·23960799	1918	·79244797
1914	·34790096	1919	·90648664
1915	·45731880	1920	1·02170833

The population of any district at the middle of any year from 1911–1920 is calculated by adding to the population enumerated in 1911 the product of the increase of population in the last intercensal period and the factor for the year in the above series. In the case of a decreasing population the product of the intercensal decrease multiplied by the factor should be deducted from the population enumerated in 1911.

In the case of leap years, when it is desired to correct for the extra day, the mid-year estimate should be increased by $\frac{1}{365}$ th part.

At a period so close as three months to the date of a census it may be assumed that estimates of population for the most part approximate very closely to the truth, whatever the method of estimation employed; but when estimates have to be made for years considerably subsequent to the date of the last available census the case is very different. The errors inevitably occurring under these circumstances form a strong argument in favour of a quinquennial census, but failing this it is hoped soon to introduce the use of methods for estimating the population of the more important areas calculated to yield nearer approximations to the truth than the simple uniform formula now employed. Up to the present, however, it has not been possible to undertake the somewhat laborious calculations involved by the change, and in any case the question is one affecting subsequent years rather than 1911.

MARRIAGES.

The marriages in England and Wales during the year 1911 numbered 274,943, corresponding to a rate of 15·2 persons married per 1,000 of the population at all ages. This rate was 0·2 per 1,000 above the corresponding rate in 1910 and 0·3 below the average rate in the ten years 1901–1910.

The proportion to the total population of persons married during the 74 years (1838–1911) since civil registration of marriages commenced has ranged between a maximum of 17·9 per 1,000 living in 1853, and a minimum of 14·2 per 1,000 in 1886, the mean annual rate in the whole period being 15·8 per 1,000. (*See Table 6, p. 20.*)

In view, however, of the changing constitution of the population, a better method of measuring the marriage-rate is to eliminate the married persons and young children,

and to calculate the rate on the unmarried and widowed portion of the population aged 15 years and upwards, so dealing with that section of the population only in which marriages take place. Marriage-rates so calculated are shown for a series of years in Table 6. From this table it appears that when calculated in this way the marriage-rate shows a very considerable decline in the last 40 years, the rate for 1906-1910 being the lowest recorded in any corresponding period for each sex, whereas the rate per 1,000 persons at all ages was lower in several previous quinquennia. The difference is largely due to the fact that owing to the fall in the birth-rate persons over 15 years of age form a larger proportion of the total population now than formerly. Hence 1,000 persons of all ages include more of age to marry at the present time, and a rise in the number amongst them who marry in a year is not inconsistent with a fall in the number married out of 1,000 marriageable persons. On the latter basis of reckoning Table 6 shows that a lower marriage-rate than that of 1911 has been recorded for only three previous years, the three immediately preceding.

A still more precise method of calculating the marriage-rate over an extended period would be to take account not only of the changes in the proportion of marriageable persons in the population, but also of the changes in their ages. A difficulty arises, however, in attempting to make such a calculation owing to the comparatively high proportion of unstated ages in the case of the marriages of earlier years.* On the assumption, however, that an approximation to the number of marriages in each age-group may be obtained by distributing the unrecorded ages in the same proportions as the recorded ages, a standardized† marriage-rate has been calculated for the period 1870-72 (when the marriage-rate can be seen from the table to have been nearly at its maximum) based on the sex and age constitution and marital condition of the population in 1901. Taking this corrected rate as a standard, the marriage-rate in 1911 shows a fall of 23 per cent., but this may not accurately represent the decline owing to the doubtful nature of the above assumption.

The marriage-rate, in whatever form expressed, is liable to considerable disturbance by migration. For instance, when a young woman leaves the country to marry elsewhere she is lost as a bride to the population of marriageable women amongst whom she figured at the last census, and the converse fallacy results when, as not infrequently happens, foreigners resort to this country merely for the purposes of marriage. Migration varies greatly in amount from year to year, rendering marriage-rates, even when corrected as fully as possible for the marriageability of the population, to a certain extent misleading. If it were customary for varying but considerable proportions of our population to emigrate just when about to die the death-rate could be regarded as no very certain index of the country's mortality, but this is just what happens with regard to marriages. A number of marriages are lost to England and Wales because it is an emigrant country, just as the marriage-rate of the rural districts is lowered by the fact that young men and women leave them and marry in the towns. Hence the marriage-rate of a period of active migration must tend to be lower, other things being equal, than that of a period when there is little balance of emigration. During the last intercensal period there was a loss from migration to the population of England and Wales of 501,998, but in 1891-1901 of only 68,330 (Report on 1911 Census, vol. I, p. xii), and this difference should not be lost sight of in comparing the corrected marriage-rates for males and females shown for the two periods in Table 6. The extent of allowance to be made for the operation of this factor must remain conjectural in the absence of information as to the ages of migrants. It may be hoped, however, that this will be available after the next census, for the form in which the death returns are now tabulated will enable us to determine what should be the population at each year of age in 1921 in the absence of migration. The difference between these figures and those of the census will show approximately the age distribution of the migrants during 1911-1921. As the total number of these in each year will be known from Board of Trade returns it will be possible to estimate their number in any year subsequent to 1921 at any ages on the assumption that their age distribution has remained unchanged. It may be remarked in passing that this method will provide a better means of estimating the ages of the total population remaining in the country than that hitherto in use, for it requires the assumption of unchanged age distribution in the case only of the comparatively small number of emigrants in excess of immigrants, instead of, as at present, of whole the population remaining in the country.

Even when the ages of emigrants are available, however, it will be possible only to form a somewhat rough estimate of the extent to which the English marriage-rate is lowered by emigration.

* See remarks relating to unstated ages at marriage on page xiv.

† See pages xxvii-xxxi.

Marriage-Rates of Bachelors, Spinsters, Widowers, and Widows.—The following table compares the marriage-rates of the single and of the previously married at different groups of ages.

Marriages without statement of age have been distributed to the various age-groups in the proportions shown in the stated ages, as, although it is probable that the proportion of unstated ages is higher in the later age-groups, there is no means of estimating to what extent. The calculations have been restricted to census periods, in order to avoid errors which might arise from erroneous estimates of sections of the populations for intercensal years, and to the last four census periods only, because of the high proportion of unstated ages at earlier periods. These proportions have gradually declined from about 94 per cent. when civil registration began until in 1911 they amounted to only 0·66 per cent. in the case of husbands and 0·74 in that of wives.

TABLE I.—ENGLAND AND WALES.—AVERAGE ANNUAL MARRIAGE-RATES per 1,000 of UNMARRIED and WIDOWED PERSONS at SIX AGE-GROUPS—1880-2 ; 1890-2 ; 1900-2 ; and 1911.

—	Aged 15 years and upwards.*		15—	20—	25—	35—	45—	55 and upwards.
	Rate per 1,000.	Compared with rate in 1880-82 taken as 100.						
<i>Bachelors.</i>								
1880-2 ...	58·7	100·0	4·6	106·8	112·4	40·5	14·3	3·0
1890-2 ...	57·1	97·3	3·1	94·7	122·4	43·4	15·2	3·5
1900-2 ...	54·7	93·2	2·5	85·9	123·7	44·2	14·6	3·3
1911 ...	50·7	86·4	2·2	74·5	120·5	44·0	14·7	3·7
<i>Widowers.†</i>								
1880-2 ...	52·9	100·0	30·6	192·9	246·5	157·8	76·9	16·0
1890-2 ...	50·7	95·8	14·1	153·4	231·7	151·1	74·7	15·5
1900-2 ...	44·4	83·9	—	132·6	201·7	134·1	65·3	13·5
1911 ...	39·7	75·0	—	114·8	171·9	118·5	58·8	12·8
<i>Spinsters.</i>								
1880-2 ...	59·0	100·0	21·5	121·9	80·6	26·3	10·4	1·6
1890-2 ...	55·7	94·4	16·2	112·4	85·7	26·4	10·3	1·7
1900-2 ...	53·0	89·8	13·0	104·8	88·5	25·3	9·1	1·5
1911 ...	50·8	86·1	11·2	97·1	91·4	23·9	8·5	1·8
<i>Widows.†</i>								
1880-2 ...	15·5	100·0	56·6	155·3	114·5	50·2	18·6	2·6
1890-2 ...	15·2	98·1	49·3	150·4	114·3	50·3	17·8	2·4
1900-2 ...	14·4	92·9	54·9	140·7	115·9	48·9	15·6	2·1
1911 ...	14·3	92·3	22·5	157·6	113·2	48·8	15·4	2·1

* The rates in each period are based on the age-constitution of these particular sections of the population as enumerated at the census of 1901 by the direct method of standardization, described for death-rates at pages xxvii-xxxi.

† The apparent anomaly, that the rates for widowers and widows at all ages are much lower than those for bachelors and spinsters respectively, while at each separate age-period they are higher, is explained by the fact that the higher rates for the single of both sexes relate to age-periods at which their numbers are comparatively large, while the higher rates for the widowed relate to age-periods at which their numbers are comparatively small.

The fall in the marriage-rate in the period reviewed in the table has been greatest among widowers and least among widows. The number of widows is always much greater than that of widowers, because, in the first place, men marry later in life than women ; secondly, because the duration of male life is shorter than that of female life ; and thirdly, because the proportion of widows who re-marry is much lower than that of widowers.

Comment on the changes in the marriage-rate at the different age-periods shown in the above table is deferred until the figures for the three years 1910-12 are available.

Table II. gives a general view of the changes in the proportions of first marriages and re-marriages since the year 1876 ; it will be observed that the proportion of re-marriages shows continuous decrease.

TABLE II.—ENGLAND AND WALES.—PROPORTIONS of FIRST MARRIAGES and RE-MARRIAGES in 1,000 MARRIAGES.

Period.	Men.		Women.		Bachelors who married.		Widowers who married.	
	Bachelors.	Widowers.	Spinsters.	Widows.	Spinsters.	Widows.	Spinsters.	Widows.
1876-80 ...	864	136	902	98	820	44	82	54
1881-85 ...	874	126	911	89	834	40	77	49
1886-90 ...	881	119	917	83	844	37	73	46
1891-95 ...	887	113	921	79	851	36	70	43
1896-1900	904	96	931	69	871	33	60	36
1901-05 ...	911	89	933	67	877	34	56	33
1906-10 ...	916	84	938	62	884	32	54	30
1911 ...	918	82	939	61	887	31	52	30

Table III. shows the proportions by age of bachelors, spinsters, widowers, and widows who married during the period 1886-1911.

TABLE III.—ENGLAND AND WALES, 1886-1911.—MARRIAGES of BACHELORS, SPINSTERS, WIDOWERS and WIDOWS of VARIOUS AGES per 1,000 MARRIAGES at ALL AGES.

Period.	All Ages.	Under 18 Years.	18—	19—	20—	21—	25—	30—	35—	40—	45—	50—	55 and upwards.	Age not Stated.
<i>Bachelors.</i>														
1886-1890	1,000	0	4	20	47	424	309	96	33	13	6	3	2	43
1891-1895	1,000	0	3	17	43	415	333	108	37	14	6	3	2	19
1896-1900	1,000	0	3	15	39	411	346	110	39	15	6	3	2	11
1901-1905	1,000	0	3	13	35	390	360	122	41	16	7	3	2	8
1906-1910	1,000	0	3	11	30	370	372	132	46	17	8	3	2	6
1911 ...	1,000	0	3	11	28	350	380	139	50	19	9	3	3	5
<i>Spinsters.</i>														
1886-1890	1,000	9	37	72	97	417	219	62	23	10	5	2	1	46
1891-1895	1,000	7	31	66	94	425	241	70	25	11	5	2	1	22
1896-1900	1,000	6	27	59	89	434	253	74	26	11	5	2	1	13
1901-1905	1,000	5	23	53	82	428	272	79	28	12	5	2	1	10
1906-1910	1,000	5	21	48	75	420	284	87	30	12	6	2	2	8
1911 ...	1,000	5	21	46	70	404	298	93	32	13	7	3	2	6

Period.	All Ages.	Minors.	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	Un-stated.
<i>Widowers.</i>														
1886-1890	1,000	0	13	81	133	151	139	120	94	70	53	27	15	104
1891-1895	1,000	0	12	76	132	153	148	126	106	74	55	29	18	71
1896-1900	1,000	0	10	73	131	158	150	136	109	84	56	30	19	44
1901-1905	1,000	0	10	68	130	155	152	136	116	83	62	32	20	36
1906-1910	1,000	0	8	61	123	153	152	141	119	90	62	37	24	30
1911 ...	1,000	0	7	56	115	155	146	144	119	93	68	40	33	24
<i>Widows.</i>														
1886-1890	1,000	1	30	119	164	173	145	117	73	46	26	10	3	93
1891-1895	1,000	1	27	115	170	177	157	119	78	47	29	10	4	66
1896-1900	1,000	1	26	113	175	188	157	127	81	50	28	11	3	40
1901-1905	1,000	1	28	122	182	190	158	118	78	47	29	11	4	32
1906-1910	1,000	1	23	106	177	192	160	129	82	52	30	14	6	28
1911 ...	1,000	0	22	102	164	192	166	135	82	54	32	17	13	21

The Divorced.—The number of persons divorced annually has been increasing for many years, but was smaller in 1911 than in any year since 1906. The marriages of persons described as divorced have also steadily increased, reaching a maximum of 737 in 1909 and declining to 710 in 1910, and further to 702 in 1911.

TABLE IV.—ENGLAND AND WALES.—AVERAGE ANNUAL NUMBER of PERSONS DIVORCED, and of DIVORCED PERSONS who RE-MARRIED, 1876-1911.

Period.	Number of Persons divorced.	Average Annual Number of Divorced Persons who re-married.							
		Total.	Men.	Women.	Divorced men and spinsters.	Divorced men and widows.	Divorced men and divorced women.	Divorced women and bachelors.	Divorced women and widowers.
1876-80 ...	554	104	56	48	42	12	2	31	15
1881-85 ...	671	128	68	60	53	12	3	42	15
1886-90 ...	707	169	80	89	65	11	4	65	20
1891-95 ...	744	214	110	104	89	15	6	75	23
1896-1900	980	345	172	173	138	24	10	126	37
1901-05 ...	1126	509	262	247	205	38	19	181	47
1906-10 ...	1247	693	356	337	276	53	27	253	57
1911 ...	1160	702	365	337	300	39	26	265	46

The number of divorced persons who re-married in 1876-80 was equal to about 19 per cent. of the number divorced during that period, whereas in 1911 the proportion had risen to 61 per cent. It should be pointed out, however, that in some cases persons who have been divorced abroad re-marry in this country, and also that the figures given in the table refer only to persons described in the marriage register as divorced, and possibly this description is not given in all cases to which it is applicable.

Marriages of Minors.—The proportion of marriages under age was at its maximum in the year 1874 both for males and females, since when the ratio of such marriages to total marriages has declined continuously.* (See Tables V. and 10.)

TABLE V.—ENGLAND AND WALES.—MINORS MARRIED per 1,000 MARRIAGES at ALL AGES.

—			Husbands.	Wives.	—			Husbands.	Wives.
1876-80	77·8	217·0	1896-1900	51·2	168·0
1881-85	73·0	215·0	1901-05	46·3	153·1
1886-90	63·2	200·2	1906-10	40·3	139·4
1891-95	56·2	182·6	1911...	39·3	133·3

The proportions per 1,000 marriages of husbands and of wives marrying under age in 1911 and in the preceding decennium in the respective Registration counties are shown in Table 12, page 25.

The highest proportions of marriages of minors were recorded in the mining and manufacturing counties and the lowest in the agricultural counties.

Marriages of minors are proportionately more common in Scotland but much less common in Ireland than in England and Wales.

Mean Age at Marriage.—Although the mean age at marriage is for many purposes a convenient summary of the statements as to age, it must be borne in mind that it forms only a very imperfect measure of changes in the age at which marriage takes place.

The great reduction that has taken place in the disturbing factor of unstated ages, has rendered it possible to measure with approximate accuracy for a series of recent years the mean age at marriage, based on the returns in which age is recorded, as is done in Tables VI. and VII. These tables show that the mean age at marriage has steadily increased during the whole period both for bachelors and for spinsters, and a similar

* The decreasing tendency to early marriage is more accurately indicated by the proportion of men and women who marry at the earlier ages to the numbers living at those ages. See Table I.

tendency, with slight fluctuations, is noticeable in the case of widowers. In the case of widows the mean age has shown a progressive increase since 1902.

TABLE VI.—ENGLAND AND WALES.—MEAN AGES of MEN at MARRIAGE 1896–1911.

Year.	All Husbands.	All Bachelors.	All Widowers.	Bachelors with Spinsters.	Bachelors with Widows.	Widowers with Spinsters.	Widowers with Widows.
1896	28·43	26·59	44·49	26·30	33·93	41·38	49·60
1897	28·38	26·63	44·53	26·35	34·10	41·43	49·73
1898	28·34	26·62	44·70	26·34	33·94	41·82	49·69
1899	28·34	26·65	44·90	26·37	34·29	41·87	49·81
1900	28·41	26·68	45·02	26·39	34·35	42·19	49·75
1901	28·55	26·76	45·18	26·48	33·94	42·43	49·69
1902	28·53	26·88	44·96	26·60	33·94	42·11	49·81
1903	28·49	26·91	44·94	26·63	34·24	42·16	49·72
1904	28·46	26·93	45·03	26·66	34·06	42·25	49·98
1905	28·56	27·01	45·27	26·74	34·26	42·47	50·18
1906	28·56	27·03	45·37	26·76	34·39	42·59	50·25
1907	28·66	27·10	45·62	26·84	34·58	42·85	50·56
1908	28·78	27·19	45·69	26·92	34·57	42·92	50·66
1909	28·88	27·29	45·93	27·02	35·00	43·23	50·85
1910	28·92	27·36	45·93	27·09	34·96	43·14	50·89
1911	29·03	27·46	46·42	27·19	35·19	43·49	51·46

TABLE VII.—ENGLAND AND WALES.—MEAN AGES of WOMEN at MARRIAGE 1896–1911.

Year.	All Wives.	All Spinsters.	All Widows.	Spinsters with Bachelors.	Spinsters with Widowers.	Widows with Bachelors.	Widows with Widowers.
1896	26·21	25·08	40·58	24·54	32·43	35·69	44·81
1897	26·18	25·10	40·74	24·59	32·31	35·95	45·00
1898	26·18	25·14	40·59	24·62	32·68	35·85	45·04
1899	26·21	25·16	40·83	24·65	32·83	36·12	45·16
1900	26·29	25·23	40·74	24·71	32·97	36·19	44·95
1901	26·39	25·31	40·43	24·77	33·04	35·65	44·96
1902	26·37	25·36	40·25	24·86	32·86	35·62	44·95
1903	26·35	25·37	40·27	24·89	32·93	35·69	45·01
1904	26·32	25·37	40·35	24·90	33·03	35·82	45·22
1905	26·38	25·43	40·53	24·96	33·08	36·02	45·29
1906	26·41	25·46	40·79	24·99	33·30	36·27	45·53
1907	26·49	25·54	40·91	25·06	33·43	36·32	45·68
1908	26·61	25·63	41·02	25·13	33·71	36·43	45·86
1909	26·69	25·73	41·27	25·22	33·85	36·71	45·98
1910	26·75	25·79	41·33	25·30	33·85	36·83	46·07
1911	26·80	25·81	41·74	25·32	34·13	37·01	46·63

The ages of persons married in 1911 have been separately abstracted for each year of age up to 25, and these numbers have been used in calculating the mean age at marriage in the above table. For years prior to 1911 marriages at ages between 21 and 25 formed a single group and the mean age of this group was taken as 23 years ; calculated in this way for 1911 the mean age for all husbands would be 29·00 and that for all wives 26·83 years.

Signature in Marriage Register.—The proportion of husbands who failed at the time of marriage to sign their names in the marriage register has gradually fallen from 32·6 per cent. in 1841–45 to 1·0 in 1911, and of wives from 48·9 to 1·2. In the Home and the agricultural counties the proportion of illiterate men is higher, and in the mining and industrial counties lower, than that of women.

Buildings in which Marriages may be Solemnized.—At the end of the year 1911 the numbers of churches or chapels of the Established Church, and of registered buildings in which marriages could be legally solemnized were as follows :—

Established Church	15,864
All other Religious Denominations	16,023
Total...	<u>31,887</u>

The increase upon the numbers at the end of the previous year was : Established Church 53, other religious denominations 236.

By the Acts 15 and 16 Vict. c. 36, and 18 and 19 Vict., c. 81, it was enacted that all places of religious worship not being churches or chapels of the Established Church should, if the congregations desired, but not otherwise, be certified to the Registrar General, certification for public worship being a necessary preliminary to the registration of a building for the solemnization of marriages. The number of places of meeting for religious worship on the official register on 31st December, 1911, and the number of buildings registered for the solemnization of marriages are shown in the following table :—

TABLE VIII.

Denomination.	Buildings certified to the Registrar-General as Meeting-places for Religious Worship.	Buildings registered for the Solemnization of Marriages.*	Denomination.	Buildings certified to the Registrar-General as Meeting-places for Religious Worship.	Buildings registered for the Solemnization of Marriages.*
Roman Catholics	1,391	1,337	New Jerusalem Church...	52	55
Wesleyan Methodists	7,455	3,693	Catholic Apostolic Church	71	49
Congregationalists	3,244	2,904	Countess of Huntingdon's	46	44
Baptists	3,032	2,610	Connexion.		
Primitive Methodists	4,249	1,656	Salvation Army	1,221	43
United Methodist Church	1,955	1,155	Society of Friends	422	—†
Calvinistic Methodists	1,202	892	Jews	208	—†
Presbyterians	438	439	Other Denominations	2,813	950
Unitarians	180	196			
			All Denominations	27,979	16,023

* Of these buildings nearly 1,000 were certified before 1852, as Places of Meeting for Religious Worship, to some other Authority than the Registrar-General and therefore are not included in the preceding column.
† It is not necessary for buildings to be registered for the solemnization of Quaker or Jewish marriages. Under section 31 of the Births, Deaths, and Marriages Registration Act (1836) Registering Officers of the Society of Friends and Secretaries of Jewish Synagogues who have been certified to the Registrar-General record the marriages in each case.

The Marriage Act, 1898, provided that under specified conditions marriages might be solemnized in registered buildings in the presence of duly authorised persons without the attendance of a Registrar of Marriages. The governing bodies of some of the registered buildings have availed themselves of this provision, and at the end of the year 1911 the number of such buildings which had been brought under the operation of the Act, and so remained, was 3,300 out of the total of 16,023 ; the numbers of these buildings and the denominations to which they belonged, were as follows :—

- 1,453 Wesleyan Methodists.
 - 519 Congregationalists.
 - 427 Primitive Methodists.
 - 333 Baptists.
 - 298 United Methodist Church.
 - 86 Calvinistic Methodists.
 - 184 Other Denominations, and Unsectarian.
-
- 3,300 All Denominations.

These 3,300 registered buildings were distributed among 504 of the registration districts. In the remaining 131 registration districts there was no registered building under the operation of the Act.

Manner of Solemnization.—Table 9, p. 22, shows that almost four-fifths of the marriages contracted in England and Wales during 1911 were solemnized with religious ceremonial. This proportion has been steadily decreasing since the commencement of civil registration, owing to the growing favour of purely civil marriage in District Register Offices, and was smaller in 1911 than in any previous year. The proportion of Established Church marriages is also the lowest on record, and that of civil marriages is the highest, but the bulk of the population still prefers marriage according to the rites of the Church of England,

The proportion of marriages solemnized under the provisions of the Marriage Act, 1898, has steadily increased in each successive year from 11 per 1,000 marriages in 1899 to 47 in 1911.

Of the 1,820 Jewish marriages contracted in the year 1911 in England and Wales, 1,353, or 74 per cent., were registered in London, 151, or 8 per cent., in the city of Manchester, and 83, or 5 per cent., in the city of Leeds. Of the Jewish marriages in London, no fewer than 1,087, or 80 per cent., were registered in a group of three registration districts—London City, Whitechapel, and Mile End Old Town.

Table 11, p. 24, gives particulars as to the forms under which marriages have been contracted in the various registration counties during 1911.

BIRTHS.

The births registered in the year 1911 numbered 881,138 ; of these 843,505 were legitimate, and 37,633 were illegitimate.

In proportion to the total population of both sexes and all ages, the total births were equal to a rate of 24·4 per 1,000 living ; this rate was 0·7 per 1,000 less than that recorded in 1910, and was no less than 2·8 per 1,000 below the average of the low rates in the ten years 1901–1910.

In the year 1876 the birth-rate in this country attained the highest point on record, viz., 36·3 per 1,000 living, since which date the ratio has, with a few insignificant exceptions, fallen year by year.

The birth-rate, stated in terms of total population (crude birth-rate), must obviously vary considerably with the proportion of females of conceptive ages in the population, and with the proportion of these married.

The following statement shows the changes in these proportions and in the age constitution of the married female population at the last five censuses :—

TABLE IX.—ENGLAND AND WALES.

Census Years.	Proportion per cent. of Women aged 15-45 years in the Total Population of both sexes and all ages.	Proportion per cent. of Married Women in the Female Population aged 15-45 years.	Of the Married Women aged 15-45 years, the proportion per cent. at four groups of ages.				Persons Married to 1,000 Marriage- able Persons* in the Population.
			15-20.	20-25.	25-35.	35-45.	
1871	23·1	49·6	1·3	13·9	45·5	39·3	56·9
1881	23·1	49·1	1·1	13·7	45·6	39·6	51·1
1891	23·8	47·1	0·9	12·8	46·0	40·3	49·8
1901	25·0	46·8	0·7	11·8	46·8	40·7	48·6
1911	24·9	47·7	0·5	9·4	46·0	44·1	46·2

* *i.e.*—unmarried and widowed persons over 15 years of age : see p. xiii.

Perhaps the most remarkable features in this table are the fall in the proportion of marriages to marriageable persons and the evidence of postponement of marriage by women. The proportion of women of fertile ages who are married was higher in 1911 than in 1901, but the proportions of these married women had fallen at the three earlier out of the four age-periods dealt with, a change which can only be accounted for by postponement of marriage.

When the extent to which fertility diminishes with advancing age is borne in mind, it is seen that this change in itself must have had an appreciable effect in diminishing the birth-rate, but one which is not recognised in any form of comparative statement of fertility employed in this Report.

The crude birth-rate, or ratio of births registered to population at all ages, is the appropriate form of statement when the object in view is to record the net result of the various factors governing reproduction—proportionate number of potential mothers, number of these married, age, and fertility in relation to age, of married and single women, &c. It sums up the results of all the influences governing the rate at which a community is reproducing itself, and is therefore, in conjunction with the corresponding form of mortality statement, the crude death-rate, the appropriate means of measuring natural increase.

Birth-rates, however, are often studied for the sake of the light they throw upon the fertility of communities, and for this purpose also the crude birth-rate is the form of statement ordinarily employed ; in fact, none other is as a rule available. But as the

TABLE X.—ENGLAND AND WALES.—BIRTH-RATES AND FERTILITY, 1876–1911.

Period	(a.)		(b.)		(c.)		(d.)	
	Birth-rate calculated on Total Population at All Ages.		Fertility calculated on the Female Population aged 15-45 years.		Legitimate Fertility calculated on the Married Female Population aged 15-45 years.		Illegitimate Fertility calculated on the Unmarried and Widowed Female Population aged 15-45 years.	
	Rate per 1,000.	Compared with rate in 1876-80 taken as 100.	Rate per 1,000.	Compared with rate in 1876-80 taken as 100.	Rate per 1,000.	Compared with rate in 1876-80 taken as 100.	Rate per 1,000.	Compared with rate in 1876-80 taken as 100.
1876-1880 ...	35·3	100·0	153·3	100·0	296·3	100·0	14·4	100·0
1881-1885 ...	33·5	94·9	144·3	94·1	282·4	95·3	13·5	93·8
1886-1890 ...	31·4	89·0	133·4	87·0	267·1	90·1	11·8	81·9
1891-1895 ...	30·5	86·4	126·8	82·7	258·3	87·2	10·1	70·1
1896-1900 ...	29·3	83·0	118·8	77·5	242·9	82·0	9·2	63·9
1901-1905 ...	28·2	79·9	112·9	73·6	230·5	77·8	8·4	58·3
1906-1910 ...	26·3	74·5	105·3	68·7	212·9	71·9	8·1	56·3
1876 ...	36·3	102·8	157·5	102·7	304·1	102·6	14·6	101·4
1877 ...	36·0	102·0	155·9	101·7	301·1	101·6	14·6	101·4
1878 ...	35·6	100·8	154·5	100·8	298·8	100·8	14·4	100·0
1879 ...	34·7	98·3	150·5	98·2	291·1	98·2	14·2	98·6
1880 ...	34·2	96·9	148·3	96·7	287·0	96·9	14·1	97·9
1881 ...	33·9	96·0	147·0	95·9	284·9	96·2	14·1	97·9
1882 ...	33·8	95·8	145·8	95·1	283·9	95·8	13·8	95·8
1883 ...	33·5	94·9	144·1	94·0	281·9	95·1	13·4	93·1
1884 ...	33·6	95·2	144·2	94·1	283·7	95·7	13·2	91·7
1885 ...	32·9	93·2	140·7	91·8	277·6	93·7	13·0	90·3
1886 ...	32·8	92·9	140·2	91·5	278·0	93·8	12·8	88·9
1887 ...	31·9	90·4	135·5	88·4	269·9	91·1	12·4	86·1
1888 ...	31·2	88·4	132·3	86·3	265·0	89·4	11·7	81·3
1889 ...	31·1	88·1	131·7	85·9	265·1	89·5	11·5	79·9
1890 ...	30·2	85·6	127·6	83·2	258·2	87·1	10·7	74·3
1891 ...	31·4	89·0	132·1	86·2	268·8	90·7	10·6	73·6
1892 ...	30·4	86·1	127·3	83·0	259·3	87·5	10·1	70·1
1893 ...	30·7	87·0	127·9	83·4	260·4	87·9	10·3	71·5
1894 ...	29·6	83·9	122·4	79·8	249·4	84·2	9·9	68·8
1895 ...	30·3	85·8	124·8	81·4	254·5	85·9	9·9	68·8
1896 ...	29·6	83·9	121·5	79·3	247·8	83·6	9·7	67·4
1897 ...	29·6	83·9	120·7	78·7	246·4	83·2	9·5	66·0
1898 ...	29·3	83·0	118·9	77·6	243·0	82·0	9·3	64·6
1899 ...	29·1	82·4	117·7	76·8	241·0	81·3	8·9	61·8
1900 ...	28·7	81·3	115·6	75·4	236·8	79·9	8·6	59·7
1901 ...	28·5	80·7	114·2	74·5	234·2	79·0	8·4	58·3
1902 ...	28·5	80·7	114·4	74·6	234·1	79·0	8·4	58·3
1903 ...	28·5	80·7	114·1	74·4	233·1	78·7	8·5	59·0
1904 ...	28·0	79·3	112·3	73·3	228·8	77·2	8·5	59·0
1905 ...	27·3	77·3	109·6	71·5	222·8	75·2	8·3	57·6
1906 ...	27·2	77·1	109·2	71·2	221·6	74·8	8·3	57·6
1907 ...	26·5	75·1	106·1	69·2	215·1	72·6	7·9	54·9
1908 ...	26·7	75·6	107·3	70·0	217·0	73·2	8·2	56·9
1909 ...	25·8	73·1	103·6	67·6	208·8	70·5	8·1	56·3
1910 ...	25·1	71·1	100·6	65·6	202·5	68·3	7·8	54·2
1911 ...	24·4	69·1	97·8	63·8	196·2	66·2	8·0	55·6

Note.—In the absence of precise information as to the changes in the number and constitution of the population from year to year, the estimates of total population at all ages are calculated by geometrical progression, on the assumption that the rate of increase in each intercensal period was maintained regularly throughout the period; the estimate for the several sections of the population are based on the further assumption that the proportion which each section bore to the total population changed uniformly during each intercensal period. In view of the necessity of these, or similar assumptions, the figures for intercensal years are inevitably less accurate than those for years in which censuses were taken.

fertility of potential mothers is only one of the several factors mentioned above as governing the rate of reproduction in a community, it follows that the crude birth-rate is an imperfect measure of the community's fertility, *i.e.*, of its rate of reproduction in proportion to opportunity for reproduction.


In Table X. the results are shown of calculating the following proportions :—

- (a) Of total births to the total population of both sexes and all ages ;
- (b) Of total births to the female population aged 15–45 years ;
- (c) Of legitimate births to the married female population aged 15–45 years ; and
- (d) Of illegitimate births to the unmarried and widowed female population aged 15–45 years.

These calculations have also been illustrated in the accompanying diagram, which affords a ready means of gauging the fall in the birth-rate during the past thirty-five years.

DIAGRAM I.—ENGLAND AND WALES.—BIRTH-RATES, 1881–1911. RATIO per cent. of the RATE in each YEAR to the MEAN RATE in 1876–80.

- (1) Birth-rate on total population at all ages.
- (2) Fertility on female population aged 15–45 years.
- (3) Legitimate fertility on married women aged 15–45 years.
- (4) Illegitimate fertility on unmarried and widowed women aged 15–45 years.



As already stated, the birth-rate in England and Wales attained the highest point on record in the year 1876 ; and for the purpose of measuring the decrease that has since occurred, the mean annual rate in the quinquennial period 1876–80 has been taken as a standard. Calculated on the total population the fall in the birth-rate in the period under review amounted to 31 per cent. ; the fall in the proportion of births to the number of women of child-bearing ages amounted to 36 per cent. ; while the fertility of married women, *i.e.*, the ratio of legitimate births to wives of conceptive ages, showed a decrease of 34 per cent.

Put in another way, if the fertility of married women in proportion to their numbers had been as high in 1911 as in 1876–80 the legitimate births would have numbered 1,273,698 instead of the 843,505 actually recorded, giving a legitimate birth-rate of 35·2, or 11·8 in excess of that shown in Table 6.

But if the population in 1911 had not only shown the same fertility for wives aged 15-45, but had contained them in the same proportion as that of 1876-80, the resulting birth-rate would of course have been the same as in 1876-80, namely, 33·67. Therefore the proportionate increase in wives aged 15-45 in the 1911 population is sufficient to account for a *rise* of 1·56 in the legitimate birth-rate.

The fall in the legitimate birth-rate since 1876-80 is 10·34, therefore this net fall must be made up of a potential rise of 1·56 due to increased proportion of wives aged 15-45, and a fall of 11·90 due to diminished fertility of wives from whatever cause.

The fall due to decrease of illegitimacy is 0·64, making up the fall of 10·98 in the total birth-rate. The fall in the illegitimate rate is compounded similarly to that in the legitimate rate of a potential rise due to (1) increased proportion of unmarried and widowed women aged 15 to 45 years, and a fall due to (2) their diminished fertility. Had the latter remained as in 1876-80, 67,706 births would have resulted, giving an illegitimate birth-rate of 1·87, or 0·84 more than that actually recorded. This figure then represents the effect of (2), so the difference between it and 0·64, the actual fall in illegitimate birth-rate, must represent the potential rise, 0·20, due to (1).

The effects of the increased proportions of wives and of spinsters, &c. in the population may be further analysed into the separate effects of the larger proportion of women aged 15-45, and of the smaller proportion of these women now married. This is done in the subjoined Table :—

TABLE XI.—ENGLAND AND WALES. The effects of various FACTORS influencing the FALL of the BIRTH-RATE, 1876-80 to 1911.

	Birth-rate.		
	Total.	Legitimate.	Illegitimate.
Potential effect of increased proportion of women aged 15-45 in the population.	+ 2·86	+ 2·72	+ 0·14
Potential effect of decreased proportion of married to total women aged 15-45.	— 1·10	— 1·16	+ 0·06
Effect of diminished fertility	— 12·74	— 11·90	— 0·84
Recorded fall 1876-80 to 1911	— 10·98	— 10·34	— 0·64

It will be understood that when a potential rise is spoken of what is meant is that if the factor referred to had been the only one whose influence was altered the rise in question would have occurred.

It will be seen that the effect of decrease in fertility of married women—due in some measure to their greater average age, but largely no doubt to deliberate restriction of child-bearing—is masked to some extent by the net result of the other changes noted in the constitution of the population, so that these cannot be appealed to as helping to explain the fall in the birth-rate.

Fertility in different parts of the Country.—The birth-rate of every administrative area in the country is tabulated at pages 148-178, where also the birth-rates of administrative counties and of the aggregated urban and rural districts composing them may be found. Here it will only be possible to consider the records of large sections of the country extracted in the form of a summary of the table referred to. This summary is provided by Table XII., which, as well as other similar tables, has been arranged so as to present the facts dealt with as far as possible in comparable form. The geographical divisions of the country dealt with in the table contain different proportions of population in large towns, small towns and rural areas, and unless allowance

TABLE XII.—BIRTHS per THOUSAND TOTAL POPULATION, 1911.

	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	24·7	—	—
County boroughs	26·0	25·5	21·4	27·8	25·4
Other urban districts ..	24·9	24·3	20·4	29·8	24·3
Rural districts... ..	25·5	22·6	20·4	24·9	22·9
All areas	25·5	24·2	22·4	27·8	24·4

were made for this fact comparison between them in regard to many matters might be misleading. Each of them is therefore sub-divided into the sum of county boroughs, of other urban districts, and of rural districts contained in it, and by this means comparisons can be made with a fair degree of safety between populations living under approximately similar conditions of town or country life. At the same time the effect of urbanization can be studied in the column relating to England and Wales as a whole, where it is seen that the birth-rate is highest in the county boroughs and lowest in the rural districts. The limits of the four geographical divisions dealt with are indicated in a footnote* and their populations will be found in Table 2.

The highest birth-rates recorded in Table XII. are those of Wales, and next to them of the North of England, while those of the South are much the lowest. Moreover, if it were not for the inclusion of London in the South the rate for this portion of the country as a whole would fall short of those recorded elsewhere to a considerably greater extent than appears in the table. These differences depend upon real differences in fertility, for when allowance is made for variation in the proportion of women and of married women of fertile age, they are still apparent, though the southern deficit is less marked in a comparison of legitimate births in proportion to married women.

The high position of Wales and of the rural districts of the North in Table XII. is no doubt largely dependent upon the high proportion of miners included in their populations, for mining counties, such as Glamorgan, Monmouth and Durham, have high birth-rates.

Table XXVI., page xxxvii, compares the fertility of urban and rural areas in different portions of the country, the rates in each case being stated in proportion to total population, to total females of conceptive ages, and to married females of conceptive ages. It shows that the low position of the rural districts in the last column of Table XII. is completely changed by correction for proportion either of total or of married women, for their fertility then ranks higher than that of any of the urban sections. This difference would be still more marked if the age constitution in the various groups of areas were identical. The rural districts, however, are at a disadvantage in this respect, because their proportion of married women at the younger and more fertile portions of the child-bearing period is lower than that of the country at large, in consequence of the migration of young persons from rural to industrial areas. In all three divisions of Table XXVI. the county boroughs make a better showing as regards births than the smaller urban areas, so the relation of fertility to urbanization at the present time is not a simple one.

When comparison is made between different parts of the country Wales comes first, followed in order by the North, Midlands and South, whatever measure of fertility be employed. The highest rates are yielded by the small towns of Wales; and the lowest by those of the South of England, except in the case of the fertility of married women, which is slightly lower for the county boroughs of the South. In all forms of the comparison London takes a higher position than the remainder of the South.

Further reference is made to this subject on pages xxxvi, xxxvii, where the combined effects of fertility and infant and child mortality are discussed.

* The "North" includes the administrative counties and county boroughs corresponding to the registration counties in the eighth, ninth and tenth "registration divisions" of the Registrar-General, *i.e.*, Lancashire, Cheshire and Yorkshire and counties north of them. The "South" includes England south of the Thames, with the whole of the County of London and the five south-western counties, forming the first, second and fifth registration divisions. "Wales" corresponds to the eleventh or Welsh registration division and so includes Monmouthshire. All the rest of the country corresponding to the third, fourth, sixth and seventh registration divisions, is included in the Midland area. The counties in the four areas are as follows:—

North.	Midlands.	South.	Wales.	
Cheshire. Lancashire. Yorks, West Riding. " East Riding. " North Riding. Durham. Northumberland. Cumberland. Westmorland.	Middlesex. Hertfordshire. Buckinghamshire. Oxfordshire. Northamptonshire. Soke of Peterborough. Huntingdonshire. Bedfordshire. Cambridgeshire. Isle of Ely. Essex. Suffolk, East. " West. Norfolk.	Gloucestershire. Herefordshire. Shropshire. Staffordshire. Worcestershire. Warwickshire. Leicestershire. Rutlandshire. Lincolnshire. Parts of Holland. " Kesteven. " Lindsey. Nottinghamshire. Derbyshire.	London. Surrey. Kent. Sussex, East. " West. Southampton. Isle of Wight. Berkshire. Wiltshire. Dorsetshire. Devonshire. Cornwall. Somersetshire.	Monmouthshire. Glamorganshire. Carmarthenshire. Pembrokeshire. Cardiganshire. Brecknockshire. Radnorshire. Montgomeryshire. Flintshire. Denbighshire. Merionethshire. Carnarvonshire. Anglesey.

Sex Proportions at Birth.—Births of males in England and Wales numbered 448,933, and those of females 432,205 ; the proportion of male to female births being, therefore, 1,039 to 1,000. The corresponding proportions in each year since 1861 and in groups of years since the commencement of registration are shown in Table 6, page 20 ; the extreme range has been from 1,032 per 1,000 in 1898 to 1,054 in 1843 and in 1844. Compared with other countries the proportion in England is exceedingly low, the ratio most commonly returned being 1,050–1,060.

The extent to which the proportional excess in the number of boys at birth varies in the different counties and other administrative areas of England and Wales may be gathered from the returns tabulated on pages 148–178; and Table XIII. shows the degree of male excess in various classes of area and portions of the country. The results of such a comparison must be accepted with great caution when the returns compared refer to a single year only, but as experience accumulates they will acquire increased importance. Meanwhile it may be noted that the proportions in the North were generally high in 1911 compared with those for the country as a whole and that those in Wales were generally low. There seems also to be a tendency to lower proportions amongst the more highly urbanized populations. If so, the fact might possibly have a bearing upon the exceptionally low proportions obtaining in this compared with other countries in view of the high proportion of our population living in towns.

The male excess was greater in 1911 for illegitimate than for legitimate children, the proportion being 1,044 boys to 1,000 girls for the illegitimate, against 1,038, for the legitimate. For the 10 preceding years the average ratios were 1,041 for illegitimate births and 1,038 for legitimate, but the illegitimate ratios vary greatly from year to year, and there seems to be no constant relation to the legitimate.

TABLE XIII.-- MALE BIRTHS per 1,000 FEMALE BIRTHS, 1911.

	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	1,037	—	—
County Boroughs	1,042	1,033	1,018	1,030	1,036
Other Urban Districts	1,040	1,044	1,036	1,031	1,040
Rural Districts... ..	1,051	1,039	1,041	1,034	1,042
All areas	1,042	1,039	1,036	1,032	1,039

The sex ratio of births according to parents' occupation may be studied in Tables 28A and 28C. The proportions for the eight classes into which the occupations are summarised in Table 28B are as follows:—class 1, 1,041 males per 1,000 females ; class 2, 1,046 ; class 3, 1,040 ; class 4, 1,037 ; class 5, 1,036 ; class 6, 1,024 ; class 7, 1,037 ; class 8, 1,030 ; classes 3–8, 1,037. The differences are slight and do not seem to point to any definite conclusion as to relationship between position in the social scale and ratio of the sexes at birth.

Illegitimate Births.—The births registered during the year 1911 included 37,633 of illegitimate children.

Illegitimacy is usually stated in the form of the proportion of illegitimate births either to total births or to total population. The first method of statement is objectionable as expressing one variable (the rate of illegitimacy) in terms of another (the total birth-rate). A 4 per cent. rate of illegitimacy, for instance, in a district where the total birth-rate is 30, implies more illegitimacy than a 5 per cent. rate where the total birth-rate is 20. The second method of statement yields a crude illegitimate birth-rate corresponding to the crude total birth-rate and the remarks on p. xix-xxi as to the latter apply to it.

The most satisfactory measure of illegitimacy we possess is that which expresses the fertility of unmarried women in the form of a comparison of the number of illegitimate children compared with that of single and widowed women of conceptive age.

The following table shows for a series of years the results of the different methods of measuring illegitimacy.

Comparing the proportion of illegitimate births in England and Wales in the year 1911 with that obtaining in the quinquennial period 1876–80, it will be seen that based on the standard of total births the rate of illegitimacy had decreased by only about

10 per cent. The crude illegitimate birth-rate, however, based on the total population, shows during the same period a decline of 41 per cent., while the rate based on the numbers of unmarried and widowed women of conceptive ages fell by 44 per cent.

TABLE XIV.—ENGLAND AND WALES.—ILLEGITIMATE BIRTHS, 1876–1911.

Period.	In proportion to total Births.		In proportion to total Population.		In proportion to the Unmarried and Widowed Female Population aged 15–45 years.	
	Rate per 1,000.	Compared with rate in 1876–80 taken as 100.	Rate per 1,000.	Compared with rate in 1876–80 taken as 100.	Rate per 1,000.	Compared with rate in 1876–80 taken as 100.
1876–1880... ..	47·5	100·0	1·7	100·0	14·4	100·0
1881–1885... ..	48·0	101·1	1·6	94·1	13·5	93·8
1886–1890... ..	46·3	97·5	1·5	88·2	11·8	81·9
1891–1895... ..	42·4	89·3	1·3	76·5	10·1	70·1
1896–1900... ..	41·0	86·3	1·2	70·6	9·2	63·9
1901–1905... ..	39·5	83·2	1·1	64·7	8·4	58·3
1906–1910... ..	40·2	84·6	1·1	64·7	8·1	56·3
1876	46·8	98·5	1·7	100·0	14·6	101·4
1877	47·5	100·0	1·7	100·0	14·6	101·4
1878	47·2	99·4	1·7	100·0	14·4	100·0
1879	47·9	100·8	1·7	100·0	14·2	98·6
1880	48·3	101·7	1·6	94·1	14·1	97·9
1881	48·8	102·7	1·7	100·0	14·1	97·9
1882	48·5	102·1	1·6	94·1	13·8	95·8
1883	47·9	100·8	1·6	94·1	13·4	93·1
1884	47·1	99·2	1·6	94·1	13·2	91·7
1885	47·9	100·8	1·6	94·1	13·0	90·3
1886	47·4	99·8	1·6	94·1	12·8	88·9
1887	47·5	100·0	1·5	88·2	12·4	86·1
1888	46·3	97·5	1·4	82·4	11·7	81·3
1889	45·9	96·6	1·4	82·4	11·5	79·9
1890	44·2	93·1	1·3	76·5	10·7	74·3
1891	42·4	89·3	1·3	76·5	10·6	73·6
1892	41·9	88·2	1·3	76·5	10·1	70·1
1893	42·5	89·5	1·3	76·5	10·3	71·5
1894	43·1	90·7	1·3	76·5	9·9	68·8
1895	42·1	88·6	1·3	76·5	9·9	68·8
1896	42·3	89·1	1·3	76·5	9·7	67·4
1897	41·7	87·8	1·2	70·6	9·5	66·0
1898	41·5	87·4	1·2	70·6	9·3	64·6
1899	40·0	84·2	1·2	70·6	8·9	61·8
1900	39·7	83·6	1·1	64·7	8·6	59·7
1901	38·9	81·9	1·1	64·7	8·4	58·3
1902	39·0	82·1	1·1	64·7	8·4	58·3
1903	39·3	82·7	1·1	64·7	8·5	59·0
1904	39·9	84·0	1·1	64·7	8·5	59·0
1905	40·2	84·6	1·1	64·7	8·3	57·6
1906	40·0	84·2	1·1	64·7	8·3	57·6
1907	39·4	82·9	1·0	58·8	7·9	54·9
1908	39·9	84·0	1·1	64·7	8·2	56·9
1909	41·0	86·3	1·1	64·7	8·1	56·3
1910	40·8	85·9	1·0	58·8	7·8	54·2
1911	42·7	89·9	1·0	58·8	8·0	55·6

The extent of illegitimacy in different classes of area and parts of the country may be gathered from Table XV., from which it may be seen that statement in proportion to total population conceals the excess of illegitimacy in the rural districts which is definitely brought out by the other portion of the table. Stated in relation to unmarried women of conceptive ages illegitimate births were most frequent in the rural districts and least so in London. They were also most frequent in Wales, and least so in the South of England.

TABLE XV.—ILLEGITIMATE BIRTH-RATES, 1911.

—	Per 1,000 total Population.					Per 1,000 Unmarried and Widowed Females aged 15-45 years.				
	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	0·97	—	—	—	—	6·47	—	—
County Boroughs ...	1·13	1·06	1·03	1·01	1·09	8·54	8·09	7·14	8·51	8·23
Other Urban Districts...	1·06	0·99	0·95	0·96	1·01	8·21	7·62	6·47	9·12	7·68
Rural Districts...	1·15	1·09	0·90	1·24	1·07	9·66	9·97	7·44	10·56	9·26
All areas	1·10	1·04	0·96	1·07	1·04	8·56	8·37	6·72	9·51	7·98

Natural Increase.—In 1911 the birth-rate fell and the death-rate rose, so the natural increase, or excess of the former over the latter, went down considerably. Table XVI. shows that during the first few years after the birth-rate commenced to fall in 1877 a diminution of natural increase resulted, then for a number of years the fall in mortality compensated for that in natality, but in 1911 a definitely lower level has been reached by the rate of increase, which amounted to 9·8 only, the lowest rate previously recorded having been 11·2 in 1909. It is to be feared that unless the fall in the birth-rate is arrested single figure increases are likely to be the rule rather than the exception in future.

TABLE XVI.—NATURAL INCREASE of POPULATION per 1,000 LIVING, 1876-1911.

—	Mean Annual Birth-rate per 1,000 living.	Mean Annual Death-rate per 1,000 living.	Mean Annual Rate of Increase by excess of Births over Deaths, per 1,000 living.
1876-1880	35·4	20·8	14·6
1881-1885	33·5	19·4	14·1
1886-1890	31·4	18·9	12·5
1891-1895	30·5	18·7	11·8
1896-1900	29·3	17·7	11·6
1901-1905	28·2	16·1	12·1
1906-1910	26·3	14·7	11·6
1906... ..	27·2	15·5	11·7
1907... ..	26·5	15·1	11·4
1908... ..	26·7	14·8	11·9
1909... ..	25·8	14·6	11·2
1910... ..	25·1	13·5	11·6
1911	24·4	14·6	9·8

TABLE XVII.—NATURAL INCREASE per 1,000 LIVING, 1911.

—	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	9·5	—	—
County Boroughs ...	9·0	10·0	7·5	12·8	9·3
Other Urban Districts	9·3	11·3	7·5	14·7	10·3
Rural Districts ...	11·6	9·7	8·2	10·3	9·8
All areas	9·5	10·5	8·5	12·9	9·8

The distribution throughout the country of the natural increase recorded in 1911 is shown in Table XVII. It will be seen that, like the birth-rate, it was highest in Wales in all but the rural areas, and lowest in the South in all classes of area. The advantage in birth-rate possessed by the North over the Midlands does not prevent its rate of increase being considerably lower, owing to the higher, mortality in the North. The same statement holds good of the county boroughs and the smaller urban districts in the country at large. The advantage in birth-rate of 1·1 per 1,000 enjoyed by the county boroughs over the smaller towns (Table XII.) is converted by excess of mortality into a deficiency of 1·0 per 1,000 population in natural increase. In the absence of migration the rural districts would have increased at the same rate as the country at large, the smaller towns faster, and the largest towns more slowly. These facts are worth noting

in view of the assumption sometimes loosely made that the population of the towns would cease to increase if it were not recruited from the country. It is true that the figures in the table probably do not fairly represent the increase characteristic of the town and country born, for many births in towns are the result of fertility freshly imported from the country, but the rural population now bears so small a proportion to the whole that this consideration must be of much less importance than in former years.

DEATHS.

The deaths of 527,810 persons were registered in England and Wales during 1911, 272,512 of these being males and 255,298 females.

These deaths correspond to a rate of 14·6 per 1,000 population, or 1·1 above that for the year 1910, the lowest recorded up to that time. This is the only previous year however which can record a lower rate of mortality than 1911, and the difference between them is mainly accounted for by excess of diarrhœal mortality due to the phenomenally hot and dry summer of 1911. The excess of mortality in 1911 over 1910 from diarrhœa and enteritis alone amounts to 0·8 out of the 1·1 total excess, so that when allowance is made for the extraordinary climatic conditions of the year (*see* Dr. Shaw's Report upon the meteorology of the year, pages cii–cvi) the recent improvement in mortality may be said to have been well maintained in 1911.

Correction of Death-rates for differences of Sex and Age Constitution of Population.—At the request of the Society of Medical Officers of Health, and in consideration of the importance of this correction in all comparisons of mortality, it has been applied in this Report to a number of areas many times in excess of those so dealt with in previous years (*see* pages 148–178). This extension of the application of such correction appears to call for a review of the methods employed.

Comparison of total death-rates as ordinarily stated per 1,000 population may be quite misleading. As mortality is much the highest in infancy and in old age, and higher in the male than in the female sex, it is natural for a population containing comparatively few infants and aged persons to have a lower death-rate than one in which the opposite conditions prevail, and this favourable constitution is accentuated where the proportion of females is in excess of the average. For several years past, therefore, the most important death-rates in the publications of this Office have been reduced to a common standard, showing the rates which would have obtained had the sex and age constitution of the populations in question been similar to that of England and Wales in 1901. Two different methods have been employed for this purpose, one, the “direct” method, giving slightly more accurate results, but demanding knowledge of the mortality of the population in question at the several sex- and age-groups, and being besides so laborious as to be impossible of extensive application; and the other, or “indirect” method, giving substantially accurate results under ordinary conditions, and capable of application, at a comparatively moderate expenditure of labour, to any population of which the age distribution is recorded at the census, *e.g.*, to that of any administrative area.

By the direct method we take one million persons, grouped as to sex and age as was the population of England and Wales in 1901, and, applying to each of the (eleven or more) age-groups in each sex the mortality experienced during the year by the corresponding group of the population in question, calculate the total number of deaths which would have resulted had each section of this million persons died at the same rate as did the same section of the population dealt with during the year in question.

The result, known as the corrected, or preferably the standardized, death-rate, forms a statement of mortality which accurately summarises the tendency to death of each sex and age group of the population concerned, and is of course strictly comparable with similarly prepared statements relating to any other populations, however differently constituted.

Any population may be selected as a standard, for the corrected death-rate, yielded by any two populations however diverse in type, compared by this method, would be the same whatever standard was in use, provided that their sex and age-group mortalities were identical. The selection of a standard however, is not a matter of indifference. An abnormally high proportion of aged persons for instance, in the standard population would involve the attachment of undue importance to the mortality of the higher ages. Hence the population selected as standard should be as typical as possible of the bulk of those to be compared. For this reason it has been the practice hitherto in these Reports to use the population of the whole country as best typifying the composition of those of its component parts, and that most recently enumerated, because of the change going on in its age constitution. There are grave practical inconveniences however, attaching to a ten yearly change in the basis of comparison, for all corrected death-rates of past decades

have to be recalculated to the new standard to make them comparable with current corrected rates. Wider application of the method of correction has made it necessary now to place it on a more stable basis, and therefore the population of England and Wales in 1901 will for the present be retained in use as standard. The slight loss of accuracy entailed by this course, owing to the change in constitution of the population since 1901, is more than compensated for by the increase so brought about in the range of comparability of the rates as now calculated.

It should be noted that as the composition of the population of this country in 1901 was exceptionally favourable to a low death-rate (Annual Report, 1909, page cxv) mortalities corrected on this basis are lower than if a less favourable one were in use. Thus the corrected rate for England and Wales in 1911 is 14·3 (page xxxi) as against 17·1 if the population of Sweden in 1890 is taken as standard.

The International Statistical Institute has recommended that the basis of comparison should be formed by the population of Sweden in 1890, divided, without distinction of sex, into the five age-groups 0-1, 1-20, 20-40, 40-60, and over 60. The use of this standard has hitherto been impossible in this country because deaths for many years prior to 1911 were tabulated only in decennial groups from ages 25-35 onwards, so that the mortality of the last three age-groups recommended could not be stated. In 1911, however, the introduction of quinquennial age-groups in tabulation has removed this difficulty, and it has become possible to correct death-rates to the international standard, the results in the case of the principal groups of administrative areas being as follows :—England and Wales 17·12, London 17·94, County Boroughs 19·41, other Urban Districts 16·77, Rural Districts 14·27, all Urban Districts 17·96 per 1000 population.

The more elaborate method of correction by the use of groups distinguishing sex as well as age, and amounting in some cases to as many as 36 (*see* Table XXXVI.), must give much more accurate results than the simpler five group method recommended by the Institute, and will therefore be retained in preference to it for general purposes, the rates quoted above being stated also in terms of the international standard.

The reasons for adhering to the population of England and Wales in 1901 as the standard for comparison have been greatly strengthened as this Report is going through the press by the publication of Census Bulletin 112 (Mortality Statistics of 1911) of the United States. In this report Dr. Cressy Wilbur, Chief Statistician for Vital Statistics of the Census Bureau, has given reasons for the adoption by the Bureau of the population of England and Wales at the census of 1901 rather than the Swedish population as the standard for correction, now carried out for the first time, of the death-rates of the registration states and great cities of the United States. This decision, which would not have been arrived at if the old policy of changing the English standard every ten years had been adhered to, immensely extends the range of accurate vision in regard to mortality secured to us by the methods now in use, and should pave the way for interesting and valuable comparisons of the experience of the two kindred nations. It is possible, for instance, to state that for 1911, after due allowance has been made for diversity of population, the death-rate of the registration area of the United States was 13·7 per 1,000 as compared with 14·3 for England and Wales; whereas the statement of the crude rates, 13·9 and 14·6 respectively, would leave the true relative mortalities of the two countries quite uncertain. Of course there are other matters than sex and age constitution to be considered in these comparisons, such as proportion of population living under urban and rural conditions, completeness and accuracy of registration, and so forth, but a common standard of comparison carries us a very long stage towards an ideal comparability which itself may never be possible of attainment.

Dr. Wilbur suggests the use of the term “standardized death-rate” in preference to “corrected death-rate,” and as this seems an obvious improvement it will be adopted in this Report. The term “corrected death-rate” is to some extent both misleading and ambiguous. It is misleading because the crude death-rate is quite as correct a statement of the information it conveys as the “corrected” rate. The former states the proportional amount of mortality quite as truly as the latter the tendency to mortality in any community. Looking upon mortality as a tax, the “corrected” death-rate measures the tax and the crude death-rate the yield. Both are matters of importance, and neither can be said to be more correct than the other. The term is also ambiguous because death-rates may be “corrected” for other considerations than the sex-and-age constitution of the populations concerned. Thus all the rates in this Report except those for the country as a whole are “corrected” by inclusion of residents dying away from home with the statistics of their areas of residence. This adjustment is quite as truly as the other a process of correction, and is sometimes so referred to, but it cannot be described as standardization. It is true that standardization might be carried out for

other inequalities of circumstance than differences in sex-and-age constitution, but at present this is not done, so no practical objection can be taken on this ground to the use of the new term.

By the "indirect" method of standardization the favourable or unfavourable nature of a population's sex-and-age distribution in relation to mortality is first assessed, and then the recorded mortality is increased or diminished in order to compensate for the advantage or disadvantage so disclosed. The method is, in fact, a method of handicapping. Populations which from their favourable constitution enjoy an advantage in comparison with the standard population (England and Wales, 1901) have their mortalities increased by a handicap, in the form of a "standardizing factor," while the mortalities of unfavourably constituted populations are diminished in the same way. The handicap, or factor, once determined, necessarily remains constant until a new census (or alteration of boundaries) reveals a change in the constitution of the population concerned, and therefore the labour involved is much less than by the direct method, the calculations for which require to be made afresh each year.

The method of ascertaining the required handicap is as follows:—The mean death-rates for England and Wales during 1901–1910 at certain age-groups for males and females respectively (*see* Tables 14 and 15) are applied to the numbers enumerated at the latest census at the corresponding ages in the case of the population in question; the sum of the products gives the deaths that would have occurred in a year had the mortality of each sex- and age-group been the same as that in England and Wales as a whole; and the death-rate obtained by applying this sum to the population in question as enumerated at the census, formerly known as the "standard death-rate," but now, in view of the adoption of the term standardised death-rate, better described as the "index death-rate," indicates the degree to which that population is favourably or unfavourably constituted. If the population contains a high proportion of persons at the ages at which mortality in England and Wales exceeds that of persons at all ages its index death-rate will be high, as under the converse conditions it will be low. The same object might be attained by the use of the death-rates at ages of any large population, for whatever rates were used a large proportion of infants and aged persons would entail a high index death-rate, and *vice versa*. The sex- and age-distribution of mortality, however, is liable to some variation in different races and communities, in years of diverse meteorological character, and with the lapse of time, the operation of the latter factor being exemplified by the disproportionate fall in mortality at early ages in this and other countries during recent years. The average English mortality-rates for the last completed decade are therefore selected as the measure of sex- and age-constitution as being likely to represent, more nearly than any others, the sex- and age-distribution of mortality (*a*) in average English communities, (*b*) in years of average climatic conditions, and (*c*) at the present time.

The mortality-rates for England and Wales during 1901–1910 then represent the foot-rule by which the constitution of each population is measured, and the index death-rate the reading in each case of this measure. When this reading has been taken the required handicapping is performed by comparing it with the index death-rate for the population of England and Wales in 1901 calculated in the same way. If the index death-rate of the area dealt with is high the constitution of its population is unfavourable, and its recorded mortality must be proportionately reduced by a handicap or "standardizing factor," which is obtained by dividing the index death-rate for England and Wales in 1901 by the (higher) index death-rate of the population in question, and is therefore necessarily less than unity. Where the index death-rate is low, indicating a favourable constitution, the factor is greater than unity, and when multiplied into the recorded death-rate increases it. The result in either case is termed the "standardized death-rate."

It has been customary in the past to obtain the standardizing factor by comparison of the index death-rate, not with the similarly calculated rate for England and Wales, but with its *mean* death-rate during the preceding ten years, *i.e.*, with a rate based not upon the census population, but upon the estimated mean population of the intercensal period. As this necessarily differs from the census population the factor obtained differs slightly according to which death-rate for England and Wales is used in the comparison. It can easily be shown experimentally as well as theoretically that the mean death-rate should not be used, for when this is done the result of the indirect method of standardization must differ to some extent from that of the direct method, whereas the factorial method as now employed does yield results identical or practically identical with the direct method provided that the death-rates of the several sex- and age-groups of the population in question during the year under consideration are identical

with or bear the same relation to each other as the mean death-rates of England and Wales upon which the factor is based. No matter how aberrant in type the constitution of any population may be, the factorial standardization is perfect if this condition is met, but of course in practice it very seldom can be met exactly, and so there is nearly always some slight difference between the result of standardization by the indirect method and the more correct result which would be given by the application of the direct method. As an example, the standardized death-rate of Hastings, an area with a very abnormally constituted population, has been calculated on the assumption that its death-rate in 1911 was for each sex- and age-group just 20 per cent. below that of England and Wales in 1901-1910, an assumption which gives it a death-rate closely approximating to that actually recorded.

TABLE XVIII.—HASTINGS C.B.—HYPOTHETICAL DEATH-RATES in 1911 CALCULATED on the ASSUMPTION that the RATES at the SEVERAL SEX- and AGE-GROUPS bore the SAME RELATION to EACH OTHER as the MEAN RATES in ENGLAND and WALES 1901-1910 (being 20 per cent. lower in each case).

Crude Death-rate.	Standardized Death-rate.		
	By Direct Method.	By Indirect Method in use prior to 1911.	By Indirect Method as used in this Report.
14·45	12·16	12·28	12·15

The origin of the difference between the results of the two methods may be exemplified by the case of, say, the rural districts. Here the proportion of persons over 75 is high and their mortality also is high as compared with rural mortality in general (Table XXXVI. and Diagram III.). The indirect method ignores the latter circumstance and compensates for the excess in the number of the aged only to the extent required in the case of England and Wales, and not to the greater extent called for by the relative excess of mortality at this time of life in the rural population. Table XIX. shows that when all ages are taken into account the factor is not low enough to give full correction, failure partly due to the relatively high mortality of the aged.

The difference in the results yielded by the two methods is exemplified in the following table, from which it may be gathered that it is seldom of great importance :—

TABLE XIX.—COMPARISON OF RESULTS OF STANDARDIZATION BY DIRECT AND INDIRECT METHODS.

	Crude Death-rate per Million Population, 1911.	Standardizing Factor.	Standardized Rates.	
			By Indirect Method.	By Direct Method.
England and Wales	14,595	0·9790	14,289	14,307
London	15,152	1·0000	15,152	15,254
County boroughs	16,113	1·0263	16,537	16,606
Other urban districts	14,035	0·9944	13,956	13,996
Rural districts	13,083	0·8882	11,620	11,390

The county boroughs form a population of the type discussed, where the numbers living and the mortality at age 0-5 are both relatively high, but as on the whole their population is favourably constituted, owing to the small proportion of aged persons (Census Report, 1911, vol. VII., page xii.), the effect of correction is to increase their total mortality, not to diminish it.

It is perhaps scarcely necessary to point out that the factors published on pages 148-178 are for the standardization of the general death-rate only, and must not be applied to mortalities from individual diseases or groups of diseases. Standardization of these may be made by the methods in use for the general death-rate, but the sex and age mortalities used in the calculation must be those of the causes of death under consideration. An extreme example of the need for this is furnished by a population of aged persons such as may be met with in a workhouse. Standardization of the general death-rate of such a community would naturally decrease it greatly, but its death-rate from diphtheria, if any, would require to be greatly increased in

standardization, for though unfavourably constituted as regards mortality in general such a population is little liable to death from such diseases as diphtheria. Favourable constitution in relation to a particular cause of death is allowed for when the mortality rates from that cause are employed in standardization, as is done by the direct method on page lvii for enteric fever and elsewhere.

In calculating the factors on pages 148–178 allowances have been made for the populations of large institutions a portion or the whole of the deaths in which are transferred to other areas than those in which the institutions are situated. Thus if a workhouse situated in a rural district serves as well an adjoining urban district with twice the population, two-thirds of the inmates and of the deaths calculated to occur amongst them have been transferred to the urban district in calculating the standard death-rates of the two areas.

When a change of boundary is made affecting the population of any area a new factor is calculated for the census population of the area as modified by the change in boundary. Otherwise the factors now published are intended to apply without change until the results of the next census become available.

Table 6 shows that the average standardized death-rate since registration began in this country has been 19·5 per 1,000 living as against 14·3 in 1911. During 1861–1870 this rate stood at 21·3 and so recently as 1891–1895 at 18·5, since when the fall therefore has been very rapid.

Mortality of each Sex.—The standardized mortality of males in 1911 exceeded that of females by 15 per cent. Table 6 shows that this excess, which has been gradually increasing since registration began, was never so great in any previous year. Up to 1860 or so the excess was only about six per cent., but for the last 15 years it has averaged about 14 per cent. Since 1841–1845, the first quinquennium in the table, the standardized mortality of females has fallen by 33·8 per cent. while the fall in that of males has been only 28·2 per cent.

Tables 14 and 15 show that the excess in the mortality of males exists at all ages except in the years of childhood, when mortality is at its minimum. The excess, however, is very unequally distributed, being large in infancy, negative in childhood, then gradually increasing to a maximum in later middle life, and from this declining again with advancing age. Comparison with the similar age distribution of the excess of urban over rural mortality for each sex inevitably suggests itself (*see* page 1 and Diagram III). The mean ratios of male per cent. of female mortality at the various age-periods during the years 1901–1910 were as follows :—

0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—
119	97	95	107	120	119	123	130	128	120	115	112

TABLE XX.—ANALYSIS by CAUSES of DEATH of the EXCESS of MALE over FEMALE MORTALITY, 1911.

	Male mortality per 1,000 living.	Female mortality per 1,000 living.	Excess or deficiency of (1) compared with (2).	Per-centage of total male excess.
	(1)	(2)	(3)	(4)
Phthisis	1·256	·923	+ ·333	17·5
Other forms of Tuberculosis	·414	·356	+ ·058	3·0
Pneumonia (all forms)	1·234	·860	+ ·374	19·6
Cancer (excluding generative and mammary organs) ...	·890	·661	+ ·229	12·0
Violence	·821	·315	+ ·506	26·5
Infantile deaths not included above	3·211	2·395	+ ·816	42·8
Causes of death not particularised in this table ...	7·753	7·552	+ ·201	10·5
Total	15·579	13·062	+ 2·517	131·9
Diseases incident to Pregnancy and Child-bearing ...	—	·183	— ·183	9·6
Cancer of generative and mammary organs	·001	·427	— ·426	22·3
All Causes	15·580	13·672	+ 1·908	100·0

Table XX sets forth the causes of death which mainly account for the difference in mortality between the sexes. The excess of the mortality of males in infancy, and from phthisis, pneumonia and violence together amount to more than the total excess from all causes, which would have been 32 per cent. greater than it actually was but for the mortality of females from child-bearing and from cancer of the generative organs, causes peculiar or almost so to the female sex.

The excess in the mortality of males from all causes during the first year of life amounts to 0·935 per 1,000 living at all ages, or practically half the total male excess.

Mortality at different Ages.—The fall in mortality during recent years applies to all ages, though in old age it is quite inconsiderable. Tables 13–15 show that the death-rates of 1910 were the lowest recorded at every age except over 75 in the case of males and over 85 in that of females, at which ages lower rates were experienced by one or two years only. In 1911 there was a slight rise at all ages but at most the rates for 1911 are lower than those of any year before 1910. The uniformity of the increase over 1910 is somewhat remarkable. It was greatest in the first age-period owing to diarrhoea caused by the hot summer, but as it applies generally throughout life other causes must have been at work also.

In the Annual Report for 1909 the decline which has occurred in mortality at different ages was studied in some detail, though for years subsequent to 1901 the figures then quoted were necessarily provisional and now prove to require appreciable modification. In this Report Table 16 affords the means of comparing the mortality at each age of the various classes of area in different parts of the country, and as the comparison is made for a census year the rates compared are little subject to subsequent modification.

A remarkable feature of this table is the constancy with which the mortality of both sexes in the North exceeds that of other parts of England at all ages and in all classes of area. The excess of the North in total mortality, though considerable, is not so overwhelming as to suggest that it is shared by every sex- and age-group in all classes of area, yet this is practically what we find. There are but two inconsiderable exceptions to this rule—the mortality of females aged 15–20 in the rural districts of the South equals the corresponding figure in the North, and that of males over 85 years of age in the county boroughs of the Midlands exceeds the rates for males of the same age in the county boroughs of the North. Evidently the causes entailing the higher mortality of the North apply impartially to all ages, all classes of area, and both sexes. As the effect of the improvement in the public health experienced of recent years has been felt mainly by the young, whose mortality has decreased immensely while that of the old has abated little, it might have been expected that if the excess of mortality in the North is due to inferior sanitary conditions this excess would be confined to early and middle life. A somewhat similar result might be anticipated if the heavier mortality of the North in childhood led, by weeding out weaklings, to healthier survivors in adult life. Evidently the adverse conditions there, whatever they may be, are able throughout life to overcome any such selective effect of the heavier early mortality which may exist. The uniformity of the excess is perhaps its most puzzling feature, for the causes, such as conditions of sanitation occupation and so forth, which might most readily be invoked to account for it, could scarcely affect both sexes and all ages thus uniformly. The accumulated experience of later years may perhaps place the matter in a fresh light, but at present it must suffice to point out the remarkable facts embodied in the table. Even if the mortality of London alone is compared with that of all areas, urban and rural together, of the North, the latter is everywhere in excess except for males of 35–55.

As between the Midlands and the South there is little to choose, the premier positions in the various sex- and age-groups being almost equally divided between them, and there being no very definite tendency for either to exceed the other at any particular time of life.

The case of Wales is very different. Its general position is intermediate between those of the North and of the Midlands and South, but at ages 15–35 its mortality is heavier than that of the North. This is mainly due to excess of female mortality at these ages in all classes of area, but the mortality of males in the rural districts of Wales is higher than the corresponding rates in the North at all ages from 5 to 75, with one trifling exception. It has often been pointed out that the death-rate of young women from phthisis in Wales is excessive compared with English experience. The importance of this component in the mortality of young women is apparent from the facts that the total death-rate of females aged 15–25 in England and Wales was 2·97 and that from phthisis 1·13 (Table 23) or 38 per cent. of the total. The question arises, therefore, to what extent the Welsh excess in phthisis mortality can account for the excess

in total mortality revealed by Table 16. The answer is supplied by Table XXI., from which it may be seen that the excesses in the mortality of females in Wales and Monmouth at the ages in question are as follows, stated as rates per 1,000 living at each age :—

TABLE XXI.—EXCESS OF MORTALITY OF FEMALES AT CERTAIN AGES IN WALES, 1911.

	Welsh excesses over the North of England.		Welsh excesses over England and Wales.		
	15-25.	25-45.	15-25.	25-45.	45-65.
All causes	·44	·86	·77	1·44	1·44
Phthisis	·35	·44	·41	·49	·23
Causes other than phthisis	·09	·42	·36	·95	1·21

Thus phthisis accounts for a very large part of the excess in the earliest years of womanhood, but this proportion rapidly lessens with increasing age ; and even apart from phthisis there would seem to be some conditions affecting young and middle-aged women in Wales which make their mortality disproportionately high, whether it is compared with that of the remainder of the Welsh population or with women of corresponding age in England.

Infant Mortality.—Of the 527,810 deaths registered during the year in England and Wales, 114,600, or 21·7 per cent., were those of infants under one year of age, corresponding to a mortality rate of 130 per 1,000 births. This rate was 3 per 1,000 births, or 2 per cent., above the average in the preceding ten years, and 13 per 1,000 births, or 11 per cent., above that of 1906-10 (Table 6). It was the highest since 1906, though before that year a lower rate was recorded only once, in 1905. These facts illustrate the rapidity with which infant mortality has fallen in recent years in this as well as in most other European countries. They also bring out the extent to which it was increased in 1911 by diarrhœa as the result of the abnormally hot and dry summer.

DIAGRAM II.—ENGLAND and WALES, 1870-1911.—INFANTILE MORTALITY from ALL CAUSES and from ALL CAUSES less DIARRHOEAL DISEASES in EACH YEAR ; and CLIMATIC CONDITIONS at GREENWICH in the THIRD QUARTER of EACH YEAR.




TABLE XXII.—INFANTILE MORTALITY IN ENGLAND AND WALES FROM DIARRHOEAL DISEASES AND CAUSES OTHER THAN DIARRHOEAL DISEASES IN EACH YEAR, 1870–1911, AND CLIMATIC CONDITIONS AT GREENWICH IN THE THIRD QUARTER OF EACH OF THOSE YEARS.

Year.	Annual Deaths under One Year of Age per 1,000 Births.			Meteorology (Greenwich) in the Third Quarter of the Year.		
	All Causes.	Diarrhoeal Diseases.	All Causes other than Diarrhoeal Diseases.	Mean Earth Temperature at 3 ft. 2 in depth.	Rainfall.	
					Amount in inches.	Days on which rain recorded.
1870	160	23	137	61·5	5·7	28
1871	158	21	137	62·8	8·2	38
1872	150	19	131	63·0	6·5	37
1873	149	18	131	62·4	7·6	33
1874	151	18	133	62·2	6·2	38
1875	158	20	138	61·7	10·3	38
1876	146	18	128	62·6	5·3	43
1877	136	12	124	61·6	6·4	41
1878	152	20	132	63·1	6·5	37
1879	135	8	127	59·4	11·7	53
1880	153	23	130	62·0	8·8	41
1881	130	12	118	61·3	8·2	44
1882	141	13	128	60·3	6·0	48
1883	137	12	125	61·0	6·5	43
1884	147	21	126	63·1	4·5	36
1885	138	11	127	61·5	5·6	36
1886	149	20	129	62·3	4·9	33
1887	145	18	127	63·0	5·9	35
1888	136	11	125	59·3	11·2	50
1889	144	16	128	61·9	5·6	37
1890	151	16	135	60·4	7·7	39
1891	149	13	136	60·2	7·9	51
1892	148	15	133	60·6	6·6	42
1893	159	28	131	63·1	5·9	43
1894	137	12	125	60·7	7·5	52
1895	161	28	133	62·3	6·5	36
1896	148	21	127	62·2	8·7	45
1897	156	31	125	62·2	6·3	43
1898	160	37	123	62·0	2·5	25
1899	163	40	123	64·0	4·3	29
1900	154	28	126	61·3	4·6	23
1901	151	32	119	62·0	5·1	24
1902	133	15	118	59·6	5·7	39
1903	132	18	114	60·2	12·3	46
1904	145	30	115	61·4	4·8	33
1905	128	21	107	61·6	5·8	34
1906	132	31	101	62·0	3·8	26
1907	118	13	105	59·2	3·5	32
1908	120	20	100	60·2	8·2	39
1909	109	13	96	59·2	7·4	46
1910	105	13	92	59·4	6·7	38
1911	130	36	94	64·0	3·0	22

Diarrhoea and enteritis caused 28 per cent. of the total infantile mortality, whereas in 1910, when the summer was cool and wet, the proportion so caused was only 12 per cent. For this reason diarrhoeal is distinguished from non-diarrhoeal mortality in Table XXII and Diagram II. The portions of these relating to diarrhoea fluctuate widely according to the nature of the summer, whereas those relating to other causes of mortality show fairly steady decrease since 1900. The rate for 1911 for instance, when diarrhoea is excluded, is only 2 deaths per thousand births over that of 1910, whereas the excess on the total rate is 25 per 1,000. The reality therefore of the fall in infantile mortality during the present century can no longer be called in question, for if the low rates recorded for some years previous to 1911 had been due merely to cool summers, that of

1911 should have been conspicuously high. Instead of that it is well below the standard of last century when diarrhœa is included ; and when diarrhœa is excluded it is lower than there seemed in the nineteenth century any prospect of early attainment.

The progress made might be measured by comparing infantile mortality in 1911 with that of other similar years. Diagram II however shows that the only summer since 1869 the meteorological conditions of which can be compared with those of 1911 was 1899, which had, at Greenwich, the same earth temperature but decidedly more rain. Infant mortality in 1899 amounted to 163 per 1,000 births, the highest rate recorded in Table 6, and if health conditions had not improved meanwhile this rate might have been at least repeated in 1911 so far as weather conditions were concerned. The difference must be regarded as satisfactory evidence of an improvement which has lowered the rate under the worst seasonal conditions to the extent stated (twenty per cent.).

Table XXIII shows how the infant mortality of 1911 was distributed between the sexes and throughout the country. For infants of both sexes jointly the rate varied from 152 in the county boroughs of the North to 86 in the rural districts of the South. The extent to which this rate is increased by the conditions of life in towns is well known—the table shows a range for England and Wales from 104 in the rural districts to 147 in

TABLE XXIII.—INFANT MORTALITY (DEATHS UNDER 1 YEAR per 1,000 BIRTHS), 1911

	Males.					Females.					Both Sexes.				
	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	141	—	—	—	—	119	—	—	—	—	130	—	—
County boroughs	166	163	130	146	161	137	134	106	127	133	152	149	118	136	147
Other urban districts	158	132	117	162	142	135	109	95	130	118	147	121	107	147	131
Rural districts	140	108	95	132	115	114	84	76	100	91	128	96	86	116	104
All areas	159	135	126	150	142	133	110	104	120	117	147	123	115	135	130

the county boroughs. But the fact that the rate in London was much below that of the county boroughs and slightly below that of the smaller towns indicates that much of the excess associated with town life may be avoided, since it is not experienced by the County of London, *i.e.*, by the central portion of the largest urban population in existence. The table indeed shows that the variation of the rate according to the part of the country concerned is not very much less than that dependent upon the urban or rural nature of the area. The range shown in regard to this matter is from 115 in the South as a whole to 147 in the North, as against 104 to 147, but inclusion of London with the other great towns lowers the last quoted rate to 142. The urban excess is analysed by sex, age and disease in Table 29, while Tables 23–27 provide the means of investigating, in somewhat less detail, the causes of death which are accountable for the excess in the North of England.

It is of interest to extend the comparison of infant mortality up to school age, *i.e.*, to the end of the period of exclusively home influence. This is done in Table XXIV, which gives the mortality during the second year of life, and the mean annual mortality

TABLE XXIV.—MORTALITY in EARLY CHILDHOOD, 1911 : DEATHS per 1,000 LIVING at EACH AGE.

	1–2 years.					2–5 years.				
	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	51·53	—	—	—	—	11·47	—	—
County boroughs	59·51	50·36	34·08	36·96	53·23	13·78	11·61	8·31	8·71	12·36
Other urban districts	49·39	35·92	28·07	40·40	39·82	11·34	8·64	7·57	8·56	9·38
Rural districts	36·34	21·98	19·49	23·04	24·89	8·68	5·60	5·21	6·23	6·28
All areas	52·48	36·18	37·85	34·35	42·15	12·17	8·63	8·95	7·84	9·88

between the ages of two and five years in the different areas dealt with, and in Table XXV, which shows the survivors from 10,000 births at the end of the first, second, and fifth years of life in the same areas. The range of variation in the second year of life is very much greater than in the first. It extends in Table XXIV from 19·49 in the rural districts of the South to 59·51 in the county boroughs of the North. The mortality of the rural districts generally at these ages is less than half that of the county boroughs, notwithstanding the fact that a larger proportion of weaklings has already been removed from the population of the latter by higher mortality in the first year of life. In the three parts of England distinguished mortality at both ages in Table XXIV decreases regularly in all cases with decrease of urbanization, as it does also for each sex in Table XXIII, but in Wales the position of the county boroughs tends to be better than that of the smaller towns. This is characteristic of Wales in regard also to many individual causes of death.

Table XXV exhibits the cumulative results of the mortalities shown in Tables XXIII and XXIV. It shows that, to take the extreme cases, 23·5 per cent. of children born in the county boroughs of the North die before completing their fifth year, while in the rural districts of the South the proportion lost is only 11·7 per cent. or almost exactly half the other. Outside London there is no class of area in the South which does not, judging by the experience of 1911, rear a larger proportion of its children than even the rural districts of the North.

TABLE XXV.—MORTALITY in EARLY CHILDHOOD, 1911 : SURVIVORS of 10,000 CHILDREN BORN.

	At end of First Year.					At end of Second Year.					At end of Fifth Year.				
	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.
London ...	—	—	8,702	—	—	—	—	8,254	—	—	—	—	7,970	—	—
County boroughs...	8,484	8,512	8,817	8,635	8,531	7,979	8,083	8,517	8,316	8,077	7,649	7,802	8,305	8,099	7,778
Other urban districts.	8,532	8,791	8,933	8,534	8,694	8,111	8,475	8,682	8,189	8,348	7,835	8,255	8,485	7,979	8,113
Rural districts ...	8,724	9,038	9,144	8,839	8,965	8,407	8,839	8,966	8,635	8,742	8,188	8,691	8,826	8,474	8,577
All areas ...	8,535	8,775	8,847	8,646	8,699	8,087	8,458	8,512	8,349	8,332	7,792	8,239	8,283	8,153	8,085

There is a slight degree of inaccuracy in the third section of Table XXV (as also in Table XXVI). The survivors at age 5 have been obtained by applying three times the average yearly death-rate at age 2–5 to the survivors at age 2. If this rate had been applied thrice, first to survivors at two, then at three, and then at four, the survivors at five for the whole of England and Wales would have been 8,087 instead of 8,085 ; and if the more correct method had been followed of applying the separate mortalities for the third, fourth and fifth years of life (14·60, 8·75 and 6·14 respectively) in succession, instead of using the average death-rate for age 2–5, the survivors would have been 8,088. The difference is so slight as to be immaterial, especially as all areas are similarly affected by it, and with a view to the application in future of this method of summarising child mortality to a much larger number of areas its form has been kept as simple as possible, consistent with substantial accuracy.

The comparison may be carried a stage further, as is done in Table XXVI, by contrasting the combined effects of each population's fertility and early mortality, in other words, by showing the extent to which it produces *and rears* children. The result may be regarded as its effective fertility, and will give some indication of the extent to which success in preservation of young lives is likely to compensate for failure in their production. The table does not encourage the opinion that such success is likely to go very far in this direction in our day.

The greatest effect of successful life preservation in compensating for its non-production is naturally shown by comparison of the county boroughs of the North with the rural districts of the South, as it has already been pointed out that these populations present the greatest contrast of any in Table XXV, the cumulative mortality up to 5 years of the northern great towns being twice that of the southern country districts. Table XXVI shows that the birth-rate of the former was 26·0 as against 20·4 for the latter, but this difference would be reduced at age 5 to that between 19·9 and 18·0, the survivors per 1,000 population in each case. It may be judged therefore how little of the much greater deficit in the fertility of the present day as compared with that of thirty to forty years ago is likely to be made good in the near future by success in preservation of young lives.

TABLE XXVI.—EFFECTIVE FERTILITY, 1911.

	1.—Births per 100,000 Total Population.					2.—Births per 10,000 Women aged 15-45.					3.—Legitimate Births per 10,000 Married Women aged 15-45.				
	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	2,472	—	—	—	—	919	—	—	—	—	1,988	—	—
County boroughs ...	2,602	2,549	2,138	2,783	2,541	1,009	1,000	810	1,145	989	1,975	1,971	1,703	2,161	1,952
Other urban districts ...	2,489	2,434	2,036	2,984	2,426	985	963	784	1,309	963	1,927	1,907	1,727	2,359	1,923
Rural districts ...	2,554	2,257	2,041	2,493	2,289	1,104	1,043	902	1,119	1,027	2,177	2,014	1,857	2,258	2,035
All areas	2,554	2,415	2,241	2,781	2,437	1,013	995	870	1,214	978	1,983	1,954	1,867	2,288	1,962
SURVIVORS OF ABOVE AT END OF FIRST YEAR OF LIFE.															
London	—	—	2,151	—	—	—	—	800	—	—	—	—	1,730	—	—
County boroughs ...	2,206	2,169	1,886	2,405	2,167	856	851	714	989	844	1,675	1,677	1,502	1,867	1,665
Other urban districts ...	2,123	2,139	1,818	2,545	2,094	840	846	700	1,117	831	1,644	1,676	1,542	2,012	1,660
Rural districts ...	2,227	2,040	1,865	2,204	2,051	963	943	824	989	920	1,898	1,821	1,697	1,996	1,823
All areas	2,179	2,118	1,983	2,406	2,120	864	873	770	1,050	851	1,691	1,714	1,652	1,979	1,707
SURVIVORS OF ABOVE AT END OF SECOND YEAR OF LIFE.															
London	—	—	2,040	—	—	—	—	759	—	—	—	—	1,641	—	—
County boroughs ...	2,075	2,060	1,822	2,316	2,052	805	808	690	952	799	1,575	1,593	1,451	1,798	1,576
Other urban districts ...	2,018	2,062	1,767	2,442	2,011	799	816	680	1,072	798	1,563	1,616	1,499	1,931	1,594
Rural districts ...	2,146	1,995	1,829	2,153	2,000	928	922	808	966	897	1,829	1,781	1,664	1,950	1,778
All areas	2,065	2,041	1,908	2,323	2,031	819	841	741	1,014	815	1,602	1,652	1,589	1,911	1,635
SURVIVORS OF ABOVE AT END OF FIFTH YEAR OF LIFE.															
London	—	—	1,970	—	—	—	—	733	—	—	—	—	1,585	—	—
County boroughs ...	1,989	1,988	1,777	2,255	1,976	772	780	673	927	769	1,510	1,538	1,415	1,751	1,518
Other urban districts ...	1,949	2,009	1,727	2,379	1,954	772	795	665	1,044	776	1,510	1,574	1,465	1,881	1,549
Rural districts ...	2,090	1,962	1,800	2,113	1,962	904	907	795	948	880	1,781	1,751	1,638	1,914	1,745
All areas	1,990	1,988	1,857	2,268	1,971	789	819	721	990	791	1,544	1,609	1,546	1,866	1,587

If the different classes of area are compared for the whole country it is seen that the advantage of the towns in regard to birth-rate is lost at the end of the fifth year, the survivorship rates at that age in London, county boroughs, smaller towns and rural districts being all practically equal in the first section of Table XXVI.

If, however, the comparison is made, not of birth-rates but of fertility-rates, the rural districts are seen to hold an initial advantage which is, of course, increased throughout the five years by their lower mortality. The difference is due to the low proportion of women of conceptive age in the rural population (Census of 1911, Volume VII, page xi). In the same way it can be seen from Table XXVI that the defect in birth-rate of the South as compared with other parts of England is largely due to the fact that a smaller proportion of its women of conceptive age is married. If the birth-rate of the South is compared with that of the North it is seen to be 3·1 per 1,000 lower, and at age 5 the advantage of the North still amounts to 1·3 per 1,000 notwithstanding its higher mortality. But if legitimate fertility is the basis of comparison the initial advantage of the North is much less, and is entirely wiped out at age 5. The disadvantage of the South does not lie in its proportion of women aged 15-45, which at 258 per 1,000 total population is rather above that of the North at 252 per 1,000, but in the proportion of these married, 45 per cent. in the South against 49 in the North. Hence when fertility is reckoned per 1,000 married women, the initial disadvantage of the South is much less than when total population or total women of conceptive age forms the basis of comparison, and disappears at age 5 owing to lower mortality, whereas on the two other bases a considerable proportion of it still remains at this age. It should be pointed out that the survivors at the end of the second and fifth years of life in the third section of the table have unavoidably been calculated from mortality rates applying to all children, including the illegitimate. In view however of the experience of New South Wales, quoted on page xlvii, that after the first year is past excess of mortality amongst the illegitimate is slight, this can be a matter of little moment.

One of the most striking features of Table XXVI is the extent to which the fertility of Wales, however stated, exceeds that of England. The survivors at age 5 in Wales of the children born to 100,000 population exceed the births per 100,000 population in the South of England, and if the fertility of married women is the basis of comparison the proportion of births in the South of England is only just equal to the survivors at age 5 in Wales. Table XXVI affords the means of making many other comparisons of this nature, and similar tables can be constructed for any counties or county boroughs from the material contained in Tables 3 and 4 and pages 148–178 and 313–437 of this volume and in Table 9 of the Census Report on ages (Volume VII).

Causes of Infant Mortality.—Apart from diarrhoea and enteritis, the mortality from which was nearly trebled as compared with 1910, all the principal causes of death as summarised in Table XXVII, account for very much the same proportion of deaths as in 1910. Comparison is made in the table with the average of the five preceding years, and shows that the brunt of the increase in mortality was borne by children over three months of age, nearly three-quarters of the diarrhoeal mortality occurring amongst these older children, who furnished almost exactly half of the deaths from all causes (Table 28.) The important group of developmental and wasting diseases, which accounts for well over half the total mortality of the first three months of life, and in ordinary seasons for over a third of that under one year, shows a very trifling reduction in Table XXVII, and a slight increase over its record for 1910. It is of course to a decrease in this mortality

TABLE XXVII.—ENGLAND AND WALES, 1911.—PERCENTAGE INCREASE OR REDUCTION OF INFANTILE MORTALITY AS COMPARED WITH 1906–10.

Cause of Death.	Under 3 Months.	3–6 Months.	6–12 Months.	Under 1 Year.
All Causes	+ 4	+ 19	+ 20	+ 11
Common Infectious diseases	– 11	– 8	+ 9	+ 3
Diarrhoea and Enteritis	+ 91	+ 101	+ 115	+ 104
Developmental and Wasting Diseases	– 1	– 9	– 3	– 2
Tuberculous Diseases	– 24	– 17	– 9	– 14
Convulsions	– 18	– 12	+ 38	– 8
Bronchitis and Pneumonia	– 4	– 12	– 9	– 8
Other Causes	0	– 16	– 24	– 12

that we must chiefly look for improvement in the earlier months of life, but up to about 1900 it tended rather to increase, and its decrease since then has not been considerable. It may be inferred however from the contrast shown for these deaths in Table 29B, between the middle and the working classes, that considerable progress may be hoped for under improved conditions in regard to them as well as others. The mortality so caused amongst the legitimate children of the working class as a whole was almost exactly the same—about 41·3 per 1,000 births—as that recorded for all infants without distinction of class or legitimacy (Table 28). Yet in the upper and middle classes this mortality amounted only to 28·9 per 1,000, so there is evidently plenty of room for reduction of the present rate for all children. The fact that the death-rate of illegitimate children from these causes is more than double that of the legitimate (Table 28) also probably indicates that the deaths so characterised are to a large extent preventable.

Table XXVIII, which contrasts the mortality of male with that of female, and of legitimate with that of illegitimate infants, shows that the mortality of males was 21 per cent. greater than that of females, and that all the principal causes of death except whooping cough display the same feature, and on the whole to a very uniform extent. The excess in the mortality of males is greater in the first month of life, and thereafter regularly decreases. All these features of the table—excess in male mortality of 20–25 per cent. from all causes and from the principal groups of causes, excess of female mortality from whooping cough, and the decrease with advancing age of the excess in male mortality—reproduce themselves with curious fidelity from year to year. The proportionate male excess was considerably less in the case of illegitimate infants.

The table also shows that the mortality of illegitimate infants was about twice as great as that of the legitimate, rather less in the case of males and rather more in that of females. This excess was highest (almost 150 per cent.) in the second and third months of life, and thereafter fell to less than 50 per cent. in the last three months of the first year.

TABLE XXVIII.—ENGLAND and WALES, 1911: INFANT MORTALITY by SEX and LEGITIMACY.

				Deaths per 1,000 Births.						Mortality per cent.					
				All Infants.		Legitimate Infants.		Illegitimate Infants.		Male of Female Infants.			Illegitimate of Legitimate Infants.		
				Male.	Female.	Male.	Female.	Male.	Female.	All Infants.	Legitimate	Illegitimate.	Males.	Females.	
All causes	{	under one month	...	45·73	35·39	44·16	33·89	80·55	68·97	129	130	117	182	204	
		1-3 months	...	27·58	21·83	26·01	20·55	62·70	50·50	126	127	124	241	246	
		3-6	"	...	28·35	23·80	27·21	22·57	53·80	51·53	119	121	104	198	228
		6-9	"	...	22·06	19·59	21·48	18·87	35·18	35·84	113	114	98	164	190
		9-12	"	...	18·56	16·76	18·21	16·42	26·54	24·38	111	111	109	146	148
All ages under one year.	{	All causes	...	142·28	117·37	137·07	112·30	258·77	231·22	121	122	112	189	206	
		Whooping cough	...	3·73	4·57	3·73	4·59	3·80	4·02	82	81	95	102	88	
		Tuberculous disease	...	4·15	3·45	4·01	3·28	7·29	7·12	120	122	102	182	217	
		Convulsions	...	11·03	8·28	10·61	7·97	20·45	15·31	133	133	134	193	192	
		Bronchitis and pneumonia.	...	20·21	16·05	19·90	15·77	27·17	22·38	126	126	121	137	142	
		Diarrhoea and enteritis	...	39·10	33·20	37·55	31·50	73·68	71·41	118	119	103	196	227	
		Premature birth	...	22·14	17·98	21·54	17·31	35·44	32·96	123	124	108	165	190	
		Congenital defects	...	4·04	3·30	4·04	3·29	4·11	3·58	122	123	115	102	109	
		Atrophy, debility and marasmus.	...	17·68	14·05	16·49	13·03	44·28	36·93	126	127	120	269	283	

The excess in mortality of illegitimate children varied greatly also for different causes of death. It was very slight for infectious disease in general (Table 28) and negative for whooping cough. It was also very slight in the case of deaths from congenital defects, and comparatively so for bronchitis and pneumonia, but heavy for diarrhoea and especially so for atrophy. It would seem that, possibly, the illegitimate infant suffers more from lack of care in some directions than in others, and that it may be at a greater disadvantage in regard to the purity of its food than to protection from the risk of pulmonary infections (*see* page xlii).

The mortality of illegitimate exceeds that of legitimate infants most of all in the case of deaths attributed to syphilis, being over eight times as heavy (Table 28). Probably there is much less reluctance to certify the true cause of death in such cases for illegitimate infants, but the difference is greater than could well be explained in this way, and it is, moreover, of a nature to be expected from the circumstances of the case. Fatal injury at birth is very much commoner with illegitimate infants. No doubt many of the confinements take place under disadvantageous circumstances.

Table 29 compares towns of various sizes and rural districts in respect of infant mortality and so affords a larger field for tracing the effects of town conditions upon infant life than has been available in previous reports. These effects are summarised by comparison of the death-rate from all causes in the urban areas as a whole and in the rural areas. The former exceeded the latter by 32 per cent., but this excess was very unevenly distributed over the different age-periods into which the first year of life is divided in the table, being only 6 per cent. in the first month, 36 per cent. at 1-3 months, 45 at 3-6, 55 at 6-9, and 64 per cent. at 9-12 months. The chances of survival seem to differ but little at birth in town and in the country, but the noxious influences of the former soon come into play, and make themselves felt to an increasing extent as the first year of life progresses (*see* also page xlvii and Table XXXII).

When comparison is made between towns of varying size it is seen that apart from London, those of larger size are at a disadvantage at every age, in the case both of legitimate and illegitimate infants. The London rate, however, was lower than that of the smaller towns. This is due mainly to the low mortality in London during the first month of life, which was below that of the rural districts both for legitimate and illegitimate infants. As age advances the London advantage decreases, and in the last three months of the first year its mortality almost equals that of the county boroughs, as it may be seen from Table XXIV to do also during the succeeding four years of life. Except during the first three months of life the advantage in regard to infant mortality of the rural districts over the smaller towns is very much greater than that of the latter over the county boroughs. This does not apply to the contrast of mortality at all ages in these

areas (Table XXXIV), so the chances of infants seem to be prejudiced by urban conditions of any sort more than those of adults, in whose case mortality in 1911 was more largely dependent upon *degree* of urbanization.

Apart from the special case of London, Table 29 shows that the mortality from each of the five groups of diseases under which it summarises infantile deaths increases regularly from the rural areas to the large towns, but the difference in the case of the wasting diseases is small. For the most part this statement applies also to each portion of the first year of life, but in the case of the infectious diseases the order of mortality appears to be reversed during the first three months, the rate being highest in the rural districts and lowest in London. This feature of the table harmonises with the fact that, as pointed out on page lxiii, a larger proportion of fatal whooping cough occurs during the first year of life in the rural than in the urban districts (*see* also page lviii in regard to measles).

Comparison of individual diseases in town and country shows that measles and diphtheria followed the usual rule of urban excess, but that whooping cough caused a higher mortality in the rural districts. This was entirely the result of excess in the first six months of life, the second six months following the usual rule. The mortality from convulsions in London is only half that in the rest of the country. This accords with what is said on pages lxxiii and lxxvii as to evidence of superiority of certification in London, for it has often been pointed out that this indefinite form of certificate, which continues to show a most satisfactory decline in frequency of use (Table 20), is one which should be used only when the condition causing the convulsions cannot be ascertained. Similarly it is perhaps not without significance that while tubercle of organs other than the intestine and peritoneum was more fatal in London than in any other class of area, "abdominal" tuberculosis was less fatal in London than even in the rural districts. For there is no doubt that the term "*tabes mesenterica*" at least has been loosely used to cover disease not all of which was due to tubercle, and it may be that this looseness has to some extent survived the gradual disuse of the term with which it was especially associated (*see* page lxxv). Another instance of the same kind is furnished by the relative mortality of bronchitis and pneumonia in London and other parts of the country. Reasons were given in the Report for 1909 (pages lxix.—lxxi.) for believing that, especially in former years, many deaths from pneumonia were erroneously ascribed to bronchitis. Table 29 shows that as far as deaths of infants are concerned, the reform which is taking place in regard to this matter has proceeded further in London than elsewhere.

The harmful effect of town life is well marked in regard to the respiratory diseases, but it is especially evident in the case of diarrhœa, the mortality from which in the county boroughs was almost twice that in the rural districts. In all classes of area the second three months of life formed the most fatal period in this year of exceptional prevalence, the last three months being least so. Syphilis shows an even greater variation with urban conditions, the mortality in the country districts, whether of legitimate or illegitimate children, being only a small fraction of that returned in the great towns. It is most fatal in the first month, and thereafter progressively less so. Another cause of infant mortality particularly associated with the great towns is overlying, which caused more than four times as many deaths in London as in the rural districts. The mortality from congenital malformations, premature birth, and atrophy debility and marasmus, differs but little, as already remarked, in the various classes of area.

Infant Mortality in relation to Parents' Occupation.—For many years past it has been customary to tabulate the mortality of males according to their occupation in the Decennial Supplements of this series of Reports. This tabulation refers to the three years nearest in date to each census; and in the Supplement referring to the census of 1911 it has been decided to show, not only the rate at which persons following each occupation die, but also that at which they reproduce themselves. This will be done by means of tables showing the number of legitimate children born, during 1911 only, to fathers following each occupation, in proportion to the number of married males engaged in it, or in other words the fertility of married males in each occupation. Similarly it is proposed to use illegitimate births in conjunction with the number of single and widowed women in each occupation to obtain the occupational fertility of unmarried females.

The tabulation by parents' occupation of the births registered in 1911 required for this purpose has been carried out, and has provided an opportunity for calculating the occupational infant mortality rates which are embodied in Tables 28A, B, C and D. The births and infantile deaths in the various occupations dealt with in Table 28A have been summed into a number of groups, designed to represent as far as possible different social

grades; the results are embodied in Table 28B, which analyses by age and cause of death the mortality during 1911 of legitimate infants in each of these social classes.

The composition of each of these classes may be ascertained from Table 28A, in which the number preceding the title of each occupation indicates the social group to which it has been assigned. This assignment is by no means precise, for in many cases, especially in commerce and industry, the census occupational description gives no certain indication of social position. The farmer for instance may farm 10 acres or 1,000, and the draper or iron puddler may be the head of a large establishment or his lowest paid assistant or labourer. As a result, many men, especially business men, belonging to the middle-classes have necessarily been included with the working-class and the contrasts yielded by Table 28B are therefore somewhat understated.

Class 1—the upper- and middle-class—includes all occupation groups of which the majority of the members as tabulated at the census could be assumed to belong to these classes. It covers such occupations as commercial and railway clerks and insurance agents, but aims at excluding the artisan, even though his wage may be higher than the clerk's. While including the clerk, who is always distinguishable, it frequently excludes his employer, who is not; but that, as explained above, cannot be helped.

Classes 3–8 as a whole are meant to represent the “working-class”—those employed in manual labour, skilled or unskilled. Class 3 includes those occupations of which it can be assumed that the majority of men classified to them at the census are skilled workmen, and Class 5 consists of occupations including mainly unskilled men. But there are a number of census occupations which include many men both skilled and unskilled, and of which therefore it could not be determined whether they should rank with the higher or lower grade working class. These have been listed separately as Class 4 in the table, and are intermediate in type between Class 3 and Class 5 because they include a considerable proportion of both. Similarly Class 2 is intermediate between the middle and working class because it consists of occupations, such as the shopkeeping trades, including many members of both classes.

Classes 6, 7 and 8 are important groups of the working-class population which it seemed desirable to distinguish separately, and they are therefore not treated either as skilled or unskilled. Class 6 consists of textile workers, Class 7 of miners, and Class 8 of agricultural labourers.

It will be seen from what has been said as to the method of arrangement of these occupational classes that in so far as infantile mortality depends upon social position it may be expected to be lowest in Class 1 and to increase regularly down to Class 5, but that beyond Class 5 no regular gradation can be looked for. This is precisely the state of affairs revealed by Table 28B. There are naturally some irregularities where individual causes of deaths are shown for separate portions of the first year of life, but where all causes are dealt with there is no exception at any age to the steady increase of mortality from Class 1 to Class 5, and almost the same may be said for the first year of life as a whole of the groups of causes and individual causes of death except where the latter are numerically insignificant.

Much may be learnt from this table as to the extent to which infant mortality can be regarded as preventable. For instance, the middle-class mortality was only 61 per cent. of the total legitimate infant mortality of the country. This at once suggests that at least 40 per cent. of the present infant mortality of this country could be avoided if the health conditions of infant life in general could be approximated to those met with in Class 1. But Table 28A shows that the mortality of this class, 76·4 per 1,000 births, by no means represents all that is possible. Rates of under 50 are not very uncommon amongst the professional classes—that for army officers is 44, for naval officers and for solicitors 41, for medical practitioners 39, and for artists 27. Figures like these show how little of our present infant mortality is essentially inevitable. No doubt it must be long before the average infant can receive the intelligent care bestowed upon that of the officer, solicitor, or doctor, and no doubt also a proportion of the advantage enjoyed by the latter is dependent upon ante-natal causes, so that more than care of the infant is required to equalise matters. It may probably be assumed however that if health conditions were equally good for all classes of society (and till this is so the inferior conditions must always involve preventable mortality) most of any congenital disadvantage which the labourer's infant suffers would disappear. If this is the case there seems no reason to consider the limit of improvement reached till infant mortality in general is reduced to the level where that of the professional classes now stands, or, say, to one-third of its present amount. Even if it cannot be anticipated that the mortality of the working man's infant will ever fall to quite so low a level as that of the professional

man's, it may still fall to the level where the latter at present stands, for there is no reason to suppose that the limit of improvement has yet been reached in this matter by any class.

The figures in Table 28B also suggest at which ages and in regard to which causes of infantile deaths most improvement is feasible. Thus dealing with all causes it is evident that far less decrease in mortality can be expected in the first month of life, when about one-third of the whole occurs, than in the latter six months. The excess of mortality in Class 5 over that in Class 1 is 41 per cent. in the first month, 92 per cent. at 1-3 months, 142 at 3-6 months, 165 at 6-9 months and 183 per cent. at 9-12 months. These astonishing figures not only show what can be done, but clearly point to the plan of campaign, viz., an attack upon the causes of mortality in the latter months of the first year of life. The same lesson is taught by comparison of the mortality of county boroughs and rural districts in Table XXXII, for there again the difference in mortality increases steadily with the age of the infants, indicating that the later deaths are most susceptible of diminution by improvement in environment.

The *causes* leading to the largest proportion of unnecessary deaths, and, by inference, the administrative measures necessary to combat them, can be discerned with equal clearness from Table 28B. The infantile mortality of the middle-class from infectious disease is only 40 per cent. of that of the unskilled workers, and from tubercle and diarrhœa also it is less than 50 per cent. The particular infectious disease holding out the most promise of reduction would appear to be measles, and next to it whooping cough. The others are comparatively unimportant till the first year is past. The mortality of infants from bronchitis and pneumonia is no doubt to a considerable extent associated with measles and whooping cough, and here the difference between the classes is no less than 200 per cent., the mortality of Class 1 being only one-third that of Class 5. The great range of variation in mortality from these diseases according to social status is the more remarkable in contrast with the comparatively small excess of about 40 per cent. in the death-rate of illegitimate over that of legitimate children from the same causes (*see* Table XXVIII). Possibly the explanation may lie in the frequency with which such cases originate in infection, either in the form of measles or whooping cough which may not have attracted the mother's attention and may therefore not be recorded in the certificate, or in that of infection from other cases of bronchitis or pneumonia. The illegitimate infant is, it may be assumed, more frequently solitary than the legitimate, and so to a large extent escapes infection to which the legitimate infant is exposed from its elder brothers and sisters. This explanation of the contrasting facts is supported by the similar contrast in regard to infectious disease. The illegitimate infant, notwithstanding its inferior nurture, suffers practically no excess of mortality from infectious disease over the legitimate (Tables 28 and XXVIII), but the unskilled labourer's infant is exposed to a mortality from this cause 150 per cent. in excess of that affecting the middle-class baby. The excess of mortality from bronchitis and pneumonia is almost equally distributed among the various age-groups; on the other hand loss of life from diarrhœa would seem to be much more avoidable amongst the older than the younger infants.

Injury at birth causes as much loss of life in the middle- as in the working-class. The figures appear to indicate either that few infants' lives are lost through lack of skilled attention at birth, or, what is perhaps more likely, that the greater skill and care bestowed upon the middle-class birth only just compensates, so far as the child is immediately concerned, for the greater difficulty of the birth which this hypothesis would assume. Or again it may be suggested that impatience of suffering on the part of the middle-class mother leads to more interference with normal labour in this class, the infants suffering in consequence.

Mortality from congenital malformations is, as might probably be expected, equal for all classes as well as being much the same for illegitimate as legitimate infants (Tables 28 and 28B). There is no evidence here in favour of the popular belief that such developmental errors are in any way dependent upon the mother's mental condition, as those of fatal severity at least seem to occur with equal frequency to whatever influences she is subjected. It might of course be suggested that the more sheltered life of the middle-class woman is nicely calculated to compensate for her greater sensitiveness, but the very fact that such precision of adjustment has to be postulated must tell against the likelihood of any relationship of the kind. It should be noted however that the mortality of the children of textile workers from this cause is exceptionally high, for it may be that this is related to the fact that the wives of such workers frequently work in the mills themselves throughout the greater part of their pregnancies.

Prematurity shows considerable variation in its fatality according to class, but this may be the effect either of pre-natal influence upon the mother, diminishing premature

births amongst the well-to-do, or of post-natal influence on the child, preserving lives in one class too feeble to be saved under the less favourable circumstances of another. The figures relating to the indefinite heading "atrophy, debility, and marasmus," suggest that at least after the first month of life is past most of these deaths could be avoided by better and more intelligent nurture. During the first month the difference between the classes, though considerable, is much smaller than afterwards; and it may well be that a large proportion of these deaths are due to congenital debility, owing to which the infant's prospects are hopeless from the moment of birth, progress in regard to such cases being possible only by improved ante-natal hygiene.

Little need be said of the part of Table 28B relating to textile workers, miners and agricultural labourers, as the figures speak for themselves. The mortality of miners' infants is disproportionately high, especially in view of the fairly high wages earned by these men. They are certainly much better paid, and consequently in a better position to provide for the welfare of their infants, than the unskilled and casual labourers of the towns who form the bulk of Class 5, while their wives are as a rule not compelled to assist in earning the family living, yet at each of the five age-periods the mortality of their infants is higher than that of Class 5 with the single exception of the second, 1-3 months, where it is only a trifle lower. This excess is very generally distributed over the various causes of death. It is however notably absent in the case of overlying, and is particularly great from convulsions. The latter fact would appear to indicate some want of precision in certifying the causes of death of these children, for though a certain number of deaths cannot well be certified otherwise, experience has shown that with improvement in certification most of such deaths are referred to the condition causing the convulsions. The death-rate from gastritis amongst these children is so high as to suggest that some deaths so returned may have been due to diarrhœa. If this is to any extent the case their real mortality from diarrhœa and enteritis would seem to be higher than that of any other class, as it is on the returns as shown if diarrhœa enteritis and gastritis be considered jointly.

The mortality of textile workers' infants is particularly high from diarrhœa, possibly owing to artificial feeding of children whose mothers are at work in the mills, from meningitis, both simple and tuberculous, and as already noted from congenital malformations. The loss of life from premature birth is also high, though not quite so high as in the mining class, where the mothers less frequently engage in work outside their homes.

The mortality of the infants of agricultural labourers is considerably below that of any of the other classes of manual workers. As might be expected their advantage lies mainly in the later months of life. Their death-rate in the first month is equal to that of the artisan class, but in all succeeding periods it is considerably lower than that of any other group except Class 1. From diarrhœa and enteritis it is lowest of all, a position which shows how largely mortality from this cause is connected with life in towns. Their mortality is low also from tubercle, from respiratory diseases, and from measles, but not from whooping cough, the latter fact harmonising with the comparative frequency of fatal whooping cough in the first year of life in rural districts, referred to on page lxiii.

The particulars in Table 28A, relating to individual occupations, or small groups of occupations, are too numerous to admit of detailed comment in this Report; but they are available for reference by the reader interested in any particular calling, and afford also the means of grouping occupations in various ways suited to varying points of view.

The list of occupations in this table is that which will be shown in the census tables giving the fullest detail published for England and Wales, except that in certain cases, where occupational groups have been divided for census purposes not germane to the present tabulation and there is reason to believe that the sub-division would be misleading if applied to infant mortality, two or more items in the full census list have been amalgamated. This is indicated by the figures in brackets following the name of the occupation. These figures denote the title or titles in the sub-order of the census list concerned, the orders and sub-orders themselves being indicated by the descriptive terms and numbers applied to them in the census report. As the latter will be accompanied by a Manual of Occupations, corresponding with that already published for causes of death, and stating as completely as possible the different occupational descriptions allocated to each title in the census list, it will be possible to ascertain from it the precise meaning of every title in Table 28A. Thus, to take the first title in the list, "Civil Service Officers and Clerks (1, 2, 5)" appears under order "I In General or Local Government," sub-order 1 "National Government," and includes titles 1, 2 and 5 of that sub-order as given in the full census list. The Manual of Occupations, when published, will give details of the classes of Civil Servants included under these three titles. Of these no. 1 is telegraphists, no. 2 other Post Office Officers and Clerks, and no. 5 other Civil Service Officers and

Clerks. There was little to be gained for present purposes by preserving these distinctions, and it was doubtful to what extent the entries in the register would permit of this being done with accuracy, so the three have been amalgamated. The number preceding each title in Table 28A indicates the social class to which it has been assigned in Table 28B.

Table XXIX groups and summarises the occupations in Table 28A having the lowest and highest infant mortality respectively. In the one group are included all occupations having over 100 births in the year and an infant mortality of under 50 ; and in the other all those having over 100 births and a mortality of at least 170 per thousand births. General labourers are included with the second group because of their numerical importance and of the slight extent to which their mortality falls short of the limit fixed.

TABLE XXIX.—ENGLAND AND WALES, 1911.—MORTALITY of LEGITIMATE INFANTS by FATHER'S OCCUPATIONS.

Father's Occupation.	Number of Births.		Infant Mortality.											
			All.			Age at Death (both sexes).				Cause of Death (both sexes).				
	Males.	Females.	Males.	Females.	Both Sexes.	0-1 month.	1-3 months.	3-6 months.	6-12 months.	Common Infectious Diseases.	Tuberculous Diseases.	Diarrhea and Enteritis.	Developmental and Wasting Diseases.	Other Diseases.
A.—OCCUPATIONS WITH LOWEST INFANT MORTALITY.														
Artists III. 1 (7)	153	144	46	7	27	6·7	6·7	6·7	6·7	3·4	—	10·1	3·4	10·1
Merchants V. 1 (1)	201	200	35	25	30	10·0	5·0	10·0	5·0	—	—	7·5	10·0	12·5
Medical Practitioners III. 3 (1) ...	652	633	38	39	39	20·2	6·2	4·7	7·8	0·8	0·8	8·6	14·8	14·0
Naval Officers II. 2 (1, 2, 4, 5) ...	164	177	43	40	41	8·8	2·9	8·8	20·5	—	2·9	5·9	5·9	26·4
Solicitors III. 2 (2)	420	407	43	39	41	19·3	4·8	10·9	6·0	1·2	1·2	9·7	16·9	12·1
Army Officers II. 1 (1, 2)	335	342	51	38	44	29·5	8·9	—	5·9	1·5	—	2·9	31·0	8·9
Woodmen (Foresters, &c.) VII. 1 (8)	279	273	47	48	47	18·1	7·2	10·9	10·9	—	3·6	3·6	18·1	21·7
C. E. Clergymen III. 1 (1)	504	464	56	39	48	28·9	5·2	4·1	9·3	3·1	—	5·2	26·9	12·4
Others connected with Education III. 4 (2).	156	154	38	58	48	32·3	9·7	3·2	3·2	—	—	9·7	25·8	12·9
Total, Group A	2,864	2,794	45	38	42	21·0	6·2	6·2	8·1	1·2	0·9	6·9	18·6	14·0
B.—OCCUPATIONS WITH HIGHEST INFANT MORTALITY.														
General Labourers XXII. 5 (1) ...	24,758	23,955	183	150	167	47·1	30·6	35·5	53·5	11·1	5·0	44·4	50·6	55·7
Foundry Labourers X. 3 (3)	1,803	1,691	180	161	171	43·2	34·6	36·9	56·1	9·2	5·2	58·4	46·9	51·2
Dock Labourers VI. 4 (1)	6,121	6,042	180	163	172	43·7	32·4	36·3	59·5	8·7	5·3	51·6	44·5	61·7
Ironworkers (undefined) X. 8 (17)...	927	887	193	150	172	45·2	26·5	38·6	61·7	6·6	5·5	53·5	45·8	60·7
Earthenware Manufacture XIV. 1 (3)	1,764	1,706	184	159	172	40·9	34·3	38·3	58·5	8·4	8·6	60·2	43·5	51·3
Brassworkers X. 2 (6), 8 (15) ...	868	865	184	163	174	42·1	35·8	37·5	58·3	8·7	4·0	57·7	52·5	50·8
Tube Manufacture X. 1 (3)	327	321	193	159	176	61·7	24·7	32·4	57·1	7·7	6·2	46·3	60·2	55·6
Flax, Hemp, &c. workers XVIII. 4 (1-7).	328	335	213	155	184	42·2	33·2	42·2	66·4	13·6	4·5	63·3	48·3	54·3
Navvies XII. 2 (2)	235	246	200	175	187	49·9	27·0	37·4	72·8	12·5	8·3	62·4	52·0	52·0
Lamp, &c. makers X. 8 (9)	70	57	186	193	189	63·0	15·7	55·1	55·1	23·6	7·9	47·2	70·9	39·4
Tin miners IX. 1 (10)	332	367	196	185	190	41·5	31·5	57·2	60·1	7·2	7·2	77·3	51·5	47·2
Salt makers XV. 3 (1)	140	128	186	195	190	59·7	22·4	37·3	70·9	26·1	—	37·3	48·5	78·4
Factory Labourers XXII. 5 (4) ...	770	741	194	189	191	45·0	34·4	38·4	73·5	12·6	6·6	57·6	53·6	60·9
Scavengers XXI. 2 (2)	217	235	244	145	192	55·3	28·8	42·0	66·3	13·3	8·8	59·7	42·0	68·6
Provision Curers XX. 1 (3)	158	134	247	127	192	37·7	27·4	47·9	78·8	6·8	3·4	95·9	41·1	44·5
Coasters, Hawkers XXII. 4 (4, 6) ...	2,168	2,102	213	178	196	49·6	40·7	36·3	69·3	15·9	5·6	51·1	52·2	71·2
Patent Fuel Manufacture IX. 1 (7)	71	80	141	250	199	79·5	13·2	39·7	66·2	33·1	13·2	46·4	72·8	33·1
Total, Group B	41,057	39,892	186	156	171	46·3	31·7	36·4	56·8	10·7	5·3	48·7	49·3	57·1

As might be expected, the contrasts presented by the two groups are similar to, though of course more extreme than, those already noted for Classes 1 and 5 in Table 28B. The difference between the mortality of the two in the first month of life, though great, is small relatively to those at later ages, the death-rate of group B being roughly five times that of group A at 1-3 months, six times at 3-6 months and seven times at 6-12 months. This relationship merely repeats in an exaggerated form that shown in Table 28B. Both tables show how much more preventable infant mortality is in the later months than in the first month of life. The fact that in group A half the total infant mortality occurs in the first month as against less than one-third in the country at large and only 27 per cent. in group B puts the same point in another way. The proportions in group B occurring at succeeding periods exceed those in group A by increasing amounts, 33 per cent. of the total mortality occurring in the latter six months in group B as against 19 per cent. in group A.

There is enormous excess of mortality from all five groups of causes in group B, but it is greatest from the most preventable causes, infectious disease, diarrhoea, and tubercle ; developmental and wasting disease account for 44 per cent. of the total mortality in group A, but only for 29 per cent. in group B.

Mortality of Illegitimate Infants of Women in various Occupations.—Table 28c gives similar information with regard to deaths of illegitimate infants to that contained in Table 28A for the legitimate. The contents of each line are defined by the census order, sub-order, and group numbers following the titles. Thus I., 1, (1, 2, 5) following the first title, “Civil Service Officers and Clerks,” indicates that it includes groups 1, 2 and 5 of sub-order 1, order I., of the census list of occupations. The numbers here are too small to permit of classification similar to that of Table 28B, but there are indications in the table that, for the illegitimate as well as the legitimate infant, mortality is largely a matter of social position. Thus the rate for the children of women clerks was but 148 per 1,000 births as against 245 for all illegitimates, for milliners 165, dressmakers 192, shopkeepers and shop assistants 168, and teachers 190 ; but for workers in metals it was 271, in cotton 301, in wool 286, costermongers 325, and pottery workers 397. In all the instances quoted the number of births was over 100. There are 29 occupations or groups of occupations in the table of which this is true, and of these the six with lowest mortality were clerks, milliners, shopkeepers and assistants, paper workers (not makers), sick nurses, and teachers ; and the six with highest mortality were miscellaneous workers in dress, wool spinners weavers &c., barmaids, cotton spinners weavers &c., costermongers, and pottery workers, the order in each case being that of increasing mortality. These two groups are compared in Table XXX, which shows

TABLE XXX.—ENGLAND AND WALES, 1911.—MORTALITY OF ILLEGITIMATE INFANTS BY MOTHERS' OCCUPATION.

Mother's Occupation.	Number of Births.		Infant Mortality.														
			Total.		Ages at Death. (Both Sexes.)				Causes of Death. (Both Sexes.)								
	Males.	Females	Males.	Females.	Both Sexes.	0-1 month.	1-3 months.	3-6 months.	6-12 months.	Common Infectious Diseases.	Tuberculous cases.	Diarrhoea and Enteritis.	Developmental and Wasting Diseases.	Lack of Care.	Overlying.	Other Causes.	
A.—OCCUPATIONS WITH LOWEST INFANT MORTALITY.																	
Commercial Clerks V. 2 (1) ..	127	109	142	156	148	67·8	25·4	29·7	25·4	—	4·2	46·6	46·6	—	—	—	50·9
Milliners XIX. 1 (6) ..	76	51	211	98	165	63·0	31·5	47·2	23·6	—	—	70·8	55·1	—	—	—	38·4
Shopkeepers and Shop Assistants	357	358	151	184	168	46·1	53·1	30·8	37·8	9·8	2·8	51·7	64·3	—	—	—	39·2
'Other Workers in Paper' XVII. 1 (2-7).	73	70	192	143	168	49·0	21·0	56·0	42·0	7·0	14·0	49·0	56·0	—	—	—	42·0
Sick Nurses III. 3 (5) ...	56	47	125	234	175	48·5	38·8	29·1	58·3	9·7	9·7	29·1	48·5	9·7	—	—	68·0
Teachers III. 4 (1) ...	57	48	175	208	190	85·7	38·1	47·6	19·0	9·5	—	57·1	76·2	9·5	—	—	38·1
Total Group A. ...	746	683	160	174	167	54·6	41·3	35·7	35·0	7·0	4·2	51·1	59·5	1·4	—	—	43·4
B.—OCCUPATIONS WITH HIGHEST INFANT MORTALITY.																	
'Other Workers in Dress' XIX. 1 (3-5, 13, 14, 18, 20-23).	53	50	340	200	272	38·8	48·5	97·1	87·4	9·7	29·1	97·1	77·7	—	—	—	58·3
Wool, Worsted Manufacture XVIII. 2.	268	278	287	284	286	82·4	78·8	54·9	69·6	9·2	14·7	78·8	84·3	5·5	1·8	—	91·6
Barmaids XX. 3 (6) ...	133	142	308	268	287	69·1	72·7	50·9	94·5	10·9	7·3	109·1	80·0	3·6	—	—	76·4
Cotton Manufacture XVIII. 1 ...	883	824	309	292	301	83·2	66·8	70·9	80·3	7·0	8·8	108·4	90·8	1·2	1·8	—	83·2
Costermongers, Hawkers XXII. 4 (4-6).	180	141	338	312	325	118·1	69·0	59·0	88·6	29·5	—	66·4	99·7	3·7	11·1	—	114·4
Earthenware Manufacture XIV. 1 (3).	107	120	411	383	397	61·7	114·5	119·0	101·3	8·8	22·0	119·0	141·0	—	4·4	—	101·3
Total Group B. ...	1,574	1,555	316	295	305	81·8	71·6	69·7	82·1	9·9	10·5	100·3	92·7	2·2	2·6	—	87·2

contrasts between the group figures similar to but not so marked as those of Table XXIX. The mortality of group B exceeds that of group A by 50 per cent. in the first month, an excess which gradually increases with age till in the second six months it amounts to over 100 per cent. Comparison of the causes of death in the two groups elicits little of interest, the proportion of the total mortality due to each of the main groups of causes being very similar in each. It may be pointed out however that while no death resulted

from overlying in group A there was a mortality of 2·6 per 1,000 births from this cause in group B.

Deaths from “lack of care” and from overlying were extracted separately for the occupations in Table 28c, to see whether any evidence could be obtained from the returns under these heads of deliberate destruction of infant life in any occupation. The only items of interest met with, however, were the loss by overlying of three infants out of the 271 born to coster women; and of 95 and 53 from lack of care and overlying respectively out of the 7,373 born to the “unoccupied,” yielding the high rates of 12·9 and 7·2 per 1,000 born. The first of these figures is explicable by the fact that the occupation of the mother of an infant of unknown parentage, found dead from exposure, is necessarily unknown; but no such explanation applies to deaths from overlying, which are so numerous as to suggest deliberate intent on the part of some of these mothers who either do not possess or do not return any occupation.

Table 28d analyses the infant mortality of the numerous illegitimate children of female domestic servants (including hotel as well as private service). The distribution, however, as well as the amount of the mortality closely resembles that of illegitimate infants as a whole, and so calls for no special comment.

The total mortality of group A in Table XXX is almost the same as that of group B in Table XXIX. This accidental circumstance suggests a comparison of these two groups in order to ascertain how equal mortalities of lower class legitimate infants and relatively higher class illegitimates are made up in regard to ages and causes of death. It will be seen that although the total mortality of the illegitimates is slightly the smaller of the two it is much higher both in the first month and from one to three months. There is approximate equality from three to six months, followed by very great excess of legitimate mortality in the second six months. The distribution by causes of death corresponds, the developmental and wasting diseases associated with early infancy being in excess with the illegitimate, while the infectious diseases, mainly a cause of mortality in the later months of the first year, are more fatal to the legitimate.

This difference illustrates a characteristic feature of the mortality of illegitimate infants. Though the excess of this over that of the legitimate must be mainly if not altogether preventable, it has a very different age distribution from that of preventable infant mortality in general, as measured either by excess of class 5 over class 1 in Table 28b, or of county boroughs over rural districts in Table 29. The three may be compared as follows :—

TABLE XXXI.—ENGLAND AND WALES.—AGE DISTRIBUTION OF THE EXCESS OF MORTALITY AMONG CERTAIN CLASSES OF INFANTS.

Months.	Percentage at various Ages of Total Excess under one year.			
	Illegitimate over Legitimate.		County Boroughs over Rural Districts.	Unskilled Labour over Middle Class.
	1906-10.	1911.	1911.	1911.
0-1 ...	32·0	29·7	11·3	16·2
1-3 ...	23·4	27·7	22·1	18·0
3-6 ...	21·2	23·1	23·2	24·2
6-9 ...	13·6	12·7	22·5	21·4
9-12 ...	9·8	6·8	20·9	20·2
0-12 ...	100·0	100·0	100·0	100·0

The high proportion of the excess of mortality among illegitimate infants which falls on the first three months—nearly 60 per cent. as against a little over 30 in the case of the other two comparisons—shows why group A of Table XXX exceeds group B of Table XXIX at these ages. The preventable mortality of illegitimate infants falls most upon the first three months of life, though this is the age at which infant mortality in general is least preventable. It would seem that the illegitimate infant, exposed to great danger from neglect and ignorance, if not also from deliberately murderous intent in the first months of its life, gradually succeeds, if it survives these perils, in establishing a claim to the care of those in charge of it approximating to that of the legitimate child. This process may be traced in the

first two columns of the following table, which shows what the excesses of mortality compared in Table XXXI actually amount to.

TABLE XXXII.—ENGLAND AND WALES.—EXCESS AT VARIOUS AGES OF THE MORTALITY OF CERTAIN CLASSES OF INFANTS.

Months.		Percentage Excess of Mortality.			
		Illegitimate over Legitimate.		County Boroughs over Rural Districts.	Unskilled Labour over Middle Class.
		1906-10.	1911.	1911.	1911.
0-1	...	84·4	91·4	12·6	40·7
1-3	...	144·2	143·2	49·8	91·9
3-6	...	127·1	111·4	52·5	141·5
6-9	...	81·8	75·7	67·2	164·6
9-12	...	51·5	47·0	77·3	183·3
0-12	...	99·1	96·4	41·9	99·6

So much of the mortality in the first month is under present circumstances inevitable for legitimate as well as illegitimate that the maximum excess of illegitimate mortality is reached only at the second period, but thenceforward it steadily diminishes. The mortality of the first month, however, forms so large a proportion of the whole that, although the excess is relatively less than those of the second and third periods, it is actually the greatest of all, as seen in Table XXXI. The fact that from the second month onwards the excess for illegitimate children is diminishing while the excess for unfavourably circumstanced children in general is increasing must show that the excessive mortality of the illegitimate is not due merely to want of intelligent care and unfavourable surroundings as is that of the legitimate infant in the city slum, but that selective causes are operative which carry off the new-born children to a disproportionate extent. If attention were paid only to the figures relating to illegitimate excess in Table XXXII it might be argued that the diminution in excess of mortality in the later months was a consequence of a beneficially selective effect of the excessive early mortality, leading to relative improvement of the health of the survivors in the later months. It is very possible indeed that the enormous excess of the first six months may operate to some extent in this way, but the remainder of the table lends no support to the surmise, for it shows that a very large excess of mortality in the early months is compatible with much larger and steadily increasing excesses at later periods. In these cases, however, the adverse influences may be supposed to act steadily and more or less equally throughout the whole year, whereas their incidence on the illegitimate seems to be concentrated on the early months. It is easily conceivable that, given an improvement in environment after the first months are past, the average health of the survivors under their new and more favourable circumstances may be all the better for purgation from weaklings by their early trial, whereas if environment had not improved this effect would have been concealed by the number of deaths caused by continuance of the unfavourable circumstances, as in the second and third portions of the table. It is to be feared, however, that some of the healthiest illegitimates born do not survive the first few months, so the excessive mortality of this period may not be altogether such as might have an advantageously selective effect.

TABLE XXXIII.—MORTALITY of CHILDREN BORN in NEW SOUTH WALES during 1895-98.

Age in years.			Legitimate.			Illegitimate.			Illegitimate Mortality per cent. of Legitimate
			Living.	Dead.	Rate per cent.	Living.	Dead	Rate per cent.	
0-1	138,817	14,039	10·11	9,932	2,721	27·40	271
1-2	124,778	3,232	2·59	7,211	253	3·51	136
2-3	121,546	987	·81	6,958	59	·85	105
3-4	120,559	628	·52	6,899	34	·49	94
4-5	119,931	418	·35	6,865	19	·28	80

The preceding table, extracted from the Report of the Royal Commission on the Decline of the Birth-rate in New South Wales (1904), enables the comparison between the mortalities of legitimate and illegitimate children to be continued to the end of the fifth year of life.

It will be seen that although the excess in mortality of illegitimate infants was much greater than in England in the first year of life it amounted only to 36 per cent. in the second, and thereafter disappeared, the process traced in Table XXXI. to the end of the first year being completed by the end of the second and mortality thenceforward being approximately equal for both classes of children. There is reason to suppose that English experience, if available, would show a similar result, for the distribution of both legitimate and illegitimate mortality, where known for both countries, *i.e.*, throughout the first year, is strikingly similar, as shown by the following figures :

MORTALITY of the FIRST THREE MONTHS PER CENT. of TOTAL INFANT MORTALITY.

	Legitimate.	Illegitimate.
England and Wales, 1911	50·0	53·7
New South Wales, 1895-1902	49·9	52·6

Centenarians.—Among the deaths registered during the year there were 63 of reputed centenarians, 18 of whom were males and 45 females. In the preceding three years the numbers were 64, 61 and 65 respectively.

Mortality at Individual Years of Age.—Deaths of males and females at each year of age up to 100 are tabulated on page 179. The females whose deaths were registered during the year are there distinguished as single married or widowed, but the registers do not afford this information with regard to males. The distinction of marital condition in this table will render possible a comparison of the mortality of single married and widowed women at each age for the three years closest in date to the recent census, when the returns for 1912 have been tabulated.

It is of interest to compare the regularity of distribution of the deaths as tabulated on page 179 with that of the census returns as graphically represented in Diagrams XV. and XVII. of the seventh volume of the Report on the Census of 1911. In that Report reference is made to two errors in the statement of age at the census, referred to as the “error of round numbers” and the “error of even numbers.” The former results from the tendency to return age as 30, 40, 50 or 60 when it is actually only within a year or two of these round numbers, and leads to a great heaping up of returns at these figures. It operates largely also in death registration, though not to quite so great an extent as in the census enumeration. The error of even numbers represents the popular preference for even over odd numbers in statement of age at the census, and is traceable to some extent in the death returns, though not so regularly as in the census figures. Two further points may be noted in which the death returns differ from the census to some extent. The very marked heaping up of census ages at years of age ending in 8—38, 48, 58, &c.,—is not found in the death returns ; but the similar exaggeration of the numbers returned at years of age ending in 5 is more marked in the death returns than in the census tables. The latter feature is pronounced at 45 and especially at 65, but curiously enough the deaths returned at 55 have been fewer than those at either 54 or 56 for both males and females in both 1910 and 1911. Reference to Diagrams XV. and XVII. and to pages 1 and liii of the census report on ages shows the same feature in them. A depression of the curve of ages at 55 for each sex accompanies elevations for both at 45 and 65, but the elevation at 65 especially is much less marked than that for deaths. It would be interesting to determine the reason which leads people to avoid 55 while favouring 45 and 65, but this is a question rather of psychology than statistics.

The errors in return of age at death and in the census enumeration are on the whole very similar, but the death returns are somewhat the more accurate of the two. This point can be tested by calculating death-rates from the numbers of persons living and of deaths as returned for each year of age, when the curve of mortality values resulting should be smooth in proportion as there is parallelism of mis-statement in the two returns. This has been done for the combined deaths of 1910 and 1911 for each sex, and it is found that the resultant curve is remarkably smooth in comparison with that representing either of the two series of facts compared. There are depressions in the mortality curves at each year of age ending in 8 or 0 from 28 to 60 inclusive. Those at 8 reflect the absence in the deaths table of the marked elevations met with there in the census ; and those at 0 show that the heaping up at years of age ending in 0, which is a feature common to both

returns, is less exaggerated in the case of the deaths. The resultant smaller proportion of deaths to lives at risk at these ages which results causes of course a depression in the mortality curve at each of them.

It is proposed when the deaths of 1912 are available to publish the average annual mortality at each year of age for the three years 1910–12, and possibly to illustrate the distribution of both deaths and mortality by diagrams and to test the adequacy of the mortality curves for life table construction.

Mortality in Town and Country.—The tabulation of the deaths registered in 1911 by administrative, instead of, as hitherto, by registration areas, enables this comparison to be carried further and made with more precision than was possible in previous years. The two groups of registration counties formerly contrasted, the one mainly urban and the other mainly rural in character, have been replaced by four groups of administrative areas representing varying degrees of urbanization, viz., London, the county boroughs, the remaining urban districts, and the rural districts. The possession by towns, as county boroughs, of complete independence in regard to sanitary administration was chosen in preference to a fixed limit of population as the distinction between the second and third of these groups because, while involving on the whole but little departure from the principle of classification according to urbanization, this criterion is in many respects the most convenient.

Table XXXIV. states the annual rates of mortality at all ages and from all causes in these four groups of areas, both in the crude and in the standardized form, for the year 1911, and in England and Wales for the previous quinquennium as well.

TABLE XXXIV.—MORTALITY from ALL CAUSES PER MILLION POPULATION
1906–10 and 1911.

			1906–10.	1911.					
			England and Wales.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	All Urban Districts.
Persons	Crude Rates	...	14,692	14,595	15,152	16,113	14,035	13,083	15,019
	Standardized	...	14,431	14,307	15,254	16,606	13,996	11,390	15,201
Males	Crude Rates	...	15,636	15,580	16,692	17,334	14,939	13,658	16,143
	Standardized	...	15,407	15,337	16,797	17,860	15,012	11,966	16,394
Females	Crude Rates	...	13,809	13,672	13,785	14,990	13,194	12,508	13,985
	Standardized	...	13,516	13,343	13,809	15,432	13,045	10,851	14,084

Standardization on the 1901 basis slightly reduces the death-rate of the whole country, since the constitution of its population in 1911 was less favourable to low mortality than in 1901. The effect upon London and the smaller urban districts is slight, but the mortality of the county boroughs is increased by three per cent., and that of the rural districts diminished by 13 per cent., the contrast between them being thus greatly increased.

Table XXXVI. gives the mortalities of the various sex- and age-groups from which the standardized rates in Table XXXIV. are calculated ; and Table XXXV. compares the mortality of the two sexes for the same ages and populations. It shows that the ratio of male to female mortality is lowest for all classes of area in later childhood and highest in later adult life, decreasing in extreme age. The proportional as well as the actual excess of male mortality is least in the rural districts and increases with urbanization to a maximum in London, where even at ages 5–15, a time of life when in most years the mortality of females in the country at large is in excess, the death-rate is distinctly higher in the male sex. Evidently urban conditions of life tell more severely on males than on females. Table 16 shows that the excess of mortality amongst males is much lower in Wales than in England in all classes of area.

Outside the metropolis mortality in general increases in proportion to urbanization, but the mortality of London is intermediate between that of the county boroughs and of the smaller urban districts and in the case of females is even slightly lower than that of urban districts as a whole. The unfavourable position of the county boroughs as compared with London is connected with the fact that many of them are situated in the North of England, for, as may be seen in Table 16, mortality is higher in the North

than elsewhere, in all classes of area compared. The differences in standardized death-rate in Table XXXIV., amounting to an excess for county boroughs over rural districts of 49 per cent. for males and 42 per cent. for females, show that the mortalities of populations, even after correction by all the recognised methods, depend very greatly upon the proportion of them living in towns and upon the size of those towns. For this reason it is desirable as far as possible to restrict comparison of the mortality of different areas to populations similar to each other in this respect. This consideration has governed the form of Table 16 and other similar tables, in which the mortality of similar areas in different parts of the country is contrasted. For the same reason the distinction between urban and rural areas is introduced into the estimates of population in Table 3 and the returns of causes of and ages at death in administrative counties, pages 377-437. These tables jointly enable the student of mortality interested in any particular sections of the country which can be represented by a combination of counties to make fair comparison of the standardized mortalities of such sections from any cause of death or group of causes in the short list, notwithstanding the differences as to urban or rural character of the groups of counties compared.

TABLE XXXV.—RATIO PER CENT. of TOTAL MORTALITY of MALES at EACH AGE GROUP to that of FEMALES at the SAME AGE GROUP; 1911.

—			England and Wales.	London.	County Boroughs.	Other Urban Districts	Rural Districts.	All Urban Districts.
0-	118	116	117	118	124	117
5-	103	108	101	100	109	101
10-	99	107	98	101	92	100
15-	111	116	110	120	100	115
20-	120	134	120	126	104	125
25-	119	130	123	122	103	124
30-	121	147	127	117	104	125
35-	120	143	122	120	103	125
40-	125	142	128	119	118	127
45-	127	141	128	125	119	129
50-	132	143	132	135	118	135
55-	129	139	136	127	114	133
60-	130	144	134	130	120	134
65-	132	144	134	136	122	136
70-	121	131	124	121	119	124
75-	120	129	118	122	121	121
80-	113	119	109	114	117	113
85 and upwards	116	114	116	120	115	117
All Ages (standard- ized).			115	122	116	115	110	116

The differences between the four groups of areas may be further studied by comparing their mortalities at different ages, as is done in Diagram III. This is derived from Table XXXVI. by taking the mortality of the whole country at each age as one hundred, and plotting that of each group at the same age higher or lower on the scale in proportion as it exceeds or falls short of this standard.

It will be seen that, speaking generally, the same order of mortality prevails amongst the four classes of area at the several age-periods as at all ages jointly. The curves start wide apart in early childhood but rapidly approximate or in some instances even overlap considerably in early adult life, diverge very widely indeed in middle life, and approximate very closely in extreme old age. This holds good of each sex, but the overlapping in early adult life is most marked in the case of females and the divergence at middle age in that of males.

Owing to the fact that the diagram necessarily represents the experience of a single year only, the form of its curves cannot be regarded as so definitely fixed as if they portrayed the average mortality of a number of years. There is however good reason to believe that the experience of further years will confirm the main features of the diagram. For instance, so small a point as the low mortality of women aged 70-80 in London can be shown from past records of London mortality to be no accidental feature of 1911, but an experience repeated with considerable regularity.

It may probably be inferred from the diagram that urban conditions increase mortality most in infancy and middle age, but there is good reason to believe that the approximation of the curves in early adult life does not represent the real facts.

DIAGRAM III.—DEATHS FROM ALL CAUSES, 1911.

MORTALITY AT DIFFERENT AGES IN VARIOUS CLASSES OF AREA
PER CENT. OF MORTALITY AT THE SAME AGES IN ENGLAND AND WALES.




TABLE XXXVI.—MORTALITY from ALL CAUSES PER MILLION LIVING at
VARIOUS AGES, 1906-10 and 1911.

Sex and Age.			1906-10.	1911.					
			England and Wales.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	All Urban Districts.
PERSONS.	0—	...	41,724	43,747	47,803	51,893	42,925	31,139	47,211
	5—	...	3,382	3,418	3,584	4,013	3,318	2,678	3,630
	10—	...	2,032	2,055	2,140	2,319	1,957	1,813	2,126
	15—	...	2,869	2,879	2,594	3,146	2,879	2,663	2,939
	20—	...	3,638	3,513	3,120	3,900	3,391	3,394	3,543
	25—	...	4,837	4,076	3,799	4,413	3,929	4,001	4,094
	30—	...		5,023	5,180	5,585	4,696	4,630	5,121
	35—	...	7,806	6,487	7,213	7,692	5,872	5,287	6,795
	40—	...		8,306	9,988	9,860	7,529	6,355	8,832
	45—	...	13,687	11,124	13,039	13,330	10,406	8,149	11,971
	50—	...		15,235	17,465	18,152	14,443	11,422	16,373
	55—	...	27,546	21,695	24,146	25,967	20,912	16,343	23,377
	60—	...		31,635	33,536	37,040	31,728	24,450	34,037
	65—	...	58,124	45,193	47,258	52,277	44,923	37,541	48,032
70—	...	72,786		72,268	83,886	73,528	61,884	77,101	
75—	...	127,003	107,802	104,895	118,812	109,467	98,571	111,949	
80—	...		159,565	160,796	173,015	159,296	150,245	164,101	
85 and upwards		262,398	246,171	249,678	253,213	243,376	243,528	247,577	
MALES.	0—	...	45,445	47,318	51,404	55,853	46,368	34,391	50,880
	5—	...	3,326	3,461	3,715	4,036	3,312	2,795	3,655
	10—	...	1,971	2,040	2,216	2,291	1,965	1,741	2,130
	15—	...	2,975	3,036	2,795	3,299	3,144	2,662	3,151
	20—	...	3,971	3,851	3,634	4,279	3,810	3,451	3,962
	25—	...	5,251	4,456	4,352	4,902	4,334	4,065	4,557
	30—	...		5,526	6,260	6,272	5,075	4,722	5,731
	35—	...	8,615	7,112	8,574	8,495	6,424	5,364	7,570
	40—	...		9,268	11,833	11,114	8,223	6,891	9,925
	45—	...	15,511	12,490	15,399	15,061	11,598	8,860	13,561
	50—	...		17,407	20,795	20,808	16,734	12,386	18,974
	55—	...	31,218	24,563	28,442	30,225	23,574	17,401	26,916
	60—	...		36,074	40,188	42,798	36,271	26,681	39,399
	65—	...	64,400	52,091	56,964	60,838	52,752	41,354	56,436
70—	...	80,900		84,195	94,728	81,780	67,598	86,853	
75—	...	137,722	119,645	122,211	130,930	122,544	108,799	125,368	
80—	...		171,994	179,560	182,286	172,776	163,498	176,959	
85 and upwards		283,035	270,692	274,186	278,681	273,475	263,890	275,179	
FEMALES.	0—	...	37,980	40,143	44,178	47,905	39,451	27,840	43,512
	5—	...	3,438	3,374	3,454	3,991	3,325	2,560	3,606
	10—	...	2,092	2,070	2,064	2,347	1,948	1,887	2,123
	15—	...	2,764	2,725	2,411	3,004	2,624	2,663	2,740
	20—	...	3,339	3,209	2,708	3,576	3,016	3,334	3,180
	25—	...	4,462	3,735	3,345	3,980	3,565	3,939	3,687
	30—	...		4,563	4,247	4,957	4,348	4,542	4,568
	35—	...	7,051	5,903	6,014	6,941	5,356	5,213	6,077
	40—	...		7,413	8,357	8,697	6,886	5,839	7,828
	45—	...	12,000	9,859	10,947	11,739	9,314	7,454	10,521
	50—	...		13,236	14,500	15,750	12,371	10,471	14,026
	55—	...	24,278	19,093	20,412	22,162	18,538	15,319	20,233
	60—	...		27,734	27,935	32,051	27,863	22,322	29,451
	65—	...	53,125	39,468	39,654	45,466	38,684	33,982	41,357
70—	...	66,717		64,254	76,360	67,590	56,884	70,252	
75—	...	119,591	99,528	94,713	111,208	100,737	89,919	103,363	
80—	...		151,578	151,182	167,754	151,038	139,785	156,647	
85 and upwards		250,862	232,681	239,710	241,012	227,596	229,601	234,129	

It will be observed that this tendency is carried much further in the case of females than of males, and in the cases of London and the rural districts than of the county boroughs and the other urban districts. These facts suggest what is probably in the main the explanation of this feature in the diagram. It has often been pointed out that, especially in the case of females, the mortality of young adults from phthisis is understated in large towns, and overstated in rural areas, owing to the fact that young

immigrants to the towns when disabled by the disease return to their homes in the country and in many cases die there. Their deaths are thus transferred from the towns, to which they properly belong, to the country, unduly diminishing the mortality of the former and increasing that of the latter from the age of migration (15–25) to that at which new home ties in the town replace the old ones in the country. Unfortunately this misstatement of mortality cannot be fully corrected by any means at present available, for although deaths are now transferred to the area of residence (*see* page viii), there is no ground for transfer in these cases, as the town residence is given up before death. No rule for transfer of deaths would meet the case except one which assigned them to the area of infection or of starting point of disease, and such a rule would obviously be quite unworkable.

The diagram suggests that, as indeed might reasonably be expected, this fallacy in the returns is not restricted to phthisis. It probably applies to all diseases of at all a chronic nature. It is natural that it should apply more in the case of females, who probably do not remove so far from their homes as males, and remain in closer touch with them. It is also natural that the fallacy should apply more to London and the rural districts than to the other two area groups. For while London is a large importer of young workers and the rural districts generally large exporters, the case of the provincial towns differs. Many are large exporters, especially of female workers, at these ages (Census Report, 1911, Vol. VII., page xxvi.), while many others of course attract a balance of immigration from the country districts and elsewhere. The experience of the whole accordingly is less influenced in either direction than that of London and the rural districts. The position in the case of females is largely governed by the proportion of female domestic servants in the population, and this is higher in London than in the other urban groups. (In 1911 female domestic servants formed 4·8 per cent. of the total population in London, but only 3·7 per cent. in the country as a whole, 2·7 per cent. in the county boroughs, 3·7 per cent. in the smaller urban districts, and 4·5 per cent. in the rural districts.)

In former years, when contrast was made between certain registration counties mainly urban in character and others mainly rural, the mortality of young adults of both sexes was generally found to be higher in the latter group at certain ages. This does not hold good of males in 1911 when the urban and rural areas contrasted are of purer type. It was found by the old method of contrast generally to apply only to males aged 20–25, whereas it applied to females aged 15–35 (Annual Report for 1909, page liv.). Table XXXVI. shows rural excess in 1911 only for females aged 20–30, so the change in both sexes has been in the same direction.

If the explanation advanced of the overlapping of curves in Diagram III be the true one this peculiarity should appear more markedly in a similar diagram relating exclusively to a chronic disease, such as phthisis, and should be absent in the case of a disease, such as lobar pneumonia, which strikes down its victims suddenly, giving them no opportunity of returning to the old home to die there. Accordingly these two diseases, both of which involve large mortality of young persons, have been selected for investigation. The anomaly is somewhat more pronounced in the case of phthisis than of deaths from all causes, though not perhaps to the extent which might have been expected, and with one curious exception (*see* page lxxxviii) it is absent in the case of pneumonia. We may therefore conclude that such transfer of deaths does in the main account for the approximation in youth of urban and rural mortality.

The remaining portions of Diagram III. very largely speak for themselves. Town conditions evidently tell more severely on males than on females, and on infants and the middle-aged and elderly than on children and the aged. The chances of life for very old persons seem almost the same in town and country. The comparatively low death-rates of elderly persons in London may be noted, the rates for women at 70–80 being below those of the smaller towns as well as of the country at large. It can be seen with what rapidity old persons die off in the county boroughs, whereas in the smaller towns mortality is throughout life generally speaking rather below the average for the whole country, approximating much more closely to it than that of any of the other classes of area dealt with.

CAUSES OF DEATH.

The causes of death of males and females at 27 groups of ages are stated in the abstracts at pages 194–295 for the whole country, for London, for county boroughs in the aggregate, for other urban districts in the aggregate, and for rural districts in the aggregate. These tables include the full International List of Causes of Death with certain subdivisions introduced for reasons stated in the “Manual of the International

List" (page vi). All other abstracts of the causes of death are arranged in the form of the short list of causes adopted by the Registrar-General and the Local Government Board. The relation of this list to the detailed and condensed International Lists as revised by the International Commission which met for the purpose at Paris, in 1909, is as follows :—

Short List of Registrar-General and of Local Government Board.					Corresponding Number.	
					Detailed International List.	Abridged International List.
1.	Enteric fever	1	1
2.	Small-pox	5	4
3.	Measles	6	5
4.	Scarlet fever	7	6
5.	Whooping cough	8	7
6.	Diphtheria and croup	9	8
7.	Influenza	10	9
8.	Erysipelas	18	12 part of.
9.	Phthisis (pulmonary tuberculosis)	28, 29	13
10.	Tuberculous meningitis...	30	14
11.	Other tuberculous diseases	31-35	15
12.	Cancer, malignant disease	39-45	16
13.	Rheumatic fever...	47	37 part of.
14.	Meningitis	61	17
15.	Organic heart disease	79	19
16.	Bronchitis	89, 90	20, 21
17.	Pneumonia (all forms)	91, 92	22, and 23 part of.
18.	Other diseases of respiratory organs	86-88, 93-98	23 part of.
19.	Diarrhoea and enteritis, ages stated	104, 105	25 and 37 part of.
	" " ages unstated	104	25
20.	Appendicitis and typhlitis	108	26
21.	Cirrhosis of liver	113	28
21A.	Alcoholism	56	37 part of.
22.	Nephritis and Bright's disease	119, 120	29
23.	Puerperal fever	137	31
24.	Other accidents and diseases of pregnancy and parturition.	134-136, 138-141	32
25.	Congenital debility and malformation, including premature birth.	150, 151	33
26.	Violent deaths, excluding suicide	164-186	35
27.	Suicide	155-163	36
28.	Other defined diseases	2-4, 11-17, 19-27, 37 plus detailed list 36-38, 46, 48-55, 57-60, 62-78, 80-85, 99-103, 105-107, 109-112, 114-118, 121-133, 142-149, 152-154.	Nos. 2-4, 11-17, 19, 64, 65, 102, 103, 109, 128-132, 154; and less detailed list Nos. 47, 56, and where ages are stated, 105.
29.	Diseases ill-defined or unknown	187-189	38

The contents of every heading in both the short and the detailed list now in use, and their relation to the items in the list in use hitherto are defined in the Manual, which should be consulted in all cases where it is desired to ascertain the precise significance of any item in the lists.


On pages 313-437 deaths are shown for urban and rural portions of administrative counties, and for county and metropolitan boroughs, arranged by sex, short list of causes as above, and the eight age-groups of Table III. of the Local Government Board. These tables, in fact, are the same as the Board's Table III. with the addition of the distinction of sex. For all other administrative areas the deaths are shown on pages 438-536 arranged by sex and short list of causes without distinction of age.

In addition to the above presentations, all of which follow the International List, the deaths of the year are shown in Tables 19 and 20 for England and Wales only, and with distinction of sex but not of age, arranged according to the list in use up to 1910. In

these tables the deaths and death-rates from each cause in the old list are shown for each of the last 15 years, the series being uninterrupted by the adoption in 1911 of the International List. The method by which this result is secured is described in the "Manual" above referred to (pages vi and xxvi-xxxi).

The proportions in which the more important diseases contribute to the death roll are shown by Diagram IV., in which the whole area of the circle represents deaths from all causes, and its various segments deaths from particular causes or groups of

DIAGRAM IV.—ENGLAND AND WALES.—PROPORTIONS OF DEATHS from the PRINCIPAL CAUSES to TOTAL DEATHS, 1911.




International List Nos.	Disease.	Proportion per 1000 Deaths from All Causes.	Rate per 1000 living.
6	Measles	24·9	0·36
8	Whooping cough	14·9	0·22
9	Diphtheria, croup	9·5	0·14
10	Influenza	8·2	0·12
28, 29	Phthisis, pulmonary tuberculosis	74·3	1·08
30-35	Other forms of tuberculosis	26·3	0·38
39-45	Cancer	68·0	0·99
60-76	Diseases of nervous system and special sense ...	107·4	1·57
79	Organic heart disease	85·0	1·24
77, 78 and 80-85	Other diseases of circulatory system	21·7	0·32
89, 90	Bronchitis	69·4	1·01
91, 92	Pneumonia	71·3	1·04
86-88 and 93-98	Other diseases of respiratory system	14·1	0·21
104, 105	Diarrhoea and enteritis	88·5	1·29
99-103 and 106-118	Other diseases of digestive system	38·9	0·57
119-133	Diseases of genito-urinary system	36·6	0·53
151-153	Premature birth and diseases of early infancy	65·8	0·96
154	Old age	65·8	0·96
155-186	Violence	38·5	0·56
	Other causes	70·9	1·04
	All causes	1000·0	14·59

DIAGRAM V.—MORTALITY FROM EPIDEMIC DISEASES.

(See Table 22).

ALL AGES.
MEAN ANNUAL DEATH RATES
PER MILLION LIVING.

AGES 0-15.
MEAN ANNUAL DEATH RATES
PER MILLION LIVING.



causes. Certain differences in this diagram from its form in previous years, notably increase of the segment denoting nervous at the expense of that denoting circulatory disease, are due to the adoption of the International List.

It has already been mentioned that the death-rate from all causes was lower in 1911 than in any previous year on record, 1910 excepted. The increase of mortality over that year is almost entirely accounted for by the increased death-rate of young children from diarrhœa and enteritis, which, in consequence of the extraordinary hot and dry summer, was higher than in any previous year since 1899 (Table XXII). The mortality from measles also was above the average of the preceding 10 years, but the experience of the year in regard to other epidemic diseases was favourable. Thus the death-rate from scarlet fever was the lowest yet recorded ; while lower rates have been attained only once in the case of whooping cough (in 1909), and in that of diphtheria and croup (in 1910), and twice (in 1909 and 1910) in that of enteric fever. The records of mortality from these diseases are represented in Table 22 and Diagram V. The table shows that the above statements hold good of scarlet fever, whooping cough, and diphtheria and croup whether their mortalities be reckoned per million at all ages or at ages under 15 years only. The death-rate from cancer shows, as usual, an increase over that of any previous year, but those from diseases affecting the lungs were very low. Lower mortalities from bronchitis and from phthisis (as well as tubercle in all forms) have been experienced in 1910 only, and from bronchitis and pneumonia jointly the death-rate was lower than any previously recorded.

GENERAL DISEASES.

1. Enteric Fever.—The deaths of 2,416 persons of all ages and of both sexes were classified to enteric fever during 1911. Of these six were ascribed to paratyphoid infection. In addition to the above, three deaths in the case of which enteric fever was mentioned as a contributory cause have been allocated to other epidemic diseases (*see* pages 561, 563 and 570). As enteric fever is selected in classification in preference to nearly all causes of death other than epidemic diseases, there can have been few other deaths in connexion with which any mention was made of this disease on the certificate.

The 2,416 deaths correspond to a rate of 67 per million persons living as compared with 53 in 1910. A lower rate was recorded also in 1909, but in no other year. (Table 22.) It is probable that the extreme heat of the summer, with its accompanying rise in diarrhœal mortality, tended to increase the number of deaths from enteric fever also, and it may be noted that in 1899, the summer which of recent years has most nearly resembled that of 1911, the mortality from enteric fever exceeded that of each of the five years immediately preceding. There seems therefore no reason to suppose that the increased mortality of 1911 indicates any real diminution in the very satisfactory tendency to abatement of mortality from this disease in this as in many other countries. (*See* Diagram V.)

TABLE XXXVII.—ENTERIC FEVER, 1911.—MORTALITY per MILLION POPULATION.

Class of Area.	Sex.	North.	Midlands.	South.	Wales.	England and Wales.
London	Males	—	—	36	—	—
	Females	—	—	28	—	—
	Persons	—	—	32	—	—
County Boroughs	Males	106	78	82	68	93
	Females	68	61	48	48	62
	Persons	86	69	63	58	77
Other Urban Districts	Males	158	50	70	113	97
	Females	104	34	30	59	60
	Persons	130	42	50	87	78
Rural Districts	Males	142	46	36	46	64
	Females	97	32	22	49	45
	Persons	119	39	29	48	55
All areas	Males	130	57	50	82	81
	Females	85	41	30	54	53
	Persons	107	49	39	68	67

Perhaps the most noteworthy feature of Table XXXVII. is the very favourable position occupied by London. This is the more remarkable seeing that the general urban mortality is considerably higher than the rural. The London rates are less than half those for the whole country, the difference being greatest in the case of males. In the South of England generally the mortality is very much less than in the North. The excess of mortality in the North is not due to larger proportion of urban population, for—apart from the fact that Table 2 shows that this would be quite inadequate to explain it—in the North, contrary to the general rule, the mortality in rural districts is much higher than in county boroughs, and not very much lower than in urban districts. The mortality in the North is highest for every class of area, but the excess in the county boroughs is small compared with that in urban and rural districts, in the latter of which especially the excess is enormous. The rates there are four times as high as in the South; and the probability that a larger proportion of the population of the northern rural districts than of the southern lives under urban conditions of housing can go but a small way to account for the difference. Reference must be made to the reports of the Medical Officer of the Local Government Board for the explanation of the unenviable predominance of the northern counties. Wales, which comes next in mortality to the northern counties, resembles them in having a much higher death-rate for the smaller towns than for the county boroughs. The quality of sanitary administration judging by this test would seem to vary much less throughout the country in the county boroughs than in the smaller towns and rural districts.

Table 20 shows that, as has been the rule for the last thirty years, the mortality of the male sex is much higher than that of the female. This excess, which tended to increase up to the year 1908 when it reached 67 per cent., has fallen since that date. The percentage excess was 54 in 1909, 30 in 1910, and 53 in 1911. It may be seen from Table XXXVII. that in 1911 the excess was greatest (62 per cent.) in the smaller urban districts, and least (29 per cent.) in London; also that it was highest (67 per cent.) in the South of England and lowest (39 per cent.) in the Midlands.

The issue by the Local Government Board of statistics of the incidence of notifiable infectious diseases in England and Wales during 1911—the first return of a new series—makes it possible for the first time to state the fatality of all known cases of enteric fever in this country as is done in Table XXXVIII. There were 13,730 cases notified, and 2,416 deaths registered, the resultant fatality rate being 176 deaths per 1,000 cases. This rate is not very dissimilar from the experience of the Metropolitan Asylums Board, frequently quoted in former Reports, which shows a fall in fatality from 200 in 1876–1880 to 148 in 1906–1910. The fatality of this disease varies little compared with that of others such as small-pox, measles, or scarlet fever, so it may be assumed that the fall in mortality which has occurred represents a great fall also in prevalence.

TABLE XXXVIII.—ENTERIC FEVER, 1911.—PREVALENCE and FATALITY.

Class of Area.	Cases per 100,000 Population.					Deaths per 1,000 Cases.				
	North.	Mid-lands.	South.	Wales.	England and Wales.	North.	Mid-lands.	South.	Wales.	England and Wales.
London	—	—	23	—	—	—	—	142	—	—
County Boroughs	46	39	36	26	42	185	177	176	223	183
Other Urban Districts	69	26	29	52	43	188	163	174	169	179
Rural Districts	62	26	20	24	32	191	152	144	196	171
All areas	57	29	25	38	38	188	165	157	182	176

The fatality of cases notified in London amounted to 142 per mille., in the county boroughs to 183, in other urban districts to 179, and in rural districts to 171. There is little evidence that these figures are at all considerably affected by institutional treatment, for the proportions of deaths occurring in institutions (*see* page 296 and 310)—83, 67, 52, and 41 per cent. respectively in the four classes of districts—bear no very evident relationship to the fatality. Taking the country as a whole, 6 per cent. of the deaths occurred in poor law institutions, 50 per cent. in hospitals, 1 per cent. in asylums, and 43 per cent. in private houses. These proportions cannot be stated for former years, but there can be little doubt that a great increase has occurred during recent years in the proportion of cases treated in institutions, and that this increase, by diminishing opportunity for the spread of infection, has been a powerful factor in bringing about the diminution of the death-rate.

Table XXXVIII. shows that, generally speaking, the disease is most fatal to individual cases where it is most prevalent. The fatality rates are higher for each class of area in the North of England where mortality is highest than in the Midlands or South, being exceeded only by those of the county boroughs and rural districts of Wales, which has the next highest mortality rates. Considering all types of area together indeed the order of fatality and of mortality are the same; and as the differences in fatality are far too small to account for those in mortality, the order of prevalence is necessarily the same also.

The effect of standardization of the enteric fever death-rate (by the direct method) in accordance with the sex and age distribution of the populations compared is shown in Table XXXIX. It will be seen that mortality from this disease is but slightly modified by this correction.

TABLE XXXIX.—ENTERIC FEVER.—DEATH-RATES per MILLION POPULATION, 1906–10, and 1911.

		1906-10.	1911.					
		England and Wales.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	All Urban Districts.
Persons	Crude rates ...	70	67	32	77	78	55	70
	Standardized rates	70	67	32	76	78	56	70
Males	Crude rates ...	84	81	36	93	97	64	86
	Standardized rates	84	80	35	91	96	65	85
Females	Crude rates ...	56	53	28	62	60	45	56
	Standardized rates	56	54	28	62	60	47	55

5. **Small-pox.**—Twenty-three persons died from this disease, of whom three were reported to have been vaccinated and nine unvaccinated. In one case the condition as to vaccination was recorded as doubtful, and in the remaining ten no statement as to vaccination was made on the certificate. The three deaths of vaccinated persons occurred at ages over 30 years, while seven of the nine unvaccinated were children under ten. All the other deaths except one were those of adults. It is hoped that the quality of these returns as to vaccination will be greatly improved in future years as the result of action taken by the Local Government Board. Reference should be made to heading 20c for information regarding deaths from or connected with vaccinia, which were formerly tabulated immediately after small-pox.

6. **Measles.**—The death-rate at all ages from measles, which was very low in 1910—232 per million, the lowest rate recorded being 228 in 1908—rose in 1911 to 363, which compares with 356 in 1909. Alternation of years of high and low mortality is characteristic of measles, but such regularity as the above has not occurred before. A more important feature of the measles records is the considerable decline in mortality during the present century, shown in Diagram V. This diagram and Tables XL and 22 refer to deaths and population under 15 years of age, because by this restriction of their scope fairer comparisons are obtained than if all ages were included. Nearly all deaths from measles take place during the first 15 years of life (over 99 per cent. in 1911), consequently an area with a large child population is unfairly handicapped in a comparison of measles mortality at all ages. The degree to which the mortality from measles depends upon aggregation of population may be gathered from this table. As may be seen from it, London suffered somewhat severely from measles in 1911, whereas the county boroughs in the south escaped lightly. Comparisons of this sort, however, are of little value in the case of measles, as a district may suffer severely merely because, having escaped lightly in previous years, it has accumulated a stock of children unprotected by previous attack.

It would be natural to suppose that the proportion of deaths occurring at different ages would throw light upon this matter. About three-fifths of deaths from measles in this country occur under two years of age, and it might be thought that a low proportion of deaths at this age indicates high average age of children attacked, which is what might be expected if, prior to periods of epidemic prevalence, a large proportion of the young children were unprotected by previous attack. This state of affairs should occur most

TABLE XL.—MEASLES, 1911.—MORTALITY per 100,000 LIVING at AGES 0-15.

Class of Area.	Sex.	North.	Midlands.	South.	Wales.	England and Wales.
London	Males	—	—	206	—	—
	Females	—	—	188	—	—
	Persons	—	—	197	—	—
County Boroughs	Males	151	150	116	48	143
	Females	141	130	102	38	129
	Persons	146	140	109	43	136
Other Urban Districts	Males	128	122	122	92	121
	Females	124	109	116	80	113
	Persons	126	116	119	86	117
Rural Districts	Males	91	43	50	52	56
	Females	79	37	40	42	47
	Persons	85	40	45	47	52
All areas	Males	134	107	143	71	123
	Females	126	94	131	60	112
	Persons	130	101	137	65	118

frequently in the rural districts, but Table XLI. shows that the proportion of deaths occurring under two years of age is practically the same in the rural districts as elsewhere although the proportion living at such ages differ very little in the various classes of areas (Census Report, 1911, Table V.). In view of this fact and of the persistently high proportion of deaths at early ages from whooping cough in the rural districts (see page lxiii), it would perhaps be unsafe to draw any deductions from the distribution of mortality shown in Table XLI. The fact that as shown by this table a larger proportion of male than of female mortality from measles occurs under two years of age is explicable by the experience of the Metropolitan Asylums Board, quoted below, in regard to sex fatality.

TABLE XLI.—MEASLES, 1911.—DEATHS under Two YEARS of AGE per THOUSAND at ALL AGES.

Class of Area.	Sex.	North.	Midlands.	South.	Wales.	England and Wales.
London	Males	—	—	632	—	—
	Females	—	—	598	—	—
	Persons	—	—	616	—	—
County Boroughs	Males	653	639	628	778	649
	Females	618	578	618	586	606
	Persons	636	611	623	692	628
Other Urban Districts	Males	678	577	553	702	619
	Females	627	574	553	658	596
	Persons	653	576	553	681	608
Rural Districts	Males	671	626	500	681	619
	Females	636	539	612	586	594
	Persons	655	586	551	638	608
All areas	Males	663	608	606	706	632
	Females	623	571	592	633	600
	Persons	644	591	599	672	617

The great prevalence of measles in London in the spring led to the admission, under an order issued by the Local Government Board, of 3,144 cases to the metropolitan fever hospitals during the year. These cases, being selected from the poorest class of children, yielded the high fatality rate of 13·9 per cent., a figure which illustrates the great danger of the disease to this class of children. The fatality amongst the Board's 5,034 cases of (clinical) diphtheria was much lower, 8·5 per cent. Amongst these London cases fatality decreased rapidly with age, except that amongst females it was rather higher in the second than in the first year of life. The second is also the year of greatest mortality. The

fatality was higher amongst males up to the age of four, but after that age the position was reversed.

The tables and list on pages 562–565 show the complications stated on the certificates of the 13,128 deaths allocated to measles, as well as any other additional information given regarding these deaths. Table A includes 95 per cent. of the total deaths, and states, for each of the more commonly occurring forms of certificate, the sex and age, and whether or not death occurred in an institution.

The proportion of deaths regarding which no information was given further than that they were due to measles was 8 per cent. only. By far the commonest form of certificate is “measles, broncho-pneumonia.” No less than 6,449, or 49 per cent. of all the deaths, were so certified (Table A). In addition to these, 424 were certified as complicated by some other disease as well as broncho-pneumonia, or 6,873 in all (Table B), while in 2,014 other cases either “lobar pneumonia” or “pneumonia” was mentioned as a complication (Table B). Thus 68 per cent. of the total deaths are stated to have been complicated by some form of pneumonia.

The number of deaths attributed to the combination “measles, bronchitis” was 1,109 and to “measles, capillary bronchitis” 115 (Table A), forming together 9 per cent. of the total deaths. In addition to these, 200 deaths allocated to measles were returned as due to bronchitis and some other complication as well, making 1,424 in all (Table B). In 248 of the deaths laryngitis was mentioned as a complication. Of the 13,128 deaths from measles no less than 10,588, or 81 per cent., were returned as complicated by some form of respiratory disease not stated to be tuberculous.

The number of deaths allocated to measles and stated to have been complicated by tubercle was only 178, or 1·36 per cent. of the total (see also Table LII.). The proportion of such returns in institutional practice was not very greatly in excess of that in private practice—1·94 per cent. in the former as against 1·29 per cent. in the latter. It cannot be argued from these figures that with more opportunity for conducting post-mortem examinations tuberculous complications would be returned in any notably larger proportion of cases. In this respect measles contrasts with whooping cough (see page lxiv). The number of measles deaths occurring in institutions was 1,340, of which 758 took place in hospitals (page 296).

In addition to the deaths allocated to measles there were 197 others, 88 of males and 109 of females, in the case of which measles appeared on the certificate along with another epidemic disease which was selected in preference for tabulation. The great bulk of these (152) were deaths from whooping cough complicated by measles, particulars regarding which will be found on page 569.

The figures in Table A (page 562) relating to diphtheria as a complication of measles show that the possibility of fatal infection by this disease must be borne in mind when measles patients are admitted to fever hospitals. The table shows 54 deaths from measles complicated by diphtheria or croup as having occurred in institutions for the sick as against 46 in private houses. These numbers represent 4 and ·4 per cent. of the total deaths in institutions and private houses respectively. If diphtheria alone is considered, on the ground that the use of the term croup, especially in connexion with a death from measles, does not always imply diphtheria, the proportions are 3·9 and ·25 per cent. respectively. The total number of deaths certified as complicated by diphtheria or croup is shown in Table B to have been 142, and of these 66 occurred in institutions, forming 4·9 per cent. of the total deaths in institutions, the remaining 76 amounting to ·6 per cent. of the measles deaths in private houses.

More than half, 759 out of 1,346, of the institutional deaths from measles occurred in London, and of these 37, or 4·9 per cent., were complicated by diphtheria as against three only (·2 per cent.) of the 1,818 deaths in private houses in London which were complicated by diphtheria or croup. The proportions in the provinces were 4·9 per cent. in institutions as against ·7 per cent. in private houses.

It may be seen from Table B that the complication of fatal cases of measles with whooping-cough is also not infrequent. These deaths, however, nearly all occur in private houses (Table A).

7. Scarlet Fever.—The deaths allocated to this disease during 1911 number 1,892 in all, corresponding to a rate of 52 per million population at all ages, and of 159 per million at ages under 15 years. These are much the lowest death-rates from scarlet fever in our records, the smallest previously experienced having been 66 and 200 respectively, in 1910. Table 22 and Diagram V. show to what a remarkable extent mortality from this disease has declined during the last 50 years, and how rapidly the process is still going on. Until 1906 no year experienced a mortality less than double that of 1911. If deaths

alone were considered indeed it might be thought that the disease was tending to disappearance, but the notification returns prove that it is still widely prevalent, the diminished mortality corresponding with extreme mildness of type, which contrasts sharply with that of a generation or two ago.

The fatality from the disease during 1911 is seen from Table XLII. to have amounted to 18 deaths per 1,000 cases notified. Corresponding rates cannot be stated for previous years, notifications not having been tabulated ; but the fatality in London, where about 95 per cent. of all the deaths occurred in the fever hospitals, may be compared with the experience in the past of the Metropolitan Asylums Board, which controls these hospitals. The fatality during 1911 in the Board's hospitals was 1·9 per cent. of cases

TABLE XLII.—SCARLET FEVER, 1911.—PREVALENCE and FATALITY.

Class of Area.	Cases per 10,000 Population aged 0-15 years.					Deaths per 1,000 Cases.				
	North.	Mid-lands.	South.	Wales.	England and Wales.	North.	Mid-lands.	South.	Wales.	England and Wales.
London	—	—	81	—	—	—	—	17	—	—
County Boroughs	104	120	87	118	108	25	21	19	17	22
Other Urban Districts	104	97	75	130	99	22	15	10	15	17
Rural Districts	88	86	51	78	77	14	14	6	15	13
All areas	102	100	74	111	94	22	17	14	15	18

treated, as against 1·7 deaths per cent. of notifications shown in Table XLII. for London cases as a whole, the difference no doubt being largely due to mistaken notifications. Comparing this rate of 1·9 with the Board's past experience we find that the ratio of deaths per cent. of admissions has gradually fallen from 13·1 in 1876-1880 (when, however, there was some selection of severe cases for admission) to 2·7 in 1906-10, so the type of disease prevailing in 1911 was mild even beyond the average of recent years. During 1911 the fatality amongst the Board's male cases was 2·4 as against only 1·5 for females. Corresponding figures cannot be given for the country at large as the returns of notified cases do not distinguish sex. Table XLII. shows that the fatality of scarlet fever during 1911 varied considerably in different parts of the country, and that it was highest in the large towns and lowest in the rural districts in all parts of the country. It was also considerably higher in the North of England than in the South, for each class of area compared. Thus, the extremes were a rate of 25 per 1,000 in the county boroughs of the North and one of only 6 per 1,000 in the rural districts of the South. The general rule of comparatively high fatality in the large towns and in the northern counties applies also in the cases of enteric fever and diphtheria, though not with such precision as in that of scarlet fever. The experience of future years will probably show whether this greater fatality is due to greater severity of the prevalent type of disease or to some other factor, such as inferior conditions of treatment or of health before attack. In the former case the area of greatest fatality would presumably vary from time to time, but in the latter it might not.

As the fatality of scarlet fever is greatest in infancy and diminishes rapidly with advancing age, the differences noted might be due to varying age incidence of attack. This cannot be determined directly, since the ages of the notified cases are not available ;

TABLE XLIII.—SCARLET FEVER, 1911.—RATIO of DEATHS under FIVE YEARS and over FIVE YEARS per 1,000 of those at ALL AGES.

Class of Area.	Aged 0-5.					Aged 5 and upwards.				
	North.	Mid-lands.	South.	Wales.	England and Wales.	North.	Mid-lands.	South.	Wales.	England and Wales.
London	—	—	598	—	—	—	—	402	—	—
County Boroughs	581	636	491	700	596	419	364	509	300	404
Other Urban Districts	533	505	415	662	529	467	495	585	338	471
Rural Districts	471	439	650	419	463	529	561	350	581	537
All areas	555	547	549	615	555	445	453	451	385	445

but although the age distribution of measles and whooping cough deaths appears to make the matter doubtful (see pages lviii and lxiii), it may, perhaps, be assumed that as a rule where the proportion of young children dying is large the average age of attack is low, and *vice versa*. Comparing the various areas from this point of view it appears that the low fatality in the rural districts may in part be due to this cause, but not the high fatality in the North. For the proportion of deaths under five years of age was 555 per 1,000 in England and Wales, the same in the North, but only 463 in the rural districts. The proportion in London was 598, in county boroughs 596, and in smaller urban districts 529. These proportions appear to indicate that fatality increases with aggregation of population in part at least because of greater opportunity of infection leading to earlier average age of attack in the more populous areas.

Table XLII. shows that the South also escaped much more lightly than the rest of the country in regard to prevalence of the disease, which was greatest in Wales. As a consequence of the combined effect of low prevalence and low fatality the mortality in the South is shown in Table XLIV. to have been far lower than in any other part of the country, while in the North it was much the highest, over twice the rate in the South, and 40 per cent. higher than in Wales notwithstanding the greater prevalence there. The mortalities in this table relate to the deaths and population under 15 years of age only for the reason stated on page lvii in the case of measles. The proportion of all deaths from scarlet fever in 1911 occurring under this age was 93 per cent., of which the greater number, 56 per cent. of the total deaths, occurred under the age of five years.

TABLE XLIV.—SCARLET FEVER, 1911.—MORTALITY per 100,000 LIVING at AGES 0-15.

Class of Area.	Sex.	North.	Midlands.	South.	Wales.	England and Wales.
London	Males	—	—	14	—	—
	Females	—	—	11	—	—
	Persons	—	—	13	—	—
County Boroughs	Males	25	22	20	13	23
	Females	23	24	10	22	22
	Persons	24	23	15	18	22
Other Urban Districts	Males	20	13	6	21	15
	Females	25	14	9	17	17
	Persons	22	14	7	19	16
Rural Districts	Males	9	11	4	11	9
	Females	13	11	3	7	9
	Persons	11	11	3	9	9
All areas	Males	21	15	11	16	16
	Females	22	16	9	15	16
	Persons	21	15	10	15	16

The extent to which cases of this disease receive hospital isolation at the present day may be inferred from the facts recorded on page 296 and 310, where it may be seen that no less than 65 per cent. of the deaths from scarlet fever during 1911 occurred in hospitals or nursing homes. In London the proportion was as high as 96 per cent., falling in the county boroughs to 77, in the urban districts to 52, and in the rural districts to 42 per cent.

The tables and list on pages 565-567 show that no complication of the disease has such a predominant influence upon mortality from scarlet fever as broncho-pneumonia upon that from measles and whooping cough. By far the commonest form of certificate is that in which no complicating cause of death is stated. Certificates in this form amounted to 41 per cent. of the whole (Table A). The complication most frequently mentioned was nephritis, which was recorded in 9 per cent. of the certificates. Diphtheria complicated 4 per cent. of the deaths (Table B), and was disproportionately common in those occurring in hospitals (Table A), but not to the extent obtaining in the case of measles (page lix). Respiratory complications are recorded of 15 per cent. only of the deaths certified, and tubercle was not at all common, being mentioned on 26 certificates or 1·4 per cent. of the total (Table LII.). The number of deaths allocated to other infectious diseases but certified as partly due to scarlet fever was 24, of which 10 were classed to measles and 9 to diphtheria.

8. Whooping Cough.—The great diminution in mortality which has characterised this disease during the past twenty years was well maintained in 1911. The total number of deaths allocated to it was 7,844, 3,412 of males and 4,432 of females, corresponding to a mortality of 217 per million living at all ages. The rate for children under 15 years was 707. These are the lowest rates recorded except in 1909, when they stood at 203 and 354 per million respectively. The first death-rate at all ages of less than 400 in Table 22 is that of 1883, and the first of less than 300 that of 1902, since when that rate has only once been exceeded. Some share in this decline is due to the smaller proportion of children in the population, but it may be seen from Diagram V. how considerable is the fall even when allowance is made for this factor.

TABLE XLV.—WHOOPING COUGH, 1911.—MORTALITY per 100,000 LIVING AT AGES 0–15.

Class of Area.	Sex.	North.	Midlands.	South.	Wales.	England and Wales.
London	Males	—	—	75	—	—
	Females	—	—	85	—	—
	Persons	—	—	80	—	—
County Boroughs	Males	76	60	38	55	67
	Females	103	84	52	62	90
	Persons	90	72	45	58	79
Other Urban Districts	Males	76	48	45	67	59
	Females	103	67	59	82	80
	Persons	90	57	52	74	69
Rural Districts	Males	67	48	43	55	51
	Females	91	55	54	61	64
	Persons	79	51	48	58	57
All areas	Males	75	51	57	61	61
	Females	101	69	69	72	80
	Persons	88	60	63	66	71

Table XLV. refers to the first 15 years of life only for the reason given on page lvii. The proportion of deaths occurring over this age is negligible—8 deaths out of 7,844 in 1911. The table shows that mortality from this disease was on the whole more evenly distributed throughout the country than in the case of others previously considered. It decreased somewhat, but not very greatly, with lessening aggregation of population, and was decidedly greater in the North than elsewhere.

TABLE XLVI.—WHOOPING COUGH, 1911.—DEATHS under ONE YEAR of AGE per 1,000 at ALL AGES.

Class of Area.	Sex.	North.	Midlands.	South.	Wales.	England and Wales.
London	Males	—	—	429	—	—
	Females	—	—	405	—	—
	Persons	—	—	416	—	—
County Boroughs	Males	445	444	515	561	453
	Females	400	385	467	532	404
	Persons	419	410	487	545	424
Other Urban Districts	Males	504	490	556	577	515
	Females	481	411	465	488	457
	Persons	491	444	504	528	482
Rural Districts	Males	522	585	515	685	563
	Females	544	503	540	595	534
	Persons	535	541	529	638	547
All areas	Males	476	501	473	607	491
	Females	448	424	444	524	445
	Persons	460	457	457	562	465

As is well known, the mortality from whooping cough is greater in the female sex. The table shows that the excess, 31 per cent. in the whole country, was shown in greater or less degree by each of the areas tabulated.

The age distribution of the deaths in different areas is somewhat curious. It might have been anticipated that in the rural districts children would be less frequently exposed to infection and consequently that the chance of survival to a given age, say one year, during an inter-epidemic interval would be greater. But the proportion dying in the first year of life is highest in the rural districts in each part of the country represented in Table XLVI.; it is also lowest in the large towns except in Wales.

This relationship, just the inverse of what might at first sight have been expected, seems too uniform to be accidental. Moreover, comparison of the returns for recent years from the groups of counties classed as urban and rural respectively in past reports shows that this is a very constant feature. For these years deaths under one year can be conveniently stated only in proportion to total deaths under five years of age, but the small residue dying at ages over five does not seriously prejudice the comparison. The constancy of the relationship shown by the following figures is remarkable, and its form is not very easy to explain :—

PROPORTION of DEATHS under ONE YEAR to TOTAL DEATHS from WHOOPING COUGH
under FIVE YEARS of AGE.

					Urban Counties.	Rural Counties.
1905	47 per cent.	61 per cent.
1906	47 "	58 "
1907	46 "	57 "
1908	48 "	58 "
1909	45 "	54 "
1910	48 "	59 "
1905-10	47 "	58 "

Probably families are on average largest in the rural districts and smallest in the large towns—the census tabulation will show whether this is the case in England as it has been found to be in Ireland. If so, the fact may help to account for the apparent anomaly. For children without elder brothers or sisters must be much less exposed to risk of infection under one year of age than the younger members of families, and such relatively protected children would necessarily be fewer proportionately in the country. It seems very doubtful, however, whether this consideration can suffice of itself to account for the facts.

As in the case of measles, the proportion of early deaths is larger amongst males than females. This may be due to higher fatality amongst male children under one year of age; for the records of the Metropolitan Asylums Board, which as a new departure in its practice admitted 1,184 cases of whooping cough to its hospitals during 1911, go to show that under one year of age fatality is higher amongst males, and over two years amongst females, the rates for the two sexes being about equal during the second year. The number of admissions is too small to yield very positive results, but so far as they go these relationships to age and sex are very similar to those recorded for measles (page lix). The fatality rate, 12·2 of the cases admitted, is also very similar to the Board's experience with measles, and shows how great is the risk of an attack of whooping cough amongst children of the class admitted. In fact, it does not fully represent this risk, for the deaths under one year of age were only 34 per cent. of the total, as against 46·5 per cent. in England and Wales, so the children admitted were presumably on the whole somewhat over the average age of attack, and the Board's experience shows that fatality decreases with age even more rapidly in whooping cough than in measles.

The complications of whooping cough returned on death certificates in 1911 are stated on pages 567-569, where particulars as to sex, age, and place of death in conjunction with the particular combinations of causes certified are given in Table A for 95 per cent. of the total deaths. The proportion of certificates returning whooping cough alone as the cause of death was 25 per cent. as against 8 per cent. for measles. The commonest form of certificate, as in the case of measles, is that recording broncho-pneumonia as the only complicating cause, but the combination is less frequent here, forming 31 per cent. only of the total deaths as against 49 per cent. for measles. The number of certificates recording respiratory complications is 4,467 (Table B), or 57 per cent. of the whole, which compares with 81 per cent. for measles. Measles itself is a not infrequent

complication of whooping cough, being mentioned in 152 instances, or about 2 per cent. of the deaths. In these cases whooping cough either was recorded as of longer duration or was mentioned before measles on the certificate. The number of instances where the order of the two diseases was reversed, and the death therefore allocated to measles, was 177, so that in all 329 deaths were attributed to the combined infection. There were only 15 instances of whooping cough as a complication of any epidemic disease other than measles.

It is interesting to observe that cerebral hæmorrhage appears in Table B as a complication of 18 deaths from this disease. Its association with whooping cough, due no doubt to the strain of coughing, is well known, but the above figure will serve as a measure of the frequency of this fatality.

Tubercle is not much more frequently recorded as a complication of whooping cough than of the other important epidemic diseases (Table LII). But the case of whooping cough differs from those of the others in that the percentage of deaths so returned was very much higher amongst those occurring in institutions than elsewhere, the proportions being 5·8 per cent. in institutions against 1·8 per cent. elsewhere. These figures are in marked contrast with those recorded for measles, and suggest that tubercle is a more frequent complication of fatal whooping cough than would appear from the general certification of the deaths. It is more frequently recorded of males (6·5 per cent. of deaths in institutions and 1·8 per cent. of deaths elsewhere) than of females (5·2 and 1·6 per cent. respectively).

9. Diphtheria and Croup.—It has been customary in these reports to consider mortality from these causes jointly, owing to the assumed probability that most deaths certified as croup were in reality due to diphtheria. This was not the case prior to 1857, when there was very little diphtheria in England, but about 4,000 deaths annually were ascribed to croup, nor is it the case at the present time, as may be seen by reference to Table LXXVI., but the assumption may have held good for a portion of the intervening period. Adhesion to this practice is now confirmed by use of the International List of causes of death, which includes both diseases under a single heading, though calling for a separate statement of the number of deaths returned as due to diphtheria. This question has now become of comparatively little practical importance, for deaths from croup, which twenty years ago formed 34 per cent. of all coming under the joint heading, now form less than 2 per cent. of the reduced total so returned at the present day. The total allocated to croup in 1911 was 75, which compares with 241 in 1909, this reduction having been effected by means of inquiries to certifying practitioners from 1910 on. These have established the diphtheritic nature of 28 only out of the 223 deaths primarily ascribed to croup. The following figures, which give the deaths allocated to the various headings at intervals of 10 years, may be of interest :—

—	1891.	1901.	1911.
Diphtheria	5,036	8,898	4,898
Membranous laryngitis ...	?	32	19
Croup	2,638	831	75

The 4,992 deaths from diphtheria and croup in 1911 correspond to a death-rate of 138 per million living at all ages, or 435 per million at ages under 15 years, the standard preferably adopted, for the reasons given on page lvii. The proportion of deaths occurring at ages over 15 is only 3·5 per cent. Table 22 and Diagram V. show that, with the exception of the year 1910, these are the lowest mortalities returned as due to this cause since 1855, when it was first distinguished from scarlet fever in the tables.

The distribution of this mortality in different parts of the country and different classes of area is shown in Table XLVII., from which it appears that in the year dealt with the mortality was lowest in the Midlands and highest in the North, but did not vary greatly throughout the country. In all parts of the country, however, it was considerably higher in the county boroughs than elsewhere, although curiously enough in the North, and especially in Wales, the rate was higher in the rural than in the smaller urban districts.

TABLE XLVII.—DIPHTHERIA and CROUP, 1911.—MORTALITY per 100,000
LIVING at AGES 0—15.

Class of Area.	Sex.	North.	Midlands.	South.	Wales.	England and Wales.
London	Males	—	—	44	—	—
	Females	—	—	50	—	—
	Persons	—	—	47	—	—
County Boroughs	Males	54	48	53	47	52
	Females	52	44	66	85	53
	Persons	53	46	59	66	52
Other Urban Districts	Males	42	37	42	33	39
	Females	43	36	39	38	39
	Persons	43	36	41	36	39
Rural Districts	Males	49	33	30	52	38
	Females	43	28	31	56	35
	Persons	46	31	30	54	37
All areas	Males	49	39	41	42	43
	Females	48	36	46	53	44
	Persons	48	37	44	47	43

Table XLVIII. shows that, although mortality from diphtheria was greatest in the North, its prevalence as indicated by notifications was practically at its lowest in that part of the country. The difference from Wales in both these respects as well as in fatality is immaterial, but in comparison with the South of England the lower apparent prevalence in the North was more than counterbalanced by higher fatality, which caused the higher mortality shown in Table XLVII. This difference is susceptible of various explanations. It may be that infection was of severer type or children less resistant or worse cared for in the North ; but on the other hand a difference of practice in regard to notification might explain at once the lower prevalence and higher fatality in the North. Diphtheria is a disease found to a considerable extent in the degree in which it is looked for, that is to say that the diphtheritic nature of many mild cases of sore throat and of nasal discharge and similar conditions readily escapes recognition unless they are submitted to specific tests. The facilities for making such tests have increased greatly of late years, and the increasing practice of doing so has no doubt raised the number of notifications above what it would otherwise have been. If this change has progressed further in the South than in the North, the larger proportion of cases and the lower fatality in the South are accounted for without postulating any difference in type of disease, patient, or treatment. It may be pointed out, however, that treatment is most likely to be effective where diagnosis is promptest and most complete. The differences in recorded fatality between the various classes of area (apart from London) are small, much smaller than those between the different parts of the country. Dealing with the country at large the range of fatality is from 103 per 1,000 cases in the smaller urban districts to 113 in the county boroughs, whereas it ranges from 89 in the South to 125 in Wales. These rates are all very low compared with those prevalent before the introduction, about 1894, of antitoxic serum treatment for diphtheria. During the four years 1890–1893 the hospitals of the Metropolitan Asylums Board experienced a fatality of 304 deaths per thousand admissions, as against 94 only in 1911.

TABLE XLVIII.—DIPHTHERIA, 1911.—PREVALENCE and FATALITY.

	Cases per 10,000 population, aged 0–15 years.					Deaths per 1,000 cases.				
	North.	Mid-lands.	South.	Wales.	England and Wales.	North.	Mid-lands.	South.	Wales.	England and Wales.
London	—	—	57	—	—	—	—	85	—	—
County Boroughs	42	51	69	51	48	131	93	91	132	113
Other Urban Districts	38	38	49	32	39	116	98	86	113	103
Rural Districts	41	33	32	43	36	117	99	101	135	109
All areas	40	40	51	39	43	124	97	89	125	105

The fatality of diphtheria, like that of most other infectious diseases of children, decreases rapidly with increase of age. In the experience during 1911 of the Metropolitan Asylums Board it decreased with age from 342 per thousand admissions under one year of age to 22 per thousand at ages 10–15. The ages at which cases occur therefore have considerable influence on the mortality. Table XLIX. throws light on this matter in so far as age distribution of deaths can be regarded as indicative of age distribution of cases. It shows London's low fatality (Table XLVIII.) in a yet more favourable light owing to the fact that the proportion of deaths under five years of age is the highest recorded in the table. The proportion of deaths under five years in the rural districts is uniformly lower than that in either class of urban areas. This is not surprising, but the contrast with Table XLVI. (whooping cough) will be noted. As in other similar tables the proportion of early deaths is higher in the male sex.

TABLE XLIX.—DIPHtheria and CROUP, 1911.—DEATHS under FIVE YEARS OF AGE per THOUSAND at ALL AGES.

Class of Area.	Sex	North.	Midlands.	South.	Wales.	England and Wales.
London	Males	—	—	695	—	—
	Females	—	—	600	—	—
	Persons	—	—	644	—	—
County Boroughs	Males	621	623	505	667	611
	Females	600	578	378	621	567
	Persons	610	602	435	637	589
Other Urban Districts	Males	658	577	541	552	598
	Females	592	502	433	592	533
	Persons	624	540	488	573	565
Rural Districts	Males	528	427	410	479	459
	Females	467	382	359	494	419
	Persons	500	407	384	487	440
All Areas	Males	618	553	586	546	586
	Females	580	501	494	566	534
	Persons	599	528	537	557	560

Of the 4,992 deaths from diphtheria and croup 2,303, or 46 per cent., occurred in institutions for the sick or infirm (pages 296 and 311). In London the proportion was as high as 83 per cent. ; in the county boroughs it was 57 per cent. ; in the smaller urban districts 35 per cent. ; and in the rural districts 21 per cent. only. In each case the number of deaths in institutions other than hospitals was inconsiderable. Only one of the nineteen deaths from membranous laryngitis, three of the 26 deaths from diphtheritic croup, and two of the 75 deaths from croup, were returned from institutions—proportions which illustrate the obsolescence of these forms of return.

Table A, page 570, shows that complicating causes are mentioned in regard to a much smaller proportion of the deaths allocated to diphtheria than in the case of the other important infectious diseases. The deaths returned as due to diphtheria alone, without further statement as to cause, formed 64 per cent. of the whole, and this proportion was much the same in hospital and in private practice. Laryngeal diphtheria is recorded more frequently in private practice, but tracheotomy almost four times as often in institutional practice as in private. Only a small proportion of tracheotomies performed, however, are recorded on death certificates. Certificates from London institutions recording the operation amounted to nine only, whereas it appears from a table in the report of the Metropolitan Asylums Board that 105 of the cases dying in its hospitals during the year from primary laryngeal diphtheria had been subjected to the operation. The contrast in regard to laryngeal diphtheria is even greater. Only five deaths in London institutions were so certified, whereas the Board's report shows that 135 deaths from laryngeal diphtheria occurred in its hospitals. Evidently in regard to such headings as these the returns on pages 570–572 are of value only as showing the present state of death certification. It does not follow, however, that none of the entries in these tables possess value as records of fact. The laryngeal site and the operation of tracheotomy are details in regard to the case of diphtheria as such which it is not generally thought necessary to record on death certificates ; but that when complications assume the form of distinct diseases they are

much more frequently recorded, is shown by such facts as the return of broncho-pneumonia as a complication of 52 per cent. of all deaths from measles (page 564).

The returns under the heading membranous croup in Table A indicate that it, like croup, is an obsolescent term, for only eight deaths out of the 205 so characterised were returned from institutions. Diphtheritic paralysis in one form or another was recorded on 264 certificates (Table B), or five per cent. of the total number. By far the commonest form was cardiac paralysis, which was much more commonly returned from institutions than in private practice. The recorded respiratory and other complications of diphtheria are inconsiderable in number as compared with those of other infectious diseases. The number of cases in which diphtheria or croup was returned as a complicating cause of a death allocated to another infectious disease was 236, of which the 142 deaths from measles, referred to on page lix, form the majority.

Table L shows the effect upon the death-rate at all ages from diphtheria and croup of standardization by the "direct method" referred to on page xxvii. All the crude rates require increase to make them fairly comparable with those of 1901, the standard year, on account of the diminished proportion of children in our population at the present time. The difference in the case of England and Wales, which amounts to eight per million living, or 6 per cent. of the crude rate, gives an example of the extent to which comparisons of crude mortality at all ages may be misleading, even in the case of a single very large community and at such a short interval as ten years. This error of understating the mortality of children's diseases in such comparisons as a result of the fall in the birth-rate is almost entirely avoided when the statement of mortality is restricted to the period of childhood, as is done in Table 22 and many other tables. The converse effect is, of course, produced in the case of diseases mainly affecting elderly people, who now form a larger element in our population than formerly on account of the diminished proportion of children; and it may be seen from Table LVIII to what an extent the recorded death-rates from cancer have to be written down for this reason in order to secure fair comparison with 1901.

TABLE L.—DIPHTHERIA and CROUP.—DEATH-RATES per MILLION POPULATION, 1906-10 and 1911.

		1906-10.	1911.				
		England and Wales.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	All Urban Districts.
Males	{ Crude rates ...	163	142	137	170	128	146
	{ Standardized rates	169	150	148	176	134	153
Females	{ Crude rates ...	161	134	142	161	120	140
	{ Standardized rates	168	143	161	171	128	149
Persons	{ Crude rates ...	162	138	140	166	124	143
	{ Standardized rates	169	146	155	173	131	151

10. Influenza.—The deaths allocated to this disease during the year numbered 4,343, the corresponding mortality being 120 per million living. This is the lowest death-rate recorded since 1890, when influenza reappeared, after a long period of quiescence, as a serious factor in our mortality. The rate recorded in 1896 was 122 only, but in most of the 21 years concerned it has been much higher, exceeding 500 per million living in 1891, 1892 and 1900.

Table LI shows that the mortality from this cause was highest in Wales and lowest in the North of England. It was also decidedly higher in the rural districts than elsewhere, but this excess is less than that noted in previous reports on comparison of the rural with the urban group of registration counties, which in 1910 amounted to 94 per cent. The mortality of the two sexes was about equal in the rural districts, but in the towns it was appreciably higher amongst males. This is no doubt connected with the fact that while at ages under 65 the deaths of males from influenza on the average of a series of years (1901-1910) for the most part considerably exceed those of females, the position is reversed from 65 onwards, female mortality being slightly in excess. As the proportion of deaths occurring at ages over 65 is much higher in the rural districts the higher female mortality at these ages has a greater effect upon the total death-rate in these districts than elsewhere.

TABLE LI.—INFLUENZA, 1911.—CRUDE DEATH-RATES per MILLION POPULATION.

Class of Area.	Sex.	North.	Midlands.	South.	Wales.	England and Wales.
London	Males	—	—	119	—	—
	Females	—	—	104	—	—
	Persons	—	—	111	—	—
County Boroughs	Males	114	107	170	141	119
	Females	103	75	138	104	99
	Persons	108	90	153	123	109
Other Urban Districts	Males	117	128	125	141	125
	Females	100	105	128	120	109
	Persons	108	116	126	131	116
Rural Districts	Males	126	149	150	182	148
	Females	110	133	175	206	146
	Persons	118	141	162	194	147
All areas	Males	117	128	133	154	128
	Females	103	104	127	147	113
	Persons	110	116	130	151	120

Comparatively few deaths from influenza occur in institutions for the sick (pages 296 and 311). It is recorded much more frequently in certificates received from poor law institutions and asylums than in those from hospitals, which returned this as the cause of death in 38 only out of 40,436 certifications during the year, or less than one per 1,000 from all causes as against about 9 per 1,000 for deaths occurring elsewhere.

As there is little doubt that the term influenza is more loosely used than most other names of diseases, and is applied not uncommonly to febrile symptoms of very uncertain origin, there is room for difference of opinion whether influenza should be preferred, like other infectious diseases, to other causes of death stated on the same certificate. In this connexion the following quotation may be made from the Annual Report for 1890 : "If, however, there be in ordinary years a transference of deaths from diseases of the respiratory organs to influenza, there is most assuredly in epidemic years a very much greater transference in the contrary direction, a large proportion of the deaths due to the epidemic influence being registered, not under influenza, but under such headings as bronchitis, pneumonia, and the like." It was shown in this report and in that for 1891 that a large increase in mortality attributed to diseases of the lungs and heart accompanied the epidemic prevalence of influenza in those and other years. If we assume the above statement still to hold good in the main it follows that in years of prevalence the truth would be most nearly attained to by the system of selecting influenza in preference to pneumonia, &c., when jointly stated, but that in inter-epidemic years it would be best to prefer the pneumonia. It is impossible, however, to have an in-and-out rule of the kind, and inconvenient to make changes in regard to such matters, which upset comparisons between one year and another, so the rule of preferring influenza in such combinations is adhered to even in years of comparatively infrequent occurrence, such as 1911. In Scotland the order of preference is reversed, so the influenza death-rate is much higher in this country than it would be if the Scottish system of selection were followed. It becomes of interest, therefore, to note what proportion of the deaths would be transferred elsewhere under this system and to which headings. This information is afforded by the tables and list on pages 572–575. Table A shows that the deaths ascribed simply to influenza, *i.e.*, deaths from influenza in the Scottish sense, numbered 1,086, or just one quarter of the whole. Pneumonia, bronchitis, and broncho-pneumonia, in the order named, were the commonest complications, 2,133 of the deaths, or 49 per cent.; having been complicated by respiratory disease of one form or another (Table B). The deaths returned as complicated by heart disease of all forms, on the other hand, were only 319 in number, or 7 per cent. of the total, so the possibility of transference in this direction is much smaller. Diseases of the nervous system, indeed, were more frequent than those of the heart, especially at the earlier ages. At ages under five years 13 per cent. of all the deaths were returned as complicated by meningitis, and from 5 to 25 years 21 per cent., as against 6 per cent. at all ages.

Fifty-three deaths from influenza and tuberculosis were allocated to influenza, the rule of selection in such a case preferring the disease first mentioned on the certificate,

in the absence of a statement of comparative duration. This certainly seems to be a case where exception might be taken to the present rule, which is set forth in the Registrar-General's Manual of the International List of causes of death; but for the reasons stated on page viii of that publication it has been deemed inadvisable to alter these rules at present. Such facts as this are of importance in the measurement of mortality from tuberculosis, and will be available for the purpose in future.

The deaths from other infectious diseases complicated by influenza numbered only 19.

20c. **Vaccinia.**—Six deaths have been assigned to this cause, two less than in 1910. Till this year it has been the practice to class to this heading not only deaths returned as due to it, but all in the case of which vaccination appeared from the certificates to have been in any way connected with the cause of death. In 1911, however, the general rule with regard to erysipelas, blood poisoning, &c., following slight injury (Manual, page xxxiii, 4 (e)), has been followed in the case of vaccination, with the result that nine deaths, which in former years would have been assigned to effects of vaccination, now appear under other headings. These deaths are all those of young infants, the oldest being six months. The causes to which they have been assigned are as follows:—Erysipelas (3 deaths), septicæmia (5 deaths), and bronchitis (one death). The death from bronchitis was not assigned to vaccination because the certifying practitioner stated, in reply to inquiry, that in his opinion the death was not in any degree due to vaccination.

28–35. **Tuberculosis.**—The deaths assigned to tuberculous affections in the aggregate numbered 53,120, a slight increase upon the 51,317 deaths so returned in 1910, but 3,527 below the average number in the previous five years, corrected for estimated increase of population. In four out of the first eleven years of the present century the number of deaths returned has shown an increase upon that of the previous year, but the

TABLE LII.—ENGLAND AND WALES, 1911.—TUBERCLE (ALL FORMS) as a SECONDARY COMPLICATION of the EPIDEMIC DISEASES (1–19).

				Number of Deaths complicated by Tubercle.		Percentage of total Deaths complicated by Tubercle.		
				Males.	Females.	Males.	Females.	Persons.
1. Enteric fever	Inst. 11 Priv. 8 Total 19	9 7 16	1·3 1·3 1·3	1·6 1·6 1·6	1·5 1·4 1·4
4. Malaria	Inst. — Priv. 3 Total 3	— — —	— 7·0 5·8	— — —	— 6·1 5·2
6. Measles	Inst. 11 Priv. 79 Total 90	15 73 88	1·6 1·3 1·3	2·3 1·3 1·4	1·9 1·3 1·4
7. Scarlet fever	Inst. 14 Priv. 2 Total 16	5 5 10	2·3 ·6 1·7	·8 1·5 1·1	1·5 1·1 1·4
8. Whooping cough	Inst. 14 Priv. 59 Total 73	12 66 78	6·5 1·8 2·1	5·2 1·6 1·8	5·8 1·7 1·9
9. Diphtheria and croup	Inst. 9 Priv. 3 Total 12	2 — 2	·8 ·2 ·5	·2 — ·1	·5 ·1 ·3
10. Influenza...	Inst. 1 Priv. 33 Total 34	— 19 19	·6 1·6 1·5	— ·9 ·9	·4 1·3 1·2
14. Dysentery	Inst. 3 Priv. 1 Total 4	— — —	4·2 1·5 2·9	— — —	1·6 ·9 1·3
Total epidemic diseases (1–19).				Inst. 63 Priv. 188 Total 251	43 170 213	1·6 1·3 1·4	1·2 1·2 1·2	1·4 1·2 1·3

general result has been a fall from 58,930 in 1901 to 53,120 in 1911, notwithstanding increase of population, and a change in its age constitution favouring tubercle mortality, as shown by the reduction of the crude rates in Table LIII required in standardization to compensate for it. The death-rate per million living was 1,468, which is less than that of any previous year except 1910, and forms 10·1 per cent. of the mortality from all causes.

The secondary classification of the causes of deaths assigned to the epidemic diseases (pages 558–577) brought to light 464 deaths in which tubercle played a part, but which are not included in the 53,120 deaths referred to above. The diseases to which these deaths have been primarily assigned and the proportion of the total deaths from each in which tubercle was mentioned as a complication are shown in Table LII.

The main features of this table have already been commented upon in dealing with the various epidemic diseases concerned, but it is convenient to group the facts here in a single table. The proportions shown for the total deaths from each disease are on the whole very uniform, ranging from one to two per cent. in the case of all except diphtheria that are of any numerical importance.

28 and 29. **Phthisis.**—This term, which is used to cover both pulmonary tuberculosis and “phthisis” not otherwise defined, is now defined in the short list of causes (page liii) as including the whole of numbers 28 and 29 of the detailed International List of causes. The inclusion of 29B, acute miliary tuberculosis, in accordance with the international practice, implies a departure from previous practice, which classed deaths so certified to general tuberculosis. (Manual of Causes of Death, page xxvii). The number of deaths affected in 1911 by the transfer is 810, and the total deaths from phthisis as now defined amount to 39,232, of which 20,730 were returned as pulmonary tuberculosis, 15,132 as “phthisis” 2,560 as *acute* phthisis or pulmonary tuberculosis &c., and 810 as acute miliary tuberculosis. Together these deaths form 74 per cent. of the total deaths from tuberculosis, and correspond to a rate of 1,084 per million living, or 7·4 per cent. of the total death-rate. Table LIII., in so far as it supplies a comparison with previous years, necessarily applies to phthisis as hitherto understood in these reports, *i.e.* the present 28 and 29A. It shows that the standardized death-rate in 1911 was lower than that in the preceding five years by five per cent., the fall being much greater in the male than in the female sex. In 1906–1910 the standardized death-rate of males was 38 per cent. higher than that of females, but in 1911 only 34 per cent. higher.

TABLE LIII.—PHTHISIS.—MORTALITY per MILLION POPULATION 1906–10 and 1911.

		1906–10 (28 & 29A).	1911 (28 & 29A).	1911 (28 and 29).					
		England and Wales.		England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	All Urban Districts.
Males	Crude rates ...	1,299	1,234	1,256	1,791	1,560	1,074	853	1,375
	Standardized rates	1,261	1,187	1,210	1,677	1,499	1,042	841	1,320
Females	Crude rates ...	926	901	923	1,019	1,071	837	798	958
	Standardized rates	913	887	910	969	1,048	826	818	936
Persons	Crude rates ...	1,106	1,062	1,084	1,382	1,306	951	825	1,158
	Standardized rates	1,082	1,032	1,055	1,312	1,266	930	829	1,122

The table shows that phthisis mortality in 1911 increases with urbanization from a minimum in the rural districts to a maximum in London. For the female sex indeed the London rate is below that of the county boroughs, but the latter is much less affected than the former by the fallacy discussed on pages l–lvi and it may be that the London rate would be the higher if correction could be made for this. This effect of town life in increasing phthisis mortality is very largely confined to the male sex. The standardized death-rate of males in London is as nearly as possible twice that in the rural areas, but in the case of females the excess amounts only to 18 per cent., and the rate in the smaller towns is practically the same as that in the rural districts. When, in former years, comparison was made between urban and rural groups of registration counties without correction for transferable deaths (pages viii and 148) the standardized death-rate of females was frequently higher in the rural than the urban counties, but the excess for all urban over all rural *districts* in 1911 is 14 per cent. The corresponding excess in the male sex is

now 57 per cent. as against 24 per cent. by the old methods of comparison in 1904–1908, so the effect of the more precise methods now available is to bring out much more clearly than before the association of phthisis mortality with urban conditions of life.


The same fact is brought out by Table LIV, which shows the mortality experienced in quinquennial age periods by the various classes of area. The mortality of males was

TABLE LIV.—PHTHISIS.—MORTALITY at DIFFERENT AGES, 1906–10 and 1911.

—		Mortality at Age-groups per Million Living.							Ratio per cent. of Mortality in England and Wales.				
		1906-10 (28 & 29A).		1911 (28 & 29).					1911.				
		England and Wales.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	Total Urban Districts.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	Total Urban Districts.
MALES.	0—	334	379	593	409	384	210	426	156	108	101	55	111
	5—	125	158	171	205	147	103	173	108	130	93	65	109
	10—	166	188	176	232	168	170	194	94	123	89	90	103
	15—	731	785	823	953	792	544	859	105	121	101	69	109
	20—	1,435	1,405	1,503	1,602	1,327	1,202	1,461	107	114	94	86	104
	25—	1,846	1,607	1,751	1,845	1,405	1,507	1,632	109	115	87	94	102
	30—		1,887	2,409	2,270	1,574	1,528	1,978	128	120	83	81	105
	35—	2,271	2,070	2,951	2,623	1,698	1,361	2,256	143	127	82	66	109
	40—		2,222	3,758	2,747	1,771	1,328	2,469	169	124	80	60	111
	45—	2,543	2,225	3,324	2,962	1,798	1,300	2,498	149	133	81	58	112
	50—		2,401	3,631	3,321	2,020	1,163	2,787	151	138	84	48	116
	55—	2,298	2,231	3,339	3,067	1,809	1,293	2,539	150	137	81	58	114
	60—		2,102	3,729	2,613	1,833	1,144	2,440	177	124	87	54	116
	65—	1,507	1,614	2,937	2,093	1,263	1,051	1,842	182	130	78	65	114
70—	1,124		2,499	1,447	700	831	1,256	222	129	62	74	112	
75—	598	571	1,513	593	503	340	693	265	104	88	60	121	
80—		495	1,419	514	272	431	533	287	104	55	87	108	
85—	224	263	892	—	274	221	292	339	—	104	84	111	
FEMALES.	0—	287	370	490	467	350	196	418	132	126	95	53	113
	5—	188	214	179	265	221	148	232	84	124	103	69	108
	10—	384	432	394	557	377	368	450	91	129	87	85	104
	15—	981	1,020	810	1,138	1,015	972	1,031	79	112	100	95	101
	20—	1,214	1,235	1,022	1,434	1,123	1,273	1,227	83	116	91	103	99
	25—	1,413	1,347	1,207	1,418	1,269	1,480	1,316	90	105	94	110	98
	30—		1,367	1,371	1,449	1,243	1,463	1,344	100	106	91	107	98
	35—	1,414	1,432	1,618	1,734	1,233	1,201	1,490	113	121	86	84	104
	40—		1,330	1,774	1,684	1,068	975	1,423	133	127	80	73	107
	45—	1,219	1,207	1,576	1,457	1,084	832	1,310	131	121	90	69	109
	50—		1,014	1,377	1,216	830	817	1,070	136	120	82	81	106
	55—	998	954	1,199	988	1,001	706	1,029	126	104	105	74	108
	60—		957	1,241	1,068	830	862	988	130	112	87	90	103
	65—	735	826	1,317	894	699	689	873	159	108	85	83	106
70—	564		853	596	458	536	574	151	106	81	95	102	
75—	385	372	889	350	288	268	413	239	94	77	72	111	
80—		239	545	292	133	189	260	228	122	56	79	109	
85—	141	72	181	114	—	76	71	251	158	—	106	99	
PERSONS.	0—	310	375	541	438	367	203	422	144	117	98	54	113
	5—	157	186	175	235	184	126	203	94	126	99	68	109
	10—	275	310	286	396	273	267	323	92	128	88	86	104
	15—	857	903	816	1,049	906	742	948	90	116	100	82	105
	20—	1,319	1,316	1,236	1,512	1,220	1,237	1,335	94	115	93	94	101
	25—	1,619	1,470	1,452	1,618	1,333	1,493	1,464	99	110	91	102	100
	30—		1,616	1,852	1,841	1,401	1,494	1,646	115	114	87	92	102
	35—	1,827	1,740	2,242	2,163	1,458	1,280	1,858	129	124	84	74	107
	40—		1,759	2,705	2,196	1,406	1,148	1,924	154	125	80	65	109
	45—	1,855	1,697	2,397	2,178	1,425	1,064	1,877	141	128	84	63	111
	50—		1,679	2,439	2,216	1,395	989	1,884	145	132	83	59	112
	55—	1,610	1,561	2,194	1,969	1,382	995	1,739	141	126	89	64	111
	60—		1,492	2,378	1,785	1,291	1,000	1,657	159	120	87	67	111
	65—	1,077	1,183	2,029	1,425	949	864	1,302	172	120	80	73	110
70—	804		1,514	945	559	674	855	188	118	70	84	106	
75—	472	454	1,120	444	374	301	522	247	98	82	66	115	
80—		339	842	373	186	296	360	248	110	55	87	106	
85—	161	140	387	77	94	135	143	276	55	67	96	102	

lower in the rural than in the urban districts at every age period, whereas the old comparison generally showed rural excess in early manhood ; while the mortality of females, generally in excess in the “rural counties” at ages 10–35, is now shown in excess in the rural districts only at ages 20–35. As two changes affecting the figures have been made simultaneously, the compilation of returns for urban and for rural districts as such, and the transference to their usual district of residence of the deaths of persons dying away

DIAGRAM VI. — PHTHISIS. — STANDARDIZED MORTALITY per MILLION POPULATION.



from home, it is difficult to say which of these is responsible for what has occurred, but it is tempting to assume that it is the scheme of death transference, which, while not sufficing to do away entirely with the fallacy referred to on pages l–lii, has thus materially lessened it.

The excess of mortality amongst males is seen from Table LIV to be very unequally distributed both as to age and class of area. In childhood the female sex is the chief sufferer, the mortality of males being only a little over 40 per cent. of that of females at 10–15 in all classes of area. At ages 0–5 there is approximate equality between the sexes. Excess of mortality in the male sex is the rule throughout adult life. It reaches its maximum at ages from 50 onwards, and in London, diminishing to a minimum in the rural districts. The greatest excesses shown in the table are in the case of London at age 60–65, 200 per cent. excess ; and of the county boroughs at 55–60, 210 per cent. excess. The extent to which urban conditions of life differentiate against the male sex in their effect upon phthisis mortality is shown graphically in Diagram VI, which compares the death-rates of the two sexes, corrected for age distribution, given in Table LIII for the four classes of area. The regularity with which the excess of male over female mortality increases with urbanization will be observed.

Another point of interest in Table LIV is the extraordinary excess of mortality amongst the aged in London compared with the other classes of area dealt with. In this respect the London returns differ greatly from those for the county

TABLE LV.—PHTHISIS.—CRUDE DEATH-RATES per 1,000,000 LIVING.

			All Ages.					At Ages 65 Years and Upwards.				
			North.	Mid-lands.	South.	Wales.	England and Wales.	North.	Mid-lands.	South.	Wales.	England and Wales.
London ...	Males	—	—	—	1,791	—	—	—	—	2,452	—	—
	Females	—	—	—	1,019	—	—	—	—	995	—	—
	Persons	—	—	—	1,382	—	—	—	—	1,584	—	—
County Boroughs	Males	1,637	1,485	1,402	1,502	1,560	1,839	1,228	1,237	1,686	1,553	
	Females	1,077	1,025	1,044	1,411	1,071	702	556	618	846	648	
	Persons	1,346	1,245	1,210	1,457	1,306	1,178	838	858	1,223	1,024	
Other Urban Dis- tricts.	Males	1,099	1,034	1,184	918	1,074	968	816	862	963	884	
	Females	922	758	780	982	837	514	385	580	569	486	
	Persons	1,008	890	969	949	951	710	566	693	744	654	
Rural Districts ...	Males	757	826	886	1,084	853	703	598	949	1,314	782	
	Females	766	727	765	1,234	798	431	411	626	605	495	
	Persons	761	776	824	1,159	825	563	498	776	929	629	
All areas ...	Males	1,313	1,098	1,411	1,084	1,256	1,302	819	1,488	1,235	1,191	
	Females	978	826	915	1,151	923	590	436	749	628	593	
	Persons	1,141	958	1,150	1,117	1,084	900	604	1,057	901	851	

boroughs, which show but very moderate excess at the higher ages. The excess of mortality in London over that of the country as a whole rises with increase of age to a maximum at ages over 85 of 239 per cent. for males and 151 per cent. for females, but the numbers of deaths in the last two age-groups are very small. Reckoning all ages over 65 together the London excess in the male sex is 106, and in the female 68 per cent., whereas in the county boroughs the corresponding excesses for males and females are 30 and 9 per cent. only (Table LV). This great excess is hard to account for. It seems so unlikely that the age distribution of such a disease as phthisis in London should in reality be radically different from that met with in all other parts of the country that speculation is inevitable as to the existence of some peculiarity in the circumstances of London capable of accounting for a factitious difference in the returns. The excess of mortality amongst aged Londoners cannot well be dependent upon the greater provision of institutional treatment for phthisis in London shown at page 297, for the figures in these tables are corrected by transference of the deaths to the areas of residence on admission to institutions. Persons dying from phthisis in London institutions have presumably lived in most cases for some time in London before admission, for nearly all the institutional deaths occur in workhouses and lunatic asylums. Moreover, it is difficult to see why the attraction of the London institutions should be so largely limited to the aged as the excess of phthisis mortality in London is shown by Table LV to be. The proportion of aged persons dying in London institutions lends no support to this idea. It is expressed in the following figures :—

TABLE LVI.—PHTHISIS, 1911.—DEATHS IN INSTITUTIONS PER CENT. OF TOTAL DEATHS.

	All Ages.		Over 65 Years.	
	Males.	Females.	Males.	Females.
London	59	48	57	43
England and Wales	34	22	41	23

If there were an influx of phthisical patients to London institutions peculiar to later life and not corrected for by the transference of deaths the proportional excess of institutional mortality in London should be greatest at the higher ages, whereas it is appreciably less than at other times of life.

Phthisis is admittedly more difficult to diagnose in late than in early life, the presence of emphysema frequently masking its indications in old people and the type of case being commonly latent and slow in development. It may well be, therefore, that the London returns in regard to this matter are more correct than those of other portions of the country. The proportion of these cases in which the diagnosis is verified by *post mortem* examination is presumably higher in London than elsewhere ; and, as is pointed out in regard to cancer on page lxxvii, there are other grounds for supposing that diagnosis may be more accurate in London, as, considering the advantages enjoyed by London practitioners, it certainly ought to be.

If the explanation suggested were correct we should expect to find that the phthisis returns of the whole country in 1911 bore somewhat the same relationship to the same returns at an earlier date as those for London do to those of the whole country in 1911. Examination proves that this is so. Deaths at ages over 65 formed 41 per thousand total deaths in England and Wales in 1911 as against 56 per thousand in London. But in 1861–1870 such deaths formed only 25 per thousand of the total for the whole country, and this figure has increased at each succeeding decade till for 1901–1910 it stood at 39 per thousand. To some extent this is due to the increased proportion of persons over 65 years of age in the population, but whereas this proportion increased by 10 per cent. between the censuses of 1871 and 1911 the number of deaths over 65 per 1,000 total deaths from phthisis increased by 56 per cent. from 1861–1870 to 1901–1910. Evidently therefore the proportion of the aged to persons of all ages dying from phthisis has largely increased or the disease is diagnosed now in many old people in whom it would formerly have been overlooked. The high mortality of aged persons in London suggests that the latter alternative is to be accepted.

Table LV serves to show how much the mortality at ages over 65 in London exceeds that of any other portion of the country. There is no corresponding excess in the remainder of the South of England. The rates most nearly approaching the London mortality are those of the county boroughs in the North of England and in Wales, but

the gap is very considerable, even in their case. From 5 to 30 years of age on the other hand the mortality in London is rather low, much below that of the county boroughs.

The section of this table relating to deaths at all ages shows that although the mortality of males in London is the highest of the thirteen sections into which the population of the country is divided, the death-rate of females was higher in the county boroughs generally—a relationship shown by Table LIII to be unaltered by standardization—and in the rural districts of Wales, than in London. It has often been pointed out that the excess of male over female mortality in England does not extend to Wales, and the table shows that the difference between the countries applies to all classes of area, from rural districts to county boroughs. The mortality of males in the county boroughs of Wales is indeed slightly in excess, but to a degree which differs very widely from that prevailing in the county boroughs of England. It will be of interest to observe whether the investigation into the distribution and causes of tuberculosis in Wales, now being made by the Welsh National Insurance Commission, throws any light upon this difference between the two countries.

30. Tuberculous Meningitis.—The deaths classed to this head during 1911 number 5,245 at all ages, or 755 below the average of the previous five years, corrected for increase of population. As the deaths from simple meningitis were also below the quinquennial average there appears no reason to doubt the reality of the decrease.

Mortality from tubercle of the meninges and peritoneum has fallen during the last sixty years. In the case of both diseases about 65 per cent. of the total mortality falls upon children under five years of age, so Table LVII is restricted to that period of life. Mortality from tuberculous meningitis has declined on the whole steadily throughout the sixty years, and now amounts only to one-third of that returned at the commencement of the period. This decline is the more remarkable in view of the great increase during the period covered in the proportion of our population living in towns, for Table LVII shows the extent to which mortality from this disease is increased by urban conditions of life. It is over twice as high for London children as for those of the rural districts generally, and nearly three times as high as in the rural districts of the South.

31-35. Other Tuberculous Diseases.—These include the International List headings 31 to 35 and jointly form No. 11 of the short list of causes now in use. They account for 8,643 deaths, of which 4,153 were due to tuberculous peritonitis and 2,750 to disseminated tubercle, which differs from the “general tuberculosis” of the former list by excluding acute miliary tubercle. The details of deaths from these forms of tubercle will be found on pages 198 and 199. Generally speaking they resemble those noted in former years.

TABLE LVII.—TUBERCULOUS DISEASES other than PHTHISIS, 1911.—MORTALITY per 100,000 LIVING at AGES 0-5 YEARS.

			Tuberculous Meningitis, (30).					Tuberculous Diseases other than Phthisis and Meningitis (31-35).				
			North.	Mid-lands.	South.	Wales.	England and Wales.	North.	Mid-lands.	South.	Wales.	England and Wales.
London ...	Males	—	—	125	—	—	—	—	—	114	—	—
	Females	—	—	120	—	—	—	—	—	71	—	—
	Persons	—	—	122	—	—	—	—	—	93	—	—
County Boroughs	Males	116	99	100	67	107	153	142	100	111	142	
	Females	89	86	100	63	88	137	112	78	75	121	
	Persons	102	92	100	65	97	145	127	89	93	132	
Other Urban Districts.	Males	108	88	70	72	90	164	103	76	93	118	
	Females	93	70	60	38	73	135	84	45	96	97	
	Persons	100	79	65	55	82	149	94	61	94	108	
Rural Districts ...	Males	61	65	38	83	60	119	71	60	68	79	
	Females	70	55	57	58	59	112	56	45	49	66	
	Persons	66	60	47	71	59	116	63	52	59	72	
All areas ...	Males	105	84	92	74	93	152	105	93	88	117	
	Females	88	70	92	49	80	133	84	61	77	94	
	Persons	96	77	92	62	87	142	95	77	83	106	

"Scrofula" is rapidly disappearing as a form of return on death certificates (Table 19). The mortality ascribed to lupus is as usual very much higher in the female sex than in the male, but it is quite inconsiderable in both. The separate tabulation of tubercle of the spinal column and of joints is a new feature in the present Report. In the case of both rather more than half the deaths occur at adult ages, and an appreciable number are returned even as occurring in old age. The mortality of males is considerably higher under both headings than that of females.

Table LVII. shows the mortality of young children from these causes as a whole (Nos. 31 to 35) in different parts of the country. The variations are about as great as in the case of tuberculous meningitis, but the increase with urbanization does not extend to London. This is due to the fact that tubercle of the peritoneum and intestines is a comparatively infrequent form of certification in London, where this form of disease is credited with a mortality of 48 per 100,000 living at ages 0-5 years against 70 in the country at large. For causes 32-35 the rates were 45 for London and 36 for England and Wales. The northern rates in the second section of Table LVII. are high for all types of area, rural districts in the North actually returning higher figures than London, which suffers so much the most severely from the more important form of tuberculosis.

Cancer.—The deaths ascribed to cancer or malignant disease during 1911 numbered 35,902, of which 21,593 were referred to carcinoma, 2,146 to sarcoma, and 12,163 to "cancer," not otherwise defined. The proportion of the latter ingredient in the total is steadily diminishing. The mortality of males was 891 per million living as compared with 856 in 1910, and that of females 1,088 as compared with 1,070. In the case of each sex these rates are the highest on record.

Table LVIII. compares the crude and the standardized death-rates from cancer in the four classes of area dealt with in this Report as well as in the country as a whole and the aggregated urban districts. It appears to indicate that cancer is more destructive in the urban than the rural districts, though the crude death-rates would seem to show the reverse. There is little apparent evidence of prejudicial effect of town life upon the female sex, but for males the standardized death-rate rises from 689 per million living in the rural districts to 1,016 in London.

TABLE LVIII.—CANCER.—DEATH-RATES per MILLION POPULATION, 1906-10 and 1911.

		1906-10.	1911.				
		England and Wales.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	All Urban Districts.
Males ...	Crude rates ...	819	891	1,065	866	844	905
	Standardized rates	770	823	1,016	873	812	869
Females	Crude rates ...	1,052	1,088	1,083	1,074	1,074	1,134
	Standardized rates	986	998	1,005	1,059	1,005	908
Persons	Crude rates ...	939	993	1,074	975	963	1,020
	Standardized rates	882	914	1,010	969	912	802

Table LIX. shows that mortality in 1911 was greater in the male sex in childhood and from 60 to 80 years of age, but in the female sex at other ages.

It is interesting to consider the bearings upon the question of a real increase of cancer of the form of tabulation here employed. Probably it may be assumed that on the whole the diagnosis of cancer is better—because easier—in the female sex; that it is better in the large towns, especially in London, where the proportion of cancer deaths occurring in institutions is by far the highest,* than in the small towns and country districts; and

* The proportions of deaths from cancer occurring in institutions of all types during 1911 were as follows:—

DEATHS in INSTITUTIONS PER CENT. of TOTAL DEATHS.

	Males.	Females.	Persons.
London	54	40	47
County Boroughs	34	22	27
Other Urban Districts	24	15	19
Rural Districts... ..	17	12	14
England and Wales	30	20	24

TABLE LIX.—CANCER.—DEATH-RATES per MILLION LIVING, 1906-10 and 1911.

Sex and Age.				1906-10.	1911.					
				England and Wales.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	All Urban Districts.
MALES.	0—	24	28	35	27	29	23	29
	15—	45	49	55	51	49	43	51
	25—	113	112	118	115	114	98	115
	35—	422	274	304	292	284	209	291
	40—		586	640	746	538	411	635
	45—	1,589	1,269	1,649	1,472	1,146	979	1,354
	50—		2,237	2,795	2,485	2,145	1,769	2,383
	55—	4,051	3,491	4,393	3,844	3,455	2,687	3,756
	60—		5,224	6,643	5,530	5,239	4,223	5,579
	65—	6,967	6,939	8,550	7,084	7,102	5,973	7,330
	70—		8,663	11,303	8,919	8,398	7,805	9,047
FEMALES.	75—	8,345	9,447	11,041	9,272	9,583	8,953	9,707
	80—		8,490	9,936	8,060	8,170	8,620	8,413
	85 and upwards			7,928	7,377	6,242	4,780	8,499	7,953	6,996
	0—	20	19	23	22	16	19	19
	15—	34	35	38	35	32	40	34
25—	164	161	160	189	157	126	170	
35—	822	567	602	636	521	518	579	
40—		1,131	1,280	1,253	1,078	946	1,179	
45—	2,282	1,913	1,705	2,178	1,934	1,637	1,989	
50—		2,635	2,681	2,808	2,694	2,280	2,736	
55—	4,432	3,885	3,925	4,190	3,837	3,549	3,986	
60—		5,059	5,082	5,081	5,299	4,677	5,181	
65—	6,753	6,211	5,919	6,645	6,236	5,848	6,336	
70—		8,061	7,647	8,201	8,515	7,519	8,256	
75—	8,318	8,869	9,427	8,837	8,780	8,762	8,911	
80—		8,617	9,636	9,003	8,610	7,900	8,925	
85 and upwards			7,603	8,068	9,973	8,702	7,833	7,102	8,522	
PERSONS.	0—	22	23	29	25	22	21	24
	15—	40	42	46	42	40	42	42
	25—	140	138	141	154	136	112	144
	35—	629	425	463	470	407	366	440
	40—		868	980	1,009	818	683	918
	45—	1,949	1,603	1,679	1,840	1,557	1,311	1,686
	50—		2,444	2,735	2,655	2,433	2,026	2,569
	55—	4,253	3,698	4,143	4,027	3,657	3,125	3,878
	60—		5,137	5,795	5,289	5,271	4,455	5,364
	65—	6,848	6,541	7,075	6,839	6,620	5,908	6,776
	70—		8,319	9,117	8,495	8,466	7,652	8,583
	75—	8,329	9,106	10,025	9,005	9,101	8,850	9,222
	80—		8,567	9,738	8,662	8,443	8,218	8,737
	85 and upwards			7,720	7,822	8,894	7,431	8,062	7,448	8,022

that it is less liable to be missed in middle than in old age. If these assumptions are correct the distribution of standardized cancer mortality in town and country might be accounted for as follows, without the assumption of any inequality of incidence. The standardized mortality for males rises steadily from a minimum in the rural districts to a maximum in London. The relative difficulty of diagnosis in males would account for this, many cases escaping recognition where facilities are wanting. But, as the disease is on the whole more accessible and more easily diagnosed in the female sex, the country and the smaller towns should be less at a disadvantage here, and so we find that the rates for women are very uniform in all classes of urban area, and are only a little lower in the country districts. The fact that the excess of institutional deaths in town as compared with country is larger in the male than in the female sex would contribute to this result. Again, greater difficulty in the diagnosis of cancer amongst males would lead to excess of female over male death-rates where facilities for diagnosis are inadequate, and we find in fact that there is no such excess in London, but that outside London it increases regularly to a maximum in the rural areas.

The differences between the excesses of female death-rates over male are not great except as between London and the county boroughs. In London the male death-rate is

slightly in excess, but in the county boroughs the female rate is 18 per cent. in excess, in the other urban districts 19 per cent., and in the rural districts 24 per cent. The question arises whether in regard to certification London may not be more in advance of the county boroughs than these of the smaller towns, or the latter of the rural districts, and there is some evidence that this may be so. If the proportion of deaths from indefinite causes be taken as a test of bad certification there is comparatively little to choose between the other classes of area, but London here holds a great advantage. And it is at least possible that the true explanation of the extraordinary excess of phthisis mortality amongst the London aged (page lxxiii) is that such cases frequently escape recognition elsewhere. If cancer is most liable to be overlooked in the case of the old of the male sex it is in old age that one would expect the recorded mortality of males to be highest relatively to that of females where the facilities for diagnosis are greatest. And what we find is that from 45 to 75 the proportion of male to female mortality is very much higher in London than in the other areas. (This does not apply in extreme old age, a fact which can be partly accounted for by the relative frequency of fatal cancer of the lip in the rural areas, as this form of the disease is chiefly fatal to very old men.) At the same ages the excess of male cancer mortality in London—taking male mortality in England and Wales as standard—is highest. Both excesses would be accounted for by the recognition of the true nature of a larger proportion of deaths from cancer of men aged 45–75 in London than elsewhere. If then these assumed differences of accuracy in diagnosis can by themselves account for the differences in incidence of cancer mortality recorded in town and country may they not suffice to account also for the increase in recorded cancer mortality? Male mortality has steadily been overtaking female in London. In 1891–1895 it was only two-thirds of the female rate, a lower proportion than now obtains even in the case of the rural districts, but now the rates are equal. In the rest of the country, and especially in the more rural portions, male mortality still lags behind, but it may be that in time the sex proportions returned from the rest of the country will approximate to those of London at present.

While the figures for a single year would be far too small a basis for forming a definite conclusion on this matter, and there is evidence pointing to a real increase of cancer of certain parts of the body (Report for 1909, page xciii.) the figures for 1911 seem to harmonise sufficiently well with the hypothesis that recorded differences in mortality depend upon varying degrees of accuracy in diagnosis to make it worth while to watch those of subsequent years from the same point of view. If these latter point in the same direction then we must ask ourselves whether England and Wales in 1911 does not compare with England and Wales in 1881 more or less as London in 1911 does with the rural districts in 1911. The peculiar history of the increase of cancer mortality in regard to age and sex would then be explained. The records show continuous increase at all ages for males, whereas in females the increase at ages 35–45 ceased about 20 years ago, and more recently that at 45–55. At the later age-periods the increase still continues at rates which increase in rapidity with increase of age. The male increase at all ages would be explained by the fact that, taking the country as a whole, there is still considerable room for improvement in diagnosis at every age in males. The cessation of increase in middle-aged women is explained if we assume that cancer being better diagnosed in the female sex and at the earlier ages is now seldom overlooked in middle-aged females although it formerly was so, the frequency of occurrence being assumed constant. Probably there is little doubt that cancer is more easily diagnosed, because more accessible, in females, but the assumption that it is more frequently overlooked in old than in middle age is more open to question. It cannot be deduced from Table LIX. on the assumption that diagnosis is best in the large towns. It seems natural however that in the case of persons whose age alone suffices to explain failure of their vital powers the search into the cause of obscure illness should at times be less rigorous than is felt to be demanded when a person of middle age is concerned, whose span of life is clearly cut short by definite illness of some kind.

Table LX. refers to two groups of ages in making comparison of cancer mortality in different parts of the country. This limitation of age makes it unnecessary to calculate standardized death-rates in order to obtain a fair basis of comparison. At both age-periods the mortality of males in London is higher than that of any of the other twelve sections of the population, but the mortality of London females is repeatedly exceeded. This fact harmonises with the hypothesis of the cause of varying incidence suggested above, but the differences between themselves of the other sections of the country are not always what this hypothesis might lead us to anticipate. There is no reason to suppose however

that differences in regard to completeness of diagnosis form the only cause of differences in the mortality returned—there must be differences in prevalence also, depending upon various local circumstances.

TABLE LX.—CANCER, 1911—DEATH-RATES per MILLION LIVING.

		Ages 45-65.					Ages 65 and over.				
		North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.
London	{ M. F.	— —	— —	3,391 3,039	— —	— —	— —	— —	9,750 7,508	— —	— —
County Boroughs	{ M. F.	3,150 3,376	2,669 3,321	2,769 2,826	2,485 3,467	2,937 3,290	7,803 7,554	7,750 7,825	8,991 7,962	7,392 7,614	7,948 7,707
Other Urban Districts	{ M. F.	2,568 3,252	2,652 3,069	2,662 3,068	2,544 3,409	2,615 3,156	7,975 7,928	7,922 7,539	8,541 7,815	6,491 5,608	7,980 7,596
Rural Districts ...	{ M. F.	1,933 3,098	2,110 2,750	2,355 2,702	2,546 2,925	2,184 2,821	6,640 7,324	7,814 6,979	7,161 7,102	6,613 7,335	7,313 7,104
All areas	{ M. F.	2,756 3,293	2,480 3,040	2,917 2,949	2,534 3,235	2,702 3,105	7,640 7,656	7,839 7,402	8,630 7,555	6,684 6,694	7,959 7,482

Time alone will distinguish the stable features of the table, and when these are determined it will be necessary to consider how far they probably represent the real facts of mortality.

The parts of the body affected by fatal cancer in 1911 are shown in Tables LXI. and LXII. in greater detail than that provided by the International classification, five out of its seven headings (Nos. 39-45) relating to cancer being subdivided according to a scheme approved by the Director of the Cancer Research Fund, at whose request also deaths occurring in institutions are separately tabulated. The analysis has been made in much greater detail than that shown in the tables with a view to publication at a later date of the accumulated results of several years' tabulation. It is believed that the list of sites in Tables LXI. and LXII. gives as much detail as can usefully be presented regarding the deaths of a single year.

A few of the most important sites only have been selected for incorporation in Table LXIII., which shows the rates of mortality at different ages from cancer of certain organs, and in Tables LXIV. and LXV., which compare the returns of deaths in private houses with those occurring in institutions. The age distributions shown in Table LXIII. agree very closely indeed with those shown graphically for the same sites in the Report for 1909 (Diagram xiv., page lxxxviii). The latter contain less detail as to age, but refer to the accumulated experience of nine years. Even so small a point as the later maximum of mortality from œsophageal cancer in the female sex in Table LXIII. is clearly shown in this diagram. It is evident, therefore, that these peculiarities of age distribution are of significance, though their explanation may not always be apparent at present.

The institutional deaths referred to in Tables LXI., LXII., LXIV. and LXV. differ from those tabulated on pages 298 and 299 in that they include 116 deaths occurring in almshouses and other institutions not specially devoted to the sick. Just under a quarter of the cancer deaths of the year occurred in institutions, 30 per cent. in the case of males and 20 per cent. in that of females. The object of their separate tabulation is to compare the experience of institutions, where presumably the details of the cause of death have as a rule been confirmed by post-mortem examination, with the certification of other deaths from cancer in the case of which such facilities are as a rule lacking. The various classes of institutions contributed the following proportions to the total institutional deaths dealt with in Tables LXI. and LXII. (see pages 298 and 299)—poor law institutions 52 per cent., lunatic asylums 4 per cent., hospitals and nursing homes 43 per cent., and other institutions 1 per cent. The proportion of poor law to hospital deaths was considerably higher in London and the County Boroughs than in the smaller towns and rural districts. It was

TABLE LXI.—ENGLAND AND WALES, 1911.—SITES of FATAL CANCER—MALES.

—					All Ages.	0-	5-	15-	25-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
ALL DEATHS.																				
Total					15,589	64	90	155	317	346	632	1,178	1,723	2,128	2,499	2,545	2,057	1,207	480	168
39	Lip	229	—	—	—	—	1	3	1	8	23	35	30	51	37	24	16
	Tongue	891	—	—	—	6	12	37	85	142	168	150	124	97	55	12	3
	Mouth	399	—	3	3	2	8	13	33	48	67	73	57	49	24	15	4
	Jaw	451	2	1	4	8	6	22	47	50	63	61	85	50	33	13	6
40	Pharynx	179	1	2	2	3	4	8	13	25	31	28	33	14	11	3	1
	Esophagus	1,087	—	—	1	3	13	37	121	153	186	194	185	109	57	21	7
	Stomach	3,324	—	2	8	45	71	137	265	397	450	569	559	476	243	83	19
	Liver and gall bladder	1,711	5	4	6	23	31	65	109	161	243	274	309	250	142	67	22
41	Mesentery and peritoneum	137	1	1	3	6	7	7	7	14	14	21	28	18	7	2	1
	Intestines	1,491	3	3	12	26	33	50	93	143	171	251	260	214	153	59	20
	Rectum	1,538	1	—	10	39	28	51	86	142	217	259	265	243	133	51	13
	Breast	22	—	—	—	—	—	—	1	4	3	3	3	2	3	1	2
44	Skin...	603	1	3	2	8	13	23	34	52	71	77	73	84	83	52	27
	Larynx	365	—	—	2	1	5	13	43	62	52	68	54	39	19	5	2
	Lung and pleura	261	—	1	8	22	18	15	33	34	48	32	25	18	7	—	—
	Pancreas	318	1	1	1	10	14	12	31	20	48	52	59	41	17	9	2
45	Kidneys and suprarenal glands	149	17	12	2	3	6	9	12	21	9	17	15	15	9	1	1
	Bladder	457	1	—	2	3	14	15	26	40	49	77	99	69	40	14	8
	Prostate	357	—	—	2	3	—	3	11	23	30	45	93	67	52	22	6
	Testes	89	5	1	3	18	8	8	7	9	5	6	7	7	—	4	1
45	Brain	134	7	14	10	24	10	12	14	14	15	9	2	1	2	—	—
	Bones (jaw excepted)	274	7	18	36	20	14	21	18	17	20	31	27	24	12	9	—
	Other specified organs	528	8	15	27	25	20	40	49	70	71	73	61	36	24	4	5
	Abdominal cavity, organ un- specified.	110	2	2	3	7	2	4	5	15	12	13	12	18	12	2	1
Other and undefined					485	2	7	8	12	8	27	34	59	62	81	80	65	32	7	1
DEATHS IN INSTITUTIONS.																				
Total					4,618	26	32	67	159	136	258	461	621	671	745	676	434	228	73	31
39	Lip	65	—	—	—	—	—	—	—	4	6	15	5	11	14	3	7
	Tongue	372	—	—	—	4	6	21	45	55	65	75	50	29	17	3	2
	Mouth	158	—	1	—	1	4	4	15	22	27	32	24	16	7	3	2
	Jaw	187	1	1	1	3	4	12	23	24	25	24	36	16	10	5	2
40	Pharynx	64	1	1	1	—	1	3	3	11	8	14	12	6	2	1	—
	Esophagus	405	—	—	1	2	5	19	56	65	69	78	66	27	13	3	1
	Stomach	831	—	1	3	18	31	47	94	133	118	139	126	76	35	8	2
	Liver and gall bladder	322	1	1	3	12	8	13	28	31	49	56	58	28	24	8	2
41	Mesentery and peritoneum	39	1	1	3	4	3	3	3	5	2	6	7	1	—	—	—
	Intestines	452	2	1	8	16	14	27	39	58	71	68	67	45	20	12	4
	Rectum	382	1	—	5	20	6	21	17	47	62	65	61	52	18	6	1
	Breast	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1
44	Skin...	213	1	—	—	4	8	8	16	24	28	31	24	27	26	11	5
	Larynx	122	—	—	2	—	3	5	14	25	18	22	14	14	4	1	—
	Lung and pleura	86	—	1	4	13	7	5	16	12	14	5	5	1	3	—	—
	Pancreas	115	1	1	—	8	5	5	16	7	20	17	19	12	2	1	1
45	Kidneys and suprarenal glands	45	2	1	—	2	3	6	4	11	2	4	3	3	4	—	—
	Bladder	145	1	—	1	1	5	8	12	14	23	24	27	18	9	2	—
	Prostate	86	—	—	1	2	—	3	2	11	8	6	27	15	7	3	1
	Testes	16	1	—	1	5	1	1	1	—	1	1	1	2	—	1	—
45	Brain	77	4	6	6	19	6	8	11	9	5	3	—	—	—	—	—
	Bones (jaw excepted)	71	3	4	8	5	5	6	7	2	7	7	7	7	2	1	—
	Other specified organs	172	3	6	12	13	5	17	21	28	19	22	10	10	5	1	—
	Abdominal cavity, organ un- specified.	29	1	1	3	4	1	2	1	2	5	4	3	2	—	—	—
Other and undefined					162	2	5	4	3	5	14	17	21	19	26	24	16	6	—	—

also much higher in the case of cancer of the buccal cavity than in that of cancer of the intestines and rectum. The latter fact might conceivably depend upon greater immediate risk of operation for intestinal than for buccal cancer, and it must be borne

TABLE LXII.—ENGLAND AND WALES, 1911.—SITES of FATAL CANCER—FEMALES.

				All Ages.	0-	5-	15-	25-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
				ALL DEATHS.															
Total...				20,313	50	56	119	505	768	1,312	1,917	2,204	2,611	2,753	2,745	2,559	1,622	758	334
39	Lip	18	—	—	—	—	—	—	—	1	3	2	2	3	2	2	3
	Tongue	87	—	—	—	5	9	5	5	7	11	11	14	9	6	1	4
	Mouth	69	—	—	—	4	5	4	8	7	7	8	7	8	6	3	2
40	Jaw	145	1	4	3	4	2	9	14	5	14	19	26	21	19	2	2
	Pharynx	55	—	—	—	2	7	7	8	8	7	8	4	3	1	—	—
	Esophagus	367	—	—	—	9	21	25	33	47	44	47	38	46	33	18	6
41	Stomach	2,911	—	—	4	52	73	113	215	258	388	426	485	463	269	113	52
	Liver and gall bladder	2,608	3	5	3	30	39	80	142	247	336	445	465	417	255	107	34
	Mesentery and peritoneum	289	1	2	4	10	9	16	27	29	36	43	39	39	25	9	—
42	Intestines	2,143	—	2	8	48	51	90	129	187	268	302	328	369	222	100	39
	Rectum	1,223	—	—	11	33	39	55	84	115	144	158	193	175	123	64	29
	Ovary and fallopian tube	490	—	2	9	32	40	52	80	57	61	59	46	36	10	5	1
43	Uterus	3,788	—	—	7	121	202	411	501	594	526	486	415	269	159	71	26
	Vagina and vulva	256	—	1	3	7	7	8	25	14	24	36	40	37	22	24	8
	Breast	3,427	—	—	4	58	173	295	452	406	459	394	366	365	254	129	72
44	Skin	328	1	—	3	3	4	7	19	13	36	28	31	62	56	42	23
	Larynx	97	—	—	—	5	8	11	16	11	10	9	8	9	4	4	2
	Lung and pleura...	175	—	3	5	8	13	16	23	22	22	19	18	18	4	3	1
45	Pancreas	290	—	—	—	7	7	13	16	28	42	47	39	48	31	7	5
	Kidneys and suprarenal glands...	147	28	9	2	4	3	6	8	16	14	22	14	13	5	2	1
	Bladder	207	—	—	—	2	6	4	14	12	23	27	33	38	31	14	3
46	Brain	99	3	3	10	19	9	10	9	12	7	4	6	4	2	1	—
	Bones (jaw excepted)	209	3	12	21	10	7	10	12	16	28	18	25	17	22	6	2
	Other specified organs	368	6	10	17	16	18	26	35	43	41	47	44	27	20	14	4
47	Abdominal cavity, organ un-	193	2	—	1	7	3	17	13	17	23	37	21	27	16	5	4
	specified.																
	Other and undefined	324	2	3	4	9	13	22	29	32	37	51	38	36	25	12	11
				DEATHS IN INSTITUTIONS.															
Total...				3,971	16	21	33	188	234	357	430	491	501	513	465	355	220	107	40
39	Lip	4	—	—	—	—	—	—	—	1	—	1	—	1	—	—	1
	Tongue	22	—	—	—	1	2	1	3	2	3	3	2	3	2	—	—
	Mouth	21	—	—	—	1	3	1	2	5	2	—	3	1	3	—	—
40	Jaw	48	1	3	—	—	—	3	7	2	4	8	11	4	4	1	—
	Pharynx	12	—	—	—	1	2	3	1	2	1	1	—	—	—	—	—
	Esophagus	63	—	—	—	3	7	2	10	13	8	7	8	1	3	1	—
41	Stomach	461	—	—	—	18	26	36	49	48	71	66	58	43	31	13	2
	Liver and gall bladder	354	—	1	2	9	10	10	20	45	44	73	56	45	25	11	3
	Mesentery and peritoneum	57	—	2	2	6	2	4	5	4	9	6	7	4	5	1	—
42	Intestines	469	—	—	6	29	25	35	47	57	62	58	65	52	25	4	4
	Rectum	306	—	—	5	13	10	23	30	36	39	39	46	28	21	8	8
	Ovary and fallopian tube	156	—	—	2	12	17	24	21	14	25	24	12	2	1	2	—
43	Uterus	893	—	—	1	49	64	114	121	153	114	96	83	44	30	17	7
	Vagina and vulva	55	—	—	1	4	4	3	8	1	6	9	5	7	3	3	1
	Breast	505	—	—	—	8	26	46	57	62	61	63	54	57	34	27	10
44	Skin	67	1	—	—	1	1	2	5	3	8	9	8	14	4	9	2
	Larynx	17	—	—	—	3	4	2	2	—	2	2	—	2	—	—	—
	Lung and pleura...	33	—	2	2	2	5	5	5	4	3	—	2	2	—	1	—
45	Pancreas	83	—	—	—	4	4	8	5	14	12	13	2	11	6	4	—
	Kidneys and suprarenal glands...	33	10	5	—	2	—	3	1	2	3	3	2	1	1	—	—
	Bladder	47	—	—	—	1	3	2	4	5	4	4	6	9	7	2	—
46	Brain	40	1	1	5	9	4	5	3	6	—	—	3	3	—	—	—
	Bones (jaw excepted)	54	1	4	2	2	4	5	2	2	7	7	7	5	4	1	1
	Other specified organs	88	2	3	4	5	7	9	12	8	4	10	15	6	2	1	—
47	Abdominal cavity, organ un-	27	—	—	—	4	1	3	3	1	3	2	2	5	2	1	—
	specified.																
	Other and undefined	56	—	—	1	1	3	8	7	1	6	9	7	5	7	—	1

in mind that the relative frequency of the various sites in institutional experience is affected by this consideration, for cases are admitted to hospitals for operation, and are not as a rule retained there indefinitely if they recover from the immediate effects.

TABLE LXIII.—ENGLAND AND WALES, 1911.—MORTALITY PER MILLION LIVING AT SEVERAL AGES FROM CANCER OF VARIOUS PARTS OF THE BODY.

Part of Body affected.		All Ages.	0—	25—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—
Tongue ...	M.	51	—	2	9	34	92	184	276	314	338	409	430	212	132
	F.	5	—	2	7	4	5	8	16	20	32	28	33	11	97
Œsophagus	M.	62	0	1	10	34	130	199	305	406	504	459	446	370	307
	F.	20	—	3	15	22	33	56	65	86	86	145	180	205	145
Stomach...	M.	190	1	16	56	127	285	515	738	1,190	1,524	2,005	1,902	1,468	834
	F.	156	0	17	54	97	215	308	577	783	1,097	1,459	1,471	1,285	1,256
Liver & gall bladder.	M.	98	2	8	25	60	117	209	399	573	842	1,053	1,111	1,185	966
	F.	140	1	10	29	69	142	295	500	818	1,052	1,314	1,394	1,216	821
Intestines	M.	85	2	9	26	46	100	186	281	525	709	901	1,197	1,044	878
	F.	115	1	15	38	78	129	224	399	555	742	1,162	1,214	1,137	942
Rectum ..	M.	88	1	14	22	47	93	184	356	541	723	1,023	1,041	902	571
	F.	65	1	11	29	47	84	137	214	290	437	551	673	728	700
Uterus ...	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	203	1	39	149	354	500	710	783	893	939	847	869	807	628
Breast ...	M.	1	—	—	—	—	1	5	5	6	8	8	23	18	88
	F.	184	0	19	128	254	451	485	683	724	828	1,150	1,389	1,466	1,739
Skin ...	M.	34	1	3	10	21	37	68	116	161	199	354	650	920	1,186
	F.	18	0	1	3	6	19	16	54	51	70	195	306	477	556

TABLE LXIV.—ENGLAND AND WALES.—CANCER : PARTS of BODY, 1911. PERCENTAGE of DEATHS at VARIOUS AGES to TOTAL DEATHS from CANCER at the same AGES.

	0—		25—		35—		45—		55—		65—		75—		85—		All Ages.	
	Instn.	Private.	Instn.	Private.	Instn.	Private.	Instn.	Private.	Instn.	Private.	Instn.	Private.	Instn.	Private.	Instn.	Private.	Instn.	Private.
MALES.																		
Tongue...	—	—	2.5	1.3	6.9	3.8	9.2	7.0	9.9	5.5	7.1	4.1	6.6	3.4	6.5	0.7	8.1	4.7
Œsophagus	0.8	—	1.3	0.6	6.1	4.5	11.2	8.4	10.4	7.3	8.4	5.8	5.3	4.5	3.2	4.4	8.8	6.2
Stomach	3.2	3.3	11.3	17.1	19.8	22.3	21.0	23.9	18.1	23.7	18.2	23.9	14.3	20.4	6.5	12.4	18.0	22.7
Liver and gall bladder.	4.0	5.4	7.5	7.0	5.3	12.8	5.5	11.6	7.4	12.8	7.7	13.5	10.6	12.8	6.5	14.6	7.0	12.7
Intestines	8.8	3.8	10.1	6.3	10.4	7.2	9.0	7.6	9.8	8.8	10.1	10.4	10.6	13.0	12.9	11.7	9.8	9.5
Rectum...	4.8	2.7	12.6	12.0	6.9	8.9	5.9	9.0	9.0	10.9	10.2	11.3	8.0	11.5	3.2	8.8	8.3	10.5
Skin	0.8	2.7	2.5	2.5	4.1	3.4	3.7	2.5	4.2	2.8	4.6	3.0	12.3	7.1	16.1	16.1	4.6	3.6
Other organs	77.6	82.1	52.2	53.2	40.5	37.1	34.5	30.0	31.2	28.2	33.7	28.0	32.3	27.3	45.1	31.3	35.4	30.1
All sites	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
FEMALES.																		
Œsophagus	—	—	1.6	1.9	1.5	2.5	2.5	1.8	1.5	1.7	1.1	1.7	1.2	2.3	—	2.0	1.6	1.9
Stomach	—	2.6	9.6	10.7	10.5	8.3	10.5	11.8	13.5	15.6	12.3	18.9	13.5	16.5	5.0	17.0	11.6	15.0
Liver and gall bladder.	4.3	5.2	4.8	6.6	3.4	6.6	7.1	10.1	11.5	15.3	12.3	17.4	11.0	15.9	7.5	10.5	8.9	13.8
Intestines	8.6	2.6	15.4	6.0	10.2	5.4	11.3	6.6	11.8	10.3	14.3	12.9	8.9	14.3	10.0	11.9	11.8	10.2
Rectum...	7.1	3.9	6.9	6.3	5.6	4.1	7.2	4.2	7.7	5.1	9.0	6.6	8.9	7.7	20.0	7.1	7.7	5.6
Uterus	1.4	3.9	26.1	22.7	30.1	29.2	29.8	25.7	20.7	18.4	15.5	12.4	14.4	8.9	17.5	6.5	22.5	17.7
Breast	—	2.6	4.3	15.8	12.2	26.6	12.9	23.1	12.2	16.8	13.5	13.8	18.7	15.7	25.0	21.1	12.7	17.9
Skin	1.4	1.9	0.5	0.6	0.5	0.5	0.9	0.8	1.7	1.1	2.7	1.6	4.0	4.1	5.0	7.1	1.7	1.6
Other organs	77.2	77.3	30.8	29.4	26.0	16.8	17.8	15.9	19.4	15.7	19.3	14.7	19.4	14.6	10.0	16.8	21.5	16.3
All sites	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

On the other hand it will be seen from Tables LXI. and LXII. that the proportion of buccal cancer occurring in institutions is much higher than that of intestinal and rectal. This results from the great relative frequency of deaths from buccal cancer in poor law

TABLE LXV.—ENGLAND AND WALES.—CANCER : PARTS OF BODY, 1911.—PERCENTAGE OF DEATHS AT VARIOUS AGES TO DEATHS FROM CANCER OF THE SAME SITE AT ALL AGES.

				0—	25—	35—	45—	55—	65—	75—	85—	All Ages.	
				MALES.									
Tongue	{ Instn. Private	— —	1·1 0·4	7·3 4·2	26·9 24·5	37·6 34·2	21·2 27·4	5·4 9·1	0·5 0·2	100·0 100·0
Esophagus	{ Instn. Private	0·2 —	0·5 0·1	5·9 3·8	29·9 22·4	36·3 34·2	23·0 29·5	4·0 9·1	0·2 0·9	100·0 100·0
Stomach	{ Instn. Private	0·5 0·2	2·2 1·1	9·4 5·2	27·3 17·4	30·9 30·6	24·3 33·4	5·2 11·4	0·2 0·7	100·0 100·0
Liver and gall bladder	{ Instn. Private	1·6 0·7	3·7 0·8	6·5 5·4	18·3 15·2	32·7 29·7	26·7 34·1	9·9 12·7	0·6 1·4	100·0 100·0
Intestines	{ Instn. Private	2·4 0·7	3·5 1·0	9·1 4·0	21·5 13·4	30·7 27·2	24·8 34·9	7·1 17·3	0·9 1·5	100·0 100·0
Rectum	{ Instn. Private	1·6 0·4	5·2 1·6	7·1 4·5	16·8 14·2	33·1 30·2	29·6 34·3	6·3 13·8	0·3 1·0	100·0 100·0
Skin	{ Instn. Private	0·5 1·3	1·9 1·0	7·5 5·1	18·8 11·8	27·7 22·8	23·9 27·3	17·4 25·1	2·3 5·6	100·0 100·0
Other organs	{ Instn. Private	5·9 4·6	5·1 2·5	9·8 6·6	22·8 16·5	26·9 27·4	22·8 29·6	5·9 11·5	0·8 1·3	100·0 100·0
All sites	{ Instn. Private	2·7 1·7	3·4 1·4	8·5 5·3	23·4 16·7	30·8 29·3	24·0 31·8	6·5 12·6	0·7 1·2	100·0 100·0
				FEMALES.									
Esophagus	{ Instn. Private	— —	4·8 2·0	14·3 12·2	36·5 18·8	23·8 24·8	14·3 24·7	6·3 15·5	— 2·0	100·0 100·0
Stomach	{ Instn. Private	— 0·2	3·9 1·4	13·4 5·1	21·0 15·3	29·9 27·6	21·9 34·6	9·5 13·8	0·4 2·0	100·0 100·0
Liver and gall bladder	{ Instn. Private	0·8 0·4	2·5 0·9	5·6 4·4	18·4 14·4	33·2 29·5	28·5 34·5	10·2 14·5	0·8 1·4	100·0 100·0
Intestines	{ Instn. Private	1·3 0·2	6·2 1·1	12·8 4·8	22·2 12·7	25·5 26·9	24·9 34·7	6·2 17·5	0·9 2·1	100·0 100·0
Rectum	{ Instn. Private	1·6 0·7	4·2 2·2	10·8 6·7	21·6 14·5	25·5 24·4	24·2 32·0	9·5 17·2	2·6 2·3	100·0 100·0
Uterus	{ Instn. Private	0·1 0·2	5·5 2·5	19·9 15·0	30·7 28·4	23·5 27·7	14·2 19·2	5·3 6·3	0·8 0·7	100·0 100·0
Breast	{ Instn. Private	— 0·1	1·6 1·7	14·3 13·6	23·6 25·4	24·4 24·9	22·0 21·2	12·1 11·0	2·0 2·1	100·0 100·0
Skin	{ Instn. Private	1·5 1·1	1·5 0·8	4·5 3·1	11·9 9·2	25·4 18·0	32·8 27·2	19·4 32·6	3·0 8·0	100·0 100·0
Other organs	{ Instn. Private	6·3 4·5	6·8 3·5	18·1 9·3	19·3 19·3	23·0 25·5	18·5 24·8	7·5 11·3	0·5 1·8	100·0 100·0
All sites	{ Instn. Private	1·8 0·9	4·7 1·9	14·9 9·1	23·2 19·6	25·6 26·6	20·6 27·5	8·2 12·6	1·0 1·8	100·0 100·0

institutions. The proportion of the total deaths from cancer of all sites returned from poor law institutions is 12 per cent., but in the case of buccal cancer it is no less than 28 per cent., or nearly three times as high as that returned from hospitals. In the

case of intestinal and rectal cancer the position is reversed, hospitals returning 14 per cent., and poor law institutions only 10 per cent. of the total mortality.
 These facts may be expressed in tabular form as follows :—

TABLE LXVI.—ENGLAND AND WALES, 1911.—PERCENTAGE OF TOTAL DEATHS FROM CANCER OF VARIOUS SITES OCCURRING IN VARIOUS CLASSES OF INSTITUTIONS.

Site of Cancer, and International List Number.	Occurring in Poor law Institutions.	Occurring in Hospitals.	Occurring in Other Institutions.
Buccal cavity (39)	28	10	1
Stomach, liver, &c. (40)	11	9	1
Peritoneum intestines and rectum (41)	10	14	1
Female genital organs (42)	14	9	1
Breast (43)	9	5	1
Skin (44)	24	5	1
Other or unspecified (45)	13	14	1

The two forms of cancer, disease of the skin and of the buccal cavity, of which the largest proportion is returned from poor law practice, are those in the case of which irritation arising from want of ordinary cleanliness may be supposed to have an influence in promoting the onset of the disease. If this is the explanation of their frequency in poor law returns it furnishes an additional reason for not assuming the rates for institutions shown in Table LXIV. to be standards by which the accuracy of the total returns may be judged.

A third reason for divergence between the returns from institutional and private practice lies in the fact that the average age at death is lower in institutions than elsewhere. Table LXV. shows that the maximum number of deaths from cancer of most sites occurs at 55–65 in institutional, and at 65–75 in private practice. This may be due to the fact that it is easier to keep at home during their fatal illness persons too old to contribute to the support or care of a family than those whose incapacity involves the breaking up of the home. If so the comparative frequency in institutions of deaths at the earlier ages may be compared with their greater share in the mortality of males than of females (30 per cent. against 20, page lxxv).

In view of these and probably other reasons for divergence between the distribution of institutional and other deaths the differences brought out in Table LXIV. are on the whole not very striking. Cancer of the liver is much less frequently returned in institutional practice, and this undoubtedly implies that increased facilities for diagnosis have brought about better certification, as primary disease of the liver is rare. The site of commonest occurrence is the same for males at all ages over 35 both in institutions and elsewhere, namely, the stomach at all ages up to 85 and the skin in extreme old age. Amongst females the uterus comes first at all ages from 25 to 65 in both classes of practice and to 75 in institutions. After 75 cancer of the breast causes most deaths in institutions as it does also in private practice in extreme age, the stomach coming first in this case from 65 to 85. From 25 to 55 the comparative frequency of cancer of the female breast is much less in institutions than elsewhere, whereas after 75 it is rather greater. Table LXV., however, shows that this difference is not due to smallness of the proportions of early to total deaths from cancer of the breast in institutions, for these proportions are almost exactly the same as those occurring elsewhere. The reason for the low institutional proportions of breast cases in Table LXIV. must therefore be that cancers of sites other than the breast are on the whole more frequently returned at early ages in institutional practice than elsewhere, and Table LXV. shows to what a large extent this is the case, the average age of the institutional deaths from cancer being, as mentioned above, considerably lower than that of deaths occurring outside institutions. This applies particularly to the lines of this table referring to cancer of the oesophagus, intestines, rectum and “other organs.”

46. Other Tumours (situation undefined):—This title includes only tumours not ascertained to be malignant, and of which the situation either cannot be ascertained or is of a general or ill-defined nature. Other benign tumours are classified under the organ affected. Angioma and adenoma were listed separately for England and Wales because they have to be transferred to other headings in the reconstruction of the old list of causes of death in Tables 19 and 20, and when arrangements were made for this it was impossible to tell that the deaths returned under these headings were so few.

The total number of persons returned as dying from ill-defined tumours is so small—54 males and 68 females—that there is no possibility of any appreciable shortage in the cancer figures from the improper return under this heading of deaths from malignant disease.

These deaths have been tabulated according to the nature of the tumour, but as the numbers are so small details will be published only when the accumulated experience of several years can be tabulated together. In the male sex 25 of the 52 deaths were returned as due to tumour of the mediastinum, and 5 others to thoracic tumour ; while 36 deaths of females were attributed to tumour of the abdomen and 9 to mediastinal tumour.

In addition to the 122 deaths listed to cause of death No. 46 and to the 678 deaths from cerebral tumour (74 C.) and 638 deaths from tumours of the female genital organs (129 and 131) there were 264 deaths from tumours of other parts of the body which under the international scheme of classification have been referred to the titles relating to the organs in question. Thus of the 152 deaths of males so dealt with 56 were attributed to tumour of the bladder, and are included amongst the 1,050 deaths of males referred to title No. 124 (page 214). Particulars of some only of these tumours are given in the subjoined table, the remainder being reserved for future statement along with the accumulated results of subsequent years.

TABLE LXVII.—ENGLAND AND WALES, 1911.—DEATHS FROM TUMOURS NOT RETURNED AS MALIGNANT WHICH HAVE BEEN CLASSED TO DISEASE OF THE PART OF THE BODY AFFECTED.

Part affected.	All Ages.		0—		15—		35—		45—		55—		65—		75—	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
TUMOURS OF BENIGN NATURE.																
Eye (all glioma) ...	4	1	4	1	—	—	—	—	—	—	—	—	—	—	—	—
Nose (all polypus) ...	5	1	—	—	—	1	—	—	3	—	1	—	1	—	—	—
Larynx ...	3	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—
Thyroid, adenoma ...	2	5	—	—	1	2	—	—	2	1	1	—	—	—	—	—
„ cystic ...	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Lung ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intestine ...	3	7	—	—	—	—	1	3	1	—	1	1	1	—	1	2
Liver ...	1	3	—	—	—	—	—	1	2	1	—	—	—	—	—	—
Pancreas ...	3	4	1	—	1	—	—	1	—	—	—	—	1	1	—	2
Kidney ...	2	1	—	—	—	—	—	—	—	—	2	—	—	—	—	1
Bladder (all villous or papillomatous).	44	19	—	—	1	1	—	—	5	4	7	1	20	6	11	7
Prostate (all adenoma)...	32	—	—	—	—	—	—	—	—	—	7	—	13	—	12	—
Broad ligament (all cyst)	—	5	—	—	—	1	—	—	3	—	1	—	—	—	—	—
Breast ...	—	3	—	—	—	—	—	—	1	—	—	—	—	1	—	1
Other sites ...	7	11	—	2	1	4	1	2	1	2	3	—	1	—	—	1
All sites ...	106	61	7	3	5	9	2	7	9	15	22	4	37	9	24	14
TUMOURS OF UNKNOWN NATURE.																
Eye ...	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	1
Nose ...	—	3	—	—	—	—	—	—	1	1	—	—	—	—	—	—
Larynx ...	5	3	1	1	—	—	—	—	1	2	1	—	2	—	—	—
Thyroid ...	—	3	—	—	—	—	—	—	—	—	1	—	1	—	—	1
Lung ...	7	3	—	—	1	—	1	2	4	—	1	1	—	—	—	—
Intestine...	4	13	—	—	1	—	—	2	—	1	—	2	1	4	2	4
Liver ...	3	6	—	—	—	—	—	—	—	—	—	4	3	1	—	1
Pancreas ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney ...	2	2	—	—	—	—	—	—	1	—	—	2	1	—	—	—
Bladder ...	12	3	—	—	—	—	1	—	4	—	2	1	4	—	1	2
Prostate ...	4	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—
Broad ligament...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Breast ...	—	2	—	—	—	—	—	—	—	—	1	—	—	1	—	—
Other sites ...	9	13	1	1	1	1	—	1	4	3	2	2	1	2	—	3
All sites ...	46	51	2	2	3	2	2	5	14	7	6	14	16	9	3	12

It will be seen that the possibilities of addition to the cancer death-rate from this source are very limited, as the inclusion of the whole 97 deaths from tumour of unascertained nature would leave it practically unaffected.

The completeness of the cancer returns can be further checked by the details of deaths referred to titles 74 C., 129 and 131, which may conveniently be dealt with here in order to complete the list of non-malignant tumours.

The 678 deaths from cerebral tumour (74 C.) include 360 of males and 318 of females. In 511 of these cases the nature of the growth was not ascertained, in 143 cases it was returned as glioma, and in the remaining 24 in various other ways. It must be borne in mind that neither cancerous syphilitic nor tuberculous growths are included under this title.

The 324 deaths referred to uterine tumour (129) include 247 from fibroid, fibroma, fibromyoma, fibro-myxoma or myoma, and 70 of which the nature was not stated.

The 314 deaths from ovarian tumour include 171 from "ovarian cyst" and 17 from tumours of a cystic nature otherwise described. Ten deaths were returned as due to fibroid, fibroma or myxoma of the ovary, and in the case of 114 others the nature of the tumour was not stated. From these particulars it is possible to form some idea of the extent to which the returns of malignant disease may be understated by failure to record the malignant nature of growths whose existence has been recognized. Even if all growths the nature of which is unstated were assumed to be malignant the mortality ascribed to cancer would not be greatly increased.

56. Alcoholism.—This heading differs from the "alcoholism, delirium tremens," of the list hitherto in use in that, in accordance with international practice, it excludes organic disease attributed to alcoholism. Thus alcoholic cirrhosis of the liver, formerly referred to alcoholism, is now tabulated with other deaths from the same disease which are not stated to have been of alcoholic origin. As may be seen from page 212 the latter form the immense majority of the returns under this head. As most cases of the disease are generally considered to be of alcoholic origin it may be assumed that the omission to state the fact in certification should not be taken as an indication that any given case is considered not to be of this nature. It is therefore preferable that alcoholic cirrhosis should be grouped with other deaths from that disease, the returns of which are probably made fairly complete by its inclusion, rather than with those from alcoholism, the returns of which cannot possibly be made even approximately complete.

The effect of the change may be gathered from comparison of the number of deaths (679) from alcoholism in the new list on page 200 with that (1,627) referred to the same heading in the old list in Table 19. Table 20 shows that there has been a very rapid decline in the mortality attributed to this cause in recent years, the death-rate, which reached 113 per million living so recently as 1900, now standing at 45 only. There is undoubtedly great reluctance in many cases to certify this cause of death, and it may be that this reluctance is increasing. It is also possible that the names alone of diseases commonly arising from intemperance may be left more frequently now than in former years to convey the story of their causation even where there is no incentive to suppress the facts. In the absence, however, of reason for making such assumptions, the returns, while they cannot be regarded as at all reliable certainly suggest a very satisfactory fall in mortality from this cause.

In order that the change in classification referred to above might not lessen the information afforded with regard to mortality from over indulgence in alcohol, all the death certificates in which any mention of alcohol appears (other than those referred to alcohol itself) have been assembled in Table LXVIII.

It will be seen that these deaths added to those referred primarily to alcohol, make up a total of 1,817, or only 190 in excess of the 1,627 referable to the old heading.

The difference is accounted for by causes of death, chiefly violence, formerly selected in preference to alcoholism when recorded in conjunction with it. As it is comparatively small, the numbers in Table 19 may be regarded as forming a fairly complete statement of the deaths certified to have been in any way dependent upon intemperance.

The contents of the table are on the whole very much what might have been expected from the general medical experience of the connexion of intemperance with disease. The comparative infrequency of the mention of alcoholism upon certificates of death from phthisis may be noted. The frequency of such mention in the case of deaths from disease in general is .19 per cent., but in that of deaths from phthisis only .07 per cent. Alcoholism as a primary or a secondary cause of death mainly affects the ages 35–65, or a later period of life than that chiefly associated with tuberculosis. It is very rarely certified along with phthisis except in the case of middle-aged or elderly men.

TABLE LXVIII.—ENGLAND AND WALES, 1911.—DEATHS of which ALCOHOLISM was RECORDED as a SECONDARY CAUSE.

				All Ages.		Under 25.		25—		35—		45—		55—		65—		75—	
				M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
10.	Influenza	7	2	1	—	3	—	2	2	1	—	—	—	—	—	—	—
18.	Erysipelas	4	1	—	—	—	—	1	—	3	—	—	—	1	—	—	—
28, 29.	Phthisis	19	9	—	—	1	1	3	6	8	2	5	—	2	—	—	—
30-35.	Other forms of tubercle	1	3	—	—	—	—	1	—	1	—	1	1	1	—	—	—
37.	Syphilis	5	1	—	—	1	—	2	—	1	1	1	—	—	—	—	—
	Other general diseases	11	1	—	—	—	—	4	—	1	—	4	—	2	1	—	—
64.	Cerebral hæmorrhage, apoplexy	28	30	—	—	1	3	4	10	11	11	6	5	5	1	1	—
67 {	General paralysis of the insane	3	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—
	General paralysis (not of insane)	9	3	—	—	—	—	3	1	1	—	4	2	1	—	—	—
69.	Epilepsy	13	7	—	—	3	1	4	5	4	—	2	1	—	—	—	—
73B.	Neuritis	20	60	—	—	1	4	5	28	6	9	8	15	—	3	—	1
	Other nervous diseases	11	18	—	—	1	1	2	6	2	3	5	6	—	1	1	1
76.	Diseases of the ears	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
79A.	Valvular disease of the heart	10	8	—	—	1	1	—	2	3	1	4	2	2	1	—	1
79B.	Fatty disease of the heart	13	15	—	—	1	1	3	5	2	5	4	4	3	—	—	—
79C.	Other organic diseases of the heart...	50	35	—	—	8	3	12	9	15	8	10	9	5	5	—	1
81B.	Arterial sclerosis	5	3	—	—	—	—	—	—	1	—	1	1	3	2	—	—
	Other diseases of circulatory system	4	1	—	—	—	—	3	1	—	—	1	—	—	—	—	—
89, 90.	Bronchitis	23	6	—	—	1	—	3	2	5	—	9	2	4	2	1	—
92A.	Lobar pneumonia	80	24	—	—	11	3	28	12	27	6	13	3	1	—	—	—
	Other diseases of respiratory system	19	8	1	1	3	2	2	1	5	2	4	—	4	2	—	—
102.	Perforating ulcer of stomach	3	1	1	—	—	—	1	—	1	—	—	1	—	—	—	—
103A.	Inflammation of stomach	22	9	—	—	3	1	5	2	7	4	7	1	—	1	—	—
103B.	Other diseases of stomach	14	6	—	—	2	—	5	—	1	4	3	2	2	—	1	—
104, 105.	Diarrhoea and enteritis	13	6	—	—	1	1	2	6	1	3	2	3	—	—	—	—
113.	Cirrhosis of the liver	126	111	—	—	5	4	25	25	39	40	33	28	21	12	3	2
	Other diseases of digestive system	8	3	—	—	1	2	—	1	1	1	4	1	1	—	—	—
120.	Bright's disease	35	24	—	—	4	1	11	7	11	7	7	6	2	2	—	1
136.	Childbirth	—	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—
143.	Carbuncle, boil	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
144A.	Phlegmon	3	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—
155-186.	Violence	135	45	1	—	28	4	39	15	37	9	23	10	5	6	2	1
Total				695	443	4	1	30	32	170	145	202	115	162	102	68	40	9	8

Poliomyelitis—Deaths from poliomyelitis and polioencephalitis are included under title 63, “other diseases of the spinal cord,” unless it is apparent that the brain alone is affected, when they are listed to No. 74 D. So much interest, however, attaches to this disease at the present time that it seems desirable to state its mortality separately.

Including the encephalic form but excluding ascending paralysis the total number of deaths registered was 224, with sex- and age-distribution as follows :—

				All Ages.	0—	1—	2—	3—	4—	5—	10—	15—	20—	25—	35—	45—	55—	65—
Males	131	13	12	16	9	5	32	14	13	3	4	3	3	1	3
Females	93	7	14	9	5	9	19	14	4	5	5	1	—	—	1

The proportion of deaths occurring under five years of age was 44 per cent., and under 20 years 87 per cent., and there was a considerable excess of mortality in the male sex, especially at ages over 35 years.

Included in the above deaths are 11 from polioencephalitis (in no case distinguished as “superior” or “inferior”) and three from polioencephalomyelitis, with sex- and age-distribution as follows :—

				All Ages.	0—	5—	10—	15—	20—
Polioencephalitis	{ Males 10	2	3	3	1	1
				{ Females 1	—	—	—	—	1
Polioencephalomyelitis	{ Males 3	—	1	1	—	1

91 and 92. Pneumonia.—The deaths assigned to pneumonia in its various forms numbered 37,642,—21,582 being deaths of males and 16,060 of females. Included in this total are 16,770 deaths from broncho-pneumonia, 7,587 from lobar pneumonia, and 13,285 from pneumonia of undefined type. In addition to these deaths, which are shown on page 208 as those in the case of which pneumonia was either the only

cause returned or was selected as the primary cause where more than one was mentioned, no less than 14,391 deaths from pneumonia in conjunction with infectious disease were classified to the first nineteen headings of the list. Particulars as to these deaths will be found on pages 560-577. They include 10,350 from broncho-pneumonia, 557 from lobar pneumonia, and 3,484 from "pneumonia." In more than half of these cases (8,887) pneumonia was returned as a complication of measles, in 3,343 of whooping cough, in 254 of typhoid fever, in 1,339 of influenza, and in 568 of other infectious diseases. Apart from typhoid fever and influenza almost all the deaths concerned were naturally those of young children.

The death-rate from pneumonia of all forms (as primary cause of death) amounted to 1,041 per million living. Including 225 deaths from hypostatic pneumonia, formerly classed to this head, the death-rate was 1,047 per million, the lowest recorded since 1889.

As standardizing for sex- and age-constitution causes no very material modification of this rate the following table of crude death-rates may be accepted as giving a fair indication of the distribution throughout the country of the total mortality from pneumonia. Apart from London, where it is fairly high, the mortality steadily decreases from north to south in all classes of area and in both sexes, the position of Wales being intermediate between the North and the Midlands. The range of mortality is extreme, being four times as great for males in the county boroughs of the North as for females in the rural districts of the South, and not far from three times as great when persons of the same sex are compared. Even when comparison is restricted to the same class of area in each case the mortality of the North is in no instance very much less than twice that of the South. No doubt this depends to some extent upon industrial conditions, but these can scarcely explain the great difference between the North and the Midlands. Evidently pneumonia is to a large extent a preventable disease, and the North of England has still much to learn with regard to its prevention.

The table shows pneumonia to be largely a disease of town life, as in all parts of the country mortality increases with urbanization, though the county boroughs of the south suffer less than the rural districts of the north. Table LXX shows that standardization to some extent accentuates these differences, slightly increasing the urban and decreasing the rural mortality :—

TABLE LXIX.—PNEUMONIA (ALL FORMS), 1911.—CRUDE DEATH-RATES per MILLION POPULATION.

—				North.	Midlands.	South.	Wales.	England and Wales.
London	{	Males ...	—	—	1,503	—	—	
		Females	—	—	1,030	—	—	
		Persons...	—	—	1,253	—	—	
County Boroughs	{	Males ...	1,844	1,248	968	1,335	1,549	
		Females	1,240	872	704	1,019	1,060	
		Persons...	1,530	1,052	826	1,178	1,294	
Other Urban Districts	{	Males ...	1,409	973	760	1,337	1,120	
		Females	979	650	560	953	771	
		Persons...	1,188	805	653	1,151	939	
Rural Districts	{	Males ...	1,140	757	657	1,092	849	
		Females	814	564	473	820	620	
		Persons...	978	661	564	957	734	
All areas :	{	Males ...	1,583	985	1,086	1,255	1,234	
		Females	1,087	690	768	920	860	
		Persons...	1,328	833	919	1,091	1,041	

TABLE LXX.—ENGLAND AND WALES, 1911.—PNEUMONIA, ALL FORMS (91 and 92).—MORTALITY, CRUDE and STANDARDIZED, per MILLION LIVING at ALL AGES.

—				Males.		Females.		Persons.	
				Crude.	Standardized.	Crude.	Standardized.	Crude.	Standardized.
All Urban Districts	1,346	1,357	925	950	1,127	1,147
Rural Districts	849	818	620	588	734	699

Tables LXXI. and LXXII. show the extent to which mortality from lobar pneumonia (with which "pneumonia" is grouped as probably implying, in the great majority of cases, lobar pneumonia) is increased by the conditions of life in large towns. This holds good of all periods of life in the case of the county boroughs, but the London death-rate in 1911 was below the mean for the country at large from ages 15-20 to 25-30 in the male sex and from 10-15 to 20-25 in the female, though at other ages it was well above the mean. That this feature is not peculiar to the year 1911 may be seen from the following statement, showing the mortality in London per cent. of that in England and Wales during the five years 1906-1910.

—			Males.	Females.	—			Males.	Females.
All ages	120	120	35—	119	113
0—	128	132	45—	127	127
5—	92	102	55—	122	132
10—	84	107	65—	135	136
15—	86	82	75—	170	141
20—	84	77	85—	175	165
25—	99	82					

TABLE LXXI.—LOBAR PNEUMONIA and "PNEUMONIA" (type not stated).—MORTALITY per MILLION POPULATION, 1906-10 and 1911.

			1906-10.	1911.					
			England and Wales.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	All Urban Districts.
Males ...	Crude Rates	...	846	724	855	904	657	521	784
	Standardized Rates	...	826	704	834	896	646	475	772
Females	Crude Rates	...	549	439	516	518	397	351	463
	Standardized Rates	...	537	430	514	523	392	321	462
Persons	Crude Rates	...	692	577	675	703	522	436	617
	Standardized Rates	...	677	562	669	703	515	395	612

TABLE LXXII.—LOBAR PNEUMONIA and "PNEUMONIA" (type not stated). MORTALITY per MILLION LIVING, 1906-10 and 1911.

Sex and Age.		1906-10.	1911.					
		England and Wales.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	All Urban Districts.
Males ...	0—	1,620	1,447	1,915	1,680	1,355	1,006	1,569
	5—	197	198	218	251	183	137	215
	10—	100	80	101	118	60	52	88
	15—	228	198	135	254	213	134	217
	20—	335	324	230	452	308	226	351
	25—	487	372	301	547	316	253	403
	30—		531	569	716	484	303	589
	35—		653	735	907	567	376	726
	40—	828	825	1,088	1,045	745	492	917
	45—	1,286	1,014	1,307	1,324	863	671	1,114
	50—		1,137	1,331	1,468	1,122	650	1,290
	55—		1,513	1,987	1,928	1,363	1,002	1,681
	60—	2,037	1,819	2,116	2,397	1,703	1,208	2,035
	65—	2,941	2,198	2,416	2,794	2,042	1,742	2,382
	70—		2,367	2,845	3,012	2,214	1,839	2,603
	75—		2,591	3,706	2,963	2,300	2,289	2,750
	80—	3,974	2,777	3,371	3,430	2,506	2,490	2,945
	85—	5,282	3,557	7,579	3,346	3,153	2,982	3,935

TABLE LXXII.—*continued.*

Sex and Age.		1906-10.	1911.					
		England and Wales.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	All Urban Districts.
Females ...	0—	1,315	1,161	1,546	1,314	1,092	837	1,350
	5—	170	163	193	226	129	114	177
	10—	102	84	74	112	67	79	86
	15—	131	116	108	164	86	101	120
	20—	173	144	101	179	141	125	149
	25—	261	160	164	206	149	103	174
	30—		234	238	289	195	215	238
	35—	414	326	329	418	280	264	342
	40—		365	429	471	294	293	384
	45—	592	435	644	596	344	231	491
	50—		477	542	616	435	317	523
	55—	1,079	710	799	907	659	488	777
	60—		980	1,139	1,171	941	725	1,060
	65—	1,997	1,195	1,417	1,378	1,131	963	1,274
	70—		1,733	2,248	2,045	1,657	1,275	1,897
	75—	3,048	1,946	2,134	1,947	2,127	1,649	2,065
	80—		2,569	3,455	3,017	2,403	2,041	2,796
	85—	4,426	2,391	3,445	3,206	2,443	1,360	2,876
Persons ...	0—	1,468	1,305	1,731	1,498	1,224	922	1,410
	5—	184	180	205	239	156	126	196
	10—	101	82	87	115	64	65	87
	15—	179	157	121	207	148	119	167
	20—	250	229	159	305	220	177	242
	25—	368	260	226	366	228	177	281
	30—		376	392	493	333	258	405
	35—	614	484	519	654	418	319	526
	40—		587	738	747	511	391	639
	45—	925	713	956	945	592	449	789
	50—		794	913	1,021	761	482	886
	55—	1,530	1,092	1,352	1,389	991	740	1,202
	60—		1,372	1,586	1,740	1,291	961	1,510
	65—	2,415	1,649	1,873	2,006	1,535	1,339	1,765
	70—		2,004	2,488	2,441	1,890	1,538	2,188
	75—	3,426	2,211	2,716	2,339	2,196	1,942	2,332
	80—		2,650	3,426	3,167	2,442	2,239	2,851
	85—	4,733	2,805	4,640	3,251	2,687	2,019	3,223

The explanation of the similar feature in the case of deaths from all causes and from phthisis (pages li and lxxii) cannot apply to lobar pneumonia, sufferers from which are struck down too suddenly as a rule to return to distant homes before their death. It may be suggested that industrial conditions explain the difference, but the ages concerned do not fit in well with this hypothesis, nor does a comparison of the occupations of those dying from pneumonia in London and in the county boroughs, the mortality in which at the ages in question is high. The proportion in these boroughs following occupations specially associated with pneumonia is somewhat higher than in London, but not to an extent which can explain the difference. Possibly the proportion of deaths occurring in institutions may contribute to the explanation, if it may be assumed that for persons in the vigour of youth recovery from this disease is largely a matter of careful nursing.

Deaths in institutions formed the following proportions per cent. of total deaths from lobar pneumonia and "pneumonia" during the year :—

—				London.	County Boroughs.	Other Urban Districts.	Rural Districts.
Males	43	26	15	12
Females	36	18	11	9

The differences between the various classes of area must be assumed to have had some effect upon the mortality and probably also upon its age distribution.

134-141. **The Puerperal State.**—The number of deaths assigned to pregnancy or childbirth was 3,413 (Table LXXIII.), corresponding to a rate of 3·87 per 1,000 births. It will be seen from Table 19 that this number is 177 in excess of that assignable to these causes of death under the classification hitherto in use (*see* Manual of Causes of Death, page xxx). Deducting these 177 deaths, the mortality amounted to 3·67 per 1,000 births, as against an average rate of 4·00 in the ten years immediately preceding. Inclusion of the 909 deaths in Table LXXIV. raises the proportion to 4·91 deaths stated to have been caused by or associated with the puerperal state in its widest sense (*i.e.*, including pregnancy as well as childbirth) for every 1,000 births.

The mortality amongst women aged 15-45 years from all the causes included in Tables LXXIII. and LXXIV. was 480 per million living, against 479 per million in 1910.

Table LXXIII. gives particulars of the deaths assigned to the puerperal state, and in the case of the headings "other accidents of pregnancy," "other accidents of childbirth," and "puerperal fever" amplifies the information on pages 24 and 25 by giving details of the causes comprised by those titles.

Table LXXIV. shows the causes of deaths stated to have been complicated by the existence of the puerperal state. Heart disease was much the commonest of these, and after it pneumonia and tuberculosis.

TABLE LXXIII.—ENGLAND and WALES, 1911.—DEATHS of WOMEN CLASSED to PREGNANCY and CHILDBEARING.

Cause of Death.	All Ages.	Ages.						
		15—	20—	25—	30—	35—	40—	45 and upwards.
134A. Abortion	89	2	7	20	19	29	10	2
B. Hæmorrhage of pregnancy	67	—	3	7	19	22	16	—
C. Uncontrollable vomiting	28	1	2	9	2	9	4	1
D. Ectopic gestation	69	—	6	12	17	23	10	1
E. Other accidents of pregnancy :—								
Carneous mole	1	—	—	—	—	1	—	—
Hydatid mole	12	2	1	1	1	1	3	3
Hydramnios	3	—	—	—	2	1	—	—
Impacted uterus	1	—	—	—	1	—	—	—
Retroversion of gravid uterus	2	—	—	—	1	—	1	—
Placental polypi	1	—	—	—	—	1	—	—
Ill-defined	13	—	2	3	—	4	4	—
135. Puerperal hæmorrhage	490	6	32	88	107	164	83	10
136. Other accidents of childbirth :—								
Contracted pelvis	31	—	5	8	8	6	4	—
Exostosis of pelvis	1	—	—	—	1	—	—	—
Craniotomy	5	—	1	1	—	3	—	—
Curettage	1	—	—	1	—	—	—	—
Cæsarean section	17	—	3	5	5	2	2	—
Version	4	—	—	—	3	—	1	—
Instrumental delivery	10	—	2	2	4	1	1	—
Rupture of bladder	1	—	—	1	—	—	—	—
Rupture of uterus	28	1	2	2	3	11	9	—
Rupture of vagina	1	—	1	—	—	—	—	—
Rupture of vessel in right tube	1	—	—	1	—	—	—	—
Injury to bowel	1	—	—	1	—	—	—	—
Torn perineum	1	—	—	—	—	1	—	—
Laceration	1	—	—	—	—	1	—	—
Malpresentation	15	—	1	—	7	4	3	—
Inversion of uterus	2	—	—	2	—	—	—	—
Sub-involution of uterus	1	—	—	—	—	1	—	—
Displacement of uterus	1	—	—	—	1	—	—	—
Hypertrophied and ulcerated cervix	1	—	—	—	—	1	—	—
Inertia of uterus	2	—	—	—	1	1	—	—
Difficult and prolonged labour	33	1	5	6	8	6	5	2
Childbirth apart from above complications :—								
(a) With secondary causes as follows :—								
Anæmia	16	—	1	5	2	5	3	—
Alcoholism	2	—	—	—	—	2	—	—
Meningitis	2	1	—	—	—	—	1	—
Cerebral congestion	1	—	1	—	—	—	—	—
Hemiplegia	2	—	—	1	1	—	—	—

TABLE LXXIII.—continued.

Cause of Death.	All Ages.	Ages.						
		15—	20—	25—	30—	35—	40—	45 and upwards.
Childbirth apart from above complications—continued.								
(a) With secondary causes as follows—continued.								
Neuritis	1	—	—	—	—	1	—	—
Pericarditis	1	—	—	—	—	—	1	—
Acute endocarditis	4	—	1	—	1	1	1	—
Valvular disease	1	—	—	1	—	—	—	—
Rupture of valve of heart	1	—	—	—	—	1	—	—
Dilatation of heart	4	—	1	—	1	1	1	—
Bronchitis	5	1	1	1	1	1	—	—
Broncho-pneumonia	8	—	3	—	1	3	1	—
Pneumonia	48	—	8	10	12	13	5	—
Pleurisy	4	—	—	—	2	2	—	—
Congestion and œdema of lungs	3	—	—	—	2	1	—	—
Asthma	1	—	—	—	1	—	—	—
Hæmorrhage from lungs	1	—	—	—	—	—	1	—
Gastritis	2	—	—	1	—	1	—	—
Diarrhœa and enteritis, &c....	12	—	3	—	4	3	2	—
Intestinal obstruction	1	—	—	1	—	—	—	—
Other diseases of intestines...	4	—	—	2	1	—	1	—
Acute yellow atrophy of liver	2	—	1	1	—	—	—	—
Suppression of urine	1	—	—	—	1	—	—	—
Anasarca	1	—	—	—	—	1	—	—
(b) Without stated secondary cause	46	2	5	10	14	8	5	2
137. Puerperal fever :—								
Puerperal septicæmia	1,017	20	175	284	278	169	85	6
Puerperal pyæmia	82	1	14	20	20	20	4	3
Puerperal fever (not otherwise described).	163	5	32	42	42	27	12	3
138A. Puerperal nephritis and uræmia ...	124	8	21	32	23	28	10	2
B. Puerperal albuminuria and Bright's disease.	51	1	8	13	12	13	4	—
C. Puerperal convulsions	457	*41	100	110	107	67	29	3
139A. Puerperal phlegmasia alba dolens, and phlebitis.	72	—	9	16	20	16	9	2
B. Puerperal embolism and sudden death	288	10	29	53	74	77	39	6
140. Puerperal insanity	46	1	12	8	12	11	1	1
141. Puerperal diseases of the breast ...	5	—	—	1	1	1	2	—
Total	3,413	104	498	782	843	766	373	47

* The age of deceased in one case was 14 years.

TABLE LXXIV.—ENGLAND AND WALES, 1911.—DEATHS OF WOMEN not CLASSED to PREGNANCY and CHILDBEARING, but RETURNED as ASSOCIATED THEREWITH.

Enteric fever	7	1	—	3	—	3	—	—
Measles	3	—	1	1	1	—	—	—
Scarlet fever	15	1	4	5	3	1	1	—
Influenza	31	3	2	3	11	7	4	1
Mumps	1	—	—	—	—	—	1	—
Pulmonary tuberculosis	56	3	11	13	10	16	3	—
Phthisis	54	1	13	14	10	11	5	—
Acute phthisis	23	1	6	8	4	2	2	—
Acute miliary tuberculosis	7	—	1	1	3	1	1	—
Tuberculosis of peritoneum and intestines...	3	—	1	—	1	—	1	—
Other forms of tubercle	4	—	—	1	2	1	—	—
Syphilis	2	1	—	1	—	—	—	—
Cancer	12	1	—	1	1	5	4	—
Rheumatic fever	20	1	—	10	3	3	3	—
Diabetes	9	—	1	3	2	1	2	—
Exophthalmic goitre	4	—	—	1	—	3	—	—
Anæmia, chlorosis	31	—	6	8	6	11	—	—
Purpura	2	—	1	1	—	—	—	—
Encephalitis	2	—	—	1	—	—	1	—

TABLE LXXIV.—continued.

Cause of Death.	All Ages.	Ages.						
		15—	20—	25—	30—	35—	40—	45 and up-wards.
Cerebro-spinal fever	1	—	—	1	—	—	—	—
Meningitis	2	—	2	—	—	—	—	—
Diseases of spinal cord... ..	3	—	—	3	—	—	—	—
Cerebral hæmorrhage, apoplexy	2	—	—	—	—	1	1	—
Epilepsy	9	2	—	4	2	1	—	—
Chorea	5	1	3	1	—	—	—	—
Neuritis	1	—	—	—	1	—	—	—
Cerebral tumour	2	—	—	1	1	—	—	—
Pericarditis	1	—	—	—	—	1	—	—
Acute endocarditis	10	—	3	2	2	1	1	1
Valvular disease	114	—	15	24	30	22	20	3
Fatty degeneration of the heart	19	—	2	2	1	6	7	1
Other organic diseases of the heart	95	1	3	18	26	33	12	2
Angina pectoris... ..	1	—	—	—	—	—	1	—
Embolism and thrombosis	6	—	2	2	2	—	—	—
Diseases of the veins	3	—	—	—	—	3	—	—
Bronchitis	23	—	3	4	5	8	3	—
Broncho-pneumonia	9	—	2	3	2	—	2	—
Lobar pneumonia	90	5	13	16	21	26	9	—
Pneumonia (type not stated)	78	2	11	14	25	17	8	1
Pleurisy	8	—	1	1	4	1	1	—
Asthma	5	—	—	1	1	3	—	—
Other respiratory diseases	3	—	—	—	1	2	—	—
Diseases of teeth and gums	1	—	—	—	—	—	1	—
Diseases of pharynx, tonsillitis	3	1	—	1	1	—	—	—
Gastric ulcer	12	—	3	3	5	1	—	—
Gastritis	4	1	—	—	—	3	—	—
Other diseases of the stomach	2	—	—	—	2	—	—	—
Diarrhoea and enteritis	15	—	3	2	3	4	3	—
Appendicitis	7	—	4	1	—	2	—	—
Hernia, intestinal obstruction	6	—	—	—	4	1	1	—
Acute yellow atrophy of liver	3	—	—	1	1	1	—	—
Cirrhosis of the liver	3	—	—	1	—	1	1	—
Other diseases of the liver	3	—	1	1	—	—	1	—
Bright's disease... ..	47	—	5	9	7	17	9	—
Other diseases of the kidney	6	—	1	1	2	1	1	—
Uterine tumour	11	—	—	2	2	3	4	—
Ovarian cyst, tumour	2	—	—	—	1	—	1	—
Other diseases of female genital organs	1	—	—	—	1	—	—	—
Violence	7	—	—	5	1	1	—	—
Total	909	26	124	199	211	225	115	9

Anæsthetics.—Up to the present it has been the practice to tabulate every death, on the certificate relating to which mention was made of the administration of an anæsthetic, to the anæsthetic administered as cause of death, except in the case of cancer and strangulated hernia, deaths from which were always classed to the disease. This practice had the disadvantage of understating to some extent both the mortality connected with the administration of anæsthetics and that from the various conditions, other than cancer and strangulated hernia, for which they are commonly administered. Moreover it seems illogical to class deaths primarily to anæsthetics, since the primary cause must always be some condition which has occasioned the administration of the anæsthetic. And it is often impossible to determine from the certificate whether a death which occurred under an anæsthetic should be regarded as in any way due to its administration and not rather perhaps to the severity of the operation or other cause apart from the anæsthetic.

For these reasons it has been decided in future not to classify deaths primarily to anæsthetics at all, but to publish returns, as a process of secondary classification, of all deaths on the certificates relating to which any mention of the administration of an anæsthetic is made. These are classified in Table LXXV. according to sex and age and nature of anæsthetic.

Naturally the number of deaths is somewhat greater than in 1910, when none from cancer or strangulated hernia were included. The numbers of these may be seen from the following lists, which show for each sex the disease or accident to which the death

has been primarily classed and the age of the patient, but not the kind of anæsthetic. Causes of death in these lists are numbered in International List order. The bracketed figures following them denote the exact ages of the deceased.

TABLE LXXV.—ENGLAND AND WALES, 1911.—DEATHS UNDER OR CONNECTED WITH THE ADMINISTRATION OF VARIOUS ANÆSTHETICS.

Anæsthetic.			Age.																	
			All Ages.	0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	65-
A.C.E. Mixture	...	{ M.	4	1	—	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—
		{ F.	7	1	—	—	—	—	1	—	1	—	1	1	1	—	1	—	—	—
Alcohol and chloroform	...	F.	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Alcohol and ether	...	M.	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Chloroform	...	{ M.	78	2	5	4	2	1	8	9	2	6	3	5	8	6	3	3	7	4
		{ F.	64	1	3	4	4	1	5	2	2	7	3	4	4	9	5	4	3	3
Chloroform and ether	...	{ M.	20	1	1	—	—	1	—	—	1	3	—	2	1	1	2	1	4	2
		{ F.	13	1	1	1	—	—	1	2	1	1	—	—	—	1	1	2	—	1
Chloroform and ethylchloride	...	F.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Ether	{ M.	6	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	2	1
		{ F.	13	—	—	2	—	—	2	—	1	—	—	2	1	1	2	1	1	—
Ethyl chloride	...	F.	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Nitrous oxide	...	{ M.	2	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—
		{ F.	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Novocain	...	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Spinal anæsthesia	...	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Kind not stated	...	{ M.	33	3	1	1	1	1	2	3	2	1	1	2	3	1	1	1	5	4
		{ F.	29	1	—	—	1	—	1	2	1	2	1	4	4	—	6	1	2	3
Total...	...	{ M.	146	7	7	5	5	3	11	12	6	10	5	10	13	8	8	5	20	11
		{ F.	130	4	4	7	5	1	11	6	6	10	5	12	11	11	16	8	6	7

CAUSES OF DEATHS UNDER OR FOLLOWING ANÆSTHETICS.

Males.

6. Measles, bronchitis, laryngitis, tracheotomy (1); 9. Diphtheria (1); 20. Blood poisoning, crushed finger (2); septic finger, amputation (38); blood poisoning, injury (53); operation following septicæmia (55); 24. Tetanus, injection of serum (33); tetanus, wound (41); 31. Tuberculous enteritis (40); 32. Spinal tuberculosis (1); psoas abscess (7); 33. Tubercle of joint (6, 10); 34. Tubercle of neck glands (8); 35. Disseminated tubercle (3); 37. Syphilis (3); 39-45. Cancer, of tongue (40, 61, 62); of mouth (58); of tonsil (64); of upper jaw (43); of transverse colon (41); of rectum (57); of skin of ear (68); of skin of neck (0); of skin of back (21); of larynx (59); of nares (54); of bladder (68); of glands of neck (35, 37); 50. Diabetes, amputation of gangrenous foot (62); 75. Disease of eye (12); 76. Disease of ear (8); 77. Pericarditis (2); 79. Heart disease, operation for cause not stated (45); 83. Piles (37); 84. Status lymphaticus (31); adenitis (41); abscess of groin (7); 86. Adenoids (5, 13, 14, 25); nasal polypus (68); hypertrophic rhinitis (3); 88. Disease of thyroid (13, 20, 22); 92. Lobar pneumonia (18); pneumonia, drawing off pus (4); 93. Empyema (2, 3, 8, 32, 47); 99. Dental operations (21, 27, 39, 48, 52); 100. Enlarged tonsils (3, 5, 12, 13, 14, 16); retro-pharyngeal abscess (0); 105. Gastro-enteritis (22); duodenal ulcer (62); 108. Appendicitis (9, 15, 19, 20, 29, 39, 76); 109. Hernia (0, 0, 1, 1, 1, 2, 3, 30, 36, 55, 70, 74, 76); intestinal obstruction (19, 29, 31, 36, 57, 58, 60, 68); 110. Intestinal fistula (61); other diseases of intestine (14); 114. Gallstones (49); 117. Peritonitis (25, 58); 118. Sub-phrenic abscess (24, 38); 123. Urinary calculus (40, 58); 125. Perineal abscess (5); stricture of urethra (49, 56, 67); 126. Enlarged prostate (64, 68); 144. Abscess of neck (2); 145. Ulcer (54); 146. Diseased bone (1); 147. Loose cartilage in knee (4); 150. Circumcision (0); nævus (0); 155-186. Various forms of violence (2, 14, 17, 23, 30, 33, 37, 37, 38, 38, 41, 47, 48, 54, 65), of which fractures (48, 65), and dislocation of shoulder (41); 189. Operation, nature not stated (0, 4, 7, 10, 13, 20, 40, 49, 57).

Females.

1. Enteric fever, perforation (38); 9. Diphtheria, tracheotomy (2, 4); 20. Septicæmia, necessary operation (35); 32. Spinal tuberculosis (5); 39-45. Cancer, of upper

jaw (9) ; of pylorus (63) ; of ileocaecal valve (34) ; of rectum (65) ; of uterus (38, 42, 49) ; of breast (52, 54) ; of neck glands (7) ; of thyroid (53) ; of unstated site (40, 57) ; 46. Tumour of neck (13) ; 51. Exophthalmic goitre (32) ; 75. Squint (12) ; removal of eye (42) ; cataract (5) ; 76. Mastoid disease (2, 3) ; disease of ear (37) ; 77. Pericarditis, cardiolysis (24) ; 79. Fatty heart and operation of unstated nature (57) ; 84. Enlarged glands (14, 16) ; 86. Nasal polypus (23, 50) ; adenoids (5, 15, 19, 20) ; 87. Laryngitis, tracheotomy (3) ; 88. Disease of thyroid (16, 34, 46) ; 92. Lobar pneumonia, empyema (9) ; 93. Empyema (3) ; 98. Abscess of lung (3) ; 99. Dental operations (20, 22, 28, 32) ; 100. Enlarged tonsils (2, 2, 6, 12, 12) ; tumour of throat (2) ; 102. Gastric ulcer (24, 32, 49) ; 108. Appendicitis (12, 17, 18, 22, 24, 28, 32) ; 109. Hernia (9, 39, 44, 46, 46, 49, 53, 55, 57, 71, 76) ; intestinal obstruction (0, 46, 48, 71) ; 114. Gallstones (44, 46, 73) ; 122. Floating kidney (31) ; 123. Urinary calculi (70) ; 129. Uterine fibroids (40, 43, 45) ; uterine tumour, non-cancerous (34, 43, 49, 50) ; 130. Uterine prolapse (24, 23) ; disease of uterus (40) ; 131. Ovarian tumour (45, 46, 47) ; 132. Pyosalpinx (44) ; 134. Abortion, operation (27) ; carneous mole, curetting (39) ; 135. Removal of uterus after placenta prævia (37) ; retained placenta (38) ; puerperal hæmorrhage (24) ; 136. Difficult labour (31, 32, 36, 39, 39) ; 137. Puerperal fever (30) ; 138. Puerperal convulsions (25) ; 144. Abscess, of neck (1) ; of chest (18) ; 146. Inflammation of scapula (28) ; 149. Contracted leg (2) ; 150. Cleft palate (0, 1, 6) ; club-foot (0, 1) ; deformed legs (0) ; defects (2, 3) ; 155–186. Violence (48, 52, 64, 75) ; 189. Operation, nature not stated (1, 43, 47, 53).

Operations for cancer, the removal of tonsils and adenoids, the extraction of teeth, appendicitis, hernia, intestinal obstruction, and various forms of accident and injury, appear to involve the greatest mortality under or related to anæsthetics. In some cases this is evidently due to the frequency with which the operation is performed and in others to its gravity or the severity of the condition requiring it.

In two cases death was attributed to delayed chloroform poisoning, and in two others to "acidosis."

Status Lymphaticus.—In addition to the 121 deaths primarily classified to this condition its presence was noted in the case of 24 deaths under anæsthetics, which were referred to the condition leading to the administration of the anæsthetic. One death under an anæsthetic is included in the 121 classified to status lymphaticus, making 25 in all where the existence of this condition was mentioned in the case of deaths connected with the administration of anæsthetics. The sex- and age-distribution of these was as follows :—

—				0—	5—	10—	15—	20—	25—
Males		1	4	3	3	3	1
Females		4	1	2	1	2	—

In five of the cases the nature of the anæsthetic was not stated ; in 17 of the remainder it was chloroform only, in one chloroform and ether, in one the A.C.E. mixture, and in only one an anæsthetic other than chloroform (ethyl chloride). Apparently the status lymphaticus seldom causes death during the administration of ether. The operations during which these deaths occurred seem for the most part not to have been of a dangerous nature.

189. Ill-defined Causes of Death.—The deaths allocated to No. 189 of the list of causes, with which this title is particularly associated, number 3,399. Addition of Nos. 187 and 188 however, which are included under the same group title in the International List, brings this number up to 3,916. This figure excludes from the group as given in the old list of causes of death (see Tables 19 and 20) the ill-defined diseases of infancy and old age, which now appear under titles 151 and 154, and together accounted for 46,797 deaths in 1911, as well as 403 deaths from other causes of less numerical importance ; and includes 2,237 deaths, mainly from syncope and heart failure, not formerly classified as ill-defined.* When the appropriate additions and deductions have been made the number of ill-defined deaths in Table 19, 48,879, is arrived at. This number is the lowest of recent years except that in 1910, when the total number of deaths was considerably lower. It forms 9·3 per cent. of the total deaths, as against 9·5 per cent. in 1910.

* See Manual of Causes of Death, page xxxi.

As in previous years inquiries were sent to medical practitioners asking for further information respecting a number of deaths which had been indefinitely certified. The circumstances of the year's work, especially the necessity of double classification by the old and the International List of causes of death, led to great increase in the number of inquiries. Their number was increased also by the fact that in 1911 they were addressed to coroners as well as to medical practitioners. As many indefinite certificates are received regarding deaths which have been investigated by coroners' juries it was decided to ascertain whether definite information, not embodied in the verdict, might be obtained from the medical evidence taken at the inquest. Thanks to the courtesy of the coroners applied to this proved to be so in many cases, deaths certified as due to syncope, heart failure, natural causes, suicide, &c., being referred to more definite headings on the strength of excerpts furnished from the medical evidence. As a result of these inquiries only 126 deaths appear in 1911 under "Accident (not otherwise described)," and 56 under "Suicide (otherwise or not stated)," as against 320 and 122 respectively in 1910.

In order at once to facilitate inquiries and to diminish if possible their number in the future a list of indefinite forms of certificate, with indications of the further information desirable in each case, was distributed with the inquiries, and is now bound with each book of death certificate forms issued. By its means the supplemental information desired in any given case is readily indicated; and it has been found moreover that the number of deaths certified in ways respecting which inquiry is at present made has fallen appreciably since the list came into use.

The total number of inquiries issued respecting deaths registered in 1911 was 12,563 and to these 10,718 replies were received, or almost double the number for 1910, which was 5,549. In view of what has been said it will be appreciated that this increase does not represent greater looseness of certification, but an increase in the forms of return about which inquiry is made.

The principal subjects of inquiry, and the resultant classification of the deaths concerned, are indicated in Table LXXVI. In some cases the allocation of a death, after satisfactory information has been obtained by means of inquiry, is the same as that provisionally assigned to it on the original incomplete information. Instances of this are afforded by the 189 deaths from "tuberculosis" classed as the result of inquiry to pulmonary tuberculosis, and the 46 deaths from "rheumatism" classed to rheumatic fever. It must not therefore be assumed that all entries in the table represent changes in classification, but in all cases they represent improvement in classification, whether by increase of correctness, of definiteness, or of reliability of the various entries.

The replies so courteously and willingly furnished in the great majority of instances to these inquiries have an importance altogether beyond and outside their effects upon the tabulation of the particular deaths concerned, for they are capable of throwing much light upon the significance of a number of the less definite headings in the tables of past years as well as of those immediately affected. Thus, to take the first entry in Table LXXVI. "croup" has been very generally regarded in this and in other countries as a loose term which in most cases signifies diphtheria. This opinion however can no longer be held of croup as returned at the present day, whether it held good in former years or not (see page lxiv); when it is seen that of the 183 returns regarding which replies were received in 1911 only 28 were in their authors' eyes significant of diphtheria. Croup, as returned at the present day, generally implies laryngitis or laryngismus stridulus, and not diphtheria at all. The matter is fortunately of little importance now, as the term is rapidly dying out, but its importance in regard to the past history of diphtheria is very great.

A number of similar instances might be quoted in which the issue of these inquiries renders it possible to ascertain with a certainty which could not otherwise be hoped for the meaning attached by the practitioners using them to various conveniently indefinite terms. These are questions in regard to which no assistance can be looked for from nomenclatures or text-books, for it is the function of these to discourage, not to define, the use of the terms in question. And even if the meaning which should attach to such terms could be laid down by authority, this would not necessarily supply the answer to the question which the tabulator must ask himself, viz. :—"What does this expression mean to the man who has used it?" This question can only be answered by the reply to an inquiry directed to the user himself.

Sometimes the significance of a term is so clearly established as the result of a year or two's inquiries that these need not be continued, but where, as is more frequently the case, an indefinite term is found to possess different meanings for different users, the inquiries have to be kept up. They form a most valuable means of increasing the accuracy

of the returns of causes of death included in these Reports, and as the Registrar General is necessarily dependent in regard to them upon the goodwill of those to whom they are addressed it is fitting that this acknowledgment should be made of the services willingly rendered in replying to them.

TABLE LXXVI.—ENGLAND AND WALES, 1911.—REPLIES TO INQUIRIES RESPECTING INDEFINITELY CERTIFIED CAUSES OF DEATH.

Subject of Inquiry.	Replies received.	Replies amplifying previous information.	Deaths allocated as the result of inquiry to various important headings.
Croup	183	148	Diphtheria 28, Laryngismus stridulus 33, Laryngitis 70.
Membranous laryngitis	25	18	Diphtheria 18.
Pyæmia, septicæmia, &c.	369	218	Diseases of the teeth and gums 15, Tonsillitis 11, Puerperal fever 38, Phlegmon 10, Diseases of the integumentary system 18.
Tuberculosis	625	625	Pulmonary tuberculosis 189, Acute phthisis 93, Acute miliary tuberculosis 79, Tuberculosis of peritoneum, &c. 54, Disseminated tuberculosis 167, Other forms of tubercle 38.
Cancer (part or organ affected not stated).	1,124	1,028	Part or organ stated in 1,028 cases.
Tumour, growth, &c.	550	374	Cancer 307.
Rheumatism	107	93	Rheumatic fever 46, Chronic rheumatism 29, Valvular disease 12.
Basal or basic meningitis	114	52	Tuberculous meningitis 49.
Cerebro-spinal meningitis	155	133	Tuberculous meningitis 17, Cerebro-spinal fever 94, Posterior basal meningitis 8.
Paraplegia	372	204	Syphilis 25, Diseases of the spinal cord 145, Cerebral hæmorrhage, apoplexy 48, Arterial sclerosis 13.
General paralysis (outside asylums)	330	306	Diseases of the spinal cord 29, Cerebral hæmorrhage, apoplexy 14, General paralysis of the insane 223.
Paralysis	389	344	Diseases of the spinal cord 40, Cerebral hæmorrhage, apoplexy 139, Arterial sclerosis 24, Cerebral embolism 23.
Cerebral tumour	736	331	Tuberculous meningitis 76, Syphilis 94, Cancer 143.
Fibroid phthisis	305	198	Pulmonary tuberculosis 186.
Hæmoptysis	171	102	Pulmonary tuberculosis, phthisis 69, Diseases of the arteries 11.
Stomatitis	103	84	Thrush, aphthous stomatitis 64.]
Stricture of œsophagus	72	52	Cancer 49.
Hæmatemesis	138	99	Gastric ulcer 33, Cirrhosis of the liver 24.
Pyloric obstruction, stenosis	77	59	Cancer 33, Gastric ulcer 18.
Jaundice	125	80	Cancer 41, Cirrhosis of the liver 15, Gallstones 13.
Peritonitis	694	408	Tuberculosis of peritoneum, &c. 47, Cancer 48, Gastric ulcer 34, Diarrhoea and enteritis 20, Appendicitis 121, Hernia, intestinal obstruction 25, Diseases of female generative organs 30, Puerperal fever 12.
Pemphigus	163	101	Syphilis 91.
Hydrocephalus	235	224	Tuberculous meningitis 58, Congenital hydrocephalus 113.
Violence	383	373	Precise form of suicide 36, Injury by fall 122, Injury in mines and quarries 29, Injury by machines 19, Injury by crushing 77.
Ascites, dropsy	198	177	Diseases of the heart 91, Cirrhosis of the liver 17, Bright's disease 13.
Syncope, heart failure (ages 1-70)	728	580	Influenza 13, Alcoholism 18, Diseases of the heart 315, Arterial sclerosis 24, Bronchitis 27, Bright's disease, 18.
Atrophy, marasmus (ages 10-70)...	116	91	Alcoholism 9, Diseases of the heart 9, Asthma 7, Senile decay 11.
Operation	260	221	Cancer 35, Diseases of the nasal fossæ 11, Hernia, intestinal obstruction 21, Gallstones 10, Uterine tumour 12.
Other indefinite forms of certificate	1,871	1,473	—
All Subjects	10,718	8,196	—

DEATHS IN INSTITUTIONS FOR THE SICK OR INFIRM.

Tables showing the numbers of deaths of persons of each sex registered as occurring in each of such public institutions in England and Wales have appeared in the Annual Reports from that for the year 1869 onwards. The table, which at first referred only to the largest institutions, was gradually made more complete, and grew from 18 pages in 1869 to 52 pages in 1910, the number of institutions dealt with having increased from 1,002 to 3,122. A similar table was given for London only in the Annual Reports for 1851-1868.

The object with which the table was first introduced is described as follows in the Annual Report for 1869, page 195 :—" These figures will afford the means of correcting the mortality of sub-districts and districts where affected by the situation therein of these large institutions, through the deaths recorded in them. The following list will not be found to contain all the public institutions in England and Wales, but only those which might reasonably be supposed to disturb (by the number of deaths recorded in them) the mortality of the sub-districts in which they are situated." Correction by means of the numbers recorded in the table was employed in the decennial supplements for the period 1841-1891, but was therein noted as not wholly satisfactory.

As the deaths registered in 1911 have been as far as possible distributed to the administrative areas in which the deceased resided, where this differed from the area in which the death was registered, under the scheme described at page vi. and in the two preceding Reports (1909, page vii., and 1910, page vi.), the inclusion of a table showing the deaths occurring in individual institutions is no longer required for the purpose for which it was originally inserted. As no other reasons seem to justify its retention, the table in question has been omitted in favour of the tables on pages 296-312 which will, it is hoped, prove to be of more interest. In these tables all reference to individual institutions has been suppressed, and by this means it has been possible greatly to amplify in other directions the information afforded with regard to institutional deaths. They have for the first time been tabulated by cause, an arrangement from which much information of interest emerges, some of which is referred to in commenting upon the various causes of death. Deaths from the chief infectious diseases, those selected for tabulation by secondary causes in 1911, have been tabulated by age as well as cause, and in all cases the nature of the institution and the class of area to which the deceased belonged have been distinguished.

It will be possible here to comment only on the figures relating to deaths from all causes, which can to some extent be compared with those tabulated in former years. These are shown on page 309 where it may be seen that 55,570 deaths occurred in Poor Law Institutions (workhouses and workhouse infirmaries), 39,899 in hospitals, 10,636 in lunatic asylums, and 537 in nursing homes. Excluding the latter, which have not hitherto been separately tabulated, these numbers yield the proportions in the following table, which is continued from previous Reports :—

TABLE LXXVII.

Public Institutions.	Percentage of Total Deaths.		Rate per 1,000 living.	
	Ten years, 1901-10.	1911.	Ten years, 1901-10.	1911.
Workhouses and Workhouse Infirmaries.	9.53	10.53	1.46	1.54
Hospitals	6.46	7.56	0.99	1.10
Lunatic and Idiot Asylums	1.89	2.02	0.29	0.29

Table LXXVIII. shows that the proportion of institutional deaths is much higher in the male sex and varies enormously in different areas. It is highest in London and decreases regularly in both sexes to a minimum in the rural districts ; and it must be remembered that but for transference of deaths to the areas of residence of the deceased these differences would doubtless be even greater than they are. It is natural that the most highly organised communities should show the largest proportions of institutional deaths, and in this connexion it may be noted that the gap between London and the county boroughs is by far the greatest in the series. The proportion of asylum deaths in London is especially remarkable, for in regard to these cases organisation is now very complete throughout the whole country. Even here, however, the difference is to some extent dependent merely upon varying organisation, for on January 1st, 1911, 98.4 per cent. of the pauper insane in London were maintained in asylums as against 85.2 per cent. in the country at large (Sixty-fifth Report of the Commissioners in Lunacy, pt. I., page 5.) The difference is largely accounted for by the fact that London possesses special institutions for imbeciles, who elsewhere are chiefly detained in workhouses: Whether or no the remaining excess of deaths in London institutions, after allowance has been made for the facts quoted above, points to a corresponding excess of insanity in London is not a matter for discussion in this Report.

The fact that the corresponding proportions for the rural districts are slightly above the average is probably without significance. Asylums are very largely situated in rural districts, and when, as often happens, the district in which a dead inmate resided previous to admission cannot be ascertained, or the inmate had no fixed residence prior to admission, the death is necessarily allocated to the district in which it occurred.

TABLE LXXVIII.—DEATHS OCCURRING in VARIOUS CLASSES of INSTITUTIONS PER CENT. of TOTAL DEATHS, 1911.

Place of Death.	Males.					Females.				
	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
Poor Law Institutions ...	24·2	14·2	8·5	6·6	12·1	20·4	10·3	5·8	4·4	8·9
Hospitals ...	16·6	9·3	6·7	4·7	8·5	13·8	7·2	5·0	3·7	6·6
Lunatic and Idiot Asylums ...	3·5	1·7	1·7	2·2	2·0	3·8	1·6	1·6	2·3	2·0
Nursing Homes ...	0·2	0·1	0·1	0·1	0·1	0·3	0·1	0·1	0·1	0·1
Institutions in general ...	44·5	25·3	17·0	13·6	22·7	38·3	19·2	12·5	10·5	17·6
Elsewhere than Institutions...	55·5	74·7	83·0	86·4	77·3	61·7	80·8	87·5	89·5	82·4

It is a remarkable fact that almost a quarter of the deaths of London males occurred in the workhouse, and over one-fifth of those of London females. Probably this implies that the London poor are much better cared for in illness on the whole than their fellows elsewhere, and may help to explain why London mortality from many causes of deaths is lower than that of the county boroughs.

UNITED KINGDOM.

Population.

The first complete census of the United Kingdom was taken in 1821, when the population numbered 20,893,584 persons; during the 90 years, 1821–1911, the population more than doubled itself, the numbers enumerated at the beginning of April, 1911, amounting to 45,221,615 persons.

The method adopted, in the absence of precise information as to migration, for estimating the population of England and Wales, has been described on page xii. The populations of the several divisions of the United Kingdom are provisionally estimated as follows:—

TABLE LXXIX.—POPULATION ESTIMATED to the MIDDLE of the YEAR 1911.

	Persons.	Males.	Females.
England and Wales	36,163,833	17,490,847	18,672,986
Scotland	4,749,673	2,302,865	2,446,808
Ireland	4,383,608	2,188,155	2,195,453
United Kingdom	45,297,114	21,981,867	23,315,247

Marriages.

The marriages in the United Kingdom during the year 1911 numbered 330,227, corresponding to a rate of 14·6 persons married per 1,000 of the population at all ages.

This rate was 0·3 per 1,000 above the corresponding rate in 1910 and 0·2 per 1,000 below the average rate in the ten years, 1901–1910.

TABLE LXXX.

	Marriages, 1911.	Persons Married to 1,000 Living.	
		Ten Years, 1901-1910.	1911.
England and Wales	274,943	15·5	15·2
Scotland	31,811	13·8	13·4
Ireland	23,473	10·3	10·7
United Kingdom	330,227	14·8	14·6

Births.

The births registered in the United Kingdom in the year 1911 numbered 1,104,707 and were in the proportion of 24·4 per 1,000 of the population at all ages.

This rate was 0·6 per 1,000 below the corresponding rate in 1910 ; compared with the average in the ten years 1901-1910 the birth-rate in 1911 showed a decrease of 2·5 per 1,000.

TABLE LXXXI.

	Births, 1911.	Births to 1,000 Living.	
		Ten Years, 1901-1910.	1911.
England and Wales	881,138	27·2	24·4
Scotland	121,811	28·4	25·6
Ireland	101,758	23·3	23·2
United Kingdom	1,104,707	26·9	24·4

Deaths.

The deaths registered in the United Kingdom in the year 1911 numbered 672,011 and were in the proportion of 14·8 per 1,000 of the population at all ages.

This rate was 0·8 per 1,000 above the corresponding rate in 1910 ; compared with the average in the ten years 1901-1910 the death-rate in 1911 showed a decrease of 0·9 per 1,000.

TABLE LXXXII.

	Deaths, 1911.	Deaths to 1,000 living.	
		Ten years, 1901-1910.	1911.
England and Wales	527,810	15·4	14·6
Scotland	71,726	16·6	15·1
Ireland	72,475	17·4	16·5
United Kingdom	672,011	15·7	14·8

Infantile Mortality.

The following Table shows the proportion of deaths of infants under one year of age to 1,000 births in each division of the United Kingdom. At the time of going to press the figures for Scotland relating to the year 1911 were not available.

TABLE LXXXIII.

						Deaths under 1 year to 1,000 Births.	
						1901-1910.	1911.
England and Wales	127	130
Scotland	116	108*
Ireland	96	94
United Kingdom						123	—

In Table 37, pages 107, 109, 113 and 114, the population, marriages, births, deaths and principal causes of death are given for a series of years for the United Kingdom and for each of its three divisions.

MORTALITY IN THE ARMY.

The average regimental strength of the British Army at home and abroad during the year 1911 was 243,414, and the deaths during the year numbered 822, giving a death-rate of 3·4 per 1,000, as compared with 4·8, 3·9, and 3·4 per 1,000, respectively, in the three preceding years. The mortality in the Army abroad was 4·4 per 1,000, against 6·9, 4·8, and 4·3 in the three preceding years; whilst the mortality in the Army at home was 2·5, per 1,000, against 2·6, 3·1, and 2·5 (Table 33).

MORTALITY IN THE NAVY.

The average strength of the service afloat during the year 1911 was 117,100, and the deaths during the year numbered 366, being in the proportion of 3·12 per 1,000 of the strength, against an average of 3·44 per 1,000 in the six years immediately preceding. Of the 366 deaths in 1911, 260 were caused by disease and 106 by violence; the death-rate from disease was therefore 2·22 per 1,000, and that from violence 0·90 per 1,000. Of the 106 deaths by violence, 43 were due to drowning, and 4 to heatstroke, while 12 were cases of suicide.

BIRTHS AND DEATHS AT SEA.

Marine Register Book.—In accordance with the Births and Deaths Registration Act of 1874 and the Merchant Shipping Act of 1894, Commanding Officers of ships trading to or from British ports are required, under penalty, to transmit returns of all births and deaths occurring on board their ships to the Registrar-General of Shipping and Seamen, who furnishes certified copies of such returns to the Registrars-General of Births and Deaths for England, Scotland, and Ireland. Similar returns are furnished to the Registrars-General of Births and Deaths by officers in charge of His Majesty's ships. These returns of births and deaths at sea constitute the "Marine Register Book." During the year 1911, this register was increased by the addition of 231 entries of birth and 2,839 entries of death.

Mercantile Marine.—A return received from the Marine Department of the Board of Trade shows the number of, and the mortality among, masters and seamen employed in sea-going vessels (excluding fishing vessels and yachts) registered in the United Kingdom and the Isle of Man under the Merchant Shipping Act in the years 1891-1911. In the year 1910 the number employed was 242,787, of whom 19,364 were employed in sailing vessels, being 2,106 fewer than in the preceding year, and 223,423 in steam vessels, being 3,394 more than in the preceding year.

The reported deaths from all causes in sailing or steam vessels during the year ended 30th June 1911, numbered 2,204, of which 1,163 resulted from disease, suicide, &c., 552 from wreck or casualty to ship, and 489 from accident other than wreck or casualty to ship, showing a death-rate from all causes of 9·1 per 1,000 of the strength; this rate was 0·3 per 1,000 below the mean rate in the previous five years. (Table 35.)

PROGRESS OF REGISTRATION.

The names in the alphabetical indexes of births, deaths, and marriages recorded in the national registers of England and Wales were increased during the year 1911 by

* This proportion relates to the year 1910.

1,958,834, this addition raising the total of names in the indexes, which at the end of 1911 embraced a period of $74\frac{1}{2}$ years, to 122,570,089.

The following statements as to the number of prosecutions for offences against the Registration Acts and searches in the registers in connexion with old age pensions have been prepared by the Secretary :—

OFFENCES AGAINST THE REGISTRATION ACTS.

In 1911, 19 persons, on prosecution by order of the Registrar-General, were convicted of different offences against the Registration Acts. The offences for which convictions were obtained were as under :—

For failing to comply with a requisition to register a birth or death	1
For giving a false age when registering the death of an old-age pensioner	11
For otherwise giving false information to the registrar when registering a birth or death	5
For falsifying certificate of birth or death and using same as true ...	1
For falsifying a certificate of cause of death and using the same as true	1

Proceedings were taken by the Public Prosecutor in several cases of false notice and declaration for marriage, and of forged consent for marriage.

SEARCHES AND CERTIFICATES.

Besides the certified copies of the registered births, deaths, and marriages kept in England and Wales pursuant to the Registration Acts, a large number of other registers and records are deposited in this Office under statute or other arrangement. A list of these various registers and records will be found on pages xxix.—xxxii. of the Annual Report for 1895. Searches may be made in any of these registers, and certificates obtained on payment of the prescribed fees.

During the 52 weeks ended 28th December, 1911, the total number of searches was 75,005, and of certificates issued 56,364. The total amount received in fees was 10,875*l.* 6*s.*

TABLE LXXXIV.

Years.	Total Searches.	Certificates Issued.	Amount Received.
			£ s. d.
1866 (52 weeks)	12,135	10,017	1,860 15 6
1875 (52 weeks)	26,356	20,282	3,879 15 6
1885 (52 weeks)	36,450	27,682	5,317 13 6
1895 (52 weeks)	53,289	35,727	7,200 12 6
1896 (53 weeks)	57,444	37,435	7,600 0 6
1897 (52 weeks)	58,664	37,485	7,686 8 6
1898 (52 weeks)	63,825	41,143	8,450 19 6
1899 (52 weeks)	57,670	44,793	8,551 19 6
1900 (52 weeks)	57,895	45,479	8,658 9 6
1901 (52 weeks)	58,445	45,254	8,645 10 0
1902 (53 weeks)	61,437	48,262	9,177 15 0
1903 (52 weeks)	63,519	49,469	9,437 9 6
1904 (52 weeks)	62,270	48,658	9,274 12 0
1905 (52 weeks)	65,142	50,310	9,611 9 0
1906 (52 weeks)	64,340	49,429	9,458 6 0
1907 (52 weeks)	69,249	53,058	10,194 9 0
1908 (53 weeks)	72,370	54,870	10,550 8 0
1909 (52 weeks)	73,543	54,674	10,568 8 0
1910 (52 weeks)	75,369	57,015	10,939 5 6
1911 (52 weeks)	75,005	56,364	10,875 6 0

Table 30 affords an indication of the extent to which the records in this Office have been utilised by the public for legal evidence of births, deaths, and marriages since 1866.

In addition to the above 65,491 searches have been made free of charge for the purpose of verifying the ages of persons claiming old age pensions.

T. H. C. STEVENSON.

METEOROLOGY OF THE YEAR 1911.

REMARKS ON THE CONSPICUOUS METEOROLOGICAL OCCURRENCES IN THE BRITISH ISLES
in 1911.

(Prepared in the Meteorological Office under the direction of
W. N. SHAW, Esq., LL.D., Sc.D., F.R.S.)

The following remarks on the most striking meteorological events of the year 1911 are based on numerous reports and records.

1. *Gales*.—The year witnessed a continuation of the comparatively quiet period which has been in the ascendant over the United Kingdom for several years past, storms of any great violence affecting the greater portion of the country being uncommon even in the winter months. An unsettled type of conditions marked the opening days of January, so that strong or high winds from almost all directions were experienced on nearly all coasts. On the 2nd the Northerly gradient over the North Sea was steep, resulting in severe weather off the east coast of Britain, the force of a strong gale (force 9) being felt in many localities between Shetland and Norfolk, and a whole gale (force 10) at the Outer Farne, Flamborough Head and Spurn Head, the duration of the gale at these three points being, respectively, 33, 36 and 24 hours. The gale was felt as far west as the Welsh coast. A large disturbance, which appeared off our north-western coasts on the evening of the 10th, made a rapid transit eastward across Scotland to and beyond southern Sweden. When its centre had reached the eastern side of the North Sea, on the evening of the 11th, a secondary was formed over the Irish Sea, and starting off on an unusual path it passed southward across Spain to Morocco. While these depressions were in our neighbourhood an extensive anticyclone occupied the eastern portion of the Atlantic, and a steep gradient for Northerly winds was thus formed, the result being a severe gale between the night of the 10th and the morning of the 13th. The strength of the whole gale was experienced at Malin Head, Rathlin Island, Bahama Bank, the North-West Lightship, Bardsey Island, Lundy, Trevoise Head, the Owers, Spurn Head, the Outer Farne, and St. Abbs Head; and a storm (force 11) at Rathlin O'Beirne, Scilly and the Casquets. In several neighbourhoods the duration of the gale was 30 or 32 hours. From the middle of January till the middle of February there were only a few instances of the wind attaining the strength of a gale on any section of our coasts. The second half of February was very disturbed, and gale force was frequent. Between the 16th and 19th a South-Westerly to Westerly gale occurred on many coasts, but only in four isolated situations did it amount to a whole gale. Practically the whole country was involved in the South-Westerly to Westerly gale of the 22nd to the 24th, a whole gale at a number of places in the west, locally on the east coast; a storm at the North-West Lightship; a hurricane (force 12) at Loop Head. At Eagle Island, Mayo, the gale lasted 40 hours, and at Bardsey 42 hours. A Northerly gale on many parts of the English and Irish coasts between March 12th and 14th occurred during the development of a shallow secondary disturbance which appeared beyond Ireland, and became a primary system as it moved along the south coast of England to Belgium. A whole gale blew at Dover, Spurn Head and Flamborough Head. An interesting feature of the North-Easterly gale of March 25th to 27th on the south and east coasts of England was that it resulted from the movement southward of an anticyclone from Iceland to Scotland, at the same time that a depression moved up from Italy to the north of France, so that the gradient between them became very steep. On the Kentish coast a whole gale to storm force was reported. The occasional gales of the summer months were more local in their character, and in a few instances the force of a strong gale was attained. Towards the close of September a shallow disturbance moved across the upper part of the Atlantic, and on the evening of the 29th, when its centre had arrived on the north-west coast of Ireland, the barometer was at about 30 in. Continuing its advance to the North of England, the system deepened rapidly and developed great energy. Next morning the barometer was down to 29·5 in. on the Yorkshire coast, and by evening, when the centre had reached Holland, pressure was still further reduced to less than 29·2 in. Rough weather became general, and the gale of September 30th was one of the worst of the year, especially over England and the North Sea, resulting in numbers of casualties

on land and sea. Down the east coast of England the wind blew with the strength of a whole gale, and at the East Goodwin a storm. In the middle of October, a very unsettled South-Westerly type set in, and it was maintained until nearly the close of the following January. Gales were now frequent, and many of them severe. A strong or whole gale occurred almost every day between October 21st and 31st, the most extensive being on the 29th and 30th, when a whole gale was felt on the northern, western and southern coasts, a storm at the Flannan Isles and at Malin Head. At Bardsey the gale lasted 45 hours, and at Cape Wrath 48 hours. Very severe weather ruled from November 3rd to 6th, the records of storm force alone, mainly on the north-western and north-eastern coasts, being too numerous to be detailed. Hurricane force was reported at Sule Skerry, the Maidens (coast of Down) and Bahama Bank. The duration of the gale was 51 hours at Bardsey and Smith's Knoll, 54 hours at Ardnamurchan, and 57 hours at Lundy. Several local gales or strong gales occurred during the remainder of the month. Many parts of the English and Irish coasts had a gale between December 4th and 7th, a whole gale at a considerable number of places, a storm at the Fastnet and at Rathlin Island. England generally suffered on the 10th and 11th, a whole gale on the Bristol and English Channels and off the Thames Estuary, a storm at Lundy, where the gale held through 45 hours. Ireland and western and southern England had another gale on the 13th, a whole gale on the western channels. Until Christmas, gales or strong gales were of daily occurrence. Anemometrical records at 33 stations show the following instances of mean hourly wind velocities of more than 60 miles in an hour :—

November 5th, Eskdalemuir, 62.

December 6th–7th, Pendennis, 64.

„ 13th, Pendennis, 61.

The highest velocities per hour attained in gusts of short duration were 80 miles at Southport, and 90 miles at Eskdalemuir on November 5th, and 88 miles at Roche's Point on December 18th. (For detailed records of velocities, *see* Appendix III. of the Weekly Weather Report.)

2. *Rainfall*.—As a result of the unusually long period of dry weather, which lasted practically from January to the middle of October, the precipitation for the whole year was nearly everywhere below the normal. In many parts of England and eastern Scotland the total fall was less than 20 in., 18 in. at Kingston-on-Soar, 17·4 in. at Shrewsbury, and 17·1 in. at Dundee, against 84·9 in. at Fort William, 87·6 in. at Glencarron, 91 in. at Bendamph, and 148·1 in. at Seathwaite. The Dundee record was only 59 per cent. of the normal, Malin Head had 21·9 in., or 68 per cent.; Guernsey (Brooklyn), 27·1 in., 72 per cent.; Cheadle, 23·8 in., 73 per cent.; and Birmingham, 20·4 in., 74 per cent. The relatively heaviest totals were Inverary, 83·6 in., 122 per cent.; Poltalloch, 63 in., 123 per cent.; and Dungeness, 28·9 in., 127 per cent. There was a marked decrease in the frequency of precipitation, the rain days numbering less than 200 in most localities. They ranged from 135 at Tottenham, 141 at Portsmouth and Dulwich, 142 at Teignmouth, Shoburyness and Clacton, and 143 at Portland Bill, Brighton and Bexhill to 241 at Glencarron, 263 at Stornoway, and 285 at Baltasound. In all months there were rainfalls of 2 in. and upwards in a day. January 5th, Gruline, 2·1 in.; 10th, Cruachan, 2·1 in.; February 17th, Cruachan and Inverary, 2·4 in.; 18th, Seathwaite, 3·7 in.; 21st, Arncliffe, 2·1 in.; March 1st, Seathwaite, 2·4 in.; April 25th, Seathwaite, 2·2 in.; May 1st, Gruline, 2·1 in.; 2nd, Caragh Lake, 2·2 in.; 31st, Epsom, 2·9 in. (2·4 in. in 50 minutes); June 23rd, St. Asaph, 2·3 in., Uldale, 3·2 in.; 24th, Bethesda, 2 in., Cockle Park, 2·1 in., Tynemouth, 2·2 in., Leeds, 2·3 in., Alnwick and Shields, 2·6 in., and Marchmont, 2·7 in.; July 29th, Kilkenny, 2·2 in.; August 31st, Cruachan, 2·3 in., Inverary, 2·5 in.; September 25th, Roche's Point, 3 in.; October 13th, Jersey, 2·4 in.; 29th, Colmonell and Kirkby Lonsdale, 2 in., Inverary, 2·1 in., Graythwaite, 2·3 in., Eskdalemuir, 2·5 in., Caragh Lake, 2·8 in., Cruachan, 3·2 in., Ambleside, 4·2 in., and Seathwaite, 7 in.; November 3rd, Seathwaite, 3·3 in.; 5th, Cruachan, 2·1 in., and 8th, 2 in.; 14th, Caragh Lake, 2·5 in.; and December 6th, Sheepstor, 2 in.; 10th, Seathwaite, 3·2 in.; 15th, Crathes, 2 in.; and 23rd, Gruline, 2·1 in. December was exceptionally wet, with from 28 to 31 rain days in many places, and locally (Portsmouth, Hereford and Salisbury) the rainfall was more than three times the normal.

3. *Snowstorms*.—The general mildness of the early and late months was not conducive to great falls of snow, and no storm of any importance occurred during the year. There were few occasions when observers considered the depth of snow worth measuring, the majority of those registered being about an inch. At Ardress Castle there was a fall of 3 in. on January 12th; at Mareham-le-Fen, 4 in. on March 14th; at

Heathfield (Sussex), 6 in. during a North-Easterly gale in the night of March 25th–26th, and 4 in. at the same place on April 4th. On Midsummer Day, June 24th, flakes of snow fell at Eskdalemuir Observatory. Deep snow fell at Sumburgh Head on October 26th, the yield of water being 0·3 in. After a two days' fall at Ardross, November 16th and 17th, the depth was 6 in., yielding nearly 0·7 in. of water. Lampeter had a heavy fall on the 19th (0·9 in. of water). There was heavy snow at Carrigoran (Clare) on December 22nd, rain gauge record 0·8 in.

4. *Thunderstorms*.—Considering the intense heat of the summer months electrical disturbances were not nearly so frequent as might have been expected. There were thunderstorms in all months, but as a rule they were of an unimportant character. From May 10th to 14th practically all parts of the kingdom were affected, in some cases noted as severe or terrific, causing much destruction of live stock and farm produce in Wiltshire on the 10th; structural and other damage in and around London on the 11th and 13th; and of farming stock at Kirkby Lonsdale on the 14th. In places the storms brought little or no rain, and at Sheepstor there were rainless thunderstorms on three successive days. Between May 25th and June 4th severe storms were felt, mostly in English districts. During one in the night of the 25th–26th the bromtometer record at Epsom showed 1,797 flashes of lightning in 6 hours 50 minutes, the largest number in a minute being 22, in 5 minutes, 98, and in one hour, 581. The great storm of May 31st visited a wide area in England and extended into southern Scotland. In some of the southern counties it was of terrific violence, with torrential rain locally, rainless or nearly so in places. It burst over Epsom as the vast concourse of visitors to the Derby began to disperse. In 15 minutes there were 159 flashes of sheet and fork lightning; in 50 minutes there were $2\frac{1}{2}$ in. of rain; and within a radius of 3 miles from the course three persons were killed, 14 injured, 4 horses killed, and 3 hayricks fired. On June 1st Devon and Cornwall suffered from a very severe storm of thunder, lightning, rain and hail, many cattle being killed, and much other damage being done. At Fortrose, Ross-shire, on the same day, there was a terrific storm lasting 40 minutes, which produced only 0·1 in. of rain. The storms round Midsummer presented no unusual features, and it was not until July 28th that southern and eastern England had a sharp visitation, which was of excessive violence over some parts of the Metropolis. It was the prelude to the greatest thunderstorm of the year, which broke over the whole of England and Ireland on the 29th, while the only record in Scotland was thunder only at Kilmarnock. Rain fell heavily in many districts, railway traffic was suspended on two Irish lines, and a remarkable dust storm was experienced over South Wales—coming from the Bristol Channel—and in several of the southern English counties, as far east as Kent, while a severe line squall swept across the country from south-west to north-east, an unusual tidal disturbance was observed at some places. (Detailed discussions of the storms of May 31st and July 29th will appear in a future issue of the *Quarterly Journal* of the Royal Meteorological Society.) On the 30th the storm extended northward across Scotland, being severe and prolonged in Orkney and Shetland, where, however, the rainfall was very slight, 0·02 in. at Deerness, and 0·03 in. at Sumburgh Head. The experiences of the remaining five months of the year call for no special comment.

5. *Dry Periods*.—A long succession of rainless spells marked the year, dry weather being in the ascendant through a period of more than nine months (41 weeks). A little rain fell in the first ten days of January, then a drought set in over a considerable area, lasting more than three weeks in many localities, four weeks in Wicklow and at Mayfield (Staffs.), 29 days about Bath, the Forest of Dean, Birmingham and Colwyn Bay, and 37 days, January 12th to February 17th, at Dursley (Glos.). From about March 13th a second drought occurred in the northern and north-western districts, lasting 29 days at Graythwaite (Lancs.) and 30 days at Gruline (Mull). Towards the end of March a third set in over south-eastern England, 19 rainless days at Brandon, Suffolk; 20 days at Beaconsfield. The fourth commenced early in May in the west of England, and held for three weeks or longer; 23 days at Sheepstor, and 26 at Fowey. About the middle of the month it spread over a great part of the kingdom, and was maintained through between three and five weeks, rainless for 30 days at Killiney, 31 at Barnstaple, 32 at Brighton and Eastbourne, and 34 at Newcastle, Wicklow. On the last day of June or early in July the sixth dry spell set in over southern England, unbroken for four weeks in many localities, 29 days at Fowey, Torquay, Teignmouth, Portland Bill and Weymouth, 31 days at Bath. Several stations returned less than 0·1 in. of rain for the whole month. The seventh, and last, drought of the series was felt mainly over south-eastern England from the opening days of August, numerous stations returning no rain on 18 consecutive days, New Barnet on 19 days. There was no absolute drought in

September, but the month was of a dry character, and in various districts there were 10 to 12 rainless days in succession. Until about October 19th the rainfall continued to be deficient in frequency and in quantity. With the break-up of the droughty conditions the weather became extremely wet for the remainder of the year.

6. *Temperature*.—One of the most striking features of the year was the persistency of mildness in all seasons, and in particular the intense heat of the summer. Temperatures of 80° to 85° occurred in various localities between May 27th and June 9th, but on July 5th, a remarkable hot spell set in, and it was maintained, with some variations, through ten weeks. In Ireland and Scotland the maximum heat was attained on July 12th and 13th, 87° at Limerick and Mountmellick, 88° at Cahir, Kilkenny, Killarney, Balmoral and Colmonell, and 89° at Crieff. In England 90° was exceeded on several days, the hottest being August 9th, 97° at Camden Square, London, Wokingham and Hillington, 98° at Raunds, and 100° at Greenwich (in the Glaisher screen; the value recorded in the Stevenson screen was 97°), the highest ever recorded in this country. During a period of 70 consecutive days, July 5th to September 12th, the mean of the daily maximum readings at Greenwich was 82° , or 9° above the 65 years' average for those days; the mean of the night minima being 56° , an excess of 3° . Temperature rose to 80° and upwards on as many as 42 days, and 90° and upwards on eight days. In the course of the year no station in the kingdom escaped frost, but there was comparative freedom from frosts of any great severity, the sharpest occurring over the country generally on February 1st or 2nd, when the shade minimum was below 20° at a considerable number of stations, 13° at Wokingham, Mayfield and Llangammarch Wells; 11° at Balmoral, and 10° at Garforth. Much damage to vegetation was occasioned in several districts by a frost in the middle of June, the shade temperature descending to between 28° and 31° in places. Similar damage was caused by severe cold on the afternoon of April 5th, when the temperature was from 26° to 32° at several southern stations. The range of temperature for the year exceeded 70° over a great part of the country, 80° at Cambridge and Marlborough, 81° at Kingston-on-Soar and Rugby, and 84° at Raunds and Wokingham. At some coast stations it was less than 50° , at Baltasound 43° , and at Donaghadee 42° . The mean temperature was above the average, by 2° or more in several localities, just over $2\frac{1}{2}^{\circ}$ at Cheltenham and Westminster.

7. *Bright Sunshine*.—Everywhere there was an excess of insolation, the percentages of duration ranging from 101 at Scilly, 103 at Phoenix Park, Dublin, 105 at Strathpeffer, and at 108 at Deerness to 127 at Bunhill Row, London, 131 at Blackpool, and 139 at Westminster. The smallest total was 1,046 hours at Fort Augustus. Many southern stations exceeded 2,000 hours: Bournemouth, 2,142; Felixstowe, 2,146; Hastings, 2,147; and Eastbourne, 2,158 hours, this last being an excess of 419 hours, while Blackpool had an excess of 434 hours, and Westminster of 448 hours. The summer months were exceptionally brilliant. At Westminster, for instance, the total duration for the six months, April to September, was 1,326 hours, or 148 per cent. of the normal, the excess amounting to 433 hours.

8. *Fog*.—As in several previous years fog was again infrequent over the inland districts, and very rarely presented features worthy of special mention on the part of observers. Lincoln was visited by a dense, black fog on January 19th, regarded as the thickest seen in the city for over 20 years. The last week of March was rather foggy generally, and from the 28th to the 31st was dense over several counties. There was an increasing tendency for land fogs in the closing days of December. Sea fogs along the coasts were neither so frequent nor so dense as in ordinary years, and no great shipping casualties due to fog were reported.

9. *Barometer*.—The mean pressure for the year was a little above the normal all round, by 0.02 in. at Dungeness and Portland Bill, 0.06 in. at Stornoway and Leith. The values indicated a low pressure area off the south-west of Iceland, below 29.7 in., increasing to 30 in. over southern England and slightly higher over France. In the south of England the highest pressure occurred on January 18th, 30.82 in. at Jersey and Newquay; in all other districts on February 1st, 30.85 in. at Donaghadee, and 30.86 in. at Castlebay. The lowest readings were 28.29 in. at Sumburgh Head on February 23rd, and 28.09 in. at Lerwick on November 5th. For the year the range of pressure varied between 2 in. in the south-western districts and $2\frac{3}{4}$ in. at Stornoway.

10. *Floods*.—Consequent upon very heavy thunder rains on May 13th, mountain streams in Ayrshire and Wigtownshire became raging torrents, which damaged a railway, washed away a railway bridge, caused several landslips, and uprooted trees. In Northumberland the Hareshaw Burn overflowed, destroyed some houses and shops,

flooded many others, and washed away a road. At Bromyard, Herefordshire, the Frome was in flood on the 26th, after a rainfall of 1.5 in. in eight hours. Next day Devon and Cornwall suffered from the flooded state of the rivers, following torrential thunderstorm rains. The western suburbs of London were flooded by the great downpour on the evening of the 31st, the railway lines being submerged in places, and the train service delayed. There was a great flood in the valley of the Bandon on November 15th. As Dunmanway 3.75 in. of rain had fallen in 40 hours. The persistent and heavy rains of December caused floods in many districts—in Cumberland on the 6th and 10th, Herefordshire on the 15th, and subsequently extensive and destructive ones along the Shannon and in South Wales, more especially in the Swansea and Neath Valleys. There was also much flood water in the Nen (Northants) and Thames Valleys.

11. *Earthquake*.—At Mungret College, Limerick, an earthquake shock was recorded from August 16th, 11.1 p.m., to 17th, 1.20 a.m. (See the *Geophysical Journal* for records of seismic disturbances.)

12. *Aurora Borealis*.—Auroral displays were witnessed occasionally in the first three and the last three months, but as a rule they seem to have been of an ordinary character. At Baltasound, on January 24th, there was a very fine display, showing red, green and yellow streamers. On August 23rd it was a very bright green at Sumburgh Head, and on December 12th a brilliant display was reported at Bidston Observatory, Liverpool.

13. *Various*.—Buxton was visited by a curious gloom and darkness after midday on April 2nd. Southport experienced a dust storm from S. by E. on April 19th. At Saffron Walden, from 5 p.m. to 6 p.m. on August 7th, Aquila, Vega and about 20 other stars were visible in a cloudless sky, and with brilliant sunshine. On October 31st, at 3 p.m., there was great darkness at Norwich.

14. *Observations in the Upper Air*.—In the Weekly Weather Report details have been published of 103 ascents of kites or captive balloons, 39 pilot balloons, and 58 registering balloons. Of the latter 49 reached the advective regions. The greatest heights attained were, with kites, 1,550 metres from Pyrton Hill on January 24th and December 4th; with pilot balloons, 16 kilometres from Pyrton Hill on June 8th; and with registering balloons, 25 kilometres from Manchester on August 3rd. The lowest temperature observed was 202° A. or —71° C. at 13 kilometres on January 17th, and at 12.3 km. on February 1st, in ascents from Pyrton Hill; this is the lowest hitherto recorded in the region of the British Isles. A summary of the results will be published in a special supplement.

In continuation of the remarks given in previous annual reports, the following notes refer exclusively to the stations, the results from which are included in the tables already printed in the Quarterly Returns:—

The highest temperatures of the air were at Greenwich, 100°; Camden Square and Hillington, 97°; and at Tottenham, Westminster, Dulwich, Salisbury, Cambridge, Berkhamsted, and Lincoln, 96°.

The lowest temperatures were at Llangammarch Wells, 13°; Buxton, 15°; and at Shrewsbury and Cambridge, 16°.

The heaviest totals of rain at any of the stations were at Llangammarch Wells, 50.7 in.; Stonyhurst, 44.2 in.; and at Aspatria, 40.8 in.

The least falls of rain were at Shrewsbury, 17.4 in.; at Clacton, 18.6 in.; and at Lincoln, 18.9 in.

The greatest number of days of rain was at Cromer, 233; Hillington, 216; and at Llangammarch Wells, 213.

The least number of days of rain was at Tottenham, 135; Dulwich and Portsmouth, 141; and at Clacton, 142.

The highest temperatures in the sun were at the Royal Observatory, Greenwich, 162°, 161°, and 153°.

The lowest temperatures on the grass were at Llangammarch Wells, 1° and 9°; Birmingham, 6°; and at Coventry and Wistanstow, 9°.

The greatest number of days of temperature on the grass at 30° or below was at Llangammarch Wells, 158, and at Berkhamsted, 126.

T A B L E S.

TABLE 1.—UNITED KINGDOM: POPULATION of its several PORTIONS ESTIMATED to the
in the BRITISH SEAS, and of the PORTIONS of

YEAR.	UNITED KINGDOM. AREA 77,651,414 ACRES.			ENGLAND AND WALES. AREA 37,337,537 ACRES.†		
	Persons.	Males.	Females.	Persons.	Males.	Females.
1862	29,244,609	14,218,786	15,025,823	20,371,013	9,923,272	10,447,741
1863	29,470,969	14,329,606	15,141,363	20,625,855	10,046,909	10,578,946
1864	29,680,439	14,431,944	15,248,495	20,883,889	10,172,089	10,711,800
1865	29,925,179	14,552,747	15,372,432	21,145,151	10,298,826	10,846,325
1866	30,147,756	14,656,116	15,491,640	21,409,684	10,427,146	10,982,538
1867	30,409,135	14,781,925	15,627,210	21,677,525	10,557,066	11,120,459
1868	30,689,980	14,917,164	15,772,816	21,948,713	10,688,600	11,260,113
1869	30,978,282	15,056,680	15,921,602	22,223,299	10,821,775	11,401,524
1870	31,256,540	15,189,552	16,066,988	22,501,316	10,956,608	11,544,708
1871	31,555,699	15,331,182	16,224,517	22,788,594	11,092,620	11,695,974
1872	31,874,184	15,485,220	16,388,964	23,096,495	11,242,495	11,854,000
1873	32,177,551	15,630,140	16,547,411	23,408,556	11,394,394	12,014,162
1874	32,501,517	15,788,489	16,713,028	23,724,834	11,548,346	12,176,488
1875	32,838,758	15,957,608	16,881,150	24,045,385	11,704,378	12,341,007
1876	33,199,993	16,138,193	17,061,800	24,370,267	11,862,519	12,507,748
1877	33,575,940	16,325,250	17,250,690	24,699,539	12,022,796	12,676,743
1878	33,943,773	16,508,370	17,435,403	25,033,259	12,185,238	12,848,021
1879	34,304,037	16,688,039	17,615,998	25,371,489	12,349,875	13,021,614
1880	34,622,930	16,844,178	17,778,752	25,714,288	12,516,737	13,197,551
1881	34,934,476	16,995,578	17,938,898	26,046,142	12,673,435	13,372,707
1882	35,206,616	17,122,483	18,084,133	26,334,942	12,808,460	13,526,482
1883	35,449,721	17,237,226	18,212,495	26,626,949	12,944,923	13,682,026
1884	35,724,229	17,367,248	18,356,981	26,922,192	13,082,337	13,839,355
1885	36,015,501	17,505,359	18,510,142	27,220,706	13,222,216	13,998,490
1886	36,313,581	17,646,573	18,667,008	27,522,532	13,363,079	14,159,453
1887	36,599,143	17,780,591	18,818,552	27,827,706	13,505,441	14,322,265
1888	36,881,271	17,912,257	18,969,014	28,136,258	13,649,314	14,486,944
1889	37,178,928	18,052,088	19,126,840	28,448,239	13,794,721	14,653,518
1890	37,484,763	18,196,143	19,288,620	28,763,673	13,941,671	14,822,002
1891	37,802,440	18,346,840	19,455,600	29,085,819	14,092,535	14,993,284
1892	38,134,110	18,504,779	19,629,331	29,421,392	14,252,190	15,169,202
1893	38,490,333	18,674,558	19,815,775	29,760,842	14,413,657	15,347,185
1894	38,859,067	18,851,843	20,007,224	30,104,201	14,576,948	15,527,253
1895	39,221,109	19,027,140	20,193,969	30,451,528	14,742,091	15,709,437
1896	39,599,072	19,209,015	20,390,057	30,802,858	14,909,104	15,893,754
1897	39,987,294	19,396,275	20,591,019	31,158,245	15,078,010	16,080,235
1898	40,380,792	19,586,134	20,794,658	31,517,725	15,248,823	16,268,902
1899	40,774,296	19,774,970	20,999,326	31,881,365	15,421,578	16,459,787
1900	41,154,646	19,956,716	21,197,930	32,249,187	15,596,283	16,652,904
1901	41,538,172	20,142,594	21,395,578	32,612,022	15,769,412	16,842,610
1902	41,892,508	20,317,271	21,575,237	32,950,909	15,933,658	17,017,251
1903	42,246,279	20,492,229	21,754,050	33,293,321	16,099,612	17,193,709
1904	42,610,920	20,671,948	21,938,972	33,639,287	16,267,291	17,371,996
1905	42,980,188	20,852,948	22,127,240	33,988,844	16,436,707	17,552,137
1906	43,360,331	21,037,695	22,322,636	34,342,040	16,607,890	17,734,150
1907	43,736,942	21,220,369	22,516,573	34,698,905	16,780,848	17,918,057
1908	44,122,777	21,409,729	22,713,048	35,059,484	16,955,609	18,103,875
1909	44,518,264	21,603,573	22,914,691	35,423,805	17,132,182	18,291,623
1910	44,914,591	21,796,143	23,118,448	35,791,902	17,310,586	18,481,316
1911	45,297,114	21,981,867	23,315,247	36,163,833	17,490,847	18,672,986

* The Estimates of Population for Scotland and Ireland have been supplied

† Land and inland water.

‡ Land, inland water, tidal water, and foreshore.

§ Including 481,293 acres under the larger rivers, lakes and tideways.

MIDDLE of each of the YEARS 1862-1911, EXCLUSIVE of the POPULATION of the ISLANDS the ARMY, NAVY, and MERCHANT SERVICE ABROAD.

SCOTLAND.* AREA 19,459,155 ACRES.†			IRELAND.* AREA 20,854,722 ACRES.§			YEAR.
Persons.	Males.	Females.	Persons.	Males.	Females.	
3,098,008	1,468,178	1,629,830	5,775,588	2,827,336	2,948,252	1862
3,126,879	1,483,008	1,643,871	5,718,235	2,799,689	2,918,546	1863
3,156,023	1,497,989	1,658,034	5,640,527	2,761,866	2,878,661	1864
3,185,439	1,513,121	1,672,318	5,594,589	2,740,800	2,853,789	1865
3,215,130	1,528,405	1,686,725	5,522,942	2,700,565	2,822,377	1866
3,245,101	1,543,844	1,701,257	5,486,509	2,681,015	2,805,494	1867
3,275,353	1,559,439	1,715,914	5,465,914	2,669,125	2,796,789	1868
3,305,889	1,575,192	1,730,697	5,449,094	2,659,713	2,789,381	1869
3,336,712	1,591,104	1,745,608	5,418,512	2,641,840	2,776,672	1870
3,368,926	1,607,780	1,761,146	5,398,179	2,630,782	2,767,397	1871
3,404,799	1,626,462	1,778,337	5,372,890	2,616,263	2,756,627	1872
3,441,057	1,645,361	1,795,696	5,327,938	2,590,385	2,737,553	1873
3,477,704	1,664,480	1,813,224	5,298,979	2,575,663	2,723,316	1874
3,514,744	1,683,821	1,830,923	5,278,629	2,569,409	2,709,220	1875
3,552,182	1,703,387	1,848,795	5,277,544	2,572,287	2,705,257	1876
3,590,021	1,723,180	1,866,841	5,286,380	2,579,274	2,707,106	1877
3,628,268	1,743,204	1,885,064	5,282,246	2,579,928	2,702,318	1878
3,666,923	1,763,459	1,903,464	5,265,625	2,574,705	2,690,920	1879
3,705,994	1,783,950	1,922,044	5,202,648	2,543,491	2,659,157	1880
3,742,564	1,802,924	1,939,640	5,145,770	2,519,219	2,626,551	1881
3,770,656	1,816,786	1,953,870	5,101,018	2,497,237	2,603,781	1882
3,798,961	1,830,755	1,968,206	5,023,811	2,461,548	2,562,263	1883
3,827,476	1,844,830	1,982,645	4,974,561	2,439,581	2,534,980	1884
3,856,207	1,859,015	1,997,192	4,938,588	2,424,128	2,514,460	1885
3,885,154	1,873,308	2,011,846	4,905,895	2,410,186	2,495,709	1886
3,914,318	1,887,711	2,026,607	4,857,119	2,387,439	2,469,680	1887
3,943,701	1,902,226	2,041,475	4,801,312	2,360,717	2,440,595	1888
3,973,304	1,916,851	2,056,453	4,757,385	2,340,516	2,416,869	1889
4,003,131	1,931,589	2,071,542	4,717,959	2,322,883	2,395,076	1890
4,036,245	1,948,183	2,088,062	4,680,376	2,306,122	2,374,254	1891
4,078,910	1,970,197	2,108,713	4,633,808	2,282,392	2,351,416	1892
4,122,029	1,992,461	2,129,568	4,607,462	2,268,440	2,339,022	1893
4,165,606	2,014,976	2,150,630	4,589,260	2,259,919	2,329,341	1894
4,209,645	2,037,746	2,171,899	4,559,936	2,247,303	2,312,633	1895
4,254,153	2,060,773	2,193,380	4,542,061	2,239,138	2,302,923	1896
4,299,132	2,084,060	2,215,072	4,529,917	2,234,205	2,295,712	1897
4,344,589	2,107,610	2,236,979	4,518,478	2,229,701	2,288,777	1898
4,390,530	2,131,427	2,259,103	4,502,401	2,221,965	2,280,436	1899
4,436,958	2,155,512	2,281,446	4,468,501	2,204,921	2,263,580	1900
4,479,065	2,177,000	2,302,065	4,447,085	2,196,182	2,250,903	1901
4,507,048	2,190,052	2,316,996	4,434,551	2,193,561	2,240,990	1902
4,535,201	2,203,177	2,332,024	4,417,757	2,189,440	2,228,317	1903
4,563,530	2,216,381	2,347,149	4,408,103	2,188,276	2,219,827	1904
4,592,036	2,229,664	2,362,372	4,399,308	2,186,577	2,212,731	1905
4,620,720	2,243,027	2,377,693	4,397,571	2,186,778	2,210,793	1906
4,649,586	2,256,470	2,393,116	4,388,451	2,183,051	2,205,400	1907
4,678,629	2,269,993	2,408,636	4,384,664	2,184,127	2,200,537	1908
4,707,858	2,283,599	2,424,259	4,386,601	2,187,792	2,198,809	1909
4,737,268	2,297,286	2,439,982	4,385,421	2,188,271	2,197,150	1910
4,749,673	2,302,865	2,446,808	4,383,608	2,188,155	2,195,453	1911

by the Registrars-General for those parts of the United Kingdom.

TABLE 2.—ESTIMATED POPULATION OF ENGLAND AND WALES AND MAIN DIVISIONS IN THE MIDDLE OF THE YEAR 1911.

Mortality under one year of age is calculated throughout this Report upon the numbers of births in preference to the populations here given ; and the estimated populations at ages 1-2 years must be used with caution owing to uncertainty in the statement of ages in the Census Returns.

Area.	Sex.	All Ages.	0-1	1-2	2-5	0--	5--	10--	15--	20--	25--	35--	45--	55--	65--	75--	85 Years and upwards.
England and Wales	{ M F	{ 17,490,847 18,672,986	{ 396,168 387,664	{ 375,115 369,709	{ 1,160,997 1,166,082	{ 1,941,280 1,923,455	{ 1,852,192 1,854,463	{ 1,752,176 1,756,672	{ 1,659,169 1,686,089	{ 1,506,574 1,677,365	{ 2,839,154 3,132,701	{ 2,342,549 2,515,851	{ 1,698,638 1,838,513	{ 1,087,813 1,216,197	{ 604,220 759,419	{ 184,307 270,861	{ 22,775 41,400
London	{ M F	{ 2,125,930 2,395,371	{ 49,180 48,292	{ 45,030 44,588	{ 140,307 139,975	{ 234,517 232,855	{ 215,885 217,717	{ 198,973 202,968	{ 193,219 212,390	{ 190,982 237,828	{ 363,536 432,397	{ 293,887 333,142	{ 213,969 240,897	{ 131,629 153,576	{ 68,231 92,597	{ 18,859 33,489	{ 2,243 5,515
County Boroughs *	{ M F	{ 5,246,071 5,697,587	{ 123,199 120,403	{ 115,493 114,340	{ 360,754 360,395	{ 599,446 595,138	{ 560,719 565,479	{ 526,783 536,381	{ 492,036 531,618	{ 453,799 530,548	{ 879,651 980,059	{ 717,563 770,986	{ 504,035 552,000	{ 311,103 352,838	{ 156,402 207,488	{ 40,350 66,264	{ 4,184 8,734
Urban Districts* ...	{ M F	{ 6,160,828 6,618,962	{ 139,855 137,050	{ 133,452 131,421	{ 414,598 413,486	{ 687,905 681,957	{ 653,508 660,391	{ 619,703 623,620	{ 585,846 606,785	{ 534,964 596,405	{ 1,015,179 1,117,454	{ 834,563 897,503	{ 585,936 643,347	{ 369,311 422,888	{ 200,519 262,202	{ 60,099 92,495	{ 7,295 13,915
Rural Districts* ...	{ M F	{ 3,958,018 3,961,066	{ 83,934 81,919	{ 81,140 79,360	{ 254,338 252,226	{ 419,412 413,505	{ 416,080 410,876	{ 406,717 393,703	{ 388,068 335,296	{ 326,829 312,584	{ 580,788 602,791	{ 496,536 514,220	{ 394,698 402,215	{ 275,770 286,895	{ 179,068 197,132	{ 64,999 78,613	{ 9,053 13,236
Northern Counties	{ M F	{ 5,892,722 6,236,513	{ 138,202 135,063	{ 130,268 128,822	{ 402,221 402,052	{ 670,691 665,937	{ 626,236 629,844	{ 592,095 596,840	{ 559,901 576,250	{ 513,453 569,855	{ 975,998 1,067,338	{ 804,030 845,902	{ 567,020 602,133	{ 355,938 387,340	{ 178,072 221,791	{ 45,011 65,741	{ 4,277 7,542
Midland Counties*	{ M F	{ 5,476,833 5,815,243	{ 123,810 121,308	{ 118,693 116,452	{ 371,040 370,258	{ 613,543 608,018	{ 597,243 596,139	{ 567,745 568,496	{ 520,354 526,818	{ 447,548 503,031	{ 862,285 943,741	{ 719,819 766,358	{ 526,914 564,302	{ 343,160 380,346	{ 202,364 248,396	{ 67,097 94,427	{ 8,761 15,171
Southern Counties (including London).*	{ M F	{ 4,883,747 5,427,103	{ 104,380 101,998	{ 98,152 96,864	{ 310,711 307,637	{ 513,243 506,499	{ 493,898 493,400	{ 470,651 469,541	{ 460,663 471,371	{ 433,677 500,582	{ 796,488 931,705	{ 653,120 751,908	{ 490,373 566,048	{ 317,934 379,585	{ 185,475 244,857	{ 60,847 95,196	{ 8,378 16,411
Wales and Monmouth	{ M F	{ 1,237,545 1,194,127	{ 29,776 29,295	{ 28,002 27,571	{ 86,025 86,135	{ 143,803 143,001	{ 135,815 135,080	{ 121,685 121,795	{ 118,251 111,650	{ 111,896 103,897	{ 204,383 189,917	{ 165,580 151,683	{ 114,331 106,030	{ 70,781 68,926	{ 38,309 44,375	{ 11,352 15,497	{ 1,359 2,276
County Boroughs.	{ M F	{ 2,891,369 3,119,410	{ 68,901 67,354	{ 64,365 63,691	{ 200,740 200,760	{ 334,006 331,805	{ 309,155 311,857	{ 290,797 295,307	{ 270,019 289,156	{ 250,109 289,803	{ 487,322 543,888	{ 401,780 427,364	{ 278,036 301,097	{ 169,545 189,467	{ 80,958 106,562	{ 18,089 29,873	{ 1,553 3,231
North*	{ M F	{ 1,544,624 1,680,625	{ 36,689 35,827	{ 34,385 34,064	{ 107,219 107,765	{ 178,293 177,656	{ 168,973 170,115	{ 159,829 162,683	{ 146,071 161,744	{ 129,956 157,508	{ 253,500 282,214	{ 206,643 220,325	{ 146,722 159,343	{ 91,931 102,645	{ 47,716 61,925	{ 13,547 21,511	{ 1,443 2,956
Midlands*	{ M F	{ 576,385 667,897	{ 11,987 11,829	{ 11,512 11,318	{ 36,593 35,700	{ 60,092 58,847	{ 57,309 58,095	{ 53,613 55,033	{ 53,897 57,954	{ 51,933 61,196	{ 98,450 115,557	{ 77,278 93,917	{ 56,957 71,474	{ 36,937 48,852	{ 21,695 32,050	{ 7,194 12,655	{ 1,030 2,267
South*	{ M F	{ 233,693 229,655	{ 5,622 5,393	{ 5,231 5,267	{ 16,202 16,170	{ 27,055 26,830	{ 25,282 25,412	{ 22,544 23,358	{ 22,049 22,764	{ 21,801 22,041	{ 40,379 38,400	{ 31,862 29,380	{ 22,320 20,140	{ 12,690 11,874	{ 6,033 6,951	{ 1,520 2,225	{ 158 280
Wales	{ M F	{ 233,693 229,655	{ 5,622 5,393	{ 5,231 5,267	{ 16,202 16,170	{ 27,055 26,830	{ 25,282 25,412	{ 22,544 23,358	{ 22,049 22,764	{ 21,801 22,041	{ 40,379 38,400	{ 31,862 29,380	{ 22,320 20,140	{ 12,690 11,874	{ 6,033 6,951	{ 1,520 2,225	{ 158 280

Urban Districts.	{	North*	...	M	2,139,594	49,291	46,599	143,085	238,975	225,092	214,344	203,173	188,528	356,488	293,137	203,588	130,637	64,718	16,424	1,490	
				F	2,269,620	48,213	46,463	143,400	238,076	227,428	216,902	209,331	206,969	388,112	309,174	213,746	82,081	24,160	2,743		
	{	Midlands*	M	2,276,562	52,294	50,461	158,316	261,071	252,818	236,198	213,311	185,741	369,793	307,907	213,820	143,155	75,114	23,550	3,084		
			F	2,482,572	51,557	49,669	157,334	258,560	252,009	238,387	229,394	221,070	417,686	334,629	236,115	154,514	97,989	36,438	5,781		
	{	South*	M	1,153,995	23,245	22,345	71,026	116,624	115,446	111,630	113,633	105,632	187,208	152,903	112,940	74,166	45,488	16,035	2,290		
			F	1,309,766	22,460	21,537	70,205	114,202	115,010	110,991	115,847	119,053	221,955	183,207	139,266	95,422	64,168	26,057	4,588		
	{	Wales	M	590,677	15,017	14,047	42,171	71,235	66,152	57,531	55,729	55,063	101,690	80,616	52,588	30,353	15,199	4,090	431		
			F	557,004	14,820	13,752	42,547	71,119	65,944	57,340	52,213	49,313	89,701	70,493	47,068	29,206	17,964	5,840	803		
	Rural Districts.	{	North*	...	M	861,759	20,010	19,304	58,396	97,710	91,989	86,954	86,709	74,816	132,188	109,113	82,396	55,756	32,396	10,498	1,234
					F	847,483	19,496	18,668	57,892	96,056	90,559	84,631	77,763	73,083	135,338	109,364	80,138	54,127	33,148	11,708	1,568
{		Midlands*	M	1,655,647	34,827	33,847	105,505	174,179	175,452	171,718	160,972	131,851	238,992	205,269	166,372	117,074	79,534	30,000	4,234		
			F	1,652,046	33,924	32,719	105,159	171,802	174,015	167,426	135,680	124,453	243,841	211,404	168,844	123,187	88,482	36,478	6,434		
{		South*	M	1,027,437	19,960	19,265	62,785	102,010	104,258	106,435	99,914	85,130	147,294	129,052	106,507	75,202	50,061	18,759	2,815		
			F	1,054,069	19,417	19,421	61,757	100,395	102,578	100,549	83,180	82,505	161,796	141,642	114,411	81,735	56,042	22,995	4,041		
{		Wales	M	413,175	9,137	8,724	27,652	45,513	44,381	41,610	40,473	35,032	62,314	53,102	27,738	17,077	5,742	770			
			F	407,468	9,082	8,552	27,418	45,052	43,724	41,097	36,673	32,543	61,816	51,810	38,822	27,846	19,460	7,432	1,193		

TABLE 3.—ESTIMATED POPULATION OF aggregate URBAN AREAS (U) and of RURAL AREAS (R) in ADMINISTRATIVE COUNTIES in the MIDDLE of the YEAR 1911.

Mortality under one year of age is calculated throughout this Report upon the numbers of births in preference to the populations here given; and the estimated populations at ages 1-2 years must be used with caution owing to uncertainty in the statement of ages in the Census Returns.

Anglesey ...	$\left\{ \begin{array}{c} \text{U} \\ \text{...} \end{array} \right\}$	M	8,999	165	159	611	935	1,047	919	810	675	1,290	1,252	909	650	373	123	16
		F	9,998	175	164	555	894	955	943	929	736	1,597	1,325	1,082	753	531	207	46
		M	15,602	288	290	967	1,545	1,609	1,727	1,506	1,113	2,001	1,829	1,675	1,311	874	356	56
		F	16,337	281	267	931	1,479	1,528	1,510	1,371	1,230	2,325	2,112	1,557	1,390	1,034	420	81
Bedfordshire	$\left\{ \begin{array}{c} \text{U} \\ \text{...} \end{array} \right\}$	M	54,548	1,148	1,097	3,465	5,710	5,546	5,600	5,650	4,946	8,903	7,083	5,108	3,311	1,959	648	84
		F	62,990	1,138	1,117	3,431	5,686	5,440	5,773	6,126	6,199	10,530	8,375	6,494	4,300	2,871	1,022	174
		M	38,789	778	731	2,456	3,965	3,977	4,090	3,711	3,111	5,359	4,635	3,950	2,874	2,175	830	112
		F	38,864	722	720	2,196	3,638	3,833	3,851	3,044	2,714	5,501	4,931	4,239	3,402	2,555	993	163
Berkshire ...	$\left\{ \begin{array}{c} \text{U} \\ \text{...} \end{array} \right\}$	M	27,367	559	526	1,601	2,686	2,634	2,669	2,608	2,524	4,191	3,506	2,793	1,915	1,283	474	84
		F	30,217	526	478	1,560	2,564	2,520	2,524	2,740	2,617	5,012	4,012	3,352	2,383	1,655	711	127
		M	68,257	1,384	1,295	4,193	6,872	6,770	7,256	6,996	4,997	9,859	8,705	7,153	4,992	3,198	1,285	174
		F	69,981	1,310	1,293	4,211	6,814	6,949	6,695	5,586	5,443	10,742	9,376	7,576	5,414	3,634	1,505	247

* Population adjusted so as to be comparable with the births and deaths shown in this Report, changes in area having occurred during the year.

TABLE 3.—ESTIMATED POPULATION OF aggregate URBAN AREAS (U) and of RURAL AREAS (R) in ADMINISTRATIVE COUNTIES, &c.—*continued*.

Area.	Sex.	All Ages.	0—1	1—2	2—5	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 Years and upwards.
Brecknockshire	{ U	{ M	192	191	540	923	896	848	863	723	1,366	1,229	850	554	321	106	12
	{ F	{ F	165	167	599	931	941	866	837	843	1,391	1,131	810	563	382	161	28
	{ R	{ M	450	497	1,462	2,409	2,364	2,090	2,030	1,859	3,467	2,855	2,105	1,408	837	286	51
	{ F	{ F	500	440	1,420	2,360	2,199	2,038	1,892	1,681	3,016	2,525	1,828	1,265	885	342	64
Buckinghamshire...	{ U	{ M	807	794	2,493	4,094	4,170	4,066	3,997	2,965	6,167	5,117	3,663	2,469	1,505	500	78
	{ F	{ F	798	750	2,394	3,942	4,086	3,933	3,776	3,513	6,638	5,699	4,162	2,857	1,993	733	116
	{ R	{ M	1,410	1,325	4,229	6,964	7,348	7,058	6,342	5,275	9,992	8,958	7,154	4,971	3,334	1,261	164
	{ F	{ F	1,267	1,286	4,232	6,785	7,142	6,926	5,489	5,297	10,355	9,612	7,731	5,558	3,866	1,558	265
Cambridgeshire	{ U	{ M	471	449	1,375	2,295	2,325	2,274	2,352	2,029	3,544	3,187	2,420	1,720	951	319	43
	{ F	{ F	445	483	1,343	2,271	2,242	2,394	2,860	2,731	4,554	3,882	2,977	2,174	1,429	579	104
	{ R	{ M	734	762	2,269	3,765	3,899	3,873	3,615	2,965	5,269	4,712	3,975	3,033	2,285	827	104
	{ F	{ F	738	717	2,249	3,704	3,947	3,840	2,871	2,646	5,343	4,978	4,088	3,241	2,591	1,086	221
Cardiganshire	{ U	{ M	129	119	391	639	662	659	697	588	951	846	808	525	399	123	14
	{ F	{ F	122	114	403	639	701	744	937	943	1,512	1,296	1,079	758	580	199	38
	{ R	{ M	322	298	1,128	1,748	1,998	2,099	2,155	1,577	2,418	2,248	2,168	1,800	1,254	465	78
	{ F	{ F	337	377	1,105	1,819	1,954	2,040	1,986	1,811	3,264	2,994	2,679	2,226	1,777	819	133
Carmarthenshire	{ U	{ M	653	656	1,962	3,271	3,081	2,818	3,192	2,951	5,283	4,224	2,893	1,749	968	280	22
	{ F	{ F	671	630	1,975	3,276	3,162	2,787	2,963	2,888	4,895	3,956	2,891	1,841	1,233	464	57
	{ R	{ M	1,185	1,110	3,325	5,620	5,330	4,785	5,419	4,609	7,826	6,125	4,422	3,073	1,796	632	82
	{ F	{ F	1,180	1,067	3,438	5,685	5,308	5,062	4,792	4,399	7,714	6,017	4,527	3,305	2,332	917	145
Carnarvonshire	{ U	{ M	500	467	1,540	2,507	2,734	2,585	2,375	2,003	4,061	3,673	2,795	2,042	1,194	354	38
	{ F	{ F	504	465	1,666	2,635	2,708	2,718	2,874	2,891	5,435	4,536	3,441	2,492	1,618	576	69
	{ R	{ M	649	589	1,994	3,232	3,345	3,341	3,030	2,449	4,723	4,412	3,590	2,625	1,634	529	81
	{ F	{ F	642	553	1,967	3,162	3,333	3,227	2,548	2,261	5,074	4,615	3,737	2,818	2,030	743	134
Cheshire	{ U	{ M	4,978	4,858	15,008	24,844	23,896	23,062	21,674	20,030	38,872	32,846	23,147	14,129	7,398	2,193	223
	{ F	{ F	4,961	4,733	15,239	24,933	24,249	23,352	23,465	24,358	46,624	37,725	26,532	17,276	10,281	3,187	374
	{ R	{ M	1,913	1,717	5,629	9,259	9,182	9,001	9,322	7,870	14,219	12,005	8,952	5,733	3,574	1,194	137
	{ F	{ F	1,790	1,706	5,406	8,902	9,044	8,820	8,621	8,440	15,938	12,942	9,227	5,961	3,916	1,347	170
Cornwall	{ U	{ M	1,269	1,253	3,944	6,466	6,482	6,361	6,925	5,716	9,421	7,980	6,774	4,497	2,984	1,130	141
	{ F	{ F	1,238	1,229	3,970	6,437	6,477	6,447	7,156	7,198	12,355	10,682	9,007	6,437	4,833	2,056	380
	{ R	{ M	1,727	1,662	5,408	8,797	8,928	9,077	9,179	7,094	11,385	10,384	9,246	6,481	4,339	1,605	266
	{ F	{ F	1,620	1,674	5,457	8,751	8,949	9,049	8,474	7,636	13,941	12,550	10,990	7,978	5,906	2,433	470

[illegible]

* Population adjusted so as to be comparable with the births and deaths shown in this Report, changes in area having occurred during the year.

TABLE 3.—ESTIMATED POPULATION OF aggregate URBAN AREAS (U) and of RURAL AREAS (R) in ADMINISTRATIVE COUNTIES, &c.—*continued.*

Area.	Sex.	All Ages.	0—1	1—2	2—5	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 Years and upwards.
Glamorganshire	{ U }	287,488	7,863	7,285	21,246	36,394	32,729	27,686	26,723	27,659	51,965	40,204	24,842	12,588	5,370	1,221	107
	{ R }	253,555	7,717	7,208	21,591	36,516	32,784	27,508	23,822	22,676	40,956	31,539	19,196	10,810	5,855	1,691	202
Gloucestershire	{ U }	107,052	2,688	2,604	8,001	13,293	12,114	10,427	9,896	9,891	18,316	14,620	8,990	5,590	2,925	887	103
	{ R }	100,467	2,709	2,500	7,969	13,178	12,079	10,408	9,534	8,809	16,458	12,565	7,979	5,213	3,087	1,026	131
	{ U }	44,490	880	849	2,658	4,387	4,572	4,616	4,644	3,455	6,367	5,794	4,425	3,216	2,170	733	111
	{ R }	55,930	833	828	2,700	4,381	4,533	4,768	5,764	5,252	8,698	7,437	6,022	4,328	3,139	1,346	242
Herefordshire	{ U }	111,892	2,241	2,186	7,123	11,550	12,156	11,931	10,756	8,748	15,327	13,905	11,630	8,217	5,447	1,953	272
	{ R }	116,902	2,179	2,181	7,019	11,379	11,982	11,804	9,767	8,831	16,699	15,071	12,644	9,137	6,500	2,649	439
	{ U }	18,614	362	334	1,169	1,865	1,816	1,965	1,712	1,435	2,773	2,424	1,970	1,387	887	334	46
	{ R }	21,287	376	348	1,130	1,854	1,905	1,868	2,065	1,867	3,320	2,774	2,272	1,571	1,201	496	94
Hertfordshire	{ U }	36,553	709	716	2,260	3,685	3,843	3,877	3,355	2,511	4,428	4,643	4,008	3,053	2,236	793	121
	{ R }	37,819	730	690	2,287	3,707	3,790	3,824	3,129	2,726	5,074	4,845	4,046	3,044	2,472	992	170
	{ U }	91,915	1,886	1,878	5,852	9,616	9,891	9,928	8,629	7,257	14,481	12,525	8,747	5,903	3,576	1,189	173
	{ R }	103,185	1,909	1,809	5,885	9,603	9,674	9,425	9,336	9,351	17,198	14,232	10,268	7,237	4,656	1,847	358
Huntingdonshire	{ U }	57,373	1,132	1,105	3,465	5,702	5,708	5,931	5,581	4,906	8,829	7,471	5,799	4,020	2,464	846	116
	{ R }	60,204	1,012	1,074	3,478	5,564	5,710	5,680	4,984	5,034	9,789	8,149	6,288	4,591	3,089	1,127	199
	{ U }	11,429	219	226	765	1,210	1,276	1,264	1,087	873	1,647	1,475	1,128	723	534	189	23
	{ R }	12,254	272	217	768	1,257	1,315	1,269	1,105	966	1,708	1,549	1,242	865	649	278	51
Kent	{ U }	16,125	331	316	955	1,602	1,577	1,664	1,543	1,197	2,239	1,931	1,729	1,240	966	374	63
	{ R }	15,807	272	307	1,010	1,589	1,635	1,573	1,218	1,010	2,177	1,975	1,730	1,308	1,075	436	81
	{ U }	338,293	6,961	6,623	21,414	34,998	35,563	33,778	32,401	30,720	56,073	45,068	32,001	20,642	12,356	4,142	551
	{ R }	372,268	6,712	6,430	21,335	34,477	35,171	33,613	32,926	33,270	62,962	51,570	38,009	25,634	16,886	6,605	1,145
Lancashire	{ U }	157,813	3,060	2,982	9,745	15,787	16,646	17,145	15,020	12,061	22,423	19,430	16,179	11,652	8,008	2,988	474
	{ R }	154,823	2,972	2,965	9,622	15,559	16,082	15,819	12,366	11,683	23,305	20,631	16,465	11,499	7,667	3,204	543
	{ U* }	718,616	15,358	14,809	46,013	76,180	73,246	71,375	69,662	64,713	121,801	101,201	71,597	43,380	20,353	4,740	368
	{ R* }	783,732	15,139	14,932	46,149	76,220	74,140	72,414	73,171	73,211	137,934	110,861	79,306	50,489	27,762	7,478	746
Leicestershire	{ U }	118,987	2,383	2,409	7,345	12,137	11,817	11,461	11,632	10,335	18,824	16,033	12,421	8,220	4,707	1,269	131
	{ R }	122,108	2,389	2,227	7,297	11,913	11,466	11,137	11,075	10,883	20,617	16,950	12,633	8,680	5,013	1,582	159
	{ U }	47,894	1,082	1,061	3,205	5,348	5,135	4,994	4,619	4,035	7,831	6,165	4,493	3,029	1,656	521	68
	{ R }	50,892	1,094	1,008	3,208	5,310	5,266	5,104	4,988	4,839	8,428	6,533	4,732	3,077	1,834	669	112
	{ U }	74,843	1,588	1,657	4,849	8,094	7,895	7,868	7,367	6,110	11,337	9,215	7,193	5,068	3,218	1,289	189
	{ R }	76,319	1,632	1,576	4,787	7,995	8,022	7,635	6,710	6,205	12,128	9,657	7,280	5,264	3,658	1,555	210

Lincolnshire, Holland.	{ U { R {	17,793	408	395	1,189	1,992	1,854	1,749	1,624	1,319	2,676	2,288	1,709	1,296	898	334	54
		19,514	409	401	1,167	1,977	1,834	1,824	1,791	1,704	3,008	2,454	1,860	1,424	1,102	440	96
		23,204	507	531	1,554	2,592	2,540	2,303	2,174	1,838	3,363	2,792	2,098	1,720	1,248	472	64
		22,476	567	453	1,551	2,571	2,344	2,302	1,933	1,661	3,231	2,739	2,068	1,701	1,296	538	92
Lincolnshire, Kesteven.	{ U { R {	21,543	458	452	1,344	2,254	2,150	1,947	1,927	1,788	3,726	2,902	2,114	1,456	902	336	41
		22,580	435	465	1,397	2,297	2,147	2,116	2,011	1,887	3,774	2,908	2,210	1,587	1,122	439	82
		34,131	753	644	2,137	3,534	3,416	3,366	3,416	2,698	4,873	4,042	3,571	2,565	1,842	721	87
		33,264	682	634	2,052	3,368	3,387	3,347	2,744	2,410	4,651	4,213	3,454	2,675	2,005	854	156
Lincolnshire, Lindsey.	{ U { R {	46,990	1,110	1,092	3,250	5,452	4,956	4,461	4,178	4,010	7,965	6,129	4,525	2,924	1,742	571	77
		49,655	1,109	1,100	3,293	5,502	4,984	4,658	4,416	4,291	8,280	6,437	4,703	3,204	2,172	873	135
		72,171	1,563	1,528	4,540	7,631	7,473	6,981	6,752	5,747	10,269	8,747	7,397	5,471	3,941	1,537	225
		69,852	1,534	1,423	4,556	7,513	7,338	6,889	5,994	5,256	10,208	8,621	7,009	5,130	3,911	1,683	300
Merionethshire ...	{ U { R {	9,442	169	158	518	845	954	1,012	852	722	1,382	1,230	981	818	499	138	9
		10,665	181	179	534	894	962	1,044	828	781	1,659	1,479	1,199	927	665	201	26
		12,307	210	204	673	1,087	1,193	1,234	1,176	995	1,648	1,615	1,358	1,062	678	234	27
		13,064	213	205	699	1,117	1,249	1,270	1,159	931	1,931	1,745	1,435	1,036	808	331	52
Middlesex ...	{ U* { R* {	506,106	12,037	11,616	37,180	60,833	57,440	50,117	44,192	39,721	87,352	72,673	47,619	27,407	14,142	4,070	540
		579,670	11,950	11,518	36,667	60,135	57,082	51,259	50,990	53,140	105,647	82,593	54,972	34,344	20,700	7,608	1,200
		23,391	529	516	1,668	2,713	2,794	2,776	1,883	1,648	3,577	3,168	2,181	1,379	963	266	43
		26,098	557	484	1,627	2,668	2,764	2,672	2,203	2,218	4,434	3,532	2,471	1,599	1,056	401	80
Monmouthshire ...	{ U { R {	142,307	3,857	3,635	11,006	18,498	16,664	13,901	13,621	13,736	24,543	18,869	11,663	6,721	3,161	841	89
		124,254	3,812	3,443	10,844	18,099	16,390	13,596	11,887	10,726	19,682	14,648	9,341	5,557	3,196	1,002	130
		24,141	487	532	1,638	2,657	2,503	2,397	2,208	1,836	3,548	3,184	2,477	1,801	1,104	368	58
		23,466	489	442	1,491	2,422	2,523	2,455	2,192	1,838	3,504	3,043	2,233	1,643	1,100	448	65
Montgomeryshire ...	{ U { R {	9,031	176	160	575	911	967	934	865	657	1,242	1,163	987	631	476	175	23
		10,084	171	179	515	865	951	925	949	878	1,516	1,317	1,096	748	577	232	30
		17,186	357	334	1,110	1,801	1,775	1,792	1,702	1,306	2,182	2,013	1,763	1,418	1,005	397	32
		16,799	327	356	1,043	1,726	1,688	1,780	1,567	1,242	2,301	2,048	1,762	1,257	983	379	66
Norfolk ...	{ U { R {	28,687	587	581	1,842	3,010	2,973	3,078	2,667	2,224	4,090	3,627	2,993	2,058	1,352	525	90
		32,279	598	555	1,817	2,970	2,967	3,036	3,194	2,641	4,952	4,108	3,317	2,416	1,691	842	145
		130,860	2,661	2,550	7,988	13,199	13,482	13,624	12,529	10,096	17,754	15,195	14,031	9,934	7,411	3,117	488
		130,181	2,597	2,467	8,023	13,087	13,294	13,207	10,124	9,258	17,776	16,089	14,143	10,385	8,234	3,814	770
Northampton	{ U { R {	47,058	941	848	2,767	4,556	5,089	5,242	4,778	3,796	7,298	6,543	4,697	2,834	1,613	541	71
		48,564	861	903	2,911	4,675	4,935	5,277	4,851	4,441	7,980	6,380	4,598	2,866	1,792	653	116
		59,226	1,119	1,103	3,558	5,780	5,932	6,025	5,558	4,640	8,551	7,489	6,205	4,455	3,137	1,312	142
		59,050	1,091	1,141	3,462	5,694	6,039	5,972	4,517	4,203	8,527	7,645	6,362	4,725	3,608	1,498	260

* Population adjusted so as to be comparable with the births and deaths shown in this Report, changes in area having occurred during the year.

TABLE 3.—ESTIMATED POPULATION of aggregate URBAN AREAS (U) and of RURAL AREAS (R) in ADMINISTRATIVE COUNTIES, &c.—continued.

Area.	Sex.	All Ages.	0-1	1-2	2-5	0-	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 Years and upwards.
Northumberland ...	U	125,226	3,360	3,026	9,329	15,715	14,424	12,704	12,178	11,001	20,517	16,312	10,979	6,842	3,535	924	95
	R	122,434	3,163	3,063	9,260	15,486	14,330	12,686	11,408	11,023	19,989	15,533	10,369	6,467	3,786	1,214	143
Nottinghamshire ...	U	62,122	1,326	1,404	4,167	6,897	6,538	5,982	6,079	5,345	9,604	7,879	6,133	4,145	2,568	837	115
	R	63,451	1,356	1,253	4,082	6,691	6,413	5,962	6,011	5,654	10,435	8,394	6,043	4,260	2,533	930	125
Oxfordshire ...	U	107,508	2,873	2,712	8,031	13,616	12,539	11,284	10,214	9,139	17,933	14,072	9,206	5,691	2,837	870	107
	R	108,922	2,700	2,681	8,133	13,514	12,475	11,367	10,673	9,950	18,127	13,634	8,975	5,662	3,279	1,136	130
Oxfordshire ...	U*	64,731	1,519	1,449	4,204	7,172	6,732	6,398	6,409	5,565	9,632	7,877	6,418	4,496	2,812	1,064	156
	R*	64,864	1,482	1,355	4,316	7,153	6,944	6,472	5,882	5,267	9,845	8,083	6,386	4,448	2,996	1,197	191
Oxfordshire ...	U	21,242	482	446	1,304	2,232	2,292	2,091	1,931	1,624	3,184	2,731	2,147	1,499	1,049	410	52
	R	23,615	429	383	1,274	2,086	2,199	2,233	2,399	2,044	3,629	3,084	2,423	1,691	1,210	524	93
Pembrokeshire ...	U	49,752	988	944	3,015	4,947	5,061	5,187	4,946	4,035	6,785	5,809	5,259	3,888	2,646	1,045	144
	R	50,419	1,013	959	3,024	4,936	5,023	5,059	3,938	3,545	7,080	6,458	5,564	4,218	3,010	1,275	253
Pembrokeshire ...	U	18,833	427	361	1,156	1,944	1,955	1,907	1,904	1,866	2,978	2,249	1,778	1,204	750	252	46
	R	19,993	395	381	1,172	1,948	1,964	1,902	1,842	1,825	3,188	2,591	2,024	1,342	959	343	65
Peterborough, Soke of.	U	24,678	551	527	1,570	2,648	2,627	2,537	2,635	2,011	3,330	2,907	2,411	1,835	1,235	420	82
	R	26,510	508	509	1,578	2,395	2,515	2,449	2,432	2,254	3,893	3,161	2,853	2,073	1,569	612	104
Peterborough, Soke of.	U	16,016	338	292	976	1,606	1,570	1,591	1,483	1,274	2,547	2,143	1,700	1,205	633	235	29
	R	17,629	284	296	959	1,539	1,615	1,682	1,703	1,560	2,768	2,353	1,821	1,349	826	357	56
Radnorshire ...	U	5,687	134	116	382	632	559	557	531	468	823	661	587	442	289	117	21
	R	5,481	102	93	319	514	565	565	460	382	750	688	604	463	319	135	36
Radnorshire ...	U	2,704	62	53	160	275	275	266	231	215	435	354	265	198	134	47	9
	R	3,118	42	31	160	233	254	242	335	317	547	431	330	228	137	54	10
Rutlandshire ...	U	8,623	171	167	493	831	877	858	825	691	1,147	1,100	863	723	497	188	23
	R	8,127	178	151	510	839	838	831	768	661	1,150	1,028	772	617	422	167	34
Rutlandshire ...	U*	1,398	31	23	94	148	133	153	137	93	226	174	155	110	50	17	2
	R*	1,373	31	25	79	135	132	112	134	118	205	194	163	90	57	25	8
Shropshire ...	U	8,928	188	172	548	908	829	914	1,151	653	1,194	1,087	953	602	440	162	35
	R	8,664	141	154	524	819	881	804	730	673	1,239	1,154	924	656	516	227	41
Shropshire ...	U	53,405	1,118	1,075	3,422	5,615	5,686	5,583	5,128	4,296	7,967	6,971	5,257	3,659	2,340	811	92
	R	56,350	1,106	1,046	3,443	5,595	5,762	5,556	5,060	4,448	8,379	7,393	5,804	4,051	2,975	1,155	172
Shropshire ...	U	68,513	1,389	1,405	4,366	7,160	7,134	7,017	6,652	5,287	9,476	8,569	7,089	5,012	3,591	1,356	170
	R	68,211	1,376	1,268	4,356	7,000	7,301	6,960	5,860	5,101	9,449	8,736	6,941	5,064	3,913	1,594	292

Somersetshire	{ U { ... { R* {	M	71,406	1,411	1,349	4,291	7,051	7,285	7,840	7,404	5,842	10,604	9,159	7,113	4,806	3,019	1,095	188
		F	86,322	1,390	1,320	4,348	7,058	7,349	7,630	8,393	8,155	13,887	11,607	9,046	6,423	4,548	1,873	353
		M	119,648	2,378	2,341	7,385	12,104	12,610	12,728	11,743	9,372	16,360	14,734	12,467	9,017	6,010	2,166	337
		F	127,824	2,363	2,281	7,369	12,013	12,303	12,116	10,456	10,002	18,936	16,656	13,728	10,414	7,403	3,184	613
Southampton	{ U { ... { R {	M	109,130	2,277	2,165	6,583	11,025	9,719	9,015	13,167	15,611	19,244	12,823	8,640	5,449	3,168	1,124	145
		F	96,128	2,198	2,037	6,325	10,560	9,533	8,737	7,920	8,426	16,646	13,025	9,417	5,941	4,032	1,626	265
		M	117,485	2,348	2,220	7,130	11,698	11,485	11,159	11,910	12,988	17,470	14,261	11,389	7,748	5,148	1,938	291
		F	112,665	2,260	2,248	6,973	11,481	11,366	10,823	8,883	8,920	17,772	15,090	11,976	8,233	5,477	2,252	392
Staffordshire	{ U* { ... { R* {	M	259,650	6,490	6,222	19,189	31,901	29,823	27,715	25,414	22,360	41,154	32,947	22,977	14,801	8,044	2,277	237
		F	261,687	6,407	6,139	19,042	31,588	30,234	28,059	23,760	22,316	41,906	32,800	22,993	15,270	9,330	3,083	348
		M	105,769	2,320	2,332	6,999	11,651	11,523	11,200	10,787	8,982	15,751	13,420	9,805	6,733	4,247	1,476	194
		F	103,640	2,369	2,246	7,026	11,641	11,413	10,740	8,943	8,075	15,843	13,353	9,872	7,081	4,719	1,715	245
Suffolk, East	{ U { ... { R {	M	37,955	885	835	2,588	4,308	4,338	4,035	3,468	3,301	5,964	4,433	3,520	2,454	1,515	531	88
		F	43,239	915	774	2,654	4,343	4,176	4,081	4,125	3,880	6,925	5,367	4,334	3,042	1,995	825	146
		M	62,693	1,210	1,194	3,770	6,174	6,581	6,458	6,938	4,742	8,398	7,243	6,440	4,748	3,291	1,440	240
		F	59,706	1,203	1,212	3,838	6,253	6,445	6,354	4,502	4,130	8,206	7,364	6,387	4,736	3,450	1,579	300
Suffolk, West	{ U { ... { R {	M	21,024	381	400	1,269	2,050	2,154	2,212	2,212	1,610	2,994	2,706	2,219	1,528	947	345	47
		F	22,824	395	380	1,190	1,965	2,087	2,225	2,164	1,966	3,421	3,019	2,437	1,671	1,252	528	89
		M	36,928	735	694	2,208	3,637	3,894	3,854	3,547	2,840	5,037	4,371	3,896	2,786	2,097	829	140
		F	36,112	698	693	2,284	3,675	3,850	3,756	2,732	2,358	4,920	4,369	3,933	2,918	2,288	1,111	202
Surrey	{ U { ... { R {	M	269,175	4,255	4,270	13,524	22,049	21,183	19,716	18,574	17,133	34,718	30,262	21,460	13,592	7,668	2,469	351
		F	246,130	4,190	4,093	13,202	21,485	21,193	19,380	21,038	23,478	45,186	36,650	25,521	16,900	10,613	4,013	673
		M	106,008	2,203	2,077	6,896	11,176	11,255	11,092	8,919	7,656	16,768	14,985	11,041	7,245	4,330	1,376	165
		F	118,831	2,171	2,123	6,667	10,961	10,904	10,517	9,674	10,540	21,027	17,323	12,605	8,201	4,976	1,828	275
Sussex, East	{ U { ... { R* {	M	49,240	979	956	2,844	4,779	5,040	5,192	4,318	3,682	7,438	6,582	5,333	3,626	2,266	853	131
		F	66,975	892	868	2,979	4,739	5,023	5,386	6,157	6,201	11,651	9,678	7,626	5,476	3,363	1,406	269
		M	61,846	1,108	1,095	3,603	5,806	6,182	6,594	5,803	4,746	9,119	7,923	6,509	4,799	3,020	1,167	178
		F	64,959	1,113	1,077	3,577	5,767	6,109	6,005	5,292	4,986	10,382	9,132	7,244	5,234	3,314	1,270	224
Sussex, West	{ U { ... { R {	M	36,874	770	737	2,276	3,783	4,048	3,841	3,245	2,615	5,509	4,756	3,743	2,643	1,840	730	121
		F	47,068	742	661	2,254	3,657	3,970	3,613	4,046	3,970	7,615	6,721	5,387	3,987	2,745	1,164	193
		M	46,698	895	804	2,706	4,405	4,716	5,042	4,438	3,461	6,702	5,892	4,913	3,604	2,406	975	144
		F	46,328	821	829	2,731	4,381	4,538	4,335	3,504	3,402	7,152	6,600	5,009	3,749	2,478	1,004	176
Warwickshire	{ U* { ... { R {	M	106,821	2,413	2,360	7,003	11,776	11,121	10,721	10,053	9,009	18,331	14,536	9,957	6,461	3,548	1,162	146
		F	119,579	2,315	2,230	7,296	11,841	11,387	10,871	11,211	11,111	20,859	16,114	11,473	7,716	4,906	1,799	291
		M	84,307	1,885	1,814	5,717	9,416	9,264	9,009	8,066	6,870	12,921	10,518	7,807	5,502	3,440	1,308	186
		F	83,473	1,835	1,746	5,603	9,184	9,160	8,454	6,887	6,597	12,940	10,688	7,995	5,881	3,858	1,555	274

* Population adjusted so as to be comparable with the births and deaths shown in this Report, changes in area having occurred during the year.

TABLE 4.—ESTIMATED POPULATION OF COUNTY BOROUGHs in the MIDDLE of the YEAR 1911.

Mortality under one year of age is calculated throughout this Report upon the numbers of births in preference to the population here given ; and the estimated populations at ages 1-2 years must be used with caution owing to uncertainty in the statement of ages in the Census Returns.

Barrow in Furness	{ ... {	M	33,424	754	704	2,289	3,747	3,757	3,208	3,062	3,081	5,826	4,767	2,906	1,921	961	170	18
		F	30,509	713	665	2,248	3,626	3,551	3,186	2,626	2,607	5,323	4,101	2,571	1,709	967	212	30
Bath*	{ ... {	M	22,001	394	413	1,215	2,022	2,137	2,269	1,965	1,704	3,291	2,919	2,370	1,748	1,130	389	67
		F	31,432	391	393	1,291	2,075	2,226	2,242	2,871	2,995	4,966	4,204	3,713	2,846	2,134	979	181
Birkenhead	{ ... {	M	63,852	1,638	1,495	4,736	7,869	7,094	6,455	5,934	5,636	10,908	8,508	5,721	3,407	1,853	427	40
		F	67,466	1,632	1,453	4,674	7,759	6,948	6,559	5,840	6,084	12,074	9,023	6,190	3,866	2,284	727	112
Birmingham*	{ ... {	M	275,212	6,666	6,213	19,673	32,552	30,440	28,213	25,232	23,199	47,212	37,897	25,431	15,384	7,535	1,944	173
		F	296,640	6,618	6,042	19,764	32,424	30,292	28,582	28,105	28,425	51,707	39,434	27,050	17,088	9,953	3,207	373
Blackburn ...	{ ... {	M	61,843	1,274	1,141	3,994	6,409	5,911	5,914	5,891	5,557	10,799	8,599	6,620	3,948	1,764	402	29
		F	71,310	1,226	1,198	3,851	6,275	6,034	6,013	6,605	7,257	13,108	10,168	7,884	4,766	2,535	612	53
Blackpool ...	{ ... {	M	25,543	436	442	1,436	2,314	2,495	2,389	1,998	1,858	4,057	4,114	3,069	1,943	1,072	209	25
		F	33,118	440	410	1,455	2,305	2,486	2,646	2,574	2,900	5,871	5,230	4,202	2,850	1,615	394	45
Bolton ...	{ ... {	M	85,326	1,913	1,881	5,540	9,334	8,890	8,714	8,572	7,599	14,090	12,019	8,471	5,025	2,138	440	34
		F	95,858	1,830	1,820	5,584	9,234	8,813	8,965	9,053	9,309	16,908	13,663	9,872	6,010	3,178	782	71
Bootle ...	{ ... {	M	34,514	900	843	2,575	4,318	4,158	3,584	3,252	2,972	5,524	4,468	3,220	1,933	883	188	14
		F	35,616	852	841	2,537	4,230	4,047	3,637	3,419	3,176	6,021	4,664	3,159	1,935	1,034	267	27
Bournemouth	{ ... {	M	30,762	583	568	1,797	2,948	2,783	2,666	2,695	2,676	5,070	4,009	3,328	2,394	1,596	508	89
		F	48,410	561	583	1,691	2,835	2,852	2,830	4,454	5,338	9,010	7,181	5,899	4,262	2,658	944	147
Bradford ...	{ ... {	M	133,559	2,492	2,327	7,412	12,231	11,709	12,262	12,566	11,537	23,448	20,198	15,007	9,195	4,293	1,026	87
		F	155,128	2,390	2,299	7,118	11,807	12,105	12,720	14,400	14,729	28,442	23,351	17,587	11,597	6,482	1,742	166
Brighton ...	{ ... {	M	58,480	1,147	1,106	3,542	5,795	5,822	5,574	5,309	4,644	9,178	7,865	6,458	4,339	2,505	869	122
		F	72,961	1,142	1,031	3,412	5,585	5,859	5,776	6,135	6,564	12,346	10,678	8,472	5,908	3,867	1,502	269
Bristol ...	{ ... {	M	163,764	3,578	3,499	10,781	17,858	18,008	17,510	16,076	13,093	25,542	22,077	15,586	10,100	5,925	1,808	181
		F	193,758	3,474	3,366	10,759	17,599	18,124	18,106	19,398	18,696	32,369	25,877	18,928	12,584	8,346	3,192	539
Burnley* ...	{ ... {	M	50,411	1,102	1,048	3,266	5,416	4,801	4,894	4,769	4,536	8,848	7,087	5,282	3,066	1,406	293	13
		F	56,220	1,098	1,038	3,203	5,339	4,993	5,053	5,443	5,601	10,304	7,952	5,840	3,550	1,704	410	31

* Population adjusted so as to be comparable with the births and deaths shown in this Report, changes in area having occurred during the year.

TABLE 4.—ESTIMATED POPULATION OF COUNTY BOROUGHES IN THE MIDDLE OF THE YEAR 1911—continued.

Area.	Sex.	All Ages.	0—1	1—2	2—5	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 Years and upwards.
Burton upon Trent	{ M F	24,181 24,029	513 489	495 487	1,555 1,525	2,563 2,501	2,566 2,437	2,510 2,457	2,207 2,071	1,915 1,936	3,872 3,867	3,294 3,216	2,451 2,499	1,729 1,659	845 1,021	205 318	24 47
Bury*	{ M F	27,767 30,954	503 527	490 514	1,614 1,539	2,607 2,580	2,375 2,346	2,447 2,491	2,592 2,640	2,621 3,035	4,935 5,788	4,236 4,590	2,913 3,486	1,916 2,358	942 1,259	167 355	16 26
Canterbury	{ M F	11,697 12,922	231 245	218 231	696 726	1,145 1,202	1,136 1,173	1,131 1,097	1,251 1,060	1,096 1,113	1,776 2,072	1,525 1,706	1,084 1,360	795 1,025	547 739	176 301	35 74
Cardiff	{ M F	89,942 92,789	2,087 1,955	1,989 1,979	6,008 6,152	10,084 10,086	9,802 9,947	8,988 9,553	8,588 9,274	8,180 9,028	14,936 15,588	12,137 12,022	9,065 8,589	5,009 4,876	2,443 2,804	648 911	62 111
Chester	{ M F	18,453 20,594	433 412	355 337	1,227 1,247	2,015 1,996	1,926 1,895	1,791 1,845	1,717 1,856	1,628 1,891	3,116 3,652	2,555 2,770	1,823 2,080	1,115 1,355	618 896	130 319	19 39
Coventry	{ M F	54,795 52,512	1,370 1,193	1,165 1,167	3,729 3,619	6,264 5,979	5,422 5,481	4,934 4,974	4,683 4,715	5,805 4,820	11,335 9,998	7,716 7,084	4,496 4,494	2,457 2,705	1,233 1,594	403 586	47 82
Croydon	{ M F	77,506 92,985	1,682 1,670	1,707 1,711	5,502 5,462	8,891 8,843	8,627 8,850	7,893 8,205	6,670 7,651	5,707 7,882	12,851 16,649	11,068 13,529	7,586 9,225	4,551 6,173	2,714 4,078	811 1,640	137 260
Derby	{ M F	60,105 63,531	1,435 1,286	1,224 1,302	3,979 3,972	6,638 6,560	6,098 6,184	5,924 5,841	5,398 6,069	4,897 5,771	10,136 10,955	8,426 8,527	6,030 6,305	4,080 4,105	1,913 2,348	528 777	37 89
Devonport	{ M F	44,654 37,320	922 826	762 808	2,514 2,385	4,198 4,019	3,727 3,821	3,189 3,314	5,949 2,967	5,899 3,201	9,421 6,879	5,551 5,148	3,379 3,659	1,940 2,190	993 1,427	363 588	45 107
Dudley	{ M F	25,041 26,100	621 577	568 590	1,809 1,933	2,998 3,100	2,875 3,035	2,800 2,772	2,449 2,546	2,136 2,381	4,093 4,091	3,107 3,155	2,148 2,174	1,450 1,536	746 952	209 325	20 33
Eastbourne*	{ M F	21,792 30,737	391 383	403 387	1,313 1,191	2,107 1,961	2,190 2,093	2,531 2,389	2,024 3,218	1,781 3,117	3,452 5,811	2,824 4,599	2,217 3,454	1,517 2,192	841 1,322	256 502	52 79
Exeter	{ M F	22,421 26,282	449 477	416 399	1,363 1,270	2,228 2,146	2,125 2,056	2,275 2,209	2,285 2,440	1,897 2,562	3,410 4,167	2,898 3,570	2,380 2,910	1,579 2,087	967 1,442	332 576	45 117
Gateshead	{ M F	57,877 59,225	1,474 1,521	1,403 1,388	4,376 4,469	7,253 7,378	6,980 7,136	6,421 6,335	5,546 5,692	4,840 5,253	9,097 9,351	7,470 7,487	5,169 5,180	3,122 3,058	1,575 1,758	363 535	41 62

Gloucester ...	{ ... }	{ M F }	23,777	516	465	1,532	2,513	2,636	2,620	2,196	1,857	3,687	3,083	2,407	1,549	895	292	42
			26,313	532	454	1,582	2,568	2,571	2,588	2,494	2,328	4,154	3,415	2,682	1,808	1,146	486	73
Great Yarmouth ...	{ ... }	{ M F }	25,669	616	544	1,798	2,958	2,864	2,615	2,399	1,849	3,753	3,156	2,513	1,849	1,213	430	70
			30,357	570	561	1,732	2,863	2,997	2,613	2,814	2,819	4,733	3,814	3,023	2,248	1,646	685	102
Grimsby ...	{ ... }	{ M F }	37,747	916	864	2,630	4,410	3,726	3,517	3,385	3,615	6,701	5,096	3,703	2,203	1,052	301	38
			37,216	869	854	2,628	4,351	3,841	3,439	3,444	3,479	6,481	4,939	3,515	2,081	1,151	428	67
Halifax ...	{ ... }	{ M F }	46,288	864	820	2,422	4,106	3,993	4,258	4,274	3,948	7,643	7,206	5,402	3,444	1,601	376	37
			55,176	813	775	2,608	4,196	4,249	4,335	4,894	5,139	9,689	8,329	6,489	4,436	2,574	770	76
Hastings ...	{ ... }	{ M F }	24,929	420	431	1,370	2,221	2,391	2,535	2,240	1,800	3,559	3,307	2,797	2,088	1,450	470	71
			36,100	425	419	1,443	2,287	2,468	2,711	3,205	3,102	5,642	5,223	4,467	3,469	2,361	971	194
Huddersfield ...	{ ... }	{ M F }	50,199	992	976	3,000	4,968	4,792	4,559	3,982	4,109	9,121	7,977	5,610	3,205	1,478	368	30
			57,959	998	982	2,909	4,889	4,746	4,797	4,926	5,309	10,688	8,850	6,583	4,145	2,320	642	64
Ipswich ...	{ ... }	{ M F }	35,080	783	774	2,386	3,943	3,877	3,548	3,294	2,766	5,576	4,626	3,344	2,284	1,270	476	76
			39,044	774	776	2,332	3,882	3,781	3,648	3,660	3,310	6,204	5,284	3,886	2,745	1,800	724	120
Kingston upon Hull ...	{ ... }	{ M F }	136,495	3,460	3,275	10,008	16,743	15,250	14,191	12,221	11,552	22,716	17,937	12,416	8,147	4,082	1,112	128
			142,490	3,446	3,207	9,951	16,604	15,213	14,191	13,066	13,019	24,149	18,399	12,736	8,254	4,875	1,742	242
Leeds ...	{ ... }	{ M F }	211,897	4,621	4,295	13,579	22,495	21,723	21,290	19,887	18,108	34,918	30,382	21,639	13,547	6,444	1,365	99
			234,090	4,574	4,357	13,779	22,710	22,356	22,041	22,262	22,283	40,413	33,074	23,377	14,828	8,236	2,307	203
Leicester ...	{ ... }	{ M F }	106,094	2,332	2,232	6,873	11,437	11,052	10,876	9,918	8,805	17,418	14,695	10,692	6,747	3,404	962	88
			121,540	2,350	2,139	6,949	11,438	11,331	11,166	12,068	12,127	21,204	16,540	11,914	7,737	4,355	1,467	193
Lincoln ...	{ ... }	{ M F }	28,636	624	594	1,745	2,963	2,549	2,392	2,507	2,712	5,388	4,010	2,757	1,984	1,078	259	37
			28,873	600	571	1,738	2,909	2,532	2,439	2,523	2,667	5,312	3,839	2,930	2,042	1,198	409	73
Liverpool ...	{ ... }	{ M F }	358,547	9,897	8,838	27,154	45,889	41,187	37,331	32,895	29,856	58,216	47,711	32,664	20,198	10,215	2,194	191
			388,988	9,500	8,601	27,200	45,301	41,605	37,436	35,330	35,418	67,377	51,844	35,501	21,868	13,252	3,616	440
Manchester ...	{ ... }	{ M F }	344,238	8,072	7,720	23,570	39,362	35,730	33,530	31,875	31,044	60,915	49,301	32,793	19,185	8,604	1,771	128
			371,925	7,812	7,645	23,681	39,138	36,150	33,805	33,716	35,564	68,229	52,457	35,514	21,854	11,951	3,232	315
Merthyr Tydfil ...	{ ... }	{ M F }	43,184	1,115	1,042	3,174	5,331	4,809	4,075	3,991	4,030	7,556	6,122	3,761	2,231	1,026	230	22
			38,116	1,057	1,046	3,089	5,192	4,782	4,082	3,635	3,393	6,074	4,777	2,965	1,818	1,060	298	40
Middlesbrough ...	{ ... }	{ M F }	53,733	1,435	1,253	3,898	6,586	6,077	5,302	4,749	4,694	9,514	7,413	4,850	2,861	1,380	284	23
			51,389	1,358	1,247	4,074	6,679	5,857	5,509	4,797	4,669	8,766	6,531	4,315	2,568	1,331	325	42

* Population adjusted so as to be comparable with the births and deaths shown in this Report, changes in area having occurred during the year.

TABLE 4.—ESTIMATED POPULATION OF COUNTY BOROUGHs IN THE MIDDLE OF THE YEAR 1911—continued.

Area.	Sex.	All Ages.	0—1	1—2	2—5	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 Years and upwards.
Newcastle on Tyne	{ M F	131,393 135,726	3,159 3,103	2,789 2,963	9,400 9,341	15,348 15,407	14,708 14,660	13,523 13,415	12,604 12,909	11,492 13,183	21,825 23,273	17,637 17,627	12,077 12,021	7,673 7,539	3,591 4,267	830 1,272	85 153
Newport (Mon.)	{ M F	42,406 41,718	1,015 984	931 982	3,096 3,032	5,042 4,998	4,539 4,638	4,080 4,270	4,085 4,233	3,858 4,039	7,389 6,962	5,722 5,343	4,035 3,599	2,223 2,080	1,105 1,132	296 385	32 39
Northampton	{ M F	43,002 47,142	880 816	848 829	2,522 2,637	4,250 4,282	4,254 4,186	4,424 4,719	4,422 5,024	3,713 4,754	7,035 7,830	5,797 6,029	4,316 4,643	2,646 3,025	1,576 1,902	519 658	50 90
Norwich	{ M F	56,278 65,399	1,301 1,215	1,189 1,180	3,721 3,767	6,211 6,162	5,962 6,102	5,793 6,117	5,592 6,418	4,667 6,053	8,542 10,436	7,104 8,327	5,619 6,680	3,741 4,569	2,153 3,055	790 1,256	104 224
Nottingham	{ M F	120,630 139,805	2,778 2,779	2,614 2,712	8,033 8,060	13,425 13,551	12,084 12,770	11,997 12,328	11,037 13,581	10,187 13,824	20,174 24,460	15,985 18,513	12,450 14,396	7,927 9,139	4,084 5,264	1,157 1,785	123 194
Oldham	{ M F	70,806 76,947	1,575 1,518	1,489 1,469	4,567 4,695	7,631 7,682	6,495 6,629	6,396 6,505	6,502 7,001	6,598 7,352	12,768 13,886	10,372 11,189	7,458 8,271	4,322 5,180	1,842 2,553	392 649	30 50
Oxford	{ M F	23,454 29,692	423 509	443 401	1,431 1,456	2,297 2,366	2,252 2,376	2,324 2,412	2,240 2,927	2,007 2,923	3,796 4,960	2,941 3,983	2,483 3,223	1,780 2,326	972 1,487	317 609	45 100
Plymouth	{ M F	51,693 60,453	1,154 1,126	1,040 1,038	3,348 3,346	5,542 5,510	5,384 5,500	5,013 5,222	4,393 5,421	4,207 5,514	8,171 9,969	7,248 8,381	5,467 6,284	3,347 4,263	2,060 2,925	744 1,226	117 238
Portsmouth	{ M F	115,778 116,475	2,533 2,632	2,461 2,401	7,724 7,439	12,718 12,472	10,953 11,118	9,255 9,608	10,925 9,490	12,993 10,931	22,882 21,274	14,740 15,735	9,966 11,542	6,442 7,588	3,611 4,729	1,175 1,691	118 297
Preston	{ M F	53,974 63,222	1,161 1,237	1,190 1,125	3,724 3,723	6,075 6,085	5,769 6,072	5,562 5,781	5,304 6,154	4,711 5,941	8,854 10,987	7,391 8,713	5,324 6,471	3,021 4,131	1,555 2,280	374 551	34 56
Reading*	{ M F	37,086 40,020	786 727	721 738	2,324 2,322	3,831 3,787	3,756 3,703	3,636 3,688	3,450 3,677	3,035 3,444	6,042 6,599	5,057 5,371	3,834 4,301	2,610 2,892	1,336 1,768	441 677	58 113
Rochdale	{ M F	42,758 48,889	834 854	834 901	2,585 2,629	4,253 4,384	4,097 4,041	4,139 4,218	3,769 4,162	3,697 4,367	7,513 8,768	6,649 7,459	4,619 5,497	2,614 3,569	1,173 1,928	220 462	15 34
Rotherham...	{ M F	32,390 30,307	799 776	820 856	2,384 2,357	4,003 3,989	3,577 3,596	3,299 3,377	2,993 2,618	2,666 2,526	5,577 4,992	4,454 3,855	2,749 2,478	1,875 1,640	959 935	217 267	21 34

St. Helens ...	{ ... }	M	1,349	1,254	3,882	6,485	5,939	5,438	5,183	4,772	8,300	6,469	4,356	2,329	1,005	193	16
		F	1,305	1,273	3,727	6,305	5,785	5,349	4,489	4,034	7,234	5,584	3,856	2,305	1,133	296	16
Salford ...	{ ... }	M	2,729	2,619	8,099	13,447	12,185	11,190	10,614	9,993	19,331	15,450	10,318	5,938	2,725	563	48
		F	2,730	2,531	8,224	13,485	12,337	11,484	11,279	11,271	21,065	16,086	11,119	6,789	3,804	1,006	104
Sheffield ...	{ ... }	M	5,503	5,126	16,323	26,952	24,644	22,463	20,768	18,313	38,818	31,966	21,017	12,710	5,793	1,297	101
		F	5,539	5,119	16,416	27,074	24,733	22,876	21,814	20,016	39,501	31,130	20,947	13,300	7,317	2,048	234
Smethwick	{ ... }	M	852	796	2,572	4,220	3,985	3,745	3,483	2,979	5,757	4,699	3,005	1,736	809	187	14
		F	892	890	2,650	4,432	4,194	3,850	3,617	3,217	6,029	4,802	3,074	1,900	1,063	298	25
Southampton	{ ... }	M	1,295	1,266	3,885	6,446	6,278	5,646	4,741	4,494	9,357	8,267	6,091	3,587	1,945	660	74
		F	1,224	1,179	3,722	6,125	6,376	5,742	5,365	5,433	10,173	8,592	6,188	3,957	2,600	1,058	191
Southport ...	{ ... }	M	346	370	1,181	1,897	1,957	2,015	1,852	1,726	3,407	2,938	2,340	1,605	1,014	327	30
		F	380	360	1,209	1,949	1,935	2,085	2,781	2,994	5,607	4,608	3,712	2,554	1,705	617	82
South Shields	{ ... }	M	1,528	1,324	4,268	7,120	6,832	6,041	5,160	4,489	8,091	6,464	4,500	2,875	1,472	300	23
		F	1,422	1,314	4,164	6,900	6,765	5,892	5,337	4,992	8,818	6,818	4,825	2,880	1,705	470	53
Stockport ...	{ ... }	M	51,113	1,190	3,340	5,640	5,108	5,140	4,763	4,406	8,745	7,299	5,144	3,066	1,432	345	25
		F	57,987	1,047	3,384	5,536	5,379	5,289	5,430	5,140	10,273	8,372	5,972	3,803	2,122	609	62
Stoke on Trent	{ ... }	M	3,114	2,846	8,774	14,734	13,732	12,223	11,321	9,995	18,307	15,411	10,164	5,731	2,748	610	42
		F	3,126	2,905	8,901	14,932	13,842	12,567	11,962	11,193	19,520	15,298	10,194	6,053	3,387	1,001	89
Sunderland	{ ... }	M	72,530	1,815	5,698	9,424	8,816	8,028	6,829	5,932	11,041	9,000	6,344	4,308	2,255	576	47
		F	78,703	1,704	5,704	9,311	8,952	8,132	7,722	7,321	12,667	9,502	6,967	4,554	2,664	825	86
Swansea ...	{ ... }	M	58,161	1,405	3,924	6,598	6,132	5,401	5,385	5,733	10,498	7,881	5,459	3,227	1,459	346	42
		F	57,032	1,397	3,897	6,554	6,045	5,453	5,622	5,581	9,776	7,238	4,987	3,100	1,955	631	90
Tynemouth	{ ... }	M	29,139	722	2,216	3,737	3,345	3,208	2,800	2,408	4,487	3,732	2,500	1,756	860	278	28
		F	29,873	683	2,119	3,463	3,308	3,056	2,871	2,737	5,006	3,872	2,587	1,620	993	316	44
Walsall ...	{ ... }	M	45,447	1,204	3,299	5,611	5,282	4,902	4,331	3,795	7,221	5,911	4,198	2,495	1,334	327	40
		F	46,818	1,066	3,374	5,552	5,160	4,895	4,532	4,350	7,664	5,878	4,091	2,582	1,574	483	57
Warrington	{ ... }	M	36,447	933	2,746	4,605	4,007	3,921	3,890	3,327	6,066	4,787	3,117	1,732	819	166	10
		F	35,928	966	2,770	4,649	4,206	3,977	3,566	3,340	5,813	4,330	2,996	1,775	975	271	30
West Bromwich	{ ... }	M	34,408	867	2,563	4,278	4,061	3,841	3,312	2,797	5,376	4,383	3,033	1,948	1,097	257	25
		F	34,007	827	2,617	4,252	3,907	3,623	3,065	2,949	5,325	4,255	2,949	1,967	1,270	392	53

* Population adjusted so as to be comparable with the births and deaths shown in this Report, changes in area having occurred during the year.

TABLE 4.—ESTIMATED POPULATION OF COUNTY BOROUGHs IN THE MIDDLE OF THE YEAR 1911—*continued*.

Area.	Sex.	All Ages.	0—1	1—2	2—5	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 Years and upwards.
West Ham ...	M	142,981	3,846	3,626	11,270	18,742	17,761	15,820	13,961	11,541	21,698	18,088	13,067	7,772	3,549	877	105
	F	146,620	3,764	3,486	11,183	18,433	17,490	16,146	13,638	12,632	22,957	18,366	13,174	7,884	4,387	1,329	184
West Hartlepool ...	M	31,507	821	770	2,427	4,018	3,783	3,373	2,933	2,644	4,963	4,098	2,912	1,791	794	183	15
	F	32,450	828	752	2,372	3,952	3,728	3,449	3,122	2,956	5,227	4,223	2,810	1,730	942	272	39
Wigan ...	M	43,665	1,112	1,038	3,114	5,264	4,982	4,595	4,536	4,032	7,236	5,666	3,843	2,280	1,037	177	17
	F	45,664	1,079	1,053	3,207	5,339	5,105	4,884	4,831	4,438	7,571	5,739	3,837	2,345	1,260	292	23
Wolverhampton ...	M	46,415	1,002	971	3,104	5,077	5,169	4,962	4,484	3,882	7,507	6,238	4,536	2,807	1,342	384	27
	F	48,943	1,041	988	3,176	5,205	5,166	4,957	4,689	4,444	7,901	6,329	4,767	3,060	1,758	598	69
Worcester ...	M	22,271	452	459	1,440	2,351	2,318	2,339	2,144	1,744	3,374	2,903	2,293	1,522	943	305	35
	F	25,747	460	444	1,411	2,315	2,316	2,444	2,384	2,410	4,057	3,421	2,752	1,802	1,268	498	80
York, City of	M	40,017	892	863	2,690	4,445	4,063	3,926	3,737	3,737	6,609	5,460	3,843	2,472	1,323	366	36
	F	42,380	806	851	2,592	4,249	4,096	3,974	3,931	3,952	7,017	5,774	4,165	2,746	1,728	661	87

TABLE 5.—ENGLAND AND WALES.—MARRIAGES, BIRTHS, and DEATHS, 1862–1911.

Year.	Marriages.	Births.							Deaths.		
		Total.	Legitimate.			Illegitimate.			Persons.	Males.	Females.
			Total.	Males.	Females.	Total.	Males.	Females.			
1862	164,030	712,684	667,462	340,501	326,961	45,222	23,033	22,189	436,566	222,622	213,944
1863	173,510	727,417	680,276	347,731	332,545	47,141	24,288	22,853	473,837	242,203	231,634
1864	180,387	740,275	692,827	353,479	339,348	47,448	24,240	23,208	495,531	253,619	241,912
1865	185,474	748,069	701,484	357,703	343,781	46,585	23,741	22,844	490,909	252,218	238,691
1866	187,776	753,870	708,369	361,670	346,699	45,501	23,285	22,216	500,689	256,402	244,287
1867	179,154	768,349	723,163	369,006	354,157	45,186	23,218	21,968	471,073	242,588	228,485
1868	176,962	786,858	740,520	376,686	363,834	46,338	23,697	22,641	480,622	247,107	233,515
1869	176,970	773,381	728,690	371,681	357,009	44,691	22,889	21,802	494,828	254,863	239,965
1870	181,655	792,787	748,050	381,396	366,654	44,737	22,909	21,828	515,329	265,586	249,743
1871	190,112	797,428	752,653	382,879	369,774	44,775	22,726	22,049	514,879	265,563	249,316
1872	201,267	825,907	781,141	398,401	382,740	44,766	22,906	21,860	492,265	255,135	237,130
1873	205,615	829,778	786,617	400,828	385,789	43,161	21,929	21,232	492,520	254,985	237,535
1874	202,010	854,956	811,853	413,304	398,549	43,103	21,875	21,228	526,632	272,178	254,454
1875	201,212	850,607	809,794	413,155	396,639	40,813	21,070	19,743	546,453	282,202	264,251
1876	201,874	887,968	846,374	431,155	415,219	41,594	21,123	20,471	510,315	265,076	245,239
1877	194,352	888,200	846,045	430,555	415,490	42,155	21,341	20,814	500,496	260,567	239,929
1878	190,054	891,906	849,806	433,511	416,295	42,100	21,537	20,563	539,872	278,772	261,100
1879	182,082	880,389	838,200	426,578	411,622	42,189	21,336	20,853	526,255	271,496	254,759
1880	191,965	881,643	839,101	427,067	412,034	42,542	21,642	20,900	528,624	273,442	255,182
1881	197,290	883,642	840,522	428,050	412,472	43,120	22,130	20,990	491,935	253,605	238,330
1882	204,405	889,014	845,859	430,823	415,036	43,155	21,929	21,226	516,654	265,767	250,887
1883	206,384	890,722	848,076	431,358	416,718	42,646	21,718	20,928	522,997	269,262	253,735
1884	204,301	906,750	864,083	440,769	423,314	42,667	21,712	20,955	530,828	273,522	257,306
1885	197,745	894,270	851,477	433,823	417,654	42,793	21,986	20,807	522,750	268,305	254,445
1886	196,071	903,760	860,922	438,487	422,435	42,838	21,881	20,957	537,276	275,874	261,402
1887	200,518	886,331	844,197	430,069	414,128	42,134	21,534	20,600	530,758	272,137	258,621
1888	203,821	879,868	839,138	426,312	412,826	40,730	20,860	19,870	510,971	263,294	247,677
1889	213,865	885,944	845,317	430,493	414,824	40,627	20,725	19,902	518,353	266,102	252,251
1890	223,028	869,937	831,525	422,505	409,020	38,412	19,565	18,847	562,248	290,448	271,800
1891	226,526	914,157	875,376	445,836	429,540	38,781	19,824	18,957	587,925	302,494	285,431
1892	227,135	897,957	860,376	437,318	423,058	37,581	19,304	18,277	559,684	286,062	273,622
1893	218,689	914,572	875,714	445,963	429,751	38,858	19,748	19,110	569,958	291,889	278,069
1894	226,449	890,289	851,946	433,425	418,521	38,343	19,591	18,752	498,827	256,015	242,812
1895	228,204	922,291	883,455	449,063	434,392	38,836	19,823	19,013	568,997	290,704	278,293
1896	242,764	915,331	876,602	445,935	430,667	38,729	19,725	19,004	526,727	270,575	256,152
1897	249,145	921,683	883,274	449,643	433,631	38,409	19,537	18,872	541,487	280,211	261,276
1898	255,379	923,165	884,831	449,261	435,570	38,334	19,659	18,675	552,141	283,981	268,160
1899	262,334	928,646	891,529	454,051	437,478	37,117	19,121	17,996	581,799	299,472	282,327
1900	257,480	927,062	890,248	452,444	437,804	36,814	18,600	18,214	587,830	303,823	284,007
1901	259,400	929,807	893,608	455,372	438,236	36,199	18,572	17,627	551,585	285,618	265,967
1902	261,750	940,509	903,835	460,550	443,285	36,674	18,594	18,080	535,538	277,216	258,322
1903	261,103	948,271	910,969	463,249	447,720	37,302	18,980	18,322	514,628	266,290	248,338
1904	257,856	945,389	907,715	462,150	445,565	37,674	19,172	18,502	549,784	283,206	266,578
1905	260,742	929,293	891,978	453,735	438,243	37,315	19,151	18,164	520,031	267,601	252,430
1906	270,038	935,081	897,691	458,008	439,683	37,390	18,931	18,459	531,281	274,233	257,048
1907	276,421	918,042	881,853	449,213	432,640	36,189	18,515	17,674	524,221	269,259	254,962
1908	264,940	940,383	902,852	459,385	443,467	37,531	19,025	18,506	520,456	268,714	251,742
1909	260,544	914,472	876,963	447,215	429,748	37,509	19,248	18,261	518,003	265,203	252,800
1910	267,721	896,962	860,327	438,568	421,759	36,635	18,698	17,937	483,247	249,016	234,231
1911	274,943	881,138	843,505	429,715	413,790	37,633	19,218	18,415	527,810	272,512	255,298

TABLE 6.—ENGLAND and WALES.—ANNUAL MARRIAGE-, BIRTH-, and DEATH-RATES, and INFANTILE MORTALITY, 1838-1911.

YEAR.	MARRIAGES.			BIRTHS.							DEATHS.									
	Persons married per 1,000 living at all ages.	Males married per 1,000 single and widowed, aged 15 years and upwards.	Females married per 1,000 single and widowed, aged 15 years and upwards.	Per 1,000 living at all ages.	Legitimate.		Illegitimate.			Births of males per 1,000 births of females.	Crude rates per 1,000 living.			Standardized rates per 1,000 living.*			Ratio of Standardized Male to Female mortality the latter taken as 1,000.	Deaths of Infants under 1 year per 1,000 births.		
					Per 1,000 total population.	Per 1,000 married women, aged 15-45.	Per 1,000 total population.	Per 1,000 single and widowed women, aged 15-45.	Illegitimate per 1,000 total births.		Persons.	Males.	Females.	Persons.	Males.	Females.		Total.	Legitimate.\$	Illegitimate.\$
1838-1911	15·8	55·6*	47·0*	31·7	30·1†	262·1*	1·6†	12·6*	51†	1,040	20·2	21·2	19·2	19·5	20·4	18·6	1,097	146	—	—
1841-1850	16·1	—	—	32·6	—	—	—	—	—	1,049	22·4	23·1	21·6	21·5	22·2	21·0	1,056	153	—	—
1851-1860	16·9	59·3	51·7	34·1	31·9	281·0	2·2	18·3	65	1,046	22·2	23·1	21·4	21·2	21·9	20·6	1,063	154	—	—
1861-1870	16·6	60·9	51·8	35·2	33·1	287·3	2·1	18·2	61	1,042	22·5	23·7	21·4	21·3	22·3	20·4	1,091	154	—	—
1871-1880	16·2	59·7	50·7	35·4	33·6	295·5	1·8	15·1	50	1,038	21·4	22·7	20·1	20·4	21·5	19·3	1,116	149	—	—
1881-1890	14·9	53·7	45·1	32·4	30·9	274·6	1·5	12·6	47	1,037	19·1	20·3	18·1	18·6	19·7	17·6	1,114	142	—	—
1891-1900	15·6	53·6	44·9	29·9	28·7	250·3	1·2	9·6	42	1,036	18·2	19·3	17·1	18·1	19·2	17·0	1,126	153	—	—
1901-1910	15·5	51·6	43·1	27·2	26·1	221·4	1·1	8·2	40	1,038	15·4	16·4	14·4	15·2	16·3	14·2	1,142	128	—	—
1841-1845	15·7	—	—	32·3	—	—	—	—	—	1,052	21·4	22·1	20·6	20·6	21·3	20·1	1,058	148	—	—
1846-1850	16·5	—	—	32·8	30·6	—	2·2	—	67	1,045	23·3	24·1	22·6	22·4	23·1	21·9	1,054	157	—	—
1851-1855	17·1	59·2	52·1	33·9	31·7	281·3	2·2	18·1	66	1,046	22·7	23·5	21·8	21·7	22·4	21·0	1,065	156	—	—
1856-1860	16·7	59·5	51·3	34·4	32·2	280·8	2·2	18·5	65	1,046	21·8	22·6	21·0	20·7	21·4	20·1	1,061	152	—	—
1861-1865	16·8	61·3	52·2	35·1	32·9	285·1	2·2	18·8	64	1,043	22·6	23·7	21·5	21·4	22·3	20·6	1,083	151	—	—
1866-1870	16·4	60·5	51·5	35·3	33·2	289·4	2·1	17·6	58	1,041	22·4	23·7	21·2	21·2	22·2	20·3	1,098	157	—	—
1871-1875	17·1	63·1	53·6	35·5	33·7	294·6	1·8	15·9	52	1,039	22·0	23·3	20·7	20·9	22·0	19·8	1,113	153	—	—
1876-1880	15·3	56·4	48·0	33·5	33·6	296·3	1·7	14·4	48	1,038	20·8	22·1	19·5	19·8	21·0	18·7	1,119	145	—	—
1881-1885	15·2	55·1	46·7	33·5	31·9	282·4	1·6	13·5	48	1,038	19·4	20·5	18·3	18·7	19·7	17·8	1,110	139	—	—
1886-1890	14·7	52·4	44·0	31·4	29·9	267·1	1·5	11·8	46	1,036	18·9	20·0	17·8	18·5	19·6	17·5	1,119	145	—	—
1891-1895	15·1	52·6	44·0	30·5	29·2	258·3	1·3	10·1	42	1,036	18·7	19·8	17·7	18·5	19·6	17·5	1,118	151	—	—
1896-1900	16·1	54·5	45·6	29·3	28·1	242·9	1·2	9·2	41	1,035	17·7	18·8	16·6	17·6	18·8	16·5	1,135	156	—	—
1901-1905	15·6	52·3	43·7	28·2	27·1	230·5	1·1	8·4	39	1,037	16·0	17·1	15·0	16·0	17·1	14·9	1,144	138	—	—
1906-1910	15·3	50·9	42·6	26·3	25·2	212·9	1·1	8·1	40	1,039	14·7	15·6	13·8	14·4	15·4	13·5	1,140	117	113	224
1862	16·1	58·7	50·0	35·0	32·8	283·8	2·2	18·6	63	1,041	21·4	22·4	20·5	20·3	21·1	19·6	1,075	142	—	—
1863	16·8	61·4	52·3	35·3	33·0	285·9	2·3	19·2	65	1,047	23·0	24·1	21·9	21·7	22·6	20·9	1,081	149	—	—
1864	17·2	63·0	53·6	35·4	33·1	287·1	2·3	19·1	64	1,042	23·7	24·9	22·5	22·4	23·4	21·6	1,084	153	—	—
1865	17·5	64·3	54·7	35·4	33·2	288·1	2·2	18·6	62	1,040	23·2	24·5	22·0	22·0	23·1	21·0	1,095	160	—	—
1866	17·5	64·4	54·8	35·2	33·1	287·6	2·1	18·0	60	1,043	23·4	24·6	22·2	22·2	23·1	21·3	1,088	160	—	—
1867	16·5	60·8	51·7	35·4	33·3	290·3	2·1	17·7	59	1,043	21·7	23·0	20·5	20·6	21·7	19·7	1,100	153	—	—
1868	16·1	59·2	50·4	35·8	33·7	293·1	2·1	18·0	59	1,036	21·8	23·1	20·7	20·6	21·6	19·7	1,099	155	—	—
1869	15·9	58·8	50·0	34·8	32·8	285·9	2·0	17·2	58	1,042	22·3	23·6	21·0	21·0	22·1	20·1	1,102	156	—	—
1870	16·1	59·7	50·7	35·2	33·2	290·1	2·0	17·1	56	1,041	22·9	24·2	21·6	21·6	22·7	20·6	1,103	160	—	—
1871	16·7	61·8	52·5	35·0	33·0	288·4	2·0	16·9	56	1,035	22·6	23·9	21·3	21·4	22·5	20·3	1,109	158	—	—
1872	17·4	64·3	54·6	35·6	33·7	294·9	1·9	16·6	54	1,041	21·3	22·6	19·9	20·2	21·4	19·1	1,119	150	—	—
1873	17·6	64·9	55·2	35·4	33·6	294·1	1·8	15·8	52	1,039	21·0	22·4	19·8	20·0	21·1	18·9	1,116	149	—	—
1874	17·0	62·9	53·4	36·0	34·2	299·8	1·8	15·6	50	1,037	22·2	23·6	20·9	21·1	22·2	20·0	1,112	151	—	—
1875	16·7	61·8	52·5	35·4	33·7	295·4	1·7	14·5	48	1,043	22·7	24·1	21·4	21·6	22·8	20·6	1,110	158	—	—
1876	16·5	60·9	51·8	36·3	34·6	304·1	1·7	14·6	47	1,038	20·9	22·3	19·6	19·9	21·1	18·7	1,126	146	—	—
1877	15·7	58·0	49·3	36·0	34·3	301·1	1·7	14·6	47	1,036	20·3	21·7	18·9	19·4	20·6	18·2	1,132	136	—	—
1878	15·2	55·9	47·5	35·6	33·9	298·8	1·7	14·4	47	1,042	21·6	22·9	20·3	20·5	21·7	19·4	1,113	152	—	—
1879	14·4	52·8	44·9	34·7	33·0	291·1	1·7	14·2	48	1,036	20·7	22·0	19·6	19·9	21·0	18·9	1,108	135	—	—
1880	14·9	54·7	46·6	34·2	32·6	287·0	1·6	14·1	48	1,036	20·5	21·8	19·3	19·5	20·6	18·5	1,118	153	—	—
1881	15·1	55·6	47·3	33·9	32·2	284·9	1·7	14·1	49	1,039	18·9	20·0	17·8	18·2	19·2	17·3	1,110	130	—	—
1882	15·5	56·7	48·1	33·8	32·2	283·9	1·6	13·8	49	1,038	19·6	20·7	18·5	18·8	19·8	17·9	1,108	141	—	—
1883	15·5	56·4	47·8	33·5	31·9	281·9	1·6	13·4	48	1,035	19·6	20·8	18·5	19·0	20·0	18·0	1,111	137	—	—
1884	15·1	54·8	46·3	33·6	32·0	283·7	1·6	13·2	47	1,041	19·7	20·8	18·5	19·0	20·0	18·0	1,114	147	—	—
1885	14·5	52·4	44·2	32·9	31·3	277·6	1·6	13·0	48	1,040	19·2	20·3	18·2	18·7	19·6	17·7	1,106	138	—	—
1886	14·2	51·1	43·1	32·8	31·2	278·0	1·6	12·8	47	1,038	19·5	20·6	18·5	19·0	20·0	18·0	1,111	149	—	—
1887	14·4	51·5	43·3	31·9	30·4	269·9	1·5	12·4	48	1,039	19·1	20·2	18·1	18·6	19·6	17·7	1,109	145	—	—
1888	14·4	51·4	43·2	31·2	29·8	265·0	1·4	11·7	46	1,033	18·1	19·2	17·0	17·7	18·8	16·8	1,122	136	—	—
1889	15·0	53·2	44·7	31·1	29·7	265·1	1·4	11·5	46	1,038	18·2	19·3	17·2	17·9	18·9	16·9	1,117	144	—	—
1890	15·5	54·6	45·8	30·2	28·9	258·2	1·3	10·7	44	1,033	19·5	20·8	18·3	19·3	20·6	18·1	1,135	151	—	—
1891	15·6	54·6	45·7	31·4	30·1	268·8	1·3	10·6	42	1,038	20·2	21·5	19·0	20·0	21·2	18·9	1,126	149	—	—
1892	15·4	53·8	45·0	30·4	29·1	259·3	1·3	10·1	42	1,035	19·0	20·0	18·0	18·8	19·8	17·8	1,112	148	—	—
1893	14·7	51·1	42·7	30·7	29·4	260·4	1·3	10·3	42	1,038	19·2	20·3	18·1	18·9	20·0	17·9	1,117	159	—	—
1894	15·0	52·0																		

TABLE 7.—ENGLAND AND WALES.—ANNUAL MARRIAGE-, BIRTH-, and CRUDE DEATH-RATES in each QUARTER, in GROUPS of YEARS, 1838-1911, and in each YEAR, 1902-1911.

Period.	Persons Married to 1,000 Living.				Births to 1,000 Living.				Deaths to 1,000 Living.			
	Quarter ended				Quarter ended				Quarter ended			
	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.
1838-1911	12·8	16·5	16·0	18·6	33·4	33·2	31·5	31·0	22·6	19·7	18·6	19·9
1841-50	13·3	16·4	15·2	19·2	34·2	33·7	31·2	31·2	24·7	22·0	21·0	21·7
1851-60	14·1	17·1	16·3	20·1	35·8	35·5	32·8	32·5	24·7	22·1	20·3	21·9
1861-70	13·8	16·9	16·2	19·6	36·6	36·3	34·0	33·9	25·2	21·8	21·0	22·1
1871-80	13·4	16·5	15·8	19·2	36·6	36·1	34·6	34·5	23·7	20·9	19·6	21·3
1881-90	11·9	15·4	14·9	17·6	33·4	33·2	31·9	31·5	21·6	18·7	17·3	19·1
1891-1900	11·7	16·6	16·4	17·7	30·5	30·5	29·7	28·9	20·7	17·6	17·0	17·7
1901-10	11·4	16·5	17·2	16·7	27·7	28·0	27·3	26·0	17·7	14·6	13·8	15·4
1902	13·3	15·2	17·2	17·8	28·5	28·9	29·1	27·7	18·5	16·1	13·9	16·5
1903	11·1	17·6	17·1	16·8	28·6	29·1	28·8	27·4	16·8	14·9	13·9	16·2
1904	10·7	17·1	16·8	16·5	28·7	28·5	28·0	27·0	18·3	14·8	15·8	16·3
1905	10·8	16·7	17·0	16·8	28·4	27·9	27·5	25·6	17·7	14·5	14·1	14·9
1906	10·7	17·4	17·5	17·1	28·0	27·7	27·1	26·1	16·6	14·6	14·9	15·7
1907	12·4	16·1	18·1	17·0	26·8	27·6	26·4	25·1	18·7	14·7	12·2	14·9
1908	10·9	16·8	16·7	15·9	27·5	27·9	26·8	24·8	17·9	13·8	12·9	14·6
1909	10·3	16·3	16·5	15·6	26·2	26·9	25·6	24·6	18·4	14·2	11·7	14·3
1910	12·8	18·7	17·0	16·3	25·1	26·3	25·2	23·6	15·5	13·0	11·5	14·1
1911	10·0	16·8	17·1	16·8	25·1	25·0	24·4	23·0	16·1	13·3	15·5	13·6

TABLE 8.—ENGLAND AND WALES.—CHURCHES and CHAPELS of the ESTABLISHED CHURCH, and REGISTERED BUILDINGS in which MARRIAGES could be legally SOLEMNIZED, 31ST DECEMBER, 1911.

Registration Division.	Registration County.		All Religious Denominations.	Established Church.	Other Religious Denominations.															
					All other Religious Denominations.	Roman Catholics.	Wesleyan Methodists.	Congregationalists.	Baptists.	Primitive Methodists.	United Methodist Church.	Calvinistic Methodists.	Presbyterians.	Unitarians.	New Jerusalem Church.	Catholic Apostolic Church.	Countess of Huntingdon's Connexion.	Salvation Army.	All Others.	
	England and Wales	...	31,887	15,864	16,023	1,337	3,693	2,904	2,610	1,656	1,155	892	439	196	55	49	44	43	950	
I.	London	...	1,406	632	774	110	106	148	163	45	31	10	50	16	5	7	1	5	77	
II.	Surrey	...	543	265	278	32	55	62	64	15	3	—	12	2	1	—	1	2	29	
	Kent	...	881	517	364	35	88	70	101	24	13	—	9	3	1	1	3	1	15	
	Sussex	...	695	422	273	30	49	70	58	11	7	—	9	3	—	1	7	1	27	
	Hampshire	...	818	457	361	27	74	76	58	43	27	—	3	4	—	1	2	—	41	
	Berkshire	...	405	270	135	14	31	21	29	22	—	—	4	1	—	—	2	1	10	
III.	Middlesex	...	447	191	256	32	41	49	61	18	5	1	16	1	1	2	2	1	26	
	Hertfordshire	...	340	199	141	10	23	44	40	9	—	—	1	—	—	1	2	—	6	
	Buckinghamshire	...	325	200	125	5	25	21	46	16	—	—	—	—	—	—	—	—	12	
	Oxfordshire	...	388	270	118	12	33	23	28	8	3	—	1	—	—	1	—	—	4	
	Northamptonshire	...	519	324	195	8	47	44	62	14	3	—	—	1	1	—	—	1	14	
IV.	Huntingdonshire	...	129	80	49	2	14	6	22	3	—	—	—	—	—	—	—	—	2	
	Bedfordshire	...	268	140	128	4	50	15	39	14	—	—	—	—	1	—	1	4	3	
	Cambridgeshire	...	338	198	140	5	34	21	49	20	5	—	1	—	—	—	1	1	3	
	Essex	...	839	457	382	32	64	118	68	26	16	—	8	6	2	3	2	1	36	
	Suffolk	...	711	509	202	11	35	56	56	24	5	—	3	2	—	—	—	—	10	
V.	Norfolk	...	959	713	246	13	52	34	45	68	18	—	2	2	1	1	2	—	8	
	Wiltshire	...	543	332	211	10	39	46	59	36	6	—	1	—	—	—	—	—	14	
	Dorsetshire	...	442	312	130	12	40	36	14	15	2	—	—	3	—	—	—	—	8	
	Devonshire	...	999	557	442	24	118	88	67	9	79	—	5	7	—	1	—	2	42	
	Cornwall	...	555	256	299	11	139	19	8	7	103	—	—	—	—	—	2	—	5	
VI.	Somersetshire	...	924	561	363	18	112	80	60	19	38	—	3	4	1	1	1	1	25	
	Gloucestershire	...	747	431	316	17	60	76	74	18	23	2	5	4	1	1	3	—	32	
	Herefordshire	...	308	229	79	7	14	13	16	17	—	2	—	—	—	—	1	—	9	
	Shropshire	...	526	319	207	13	40	47	18	60	11	11	2	—	—	1	—	—	4	
	Staffordshire	...	875	384	491	49	155	59	39	90	64	1	7	6	1	3	—	2	15	
VII.	Worcestershire	...	435	270	165	20	35	19	28	23	7	—	6	3	2	1	7	—	14	
	Warwickshire	...	604	337	267	39	56	54	54	12	10	2	3	6	—	2	—	2	27	
	Leicestershire	...	569	307	262	19	73	36	67	38	9	—	1	4	—	—	—	—	15	
	Rutlandshire	...	75	56	19	2	4	4	7	2	—	—	—	—	—	—	—	—	—	
	Lincolnshire	...	1,011	663	348	16	151	25	36	76	32	—	1	3	1	—	—	2	5	
VIII.	Nottinghamshire	...	692	307	285	15	89	26	45	44	44	—	2	4	1	1	—	1	13	
	Derbyshire	...	533	222	311	22	93	41	28	61	43	—	3	3	2	—	1	1	13	
	Cheshire	...	733	271	462	37	128	71	34	63	38	18	33	10	1	2	—	—	27	
	Lancashire	...	2,748	856	1,892	308	408	275	183	166	170	31	75	45	24	6	3	6	192	
	West Riding	...	2,115	733	1,382	84	438	204	135	187	203	—	10	18	6	7	1	2	87	
IX.	East Riding (with York)	...	456	255	201	18	73	23	10	53	10	—	6	1	1	1	—	—	5	
	North Riding	...	532	280	252	30	114	27	18	47	6	1	4	4	—	—	1	5	5	
	Durham	...	716	284	432	62	108	29	25	102	41	1	35	4	—	1	4	—	20	
	Northumberland	...	488	193	295	41	52	19	11	47	37	—	76	1	1	1	—	1	8	
	Cumberland	...	333	187	146	14	49	19	5	22	8	—	16	1	—	—	2	—	10	
X.	Westmorland	...	141	85	56	3	23	8	5	9	2	—	1	1	—	—	—	—	4	
	Monmouthshire	...	450	182	268	14	32	51	100	22	9	32	—	1	—	1	—	—	6	
	Glamorganshire	...	979	248	731	22	61	215	200	10	14	178	5	9	1	—	—	1	15	
	Carmarthenshire	...	296	92	204	2	6	33	55	—	1	54	—	1	—	—	—	—	2	
	Pembrokeshire	...	270	135	135	5	9	46	45	1	—	29	—	—	—	—	—	—	—	
XI.	Cardiganshire	...	317	117	200	1	12	67	34	—	—	74	—	12	—	—	—	—	—	
	Brecknockshire	...	207	104	103	3	8	34	28	2	—	23	—	—	—	—	—	—	—	
	Radnorshire	...	72	34	38	—	3	4	21	4	—	6	—	—	—	—	—	—	—	
	Montgomeryshire	...	205	76	129	1	24	29	17	5	—	53	—	—	—	—	—	—	—	
	Flintshire	...	132	38	94	4	18	19	4	5	2	37	5	—	—	—	—	—	—	
XII.	Denbighshire	...	251	86	165	4	22	32	20	4	2	74	5	—	—	—	—	—	2	
	Merionethshire	...	230	61	169	1	20	41	19	—	—	88	—	—	—	—	—	—	—	
	Carnarvonshire	...	352	106	246	6	30	53	24	—	—	127	4	—	—	—	—	—	2	
	Anglesey	...	115	54	61	1	6	8	13	—	—	32	1	—	—	—	—	—	—	

TABLE 9. -ENGLAND AND WALES and LONDON.—MARRIAGES.—MANNER of SOLEMNIZATION, 1862-1911.

Year.	Of 1,000 Marriages.																	
	England and Wales.												London.					
	With Religious Ceremonial.												Civil Marriages in Superintendent Registrar's Office.	According to the rites of the Established Church.	Not according to the rites of the Established Church.			Civil Marriages in Superintendent Registrar's Office.
	According to the rites of the Established Church.							Not according to the rites of the Established Church.							Roman Catholics.	Other Christian Denominations.	Jews.	
	Total.	Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	Total in Established Church.	In Registered Places.				Quakers.						
Roman Catholics.								Other Christian Denominations.		Before Registrar.	Before Authorised Person.							
1862	922	0·1	119	627	24	21	791	45	84			0·4	1·8	78	885	47	32·2	7·9
1863	921	0·1	111	632	25	20	788	47	84		0·3	1·8	79	885	49	30·1	8·5	27
1864	919	0·1	110	629	24	19	782	48	87		0·3	1·9	81	884	49	31·2	8·7	27
1865	920	0·1	112	629	22	19	782	47	89		0·3	1·9	80	893	43	30·0	7·9	26
1866	919	0·1	108	630	23	17	778	48	91		0·3	1·6	81	888	44	33·1	6·9	28
1867	916	0·1	108	628	22	17	775	44	95		0·4	1·8	84	887	39	35·1	6·9	32
1868	910	0·1	103	627	23	16	769	42	97		0·4	1·7	90	889	39	33·1	7·5	31
1869	905	0·1	98	627	23	15	763	41	99		0·3	1·9	95	881	35	35·1	7·9	41
1870	902	0·1	94	634	22	10	760	41	99		0·3	2·0	98	882	35	33·2	7·8	42
1871	903	0·1	89	642	22	8	761	40	100		0·3	2·1	97	881	35	33·1	8·4	42
1872	901	0·1	85	645	21	6	757	42	100		0·2	2·1	99	880	33	35·1	8·4	43
1873	897	0·1	85	642	20	5	752	40	102		0·4	2·4	103	873	34	36·3	10·0	47
1874	895	0·1	87	637	19	4	747	40	105		0·2	2·3	105	870	33	39·1	9·2	49
1875	896	0·1	87	635	18	4	744	42	107		0·3	2·4	104	871	32	39·1	9·4	48
1876	893	0·2	87	630	18	3	738	42	110		0·3	2·3	107	867	34	39·1	8·4	51
1877	891	0·1	84	627	18	4	733	43	112		0·4	2·2	109	859	35	40·2	8·6	57
1878	884	0·1	82	623	18	3	726	42	113		0·3	2·7	116	852	36	38·3	11·2	62
1879	880	0·2	78	624	18	3	723	41	113		0·3	2·5	120	845	36	39·2	9·9	70
1880	874	0·2	73	623	18	3	717	43	111		0·3	2·4	126	841	37	39·1	9·9	73
1881	874	0·3	68	626	18	3	715	45	111		0·3	2·5	126	837	37	40·3	10·5	75
1882	874	0·4	65	631	17	2	715	45	111		0·3	2·5	126	834	39	40·2	10·3	76
1883	872	0·3	63	629	18	2	712	44	113		0·3	2·6	128	827	36	41·1	10·4	85
1884	869	0·3	60	628	17	2	707	43	116		0·3	2·9	131	816	38	39·1	12·1	95
1885	870	0·3	58	630	17	3	708	41	118		0·2	3·2	130	816	37	41·1	13·3	93
1886	870	0·2	56	632	17	2	707	42	117		0·2	3·4	130	815	37	39·2	13·6	95
1887	864	0·1	53	629	17	2	701	43	116		0·3	3·2	136	801	38	42·2	13·5	105
1888	863	0·1	51	632	16	2	701	42	116		0·3	3·9	137	797	38	42·2	16·4	106
1889	860	0·1	48	632	16	2	698	42	116		0·3	4·1	140	788	38	44·3	16·7	113
1890	863	0·1	47	637	15	2	701	43	115		0·3	4·0	137	790	38	44·2	17·0	111
1891	864	0·1	46	637	14	2	699	42	118		0·3	4·6	136	781	37	43·3	19·3	119
1892	861	0·1	45	637	14	2	698	40	118		0·3	4·6	139	778	36	42·4	19·8	124
1893	857	0·1	44	634	13	1	692	41	118		0·4	5·1	143	768	38	41·4	21·2	131
1894	852	0·1	41	630	13	2	686	42	119		0·3	5·0	148	759	37	42·4	21·5	140
1895	853	0·1	39	633	13	1	686	41	120		0·3	5·3	147	754	36	44·3	21·5	144
1896	854	0·1	38	637	11	1	687	41	120		0·4	5·2	146	754	35	44·5	22·2	144
1897	854	0·1	35	640	10	1	686	41	121		0·4	5·7	146	745	36	42·4	24·3	152
1898	852	0·1	34	641	9	1	685	40	121		0·4	5·7	148	739	35	44·4	25·1	156
1899	850	0·1	34	634	9	1	678	41	113	11	0·3	6·4	150	730	35	46·2	28·5	160
1900	847	0·1	34	629	8·0	0·9	672	40	106	22	0·3	6·5	153	720	37	46·2	29·3	167
1901	842	0·1	33	624	7·7	1·0	666	41	104	24	0·3	7·0	158	710	37	45·2	32·2	176
1902	837	0·1	33	620	7·2	0·7	661	41	101	26	0·3	7·4	163	699	39	46·3	34·7	181
1903	830	0·1	31	612	6·8	0·8	651	41	102	28	0·4	7·3	170	686	40	47·3	34·4	192
1904	821	0·2	30	604	7·0	0·7	642	41	101	30	0·3	7·0	179	676	39	46·3	35·5	203
1905	817	0·1	29	600	6·7	0·6	636	41	100	32	0·3	7·6	183	664	39	48·2	38·4	210
1906	812	0·1	28	596	6·6	0·6	631	42	97	33	0·3	8·3	188	653	39	46·3	39·5	222
1907	805	0·1	27	590	6·4	0·6	624	42	96	35	0·4	7·2	195	641	39	45·3	36·3	238
1908	796	0·1	27	582	5·9	0·6	616	41	95	37	0·4	6·6	204	628	38	47·4	32·6	254
1909	795	0·1	28	579	6·0	0·9	614	42	92	40	0·4	6·8	205	624	40	48·3	34·0	254
1910	795	0·1	27	582	5·8	0·7	616	42	86	44	0·4	6·8	205	619	41	46·3	33·4	260
1911	791	0·1	26	578	5·3	0·8	610	44	83	47	0·4	6·6	209	613	40	46·4	33·6	267

TABLE 10.—ENGLAND AND WALES and LONDON.—FIRST MARRIAGES, RE-MARRIAGES, MARRIAGES of MINORS, and SIGNATURES by MARK, 1862–1911.

Year.	In 1,000 Marriages.																	
	England and Wales.									London.								
	Bachelors and		Widowers and		Under 21 years.		Signed by Mark.			Bachelors and		Widowers and		Under 21 years.		Signed by Mark.		
	Spinsters.	Widows.	Spinsters.	Widows.	Men.	Women.	Men.	Women.	Both.	Spinsters.	Widows.	Spinsters.	Widows.	Men.	Women.	Men.	Women.	Both.
1862	821	42	89	48	65	198	237	332	153	818	46	92	44	34	139	105	175	58
1863	824	41	88	47	66	199	238	331	153	818	47	92	43	34	139	110	180	63
1864	820	42	89	49	66	201	233	324	147	816	46	92	46	33	143	109	174	59
1865	818	43	89	50	67	201	225	312	141	819	49	88	44	35	148	102	164	54
1866	818	43	88	51	67	200	216	300	134	816	47	90	47	35	143	98	151	49
1867	813	44	91	52	69	202	211	288	127	808	50	94	48	35	148	93	145	46
1868	817	43	89	51	72	210	201	278	119	813	48	91	48	36	153	91	142	43
1869	816	44	89	51	72	214	199	276	117	817	48	90	45	39	157	90	150	46
1870	819	45	85	51	75	216	198	273	116	816	50	88	46	39	150	88	145	43
1871	818	44	86	52	79	220	194	268	113	818	48	86	48	39	158	92	147	48
1872	818	45	84	53	80	223	194	263	111	814	48	90	48	41	160	88	139	43
1873	818	46	82	54	82	224	188	254	106	814	49	88	49	43	161	84	133	41
1874	816	46	82	56	84	227	179	242	98	814	48	87	51	46	166	81	131	39
1875	814	45	85	56	83	222	172	232	93	811	48	89	52	47	168	87	128	41
1876	814	45	83	58	83	220	163	221	86	814	48	86	52	49	172	81	118	37
1877	817	44	84	55	81	220	153	209	79	817	46	88	49	51	172	78	115	35
1878	822	43	81	54	78	216	146	198	73	817	47	86	50	51	175	75	110	34
1879	824	43	80	53	74	214	138	185	67	822	46	85	47	50	177	74	103	31
1880	826	43	79	52	73	215	140	186	68	828	44	82	46	52	181	71	103	30
1881	831	42	77	50	72	214	135	177	64	830	45	78	47	53	183	69	98	29
1882	835	40	76	49	76	220	132	171	62	828	42	84	46	55	189	68	96	29
1883	835	41	75	49	74	218	126	155	55	832	46	79	43	59	189	62	83	24
1884	833	40	77	50	73	213	117	142	48	831	42	82	45	55	191	63	80	25
1885	834	40	78	48	70	210	107	129	43	829	46	80	45	59	196	58	74	23
1886	838	38	77	47	67	206	96	115	37	835	43	78	44	58	193	52	70	22
1887	841	37	75	47	65	202	91	106	34	837	42	77	44	57	195	49	64	19
1888	843	38	74	45	63	199	83	97	29	844	40	74	42	52	190	47	58	17
1889	848	37	71	44	61	199	78	90	27	849	40	71	40	52	182	42	54	16
1890	849	37	70	44	60	195	72	83	24	846	41	71	42	52	183	42	56	16
1891	849	37	70	44	59	190	64	73	21	847	41	72	40	49	174	37	50	15
1892	847	38	71	44	59	187	56	66	19	846	43	70	41	52	177	36	49	16
1893	849	37	71	43	56	181	50	57	16	847	41	69	43	47	168	34	43	14
1894	852	36	70	42	55	181	46	54	14	848	42	69	41	47	168	30	42	11
1895	856	35	68	41	52	174	40	48	13	853	40	68	39	44	159	27	37	10
1896	863	34	64	39	53	174	37	43	11	858	39	64	39	49	161	25	32	9
1897	870	33	61	36	51	170	33	40	10	865	37	62	36	46	162	26	33	11
1898	872	33	60	35	51	168	31	36	10	872	36	58	34	48	163	25	32	11
1899	876	32	57	35	50	165	29	34	9	868	38	59	35	45	158	25	33	12
1900	873	33	59	35	51	163	28	32	9	865	39	59	37	45	155	25	32	12
1901	868	35	60	37	50	160	25	29	8	862	40	61	37	44	150	24	30	12
1902	875	34	57	34	47	154	23	26	7	870	39	59	32	40	140	24	30	13
1903	879	33	56	32	46	152	19	23	6	872	39	57	32	38	137	22	31	13
1904	883	33	54	30	46	153	18	21	5	878	39	53	30	37	139	18	26	10
1905	883	32	54	31	44	147	17	20	5	881	37	53	29	36	130	18	25	9
1906	885	32	53	30	43	146	15	19	5	881	35	54	30	35	129	17	25	9
1907	885	31	54	30	41	142	14	17	4	881	36	54	29	32	118	16	23	8
1908	881	33	55	31	40	140	13	15	4	875	38	56	31	29	113	13	19	6
1909	884	31	55	30	40	137	11	13	3	879	36	56	29	31	111	10	14	4
1910	884	32	54	30	38	133	11	12	3	879	38	54	29	29	108	9	13	3
1911	887	31	52	30	39	133	10	12	3	881	37	52	30	31	109	9	12	3

TABLE 11.—ENGLAND AND WALES.—MARRIAGES.—MANNER of SOLEMNIZATION in REGISTRATION COUNTIES, 1911.

Registration Division.	Registration County.	Of 1,000 Marriages.														Civil Marriages in Superintendent Registrar's Office.
		With Religious Ceremonial.														
		T.tal.	Special Licence.	According to the Rites of the Established Church.					Not according to the Rites of the Established Church.							
				Licence.	Banns.	Superintendent Registrar's Certificate.	Not Stated.	Total in Church.	In Registered Places.							
									Roman Catholics.	Other Christian Denominations.		Quakers.	Jews.			
Before Registrar.	Before Authorized Person.															
I.	England and Wales ...	791	0·1	26	578	5·3	0·8	610	44	83	47	0·4	6·6	209		
	London ...	733	0·4	25	587	0·1	0·1	613	40	33	13	0·4	33·6	267		
II.	Surrey ...	772	0·2	24	655	—	1·7	681	25	51	14	0·9	—	228		
	Kent ...	782	0·1	18	660	1·3	0·7	680	18	54	29	0·4	0·1	218		
	Sussex ...	805	0·5	26	670	0·5	1·4	698	20	76	10	0·2	0·7	195		
	Hampshire ...	753	—	28	606	1·5	—	636	22	78	16	—	1·2	247		
	Berkshire ...	795	—	21	674	0·5	4·1	700	10	56	28	0·5	0·5	205		
III.	Middlesex ...	736	—	23	614	0·5	1·0	639	24	51	21	—	0·8	264		
	Hertfordshire ...	827	0·5	13	690	—	2·1	706	11	84	26	—	—	173		
	Buckinghamshire ...	871	—	21	708	0·8	6·4	736	1	107	27	—	—	129		
	Oxfordshire ...	855	0·7	21	716	—	10·3	748	17	68	22	—	—	145		
	Northamptonshire ...	823	—	16	639	1·1	1·5	658	11	77	76	1·1	—	177		
	Huntingdonshire ...	854	—	11	728	—	5·7	745	6	89	14	—	—	146		
	Bedfordshire ...	860	—	17	667	2·8	2·1	689	7	114	49	1·4	—	140		
	Cambridgeshire...	875	—	30	702	0·6	4·4	737	10	105	23	—	—	125		
IV.	Essex ...	805	—	14	669	0·2	1·1	684	25	66	29	0·3	0·8	195		
	Suffolk ...	843	—	16	708	—	2·2	726	9	83	25	0·4	—	157		
	Norfolk ...	834	—	20	701	—	4·4	725	9	59	40	0·9	—	166		
V.	Wiltshire ...	837	—	17	651	—	1·6	670	17	119	31	—	—	163		
	Dorsetshire ...	864	—	25	701	0·7	2·7	729	8	106	20	0·7	—	136		
	Devonshire ...	747	0·2	48	533	1·4	1·5	584	15	108	39	0·6	0·6	253		
	Cornwall ...	823	—	67	445	0·9	0·4	513	5	231	74	—	—	177		
	Somersetshire ...	875	—	39	652	2·7	2·4	696	8	132	39	0·3	—	125		
VI.	Gloucestershire...	769	—	26	596	0·4	1·4	624	18	89	36	0·4	1·2	231		
	Herefordshire ...	818	3·0	46	644	—	—	693	20	91	9	4·6	—	182		
	Shropshire ...	825	—	45	659	1·8	3·5	709	15	86	15	—	—	175		
	Staffordshire ...	855	—	15	698	1·5	0·1	715	35	57	47	0·1	0·4	145		
	Worcestershire ...	825	—	17	701	2·2	0·5	721	23	40	41	0·2	—	175		
	Warwickshire ...	801	—	10	678	0·9	0·4	689	29	50	28	1·3	3·3	199		
VII.	Leicestershire ...	788	—	18	594	1·9	1·6	616	18	83	70	—	0·5	212		
	Rutlandshire ...	893	—	25	785	—	—	810	17	66	—	—	—	107		
	Lincolnshire ...	840	—	29	651	0·7	2·3	683	9	74	73	—	0·7	160		
	Nottinghamshire ...	763	—	27	604	—	1·1	632	11	66	54	—	0·4	237		
	Derbyshire ...	843	—	31	603	2·3	0·5	637	27	109	70	—	—	157		
VIII.	Cheshire...	849	0·2	40	573	4·8	—	618	58	91	82	—	0·3	151		
	Lancashire ...	866	—	32	523	17·8	0·1	573	111	93	83	0·3	5·9	134		
IX.	West Riding ...	847	—	16	611	8·0	0·2	635	42	78	88	0·4	4·0	153		
	East Riding (with York)	834	—	25	636	0·3	0·8	662	39	47	81	1·0	4·0	166		
	North Riding ...	837	—	48	574	2·3	0·6	625	76	92	42	1·0	0·6	163		
X.	Durham ...	727	—	23	464	23·0	0·4	510	82	68	65	0·5	1·1	273		
	Northumberland ...	691	—	32	448	2·4	—	482	74	100	32	1·3	1·7	309		
	Cumberland ...	844	—	86	508	29·9	0·5	624	83	77	59	0·5	—	156		
	Westmorland ...	889	—	59	687	2·3	2·3	751	16	93	29	—	—	111		
XI.	Monmouthshire ...	708	—	26	388	1·9	0·3	416	36	234	20	—	1·6	292		
	Glamorganshire ...	536	—	25	245	3·9	0·2	274	38	179	42	0·1	2·9	464		
	Carmarthenshire ...	560	—	39	170	14·9	—	224	4	279	53	—	—	440		
	Pembrokeshire ...	674	—	63	313	15·8	3·2	395	11	206	62	—	—	326		
	Cardiganshire ...	633	—	68	136	30·1	4·0	238	—	353	42	—	—	367		
	Brecknockshire ...	842	—	48	273	12·6	—	334	23	480	5	—	—	158		
	Radnorshire ...	948	—	60	491	25·9	17·2	594	—	328	26	—	—	52		
	Montgomeryshire ...	763	—	44	328	2·6	—	375	3	354	31	—	—	237		
	Flintshire ...	852	—	34	436	6·8	—	477	25	323	27	—	—	148		
	Denbighshire ...	673	—	24	275	4·5	—	304	20	325	24	—	—	327		
	Merionethshire ...	734	—	30	137	—	—	167	3	534	30	—	—	266		
	Carnarvonshire...	644	—	47	229	4·3	—	280	14	328	22	—	—	356		
	Anglesey ...	806	—	83	103	4·6	—	191	69	532	14	—	—	194		

TABLE 12.—ENGLAND and WALES—MARRIAGE-RATES, PROPORTIONS of MARRIAGES of MINORS, and of SIGNATURES by MARK in REGISTRATION COUNTIES, 1901–1910 and 1911.

Registration Division.	Registration County.	In 1,000 Marriages.															
		Persons Married to 1,000 living.		Bachelors and		Widowers and		Under 21 years.				Signed by Mark.					
								Average of Ten Years 1901–1910.		1911.		Average of Ten Years 1901–1910.		1911.			
		Average of Ten Years 1901–1910.	1911.	Spinsters.	Widows.	Spinsters.	Widows.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.
I.	England and Wales ...	15.5	15.2	887	31	52	30	44	146	39	133	17	20	10	12	3	
	London ...	17.5	17.8	881	37	52	30	35	128	31	109	17	24	9	12	3	
II.	Surrey ...	13.4	12.7	896	25	54	25	27	105	22	93	10	7	8	7	3	
	Kent ...	14.0	13.8	895	35	46	24	30	138	26	115	13	11	10	7	2	
	Sussex ...	13.5	13.1	885	30	61	24	32	112	23	87	12	6	9	4	0	
	Hampshire ...	15.1	14.5	883	37	51	29	25	130	23	114	12	8	8	5	3	
	Berkshire ...	14.3	14.3	899	28	53	20	27	104	24	97	15	9	11	4	0	
III.	Middlesex ...	13.4	13.3	890	30	54	26	34	120	27	99	10	8	6	4	1	
	Hertfordshire ...	12.9	13.4	910	20	49	21	40	111	36	101	20	10	11	7	2	
	Buckinghamshire ...	13.5	12.9	913	26	47	14	39	125	24	110	16	10	10	4	2	
	Oxfordshire ...	14.1	13.7	894	24	56	26	33	99	31	101	17	10	15	12	4	
	Northamptonshire ...	14.4	14.6	903	27	43	27	51	138	41	121	17	15	11	13	1	
	Huntingdonshire ...	14.0	14.5	891	37	40	32	40	150	34	149	26	15	20	17	6	
	Bedfordshire ...	14.1	14.3	901	25	54	20	65	142	42	108	18	16	9	9	1	
	Cambridgeshire ...	14.1	14.7	906	23	45	26	45	140	45	135	29	16	15	9	2	
IV.	Essex ...	13.8	14.1	891	30	47	32	36	142	28	112	15	12	9	6	2	
	Suffolk ...	13.8	14.1	887	26	54	33	39	139	29	113	25	12	20	12	5	
	Norfolk ...	13.9	14.0	890	23	57	30	43	138	38	109	24	14	18	6	2	
V.	Wiltshire ...	14.4	13.7	892	31	55	22	29	112	27	104	15	10	11	9	2	
	Dorsetshire ...	13.9	13.5	892	31	51	26	32	116	29	102	19	11	8	9	3	
	Devonshire ...	15.3	14.8	874	32	58	36	28	111	26	105	12	12	8	7	1	
	Cornwall ...	14.0	13.7	872	28	71	29	37	122	35	111	26	24	16	13	4	
	Somersetshire ...	13.7	13.7	891	21	58	30	34	101	30	80	20	13	13	6	2	
VI.	Gloucestershire ...	15.2	14.8	868	27	69	36	33	105	24	86	17	14	12	10	3	
	Herefordshire ...	13.0	11.7	889	27	64	20	20	91	12	80	27	17	12	12	—	
	Shropshire ...	13.3	12.8	897	27	51	25	25	102	26	88	21	16	12	12	2	
	Staffordshire ...	15.6	15.8	894	30	44	32	63	182	60	168	21	24	13	15	4	
	Worcestershire ...	14.5	14.4	892	27	52	29	43	128	43	116	17	17	12	8	4	
	Warwickshire ...	16.4	16.6	888	30	48	34	55	160	50	152	18	24	11	16	3	
VII.	Leicestershire ...	15.5	15.3	900	26	41	33	62	156	56	128	13	14	6	7	1	
	Rutlandshire ...	12.6	11.4	892	17	58	33	22	112	41	99	15	4	—	—	—	
	Lincolnshire ...	15.5	15.4	898	26	50	26	44	166	47	172	15	12	8	9	2	
	Nottinghamshire ...	16.4	15.4	891	28	49	32	74	213	74	204	16	19	10	14	3	
	Derbyshire ...	15.6	14.3	893	24	55	28	57	191	48	166	12	15	8	10	2	
VIII.	Cheshire ...	14.5	14.4	887	26	63	24	38	120	35	112	14	15	8	8	2	
	Lancashire ...	16.4	15.8	878	33	54	35	49	137	44	125	16	24	9	15	3	
IX.	West Riding ...	15.9	15.6	879	30	54	37	54	177	50	169	17	24	11	14	3	
	East Riding (with York)	15.5	15.7	890	35	48	27	46	177	33	130	13	16	5	12	1	
	North Riding ...	15.2	14.9	889	35	52	24	45	176	51	209	18	22	10	21	4	
X.	Durham ...	16.2	16.3	889	35	44	32	57	228	56	221	19	25	13	18	3	
	Northumberland ...	15.7	15.5	882	42	48	28	38	178	46	174	14	22	8	14	2	
	Cumberland ...	14.7	14.1	899	27	52	22	42	136	33	133	12	15	9	10	4	
	Westmorland ...	13.6	13.9	889	27	70	14	25	87	32	86	5	6	7	2	—	
XI.	Monmouthshire ...	15.6	14.9	885	40	43	32	56	208	54	199	29	30	13	23	4	
	Glamorganshire ...	16.3	15.5	884	38	49	29	48*	192*	45	189	24	30	12	15	3	
	Cardiganshire ...	14.8	15.0	879	26	74	21	40*	119*	39	139	19	32	11	18	4	
	Pembrokeshire ...	14.8	14.9	897	19	68	16	38*	121*	40	123	18	26	8	9	3	
	Cardiganshire ...	12.1	12.4	870	16	84	30	23*	45*	24	40	15	33	20	18	8	
	Brecknockshire ...	15.9	14.1	874	33	68	25	26*	121*	23	113	29	31	15	20	5	
	Radnorshire ...	12.8	13.3	931	9	43	17	19*	122*	17	86	19	14	—	—	—	
	Montgomeryshire ...	13.1	12.4	869	16	89	26	15*	77*	13	91	34	23	18	16	3	
	Flintshire ...	11.7	12.5	904	18	46	32	21*	85*	5	96	30	32	9	11	5	
	Denbighshire ...	14.0	13.0	875	29	65	31	25*	93*	17	96	28	34	10	15	—	
	Merionethshire ...	12.1	11.3	858	15	86	41	11*	64*	24	35	16	20	6	15	6	
	Carnarvonshire ...	13.5	13.0	869	18	85	28	14*	59*	17	48	24	28	16	21	4	
	Anglesey ...	12.4	12.2	898	14	51	37	19*	77*	14	56	40	37	32	19	9	

* Average of eight years 1903–1910.

TABLE 13.—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES, DEATH-RATES at TWELVE GROUPS of AGES, and INFANTILE MORTALITY, 1838-1911.*—PERSONS.

Year.	Deaths of Persons per 1,000 living at subjoined ages.													Deaths of Infants under 1 year of age per 1,000 births.
	All Ages (Standardized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
1838-1911	19.5	61.0	6.5	3.8	5.4	6.8	8.3	11.6	16.7	30.2	63.1	137.7	287.8	146
1841-50	21.5	66.0	9.0	5.3	7.5	9.3	10.3	12.9	17.0	29.9	63.6	141.5	301.0	153
1851-60	21.2	67.6	8.5	5.0	7.0	8.7	9.8	12.3	16.5	28.9	61.7	139.9	296.5	154
1861-70	21.3	68.6	8.0	4.5	6.4	8.2	9.8	12.8	17.4	30.4	62.8	140.4	296.6	154
1871-80	20.4	63.4	6.5	3.7	5.4	7.1	9.0	12.7	17.8	31.6	65.0	142.2	308.3	149
1881-90	18.6	56.8	5.3	3.0	4.4	5.6	7.6	11.5	17.1	31.4	65.0	137.6	284.0	142
1891-1900	18.1	57.7	4.3	2.5	3.7	4.7	6.4	10.5	16.8	31.5	65.0	137.2	270.8	153
1901-10	15.2	46.0	3.6	2.1	3.0	3.8	5.1	8.3	14.3	28.1	58.8	127.2	260.8	128
1841-45	20.6	63.7	8.7	5.0	7.2	8.8	9.7	12.1	16.1	28.7	62.0	137.1	295.3	148
1846-50	22.4	68.7	9.4	5.6	7.7	9.8	10.9	13.6	18.1	31.4	65.9	145.8	306.6	157
1851-55	21.7	68.9	8.6	5.2	7.4	9.0	10.1	12.7	17.2	29.6	62.9	143.2	299.5	156
1856-60	20.7	66.9	8.3	4.7	6.7	8.3	9.4	12.0	16.1	28.4	60.9	136.6	293.4	152
1861-65	21.4	69.1	8.4	4.7	6.6	8.4	9.8	12.6	17.1	30.2	62.4	139.1	298.8	151
1866-70	21.2	68.1	7.6	4.3	6.2	8.0	9.9	12.9	17.6	30.6	63.2	141.7	294.3	157
1871-75	20.9	64.9	6.9	4.0	5.8	7.7	9.6	13.1	18.0	31.6	65.3	141.6	305.2	153
1876-80	19.8	61.9	6.1	3.5	4.9	6.5	8.4	12.3	17.5	31.6	64.7	142.9	311.5	145
1881-85	13.7	56.6	5.7	3.2	4.6	6.0	8.0	11.8	17.2	31.0	63.5	136.1	277.7	139
1886-90	18.5	56.9	4.9	2.8	4.1	5.3	7.2	11.1	17.1	31.8	66.3	139.0	290.3	145
1891-95	18.5	57.8	4.6	2.6	4.0	5.0	6.8	11.0	17.3	32.5	67.3	140.8	274.1	151
1896-1900	17.6	57.5	4.1	2.4	3.5	4.5	6.0	10.1	16.2	30.5	64.1	133.6	267.5	156
1901-05	16.0	50.2	3.8	2.2	3.1	4.0	5.5	8.9	15.0	28.7	59.5	127.3	258.5	138
1906-10	14.4	41.7	3.4	2.0	2.9	3.6	4.8	7.8	13.7	27.6	58.1	127.0	262.8	117
1862	20.3	65.1	7.5	4.5	6.5	8.0	9.3	12.0	16.4	29.0	60.3	133.7	283.3	142
1863	21.7	72.7	10.1	5.1	6.6	8.3	9.6	12.4	16.5	29.3	60.0	133.7	297.8	149
1864	22.4	70.8	9.6	5.0	6.7	8.7	10.3	13.4	18.1	32.4	66.6	145.6	314.7	153
1865	22.0	70.1	7.9	4.7	6.6	8.8	10.4	13.4	18.5	31.7	64.2	144.3	307.9	160
1866	22.2	70.3	7.5	4.5	6.7	8.9	10.7	13.9	18.8	31.9	64.8	144.5	306.4	160
1867	20.6	64.5	6.3	3.9	6.2	8.0	9.7	12.7	17.3	30.4	63.6	145.2	304.4	153
1868	20.6	68.4	7.6	4.1	6.1	7.8	9.5	12.3	16.8	29.0	59.1	131.7	269.6	155
1869	21.0	67.8	8.0	4.3	5.9	7.6	9.6	12.6	17.5	30.3	63.5	141.5	289.3	156
1870	21.6	69.6	8.6	4.5	6.2	7.8	9.8	12.8	17.6	31.2	64.8	145.5	302.0	160
1871	21.4	67.0	7.9	4.4	6.5	8.7	10.4	13.3	17.9	31.1	63.7	138.8	290.4	158
1872	20.2	63.0	6.7	4.1	6.1	8.1	9.8	12.8	17.2	29.4	60.7	131.6	277.8	150
1873	20.0	61.4	5.8	3.6	5.4	7.1	9.0	12.5	17.6	31.0	66.1	142.0	311.8	149
1874	21.1	66.6	7.3	3.9	5.5	7.4	9.4	13.2	18.3	32.3	66.2	139.5	302.6	151
1875	21.6	66.5	6.6	3.8	5.6	7.4	9.5	13.6	19.1	34.2	69.8	156.0	343.2	158
1876	19.9	62.4	6.1	3.6	5.2	7.0	8.8	12.7	17.5	31.0	62.4	136.2	293.0	146
1877	19.4	58.8	5.8	3.6	5.0	6.7	8.6	12.5	17.4	31.0	63.2	136.5	304.4	136
1878	20.5	66.2	6.4	3.6	5.0	6.5	8.4	12.4	17.6	32.0	65.3	146.8	328.5	152
1879	19.9	58.1	6.0	3.3	4.8	6.2	8.3	12.3	18.1	33.6	70.0	158.3	342.9	135
1880	19.5	64.2	6.2	3.3	4.7	6.0	7.7	11.5	16.8	30.4	62.7	136.5	288.8	153
1881	18.2	52.3	5.7	3.2	4.6	6.0	8.1	11.9	17.0	30.8	62.7	134.5	275.2	130
1882	18.8	58.9	6.1	3.3	4.7	5.9	8.1	11.7	17.0	30.5	61.2	130.8	267.9	141
1883	19.0	56.0	6.0	3.4	4.8	6.2	8.2	12.0	17.5	31.8	64.7	140.7	286.6	137
1884	19.0	59.9	5.8	3.3	4.6	6.0	7.9	11.7	17.3	30.4	62.6	133.5	263.6	147
1885	18.7	55.8	5.1	3.0	4.4	5.8	7.8	11.6	17.2	31.4	66.2	141.1	295.4	138
1886	19.0	59.3	4.8	2.9	4.4	5.5	7.4	11.2	17.0	31.8	67.5	143.8	316.0	149
1887	18.6	57.6	5.1	2.9	4.2	5.4	7.2	11.1	16.9	31.7	66.6	139.3	286.4	145
1888	17.7	52.9	4.7	2.8	4.0	5.3	7.0	10.8	16.7	30.9	65.3	136.2	283.1	136
1889	17.9	56.8	4.7	2.7	3.9	5.0	6.7	10.5	16.2	30.2	63.1	131.8	274.6	144
1890	19.3	58.1	5.0	2.9	4.2	5.4	7.5	12.0	18.7	34.4	69.2	143.9	291.4	151
1891	20.0	59.1	4.7	2.7	4.2	5.4	7.4	12.2	19.6	36.9	75.4	156.6	310.5	149
1892	18.8	57.4	4.6	2.6	4.0	4.9	6.9	11.2	17.5	33.3	70.4	146.8	285.9	148
1893	18.9	60.4	5.1	2.9	4.3	5.3	7.2	11.5	17.4	32.2	66.5	134.6	258.5	159
1894	16.4	51.7	4.3	2.5	3.7	4.7	6.3	9.9	15.4	28.0	57.8	119.6	228.5	137
1895	18.5	60.6	4.1	2.5	3.7	4.7	6.3	10.2	16.6	32.1	66.5	146.5	287.3	161
1896	16.9	56.7	4.5	2.4	3.5	4.4	5.9	9.7	15.4	28.5	57.7	120.1	240.3	148
1897	17.3	57.4	4.0	2.4	3.5	4.5	6.0	9.8	15.6	29.3	66.6	129.9	259.8	156
1898	17.4	58.5	3.8	2.2	3.4	4.4	5.9	9.8	15.7	29.7	61.5	132.1	268.1	160
1899	18.2	58.5	4.1	2.4	3.5	4.5	6.1	10.5	17.0	31.9	66.6	142.2	283.9	163
1900	18.2	56.5	4.2	2.4	3.5	4.6	6.2	10.5	17.5	33.1	68.1	143.9	285.2	154
1901	16.9	54.2	4.1	2.3	3.3	4.2	5.8	9.6	15.9	29.8	61.5	129.8	258.0	151
1902	16.2	49.6	4.1	2.3	3.2	4.2	5.7	9.3	15.5	29.4	60.6	129.0	258.8	133
1903	15.4	48.1	3.5	2.1	3.0	3.8	5.4	8.6	14.6	27.7	57.5	122.2	243.6	132
1904	16.2	53.0	3.6	2.1	3.1	3.9	5.3	8.5	14.6	28.7	59.7	130.1	267.6	145
1905	15.2	46.2	3.5	2.1	3.0	3.9	5.2	8.3	14.2	28.0	58.0	125.5	264.5	128
1906	15.3	47.2	3.6	2.1	3.0	3.8	5.1	8.2	14.2	28.2	57.7	126.9	273.1	132
1907	14.9	42.9	3.5	2.1	2.9	3.7	5.0	8.2	14.2	28.6	59.6	129.3	271.0	118
1908	14.5	43.0	3.4	2.0	2.8	3.7	4.9	7.8	13.7	27.6	57.8	127.2	259.0	120
1909	14.3	39.2	3.4	2.1	2.9	3.6	4.8	7.7	13.8	27.8	60.4	131.7	268.3	109
1910	13.2	36.4	3.0	1.9	2.7	3.4	4.4	7.2	12.7	25.7	55.2	120.1	242.4	105
1911	14.3	43.7	3.4	2.1	2.9	3.5	4.5	7.3	13.0	26.1	56.4	124.2	246.2	130

* For the purposes of this Table, the populations shown in Table 1 have been distributed among the several groups of ages, according to the proportions found to prevail at the various Censuses.

† The death-rates in this column are standardized to the sex and age constitution of the population as enumerated in 1901.

TABLE 14.—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES, DEATH-RATES at TWELVE GROUPS of AGES, and INFANTILE MORTALITY, 1838-1911.*—
MALES.

Year.	Deaths of Males per 1,000 living at subjoined Ages.														Deaths of Male Infants under 1 year of age per 1,000 Male Births.
	All Ages. (Stand- ard- ized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up- wards.		
1838-1911	20·4	65·8	6·6	3·7	5·3	7·1	8·4	12·2	18·5	33·1	67·8	146·0	304·5	160	
1841-50	22·2	71·2	9·2	5·1	7·1	9·5	9·9	12·9	18·2	31·8	67·5	148·3	312·3	167	
1851-60	21·9	72·4	8·5	4·9	6·7	8·8	9·6	12·5	18·0	30·9	65·3	146·7	308·2	168	
1861-70	22·3	73·5	8·2	4·5	6·2	8·5	9·9	13·5	19·3	33·1	67·1	147·2	315·0	168	
1871-80	21·5	68·4	6·7	3·7	5·3	7·4	9·3	13·8	20·1	34·9	69·7	150·8	327·4	163	
1881-90	19·7	61·6	5·3	3·0	4·3	5·7	7·8	12·4	19·4	34·7	70·5	146·6	305·8	155	
1891-1900	19·2	62·7	4·3	2·4	3·8	5·1	6·8	11·5	18·9	34·9	70·4	146·1	286·8	168	
1901-10	16·3	50·0	3·5	2·1	3·1	4·2	5·6	9·2	16·2	31·8	64·8	137·7	279·2	140	
1841-45	21·3	68·7	8·8	4·8	6·8	9·0	9·4	12·2	17·2	30·3	65·5	143·7	305·1	162	
1846-50	23·1	73·8	9·5	5·4	7·3	10·0	10·5	13·6	19·2	33·2	69·5	153·0	319·5	172	
1851-55	22·4	73·9	8·8	5·1	7·0	9·2	10·0	12·9	18·6	31·5	66·6	150·8	311·0	172	
1856-60	21·4	71·5	8·3	4·6	6·4	8·4	9·2	12·2	17·4	30·4	64·3	142·6	305·4	166	
1861-65	22·3	74·0	8·5	4·7	6·4	8·7	9·7	13·2	18·9	32·8	66·3	145·8	316·4	166	
1866-70	22·2	72·9	7·9	4·3	6·0	8·3	10·1	13·8	19·6	33·5	67·8	148·7	313·6	170	
1871-75	22·0	69·9	7·1	4·0	5·7	8·1	10·0	14·3	20·3	34·8	70·0	149·5	323·3	167	
1876-80	21·0	67·0	6·3	3·4	4·9	6·7	8·7	13·4	19·8	34·9	69·4	152·2	331·6	159	
1881-85	19·7	61·3	5·8	3·2	4·5	6·0	8·2	12·8	19·3	34·2	68·7	145·4	297·8	152	
1886-90	19·6	61·9	4·9	2·8	4·1	5·5	7·4	12·0	19·4	35·2	72·1	147·9	313·8	159	
1891-95	19·6	62·9	4·5	2·6	4·0	5·2	7·1	12·0	19·6	35·9	72·5	149·3	291·0	165	
1896-1900	18·8	62·4	4·1	2·3	3·6	4·9	6·5	11·1	18·3	34·1	68·3	142·9	282·6	170	
1901-05	17·1	54·7	3·7	2·1	3·2	4·4	5·9	9·8	17·0	32·4	65·3	137·6	274·5	151	
1906-10	15·4	45·5	3·3	2·0	3·0	3·9	5·2	8·6	15·5	31·3	64·4	137·7	283·4	129	
1862	21·1	69·8	7·7	4·4	6·2	8·2	9·2	12·4	18·1	31·3	63·3	139·9	296·7	157	
1863	22·6	77·8	10·3	5·0	6·4	8·5	9·4	12·8	18·2	31·7	63·9	139·4	309·7	163	
1864	23·4	75·8	9·8	4·9	6·5	9·1	10·3	14·3	20·1	35·2	70·3	151·4	334·4	166	
1865	23·1	75·0	8·1	4·7	6·4	9·2	10·6	14·2	20·5	34·7	68·6	151·8	325·6	174	
1866	23·1	74·9	7·8	4·6	6·5	9·2	10·9	14·7	20·9	34·7	68·9	150·6	323·5	174	
1867	21·7	69·3	6·5	4·0	6·0	8·4	10·0	13·6	19·1	33·5	68·3	152·5	332·4	167	
1868	21·6	72·8	7·8	4·2	5·9	8·0	9·7	13·2	18·9	31·9	63·8	139·1	282·4	168	
1869	22·1	72·5	8·3	4·3	5·7	7·9	9·9	13·5	19·3	33·3	68·4	149·1	308·9	169	
1870	22·7	75·0	8·9	4·5	5·9	8·0	10·1	13·8	19·6	33·9	69·6	152·1	320·7	174	
1871	22·5	71·7	8·3	4·4	6·4	9·2	11·1	14·4	20·0	33·9	67·5	145·2	312·8	172	
1872	21·4	67·6	7·0	4·1	6·0	8·7	10·3	14·0	19·4	32·5	65·5	140·3	292·0	162	
1873	21·1	66·4	6·0	3·7	5·3	7·5	9·5	13·6	19·8	34·1	70·9	150·6	324·9	164	
1874	22·2	71·8	7·4	3·9	5·3	7·5	9·6	14·3	20·9	35·8	71·4	146·4	322·8	165	
1875	22·8	71·9	6·9	3·8	5·6	7·6	9·7	15·0	21·5	37·7	74·7	165·0	363·8	173	
1876	21·1	67·6	6·3	3·5	5·3	7·3	9·3	13·8	19·9	34·3	67·2	145·8	302·6	160	
1877	20·6	63·9	6·1	3·5	4·9	7·0	9·1	13·7	19·7	34·7	68·2	145·8	324·9	150	
1878	21·7	71·2	6·6	3·6	4·9	6·8	8·8	13·6	20·0	35·1	69·5	154·8	353·9	166	
1879	21·0	63·3	6·3	3·3	4·7	6·4	8·6	13·3	20·4	36·8	74·0	168·7	365·5	150	
1880	20·6	69·2	6·4	3·3	4·5	6·1	7·9	12·5	19·1	33·7	68·1	145·8	310·9	167	
1881	19·2	56·5	5·8	3·2	4·5	6·1	8·3	13·0	19·3	34·0	67·7	144·8	293·5	143	
1882	19·8	63·4	6·3	3·2	4·6	5·9	8·2	12·6	19·0	33·8	66·2	139·3	287·1	153	
1883	20·0	61·0	6·2	3·3	4·7	6·2	8·3	13·0	19·7	35·1	70·1	149·1	302·2	151	
1884	20·0	64·9	5·8	3·2	4·5	6·0	8·0	12·7	19·4	33·5	68·3	142·2	290·1	160	
1885	19·6	60·6	5·1	2·9	4·3	5·8	8·0	12·6	19·3	34·4	71·3	151·5	316·2	151	
1886	20·0	64·5	4·8	2·8	4·3	5·7	7·6	12·1	19·2	34·7	72·8	153·4	339·1	163	
1887	19·6	62·5	5·1	2·9	4·2	5·4	7·3	11·9	18·7	35·0	72·1	149·4	310·1	158	
1888	18·8	57·7	4·7	2·7	4·0	5·4	7·1	11·7	19·0	34·4	71·6	144·5	304·7	150	
1889	18·9	61·8	4·7	2·6	3·9	5·1	7·0	11·3	18·3	33·4	68·5	138·9	298·6	157	
1890	20·6	63·0	5·0	2·8	4·3	5·7	8·0	13·2	21·7	38·6	75·3	153·3	316·5	165	
1891	21·2	64·6	4·7	2·6	4·2	5·6	7·9	13·4	22·4	41·0	81·3	167·9	327·1	164	
1892	19·8	62·4	4·7	2·6	4·0	5·2	7·1	12·1	19·8	36·6	75·7	154·6	305·4	162	
1893	20·0	65·6	5·0	2·8	4·3	5·4	7·3	12·5	19·9	35·6	71·4	142·5	272·8	173	
1894	17·4	56·1	4·2	2·3	3·8	5·0	6·5	10·8	17·3	31·4	62·8	127·6	243·6	150	
1895	19·5	66·0	4·0	2·5	3·8	5·0	6·6	11·0	18·5	34·9	71·3	154·1	306·1	176	
1896	18·0	61·2	4·5	2·3	3·5	4·8	6·2	10·6	17·3	31·6	63·0	128·6	251·9	161	
1897	18·5	62·5	3·9	2·4	3·6	4·8	6·4	10·8	17·7	32·9	65·8	141·7	272·0	170	
1898	18·5	63·4	3·8	2·2	3·5	4·8	6·3	10·7	17·6	33·2	66·4	140·3	282·6	175	
1899	19·4	63·4	4·1	2·3	3·6	5·0	6·7	11·6	19·2	35·5	72·0	150·3	302·1	177	
1900	19·5	61·6	4·2	2·3	3·7	5·1	6·7	11·7	19·9	37·1	74·2	153·7	304·3	169	
1901	18·1	59·0	4·0	2·3	3·5	4·7	6·2	10·6	18·0	33·5	67·8	139·8	276·5	166	
1902	17·4	54·1	3·9	2·2	3·3	4·6	6·2	10·4	17·8	33·3	66·7	138·5	270·0	147	
1903	16·5	52·5	3·5	2·0	3·0	4·2	5·8	9·4	16·6	31·6	63·3	132·8	260·3	145	
1904	17·3	57·4	3·6	2·1	3·1	4·3	5·7	9·4	16·5	32·3	65·5	139·7	287·6	159	
1905	16·2	50·3	3·4	2·1	3·1	4·2	5·6	9·0	16·1	31·5	63·3	137·2	278·2	141	
1906	16·4	51·2	3·5	2·0	3·2	4·1	5·5	9·1	16·1	32·4	64·3	137·3	298·5	145	
1907	15·8	46·8	3·4	2·0	3·0	4·0	5·5	9·0	16·1	32·3	65·2	138·8	291·7	130	
1908	15·6	46·9	3·3	2·0	2·9	4·0	5·3	8·6	15·4	31·4	64·3	138·4	277·2	133	
1909	15·2	42·8	3·4	2·0	3·0	3·9	5·2	8·5	15·6	31·1	66·4	142·5	289·9	120	
1910	14·1	39·7	3·0	1·9	2·7	3·7	4·7	7·9	14·5	29·4	61·8	131·6	259·7	116	
1911	15·3	47·3	3·5	2·0	3·0	3·9	5·0	8·1	14·7	29·6	63·4	135·7	270·7	142	

* See Note * to Table 13.

† The death-rates in this column are standardized to the age constitution of the population as enumerated in 1901.

TABLE 15.—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES, DEATH-RATES at TWELVE GROUPS of AGES, and INFANTILE MORTALITY, 1838-1911.*—FEMALES.

Year.	Deaths of Females per 1000 living at subjoined Ages.														Deaths of Female Infants under 1 year of age per 1000 Female Births.
	All Ages. (Standardized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up-wards.		
1838-1911	18.6	56.2	6.5	3.9	5.6	6.6	8.2	11.0	15.0	27.7	59.1	131.4	277.4	132	
1841-50	21.0	61.1	8.9	5.4	7.9	9.1	10.6	12.9	16.0	28.4	61.0	135.9	293.3	137	
1851-60	20.6	62.7	8.4	5.1	7.4	8.5	9.9	12.2	15.2	27.0	58.7	134.5	288.9	139	
1861-70	20.4	63.7	7.8	4.5	6.6	8.0	9.7	12.1	15.6	27.9	59.1	134.9	285.1	139	
1871-80	19.3	58.3	6.2	3.7	5.5	6.8	8.6	11.6	15.6	28.7	61.0	135.4	296.4	134	
1881-90	17.6	51.9	5.3	3.1	4.4	5.5	7.4	10.6	15.1	28.5	60.4	130.6	270.8	128	
1891-1900	17.0	52.8	4.4	2.6	3.7	4.5	6.1	9.6	14.7	28.4	60.7	130.6	261.4	138	
1901-10	14.2	41.9	3.6	2.2	2.9	3.5	4.7	7.5	12.5	24.8	53.9	119.8	250.3	114	
1841-45	20.1	58.6	8.6	5.2	7.7	8.6	9.9	12.2	15.1	27.2	59.1	131.8	288.6	133	
1846-50	21.9	63.7	9.2	5.7	8.1	9.6	11.2	13.7	17.0	29.7	62.8	140.1	297.9	142	
1851-55	21.0	63.8	8.5	5.3	7.8	8.9	10.3	12.6	15.8	27.8	59.6	137.1	292.0	141	
1856-60	20.1	62.3	8.3	4.8	7.1	8.2	9.6	11.9	14.8	26.5	58.1	131.9	285.8	137	
1861-65	20.6	64.1	8.3	4.8	6.9	8.2	9.8	12.1	15.5	27.9	59.1	133.7	287.7	136	
1866-70	20.3	63.3	7.4	4.3	6.4	7.8	9.6	12.1	15.8	27.9	59.1	136.1	282.4	142	
1871-75	19.8	60.0	6.6	4.0	5.9	7.4	9.2	12.0	15.9	28.7	61.2	135.3	293.8	138	
1876-80	18.7	56.8	5.9	3.5	5.0	6.2	8.0	11.2	15.4	28.6	60.8	135.5	299.0	130	
1881-85	17.8	51.9	5.7	3.3	4.7	5.9	7.9	11.0	15.2	28.1	59.0	128.9	265.4	125	
1886-90	17.5	52.0	4.9	2.9	4.1	5.2	6.9	10.3	15.0	28.8	61.7	132.3	276.2	131	
1891-95	17.5	52.8	4.6	2.8	4.0	4.8	6.6	10.2	15.2	29.5	63.1	134.4	264.2	135	
1896-1900	16.5	52.7	4.2	2.4	3.3	4.1	5.6	9.1	14.3	27.4	58.4	126.8	258.5	141	
1901-05	14.9	45.8	3.8	2.2	3.0	3.7	5.0	8.0	13.1	25.8	54.8	120.0	249.2	124	
1906-10	13.5	38.0	3.4	2.1	2.8	3.3	4.4	7.0	12.0	24.3	53.1	119.6	251.2	105	
1862	19.6	60.3	7.4	4.6	6.8	7.8	9.4	11.7	14.8	26.9	57.7	128.7	274.9	127	
1863	20.9	67.5	9.9	5.2	6.8	8.1	9.7	12.0	14.9	27.1	56.7	129.1	290.2	133	
1864	21.6	65.8	9.4	5.1	7.0	8.4	10.3	12.6	16.5	29.8	63.4	141.1	302.3	138	
1865	21.0	65.1	7.8	4.6	6.8	8.5	10.2	12.6	16.6	28.8	60.4	138.4	296.7	145	
1866	21.3	65.6	7.2	4.5	6.9	8.6	10.5	13.2	16.9	29.3	61.3	139.8	295.7	145	
1867	19.7	59.6	6.1	3.9	6.4	7.8	9.5	12.0	15.6	27.5	59.5	139.4	287.3	138	
1868	19.7	63.9	7.4	4.1	6.3	7.7	9.4	11.5	14.9	26.4	55.0	125.8	261.5	142	
1869	20.1	63.0	7.8	4.3	6.1	7.3	9.3	11.7	15.7	27.6	59.2	135.4	277.1	141	
1870	20.6	64.2	8.3	4.5	6.4	7.6	9.5	11.9	15.8	28.8	60.6	140.2	290.3	145	
1871	20.3	62.4	7.5	4.5	6.6	8.2	9.7	12.2	15.9	28.5	60.4	133.6	276.4	143	
1872	19.1	58.5	6.5	4.0	6.2	7.6	9.3	11.8	15.1	26.6	56.6	124.7	269.0	136	
1873	18.9	56.4	5.6	3.6	5.5	6.8	8.6	11.4	15.6	28.3	61.9	135.2	303.5	134	
1874	20.0	61.4	7.1	3.9	5.7	7.3	9.2	12.2	15.9	29.2	61.6	134.0	290.0	136	
1875	20.6	61.2	6.4	3.8	5.7	7.3	9.3	12.4	17.0	31.1	65.7	148.8	330.3	143	
1876	18.7	57.3	5.9	3.6	5.2	6.7	8.3	11.7	15.4	27.9	58.4	128.7	287.0	132	
1877	18.2	53.6	5.6	3.6	5.1	6.3	8.2	11.3	15.3	27.7	58.9	129.1	291.6	122	
1878	19.4	61.1	6.1	3.6	5.2	6.3	8.0	11.3	15.4	29.2	61.7	140.5	312.7	138	
1879	18.9	52.9	5.8	3.4	4.9	6.0	8.0	11.3	16.0	30.7	66.6	150.2	328.7	121	
1880	18.5	59.2	6.0	3.3	4.8	5.9	7.6	10.6	14.7	27.5	58.2	129.1	274.9	138	
1881	17.3	48.0	5.7	3.2	4.7	6.0	7.9	11.0	14.9	28.0	58.4	126.4	263.8	117	
1882	17.9	54.4	6.0	3.3	4.7	5.9	7.9	11.0	15.0	27.6	56.9	124.1	256.0	128	
1883	18.0	51.1	5.8	3.4	4.9	6.1	8.1	11.1	15.6	28.8	60.2	134.2	277.0	123	
1884	18.0	54.9	5.8	3.4	4.7	5.9	7.8	10.9	15.3	27.5	57.7	126.8	247.4	133	
1885	17.7	51.0	5.1	3.1	4.5	5.7	7.7	10.8	15.2	28.7	62.0	133.2	282.8	124	
1886	18.0	54.2	4.8	3.1	4.4	5.3	7.2	10.4	15.0	29.1	63.2	136.5	302.1	135	
1887	17.7	52.7	5.1	3.0	4.2	5.4	7.0	10.3	15.2	28.8	62.2	131.6	272.1	131	
1888	16.8	48.0	4.7	2.9	4.0	5.1	6.9	9.9	14.5	27.9	60.1	130.0	270.1	122	
1889	16.9	51.9	4.7	2.8	3.9	4.9	6.5	9.8	14.3	27.4	58.7	126.5	260.3	129	
1890	18.1	53.3	5.0	2.9	4.2	5.1	7.1	10.9	15.9	30.7	64.2	136.9	276.6	136	
1891	18.9	53.7	4.7	2.9	4.3	5.2	7.1	11.1	17.1	33.4	70.6	148.1	300.7	133	
1892	17.8	52.5	4.6	2.7	4.0	4.7	6.7	10.3	15.5	30.4	66.0	140.9	274.4	132	
1893	17.9	55.2	5.1	3.0	4.3	5.1	7.0	10.7	15.2	29.2	62.4	128.7	250.0	143	
1894	15.5	47.4	4.3	2.6	3.7	4.5	6.0	9.2	13.5	25.1	53.7	113.6	219.6	124	
1895	17.6	55.2	4.2	2.6	3.7	4.5	6.1	9.5	14.8	29.6	62.6	140.9	276.2	144	
1896	16.0	52.3	4.5	2.4	3.4	4.2	5.7	8.9	13.6	25.8	53.4	113.9	233.4	134	
1897	16.1	52.4	4.0	2.4	3.4	4.1	5.6	8.9	13.7	26.2	55.7	121.2	252.6	141	
1898	16.4	53.5	3.9	2.3	3.3	4.1	5.5	8.9	13.9	26.7	57.5	126.0	259.6	145	
1899	17.1	53.6	4.2	2.4	3.3	4.1	5.7	9.4	15.0	28.7	62.3	136.3	273.2	148	
1900	17.0	51.8	4.2	2.5	3.3	4.2	5.7	9.3	15.3	29.6	63.2	136.8	273.9	139	
1901	15.8	49.5	4.1	2.4	3.2	3.8	5.3	8.7	13.8	26.5	56.5	122.6	247.1	136	
1902	15.1	45.0	4.2	2.3	3.1	3.9	5.3	8.4	13.4	25.9	55.7	122.1	252.3	118	
1903	14.3	43.7	3.6	2.1	2.9	3.5	4.9	7.9	12.8	24.4	52.9	114.7	233.9	118	
1904	15.2	48.5	3.6	2.2	3.0	3.5	4.9	7.7	12.8	25.6	55.1	123.2	256.1	131	
1905	14.2	42.1	3.5	2.2	2.9	3.6	4.8	7.5	12.5	24.8	53.8	117.2	256.7	115	
1906	14.3	43.1	3.7	2.3	2.9	3.5	4.7	7.5	12.4	24.8	52.5	119.6	258.7	120	
1907	14.0	39.1	3.5	2.1	2.9	3.4	4.6	7.4	12.4	25.3	55.1	122.6	259.4	104	
1908	13.6	39.0	3.4	2.0	2.7	3.4	4.4	6.9	12.1	24.2	52.7	119.4	248.8	107	
1909	13.4	35.7	3.5	2.1	2.8	3.3	4.4	6.9	12.1	24.8	55.5	124.2	256.2	97	
1910	12.3	33.1	3.1	2.0	2.6	3.1	4.1	6.5	11.1	22.4	49.8	112.3	232.8	94	
1911	13.3	40.1	3.4	2.1	2.7	3.2	4.1	6.6	11.4	23.0	50.9	116.4	232.7	117	

* See Note * to Table 13.

† The death rates in this column are standardized to the age constitution of the population as enumerated in 1901.

TABLE 16.—MORTALITY by SEX, AGE, and LOCALITY, 1911.*
(Deaths per 1,000 living at each Age.)

Age.	Class of Area.	Males.					Females.					Persons.				
		North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.
ALL AGES.	Crude.	—	—	16.7	—	—	—	—	13.8	—	—	—	—	15.2	—	—
		18.4	16.5	15.0	15.5	17.3	15.7	14.6	13.0	14.5	15.0	17.0	15.5	13.9	15.0	16.1
		16.5	13.9	13.8	15.6	14.9	14.7	12.1	12.1	14.6	13.2	15.6	13.0	12.9	15.1	14.0
		14.4	13.5	12.8	14.8	13.7	13.3	12.2	11.6	14.4	12.5	13.9	12.9	12.2	14.6	13.1
		17.1	14.5	15.0	15.3	15.6	15.0	12.9	12.9	14.5	13.7	16.0	13.7	13.9	14.9	14.6
		—	—	16.8	—	—	—	—	13.8	—	—	—	—	15.3	—	—
	Standardized.	19.2	16.8	14.3	16.5	17.9	16.6	14.7	11.9	15.3	15.4	17.9	15.7	13.1	15.9	16.6
		17.2	13.7	12.9	16.5	15.0	15.3	11.9	10.8	14.8	13.0	16.2	12.7	11.8	15.6	14.0
		13.8	11.4	10.8	13.6	12.0	12.9	10.1	9.6	12.9	10.9	13.3	10.7	10.2	13.2	11.4
		17.6	13.8	14.3	15.4	15.3	15.6	12.1	12.0	14.2	13.3	16.6	12.9	13.1	14.8	14.3
		—	—	51.4	—	—	—	—	44.2	—	—	—	—	47.8	—	—
		59.6	55.0	41.4	47.0	55.9	51.1	47.1	34.6	43.2	47.9	55.4	51.1	38.1	45.1	51.9
	0	53.7	42.5	36.0	53.0	46.4	46.7	35.7	30.2	43.5	39.5	50.2	39.1	33.1	48.3	42.9
		44.9	31.4	27.6	38.5	34.4	37.2	25.3	22.1	30.3	27.8	41.1	28.4	24.9	34.4	31.1
		55.4	43.0	42.0	47.2	47.3	47.5	36.1	35.5	39.3	40.1	51.5	39.6	38.8	43.3	43.7
	5—	—	—	3.7	—	—	—	—	3.5	—	—	—	—	3.6	—	—
		4.4	3.7	3.6	3.0	4.0	4.2	3.6	3.6	4.4	4.0	4.3	3.7	3.6	3.7	4.0
		3.8	3.1	2.9	3.4	3.3	3.9	3.0	2.9	3.0	3.3	3.9	3.1	2.9	3.2	3.3
		3.1	2.7	2.5	3.2	2.8	3.2	2.3	2.3	2.8	2.6	3.2	2.5	2.4	3.0	2.7
		4.0	3.1	3.3	3.2	3.5	4.0	3.0	3.1	3.2	3.4	4.0	3.1	3.2	3.2	3.4
		—	—	2.2	—	—	—	—	2.1	—	—	—	—	2.1	—	—
	10—	2.5	2.1	1.8	2.3	2.3	2.5	2.1	2.2	2.5	2.3	2.5	2.1	2.0	2.4	2.3
		2.4	1.7	1.6	2.2	2.0	2.3	1.7	1.8	2.0	1.9	2.3	1.7	1.7	2.1	2.0
		2.0	1.7	1.6	1.9	1.7	2.2	1.7	1.7	2.4	1.9	2.1	1.7	1.7	2.1	1.8
		2.4	1.8	1.9	2.1	2.0	2.4	1.8	1.9	2.2	2.1	2.4	1.8	1.9	2.2	2.1
	15—	—	—	2.8	—	—	—	—	2.4	—	—	—	—	2.6	—	—
		3.6	3.1	2.5	3.5	3.3	3.2	2.8	2.7	3.0	3.0	3.4	2.9	2.6	3.3	3.1
		3.7	2.7	2.8	3.3	3.1	3.0	2.3	2.3	3.3	2.6	3.3	2.5	2.6	3.3	2.9
		2.9	2.4	2.6	3.4	2.7	2.6	2.5	2.6	3.4	2.7	2.7	2.5	2.6	3.4	2.7
		3.5	2.7	2.7	3.4	3.0	3.0	2.5	2.4	3.3	2.7	3.3	2.6	2.6	3.3	2.9
		—	—	3.6	—	—	—	—	2.7	—	—	—	—	3.1	—	—
	20—	4.6	4.2	3.1	4.4	4.3	3.7	3.5	3.0	3.9	3.6	4.1	3.8	3.0	4.1	3.9
		4.4	3.4	3.5	3.8	3.8	3.4	2.8	2.3	3.9	3.0	3.9	3.1	2.9	3.9	3.4
		3.5	3.2	3.3	4.8	3.5	3.3	3.1	3.1	5.0	3.3	3.4	3.2	3.2	4.9	3.4
		4.3	3.6	3.5	4.2	3.9	3.6	3.1	2.7	4.3	3.2	3.9	3.3	3.1	4.2	3.5
	25—	—	—	5.3	—	—	—	—	3.8	—	—	—	—	4.5	—	—
		5.9	5.1	5.0	5.9	5.6	4.7	4.2	3.5	5.5	4.4	5.3	4.6	4.2	5.7	5.0
		5.3	4.1	4.8	4.6	4.7	4.5	3.5	3.3	5.4	3.9	4.8	3.8	4.0	5.0	4.3
		4.5	4.3	4.2	5.0	4.4	4.4	4.0	3.6	6.3	4.2	4.5	4.2	3.9	5.7	4.3
		5.5	4.4	4.9	5.0	5.0	4.6	3.8	3.6	5.7	4.1	5.0	4.1	4.2	5.3	4.5
		—	—	10.1	—	—	—	—	7.1	—	—	—	—	8.5	—	—
	35—	10.4	8.5	9.2	9.4	9.7	8.2	7.5	6.2	8.7	7.7	9.3	8.0	7.5	9.1	8.7
		7.5	6.8	7.3	8.1	7.2	6.7	5.6	5.2	7.9	6.1	7.1	6.1	6.2	8.0	6.6
		6.4	5.7	5.8	7.5	6.1	6.2	5.2	4.7	7.3	5.5	6.3	5.5	5.2	7.4	5.8
		8.8	6.9	8.5	8.2	8.1	7.4	6.0	6.1	7.9	6.6	8.1	6.5	7.2	8.0	7.3
	45—	—	—	17.8	—	—	—	—	12.6	—	—	—	—	15.0	—	—
		19.1	15.7	15.4	17.6	17.6	14.6	12.8	10.4	14.9	13.6	16.8	14.2	12.6	16.3	15.5
		15.6	12.6	12.8	15.3	13.9	12.4	9.4	9.6	12.6	10.7	13.9	10.9	11.0	14.0	12.2
		10.7	10.1	10.5	11.8	10.5	10.2	8.2	8.1	11.1	8.8	10.5	9.1	9.2	11.5	9.7
		16.6	12.7	14.8	14.5	14.7	13.2	10.0	10.6	12.5	11.4	14.9	11.3	12.6	13.5	13.0
		—	—	33.6	—	—	—	—	23.8	—	—	—	—	28.3	—	—
	55—	40.0	31.3	27.4	33.3	35.7	29.6	24.2	18.8	28.4	26.5	34.5	27.6	22.5	30.9	30.8
		33.7	26.2	25.3	31.6	29.1	26.8	20.9	18.2	26.7	22.7	30.1	23.4	21.3	29.2	25.7
		23.3	20.7	20.4	25.3	21.6	22.1	17.4	16.7	21.9	18.5	22.7	19.0	18.5	23.6	20.0
		35.1	25.7	27.8	29.4	29.6	27.5	20.7	20.2	25.1	23.0	31.1	23.0	23.7	27.3	26.1
	65—	—	—	67.3	—	—	—	—	49.9	—	—	—	—	57.3	—	—
		81.3	66.9	61.6	69.8	73.7	64.7	54.9	42.6	60.7	58.2	71.8	60.1	50.2	64.9	64.9
		74.0	58.4	57.5	70.6	64.1	60.9	45.9	43.0	58.1	50.7	66.6	51.3	49.0	63.8	56.5
		56.2	51.5	48.3	58.3	52.1	51.1	41.1	40.9	51.3	43.7	53.6	46.0	44.4	54.6	47.7
		74.1	57.7	59.1	65.0	63.4	61.2	46.4	45.1	55.5	50.9	67.0	51.5	51.1	59.9	56.4
		—	—	139.3	—	—	—	—	113.3	—	—	—	—	122.7	—	—
	75—	159.2	141.8	118.2	152.0	145.8	140.6	123.4	113.0	110.1	128.7	147.6	130.5	114.9	127.1	135.2
		162.2	129.3	123.6	145.5	137.9	137.2	110.7	105.5	124.5	117.0	147.3	118.0	112.4	133.1	125.2
		139.2	126.7	116.7	132.9	126.4	117.8	102.8	103.2	118.9	106.7	128.0	113.6	109.3	125.0	115.6
		155.6	130.7	125.7	140.0	135.7	135.3	110.6	108.7	119.8	116.4	143.6	118.9	115.3	128.3	124.2
	85 and upwards.	—	—	274.2	—	—	—	—	239.7	—	—	—	—	249.7	—	—
		264.6	311.2	259.2	246.8	278.7	244.5	243.2	234.2	232.1	241.0	251.0	265.5	240.3	237.4	253.2
		290.6	267.2	263.8	310.9	273.5	258.8	221.1	221.9	200.5	227.6	270.0	237.1	235.8	239.1	243.4
		275.5	261.5	269.3	239.0	263.9	251.9	219.0	234.1	242.2	229.6	262.3	264.0	248.5	241.0	243.5
		276.8	271.7	267.8	262.7	270.7	251.3	224.5	232.6	226.3	232.7	260.5	241.8	244.5	239.9	246.2
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* For Infantile Mortality in these areas, see Table XXIII., *et seq.*

TABLE 17.—ADMINISTRATIVE COUNTIES.—CRUDE DEATH-RATE at ALL AGES, DEATH-RATES at AGES including INFANTILE MORTALITY, together with CRUDE DEATH-RATE at ALL AGES in URBAN and RURAL AGGREGATES; 1911.—MALES and FEMALES.

—	Sex.	Deaths per 1,000 living at subjoined ages.															Deaths under 1 per 1,000 Births.
		All Ages.			0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
		Admin. County.	Urban Aggregate.	Rural Aggregate.													
Anglesey ... {	M	16.6	18.8	15.3	42.7	2.3	3.0	2.2	3.4	5.2	7.5	13.2	28.6	55.3	137.8	166.7	151
	F	16.4	17.1	16.0	29.5	5.2	4.9	5.2	7.1	6.1	9.0	14.0	18.7	44.1	113.2	275.6	105
Bedfordshire ... {	M	13.9	14.5	13.1	34.9	2.5	1.8	2.1	3.0	4.7	6.7	11.6	22.8	53.5	142.8	260.2	121
	F	12.5	12.1	13.2	32.5	3.5	0.9	3.3	2.5	3.9	5.2	7.4	18.3	47.4	98.8	213.6	106
Berkshire ... {	M	12.9	14.1	12.4	27.1	1.8	1.5	2.6	3.2	5.3	4.7	12.2	22.9	47.5	118.8	232.6	94
	F	11.5	13.1	10.8	19.3	2.9	1.6	1.4	2.7	3.7	4.9	9.2	16.4	40.3	114.2	211.2	63
Brecknockshire ... {	M	16.3	17.5	15.8	46.8	4.3	1.7	3.8	2.7	5.0	7.6	15.9	30.1	70.6	117.3	222.2	158
	F	14.3	14.7	14.0	31.6	4.1	1.7	3.3	5.9	5.9	7.9	9.9	23.0	60.8	109.3	130.4	104
Buckinghamshire {	M	12.9	12.6	13.1	28.8	2.4	1.9	2.6	3.0	4.1	6.0	9.6	21.4	56.8	124.9	252.1	96
	F	11.6	11.5	11.7	24.2	2.6	1.1	2.6	3.1	2.9	3.9	7.2	18.9	45.4	107.4	238.8	83
Cambridgeshire ... {	M	14.7	15.2	14.4	34.5	3.7	1.5	2.2	4.8	4.9	6.3	10.3	22.3	56.9	118.7	312.9	107
	F	11.6	11.2	12.0	26.9	4.0	2.1	2.1	3.2	2.7	3.6	7.4	16.8	37.3	78.7	203.1	88
Cardiganshire ... {	M	19.4	20.0	19.2	41.1	4.5	2.5	3.5	7.4	10.1	8.4	13.1	27.1	72.6	137.8	184.8	156
	F	17.4	15.4	18.2	30.5	0.4	3.2	5.5	5.8	7.3	8.9	11.4	18.4	53.9	113.9	239.8	99
Carmarthenshire {	M	15.5	15.8	15.3	42.3	3.9	2.2	4.9	4.1	5.1	9.0	13.5	25.5	65.5	162.3	326.9	138
	F	14.5	14.9	14.3	33.4	2.5	3.1	3.0	4.9	6.3	8.9	10.8	27.6	51.3	113.7	193.1	115
Carnarvonshire ... {	M	15.6	16.3	15.0	32.2	3.8	3.0	4.3	4.7	6.3	7.8	13.8	26.8	63.3	132.5	243.7	111
	F	14.9	14.9	14.9	33.5	5.3	2.4	4.2	4.3	6.0	6.8	10.3	22.8	46.1	125.1	197.0	107
Cheshire ... {	M	15.1	15.9	12.8	45.5	3.8	2.3	2.9	3.5	4.7	6.6	13.1	30.5	66.5	158.5	230.6	143
	F	12.8	13.5	11.0	37.2	3.2	2.0	2.3	2.5	3.5	5.8	12.0	23.2	56.1	124.6	237.1	117
Cornwall ... {	M	16.8	17.6	16.1	41.3	4.3	2.9	3.9	4.9	5.0	8.9	13.2	25.2	63.1	125.4	280.0	140
	F	14.6	15.7	13.8	37.0	3.3	2.0	3.2	3.8	3.7	5.3	9.7	18.2	44.0	108.5	234.1	123
Cumberland ... {	M	15.3	16.2	13.9	40.3	3.4	2.1	2.8	4.3	5.0	8.5	13.5	29.8	61.4	147.4	289.9	128
	F	13.9	14.5	12.9	34.3	3.3	1.6	3.1	3.5	5.5	6.0	11.3	23.3	59.5	121.5	250.9	108
Denbighshire ... {	M	14.5	16.3	13.7	42.6	3.8	1.2	3.2	5.4	3.8	7.6	11.8	25.2	58.0	142.0	275.0	140
	F	15.0	14.6	15.2	37.5	3.0	1.9	2.6	4.4	5.4	6.4	14.5	23.6	56.9	131.8	248.4	118
Derbyshire ... {	M	14.3	14.8	13.7	47.7	3.9	1.8	2.9	2.4	3.9	6.2	12.1	26.5	61.9	141.2	273.4	149
	F	13.1	13.7	12.4	39.3	3.3	1.9	2.8	2.6	4.0	5.8	10.1	21.9	52.7	135.0	228.4	122
Devonshire ... {	M	14.5	15.7	13.5	33.1	3.1	1.9	2.9	3.9	5.9	7.5	11.9	23.0	49.9	110.4	253.1	106
	F	13.4	13.6	13.0	27.0	2.8	2.9	3.0	3.6	4.0	5.7	8.5	20.2	42.9	100.4	229.9	85
Dorsetshire ... {	M	13.0	13.0	13.0	29.0	3.2	1.8	1.9	2.4	4.1	6.4	12.4	23.4	50.8	129.5	307.4	99
	F	12.4	12.8	12.1	23.0	2.8	1.5	3.0	2.5	3.9	5.3	8.5	17.4	41.9	112.9	248.4	80
Durham ... {	M	16.9	17.4	16.3	59.0	3.7	2.4	3.4	4.2	4.9	7.3	14.0	28.5	71.0	147.4	317.3	169
	F	15.9	16.1	15.7	52.8	3.8	3.0	3.0	3.8	5.2	7.0	12.9	27.0	65.6	130.3	267.8	148
Ely, Isle of ... {	M	15.0	16.1	13.8	43.3	2.7	2.9	1.8	2.5	5.5	5.4	10.5	21.7	47.4	114.9	263.6	140
	F	14.3	15.6	12.7	34.9	3.1	1.2	4.6	3.6	5.0	7.0	8.4	19.1	47.2	93.7	150.3	106
Essex ... {	M	12.7	12.7	12.6	34.9	2.9	1.7	2.9	4.0	4.2	6.7	11.2	24.0	52.4	124.8	240.5	118
	F	11.3	11.0	12.2	28.6	2.4	1.6	2.4	2.6	3.5	5.6	8.9	19.3	42.3	110.3	222.0	94
Flintshire ... {	M	15.2	16.5	14.4	39.8	2.8	2.3	2.7	5.1	5.4	7.4	12.0	31.5	62.9	129.0	269.8	120
	F	14.3	14.3	14.3	28.5	3.0	2.1	4.5	3.4	5.3	5.9	11.0	24.7	52.6	136.3	255.8	95
Glamorganshire ... {	M	14.7	15.0	14.0	53.9	3.1	2.2	3.1	4.0	3.9	7.6	14.1	30.7	70.8	126.7	314.3	163
	F	13.9	14.4	12.6	42.9	2.7	2.0	3.2	4.3	5.5	7.6	12.0	25.9	61.7	125.9	183.2	127
Gloucestershire ... {	M	14.3	15.0	14.0	29.7	2.2	1.8	2.6	4.1	4.5	6.8	12.3	24.7	61.2	119.9	274.2	103
	F	12.5	13.1	12.2	24.6	2.2	1.8	2.0	3.1	4.1	5.0	8.8	18.4	43.4	105.1	239.4	84
Herefordshire ... {	M	15.6	16.8	15.0	28.5	2.1	1.4	2.2	4.3	4.4	6.7	10.9	23.9	63.4	142.9	275.4	95
	F	13.7	15.2	12.9	20.3	3.3	1.9	2.1	4.1	5.1	6.2	10.8	19.7	44.7	112.9	215.9	65
Hertfordshire ... {	M	12.4	12.2	12.6	28.8	1.9	1.2	2.7	2.9	3.4	6.5	10.2	21.5	57.4	136.1	297.6	100
	F	10.4	10.6	10.0	23.3	1.8	1.3	1.9	2.5	2.9	5.0	8.7	16.9	39.5	94.8	199.3	76
Huntingdonshire {	M	14.2	13.9	14.4	30.9	2.1	1.7	1.9	2.4	3.6	4.7	9.5	18.3	57.3	136.8	325.6	102
	F	11.9	12.4	11.5	20.7	1.7	—	3.0	5.1	2.3	4.0	8.1	14.7	36.0	114.8	219.7	74
Kent ... {	M	13.4	13.7	12.7	36.4	2.6	1.7	2.6	3.4	4.5	6.6	11.7	22.6	53.3	119.1	279.0	120
	F	11.9	12.1	11.2	30.6	2.8	1.8	2.4	3.0	3.5	5.3	9.1	18.2	41.9	102.5	204.4	96
Lancashire ... {	M	16.0	16.4	13.5	50.7	3.7	2.4	3.8	4.7	5.4	7.8	16.2	34.6	73.7	161.1	272.5	155
	F	14.1	14.4	12.0	43.6	4.1	2.2	3.1	3.5	4.3	6.8	12.9	27.5	60.4	139.1	261.9	134
Leicestershire ... {	M	14.2	14.6	14.0	37.3	3.5	1.6	3.4	2.8	4.5	5.9	12.0	20.6	57.4	154.1	264.6	122
	F	12.0	12.7	11.5	30.0	3.3	2.4	3.0	3.1	3.7	4.8	9.3	20.4	44.4	103.0	232.9	97
Lincolnshire : Holland. {	M	15.4	17.6	13.7	41.4	3.9	2.0	2.4	4.1	3.8	6.5	10.8	20.6	47.5	126.6	262.7	138
	F	14.6	15.9	13.4	35.4	1.9	2.7	2.7	1.8	3.5	8.7	10.9	14.7	40.9	125.8	207.4	112
Lincolnshire : Kesteven. {	M	14.0	13.1	14.5	34.0	1.3	3.8	3.2	2.7	3.6	7.2	8.4	22.4	53.9	122.0	226.6	117
	F	12.5	10.9	13.5	26.5	0.9	2.6	3.4	2.1	4.7	4.6	7.6	17.4	40.9	107.5	189.1	80
Lincolnshire : Lindsey. {	M	13.6	14.6	13.0	36.2	3.5	1.7	2.5	3.5	4.9	4.2	10.8	21.9	42.8	115.3	241.7	121
	F	13.4	13.1	13.6	35.9	2.9	2.3	2.2	3.7	4.2	5.6	8.9	18.8	39.3	101.7	200.0	117

TABLE 17.—ADMINISTRATIVE COUNTIES.—CRUDE DEATH-RATE at ALL AGES, DEATH-RATES at AGES including INFANTILE MORTALITY, together with CRUDE DEATH-RATE at ALL AGES in URBAN and RURAL AGGREGATES ; 1911.—MALES and FEMALES—*cont.*

—		Sex.	Deaths per 1,000 living at subjoined ages.															Deaths under 1 per 1,000 Births.
			All Ages.			0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
			Admin. County.	Urban Aggregate.	Rural Aggregate.													
Merionethshire ...	{	M	18·0	19·2	17·1	34·2	4·2	1·3	4·9	8·7	5·3	7·4	13·3	37·2	68·0	155·9	361·1	112
		F	15·2	15·9	14·6	30·3	4·1	0·9	4·0	4·1	7·2	9·3	8·4	18·8	48·2	118·4	320·5	97
Middlesex ...	{	M	12·7	12·8	11·1	40·6	3·2	1·5	2·1	2·9	3·9	6·1	12·2	25·0	54·7	119·2	269·3	130
		F	10·8	11·0	9·4	34·0	2·7	1·5	1·8	2·5	3·2	5·1	8·3	18·7	40·8	102·5	221·9	106
Monmouthshire	{	M	15·2	15·4	13·8	49·8	2·8	2·3	3·3	3·4	4·9	7·8	15·6	29·5	66·8	138·1	285·7	164
		F	14·7	14·8	14·0	43·6	2·6	1·9	2·3	3·8	6·0	8·5	13·0	27·9	61·9	119·3	179·5	131
Montgomeryshire	{	M	14·9	16·8	13·8	25·4	2·9	0·7	1·9	3·6	5·8	4·7	10·9	20·5	48·6	180·1	309·1	105
		F	14·2	14·8	13·9	22·8	1·1	1·5	3·6	4·2	6·0	7·1	12·6	24·4	38·5	129·3	281·3	89
Norfolk ...	{	M	14·2	14·8	14·0	30·0	2·6	1·1	2·4	4·1	4·1	5·4	8·9	21·4	47·0	120·0	306·2	107
		F	12·4	12·7	12·4	25·5	1·2	1·6	2·4	2·9	3·5	5·0	7·6	15·9	35·8	94·1	209·8	90
Northamptonshire	{	M	13·5	12·8	14·0	32·6	3·5	2·0	2·5	3·4	4·2	5·4	10·4	22·8	54·3	122·5	328·6	107
		F	11·8	10·5	12·8	25·2	2·9	2·4	2·5	4·3	4·2	5·9	7·4	19·0	38·1	105·5	202·1	85
Northumberland	{	M	14·6	15·0	13·9	45·9	3·0	2·5	3·5	3·6	5·8	5·7	11·3	26·8	60·0	140·3	276·2	144
		F	13·4	13·5	13·1	41·7	2·7	1·4	2·4	3·8	4·4	5·8	10·7	23·8	54·1	115·7	287·3	128
Nottinghamshire	{	M	13·9	14·0	13·7	46·3	2·5	1·8	2·8	2·8	4·2	5·9	10·9	21·1	55·2	127·2	277·6	141
		F	12·6	13·1	11·8	36·6	3·2	1·9	2·8	3·4	3·5	5·2	10·5	20·6	53·4	104·2	261·7	112
Oxfordshire ...	{	M	13·6	13·3	13·7	28·1	2·2	2·1	1·7	3·5	3·7	6·1	10·4	22·1	52·0	120·3	239·8	93
		F	12·4	11·5	12·8	24·3	1·9	1·9	2·1	3·6	3·4	4·7	8·0	16·4	42·4	95·1	265·9	74
Pembrokeshire ...	{	M	15·8	17·0	14·8	38·5	3·7	1·1	4·2	3·6	7·5	11·6	13·8	24·4	50·9	129·5	210·9	126
		F	14·8	13·6	15·7	27·7	4·0	2·1	3·5	2·5	5·2	5·9	12·1	22·8	53·0	118·3	325·4	91
Peterborough, Soke of	{	M	12·5	12·9	11·4	29·5	2·8	0·5	2·0	1·1	3·0	5·7	14·0	22·5	49·9	108·0	260·0	95
		F	12·2	13·2	8·9	30·2	3·2	1·8	4·2	1·5	4·0	3·3	7·8	19·3	43·7	109·8	163·0	100
Radnorshire ...	{	M	13·9	11·1	14·8	26·2	1·7	0·9	0·9	6·6	8·8	9·6	7·1	27·1	39·6	106·4	250·0	85
		F	11·2	6·7	12·9	14·0	3·7	1·9	4·5	6·1	4·7	7·5	10·0	16·6	42·9	81·4	181·8	32
Rutlandshire ...	{	M	13·2	10·0	13·7	26·5	4·2	3·7	1·6	1·3	4·2	4·0	10·8	21·1	61·2	128·5	162·2	95
		F	13·4	10·9	13·7	22·0	3·0	2·2	2·3	3·8	4·8	8·2	8·3	20·1	54·1	87·3	163·3	87
Shropshire ...	{	M	14·4	15·4	13·7	32·3	2·6	1·9	2·8	2·7	4·8	7·0	12·0	25·6	55·8	123·2	263·4	109
		F	13·3	13·6	13·1	25·5	3·1	1·3	2·0	2·9	4·7	5·6	8·0	21·7	47·9	121·1	198·3	77
Somersetshire ...	{	M	13·6	14·4	13·1	27·6	1·8	1·7	2·8	3·5	4·2	6·3	11·6	25·0	55·7	128·8	251·4	96
		F	12·5	12·3	12·6	20·8	3·1	1·7	2·4	2·6	3·3	5·0	10·2	17·3	43·2	109·6	249·5	75
Southampton ...	{	M	12·1	12·1	12·1	31·4	2·6	1·6	2·0	3·2	4·7	6·7	11·1	22·1	51·7	120·2	289·0	103
		F	11·5	11·9	11·2	25·9	2·1	1·6	1·8	2·4	3·9	4·9	8·8	17·8	43·1	103·4	252·7	84
Staffordshire ...	{	M	15·5	16·4	13·0	49·1	3·4	1·6	2·9	3·4	4·5	7·9	13·9	28·7	61·9	144·7	215·8	143
		F	13·9	14·7	12·0	40·0	3·5	2·0	3·0	3·7	4·3	9·2	10·9	23·6	51·0	129·2	209·1	116
Suffolk, East ...	{	M	13·2	13·5	13·0	28·2	1·8	1·2	2·4	3·7	5·6	5·9	10·2	19·7	46·6	124·8	243·9	100
		F	12·7	11·9	13·2	26·1	2·4	1·6	2·2	2·9	4·2	5·0	7·6	19·2	41·3	102·7	253·4	92
Suffolk, West ...	{	M	13·3	13·9	12·9	26·7	1·8	2·1	2·6	4·5	4·0	6·4	10·3	23·4	46·0	109·9	262·0	92
		F	13·1	13·1	13·2	27·0	1·5	0·7	2·2	2·3	4·6	5·5	9·4	16·1	43·2	91·5	250·9	89
Surrey ...	{	M	11·9	12·1	11·5	31·5	3·0	1·0	2·8	3·3	3·6	6·3	10·9	22·1	49·3	109·0	253·9	102
		F	9·8	10·1	9·3	27·7	2·4	1·4	2·3	1·4	2·7	4·3	7·9	14·9	38·0	93·8	232·1	90
Sussex, East ...	{	M	12·9	15·2	11·0	26·7	1·5	1·3	3·4	3·2	4·1	5·9	11·5	19·9	51·6	117·8	275·1	91
		F	10·7	11·5	10·0	22·0	2·2	0·8	1·8	1·9	3·0	4·5	8·7	16·9	44·2	97·2	194·7	74
Sussex, West ...	{	M	13·8	15·5	12·4	28·5	2·6	0·9	3·3	3·8	4·2	7·2	12·2	20·2	51·8	109·7	275·5	97
		F	11·4	11·6	11·2	23·1	1·9	1·9	2·0	2·6	2·7	3·8	8·9	13·7	41·0	101·5	241·2	72
Warwickshire ...	{	M	13·7	13·9	13·3	41·1	3·0	1·5	2·3	3·7	4·0	6·9	11·6	21·8	55·1	130·8	234·9	133
		F	12·2	12·5	11·8	32·5	2·8	1·7	1·9	2·9	3·4	5·4	9·4	20·3	44·6	110·9	247·8	93
Westmorland ...	{	M	14·0	14·6	13·6	33·2	4·4	0·7	1·0	4·6	4·5	6·6	9·9	20·6	53·2	129·5	359·4	102
		F	12·1	12·2	12·1	17·5	3·5	1·6	2·5	1·0	4·7	4·8	8·7	20·3	52·6	126·4	250·0	63
Wight, Isle of ...	{	M	14·0	15·5	11·6	29·3	2·8	0·7	1·9	2·8	4·8	8·0	11·8	23·5	50·8	123·3	243·2	86
		F	12·4	12·7	12·0	17·8	2·4	1·8	1·5	1·8	3·5	6·3	9·1	21·1	44·1	110·0	192·7	63
Wiltshire ...	{	M	13·2	13·4	13·0	26·8	2·6	1·4	2·4	3·0	4·8	5·8	10·9	24·0	53·8	139·8	244·2	96
		F	11·8	11·3	12·3	19·9	2·2	1·4	2·8	2·9	3·3	5·1	8·4	18·2	43·0	118·2	234·3	69
Worcestershire ...	{	M	14·0	14·2	13·8	40·0	3·0	1·9	2·7	3·0	3·8	5·7	13·1	23·9	57·5	134·6	279·3	116
		F	11·9	12·5	11·3	33·1	2·9	2·2	2·5	2·4	3·5	5·5	9·3	20·1	42·5	101·4	199·0	93
Yorkshire : East Riding.	{	M	14·4	15·7	13·7	33·8	2·7	1·4	2·7	2·8	4·7	6·0	10·2	22·5	47·6	141·1	323·4	116
		F	12·7	13·0	12·6	30·9	4·4	1·8	3·1	3·0	4·0	5·9	9·0	20·5	36·8	92·3	217·5	109
Yorkshire : North Riding.	{	M	16·2	18·2	13·6	48·4	3·5	1·7	3·5	4·0	5·1	6·7	12·9	24·4	57·2	135·7	254·8	139
		F	14·1	15·8	11·9	38·6	4·6	1·8	3·1	3·7	4·9	6·8	10·2	21·1	45·7	115·5	232·5	102
Yorkshire : West Riding.	{	M	16·1	16·6	14·7	53·8	3·6	2·2	3·5	3·8	4·8	7·1	14·0	31·3	71·9	162·2	302·2	156
		F	14·8	15·1	13·7	45·9	3·7	2·4	2·7	3·5	4·5	6·7	11·1	26·2	60·0	143·9	271·0	129

TABLE 18.—COUNTY BOROUGHES.—CRUDE DEATH-RATE at ALL AGES, DEATH-RATES at AGES including INFANTILE MORTALITY; 1911—MALES and FEMALES.

	Sex.	Deaths per 1,000 living at subjoined Ages.													Deaths under 1 per 1,000 Births.
		All Ages.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
Barrow in Furness	{ M	13·7	45·1	3·2	4·1	3·3	1·9	3·9	6·5	13·4	31·8	65·6	164·7	166·7	132
	{ F	11·4	28·4	4·5	1·6	3·8	3·1	4·1	5·9	8·9	27·5	56·9	132·1	233·3	86
Bath ...	{ M	14·6	31·7	1·4	1·8	4·1	2·3	5·5	6·9	13·5	25·7	52·2	120·8	253·7	120
	{ F	12·8	24·6	3·1	1·8	1·7	3·7	2·4	6·7	9·7	15·1	30·5	98·1	243·1	94
Birkenhead ...	{ M	17·5	50·1	4·4	1·7	3·7	5·1	6·0	10·8	18·9	43·7	73·9	171·0	200·0	141
	{ F	14·6	49·4	3·9	3·4	2·6	2·3	3·5	8·8	13·1	26·1	51·2	126·5	133·9	131
Birmingham ...	{ M	17·7	61·5	3·7	1·7	2·7	4·1	5·3	10·1	17·9	37·4	67·8	165·1	335·3	186
	{ F	15·7	54·0	4·1	2·2	2·6	3·0	3·9	8·2	15·7	29·8	58·2	133·5	262·7	157
Blackburn ...	{ M	17·2	62·7	4·6	2·0	4·6	3·1	4·4	8·8	16·3	34·2	78·8	154·2	448·3	198
	{ F	15·4	56·6	6·1	1·5	3·6	4·0	5·5	6·4	13·1	28·3	67·5	135·6	283·0	179
Blackpool ...	{ M	17·0	38·0	2·0	2·1	5·5	3·8	7·6	8·0	21·5	39·6	66·2	148·3	360·0	138
	{ F	14·0	42·5	3·2	1·1	1·6	5·2	4·3	6·9	12·9	23·2	60·7	114·2	244·4	128
Bolton ...	{ M	17·7	56·1	4·5	3·1	3·7	5·1	5·5	10·0	20·1	39·2	99·2	145·5	205·9	167
	{ F	15·3	50·2	3·6	2·2	2·7	3·9	4·1	8·6	14·6	29·8	71·4	173·9	197·2	156
Bootle ...	{ M	20·0	62·1	3·6	2·0	2·5	4·4	5·2	12·5	21·7	50·7	109·9	138·3	285·7	164
	{ F	16·8	50·1	5·4	3·0	4·4	3·5	5·5	9·9	19·3	37·7	68·7	142·3	259·3	129
Bournemouth ...	{ M	15·3	32·2	4·0	1·1	3·3	3·7	4·9	9·5	17·4	27·6	50·8	102·4	258·4	97
	{ F	10·2	30·0	2·1	1·8	1·6	2·6	3·2	3·9	7·1	12·9	35·0	102·8	238·1	110
Bradford ...	{ M	16·5	49·1	4·4	2·4	2·8	3·6	5·6	9·6	18·0	38·0	73·4	167·6	264·4	155
	{ F	13·8	39·9	3·0	2·3	3·5	3·9	4·5	7·7	13·5	25·9	61·1	125·1	222·9	121
Brighton ...	{ M	15·2	34·3	2·6	1·1	1·9	3·0	5·0	10·8	14·4	29·7	60·7	136·9	172·1	106
	{ F	13·3	31·7	2·0	1·2	2·8	3·8	3·0	7·9	11·2	21·2	40·9	117·2	223·0	92
Bristol ...	{ M	16·5	50·5	3·1	1·8	3·0	5·0	5·7	8·6	14·4	30·2	70·4	141·6	359·1	156
	{ F	14·0	42·0	2·8	2·2	2·6	3·7	4·3	8·0	11·3	22·3	49·6	120·3	246·8	124
Burnley ...	{ M	19·6	76·1	3·7	3·9	2·3	4·4	4·6	8·3	18·6	38·2	103·1	153·6	307·7	225
	{ F	16·7	65·2	4·2	2·4	4·0	4·1	3·5	8·8	15·2	30·1	78·1	170·7	322·6	195
Burton upon Trent	{ M	13·9	35·9	2·3	2·8	2·7	4·7	5·2	9·1	13·1	27·2	61·5	131·7	333·3	121
	{ F	12·9	31·6	2·9	—	4·3	2·6	5·2	9·0	9·2	17·5	57·8	119·5	255·3	100
Bury ...	{ M	17·1	64·4	4·2	2·0	1·9	5·3	4·1	8·5	14·1	36·0	81·7	155·7	250·0	190
	{ F	15·5	53·1	4·7	1·2	2·7	3·6	2·8	7·6	13·8	28·0	62·7	163·4	307·7	144
Canterbury...	{ M	13·7	33·2	0·9	2·7	2·4	2·7	7·3	7·9	6·5	22·6	64·0	113·6	200·0	115
	{ F	14·0	30·8	3·4	1·8	2·8	3·6	2·9	2·3	12·5	21·5	31·1	136·2	243·2	105
Cardiff ...	{ M	15·3	43·3	2·7	1·6	3·1	2·8	6·1	9·6	18·1	35·5	72·5	155·9	306·5	141
	{ F	13·5	39·5	4·5	2·6	2·6	4·0	4·8	8·7	12·8	27·1	59·9	114·2	252·3	127
Chester ...	{ M	16·6	41·2	4·7	2·2	4·7	3·7	7·1	7·0	14·3	43·9	85·8	153·8	421·1	124
	{ F	13·1	34·1	2·1	1·1	1·6	4·2	5·8	6·9	14·4	17·7	54·7	106·6	179·5	93
Coventry ...	{ M	13·2	43·3	5·7	2·2	3·0	2·8	3·5	6·5	13·8	37·0	60·8	121·6	276·6	118
	{ F	13·0	38·3	4·7	1·8	3·2	3·9	4·0	5·5	9·1	25·5	55·2	139·9	329·3	99
Croydon ...	{ M	13·0	34·8	2·9	1·6	2·1	3·9	4·3	7·6	11·9	25·9	57·5	109·7	262·8	116
	{ F	11·1	30·3	3·8	2·0	2·4	2·3	2·3	4·4	9·3	18·3	34·8	107·3	238·5	97
Derby ...	{ M	14·8	47·6	3·0	2·4	4·8	4·1	3·7	6·8	11·9	30·1	65·3	121·2	432·4	144
	{ F	13·6	34·5	4·5	2·2	3·3	3·6	4·7	7·5	9·8	22·7	65·2	145·4	191·0	103
Devonport ...	{ M	13·2	56·2	4·8	2·8	1·2	2·2	4·1	6·3	16·6	32·0	58·4	118·5	266·7	138
	{ F	14·9	46·3	5·0	4·2	3·0	4·4	4·7	8·0	11·2	17·4	50·5	112·2	233·6	99
Dudley ...	{ M	16·7	55·7	2·8	2·5	1·6	3·3	3·9	6·1	17·2	36·3	85·8	138·8	350·0	162
	{ F	15·5	51·6	3·3	0·7	4·3	3·8	3·9	6·0	14·3	19·5	67·2	126·2	363·6	140
Eastbourne...	{ M	12·3	30·4	2·3	—	2·0	2·8	5·8	7·1	14·0	19·1	46·4	144·5	269·2	120
	{ F	9·2	23·5	1·4	1·3	1·9	1·0	3·1	3·5	6·4	19·2	44·6	107·6	139·2	93
Exeter ...	{ M	16·0	50·3	6·1	3·1	3·5	4·7	7·6	5·9	17·2	24·1	43·4	99·4	288·9	144
	{ F	15·7	38·7	3·9	2·7	4·5	3·1	3·1	5·9	11·0	16·3	59·6	149·3	213·7	105

TABLE 18.—COUNTY BOROUGH.—CRUDE DEATH-RATE at ALL AGES, DEATH-RATES at AGES including INFANTILE MORTALITY; 1911.—MALES and FEMALES—*continued*.

—	Sex.	Deaths per 1,000 living at subjoined Ages.													Deaths under 1 per 1,000 Births.
		All Ages.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
Gateshead {	M 17·8 F 15·3	58·9 48·9	4·7 2·9	3·3 1·6	3·1 1·8	4·3 4·4	5·6 5·3	8·3 7·9	17·6 14·3	37·8 29·4	77·5 64·8	165·3 143·9	122·0 306·5	149 124
Gloucester {	M 14·9 F 11·8	41·0 35·8	3·4 3·1	5·0 1·5	3·6 4·0	4·8 4·3	5·4 3·4	5·5 5·6	11·2 11·6	33·6 15·5	57·0 34·9	102·7 86·4	357·1 164·4	118 98
Great Yarmouth {	M 15·4 F 14·0	40·6 42·6	3·8 1·7	1·1 0·8	3·3 1·8	2·7 6·0	5·3 3·8	8·2 7·1	14·7 10·3	16·8 19·1	48·6 32·8	127·6 108·0	271·4 274·5	125 125
Grimsby {	M 15·5 F 14·1	55·8 48·3	3·5 4·4	1·1 3·8	3·5 3·2	4·1 4·0	4·8 2·8	8·2 10·5	13·0 12·2	25·0 14·4	62·7 50·4	146·2 102·8	184·2 209·0	169 134
Halifax {	M 16·6 F 14·2	44·1 36·5	5·0 4·0	0·9 3·2	4·0 3·5	3·8 3·3	4·4 3·5	7·9 7·6	16·5 12·9	45·9 23·7	71·2 59·4	183·5 144·2	297·3 236·8	136 109
Hastings {	M 15·9 F 12·8	40·5 24·5	2·1 2·0	2·0 —	2·2 1·9	2·8 2·9	7·0 4·8	7·6 5·0	13·2 10·7	23·0 14·7	60·0 32·6	100·0 112·3	253·5 242·3	143 75
Huddersfield {	M 15·9 F 14·4	43·7 39·5	3·5 3·2	3·9 2·1	2·5 2·8	4·1 3·8	4·4 3·2	8·1 7·1	15·3 13·2	39·0 30·9	92·0 65·9	173·9 152·6	166·7 281·3	146 119
Ipswich {	M 13·2 F 12·3	32·7 26·8	2·1 4·8	0·6 0·3	2·4 2·5	3·6 2·7	5·7 4·7	5·6 6·6	14·1 8·7	23·6 24·0	56·7 47·2	121·8 95·3	223·7 191·7	106 96
Kingston upon Hull	{	M 17·9 F 15·6	56·1 51·5	3·9 4·0	1·9 1·9	3·4 2·8	6·1 3·8	5·8 5·0	8·6 7·5	18·1 12·2	35·6 24·0	73·7 63·2	155·6 122·3	250·0 231·4	168 143
Leeds {	M 18·0 F 15·1	60·6 52·1	4·8 4·2	2·3 2·8	3·8 3·3	3·9 3·9	5·3 4·3	9·6 7·8	17·4 12·8	37·7 27·6	80·5 59·1	175·1 147·8	323·2 320·2	169 148
Leicester {	M 14·2 F 12·5	48·1 36·1	3·3 3·0	1·9 1·6	3·3 2·5	3·5 3·5	5·0 4·5	5·6 6·5	12·9 11·1	25·9 22·2	61·1 59·7	119·5 115·9	284·1 259·1	153 107
Lincoln {	M 15·2 F 14·3	44·9 42·3	2·4 3·6	2·5 2·0	3·2 2·0	5·9 3·0	4·3 4·1	8·2 10·7	14·1 9·9	27·2 17·1	62·2 55·9	150·6 136·9	297·3 164·4	139 130
Liverpool {	M 22·0 F 18·5	67·9 59·6	5·8 4·6	2·4 3·4	4·4 3·6	5·5 4·1	8·2 5·4	13·2 10·3	23·7 18·0	46·7 37·2	88·5 70·5	152·7 144·4	324·6 247·7	165 145
Manchester...	... {	M 18·8 F 15·6	61·7 51·0	3·7 4·2	2·7 2·5	4·1 3·2	4·6 3·8	6·5 4·5	11·7 8·5	20·9 16·4	44·1 30·8	83·0 70·4	163·7 129·0	250·0 231·7	174 138
Merthyr Tydfil {	M 15·8 F 15·7	51·0 47·4	1·9 3·3	2·2 2·9	4·3 4·1	4·5 3·8	5·7 7·1	9·6 7·5	22·1 17·5	35·9 35·2	54·6 52·8	134·8 130·9	227·3 200·0	161 148
Middlesbrough {	M 22·3 F 17·7	87·3 66·6	6·9 4·8	3·6 2·7	4·8 3·8	4·3 4·1	6·9 4·1	12·1 8·7	20·6 11·1	35·0 35·8	82·6 66·9	154·9 163·1	260·9 261·9	186 154
Newcastle on Tyne	{	M 17·2 F 15·5	52·5 48·2	3·7 4·7	2·8 3·1	3·3 3·3	5·0 3·3	5·7 5·5	10·2 7·2	18·1 15·1	38·8 30·4	78·3 69·6	156·6 129·7	294·1 281·0	146 127
Newport (Mon.) {	M 13·4 F 13·7	41·1 39·2	3·1 4·5	2·5 2·1	2·9 2·8	4·9 2·7	5·3 5·5	7·9 9·4	12·9 16·1	22·9 26·4	70·6 63·6	131·7 96·1	125·0 282·1	132 112
Northampton {	M 14·4 F 12·3	42·8 37·6	1·9 3·1	2·7 1·9	3·2 3·2	5·9 3·8	4·7 4·2	6·9 6·6	13·0 11·4	24·9 23·5	64·1 45·7	136·8 95·7	260·0 188·9	137 122
Norwich {	M 16·0 F 12·9	51·2 40·1	4·0 4·4	1·9 1·5	2·9 3·4	5·1 4·6	4·8 3·5	5·3 4·2	12·1 10·5	29·7 15·5	54·8 39·3	135·4 107·5	230·8 196·4	156 114
Nottingham {	M 17·7 F 14·9	58·8 51·6	3·6 2·7	2·0 1·8	3·4 2·6	3·1 3·8	5·7 3·9	9·0 6·7	15·3 12·4	34·3 24·9	67·1 62·5	144·3 126·6	341·5 309·3	173 151
Oldham {	M 19·2 F 16·4	62·5 48·3	3·8 3·5	3·0 2·5	3·1 5·0	3·3 4·4	5·5 6·0	10·3 7·2	20·8 18·1	47·4 35·9	104·8 70·9	145·4 124·8	233·3 460·0	188 130
Oxford {	M 14·6 F 11·3	35·7 27·0	4·0 4·2	2·2 2·1	1·8 1·7	3·5 2·4	5·3 2·6	9·5 6·0	11·7 10·2	23·0 13·8	59·7 35·0	129·3 116·6	400·0 190·0	123 91
Plymouth {	M 18·9 F 15·9	54·9 48·3	4·3 4·4	1·8 1·5	3·4 4·4	4·8 3·8	6·1 5·3	13·7 8·0	17·4 11·9	31·7 24·6	62·6 44·1	131·7 117·5	265·0 180·7	145 141
Portsmouth {	M 14·9 F 13·9	44·7 36·2	5·1 5·0	2·4 3·1	2·9 3·3	2·5 3·7	3·8 3·5	10·2 7·2	15·9 11·0	29·6 22·3	73·7 48·6	108·9 125·4	313·6 279·5	142 112

TABLE 18.—COUNTY BOROUGH.—CRUDE DEATH-RATE at ALL AGES, DEATH-RATES at AGES including INFANTILE MORTALITY; 1911—MALES and FEMALES—*continued*.

			Sex.	Deaths per 1,000 living at subjoined Ages.													Deaths under 1 per 1,000 Births.
				All Ages.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
Preston	{	M	17·9	57·3	5·4	1·4	3·2	4·9	5·5	11·0	17·3	42·7	75·9	181·8	58·8	182
			F	16·2	51·6	5·9	3·5	3·4	4·0	4·8	8·2	12·7	35·3	68·4	159·7	232·1	160
Reading	{	M	12·3	30·8	3·2	1·7	1·4	4·0	3·8	6·3	13·8	22·2	61·4	111·1	137·9	106
			F	11·6	29·3	3·2	2·2	2·4	2·0	3·3	6·3	9·3	12·8	46·9	99·0	292·0	101
Rochdale	{	M	15·7	50·1	3·4	2·7	2·1	4·6	5·5	7·2	17·5	40·6	76·7	181·8	266·7	164
			F	15·0	39·2	3·5	4·0	2·6	4·8	4·1	7·8	13·1	30·8	60·2	201·3	411·8	116
Rotherham...	...	{	M	17·5	55·2	6·4	3·0	5·3	3·8	6·3	8·8	16·0	29·3	78·2	147·5	381·0	164
			F	15·6	53·6	5·3	1·5	3·4	3·6	4·6	8·0	9·7	30·5	44·9	153·6	176·5	154
St. Helens	{	M	18·2	68·2	6·4	3·1	3·1	3·6	4·8	8·3	18·1	39·1	89·6	171·0	187·5	169
			F	18·3	63·8	4·8	3·6	2·9	7·9	5·4	8·4	15·6	33·4	67·1	175·7	312·5	146
Salford	{	M	18·6	56·4	4·7	3·1	4·0	6·3	6·3	13·6	20·1	45·3	83·3	142·1	270·8	165
			F	15·6	49·8	4·5	1·9	3·3	2·6	5·0	8·3	15·1	31·5	68·3	151·1	221·2	135
Sheffield	{	M	17·8	63·4	3·5	2·3	2·6	4·1	4·9	9·9	18·5	35·2	78·7	157·3	237·6	166
			F	14·5	49·1	4·0	1·9	2·4	3·3	4·1	7·4	13·4	25·9	51·8	145·0	226·5	114
Smethwick	{	M	14·5	50·5	6·0	1·9	1·4	1·0	3·8	10·9	16·0	21·3	81·6	133·7	—	158
			F	14·6	46·3	4·1	3·1	3·3	4·0	5·0	9·2	14·0	24·2	58·3	134·2	320·0	131
Southampton	...	{	M	17·3	45·3	2·9	1·2	3·0	2·9	6·8	10·9	20·7	29·0	77·1	133·3	405·4	157
			F	13·6	35·8	3·3	3·0	2·1	1·3	4·1	6·9	13·4	21·0	56·5	100·2	235·6	113
Southport	{	M	15·2	32·2	5·1	1·5	0·5	1·2	4·1	9·5	13·2	35·5	65·1	134·6	133·3	117
			F	12·6	27·7	3·1	0·5	1·1	1·3	3·0	4·6	8·9	20·8	61·6	113·5	243·9	105
South Shields	...	{	M	19·2	56·6	3·1	2·3	3·1	6·2	6·8	11·8	20·7	41·0	94·4	176·7	478·3	168
			F	15·4	45·8	2·5	2·5	3·7	3·2	7·7	9·1	14·1	29·2	72·1	121·3	207·5	121
Stockport	{	M	17·6	56·9	4·1	1·4	2·5	4·1	5·3	11·4	20·0	36·9	83·1	150·7	200·0	190
			F	14·9	47·9	3·2	2·6	2·8	2·7	4·0	8·8	12·6	31·6	65·0	133·0	193·5	152
Stoke on Trent	...	{	M	21·3	79·4	5·2	2·3	3·4	4·1	6·4	9·9	22·6	41·0	95·3	159·0	238·1	219
			F	18·6	67·0	4·3	2·9	2·4	3·8	6·1	9·9	17·5	32·1	75·9	144·9	191·0	185
Sunderland	...	{	M	19·6	63·6	4·0	3·5	3·2	4·7	7·3	10·4	19·5	33·9	73·2	151·0	276·6	159
			F	16·7	54·8	5·1	2·2	3·1	3·0	5·1	9·6	14·4	27·9	62·3	155·2	197·7	144
Swansea	{	M	17·1	53·8	4·4	3·5	4·1	6·1	6·3	10·2	17·2	35·3	75·4	173·4	261·9	151
			F	15·8	48·7	5·0	2·4	3·2	4·7	5·6	9·1	16·0	27·7	64·5	103·0	200·0	122
Tynemouth	...	{	M	16·9	48·7	4·2	0·9	3·6	3·7	5·1	11·3	12·8	37·0	69·8	176·3	107·1	149
			F	14·8	37·5	3·3	2·3	3·5	3·7	5·2	9·8	20·9	27·8	65·5	126·6	136·4	95
Walsall	{	M	17·2	64·2	4·9	2·2	3·5	5·0	5·5	8·1	15·5	29·3	55·5	128·4	225·0	178
			F	15·9	51·7	4·1	2·0	3·1	4·8	5·1	6·6	13·4	27·1	64·2	140·8	333·3	141
Warrington	...	{	M	16·1	52·1	5·2	3·3	3·3	4·5	4·0	11·9	20·2	32·3	64·7	174·7	100·0	155
			F	15·5	50·1	5·5	2·8	1·4	4·5	3·6	6·9	19·4	22·0	70·8	173·4	233·3	138
West Bromwich	...	{	M	16·5	53·3	2·7	3·1	3·0	5·0	3·0	8·0	18·1	28·2	75·7	167·3	200·0	142
			F	15·6	52·7	2·3	2·2	3·9	3·4	3·9	5·9	14·2	31·5	47·2	125·0	132·1	137
West Ham	{	M	16·7	56·3	3·2	2·0	3·8	5·4	5·0	9·5	17·6	29·0	64·2	136·8	447·6	157
			F	14·9	49·4	3·5	2·7	2·4	2·8	4·4	7·1	14·3	26·6	54·5	130·2	304·3	125
West Hartlepool	...	{	M	15·9	53·3	3·2	1·5	4·8	6·1	6·6	8·5	15·1	30·2	61·7	109·3	400·0	137
			F	15·9	48·3	4·6	3·8	4·5	3·4	3·8	6·6	15·3	26·6	72·2	183·8	410·3	121
Wigan	{	M	19·2	72·9	4·4	2·6	3·1	5·0	5·3	11·3	18·7	43·9	74·3	169·5	352·9	199
			F	17·7	68·0	5·7	1·8	5·8	3·4	5·7	7·3	17·7	35·0	65·9	150·7	173·9	187
Wolverhampton	...	{	M	17·3	54·8	4·3	2·6	2·0	4·6	5·1	10·3	16·8	38·1	74·5	169·3	481·5	149
			F	14·6	46·3	3·1	1·6	2·1	2·3	4·1	8·7	13·6	25·2	58·0	142·1	217·4	125
Worcester	{	M	16·5	41·3	6·0	2·6	3·3	2·9	4·1	7·2	17·0	27·6	63·6	180·3	200·0	125
			F	14·3	35·0	5·6	1·2	4·2	2·1	3·5	5·0	12·4	22·8	56·0	118·5	237·5	84
York	{	M	14·6	40·9	2·5	2·3	2·9	1·3	5·3	7·5	16·7	32·4	68·0	139·3	222·2	132
			F	12·6	33·7	2·9	1·3	1·8	2·8	4·4	5·7	11·5	20·4	53·2	122·5	195·4	95

TABLE 19.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1897–1911.—
MALES, FEMALES, AND PERSONS.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.
All Causes	M	280211	283981	299472	303823	285618	277216	266290	283206	267601	274233	269259	268714	265203	249016	272512
	F	261276	268160	282327	284007	265967	258322	248338	266578	252430	257048	254962	251742	252800	234231	255298
	P	541487	552141	581799	587830	551585	535538	514628	549784	520031	531281	524221	520456	518003	483247	527810
PRINCIPAL SUM-MARIZED HEADINGS.																
Small-pox	M	17	141	103	50	201	1439	504	312	63	9	6	7	18	14	13
	F	8	112	71	35	155	1025	256	195	53	12	4	5	3	5	10
	P	25	253	174	85	356	2464	760	507	116	21	10	12	21	19	23
Diarrhœal diseases... .. (104 and 105, 1911.)*	M	?	?	?	?	21183	10792	13425	20130	14731	21024	9390	14446	9444	9946	24848
	F	?	?	?	?	18604	9477	11939	17723	12776	18748	7893	12433	8024	8217	21707
	P	?	?	?	?	39787	20269	25364	37853	27507	39772	17233	26879	17468	18163	46555
Venereal diseases	M	?	?	?	?	?	955	998	1034	1020	961	968	949	986	971	1060
	F	?	?	?	?	?	769	847	837	825	801	725	788	738	703	820
	P	?	?	?	?	?	1724	1845	1871	1845	1762	1693	1737	1724	1674	1880
Puerperal septic diseases...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1898	1767	1973	2017	2079	2003	1668	1654	1734	1640	1465	1395	1429	1274	1339
	P	1898	1767	1973	2017	2079	2003	1668	1654	1734	1640	1465	1395	1429	1274	1339
Pneumonia (all forms) ...	M	20163	20134	23044	26147	21623	26526	22995	24219	25068	23626	26413	23671	25734	22541	21605
	F	14672	15328	16801	18153	15790	19905	17730	19153	19299	18199	20554	18108	20374	17219	16152
	P	34835	35462	39845	44300	37413	46431	40725	43372	44367	41825	46967	41779	46108	39760	37757
Septicæmia, pyæmia	M	367	302	412	463	265	347	336	305	356	348	366	335	291	238	299
	F	210	206	243	272	164	237	226	216	257	285	238	225	199	180	164
	P	577	508	655	735	429	584	562	521	613	633	604	560	490	418	463
Phthisis (28 and 29A, 1911.)	M	23046	23037	23906	24491	23454	23221	23022	23850	22226	22645	22647	22423	21936	20530	21575
	F	18596	18298	18502	18496	17770	17450	17110	18001	16724	17101	17192	17076	16703	15804	16819
	P	41642	41335	42408	42987	41224	40671	40132	41851	38950	39746	39839	39499	38639	36334	38394
Tuberculosis (all forms) ...	M	32878	33114	33671	34335	32881	31958	32464	33552	31005	31449	31166	31182	30216	28458	29207
	F	27117	27078	27049	27021	26049	25438	25643	26653	24754	25392	24935	24898	24209	22859	23881
	P	59995	60192	60720	61356	58930	57396	58107	60205	55759	56841	56101	56080	54425	51317	53088
Cancer (all forms)... ..	M	9573	9932	10337	10475	10891	11098	11799	12086	12470	13257	13199	13901	14263	14843	15589
	F	14870	15264	15988	16246	16596	16774	17290	17596	17751	18411	18546	18816	19790	19764	20313
	P	24443	25196	26325	26721	27487	27872	29089	29682	30221	31668	31745	32717	34053	34607	35902
Diseases of nervous system (excluding cerebral hæmorrhage, apoplexy, hemiplegia).	M	22548	22405	22637	22708	23044	22330	21030	21378	19623	19636	18401	18456	17907	16624	16781
	F	17800	17937	18019	18228	18490	17747	16987	17071	16072	15778	15287	14851	14306	13487	13378
	P	40348	40342	40656	40936	41534	40077	38017	38449	35695	35414	33688	33307	32213	30111	30159
Diseases of heart	M	?	?	?	?	22684	22966	22385	23297	22691	23376	24265	23918	24089	23355	23539
	F	?	?	?	?	25538	25229	24515	26400	25625	25385	26703	25973	26829	25369	25933
	P	?	?	?	?	48222	48195	46900	49697	48316	48761	50968	49891	50918	48724	49472
Diseases of blood vessels (including cerebral hæmorrhage, apoplexy, hemiplegia).	M	?	?	?	?	13524	13555	13195	13809	13719	14254	14814	15114	15665	15270	16308
	F	?	?	?	?	14859	14794	14768	15254	14809	15797	16140	16222	16935	16458	17784
	P	?	?	?	?	28383	28349	27963	29063	28528	30051	30954	31336	32600	31728	34092
Diseases of respiratory system (including croup but excluding pneumonia.)	M	29104	28407	31279	32850	27549	26218	22879	25129	23458	21814	24853	23031	23817	21013	21829
	F	27799	27797	30712	32395	27247	26157	21892	25118	23391	21543	25119	23124	24906	20339	21500
	P	56903	56204	61991	65245	54796	52375	44771	50247	46849	43357	49972	46155	48723	41352	43329
Diseases of liver and gall bladder.	M	3984	3982	4261	4126	3710	3406	3180	3113	3032	2999	2920	2806	2873	2564	2582
	F	3737	3691	3790	3915	3465	3124	3052	3035	3063	3013	3004	2759	2618	2543	2685
	P	7721	7673	8051	8041	7175	6530	6232	6148	6091	6012	5924	5565	5491	5197	5267
Diseases of digestive system. [†]	M	17655	19133	20976	18048	16529	13781	13990	14756	13625	15213	13435	14379	13942	13667	17148
	F	17047	18613	20603	17743	16283	13827	14045	14629	13911	14646	13266	14036	13095	13173	16218
	P	34702	37746	41579	35791	32812	27608	28035	29385	27536	29859	26701	28415	27037	26840	33366
Nephritis and Bright's disease.	M	5979	6115	6485	7098	6981	6632	6641	7129	6887	7214	7417	7349	7601	7427	7637
	F	5043	5230	5636	5816	5730	5580	5778	5999	5888	6133	6460	6411	6739	6520	6892
	P	11022	11345	12121	12914	12711	12212	12419	13128	12775	13352	13877	13760	14340	13947	14529
Diseases of generative and mammary organs.	M	93	91	85	102	77	67	48	73	53	62	48	41	50	66	70
	F	1335	1252	1307	1209	1167	1134	1137	1115	1194	1136	1114	1018	1015	950	1074
	P	1428	1343	1392	1311	1244	1201	1185	1188	1247	1198	1162	1059	1065	1016	1144
Diseases of pregnancy and childbirth (not septic).	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2352	2307	2353	2438	2315	2202	2189	2013	2171	2117	2055	1966	1950	1917	1897
	P	2352	2307	2353	2438	2315	2202	2189	2013	2171	2117	2055	1966	1950	1917	1897
All diseases of pregnancy and childbirth.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4250	4074	4326	4455	4394	4205	3857	3667	3905	3757	3520	3361	3379	3191	3236
	P	4250	4074	4326	4455	4394	4205	3857	3667	3905	3757	3520	3361	3379	3191	3236
Causes ill-defined or not specified. [‡]	M	25021	24879	26348	26694	25502	24072	23780	24490	23364	23904	23060	23307	23051	21499	22916
	F	26754	26960	28357	28369	26850	26098	25675	26959	25662	26623	25919	25912	26159	24452	25963
	P	51775	51839	54705	55063	52352	50170	49455	51449	49026	50529	48979	49219	49210	45951	48879
Violent deaths	M	13948	13709	14615	14239	14539	13567	13601	13618	13665	13670	13677	14017	13217	13125	14445
	F	5879	5827	6232	5884	6249	5821	5696	5799	5772	5903	5917	6109	5926	5598	6002
	P	19827	19536	20847	20123	20788	19388	19297	19417	19437	19573	19594	20126	19143	18723	20447

* See note to Diarrhœa due to Food.

† Including some of the headings classed under Diarrhœal diseases above, viz. :—Ulceration of intestines, Enteritis (not epidemic) and Gastro-enteritis. See also note to Hernia.

‡ See note to Hæmorrhage.

TABLE 19.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1897–1911.—
MALES, FEMALES, AND PERSONS—*continued*.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	
DETAILED HEADINGS.																	
Small-pox	Vaccinated ...	M	5	62	4	4	78	525	98	56	13	—	2	—	4	3	1
		F	1	45	—	3	63	296	25	19	10	—	—	—	1	—	2
		P	6	107	4	7	141	821	123	75	23	—	2	—	5	3	3
	Not Vaccinated.	M	3	35	3	7	61	401	109	76	7	1	1	—	4	1	4
		F	2	24	2	10	50	390	65	48	13	—	1	—	2	1	5
		P	5	59	5	17	111	791	174	124	20	1	2	—	6	2	9
	Doubtful ...	M	9	44	96	39	62	513	297	180	43	8	3	7	10	10	8
		F	5	43	69	22	42	339	166	128	30	12	3	5	—	4	3
		P	14	87	165	61	104	852	463	308	73	20	6	12	10	14	11
Cow-pox and other effects of vaccination.	M	21	9	23	11	6	11	11	17	11	12	7	4	4	3	10	
	F	15	17	11	14	11	11	15	11	15	17	5	9	7	5	4	
	P	36	26	34	25	17	22	26	28	26	29	12	13	11	8	14	
Chicken-pox ...	M	57	67	71	69	57	61	57	55	52	67	68	43	52	55	43	
	F	46	49	53	58	58	62	59	49	41	39	52	50	42	42	37	
	P	103	116	124	127	115	123	116	104	93	106	120	93	94	97	80	
Measles (Morbilli) ...	M	6533	6783	5094	6506	4765	6633	4704	6313	5623	4748	6578	4135	6466	4305	6861	
	F	6178	6437	4904	6204	4254	6297	4446	5993	5453	4696	6047	3876	6152	3997	6267	
	P	12711	13220	9998	12710	9019	12930	9150	12306	11076	9444	12625	8011	12618	8302	13128	
German measles ...	M	18	22	14	14	30	15	19	19	18	14	25	11	21	7	11	
	F	26	18	23	23	28	16	20	16	20	11	22	11	18	8	10	
	P	44	40	37	37	58	31	39	35	38	25	47	22	39	15	21	
Scarlet fever ...	M	2296	1808	1864	1951	2188	2469	2121	1895	1917	1793	1644	1401	1662	1181	940	
	F	2281	1740	1858	1893	2151	2406	2037	1875	1917	1682	1576	1426	1553	1189	952	
	P	4577	3548	3722	3844	4339	4875	4158	3770	3834	3475	3220	2827	3215	2370	1892	
Typhus ...	M	26	27	17	14	21	37	33	20	19	5	13	8	11	5	4	
	F	23	20	12	15	16	24	36	17	19	4	11	5	4	—	6	
	P	49	47	29	29	37	61	69	37	38	9	24	13	15	5	10	
Plague ...	M	—	—	—	1	10	2	—	1	1	—	—	1	—	2	—	
	F	—	—	—	—	1	—	—	—	—	—	—	—	—	3	—	
	P	—	—	—	1	11	2	—	1	1	—	—	1	—	5	—	
Relapsing fever ...	M	1	1	—	4	2	1	—	—	1	1	—	2	—	1	—	
	F	1	2	—	—	3	4	—	2	2	—	1	1	—	1	—	
	P	2	3	—	4	5	5	—	2	3	1	1	3	—	2	—	
Influenza ...	M	3085	5010	6085	7683	2912	3642	3067	2782	3387	3124	4431	4842	4300	3253	2224	
	F	3003	5395	6332	8562	2754	3724	3255	2912	3566	3186	4826	5270	4692	3251	2110	
	P	6088	10405	12417	16245	5666	7366	6322	5694	6953	6310	9257	10112	8992	6504	4334	
Whooping cough ...	M	5234	4495	4622	5157	4573	4474	4334	5260	3954	3717	4501	4339	3137	3862	3412	
	F	6197	5680	5507	6310	5632	5331	5188	6649	4755	4596	5754	5512	4045	4935	4432	
	P	11431	10175	10129	11467	10205	9805	9522	11909	8709	8313	10255	9851	7182	8797	7844	
Mumps ...	M	40	31	42	42	44	51	44	50	52	53	54	49	45	55	44	
	F	45	28	30	52	46	42	42	58	46	57	64	64	48	59	47	
	P	85	59	72	94	90	93	86	108	98	110	118	113	93	114	91	
Diphtheria ...	M	3764	3724	4453	4612	4374	3741	2947	2825	2626	2933	2785	2729	2521	2022	2429	
	F	3890	3937	4842	4733	4524	4061	3130	2938	2830	3175	2947	2840	2714	2262	2469	
	P	7654	7661	9295	9345	8898	7802	6077	5763	5456	6108	5732	5569	5235	4284	4898	
Cerebro-spinal fever ...	M	4	7	15	8	29	40	29	43	71	34	101	67	63	70	81	
	F	6	4	6	1	30	20	39	38	56	37	60	49	67	62	53	
	P	10	11	21	9	59	60	68	81	127	71	161	116	130	132	134	
Pyrexia (origin uncertain)	M	50	69	50	54	50	41	33	30	23	10	19	10	8	5	8	
	F	70	67	63	59	51	52	43	37	30	19	20	16	5	7	6	
	P	120	136	113	113	101	93	76	67	53	29	39	26	13	12	14	
Enteric fever ...	M	2681	3205	3561	3272	2925	2396	1929	1837	1750	1840	1373	1617	1270	1047	1419	
	F	2170	2503	2743	2319	2146	1753	1418	1316	1302	1329	971	1034	872	842	997	
	P	4851	5708	6304	5591	5071	4149	3347	3153	3052	3169	2344	2651	2142	1889	2416	
Asiatic cholera ...	M	?	?	?	?	—	—	—	—	—	—	—	—	1	—	—	
	F	?	?	?	?	—	—	—	—	—	—	—	—	—	—	—	
	P	?	?	?	?	—	—	—	—	—	—	—	—	1	—	—	
Diarrhoea due to food * ...	M	20	26	37	30	35	51	54	58	111	173	125	159	152	137	*	
	F	18	31	32	38	30	43	35	47	100	131	92	137	122	114	*	
	P	38	57	69	68	65	94	89	105	211	304	217	296	274	251	*	

* Called Food, Ptomaine-poisoning previous to 1904. The increase since that date is partly due to the inclusion of deaths from diarrhoea in artificially fed children. The deaths in 1911 are included under Infective enteritis, Epidemic diarrhoea.

TABLE 19.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1897–1911.—
MALES, FEMALES, AND PERSONS—*continued*.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.
Infective enteritis, Epidemic diarrhoea.						6261 5603 11864	2651 2264 4915	4183 3559 7742	8991 8003 16994	6279 5294 11573	9620 8581 18201	2751 2319 5070	5443 4729 10172	2618 2245 4863	2975 2432 5407	11334* 9885* 21219*
Diarrhoea (not otherwise defined).	M F P	14244 12807 27051	15762 14334 30096	16178 14793 30971	12367 11096 23463	9586 8360 17946	4723 4161 8884	5424 4933 10357	6558 5804 12362	4523 4011 8534	6156 5606 11762	2790 2348 5138	4173 3555 7728	2628 2313 4941	2626 2220 4846	6383 5678 12061
Dysentery						174 137 311	145 109 254	177 133 310	171 127 298	121 95 216	150 146 296	124 109 233	189 107 246	115 135 250	125 118 243	136 164 300
Tetanus	M F P	15 11 26	17 12 29	17 7 24	52 14 66	44 13 57	151 50 201	187 70 257	192 65 257	188 60 248	200 54 254	176 50 226	139 41 180	167 63 230	153 44 197	158 45 203
Malaria	M F P	102 16 118	68 23 91	82 12 94	92 17 109	88 10 98	99 13 112	60 9 69	95 11 106	71 8 79	55 15 70	62 6 68	49 7 56	69 11 80	44 7 51	52 6 58
Rabies, Hydrophobia ...	M F P	6 — 6	1 1 2	— — —	— — —	— — —	2 — 2	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	1 — 1
Glanders	M F P	6 — 6	4 — 4	5 — 5	2 — 2	4 — 4	5 — 5	6 2 8	4 — 4	5 1 6	1 — 1	4 — 4	7 — 7	4 — 4	1 — 1	3 — 3
Anthrax (Splenic fever) ...	M F P	16 2 18	16 2 18	16 5 21	10 — 10	11 1 12	12 1 13	17 1 18	18 2 20	17 7 24	22 4 26	14 1 15	12 1 13	15 — 15	11 4 15	12 3 15
Syphilis	M F P	1046 833 1879	1007 794 1801	972 821 1793	990 852 1842	956 765 1721	935 758 1693	986 834 1820	1009 825 1834	1002 809 1811	937 781 1718	952 706 1658	939 763 1702	968 717 1685	957 682 1639	1052 798 1850
Gonorrhoea†	M F P	368 11 379	326 9 335	334 10 344	354 13 367	350 6 356	20 11 31	12 13 25	25 12 37	18 16 34	24 20 44	16 19 35	10 25 35	18 21 39	14 21 35	8 22 30
Puerperal septicaemia, Puerperal septic intoxication.						1490 1490	1464 1464	1258 1258	1249 1249	1307 1307	1225 1225	1056 1056	1030 1030	1063 1063	967 967	1017 1017
Puerperal pyæmia	M F P	— 1898 1898	— 1767 1767	— 1973 1973	— 2017 2017	37 37	54 54	38 38	38 38	51 51	66 66	111 111	92 92	104 104	91 91	87 87
Phlegmasia alba dolens ...						74 74	95 95	87 87	94 94	103 103	102 102	84 84	83 83	72 72	55 55	72 72
Puerperal fever (not otherwise defined).						478 478	39 390	285 285	273 273	273 273	247 247	214 214	190 190	190 190	161 161	163 163
Infective endocarditis‡ ...	M F P	? ? ?	? ? ?	? ? ?	? ? ?	173 200 373	190 189 379	180 209 389	203 199 402	208 217 425	230 230 460	212 261 473	251 270 521	253 273 526	246 276 522	267 323 590
Pneumonia {	M F P	20163 14672 34835	20134 15328 35462	23044 16801 39845	26147 18153 44300	1437 809 2246	2184 1191 3475	2017 1546 3208	2345 1905 3891	2982 1905 4887	3117 2044 4991	3341 2044 5385	3030 1788 4818	3719 2353 6072	3373 1904 5277	4681§ 2802§ 7483§
						8022 6984 15006	9974 8634 18608	9269 8156 17425	10345 9100 19445	10022 8783 18805	9057 8219 17276	11237 10080 21317	10270 8764 19034	10349 9446 19795	9308 8239 17547	8910 7854 16764
						54 40 94	7 3 10	3 4 7	— — —	3 1 4	4 2 6	2 4 6	3 1 4	9 2 11	6 3 9	\$ \$ \$
						12110 7957 20067	14361 9977 24338	11706 8379 20085	11529 8507 20036	12061 8610 20671	11448 8104 19552	11833 8426 20259	10368 7555 17923	11657 8573 20230	9854 7073 16927	8014 5496 13510
						152 106 —	205 146 —	196 166 —	204 160 —	221 182 —	235 204 —	273 169 —	251 165 —	210 159 —	173 127 —	217 130 —
Erysipelas	M F P	501 513 1014	516 454 970	624 603 1227	646 581 1227	607 551 1158	663 617 1280	561 521 1082	622 584 1206	646 609 1255	642 564 1206	541 492 1033	443 393 836	523 490 1013	433 393 826	480 491 971
Septicaemia, Septic intoxication (not puerperal).	M F P	367 210 577	302 206 508	412 243 655	463 272 735	258 — —	351 — —	362 — —	364 — —	403 — —	439 — —	442 — —	416 — —	369 — —	300 — —	347 — —
Pyæmia (not puerperal) ...						113 58 171	142 91 233	140 60 200	101 56 157	135 75 210	113 81 194	93 69 162	84 60 144	81 40 121	65 53 118	82 34 116

* Including deaths from Diarrhoea due to food.

† Includes deaths from Stricture of the Urethra previous to 1902. See also note to Other diseases of urinary system.

‡ For years prior to 1901, deaths from Infective endocarditis are included under the heading Valvular disease, Endocarditis.

§ For 1911, deaths from Epidemic Pneumonia are included under Lobar Pneumonia.

TABLE 19.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1897-1911.—
MALES, FEMALES, AND PERSONS—*continued.*
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.
Phlegmon, Carbuncle (not anthrax).	M	353	331	387	403	410	453	412	456	468	511	471	436	494	422	438
	F	233	232	253	290	298	338	289	257	310	325	302	261	325	275	280
	P	586	563	640	693	708	791	701	713	778	836	773	697	819	697	718
Phagedæna	M	16	25	17	16	24	18	19	14	27	11	19	10	14	3	—
	F	37	20	21	27	12	14	16	12	25	13	10	21	14	2	—
	P	53	45	38	43	36	32	35	26	52	24	29	31	28	5	—
Other infective processes...	M	?	?	?	?	99	36	55	78	104	130	136	131	151	145	158
	F	?	?	?	?	113	75	114	52	94	91	77	67	91	59	69
	P	?	?	?	?	212	111	169	130	198	221	213	198	242	204	227
Pulmonary tuberculosis (tuberculous phthisis).						4333	6267	8293	9701	9981	10804	11299	11756	12111	11992	13335
	M	23046	23037	23906	24491	3229	4213	5545	6685	6961	7580	8069	8436	8545	8800	9937
	F	18596	18298	18502	18496	7562	10480	13838	16386	16942	18384	19368	20192	20656	20792	23272
Phthisis (not otherwise defined).	P	41642	41335	42408	42987	19121	16954	14729	14149	12245	11841	11348	10667	9825	8538	8240
						14541	13237	11565	11316	9763	9521	9123	8640	8158	7004	6882
						33662	30191	26294	25465	22008	21362	20471	19307	17983	15542	15122
Tuberculous meningitis ...	M	3522	3608	3452	3412	3134	3084	3406	3359	3187	3117	3090	3057	2955	2889	2705
	F	3084	3073	2997	2983	2820	2877	3070	3030	2896	2987	2795	2811	2819	2582	2540
	P	6606	6681	6449	6395	5954	5961	6476	6389	6083	6104	5885	5868	5774	5471	5245
Tuberculous peritonitis ...						1475	1477	1788	1994	1798	1925	1787	1924	1833	1820	1718
	M	3355	3344	3335	3164	2933	2957	3521	3915	3603	3857	3532	3783	3522	3554	3363
	F	2900	3013	2959	2812	1458	1480	1733	1921	1805	1932	1745	1859	1689	1734	1645
Tabes mesenterica	P	6255	6357	6294	5976	1764	1811	1150	1064	784	660	531	554	488	424	421
						1431	1035	912	834	613	578	438	440	389	367	368
						3195	2346	2062	1898	1397	1238	969	994	877	791	789
Lupus	M	16	16	19	19	24	16	18	28	23	22	28	18	23	15	13
	F	38	37	42	35	41	56	44	38	57	62	50	38	56	46	43
	P	54	53	61	54	65	72	62	66	80	84	78	56	79	61	56
Tubercle of other organs...						666	663	842	957	935	1022	957	978	1060	1243	896
						480	515	626	705	713	787	752	646	808	945	772
						1146	1178	1468	1662	1648	1809	1709	1624	1868	2188	1668
General tuberculosis ...	M	2939	3109	2959	3249	2187	2116	2173	2253	2015	2033	2117	2209	1908	1523	1874
	F	2499	2657	2549	2695	1884	1932	2092	2062	1906	1921	1944	2022	1731	1361	1686
	P	5438	5766	5508	5944	4071	4048	4265	4315	3921	3954	4061	4231	3639	2884	3560
Scrofula						177	70	65	47	37	25	9	19	13	14	5
						165	93	56	62	40	24	19	6	14	20	8
						342	163	121	109	77	49	28	25	27	34	13
Parasitic diseases	M	198	200	209	188	175	142	165	164	143	176	139	130	120	103	135
	F	195	203	180	177	173	135	149	145	102	128	102	116	102	75	120
	P	393	403	389	365	348	277	314	309	245	304	241	246	222	178	255
Starvation	M	25	23	28	24	11	16	19	17	17	14	15	11	11	22	14
	F	16	23	15	17	7	10	9	13	4	12	6	4	11	7	5
	P	41	46	43	41	18	26	28	30	21	26	21	15	22	29	19
Scurvy	M	20	17	23	18	15	15	22	21	21	26	21	25	26	25	22
	F	14	9	11	26	16	15	22	23	27	25	20	25	21	19	23
	P	34	26	34	44	31	30	44	44	48	51	41	50	47	44	45
Alcoholism, Delirium tremens.	M	1460	1500	1735	2063	1778	1673	1475	1396	1297	1341	1328	1112	998	862	990
	F	937	964	1136	1575	1353	1111	1075	962	914	940	873	825	673	628	637
	P	2397	2464	2871	3638	3131	2784	2550	2358	2211	2281	2201	1937	1671	1490	1627
Opium, morphia habit ...	M	?	?	?	?	3	3	9	6	4	5	5	3	8	4	6
	F	?	?	?	?	6	11	7	4	9	4	7	7	13	6	7
	P	?	?	?	?	9	14	16	10	13	9	12	10	21	10	13
Industrial poisoning.	By Lead ...	M	102	112	91	105	96	80	88	83	76	70	89	102	88	106
		F	25	21	12	9	5	3	2	4	2	4	3	3	6	4
		P	127	133	103	114	101	83	90	87	78	74	92	105	91	110
	By Phosphorus.	M	?	?	?	?	—	1	—	—	—	—	1	—	—	—
		F	?	?	?	?	—	1	—	1	—	—	—	—	—	—
		P	?	?	?	?	—	2	—	1	—	—	1	—	—	2
	By Arsenic and other metals.	M	?	?	?	?	4	1	3	1	1	2	1	1	—	—
		F	?	?	?	?	—	—	—	—	—	—	—	—	—	2
		P	?	?	?	?	4	1	3	1	1	2	1	1	—	—
Rheumatic Fever, Acute Rheumatism.						1108	1091	875	894	1016	1090	967	871	961	793	905
	M	1266	1195	1302	1430	1062	1055	937	894	1105	1129	1057	934	1009	887	1060
	F	1261	1220	1345	1357	2170	2146	1812	1788	2121	2219	2024	1805	1970	1680	1965
Rheumatism of heart ...	P	2527	2445	2647	2787	302	278	239	240	158	137	181	156	149	134	*
						313	351	331	346	196	196	234	207	208	184	*
						615	629	570	586	354	333	415	363	357	318	*

* Included under Valvular disease, Endocarditis (not infective).

TABLE 19.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1897–1911.—
 MALES, FEMALES, AND PERSONS—*continued*.
 (List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.
Chronic rheumatism ...	M	395	405	405	392	335	198	205	222	165	146	172	195	167	140	152
	F	519	500	518	502	455	308	257	266	272	246	268	249	271	231	243
	P	914	905	923	894	790	506	462	488	437	392	440	444	438	371	395
Rheumatoid arthritis, Rheumatic gout.	M	?	?	?	?	290	289	273	275	253	259	299	245	295	294	309
	F	?	?	?	?	558	522	610	669	645	692	682	715	793	746	791
	P	?	?	?	?	848	811	883	944	898	951	981	960	1088	1040	1100
Gout ...	M	462	421	423	383	416	386	364	405	326	366	362	333	320	307	324
	F	108	101	131	121	105	103	102	95	89	95	88	83	81	76	62
	P	570	522	559	504	521	489	466	500	415	461	450	416	401	383	386
Carcinoma ...	M	*	*	*	*	4746	5071	5743	6128	6423	6963	6895	7476	7794	8370	9121
	F	*	*	*	*	7947	8469	9070	9404	9656	10202	10715	10907	11719	11950	12472
	P	*	*	*	*	12693	13540	14813	15532	16079	17165	17610	18383	19513	20320	21593
Sarcoma ...	M	773	802	883	790	846	843	929	893	949	987	1034	1054	1073	1116	1223
	F	712	749	823	821	830	847	860	860	838	908	813	842	901	957	923
	P	1485	1551	1706	1611	1676	1690	1789	1753	1787	1895	1847	1896	1974	2073	2146
Cancer, Malignant disease (not otherwise defined).	M	8800*	9130*	9454*	9685*	5299	5184	5127	5065	5098	5307	5270	5371	5396	5357	5245
	F	14158*	14515*	15165*	15425*	7819	7458	7360	7332	7257	7301	7018	7067	7170	6857	6918
	P	22958*	23645*	24619*	25110*	13118	12642	12487	12397	12355	12608	12288	12438	12566	12214	12163
Rickets ...	M	797	803	750	730	820	780	987	1076	791	778	707	697	664	617	543
	F	630	593	585	563	564	589	663	746	607	599	552	492	454	444	439
	P	1427	1396	1335	1293	1384	1369	1650	1822	1398	1377	1259	1189	1118	1061	982
Purpura ...	M					148	140	150	129	130	110	145	148	159	147	164
	F	164	186	177	168	302	298	305	293	260	250	302	293	312	302	314
	P	176	188	155	152											
Hæmophilia, Hæmorrhagic diathesis.	M	340	374	332	320	49	59	49	59	47	46	57	57	58	62	69
	F					30	29	31	27	40	38	46	24	33	23	33
	P					79	88	80	86	87	84	103	81	91	85	102
Anæmia, Leucocythæmia ...	M	699	717	705	758	768	792	761	786	840	894	1004	968	997	1115	1038
	F	1150	1107	1161	1114	1143	1050	1032	1057	1090	1156	1186	1207	1219	1304	1312
	P	1849	1824	1866	1872	1911	1842	1793	1843	1930	2050	2190	2175	2216	2419	2350
Diabetes mellitus ...	M	1303	1437	1448	1455	1565	1462	1409	1612	1708	1736	1738	1842	1898	1982	1936
	F	1123	1148	1270	1312	1399	1307	1435	1521	1466	1606	1622	1768	1800	1955	1917
	P	2426	2585	2718	2767	2964	2769	2844	3133	3174	3342	3360	3610	3698	3937	3853
Premature birth ...	M	10020	10393	10400	10316	10445	10661	10804	11097	10422	10767	10206	10553	10207	9816	9939
	F	7759	7959	8148	8163	8119	8248	8277	8530	8449	8294	8013	8118	8003	7758	7770
	P	17779	18352	18548	18479	18564	18909	19081	19627	18871	19061	18219	18671	18210	17574	17709
Congenital hydrocephalus †	M					252	270	252	245	211	179	223	203	175	182	
	F	1522	1550	1564	1604	2253	147	194	165	119	166	150	156	126	127	146
	P	1271	1200	1319	1388	1825	399	464	417	364	377	329	379	329	302	328
Other congenital defects †	M	2793	2750	2883	2992	4078	2277	2327	2391	2493	2579	2547	2661	2517	2538	2469
	F						1682	1807	1923	1999	2084	1973	2075	2084	1953	1972
	P						3959	4134	4314	4492	4663	4520	4736	4601	4491	4441
Injury at birth ...	M	93	85	196	254	382	389	413	464	418	521	485	585	566	484	519
	F	73	77	137	194	221	262	276	308	291	345	331	357	390	362	385
	P	166	162	333	448	603	651	689	772	709	866	816	942	956	846	904
Atelectasis ...	M	616	662	701	726	695	769	750	753	830	856	915	916	874	874	854
	F	459	485	498	499	489	486	562	574	614	602	638	681	632	679	637
	P	1075	1147	1199	1225	1184	1255	1312	1327	1444	1458	1553	1597	1506	1553	1491
Want of breast milk ...	M	178	175	180	246	317	326	414	333	379	439	434	447	384	296	305
	F	142	143	152	213	228	248	303	311	282	322	322	331	285	245	248
	P	320	318	332	459	545	574	717	694	661	761	756	778	669	541	553
Teething ...	M	2072	1904	1845	1979	1750	1775	1802	1593	1288	1201	1169	1078	994	896	774
	F	1656	1638	1551	1622	1518	1433	1463	1382	1055	974	919	905	775	704	681
	P	3728	3542	3396	3601	3268	3208	3265	2975	2343	2175	2088	1983	1769	1600	1455
Meningitis, Inflammation of brain.	M	4026	4035	4176	4105	3782	3528	3378	3404	3233	3301	2880	3016	2902	2653	2931
	F	3403	3521	3379	3531	3291	3044	2963	2897	2801	2696	2549	2500	2442	2353	2481
	P	7429	7556	7555	7636	7073	6572	6341	6301	6034	5997	5429	5516	5344	5006	5412
Softening of brain ...	M	1309	1345	1358	1189	1129	1118	1165	1209	1094	1156	1158	1183	1105	1075	951
	F	1180	1238	1188	1072	1032	952	1009	1057	1088	1073	1121	1147	1023	1002	966
	P	2489	2583	2546	2261	2161	2070	2174	2266	2182	2229	2279	2330	2128	2077	1917
General paralysis of insane	M					1728	1681	1584	1802	1738	1772	1775	1713	1817	1723	1751
	F	2264	2278	2435	2528	544	576	549	578	549	568	557	504	546	490	435
	P	1439	1304	1376	1654	2272	2257	2133	2380	2287	2340	2332	2217	2363	2213	2186
Insanity (not puerperal) ...	M					607	781	715	866	888	952	960	941	995	940	1060
	F					752	945	938	1060	1181	1200	1249	1227	1176	1151	1421
	P					1359	1726	1653	1926	2069	2152	2209	2168	2171	2091	2481

* For the years 1897–1900, deaths from Carcinoma are included under Cancer, Malignant disease.
 † Includes deaths of children under six months of age from "Hydrocephalus" for the year 1901 and subsequent years.
 ‡ Includes deaths of young children from Icterus for the year 1901 and subsequent years.

TABLE 19.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1897–1911.—
MALES, FEMALES, AND PERSONS—*continued*.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.
Chorea	M	33	38	40	43	57	55	41	33	36	37	38	41	38	31	37
	F	111	113	132	125	134	105	106	90	115	118	117	91	132	106	92
	P	144	151	172	168	191	160	147	123	151	155	155	132	170	137	129
Epilepsy	M	1336	1347	1371	1546	1533	1593	1598	1557	1496	1482	1458	1382	1472	1396	1404
	F	1192	1311	1375	1451	1350	1412	1454	1357	1402	1315	1342	1304	1342	1286	1224
	P	2528	2658	2746	2997	2883	3005	3052	2914	2898	2797	2800	2686	2814	2682	2628
Convulsions... ..	M	10445	10304	10044	10388	9863	9427	8649	8419	7377	7101	6545	6568	5890	5315	5081
	F	7939	7861	7975	8114	7825	7127	6463	6288	5556	5427	5017	4936	4425	4081	3770
	P	18384	18165	18019	18502	17688	16554	15112	14767	12933	12528	11562	11504	10315	9396	8851
Laryngismus stridulus ...	M	319	330	281	261	286	266	248	220	222	180	191	231	150	126	140
	F	193	172	154	175	182	173	187	178	142	125	124	112	120	110	103
	P	512	502	435	436	468	439	435	398	364	305	315	343	270	236	243
Locomotor Ataxy	M					341	409	418	411	448	463	461	477	496	485	529
	F					68	74	84	103	102	99	123	106	123	95	105
	P	1291	1293	1472	1472	409	483	502	514	550	562	584	583	619	580	634
Paraplegia, Diseases of cord	M					1268	1096	1139	1205	1115	1113	1030	1110	1156	1152	1122
	F	915	957	944	940	1013	960	948	988	960	962	953	1008	948	949	863
	P	2206	2250	2416	2412	2281	2056	2087	2193	2075	2075	1983	2118	2104	2101	1985
Neuritis, Peripheral, Poly- neuritis.	M					46	128	112	125	103	128	140	132	126	113	121
	F					86	223	304	291	284	323	335	264	281	264	300
	P					132	351	416	416	387	451	475	396	407	377	421
Brain tumour (not specific)	M	1525	1435	1460	1176	198	324	352	330	357	383	383	371	392	403	360
	F	1428	1460	1496	1166	187	274	266	334	341	361	370	366	377	401	318
	P	2953	2895	2956	2342	385	598	618	664	698	744	753	737	769	804	678
Other diseases of nervous system.	M					2206	1924	1631	1797	1516	1568	1382	1291	1368	1212	1294
	F					2026	1882	1716	1850	1551	1511	1430	1286	1371	1199	1300
	P					4232	3806	3347	3647	3067	3079	2812	2577	2739	2411	2594
Otitis, Mastoid disease ...	M	511	486	496	539	491	483	564	618	624	648	601	578	647	579	601
	F	394	409	408	441	443	431	450	440	491	494	507	455	444	439	518
	P	905	895	904	1030	934	914	1014	1058	1115	1142	1108	1033	1091	1018	1119
Epistaxis, Diseases of nose	M	48	42	44	37	42	49	36	49	41	41	27	38	40	35	51
	F	43	40	32	41	36	30	45	31	43	26	39	35	41	35	67
	P	91	82	76	78	78	79	81	80	84	67	66	73	81	70	118
Ophthalmia, Diseases of eye	M	42	32	29	48	45	36	42	27	29	38	26	23	33	25	48
	F	24	18	24	28	26	24	28	30	32	37	34	19	21	37	47
	P	66	50	53	76	71	60	70	57	61	75	60	42	54	62	95
Valvular disease, Endocar- ditis (not infective)*	M	5078	5122	5639	5937	5724	6052	6164	6683	6816	7176	7454	7611	7799	7726	8310*
	F	5566	5937	6479	6945	6770	6951	7251	7874	8031	8294	8872	8752	9236	9043	9948*
	P	10644	11059	12118	12882	12494	13003	13415	14557	14847	15470	16326	16363	17035	16769	18258*
Pericarditis	M	349	318	332	369	337	231	219	226	230	237	273	237	224	247	309
	F	205	217	272	254	299	207	203	190	225	192	208	195	186	199	235
	P	554	535	604	623	636	438	422	416	455	429	481	432	410	446	544
Hypertrophy of heart ...	M	113	104	140	138	121	164	155	149	137	152	149	181	135	141	†
	F	84	102	107	103	89	109	92	102	85	84	75	85	85	59	†
	P	197	206	247	241	210	273	247	251	222	236	224	266	220	200	†
Angina Pectoris	M	481	419	452	481	450	480	463	504	532	576	612	617	629	716	711
	F	233	223	246	255	225	248	237	249	307	313	330	312	328	294	349
	P	714	642	698	736	675	728	700	753	839	889	942	929	957	1010	1060
Dilatation of heart ...	M					1027	1276	1294	1430	1473	1551	1742	1670	1771	1586	†
	F					1172	1327	1308	1595	1573	1576	1778	1685	1778	1609	†
	P					2199	2603	2602	3025	3051	3127	3520	3355	3549	3195	†
Fatty degeneration of heart	M	16320	16109	17221	17204	874	960	950	990	1037	1045	1124	1133	1069	1150	1217
	F	18090	18178	19292	19178	1068	1147	1113	1242	1231	1275	1359	1417	1424	1267	1469
	P	34410	34287	36513	36382	1942	2107	2063	2232	2268	2320	2483	2550	2493	2417	2686
Syncope, Heart disease (not specified).†	M					14151	13803	13140	13315	12461	12639	12911	12469	12462	11789	12992
	F					15915	15240	14311	15148	14173	13651	14081	13527	13792	12893	13932
	P					30066	29043	27451	28463	26634	26290	26992	25996	26254	24687	26924
Cerebral hæmorrhage, Cerebral embolism.§	M					4837	5521	5954	6487	6644	7007	7403	7891	7999	8017	8223
	F					5897	6495	7442	7788	8119	8774	9140	9529	9939	9869	10337
	P	11171	11083	11414	11629	10734	12016	13396	14275	14763	15781	16543	17420	17938	17886	18560
Apoplexy, Hemiplegia ...	M					6037	5349	4606	4375	3980	3949	3847	3696	3609	3303	3669
	F					7156	6434	5585	5533	4780	4881	4718	4473	4485	4081	4584
	P	24371	24275	25249	25214	13193	11783	10191	9908	8760	8830	8565	8169	8094	7384	8253

* For years prior to 1901, deaths from Infective endocarditis, and for 1911, deaths from Rheumatism of heart are included under the heading Valvular disease, Endocarditis (not infective).

† Included under Syncope, Heart disease (not specified).

‡ For years prior to 1901, deaths from Other diseases of blood vessels, and for 1911, those from Hypertrophy of heart and Dilatation of heart are included under the heading of Syncope, Heart disease (not specified). See also note to Cerebral hæmorrhage.

§ For years prior to 1901, deaths from Cerebral embolism and Cerebral thrombosis are included under the heading Embolism, thrombosis (not cerebral).

TABLE 19.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1897–1911.—
MALES, FEMALES, AND PERSONS—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.
Aneurysm* ...	M	688	707	723	697	773	842	854	869	898	882	941	867	946	898	935
	F	191	182	176	178	194	225	183	224	188	219	199	192	221	225	225
	P	879	889	899	875	967	1067	1037	1093	1086	1101	1140	1059	1167	1123	1160
Senile gangrene ...	M	681	677	690	750	748	717	710	746	768	788	783	804	845	767	740
	F	603	580	588	693	658	676	635	657	619	630	662	652	706	640	654
	P	1284	1257	1278	1443	1406	1393	1345	1403	1387	1418	1445	1456	1551	1407	1394
Embolism, Thrombosis (not cerebral).†	M	527	548	603	693	257	231	185	174	171	187	231	192	203	171	181
	F	820	846	978	1007	329	280	233	270	241	258	285	281	269	230	269
	P	1347	1394	1581	1700	586	511	418	444	412	445	516	473	472	401	450
Phlebitis ...	M	58	58	63	87	61	48	60	57	59	45	46	40	55	37	53
	F	90	103	117	107	102	99	111	91	91	82	84	85	93	99	77
	P	148	161	180	194	163	147	171	148	150	127	130	125	148	136	130
Varicose Veins ...	M	32	33	31	39	35	30	28	44	32	24	33	20	33	32	39
	F	72	64	58	82	75	73	66	77	79	87	70	67	79	74	89
	P	104	97	89	121	110	103	94	121	111	111	103	87	112	106	128
Other diseases of blood vessels.‡	M	?	?	?	?	776	817	798	1057	1167	1372	1530	1604	1975	2045	2468
	F	?	?	?	?	448	512	513	614	692	866	982	943	1143	1240	1549
	P	?	?	?	?	1224	1329	1311	1671	1859	2238	2512	2547	3118	3285	4017
Laryngitis ...	M					722	690	613	624	579	578	633	512	566	485	538
	F					687	646	491	509	488	484	479	454	425	380	422
	P					1409	1336	1104	1133	1067	1062	1112	966	991	865	960
Membranous laryngitis(not diphtheritic).	M	694	677	752	732	1409	1336	1104	1133	1067	1062	1112	966	991	865	960
	F	590	512	571	652											
	P	1284	1189	1323	1384	19	21	13	25	21	25	18	15	17	11	10
Croup (not spasmodic nor membranous).	M					13	16	11	17	20	15	11	16	14	7	9
	F					32	37	24	42	41	40	29	31	31	18	19
	P															
Croup (not spasmodic nor membranous).	M	598	469	553	465	447	343	236	259	260	259	196	167	130	49	43
	F	501	394	453	377	384	266	207	216	205	201	175	153	111	24	32
	P	1099	863	1006	842	831	609	443	475	465	460	371	320	241	73	75
Other diseases of larynx and trachea.	M	72	80	77	82	37	17	20	29	28	40	22	24	15	11	25
	F	60	46	47	54	25	19	24	17	29	21	21	14	13	10	11
	P	132	126	124	136	62	36	44	46	57	61	43	38	28	21	36
Bronchitis ...	M	23306	22970	25095	26717	21812	21341	18481	20578	18961	17429	20423	18859	19404	17072	17616
	F	23533	23651	26111	27863	22723	22304	18650	21610	19954	18285	21781	19843	21414	17391	18406
	P	46839	46621	51206	54580	44535	43645	37131	42188	38915	35714	42204	38702	40818	34463	36022
Emphysema, Asthma ...	M	1385	1392	1628	1569	1380	914	782	957	906	920	1041	985	1089	965	1109
	F	857	962	1191	1046	963	672	520	658	556	613	681	685	837	660	767
	P	2242	2354	2819	2615	2343	1586	1302	1615	1562	1533	1722	1670	1926	1625	1876
Pleurisy ...	M	905	861	983	1136	958	758	747	696	827	738	733	709	815	760	832
	F	588	637	662	736	697	600	552	543	542	521	589	533	588	523	592
	P	1493	1498	1645	1872	1655	1358	1299	1239	1369	1259	1322	1242	1403	1283	1424
Fibroid disease of lung ...	M					476	507	467	413	411	408	490	415	420	339	253
	F					180	177	146	178	146	121	166	164	163	109	74
	P					656	684	613	591	557	529	656	579	583	448	327
Other diseases of respiratory system.	M	2144	1958	2191	2149	1698	1627	1520	1548	1465	1417	1297	1345	1361	1321	1403
	F	1670	1595	1677	1667	1575	1457	1291	1370	1351	1282	1216	1262	1341	1235	1187
	P	3814	3553	3868	3816	3273	3084	2811	2918	2816	2699	2513	2607	2702	2556	2590
Tonsillitis, Quinsy... ..	M					232	227	216	208	191	207	206	200	221	174	226
	F					224	189	161	191	200	166	185	163	164	146	204
	P					456	416	377	399	391	373	391	363	385	320	430
Diseases of mouth, Pharynx, (Esophagus (not specific).§	M	505	583	548	602	456	416	377	399	391	373	391	363	385	320	430
	F	510	496	527	528											
	P	1015	1079	1075	1130	323	324	227	306	273	279	254	236	295	304	308
Gastric ulcer ...	M					286	256	202	283	285	276	260	276	268	319	250
	F					609	580	429	589	558	555	514	512	563	623	558
	P															
Gastritis, Gastric catarrh...	M					475	514	529	552	613	667	655	674	688	773	760
	F					1067	1167	1138	1197	1134	1078	1120	1039	1040	1052	1009
	P					1542	1681	1667	1749	1747	1745	1775	1713	1728	1825	1769
Other diseases of stomach (not malignant).	M	2415	2492	2537	2930											
	F	2899	3053	3365	3696											
	P	5314	5545	5902	6626	2661	2293	2254	2151	1928	3402	3267	3463	3258	3188	3225
Other diseases of stomach (not malignant).	M					2854	2449	2382	2347	2061						
	F					5515	4742	4636	4498	3989						
	P										291	282	269	252	328	315
Other diseases of stomach (not malignant).	M										546	557	508	458	636	587
	F															
	P															

* Since 1901, Aneurysm has been taken as the cause of death when occurring with certain other diseases.

† For years prior to 1901, deaths from Cerebral embolism and Cerebral thrombosis are included under the heading Embolism, thrombosis (not cerebral).

‡ For years prior to 1901, deaths from Other diseases of blood vessels are included under the heading of Syncope, Heart disease (not specified).

§ For years prior to 1901, deaths from Diseases of the Esophagus are included under the heading Other diseases of digestive system.

TABLE 19.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1897–1911.—
MALES, FEMALES, AND PERSONS—*continued*.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.
Ulceration of intestines* ...	M	183	193	181	171	3109	2188	2367	306	276	353	477	462	485	552	561
	F	154	172	164	199											
	P	337	365	345	370											
Enteritis (not epidemic)*						5806	4188	4494	2411	2064	2640	1910	2332	1994	1961	3078
						2697	2000	2127	2110	1900	2360	1777	2112	1714	1738	2786
						4521	3964	5000	4521	3964	5000	3687	4444	3708	3699	5864
Gastro-enteritis ...	M	7032	8483	10086	7017	2192	1179	1397	1806	1478	2082	1337	1877	1567	1695	3492
	F	6235	7731	9167	6061	1914	1009	1285	1540	1250	1805	1113	1618	1333	1407	3062
	P	13267	16214	19253	13078	4106	2188	2682	3346	2728	3887	2450	3495	2900	3102	6554
Appendicitis, Perityphlitis						736	901	1016	1124	1096	1287	1161	1236	1279	1336	1597
						508	584	713	763	850	857	808	900	997	1025	1132
						1244	1485	1729	1887	1946	2144	1969	2136	2276	2361	2729
Hernia† ...	M	627	617	674	677	633	694	639	665	708	738	702	652	695	642	708
	F	677	708	805	710	736	819	775	826	839	816	834	758	806	835	861
	P	1304	1325	1479	1387	1369	1513	1414	1491	1547	1554	1536	1410	1501	1477	1569
Intestinal obstruction ...	M	1425	1381	1381	1287	1305	1197	1297	1270	1263	1336	1314	1301	1355	1205	1330
	F	1369	1364	1435	1337	1342	1248	1277	1240	1314	1309	1249	1352	1262	1297	1350
	P	2794	2745	2816	2624	2647	2445	2574	2510	2577	2645	2563	2653	2617	2502	2680
Other diseases of intestines‡	M	?	?	?	?	111	154	155	137	131	128	131	149	147	179	237
	F	?	?	?	?	97	137	134	108	127	110	137	120	151	175	204
	P	?	?	?	?	208	291	289	245	258	238	268	269	298	354	441
Peritonitis (not puerperal)	M	992	1016	984	905	726	506	450	435	383	391	308	345	282	223	236
	F	983	969	1010	991	1806	609	554	531	460	454	389	368	333	331	374
	P	1975	1985	1994	1896	532	1115	1004	966	843	845	697	713	615	554	610
Cirrhosis of liver ...	M	2283	2318	2574	2527	2375	2296	2196	2207	2166	2117	2070	2060	2048	1827	1832
	F	1851	1828	1958	2112	1933	1770	1720	1764	1842	1744	1833	1611	1481	1384	1457
	P	4134	4146	4532	4639	4308	4066	3916	3971	4008	3861	3903	3671	3529	3211	3289
Other diseases of liver and gall bladder.	M	1701	1664	1687	1599	1335	1110	984	906	866	882	850	746	825	737	750
	F	1886	1863	1832	1803	1532	1354	1332	1271	1219	1269	1171	1148	1137	1159	1228
	P	3587	3527	3519	3402	2867	2464	2316	2177	2085	2151	2021	1894	1962	1896	1978
Other diseases of digestive system.§	M	492	386	324	333	316	198	263	272	189	151	186	210	217	118	124
	F	483	429	340	306	287	236	245	239	209	144	196	217	240	116	102
	P	975	815	664	639	603	434	508	511	398	295	382	427	457	234	226
Diseases of spleen ...	M	35	26	29	24	39	25	21	23	20	27	21	22	24	15	17
	F	38	32	24	21	34	32	26	25	36	26	29	17	31	23	12
	P	73	58	53	45	73	57	46	48	56	53	50	39	55	38	29
Other diseases of lymphatic system.	M	168	211	192	196	198	223	214	210	242	240	227	241	258	320	295
	F	118	105	118	138	150	134	143	149	160	153	156	167	191	212	212
	P	286	316	310	334	348	357	357	353	391	400	380	397	425	511	507
Diseases of thyroid body ...	M	40	40	33	37	64	61	64	63	63	62	72	93	74	96	88
	F	205	255	279	285	394	370	377	399	412	421	455	456	535	555	622
	P	245	295	312	322	458	431	441	462	480	483	527	549	609	651	710
Diseases of supra renal capsules.	M	76	92	99	93	81	81	93	92	74	116	83	97	109	96	104
	F	105	105	107	116	87	87	98	103	122	112	91	121	139	130	145
	P	181	197	206	209	168	168	191	195	196	228	174	218	248	226	249
Acute nephritis, Uræmia...	M	1528	1547	1555	1724	1746	1619	1567	1664	1680	1716	1844	1975	1974	1897	1920
	F	1260	1261	1363	1330	1289	1372	1384	1458	1473	1554	1591	1723	1862	1698	1878
	P	2788	2808	2918	3054	3035	2991	2951	3122	3153	3270	3435	3698	3836	3595	3798
Chronic Bright's disease, Albuminuria.	M	4451	4568	4930	5374	5235	5013	5074	5465	5207	5498	5573	5374	5627	5530	5717
	F	3783	3969	4273	4486	4441	4208	4394	4541	4415	4584	4869	4688	4877	4822	5014
	P	8234	8537	9203	9860	9676	9221	9468	10006	9622	10082	10442	10062	10504	10352	10731
Calculus (not biliary) ...	M	211	197	188	174	185	182	156	176	177	187	198	161	155	159	196
	F	61	72	57	75	59	67	61	86	72	77	80	74	86	80	73
	P	272	269	245	249	244	249	217	262	249	264	278	235	241	239	269
Diseases of bladder and of prostate.	M	2116	1995	2111	2075	2131	2201	2268	2258	2237	2403	2203	2256	2203	2189	2514
	F	219	211	210	243	222	235	225	241	232	238	238	249	239	221	257
	P	2335	2206	2321	2318	2353	2436	2493	2499	2469	2641	2441	2505	2442	2410	2771
Other diseases of urinary system.¶	M	451	496	458	287	229	459	445	451	496	480	470	486	430	543	584
	F	260	232	229	120	152	127	139	140	148	151	139	124	133	169	181
	P	711	778	687	407	381	586	575	591	644	631	609	610	563	712	765
Ovarian tumour (not malignant).						348	373	374	350	389	375	357	292	307	291	314
						348	373	374	350	389	375	357	292	307	291	314
						—	—	—	—	—	—	—	—	—	—	—
Other diseases of ovary ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	457	447	446	406	—	—	—	—	—	—	—	—	—	—	—
	P	457	447	446	406	—	—	—	—	—	—	—	—	—	—	—
Other diseases of ovary ...						69	48	64	46	40	46	51	31	33	23	24
						69	48	64	46	40	46	51	31	33	23	24
						—	—	—	—	—	—	—	—	—	—	—

* For the years 1901–3, deaths from Ulceration of intestines are included under the heading Enteritis (not epidemic).
† Since 1902, Hernia, when strangulated, has been taken as the cause of death when occurring with certain other diseases.
‡ For years prior to 1901, deaths from Other diseases of intestines are included under the heading Other diseases of digestive system.
§ For years prior to 1901, deaths from Diseases of the Esophagus are included under the heading Other diseases of digestive system.
|| Diseases from Cretinism and Myxœdema, which in the old tables were included with “Other Constitutional Diseases,” have been classed under this heading since 1901.
¶ Since the year 1901, deaths from Stricture of the Urethra are included under this heading. See also note to Gonorrhœa.

TABLE 19.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1897–1911.—
MALES, FEMALES, AND PERSONS—*continued.*
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.
Uterine tumour (not malignant).	M	—	—	—	—	339	334	359	353	376	353	327	358	293	312	324
	F	745	682	709	667	339	334	359	353	376	353	327	358	293	312	324
	P	745	682	709	667	—	—	—	—	—	—	—	—	—	—	—
Other diseases of Uterus and vagina.	M	—	—	—	—	316	305	278	316	327	305	319	287	337	285	360
	F	—	—	—	—	316	305	278	316	327	305	319	287	337	285	360
	P	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Disorders of menstruation	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	74	65	88	92	76	58	56	36	42	39	50	36	33	26	31
	P	74	65	88	92	76	58	56	36	42	39	50	36	33	26	31
Other diseases of generative and mammary organs.	M	93	91	85	102	77	67	48	73	53	62	48	41	50	66	70
	F	59	58	64	44	19	16	6	14	20	18	10	14	12	13	21
	P	152	149	149	146	96	83	54	87	73	80	58	55	62	79	91
Abortion, miscarriage ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	191	187	179	218	152	148	152	141	151	143	102	83	85	78	89
	P	191	187	179	218	152	148	152	141	151	143	102	83	85	78	89
Puerperal mania ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	74	59	74	73	70	79	62	62	66	68	70	57	42	48	46
	P	74	59	74	73	70	79	62	62	66	68	70	57	42	48	46
Puerperal convulsions ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	314	386	347	387	376	400	409	395	467	438	449	426	462	439	457
	P	314	386	347	387	376	400	409	395	467	438	449	426	462	439	457
Placenta prævia, flooding	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	694	660	691	614	699	637	678	580	619	618	608	560	574	612	557
	P	694	660	691	614	699	637	678	580	619	618	608	560	574	612	557
Other accidents of pregnancy and childbirth.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1079	1015	1062	1146	1018	938	888	835	868	850	826	840	787	740	748
	P	1079	1015	1062	1146	1018	938	888	835	868	850	826	840	787	740	748
Caries, Necrosis ...	M	527	448	445	434	418	408	364	305	283	262	205	198	106	43	—
	F	349	339	340	346	344	298	289	234	239	198	177	150	81	23	—
	P	876	787	785	780	762	706	653	539	522	460	382	348	187	66	—
Arthritis, Periostitis ...	M	171	153	162	175	107	137	119	133	133	111	139	164	154	128	400
	F	101	102	137	118	82	80	83	106	89	92	110	88	102	105	287
	P	272	255	299	293	189	217	202	239	222	203	249	252	256	233	687
Other diseases of locomotor system.	M	203	170	189	146	185	149	155	162	178	205	149	147	174	203	—
	F	215	183	184	148	164	137	129	114	137	186	105	116	127	147	—
	P	418	353	373	294	349	286	284	276	315	391	254	263	301	350	—
Ulcer, Bed-sore ...	M	181	174	173	192	160	132	153	136	140	157	144	129	152	149	145
	F	379	366	361	372	314	265	254	290	300	305	341	307	278	310	269
	P	560	540	534	564	474	397	407	426	440	462	485	436	430	459	414
Eczema ...	M	226	220	201	221	194	218	211	192	190	195	164	169	141	138	168
	F	147	177	153	150	173	144	137	134	130	103	123	117	107	107	101
	P	373	397	354	371	367	362	348	326	320	298	287	286	248	245	269
Pemphigus ...	M	69	78	83	190	96	81	98	104	140	134	123	135	113	113	66
	F	73	69	74	88	69	66	93	94	125	110	100	114	101	91	66
	P	142	147	157	188	165	147	191	198	265	244	223	249	214	204	132
Other diseases of the skin	M	104	108	108	142	130	108	103	92	119	110	129	111	111	113	124
	F	83	100	112	134	110	113	111	103	115	101	122	108	124	120	145
	P	187	208	220	276	240	221	214	195	234	211	251	219	235	233	269
Other specified diseases* ...	M	293	331	365	421	—	4	3	2	2	—	—	—	3	—	—
	F	578	605	721	755	—	1	—	—	—	—	—	—	2	—	—
	P	871	936	1086	1176	—	5	3	2	2	—	—	—	5	—	—
Atrophy, Debility ...	M	11079	11263	11303	11383	11095	9889	9791	9761	9090	8902	8340	8460	7872	7359	7818
	F	9034	9092	9108	8989	8705	7819	7721	7785	6920	6998	6267	6460	6107	5686	6098
	P	20113	20355	20411	20372	19800	17708	17512	17546	16010	15900	14607	14920	13979	13045	13916
Old age ...	M	12260	12148	13522	13815	13117	13031	12979	13848	13441	14210	13917	14058	14497	13438	14483
	F	16358	16550	17955	17961	17126	17320	17111	18455	18018	18998	19001	18837	19478	18233	19888
	P	28618	28698	31477	31776	30243	30351	30090	32303	31459	33208	32918	32895	33975	31671	33871
Dropsy, Ascites, Anasarca	M	111	139	139	123	85	74	69	48	44	36	60	36	23	16	24
	F	167	185	221	223	138	97	95	73	77	46	65	39	41	24	38
	P	278	324	360	348	223	171	164	121	121	82	125	75	64	40	62
Tumour ...	M	44	29	25	25	25	29	36	39	26	28	33	32	41	28	52
	F	77	53	56	48	58	53	50	50	54	40	60	52	56	48	68
	P	121	82	81	73	83	82	86	89	80	68	93	84	97	76	120
Abscess ...	M	206	183	172	177	173	182	184	162	129	140	151	208	137	131	119
	F	197	189	185	169	159	147	148	128	106	132	142	170	129	108	101
	P	403	372	357	346	332	329	332	290	235	272	293	378	266	239	220

* The figures for years prior to 1901 refer to deaths then classed either to "Other Miasmatic Diseases" or to "Other Constitutional Diseases."

TABLE 19.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1897–1911.—
MALES, FEMALES, AND PERSONS—*continued.*
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.
Hæmorrhage* ...	M	69	69	74	63	16	31	29	20	19	17	16	19	16	26	39
	F	38	48	40	55	12	25	14	15	17	15	19	16	17	26	24
	P	107	108	114	118	28	56	43	35	36	32	35	35	33	52	63
Sudden death (cause un- ascertained).	M	121	109	129	134	114	94	89	25	18	16	11	4	8	8	7
	F	83	90	83	110	61	83	53	20	12	8	8	11	11	6	2
	P	204	199	212	244	175	177	142	45	30	24	19	15	19	14	9
Other ill-defined causes ...	M	1131	948	49	24	205	406	457	435	468	461	421	402	386	391	278
	F	800	753	23	26	155	298	362	342	386	326	291	277	272	243	187
	P	1931	1701	72	50	360	704	819	777	854	787	712	679	658	634	465
Causes not specified ...	M	1131	948	935	948	672	336	146	152	129	96	111	88	71	102	96
	F	800	753	686	788	436	256	121	91	72	60	66	50	48	78	57
	P	1931	1701	1621	1736	1108	592	267	243	201	156	177	138	119	180	153
Violent Deaths :—																
In mines and quarries ...	M	—	—	—	—	1016	979	940	981	1113	1075	1084	1147	1367	1299	1491
	F	—	—	—	—	1	—	1	—	—	2	—	—	—	—	—
	P	—	—	—	—	1017	979	941	981	1113	1077	1084	1147	1367	1299	1491
Vehicles and horses ...	M	—	—	—	—	2308	2209	2139	2103	2069	2133	2197	2131	1913	1987	2289
	F	—	—	—	—	382	324	330	337	355	377	349	356	346	409	462
	P	—	—	—	—	2690	2533	2469	2440	2424	2510	2546	2487	2259	2396	2751
Ships, boats, and docks (not drowning).	M	—	—	—	—	332	266	294	286	280	268	246	275	263	252	301
	F	—	—	—	—	2	1	3	—	3	2	1	3	1	1	1
	P	—	—	—	—	334	267	297	286	283	270	247	278	264	253	302
Building operations ...	M	—	—	—	—	185	205	210	203	233	233	243	227	166	199	203
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	P	—	—	—	—	185	205	210	203	233	233	243	227	166	199	203
Machinery ...	M	—	—	—	—	204	251	245	242	204	227	237	217	205	198	249
	F	—	—	—	—	12	12	13	8	15	11	8	10	8	11	13
	P	—	—	—	—	216	263	258	250	219	238	245	227	213	209	262
Weapons and implements	M	—	—	—	—	131	109	103	109	104	103	79	91	99	78	81
	F	—	—	—	—	18	9	11	18	8	11	12	10	10	11	12
	P	—	—	—	—	149	118	114	127	112	114	91	101	109	89	93
Burns and scalds ...	M	11691	11371	12337	11906	1224	1022	995	1014	1035	1079	1103	1067	1088	995	1052
	F	5045	4971	5360	5013	1530	1457	1292	1369	1450	1527	1507	1583	1571	1330	1395
	P	16736	16342	17697	16919	2754	2479	2287	2383	2485	2606	2610	2650	2659	2325	2447
Poisons,poisonous vapours	M	—	—	—	—	305	334	290	324	312	341	329	362	368	322	215
	F	—	—	—	—	210	161	168	196	198	198	216	188	189	196	135
	P	—	—	—	—	515	495	458	520	510	539	545	550	557	518	350
Drowning ...	M	—	—	—	—	2358	1871	2109	2020	2069	1970	1888	2063	1793	1871	2233
	F	—	—	—	—	406	390	407	391	433	374	367	400	397	387	405
	P	—	—	—	—	2764	2261	2516	2411	2502	2344	2255	2463	2190	2258	2638
Suffocation ...	M	—	—	—	—	1026	1089	1022	1112	1027	984	1039	936	822	788	755
	F	—	—	—	—	938	950	936	972	855	893	864	890	760	731	699
	P	—	—	—	—	1964	2039	1958	2084	1882	1877	1903	1826	1582	1519	1454
Falls ...	M	—	—	—	—	1507	1504	1378	1380	1280	1372	1460	1392	1339	1282	1519
	F	—	—	—	—	1303	1172	1171	1158	1106	1190	1270	1238	1271	1074	1313
	P	—	—	—	—	2810	2676	2549	2538	2386	2562	2730	2630	2610	2356	2832
Weather agencies ...	M	—	—	—	—	300	171	163	200	163	215	127	176	144	136	456
	F	—	—	—	—	137	66	34	84	68	89	27	58	52	31	204
	P	—	—	—	—	437	237	197	284	231	304	154	234	196	167	660
Otherwise or not stated...	M	—	—	—	—	1145	938	911	928	940	866	863	924	816	882	776
	F	—	—	—	—	332	306	299	292	250	288	268	280	272	383	302
	P	—	—	—	—	1477	1244	1210	1220	1190	1154	1131	1204	1088	1265	1078
Battle ...	M	1	—	—	16	4	6	2	—	3	1	2	1	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	P	1	—	—	16	4	6	2	—	3	1	2	1	—	—	1
Homicide...	M	159	162	143	139	161	131	137	176	133	140	139	152	132	140	153
	F	132	145	148	139	175	166	158	151	169	144	126	159	155	147	128
	P	291	307	291	278	336	297	295	327	302	284	265	311	287	287	281
Suicide ...	M	2090	2166	2121	2166	2318	2460	2640	2523	2683	2655	2632	2844	2683	2680	2655
	F	702	711	723	730	803	807	871	822	862	797	901	934	894	887	933
	P	2792	2877	2844	2896	3121	3267	3511	3345	3545	3452	3533	3778	3577	3567	3588
Execution ...	M	7	10	14	12	15	22	23	17	17	8	9	12	19	16	16
	F	—	—	1	2	—	—	2	1	—	—	1	—	—	—	—
	P	7	10	15	14	15	22	25	18	17	8	10	12	19	16	16

* Deaths from Rupture of blood vessels are included under this heading for years prior to 1901, and under Other diseases of blood vessels subsequently.

TABLE 20.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1897–1911.—MALES, FEMALES, AND PERSONS.

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.
All Causes	M F P	18584 16248 17379	18623 16483 17518	19419 17153 18249	19480 17055 18228	18112 15791 16914	17398 15180 16253	16540 14444 15457	17362 15303 16299	16281 14382 15300	16512 14495 15470	16046 14229 15108	15805 13867 14804	15480 13821 14623	14385 12674 13502	15580 13672 14595
PRINCIPAL SUM-MARIZED HEADINGS.																
Small-pox	M F P	1 0 0	9 7 8	6 4 5	3 2 3	13 9 10	90 60 75	31 15 23	19 11 15	4 4 4	0 1 1	0 0 0	0 0 0	1 0 0	1 0 0	1 1 1
Diarrhoeal diseases... (104 and 105, 1911.)*	M F P	— — —	— — —	— — —	— — —	1343 1105 1220	676 558 615	834 695 763	1235 1017 1122	897 729 809	1265 1057 1158	559 440 492	848 685 763	550 439 493	575 445 507	1421 1162 1288
Venereal diseases	M F P	— — —	— — —	— — —	— — —	— — —	60 46 52	62 50 56	64 48 55	62 47 54	57 45 51	58 40 49	56 43 49	57 40 49	56 38 47	60 44 52
Puerperal septic diseases ...	M F P	— 118 61	— 109 56	— 120 62	— 121 63	— 122 64	— 118 61	— 97 51	— 95 49	— 99 51	— 93 48	— 82 41	— 77 39	— 78 40	— 69 36	— 72 37
Pneumonia (all forms) ...	M F P	1337 912 1118	1320 942 1125	1494 1021 1250	1676 1090 1374	1371 937 1147	1664 1169 1409	1428 1030 1222	1485 1099 1285	1525 1100 1305	1422 1026 1217	1574 1147 1353	1392 997 1188	1502 1114 1301	1302 932 1110	1235 865 1045
Septicæmia, pyæmia ...	M F P	24 13 19	20 13 16	27 15 21	30 16 23	17 9 13	22 14 18	21 13 17	19 12 16	21 14 18	21 17 19	22 13 18	20 12 16	17 11 13	14 10 11	17 9 13
Phthisis (28 and 29A, 1911.)	M F P	1528 1156 1336	1511 1125 1311	1550 1124 1330	1570 1111 1333	1488 1055 1264	1457 1026 1234	1430 995 1206	1462 1034 1241	1352 953 1146	1364 964 1157	1349 959 1148	1318 941 1123	1280 913 1091	1186 855 1015	1233 901 1062
Tuberculosis (all forms) ...	M F P	2181 1685 1926	2172 1664 1910	2183 1644 1904	2201 1623 1902	2087 1546 1807	2006 1495 1742	2016 1492 1747	2057 1530 1784	1886 1411 1639	1895 1430 1654	1857 1390 1617	1834 1371 1595	1762 1323 1537	1644 1237 1434	1669 1278 1468
Cancer (all forms)... ..	M F P	635 924 785	652 938 799	670 971 826	672 975 829	691 985 842	696 986 846	733 1006 874	741 1010 879	759 1011 889	798 1038 922	787 1035 915	818 1036 931	833 1082 962	856 1070 967	891 1088 993
Diseases of nervous system (excluding cerebral hæmorrhage, apoplexy, hemiplegia).	M F P	1496 1107 1295	1469 1103 1280	1468 1095 1276	1455 1094 1271	1462 1097 1274	1401 1043 1215	1305 989 1142	1309 980 1140	1195 916 1049	1183 890 1032	1095 855 971	1085 820 947	1044 782 908	961 730 841	959 718 837
Diseases of heart	M F P	— — —	— — —	— — —	— — —	1438 1516 1479	1440 1482 1462	1391 1426 1409	1429 1516 1472	1380 1460 1423	1407 1436 1420	1445 1490 1468	1407 1431 1418	1405 1467 1437	1348 1373 1361	1347 1390 1368
Diseases of blood vessels (including cerebral hæmorrhage, apoplexy, hemiplegia).	M F P	— — —	— — —	— — —	— — —	857 883 871	850 860 860	820 860 839	847 875 862	835 843 839	858 901 874	883 894 893	887 901 890	914 925 919	882 890 886	931 952 943
Diseases of respiratory sys- tem (including croup but excluding pneumonia).	M F P	1931 1729 1825	1861 1708 1784	2029 1866 1944	2107 1945 2022	1747 1618 1680	1645 1537 1590	1421 1273 1343	1542 1442 1491	1427 1333 1378	1313 1214 1263	1481 1403 1440	1354 1274 1312	1392 1362 1375	1215 1101 1156	1247 1153 1199
Diseases of liver and gall bladder.	M F P	264 232 248	261 227 244	276 230 252	265 235 249	236 206 220	214 184 198	197 177 188	191 174 183	185 174 179	180 170 175	174 167 170	165 152 158	168 143 155	149 138 143	148 144 146
Diseases of digestive sys- tem.†	M F P	— — —	— — —	— — —	— — —	1049 967 1005	865 813 838	869 811 842	907 839 871	830 791 811	914 826 870	800 741 769	846 773 807	814 716 763	791 712 750	980 868 921
Nephritis and Bright's disease.	M F P	396 313 353	401 322 360	421 343 381	456 349 401	443 341 390	417 328 371	412 336 373	437 345 389	419 336 376	434 346 389	443 361 400	432 353 391	443 369 404	429 353 389	437 370 402
Diseases of generative and mammary organs.	M F P	6 83 46	6 77 43	6 79 44	7 73 42	5 70 38	4 67 36	3 66 36	4 64 34	3 67 36	4 64 34	3 63 32	2 57 30	3 56 31	4 51 29	4 57 33
Diseases of pregnancy and childbirth (not septic).	M F P	— 147 75	— 142 73	— 143 74	— 146 76	— 137 71	— 130 65	— 128 66	— 116 60	— 124 64	— 120 62	— 115 60	— 108 56	— 106 54	— 104 53	— 101 52
All diseases of pregnancy and childbirth.	M F P	— 265 136	— 251 129	— 263 136	— 267 139	— 259 135	— 248 126	— 225 117	— 211 109	— 223 115	— 213 110	— 197 101	— 185 95	— 184 94	— 173 89	— 173 89
Causes ill-defined or not specified.‡	M F P	1661 1666 1662	1633 1658 1644	1705 1719 1713	1706 1707 1707	1615 1596 1608	1519 1528 1523	1477 1497 1484	1496 1550 1530	1424 1465 1445	1440 1500 1475	1375 1447 1415	1379 1430 1413	1348 1432 1391	1243 1326 1288	1314 1389 1348
Violent deaths	M F P	925 366 636	900 359 619	948 380 652	914 352 624	922 371 636	850 343 589	844 331 580	836 332 574	830 329 571	823 332 571	816 329 565	822 336 572	773 324 543	759 305 522	826 322 565

* See note to Diarrhoea due to Food.

† Including some of the headings classed under Diarrhoeal Diseases above, viz. :—Ulceration of intestines, Enteritis (not epidemic), and Gastro-enteritis. See also note to Hernia.

‡ See note to Hæmorrhage.

TABLE 20.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1897-1911.—MALES, FEMALES, AND PERSONS—*continued*.
(List of Causes as in use prior to 1911.)

Causes of Death.		Sex.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.
DETAILED HEADINGS.																	
Small-pox	Vaccinated ...	M	0	4	0	0	5	33	6	3	1	—	0	—	0	0	0
		F	0	3	—	0	4	17	1	1	1	—	—	—	0	—	0
		P	0	3	0	0	4	25	4	2	1	—	0	—	0	0	0
	Not Vaccinated.	M	0	2	0	0	4	25	7	5	0	0	0	—	0	0	0
		F	0	1	0	1	3	23	4	3	1	—	0	—	0	0	0
		P	0	2	0	1	3	24	5	4	1	0	0	—	0	0	0
Doubtful ...	M	1	3	6	3	4	32	18	11	3	0	0	0	1	1	0	
	F	0	3	4	1	2	20	10	7	2	1	0	0	—	0	0	
	P	0	3	5	2	3	26	14	9	2	1	0	0	0	0	0	
Cow-pox and other effects of vaccination.		M	1	1	1	1	0	1	1	1	1	1	0	0	0	0	1
	F	1	1	1	1	1	1	1	1	1	1	1	0	0	0	0	0
	P	1	1	1	1	1	1	1	1	1	1	1	0	0	0	0	0
Chicken-pox ...	M	4	4	5	4	4	4	4	4	3	3	4	4	3	3	3	2
	F	3	3	3	3	3	3	4	3	3	2	2	3	3	2	2	2
	P	3	4	4	4	4	4	4	3	3	3	3	3	3	3	3	2
Measles (Morbilli) ...	M	433	445	330	417	302	416	292	387	342	286	392	243	377	249	392	
	F	384	396	298	373	253	370	259	344	311	265	337	213	336	216	336	
	P	408	419	314	394	277	392	275	365	326	275	364	228	356	232	363	
German measles ...	M	1	1	1	1	2	1	1	1	1	1	1	1	1	1	0	1
	F	2	1	1	1	2	1	1	1	1	1	1	1	1	1	0	1
	P	1	1	1	1	2	1	1	1	1	1	1	1	1	1	0	1
Scarlet fever ...	M	152	119	121	125	139	155	132	116	117	108	98	82	97	68	54	
	F	142	107	113	114	128	141	118	108	109	95	88	79	85	64	51	
	P	147	113	117	119	133	148	125	112	113	101	93	80	91	66	52	
Typhus ...	M	2	2	1	1	1	2	2	1	1	0	1	0	1	0	0	
	F	1	1	1	1	1	1	1	1	1	0	1	0	0	—	0	
	P	2	1	1	1	1	2	2	1	1	0	1	0	0	0	0	
Plague ...	M	—	—	—	0	1	0	—	0	0	—	—	0	—	0	—	
	F	—	—	—	—	0	—	—	—	—	—	—	—	—	—	—	
	P	—	—	—	0	0	0	—	0	0	—	—	0	0	0	—	
Relapsing fever ...	M	0	0	—	0	0	0	—	—	0	0	—	0	—	0	—	
	F	0	0	—	—	0	0	—	0	0	—	0	0	—	0	—	
	P	0	0	—	0	0	0	—	0	0	0	0	0	0	0	—	
Influenza ...	M	205	329	395	493	185	229	190	171	206	188	264	285	251	188	127	
	F	187	332	385	514	164	219	189	167	203	180	269	290	256	176	113	
	P	195	330	389	504	174	224	190	169	205	184	267	288	254	182	120	
Whooping cough ...	M	347	295	300	331	290	281	269	322	241	224	268	255	183	223	195	
	F	385	349	335	379	334	313	302	382	271	259	321	304	221	267	237	
	P	367	323	318	356	313	298	286	353	256	242	296	280	203	246	217	
Mumps ...	M	3	2	3	3	3	3	3	3	3	3	3	3	3	3	3	
	F	3	2	2	3	3	2	2	3	3	3	4	4	3	3	3	
	P	3	2	2	3	3	3	3	3	3	3	3	3	3	3	3	
Diphtheria ...	M	250	244	289	296	277	235	183	173	160	177	166	160	147	117	139	
	F	242	242	294	284	269	239	182	169	161	179	164	156	148	122	132	
	P	246	243	292	290	273	237	183	170	161	178	165	158	148	120	135	
Cerebro-spinal fever ...	M	0	0	1	1	2	3	2	3	4	2	6	4	4	4	5	
	F	0	0	0	0	2	1	2	2	3	2	3	3	4	3	3	
	P	0	0	1	0	2	2	2	2	4	2	5	3	4	4	4	
Pyrexia (origin uncertain)	M	3	5	3	3	3	3	2	2	1	1	1	1	0	0	0	
	F	4	4	4	4	3	3	3	2	2	1	1	1	0	0	0	
	P	4	4	4	4	3	3	2	2	2	1	1	1	0	0	0	
Enteric fever ...	M	178	210	231	210	185	150	120	113	106	111	82	95	74	60	81	
	F	135	154	167	139	127	103	82	76	74	75	54	57	48	46	53	
	P	156	181	198	173	155	126	101	93	90	92	68	75	60	53	67	
Asiatic cholera ...	M	?	?	?	?	—	—	—	—	—	—	—	—	0	—	—	
	F	?	?	?	?	—	—	—	—	—	—	—	—	—	—	—	
	P	?	?	?	?	—	—	—	—	—	—	—	—	0	—	—	
Diarrhoea due to food* ...	M	1	2	2	2	2	3	3	4	7	10	7	9	9	8	*	
	F	1	2	2	2	2	3	2	3	6	7	5	8	7	6	*	
	P	1	2	2	2	2	3	3	3	6	9	6	8	8	7	*	

* Called Food, Ptomaine poisoning previous to 1904. The increase since that date is partly due to the inclusion of deaths from Diarrhoea in artificially fed children. The deaths in 1911 are included under Infective enteritis, Epidemic diarrhoea.

TABLE 20.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1897–1911.—MALES, FEMALES, AND PERSONS—*continued*.

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911
Infective enteritis, Epidemic diarrhoea.						397 333 364	166 133 149	260 207 233	551 459 504	382 302 340	579 484 530	164 129 146	320 260 289	153 123 137	172 132 151	648* 529* 587*
Diarrhoea (not otherwise defined).	M F P	945 796 868	1034 881 955	1049 899 971	793 666 728	608 496 550	296 245 270	337 287 311	402 333 366	275 229 251	371 316 342	166 131 148	245 196 220	153 126 139	152 120 135	365 304 334
Dysentery						11 8 10	9 6 8	11 8 9	10 7 9	7 5 6	9 8 9	7 6 7	8 6 7	7 6 7	7 6 7	8 9 8
Tetanus	M F P	1 1 1	1 1 1	1 0 1	3 1 2	3 1 2	9 3 6	12 4 8	12 4 8	11 3 7	12 3 7	10 3 7	8 2 5	10 3 6	9 2 6	9 2 6
Malaria	M F P	7 1 4	4 1 3	5 1 3	6 1 3	6 1 3	6 1 3	4 1 2	6 1 3	4 0 2	3 1 2	4 0 2	3 0 2	4 1 2	3 0 1	3 0 2
Rabies, Hydrophobia ...	M F P	0 — 0	0 — 0	— — —	— — —	— — —	0 — 0	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0 — 0	0 — 0
Glanders	M F P	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0
Anthrax (Splenic fever) ...	M F P	1 0 1	1 0 1	1 0 1	1 — 0	1 0 0	1 0 0	1 0 1	1 0 1	1 0 1	1 0 1	1 0 0	1 0 0	1 — 0	1 0 0	1 0 0
Syphilis	M F P	69 52 60	66 49 57	63 50 56	63 51 57	61 45 53	59 45 51	61 49 55	62 47 54	61 46 53	56 44 50	57 39 48	55 42 48	56 39 48	55 37 46	60 43 51
Gonorrhoea†	M F P	24 1 12	21 1 11	22 1 11	23 1 11	22 0 11	1 1 1	1 1 1	2 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	0 1 1
Puerperal septicæmia, Puerperal septic intoxication.						88 46	86 44	73 38	72 37	74 38	69 36	59 30	57 29	58 30	52 27	54 28
Puerperal pyæmia	M F P	— 118 61	— 109 56	— 120 62	— 121 63	2 1 —	3 2 —	2 1 —	2 1 —	3 2 —	4 2 —	6 3 —	5 3 —	6 3 —	5 3 —	5 2 —
Phlegmasia alba dolens ...						4 2	6 3	5 3	5 3	6 3	6 3	5 2	5 2	4 2	3 2	4 2
Puerperal fever (not otherwise defined).						28 15	23 12	17 9	16 8	16 8	14 7	12 6	10 5	10 5	9 4	9 5
Infective endocarditis† ...	M F P	? ? ?	? ? ?	? ? ?	? ? ?	11 12 11	12 11 12	11 12 12	12 11 12	13 12 13	14 13 13	13 15 14	15 15 15	15 15 15	14 15 15	15 17 16
Pneumonia {	M F P	1337 912 1118	1320 942 1125	1494 1021 1250	1676 1090 1374	91 48 69	137 76 105	125 69 96	144 89 115	181 109 144	188 106 145	199 114 155	178 98 137	217 129 171	195 103 147	268§ 150§ 207§
						509 415 460	626 507 565	576 474 523	634 522 576	610 500 553	545 463 503	670 563 614	604 483 541	604 516 559	538 446 490	509 421 464
						3 2 3	0 0 0	0 0 0	— — —	0 0 0	0 0 0	0 0 0	0 0 0	1 0 0	0 0 0	§ § §
						768 472 615	901 586 739	727 487 603	707 488 594	734 491 608	689 457 569	705 470 584	610 416 510	680 469 571	569 383 473	458 294 374
						38 33 36	42 36 39	35 30 32	38 34 36	39 35 37	39 32 35	32 27 30	26 22 24	31 27 29	25 21 23	27 26 27
Septicæmia, Septic intoxication (not puerperal).	M F P	24 13 19	20 13 16	27 15 21	30 16 23	10 6 8	13 9 11	12 10 11	13 9 11	13 10 12	14 12 13	16 9 13	15 9 12	12 9 10	10 7 8	12 7 10
Pyæmia (not puerperal) ...						3 5	5 7	9 6	3 5	4 6	7 6	6 5	5 4	5 3	4 3	5 3

* Including deaths from Diarrhoea due to food.

† Includes deaths from Stricture of the Urethra previous to 1902. See also note to Other diseases of the Urinary system.

‡ For years prior to 1901, deaths from Infective endocarditis are included under the heading Valvular disease Endocarditis.

§ For 1911, deaths from Epidemic pneumonia are included under Lobar pneumonia.

TABLE 20.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1897-1911.—MALES, FEMALES, AND PERSONS—*continued*.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.
Phlegmon, Carbuncle (not anthrax).	M	23	22	25	26	26	28	26	28	28	31	28	26	29	24	25
	F	14	14	15	17	18	20	17	15	18	18	17	14	18	15	15
	P	19	18	20	21	22	24	21	21	23	24	22	20	23	19	20
Phagedæna	M	1	2	1	1	2	1	1	1	2	1	1	1	1	0	—
	F	2	1	1	2	1	1	1	1	1	1	1	1	1	0	—
	P	2	1	1	1	1	1	1	1	2	1	1	1	1	0	—
Other infective processes...	M	?	?	?	?	6	2	3	5	6	8	8	8	9	8	9
	F	?	?	?	?	7	4	7	3	5	5	4	4	5	3	4
	P	?	?	?	?	7	3	5	4	6	6	6	6	7	6	6
Pulmonary tuberculosis (tuberculous phthisis).	M					275	393	515	595	607	651	673	691	707	693	762
	F					192	248	322	384	397	427	450	465	467	476	532
	P					232	318	416	486	498	535	558	574	583	581	644
Phthisis (not otherwise defined).	M	1528	1511	1550	1570	1213	1064	915	867	745	713	676	627	573	493	471
	F	1156	1125	1124	1111	863	778	673	650	550	537	509	476	446	379	369
	P	1336	1311	1330	1333	1032	916	790	755	648	622	590	549	508	434	418
Tuberculous meningitis ...	M	234	237	224	219	199	194	212	206	194	188	184	180	172	167	155
	F	192	189	182	179	167	169	179	174	165	168	156	155	154	140	136
	P	212	212	202	198	183	181	195	189	179	178	170	167	163	153	145
Tuberculous peritonitis ...	M					94	93	111	122	109	116	106	113	107	105	98
	F					87	87	101	110	103	109	97	102	92	94	88
	P					90	90	106	116	106	112	102	108	99	99	93
Tabes mesenterica ...	M	223	219	216	203	112	82	71	65	48	40	32	33	28	24	24
	F	180	185	180	169	85	61	53	48	35	33	24	24	21	20	20
	P	201	202	197	185	98	71	62	56	41	30	28	28	25	22	22
Lupus	M	1	1	1	1	2	1	1	2	1	1	2	1	1	1	1
	F	2	2	3	2	2	3	3	2	3	3	3	2	3	2	2
	P	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
Tubercle of other organs...	M					42	42	52	59	57	62	57	58	62	72	51
	F					28	30	36	40	41	44	42	36	44	51	41
	P					35	36	44	49	48	53	49	46	53	61	46
General tuberculosis ...	M	195	204	192	208	139	133	135	138	123	122	126	130	111	88	107
	F	155	163	155	162	112	114	122	118	109	108	108	111	95	74	90
	P	175	183	173	184	125	123	128	128	115	115	117	120	103	81	98
Scrofula	M					11	4	4	3	2	2	1	1	1	1	0
	F					10	5	3	4	2	1	1	0	1	1	0
	P					10	5	4	3	2	1	1	1	1	1	0
Parasitic diseases	M	13	13	14	12	11	9	10	10	9	11	8	8	7	6	8
	F	12	12	11	11	10	8	9	8	6	7	6	6	6	4	6
	P	13	13	12	11	11	8	9	9	7	9	7	7	6	5	7
Starvation	M	2	2	2	2	1	1	1	1	1	1	1	1	1	1	1
	F	1	1	1	1	0	1	1	1	0	1	0	0	1	0	0
	P	1	1	1	1	1	1	1	1	1	1	1	0	1	1	1
Scurvy	M	1	1	1	1	1	1	1	1	1	2	1	1	2	1	1
	F	1	1	1	2	1	1	1	1	2	1	1	1	1	1	1
	P	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Alcoholism, Delirium tremens.	M	97	98	113	132	113	105	92	86	79	81	79	65	58	50	57
	F	58	59	69	95	80	65	63	55	52	53	49	45	37	34	34
	P	77	78	90	113	96	84	77	70	65	66	63	55	47	42	45
Opium, morphia-habit ...	M	?	?	?	?	0	0	1	0	0	0	0	0	0	0	0
	F	?	?	?	?	0	1	0	0	1	0	0	0	1	0	0
	P	?	?	?	?	0	0	0	0	0	0	0	0	1	0	0
Industrial poisoning. { By Lead ...	M	7	7	6	7	6	5	5	5	5	4	5	6	5	5	6
	F	2	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	P	4	4	3	4	3	3	3	3	2	2	3	3	3	2	3
Industrial poisoning. { By Phosphorus.	M	?	?	?	?	—	0	—	—	—	—	0	—	—	—	0
	F	?	?	?	?	—	0	—	0	—	—	—	—	—	—	—
	P	?	?	?	?	—	0	—	0	—	—	0	—	—	—	—
Industrial poisoning. { By Arsenic and other metals.	M	?	?	?	?	0	0	0	0	0	0	0	0	0	0	0
	F	?	?	?	?	—	—	—	—	—	—	—	—	—	—	—
	P	?	?	?	?	0	0	0	0	0	0	0	0	0	0	0
Rheumatic Fever, Acute Rheumatism.	M	84	78	84	92	70	68	54	55	62	66	58	51	56	46	52
	F	78	75	82	81	63	62	54	51	63	64	59	51	55	48	57
	P	81	77	83	86	67	65	54	53	62	65	58	51	56	47	54
Rheumatism of heart ...	M					19	17	15	15	10	8	11	9	9	8	*
	F					19	21	19	20	11	11	13	11	11	10	*
	P					19	19	17	17	10	10	12	10	10	9	*

* Included under Valvular disease, Endocarditis (not infective).

TABLE 20.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1897–1911.—MALES, FEMALES, AND PERSONS—*continued*.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.
Chronic rheumatism ...	M	26	27	26	25	21	12	13	14	10	9	10	11	10	8	9
	F	32	31	31	30	27	18	15	15	15	14	15	14	15	12	13
	P	29	29	29	28	24	15	14	14	13	11	13	13	12	10	11
Rheumatoid arthritis, Rheumatic gout.	M	?	?	?	?	18	18	17	17	15	16	18	14	17	17	18
	F	?	?	?	?	33	31	35	38	37	39	38	39	43	40	42
	P	?	?	?	?	26	25	27	28	26	28	28	27	31	29	30
Gout ...	M	31	28	28	25	26	24	23	25	20	22	22	20	19	18	19
	F	7	6	8	7	6	6	5	5	5	5	5	5	4	4	3
	P	18	17	18	16	16	15	14	15	12	13	13	12	11	11	11
Carcinoma ...	M	*	*	*	*	301	318	357	376	391	419	411	440	455	483	521
	F	*	*	*	*	472	498	528	540	550	575	598	601	641	647	669
	P	*	*	*	*	389	411	445	460	473	500	508	523	551	568	598
Sarcoma ...	M	51	53	57	51	54	53	58	55	58	59	62	62	63	64	70
	F	44	46	50	49	49	50	50	49	48	51	45	46	49	52	49
	P	48	49	54	50	51	51	54	52	53	55	53	54	56	58	59
Cancer, Malignant disease (not otherwise defined).	M	584*	599*	613*	621*	336	325	318	310	310	320	314	316	315	309	300
	F	880*	892*	921*	926*	404	438	428	421	413	412	392	389	392	371	370
	P	737*	750*	772*	779*	402	384	375	367	363	367	354	354	355	341	336
Rickets ...	M	53	53	49	47	52	49	61	66	48	47	42	41	39	36	31
	F	39	36	36	34	33	35	39	43	35	34	31	27	25	24	24
	P	46	44	42	40	42	42	50	54	41	40	36	34	32	30	27
Purpura ...	M					9	9	9	8	8	7	9	9	9	8	9
	F	11	12	11	11	9	9	9	9	7	8	9	8	8	8	8
	P	11	12	10	10	3	4	3	4	3	3	3	3	3	4	4
Hæmophilia, Hæmorrhagic diathesis.	M					2	2	2	2	2	2	3	1	2	1	2
	F					2	3	2	3	3	2	3	2	3	2	3
	P															
Anæmia, Leucocythæmia...	M	46	47	46	49	49	50	47	48	51	54	60	57	58	64	59
	F	72	68	71	67	68	62	60	61	62	65	66	66	67	71	70
	P	59	58	59	58	59	56	54	55	57	60	63	62	63	68	65
Diabetes mellitus ...	M	86	94	94	93	99	92	88	99	104	105	104	108	111	114	111
	F	70	71	77	79	83	77	83	87	84	91	91	97	98	106	103
	P	78	82	85	86	91	84	85	93	93	97	97	103	104	110	107
Premature birth ...	M	665	682	674	661	662	669	671	680	634	648	608	621	596	567	568
	F	483	489	495	490	482	485	481	490	481	468	447	447	437	420	416
	P	571	582	582	573	569	574	573	582	555	555	525	531	514	491	490
Congenital hydrocephalus†	M						16	17	15	15	13	11	13	12	10	10
	F	101	101	102	103	143	9	11	9	7	9	8	9	7	7	8
	P	79	74	80	84	108	12	14	12	11	11	9	11	9	8	9
Other congenital defects†	M						143	145	147	152	155	152	156	147	147	141
	F	90	87	91	93	125	99	105	110	114	118	110	114	114	106	106
	P						120	124	128	132	136	130	135	130	125	123
Injury at birth ...	M	6	6	13	16	24	24	26	28	25	31	29	34	33	28	30
	F	5	5	8	12	13	15	16	18	17	19	18	20	21	20	21
	P	5	5	10	14	18	20	21	23	21	25	24	27	27	24	25
Atelectasis ...	M	41	43	45	47	44	48	47	46	50	52	55	54	51	50	49
	F	29	30	30	30	29	29	33	33	35	34	36	38	35	37	34
	P	35	36	38	38	36	38	39	39	42	42	45	45	43	43	41
Want of breast milk ...	M	12	11	12	16	20	20	26	23	23	26	26	26	22	17	17
	F	9	9	9	13	14	15	18	18	16	18	18	18	16	13	13
	P	10	10	10	14	17	17	22	21	19	22	22	22	19	15	15
Teething ...	M	137	125	120	127	111	111	112	98	78	72	70	63	58	52	44
	F	103	101	94	97	90	84	85	79	60	55	51	50	42	38	36
	P	120	112	107	112	100	97	98	88	69	63	60	56	50	45	40
Meningitis, Inflammation of brain.	M	267	265	271	263	240	221	210	209	197	199	172	177	169	153	168
	F	212	216	205	212	195	179	172	166	160	152	142	138	133	127	133
	P	238	240	237	237	217	199	190	187	178	175	156	157	151	140	150
Softening of brain...	M	87	88	88	76	72	70	72	74	67	70	69	70	64	62	54
	F	73	76	72	64	61	56	59	61	62	61	63	63	56	54	52
	P	80	82	80	70	66	63	65	67	64	65	66	66	60	58	53
General paralysis of insane	M					110	105	98	110	106	107	106	101	106	100	100
	F	150	149	158	162	32	34	32	33	31	32	31	28	30	27	23
	P	89	80	84	99	70	68	64	71	67	68	67	63	67	62	60
Insanity (not puerperal) ...	M	119	114	120	130	38	49	44	53	54	57	57	55	58	54	61
	F					45	56	55	61	67	68	70	68	64	62	76
	P					42	52	50	57	61	63	64	62	61	58	69

* For the years 1897–1900, deaths from Carcinoma are included under Cancer, Malignant disease.

† Includes deaths of children under six months of age from "Hydrocephalus" for the year 1901 and subsequent years.

‡ Includes deaths of young children from Icterus for the year 1901 and subsequent years.

TABLE 20.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1897-1911.—MALES, FEMALES, AND PERSONS—*continued*.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.
Chorea	M	2	2	3	3	4	3	3	2	2	2	2	2	2	2	2
	F	7	7	8	8	8	6	6	5	7	7	7	5	7	6	5
	P	5	5	5	5	6	5	4	4	4	5	4	4	5	4	4
Epilepsy	M	89	88	89	99	97	100	99	95	91	89	87	81	86	81	80
	F	74	81	84	87	80	83	85	78	80	74	75	72	73	70	66
	P	81	84	86	93	88	91	92	86	85	81	81	76	79	75	73
Convulsions... ..	M	693	676	651	666	625	592	537	516	449	428	390	386	344	307	290
	F	494	483	485	487	465	419	376	361	317	306	280	272	242	221	202
	P	590	576	565	574	542	502	454	436	380	365	333	327	291	262	245
Laryngismus stridulus ...	M	21	22	18	17	18	17	15	13	14	11	11	14	9	7	8
	F	12	11	9	11	11	10	11	10	8	7	7	6	7	6	6
	P	16	16	14	14	14	13	13	12	11	9	9	10	8	7	7
Locomotor ataxy	M					22	26	26	25	27	28	27	28	29	28	30
	F					4	4	5	6	6	6	7	6	7	5	6
	P					13	15	15	15	16	16	17	17	17	16	18
Paraplegia, Diseases of cord	M	86	85	95	94	13	69	71	74	68	67	61	65	67	67	64
	F	57	59	57	56	60	56	55	57	55	54	53	56	52	51	46
	P	71	71	76	75	70	62	63	65	61	60	57	60	59	59	55
Neuritis, Peripheral, Polyneuritis.	M					3	8	7	8	6	8	8	8	7	7	7
	F					5	13	18	17	16	18	19	15	15	14	16
	P					4	11	12	12	11	13	14	11	11	11	12
Brain tumour (not specific)	M	101	94	95	75	13	20	22	20	22	23	23	22	23	23	21
	F	89	90	91	70	11	16	15	19	19	20	21	20	21	22	17
	P	95	92	93	73	12	18	19	20	21	22	22	21	22	22	19
Other diseases of nervous system.	M					140	121	101	110	92	94	82	76	80	70	74
	F					120	111	100	106	88	85	80	71	75	65	70
	P					130	116	101	108	90	90	81	73	77	67	72
Otitis, Mastoid disease ...	M	34	32	32	38	31	30	35	38	38	39	36	34	38	33	34
	F	25	25	25	26	26	25	26	25	28	28	28	25	24	24	28
	P	29	28	28	32	29	28	30	31	33	33	32	29	31	28	31
Epistaxis, Diseases of nose	M	3	3	3	2	3	3	2	3	2	2	2	2	2	2	3
	F	3	2	2	2	2	2	3	2	2	1	2	2	2	2	4
	P	3	3	2	2	2	2	2	2	2	2	2	2	2	2	3
Ophthalmia, Diseases of eye	M	3	2	2	3	3	2	3	2	2	2	2	1	2	1	3
	F	1	1	1	2	2	1	2	2	2	2	2	1	1	2	3
	P	2	2	2	2	2	2	2	2	2	2	2	1	2	2	3
Valvular disease, Endocarditis (not infective).*	M	337	336	366	381	363	380	383	410	415	432	444	448	455	446	475*
	F	346	365	394	417	402	408	422	452	458	468	495	482	505	489	533*
	P	342	351	380	399	383	395	403	431	437	450	470	465	481	468	505*
Pericarditis	M	23	21	22	24	21	14	14	14	14	14	16	14	13	14	18
	F	13	13	17	15	18	12	12	11	13	11	12	11	10	11	13
	P	18	17	19	19	20	13	13	12	13	12	14	12	12	12	15
Hypertrophy of heart ...	M	7	7	9	9	8	10	10	9	8	9	9	11	8	8	†
	F	5	6	7	6	5	6	5	6	5	5	4	5	5	3	†
	P	6	7	8	7	6	8	7	7	7	7	6	8	6	6	†
Angina pectoris	M	32	27	29	31	29	30	29	31	32	35	36	36	37	41	41
	F	14	14	15	15	13	15	14	14	17	18	18	17	18	16	19
	P	23	20	22	23	21	22	21	22	25	26	27	26	27	28	29
Dilatation of heart ...	M					65	80	80	88	90	93	104	98	103	92	†
	F					70	78	76	92	90	89	99	93	97	87	†
	P					67	79	78	90	90	91	101	95	100	89	†
Fatty degeneration of heart	M	1082	1056	1117	1103	55	60	59	61	63	63	67	67	62	66	70
	F	1125	1117	1172	1152	63	67	65	71	70	75	76	78	78	69	79
	P	1104	1088	1145	1128	60	64	62	66	67	68	72	73	70	68	74
Syncope, Heart disease (not specified).‡	M					897	866	816	816	758	761	769	733	727	681	743‡
	F					945	896	832	870	807	770	786	745	754	698	746‡
	P					922	881	825	844	784	766	778	739	741	690	745‡
Cerebral hæmorrhage, Cerebral embolism.§	M					307	346	370	398	404	422	441	464	467	463	470
	F					350	382	433	447	462	495	510	525	543	534	554
	P					329	365	402	423	434	459	477	496	506	500	513
Apoplexy, Hemiplegia ...	M	741	727	740	746	383	336	286	268	242	238	229	217	211	191	210
	F	821	811	841	816	425	378	325	318	272	275	263	246	245	221	245
	P	782	770	792	782	405	358	306	294	258	257	247	232	228	206	228

* For years prior to 1901, deaths from Infective endocarditis, and for 1911, deaths from Rheumatism of heart are included under the heading Valvular disease, Endocarditis (not infective).
† Included under Syncope, Heart disease (not specified).
‡ For years prior to 1901, deaths from Other diseases of blood vessels, and for 1911, those from Hypertrophy of heart and Dilatation of heart are included under the heading Syncope, Heart disease (not specified). See also note to Cerebral hæmorrhage.
§ For years prior to 1901, deaths from Cerebral embolism and Cerebral thrombosis are included under the heading Embolism, thrombosis (not cerebral).

TABLE 20.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES from VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1897–1911.—MALES, FEMALES, AND PERSONS—*continued*.

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.
Aneurysm* ...	M	46	46	47	45	49	53	53	53	55	53	56	51	55	52	53
	F	12	11	11	11	12	13	11	13	11	12	11	11	12	12	12
	P	28	28	28	27	30	32	31	32	32	32	33	30	33	31	32
Senile gangrene ...	M	45	44	45	48	47	45	44	46	47	47	47	47	49	44	42
	F	37	36	36	42	39	40	37	38	35	36	37	36	39	35	35
	P	41	40	40	45	43	42	40	42	41	41	42	41	44	39	39
Embolism, Thrombosis (not cerebral).†	M	35	36	39	44	16	14	11	11	10	11	14	11	12	10	10
	F	51	52	59	60	20	16	14	15	14	15	16	15	15	12	14
	P	43	44	50	53	18	16	13	13	12	13	15	13	13	11	12
Phlebitis ...	M	4	4	4	6	4	3	4	3	4	3	3	2	3	2	3
	F	6	6	7	6	6	6	6	5	5	5	5	5	5	5	4
	P	5	5	6	6	5	4	5	4	4	4	4	4	4	4	4
Varicose Veins ...	M	2	2	2	3	2	2	2	3	2	1	2	1	2	2	2
	F	4	4	4	5	4	4	4	4	5	5	4	4	4	4	5
	P	3	3	3	4	3	3	3	4	3	3	3	2	3	3	4
Other diseases of blood vessels.‡	M	?	?	?	?	49	51	50	65	71	83	91	94	115	118	141
	F	?	?	?	?	27	30	30	35	39	49	55	52	62	67	83
	P	?	?	?	?	38	40	39	50	55	65	72	72	88	92	111
Laryngitis ...	M					46	43	38	38	35	35	38	30	33	28	31
	F					41	38	29	29	28	27	27	25	23	21	23
	P					43	41	33	34	31	31	32	27	28	24	27
Membranous laryngitis (not diphtheritic).	M	46	44	49	47											
	F	37	31	35	39											
	P	41	38	41	43	1	1	1	2	1	2	1	1	1	1	1
	M					1	1	1	1	1	1	1	1	1	1	1
	F					1	1	1	1	1	1	1	1	1	1	1
	P					1	1	1	1	1	1	1	1	1	1	1
Croup (not spasmodic nor membranous).	M	40	31	36	30	28	22	15	16	16	16	12	10	8	3	2
	F	31	24	28	23	23	16	12	12	12	11	10	8	6	1	2
	P	35	27	32	26	25	18	13	14	14	13	11	9	7	2	2
Other diseases of larynx and trachea.	M	5	5	5	5	2	1	1	2	2	2	1	1	1	1	1
	F	4	3	3	3	1	1	1	1	2	1	1	1	1	1	1
	P	4	4	4	4	2	1	1	1	2	2	1	1	1	1	1
Bronchitis ...	M	1546	1506	1627	1713	1385	1339	1148	1262	1154	1049	1217	1109	1133	986	1007
	F	1463	1454	1586	1673	1349	1311	1085	1241	1137	1031	1216	1093	1171	941	986
	P	1503	1479	1606	1692	1366	1325	1115	1251	1145	1040	1216	1101	1152	963	996
Emphysema, Asthma ...	M	92	91	106	101	88	57	49	59	55	55	62	58	64	56	63
	F	53	59	72	63	57	39	30	38	37	35	38	38	46	36	41
	P	72	75	88	81	72	48	39	48	46	45	50	48	54	45	52
Pleurisy ...	M	60	56	64	73	61	48	46	43	50	44	44	42	48	44	48
	F	37	39	40	44	41	35	32	31	31	29	33	29	32	28	32
	P	48	48	52	58	51	41	39	37	40	37	38	35	40	36	39
Fibroid disease of lung ...	M					30	32	29	25	25	25	29	24	25	20	14
	F	142	128	142	138	11	10	8	10	8	7	9	9	9	6	4
	P	104	98	102	100	20	21	18	18	16	15	19	16	16	13	9
Other diseases of respiratory system.	M	122	113	121	118	108	102	94	95	89	85	77	79	79	76	80
	F					94	86	75	79	77	72	68	70	73	67	64
	P					100	94	84	87	83	79	72	74	76	71	72
Tonsillitis, Quinsy ...	M					15	14	13	13	12	12	12	12	13	10	13
	F					13	11	4	11	11	9	10	9	9	8	11
	P					14	13	11	12	12	11	11	10	11	9	12
Diseases of mouth, Pharynx, Esophagus (not specific).§	M	33	38	36	39											
	F	32	30	32	32	20	20	14	19	17	17	15	14	17	18	18
	P	33	34	34	35	17	15	12	16	16	16	15	15	15	17	13
	M					19	18	13	17	16	16	15	15	16	17	15
Gastric ulcer ...	M					30	32	33	34	37	40	39	40	40	45	43
	F					63	69	66	69	65	61	63	57	57	57	54
	P					47	51	50	52	51	51	51	49	49	51	49
Gastritis, Gastric catarrh...	M	160	163	165	188						100	95	96	93	93	91
	F	180	188	204	222						98	93	101	91	85	87
	P	171	176	185	205	169	144	140	132	117	99	94	99	92	89	89
Other diseases of stomach, (not malignant).	M					169	144	139	135	117						
	F					169	144	139	133	117	18	17	16	15	19	18
	P										14	15	13	11	17	15
											16	16	14	13	18	16

* Since 1901, Aneurysm has been taken as the cause of death when occurring with certain other diseases.

† For years prior to 1901, deaths from Cerebral embolism and Cerebral thrombosis are included under the heading Embolism, thrombosis (not cerebral).

‡ For years prior to 1901, deaths from Other diseases of blood vessels are included under the heading Syncope, Heart disease (not specified).

§ For years prior to 1901, deaths from Diseases of the Esophagus are included under the heading Other diseases of digestive system.

TABLE 20.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1897–1911.—MALES, FEMALES, AND PERSONS—*continued*.

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.
Ulceration of intestines* ...	M F P	12 10 11	13 11 12	12 10 11	11 12 11	197 160 178	137 118 127	147 124 135	19 13 16	17 13 15	21 15 18	28 14 21	27 16 21	28 16 22	32 17 24	32 16 24
Enteritis (not epidemic)*									148 121 134	126 108 117	159 133 146	114 99 106	137 116 126	116 94 105	113 94 103	176 149 162
Gastro-enteritis ...	M F P	467 387 426	556 475 514	654 557 604	450 364 406	139 114 126	74 59 66	87 75 81	111 88 99	90 71 80	125 102 113	80 62 71	110 89 99	91 73 82	98 76 87	200 164 181
Appendicitis, Perityphlitis						47 30 38	57 34 45	63 41 52	69 44 56	67 48 57	77 48 62	69 45 57	73 50 61	75 55 64	77 55 66	91 61 75
Hernia† ...	M F P	42 42 42	40 44 42	44 49 46	43 43 43	40 44 42	44 48 46	40 45 42	41 47 44	43 48 46	44 46 45	42 47 44	38 42 40	41 44 42	37 45 41	40 46 43
Intestinal obstruction ...	M F P	95 85 90	91 84 87	90 87 88	83 80 81	83 80 81	75 73 74	81 74 77	78 71 74	77 75 76	80 74 77	78 70 74	77 74 75	79 69 74	70 70 70	76 72 74
Other diseases of intestines‡	M F P	? ? ?	? ? ?	? ? ?	? ? ?	7 6 6	10 8 9	10 8 9	8 6 7	8 7 8	8 6 7	8 8 8	9 7 8	9 8 8	10 9 10	14 11 12
Peritonitis (not puerperal)	M F P	66 61 63	67 60 63	64 61 63	58 60 59	46 48 47	32 36 34	28 32 30	27 30 29	23 26 25	24 26 25	18 22 20	20 22 20	16 18 17	13 18 15	13 20 17
Cirrhosis of liver ...	M F P	151 115 133	152 112 132	167 119 142	162 127 144	151 115 132	144 104 123	136 100 118	135 101 118	132 105 118	127 98 112	123 102 112	121 89 104	120 81 100	106 75 90	105 78 91
Other diseases of liver and gall bladder.	M F P	113 117 115	109 115 112	109 111 110	103 108 105	85 91 88	70 80 75	61 77 70	56 73 65	53 69 61	53 72 63	51 65 58	44 63 54	48 62 55	43 63 53	43 66 55
Other diseases of digestive system.‡§	M F P	33 30 31	25 26 26	21 21 21	21 18 20	20 17 18	12 14 13	16 14 15	17 14 15	11 12 12	9 8 9	11 11 11	12 12 12	13 13 13	7 6 7	7 5 6
Diseases of spleen ...	M F P	2 2 2	2 2 2	2 1 2	2 1 2	2 2 2	2 2 2	1 1 1	1 1 1	1 2 2	2 1 2	1 2 1	1 1 1	1 2 1	1 1 1	1 1 1
Other diseases of lymphatic system.	M F P	11 7 9	14 6 10	12 7 10	13 8 10	13 9 11	14 8 11	13 8 11	13 8 10	15 8 12	14 9 12	14 9 11	14 9 11	15 9 12	18 10 14	17 11 14
Diseases of thyroid body	M F P	3 13 8	3 16 9	2 17 10	2 17 10	4 23 14	4 22 13	4 22 13	4 23 14	4 23 14	4 24 14	4 25 15	5 25 16	4 29 17	6 30 18	5 33 20
Diseases of supra renal capsules.	M F P	5 7 6	6 6 6	6 7 6	6 7 6	5 5 5	5 5 5	6 6 6	6 6 6	5 7 6	7 6 7	5 5 5	6 7 6	6 8 7	6 7 6	6 8 7
Acute nephritis, Uræmia...	M F P	101 78 89	101 78 89	101 83 92	111 80 95	111 77 93	102 81 91	97 80 89	102 84 93	102 84 93	103 88 95	111 89 99	116 95 105	115 102 108	110 92 100	110 101 105
Chronic Bright's disease, Albuminuria.	M F P	295 235 264	300 244 271	320 260 289	345 269 306	332 264 297	315 247 280	315 256 284	335 261 296	317 252 283	331 258 294	332 272 301	316 258 286	328 267 296	319 261 289	327 269 297
Calculus (not biliary) ...	M F P	14 4 9	13 4 9	12 3 8	11 5 8	12 4 7	11 4 8	10 4 7	11 5 8	11 4 7	11 4 8	12 4 8	9 4 7	9 5 7	9 4 7	11 4 7
Diseases of bladder and of prostate.	M F P	140 14 75	131 13 70	137 13 73	133 15 72	135 13 72	138 14 74	141 13 75	138 14 74	136 13 73	145 13 77	131 13 70	133 14 71	129 13 69	126 12 67	144 14 77
Other diseases of urinary system.¶	M F P	30 16 23	33 17 25	30 14 22	18 7 13	15 9 12	29 7 18	28 8 17	28 8 18	30 8 19	29 9 18	28 8 18	29 7 17	25 7 16	31 9 20	33 10 21
Ovarian tumour (not malignant).	M F P	— 28 15	— 27 14	— 27 14	— 24 13	21 11 —	22 11 —	22 11 —	20 10 —	22 11 —	21 11 —	20 10 —	16 8 —	17 9 —	16 8 —	17 9 —
Other diseases of ovary ...						4 2	3 1	4 2	3 1	2 1	3 1	3 1	2 1	2 1	1 1	1 1

* For the years 1901–3, deaths from Ulceration of intestines are included under the heading Enteritis (not epidemic).

† Since 1902, Hernia, when strangulated, has been taken as the cause of death when occurring with certain other diseases.

‡ For years prior to 1901, deaths from Other diseases of intestines are included under the heading Other diseases of digestive system.

§ For years prior to 1901, deaths from Diseases of the Esophagus are included under the heading Other diseases of digestive system.

|| Deaths from Cretinism and Myxœdema, which in the old tables were included with "Other Constitutional Diseases," have been classed under this heading since 1901.

¶ Since the year 1901, deaths from Stricture of the Urethra are included under this heading. See also note to Gonorrhœa.

TABLE 20.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1897–1911.—MALES, FEMALES, AND PERSONS—*continued*.

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.
Uterine tumour (not malignant).	M	—	—	—	—	20	20	21	20	21	20	18	20	16	17	17
	F	46	42	43	40	10	10	11	10	11	10	9	10	8	9	9
	P	24	22	22	21	—	—	—	—	—	—	—	—	—	—	—
Other diseases of Uterus and vagina.	M	—	—	—	—	19	18	16	18	19	17	18	16	18	15	19
	F	—	—	—	—	10	9	8	9	10	9	9	8	10	8	10
	P	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Disorders of menstruation	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	4	5	6	5	3	3	2	2	2	3	2	2	1	2
	P	2	2	3	3	2	2	2	1	1	1	1	1	1	1	1
Other diseases of generative and mammary organs.	M	6	6	6	7	5	4	3	4	3	4	3	2	3	4	4
	F	4	4	4	3	1	1	0	1	1	1	1	1	1	1	1
	P	5	5	5	5	3	3	2	3	2	2	2	2	2	2	3
Abortion, miscarriage ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	12	11	11	13	9	9	9	8	9	8	6	5	5	4	5
	P	6	6	6	7	5	4	5	4	4	4	3	2	2	2	2
Puerperal mania ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	4	4	4	4	5	4	4	4	4	4	3	2	3	2
	P	2	2	2	2	2	2	2	2	2	2	2	2	1	1	1
Puerperal convulsions ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	20	24	21	23	22	24	24	23	27	25	25	23	25	24	24
	P	10	12	11	12	12	12	12	12	14	13	13	12	13	12	13
Placenta prævia, flooding	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	43	41	42	37	42	37	39	33	35	35	34	31	31	33	30
	P	22	21	22	19	21	19	20	17	18	18	18	16	16	17	15
Other accidents of pregnancy and childbirth.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	67	62	65	69	60	55	52	48	49	48	46	46	43	40	40
	P	35	32	33	36	31	28	27	25	26	25	24	24	22	21	21
Caries, Necrosis ...	M	35	29	29	28	27	26	23	19	17	16	12	12	6	2	2
	F	22	21	21	21	20	18	17	13	14	11	10	8	4	1	1
	P	28	25	25	24	23	21	20	16	15	13	11	10	5	2	2
Arthritis, Periostitis ...	M	11	10	11	11	7	9	7	8	8	7	8	10	9	7	23
	F	6	6	8	7	5	5	5	6	5	5	6	5	6	6	15
	P	9	8	9	9	6	7	6	7	7	6	7	7	7	7	19
Other diseases of locomotor system.	M	13	11	12	9	12	9	10	10	11	12	9	9	10	12	8
	F	13	11	11	9	10	8	8	7	8	10	6	6	7	8	8
	P	13	11	12	9	11	9	9	8	9	11	7	7	8	10	10
Ulcer, Bed-sore ...	M	12	11	11	12	10	8	10	8	9	9	9	8	9	9	8
	F	24	22	22	22	19	16	15	17	17	17	19	17	15	17	14
	P	18	17	17	17	15	12	12	13	13	13	14	12	12	13	11
Eczema ...	M	15	14	13	14	12	14	13	12	12	12	10	10	8	8	10
	F	9	11	9	9	10	8	8	8	7	6	7	6	6	6	5
	P	12	13	11	12	11	11	10	10	9	9	8	8	7	7	7
Pemphigus ...	M	5	5	5	6	6	5	6	6	9	8	7	8	7	7	4
	F	5	4	4	5	4	4	5	5	7	6	6	6	6	5	4
	P	5	5	5	6	5	4	6	6	8	7	6	7	6	6	4
Other diseases of the skin	M	7	7	7	9	8	7	6	6	7	7	8	7	6	7	7
	F	5	6	7	8	7	7	6	6	7	6	7	6	7	6	8
	P	6	7	7	9	7	7	6	6	7	6	7	6	7	7	7
Other specified diseases* ...	M	19	22	24	27	—	0	0	0	0	—	—	—	—	—	—
	F	36	37	44	45	—	0	—	—	—	—	—	—	0	—	—
	P	28	30	34	36	—	0	0	0	0	—	—	—	0	—	—
Atrophy, Debility ...	M	735	739	733	730	704	621	608	598	553	536	497	498	459	425	451
	F	562	559	553	540	517	459	449	447	394	395	350	356	334	308	321
	P	646	646	640	632	607	537	526	520	471	463	421	424	395	364	382
Old age ...	M	814	798	873	879	829	826	807	844	820	856	829	835	850	776	828
	F	1020	1018	1089	1082	1019	1012	998	1062	1030	1071	1061	1040	1066	990	1043
	P	918	910	984	983	930	923	902	962	928	970	951	950	959	890	936
Dropsy, Ascites, Anasarca	M	7	9	9	8	5	5	4	3	3	2	4	2	2	1	1
	F	10	11	13	13	8	6	6	4	4	3	4	2	2	1	2
	P	9	10	11	11	7	5	5	4	4	2	4	2	2	1	2
Tumour ...	M	3	2	2	2	2	2	2	2	2	2	2	2	2	2	3
	F	5	3	3	3	3	3	3	3	3	2	3	3	3	3	4
	P	4	3	3	2	3	2	3	3	2	2	3	2	3	2	3
Abscess ...	M	14	12	11	11	11	11	11	10	8	8	9	12	8	8	7
	F	12	12	11	10	9	9	9	7	6	7	8	9	7	6	5
	P	13	12	11	11	10	10	10	9	7	8	8	11	8	7	6

* The figures for years prior to 1901 refer to deaths then classed either to "Other Miasmatic Diseases" or to "Other Constitutional Diseases."

TABLE 20.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1897-1911.—MALES, FEMALES, AND PERSONS—*continued.*
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.
Hæmorrhage* ...	M	5	4	5	4	1	2	2	1	1	1	1	1	1	2	2
	F	2	3	2	3	1	1	1	1	1	1	1	1	1	1	1
	P	3	3	4	4	1	2	1	1	1	1	1	1	1	1	2
Sudden death (cause un- ascertained).	M	8	7	8	9	7	6	6	2	1	1	1	0	0	0	0
	F	5	6	5	7	4	5	3	1	1	0	0	1	1	0	0
	P	7	6	7	8	5	5	4	1	1	1	1	0	1	0	0
Other ill-defined causes ...	M			3	2	13	25	28	27	28	28	25	24	23	23	16
	F			1	2	9	18	21	20	22	18	16	15	15	13	10
	P	75	62	2	2	11	21	25	23	25	23	21	19	19	18	13
Causes not specified ...	M	50	46													
	F	62	54													
	P			61	61	43	21	9	9	8	6	7	5	4	6	6
Violent Deaths :—	M			42	47	26	15	7	5	4	3	4	3	3	4	3
	F			51	54	34	18	8	7	6	5	5	4	3	5	4
	P															
In mines and quarries ...	M					64	61	58	60	68	65	65	67	80	75	85
	F					0	—	0	—	—	0	—	—	—	—	—
	P					31	30	28	29	33	31	31	33	39	36	41
Vehicles and horses ...	M					146	139	133	129	126	128	131	125	112	115	131
	F					23	19	19	19	20	21	19	20	19	22	25
	P					82	77	74	72	71	73	73	71	64	67	76
Ships, boats, and docks (not drowning).	M					21	17	18	18	17	16	15	16	15	15	17
	F					0	0	0	—	0	0	0	0	0	0	0
	P					10	8	9	8	8	8	7	8	7	7	8
Building operations ...	M					12	13	13	12	14	14	14	13	10	11	12
	F					6	6	6	6	7	7	7	6	5	6	6
	P															
Machinery ...	M					13	16	15	15	12	14	14	13	12	11	14
	F					1	1	—	0	1	1	0	1	0	1	1
	P					7	8	8	7	6	7	7	6	6	6	7
Weapons and implements	M					8	7	6	7	6	6	5	5	6	5	5
	F					1	1	1	1	0	1	1	1	1	1	1
	P					5	4	3	4	3	3	3	3	3	2	3
Burns and scalds ...	M	775	746	800	764	78	64	62	62	63	65	66	63	64	57	60
	F	314	306	327	300	91	86	75	79	83	86	84	87	86	72	75
	P	537	518	554	525	84	75	69	71	73	76	75	75	75	65	68
Poisons,poisonous vapours	M					19	21	18	20	19	21	20	21	21	19	12
	F					12	9	10	11	11	11	12	10	10	11	7
	P					16	15	14	15	15	16	16	16	16	14	10
Drowning ...	M					150	117	131	124	126	119	112	121	105	108	128
	F					24	23	24	22	25	21	20	22	22	21	22
	P					85	69	76	71	74	68	65	70	62	63	73
Suffocation ...	M					65	68	63	68	62	59	62	55	48	46	43
	F					56	56	54	56	49	50	48	49	42	40	37
	P					60	62	59	62	55	55	55	52	45	42	40
Falls ...	M					96	94	86	85	78	83	87	82	78	74	87
	F					77	69	68	66	63	67	71	68	69	58	70
	P					86	81	77	75	70	75	79	75	74	66	78
Weather agencies ...	M					19	11	10	12	10	13	8	10	8	8	26
	F					8	4	2	5	4	5	2	3	3	2	11
	P					13	7	6	8	7	9	4	7	6	5	18
Otherwise or not stated	M					73	59	57	57	57	52	51	54	48	51	44
	F					20	18	17	17	14	16	15	15	15	21	16
	P					45	38	36	36	35	34	33	34	31	35	30
Battle ...	M	0	—	—	1	0	0	0	—	0	0	0	0	—	—	0
	F	—	—	—	0	0	0	0	—	0	0	0	0	—	—	0
	P	0	—	—	0	0	0	0	—	0	0	0	0	—	—	0
Homicide ...	M	11	11	9	9	10	8	9	11	8	8	8	9	8	8	9
	F	8	9	9	8	10	10	9	9	10	8	7	9	8	8	7
	P	9	10	9	9	10	9	9	10	9	8	8	9	8	8	8
Suicide ...	M	139	142	138	139	147	154	164	155	163	160	157	167	157	155	152
	F	44	44	44	44	48	47	51	47	49	45	50	51	49	48	50
	P	90	91	89	90	96	99	105	99	104	101	102	107	101	100	99
Execution ...	M	0	1	1	1	1	1	1	1	1	0	1	1	1	1	1
	F	—	—	0	0	—	—	—	0	—	—	0	—	—	—	—
	P	0	0	0	0	0	1	1	1	1	0	0	0	1	0	0

* Deaths from Rupture of blood vessels are included under this heading for years prior to 1901, and under Other diseases of blood vessels subsequently.

TABLE 21.—ENGLAND AND WALES.—CRUDE DEATH-RATES at ALL AGES from
VARIOUS CAUSES, 1911.

International List of Causes as adapted for use in England and Wales.

International List Numbers.	Causes of Death.	Rate per Million Living.			International List Numbers.	Causes of Death.	Rate per Million Living.		
		Males.	Females.	Persons.			Males.	Females.	Persons.
	All Causes ...	15,580	13,672	14,595	32	Tuberculosis of spinal column.	20	17	18
1	Enteric fever ...	81	53	67	33	Tuberculosis of joints	13	9	11
2	Typhus... ..	0	0	0	34	Tuberculosis of other organs.	19	18	19
3	Relapsing fever ...	—	—	—		A. Lupus	1	2	2
	A. Relapsing fever...	—	—	—		B. Scrofula	0	0	0
	B. Mediterranean fever.	—	—	—		C. Other tuberculosis included under 34.	18	16	17
4	Malaria	3	0	2					
5	Small-pox	1	1	1					
6	Measles... ..	392	336	363	35	Disseminated tuberculosis.	85	68	76
7	Scarlet fever ...	54	51	52					
8	Whooping cough ...	195	237	217	28-35	Tuberculosis (All Forms)	1,670	1,279	1,468
9	Diphtheria, Croup ...	142	134	138	36	Rickets, Softening of bones.	32	26	28
	A. Diphtheria ...	139	132	135		A. Rickets	31	24	27
	B. Membranous laryngitis.	1	0	1		B. Other forms of bone softening.	1	2	1
	C. Croup	2	2	2					
10	Influenza	128	113	120	37	Syphilis	60	43	51
11	Miliary fever ...	—	—	—	38	Other venereal diseases	1	2	2
12	Asiatic cholera ...	—	—	—		A. Soft chancre ...	0	0	0
13	Cholera nostras ...	5	2	3		B. Gonococcus infection.	0	1	1
14	Dysentery	8	9	8		C. Purulent ophthalmia.	1	1	1
15	Plague	—	—	—					
16	Yellow fever ...	—	—	—					
17	Leprosy	0	—	0	39	Cancer of the buccal cavity.	113	17	63
18	Erysipelas	28	26	27					
19	Other epidemic diseases	4	4	4	40	Cancer of the stomach, liver, &c.	360	318	339
	A. Mumps	1	1	1	41	Cancer of the peritoneum, intestines, and rectum.	181	196	189
	B. German measles	1	1	1					
	C. Varicella... ..	2	2	2	42	Cancer of the female genital organs.	—	243	125
	D. Other diseases included under 19.	—	—	—					
20	Pyæmia, Septicæmia ...	24	11	17	43	Cancer of the breast ...	1	184	95
	A. Pyæmia	5	2	3	44	Cancer of the skin ...	34	18	26
	B. Septicæmia ...	19	9	14	45	Cancer of other or unspecified organs.	202	112	156
	C. Vaccinia	0	0	0					
21	Glanders	0	—	0	39-45	Cancer (All Sites) ...	891	1,088	993
22	Anthrax (Splenic fever)	1	0	0	46	Other tumours (situation undefined).	3	4	3
23	Rabies	0	—	0		A. Angioma	0	—	0
24	Tetanus	9	2	6		B. Adenoma	—	—	—
25	Mycoses	1	1	1		C. Other tumours included under 46.	3	4	3
	A. Actinomycosis ...	1	1	1					
	B. Other mycoses ...	0	0	0	47	Rheumatic fever ...	52	57	54
26	Pellagra	—	—	—	48	Chronic rheumatism, Osteo-arthritis, Gout.	46	58	52
27	Beri-beri	0	—	0		A. Chronic rheumatism.	9	13	11
28	Pulmonary tuberculosis (not acute).	1,158	835	991		B. Osteo-arthritis ...	18	42	30
	A. Pulmonary tuberculosis.	687	466	573	49	C. Gout	19	3	11
	B. Phthisis (not defined as tuberculous).	471	369	418	50	Scurvy	1	1	1
29	Acute phthisis, Acute miliary tuberculosis.	98	88	93	51	Diabetes	111	103	107
	A. Acute phthisis ...	76	66	71	52	Exophthalmic goitre ...	2	20	11
	B. Acute miliary tuberculosis.	22	22	22	53	Addison's disease ...	6	8	7
28-29	Phthisis	1,256	923	1,084		Leucocythæmia, Lymphadenoma.	21	16	19
30	Tuberculous meningitis	155	136	145		A. Leucocythæmia (Leuchæmia).	11	10	11
31	Tuberculosis of peritoneum and intestines.	122	108	115	54	B. Lymphadenoma	10	6	8
	A. Tabes mesenterica	24	20	22	55	Anæmia, Chlorosis ...	48	61	54
	B. Other peritoneal and intestinal tubercle.	98	88	93		Other general diseases	15	12	15
						A. Diabetes insipidus	1	1	1
						B. Purpura	9	8	9
						C. Hæmophilia ...	4	2	3
						D. Other diseases included under 55.	1	1	2

TABLE 21.—ENGLAND AND WALES.—CRUDE DEATH-RATES at ALL AGES from
VARIOUS CAUSES, 1911—*continued*.

International List of Causes as adapted for use in England and Wales.

International List Numbers.	Causes of Death.	Rate per Million Living.			International List Numbers.	Causes of Death.	Rate per Million Living.		
		Males.	Females	Persons.			Males.	Females.	Persons.
56	Alcoholism (acute or chronic).	25	13	19	72	Chorea... ..	2	5	4
57	Chronic lead poisoning	6	0	3	73	Hysteria, Neuralgia, Neuritis.	9	21	16
	A. Occupational lead poisoning.	6	0	3		A. Hysteria, Neuralgia, Sciatica.	1	2	2
	B. Non-occupational lead poisoning.	0	0	0		B. Neuritis... ..	8	19	14
58	Other chronic occupational poisonings.	0	—	0	74	Other diseases of the nervous system.	55	54	56
59	Other chronic poisonings.	0	0	0		A. Idiocy, Imbecility	6	7	7
60	Encephalitis	11	9	10		B. Cretinism	1	2	2
61	Meningitis	162	127	143		C. Cerebral tumour	21	17	19
	A. Cerebro-spinal fever.	5	3	4		D. Other diseases included under 74.	27	28	28
	B. Posterior basal meningitis.	9	6	7	75	Diseases of the eyes and annexa.	2	2	2
	C. Meningitis—other forms.	148	118	132	76	Diseases of the ears ...	35	27	30
62	Locomotor ataxy	30	6	18		A. Mastoid disease	10	7	8
63	Other diseases of the spinal cord.	88	63	75		B. Other diseases of the ears.	25	20	22
	A. Diseases formerly classed to “Other nervous affections.”	29	21	25	77	Pericarditis	18	13	15
	B. Other diseases included under 63.	59	42	50	78	Acute endocarditis ...	40	43	41
64	Cerebral hæmorrhage, Apoplexy.	580	657	619		A. Acute myocarditis.	5	4	4
	A. Apoplexy	148	166	157		B. Infective endocarditis.	15	17	16
	B. Serous apoplexy and (Edema of brain.	3	5	4		C. Other acute endocarditis.	20	22	21
	C. Cerebral congestion.	4	4	4	79	Organic disease of the heart.	1,193	1,284	1,240
	D. Cerebral atheroma.	6	6	6		A. Valvular disease	456	511	484
	E. Cerebral hæmorrhage.	419	476	448		B. Fatty degeneration of the heart.	70	79	75
65	Softening of brain	55	52	53		C. Other organic disease of the heart.	667	694	681
66	Paralysis without specified cause.	80	93	86	80	Angina pectoris	41	19	29
	A. Hemiplegia	63	80	71	81	Diseases of the arteries, Atheroma, Aneurysm, &c.	188	89	137
	B. Paraplegia	6	4	5		A. Aneurysm	53	12	32
	C. Other forms of paralysis.	11	9	10		B. Arterial sclerosis	130	75	102
67	General paralysis of the insane.	101	23	61	82	C. Other diseases of arteries.	5	2	3
68	Other forms of mental alienation.	33	43	38		Embolism and thrombosis.	60	89	76
69	Epilepsy	80	65	72		A. Cerebral embolism and thrombosis.	52	78	66
70	Convulsions (non-puerperal; 5 years and over).	3	3	3	83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis &c.).	5	9	8
	A. Epileptiform convulsions.	1	1	1		A. Phlebitis	3	4	4
	B. Others included under 70.	2	2	2		B. Varix	2	5	4
71	Infantile convulsions (under 5 years of age).	330	235	281	84	C. Pylephlebitis ...	0	0	0
	A. Convulsions with teething.	42	35	38		D. Varicocele	—	—	—
	B. Other infantile convulsions.	288	200	243		Diseases of the lymphatic system (Lymphangitis, &c.)	7	6	6
						A. Status lymphaticus.	4	3	3
						B. Other diseases of the lymphatic system.	3	3	3

TABLE 21.—ENGLAND AND WALES.—CRUDE DEATH-RATES at ALL AGES from
VARIOUS CAUSES, 1911—*continued*.

International List of Causes as adapted for use in England and Wales.

International List Numbers.	Causes of Death.	Rate per Million Living.			International List Numbers.	Causes of Death.	Rate per Million Living.		
		Males.	Females.	Persons.			Males.	Females.	Persons.
85	Hæmorrhage; other diseases of the circulatory system.	5	4	5		C. Parotitis ...	1	1	1
	A. Functional disease of the heart.	2	2	2		D. Other diseases included under 99	1	1	1
	B. Epistaxis ...	1	1	1	100	Diseases of the pharynx, Tonsillitis.	18	14	16
	C. Other diseases included under 85.	2	1	2		A. Tonsillitis ...	13	11	12
86	Diseases of the nasal fossæ.	2	3	2		B. Ludwig's angina	1	0	1
87	Diseases of the larynx	40	30	35	101	C. Other diseases of the pharynx.	4	3	3
	A. Laryngismus stridulus.	8	6	7		Diseases of the œsophagus.	2	1	2
	B. Laryngitis ...	31	23	27	102	Perforating ulcer of stomach.	44	54	49
	C. Other diseases of larynx.	1	1	1	103	Other diseases of the stomach.	111	103	107
88	Diseases of the thyroid body.	2	11	7		A. Inflammation of stomach.	92	88	90
89 & 90	Bronchitis ...	1,028	1,000	1,014		B. Other diseases included under 103.	19	15	17
	A. Bronchiectasis, Bronchial catarrh, &c.	20	14	17	104 & 105	Diarrhœa and enteritis	1,425	1,166	1,291
	B. Other bronchitis	1,008	986	997		A. Infective enteritis	644	527	584
91	Broncho-pneumonia...	510	421	464		B. Diarrhœa — Not returned as infective.	361	302	330
92	Pneumonia, lobar and undefined.	724	439	577		C. Enteritis — Not returned as infective.	176	149	162
	A. Lobar pneumonia	272	151	210		D. Gastro-enteritis— Not returned as infective.	200	164	181
	B. Pneumonia (type not stated).	452	288	367		E. Dyspepsia— under 2 years.	9	6	7
93	Pleurisy ...	48	32	40		F. Colic ...	3	2	3
	A. Empyema ...	17	8	12		G. Ulceration of intestines.	10	10	10
	B. Other Pleurisy ...	31	24	28		H. Duodenal ulcer	22	6	14
94	Pulmonary congestion, Pulmonary apoplexy.	53	47	50		Ankylostomiasis ...	0	—	0
	A. Pulmonary apoplexy and infarction.	1	1	1	106	Other intestinal parasites.	1	1	1
	B. Pulmonary œdema and congestion.	46	40	43	107	Appendicitis ...	91	61	75
	C. Hypostatic pneumonia.	6	6	6	108	Hernia, Intestinal obstruction.	114	117	116
	D. Collapse of lung (3 months and over).	0	0	0	109	A. Hernia ...	40	46	43
95	Gangrene of the lung	3	2	2		B. Intestinal obstruction.	74	71	73
96	Asthma ...	47	35	41	110	Other diseases of the intestines.	14	11	12
97	Pulmonary emphysema.	16	6	11	111	Acute yellow atrophy of the liver.	1	1	1
98	Other diseases of the respiratory system.	27	12	19	112	Hydatid of liver ..	1	1	1
	A. Fibroid disease of lung.	15	4	9	113	Cirrhosis of the liver	115	87	101
	B. Other diseases included under 98.	12	8	10		A. Cirrhosis of the liver not returned as alcoholic.	105	78	91
99	Diseases of the mouth and annæa.	16	13	14		B. Cirrhosis of the liver returned as alcoholic.	7	6	7
	A. Diseases of the teeth and gums.	8	6	7		C. Diseases formerly classed to "Other diseases of liver and gall bladder."	3	3	3
	B. Thrush, Aphthous stomatitis.	6	5	5					

TABLE 21.—ENGLAND AND WALES.—CRUDE DEATH-RATES at ALL AGES from
VARIOUS CAUSES, 1911—*continued*.

International List of Causes as adapted for use in England and Wales.

International List Numbers.	Causes of Death.	Rate per Million Living.			International List Numbers.	Causes of Death.	Rate per Million Living.		
		Males.	Females.	Persons.			Males.	Females.	Persons.
114	Biliary calculi ...	13	32	22	131	Ovarian cyst, tumour (non cancerous).	—	17	9
115	Other diseases of the liver.	26	29	28	132	Other diseases of the female genital organs.	—	12	7
116	Diseases of the spleen A. Infarction of spleen.	1	1	1		A. Diseases of ovary (excluding ovarian tu- mour).	—	1	1
	B. Other diseases of the spleen.	1	1	1		B. Other diseases in- cluded under 132).	—	11	6
117	Peritonitis (cause un- stated).	14	20	17	133	Non-puerperal diseases of the breast (non- cancerous).	0	1	1
118	Other diseases of the digestive system.	6	5	6	134	Accidents of preg- nancy.	—	16	8
	A. Abdominal ab- scess, Sub- phrenic abscess.	1	1	1		A. Abortion ...	—	5	2
	B. Other diseases in- cluded under 118.	5	4	5		B. Hæmorrhage of pregnancy.	—	4	2
119	Acute nephritis ...	57	49	53		C. Uncontrollable vomiting.	—	1	1
120	Bright's disease ...	379	308	343		D. Ectopic gestation	—	4	2
	A. Bright's disease as in 1901 list.	327	264	295		E. Other accidents of pregnancy.	—	2	1
	B. Nephritis (un- qualified), 10 years and over, and Uræmia.	52	44	48	135	Puerperal hæmorrhage	—	26	14
121	Chyluria ...	—	—	—	136	Other accidents of childbirth.	—	18	9
122	Other diseases of the kidney and annexa.	14	12	13	137	Puerperal fever ...	—	68	35
	A. Abscess of kidney	1	2	1	138	Puerperal albuminuria and convulsions.	—	34	17
	B. Cystic disease ...	1	1	1		A. Puerperal ne- phritis and uræmia.	—	7	3
	C. Suppression of urine.	1	0	1		B. Puerperal albu- minuria and Bright's disease.	—	3	1
	D. Other diseases in- cluded under 122.	11	9	10		C. Puerperal con- vulsions.	—	24	13
123	Calculi of the urinary passages.	11	4	7	139	Puerperal phlegmasia alba dolens, em- bolism, and sudden death.	—	19	10
124	Diseases of the bladder	60	14	36		A. Puerperal phleg- masia alba dolens and phlebitis.	—	4	2
125	Diseases of the urethra, Urinary abscess, &c.	23	0	11		B. Puerperal em- bolism and sudden death.	—	15	8
	A. Perineal abscess	1	—	0	140	Puerperal insanity ...	—	2	1
	B. Other diseases of urethra, &c.	22	0	11	141	Puerperal diseases of the breast.	—	0	0
126	Diseases of the pros- tate.	84	—	40	142	Gangrene ...	48	40	45
127	Non-venereal diseases of male genital organs.	1	—	1		A. Senile gangrene	42	35	39
128	Uterine hæmorrhage (non-puerperal).	—	2	0		B. Noma, Gangrene of mouth.	3	2	3
	A. Menorrhagia ...	—	1	0		C. Noma pudendi ...	1	1	1
	B. Other uterine hæmorrhage.	—	1	0		D. Other gangrene	2	2	2
129	Uterine tumour (non- cancerous).	—	17	9	143	Carbuncle, Boil ...	9	4	7
130	Other diseases of the uterus.	—	8	4	144	Phlegmon, Acute ab- scess.	20	15	18
	A. Disorders of men- struation (ex- cept menorr- hagia).	—	1	0		A. Phlegmon ...	15	10	13
	B. Other diseases in- cluded under 130.	—	7	4		B. Acute abscess ...	5	5	5

TABLE 21.—ENGLAND AND WALES.—CRUDE DEATH-RATES at ALL AGES from
VARIOUS CAUSES, 1911—*continued*.

International List of Causes as adapted for use in England and Wales.

International List Numbers.	Causes of Death.	Rate per Million Living.			International List Numbers.	Causes of Death.	Rate per Million Living.		
		Males.	Females.	Persons.			Males.	Females.	Persons.
145	Diseases of the integumentary system.	28	30	28	163	Other suicides ...	3	1	2
	A. Ulcer, Bedsore...	8	14	11	164	Poisoning by food ...	4	2	3
	B. Eczema ...	10	5	7	165	Other acute poisonings	9	6	7
	C. Pemphigus ...	4	4	4	166	Conflagration ...	3	2	2
	D. Other diseases of the integumentary system.	6	7	6	167	Burns (conflagration excepted).	56	73	65
					168	Absorption of deleterious gases (conflagration excepted).	41	36	38
146	Diseases of the bones	16	10	13					
147	Diseases of the joints	5	3	4					
148	Amputations ...	0	—	0	169	Accidental drowning	128	22	73
149	Other diseases of locomotor system.	1	1	1	170	Injury by firearms ...	4	0	2
					171	Injury by cutting or piercing instruments.	1	0	1
150	Congenital malformations.	116	88	102					
	A. Congenital hydrocephalus.	10	8	9	172	Injury by fall ...	108	70	89
	B. Phimosis ...	1	—	1	173	Injury in mines and quarries.	84	—	41
	C. Congenital malformation of heart.	46	33	40	174	Injury by machines...	16	1	8
	D. Other congenital malformations.	59	47	52	175	Injury by other crushing (vehicles, railways, landslides, &c.).	143	26	83
151	Premature birth, Infantile debility, Icterus, and Sclerema.	1,022	742	877	176	Injury by animals ...	5	0	3
	A. Premature birth	568	416	490	177	Starvation ...	1	0	1
	B. Infantile atrophy, debility, and marasmus.	418	301	357	178	Excessive cold ...	4	1	3
	C. Icterus neonatorum.	25	17	21	179	Effects of heat ...	20	10	15
	D. Sclerema and œdema neonatorum.	1	1	1	180	Lightning ...	1	0	1
	E. Want of breast milk.	10	7	8	181	Electricity (lightning excepted).	1	—	0
152	Other diseases peculiar to early infancy.	90	64	76	182	Homicide by firearms	1	0	1
	A. Diseases of umbilicus, &c.	10	8	9	183	Homicide by cutting or piercing instruments.	1	1	1
	B. Atelectasis ...	49	34	41	184	Homicide by other means.	7	5	6
	C. Injuries at birth	30	21	25	185	Fractures (cause not specified).	4	3	4
	D. Cyanosis neonatorum.	1	1	1	186	Other violence ...	27	8	18
153	Lack of care ...	7	6	7	187	Dropsy ...	1	2	2
154	Old age ...	849	1,069	959	188	Syncope, Sudden death	15	10	12
	A. Senile dementia	21	26	23		A. Syncope (aged 1 year and under 70 years).	15	10	12
	B. Senile decay ...	828	1,043	936		B. Sudden death not otherwise defined.	0	0	0
155	Suicide by poison ...	17	11	14					
156	Suicide by asphyxia ...	4	1	3	189	Ill-defined causes ...	111	79	93
157	Suicide by hanging or strangulation.	42	9	25		A. Heart failure (aged 1 year and under 70 years).	57	38	47
158	Suicide by drowning	29	17	23		B. Atrophy, debility, marasmus (aged 1 year and 70 years).	29	26	27
159	Suicide by firearms ...	14	0	7		C. Teething ...	3	2	2
160	Suicide by cutting or piercing instruments.	31	7	18		D. Pyrexia ...	0	0	0
161	Suicide by jumping from high place.	3	2	2		E. Other ill-defined deaths.	16	10	13
162	Suicide by crushing...	9	1	5		F. Cause not specified.	6	3	4

TABLE 22.—ENGLAND AND WALES.—ANNUAL DEATH-RATES from the PRINCIPAL EPIDEMIC DISEASES, 1838-1911.

Period.	Annual Mortality per Million Persons Living.													
	At All Ages.									At Ages under 15 Years.*				
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Diphtheria and Croup.	Whooping Cough.	Typhus.	Enteric Fever.	Pyæria. (Origin uncertain.)	Measles.	Scarlet Fever.	Diphtheria.	Diphtheria and Croup.	Whooping Cough.
1838-42 (5 years)	576	539	797		?	504	1,053			?	?		?	?
1847-50 (4 years)	292	403	884		?	480	1,246			1,115	2,385		?	1,345
1851-55	249	399	907		?	511	983			1,114	2,481		?	1,433
1856-60	195	425	806	246	520	498	842			1,185	2,201	609	1,379	1,398
1861-65	219	457	982	248	535	516	922			1,265	2,646	617	1,422	1,437
1866-70	105	428	960	127	335	545	850			1,180	2,589	314	891	1,511
1871-75	411	373	759	121	305	499	81	374	140	1,023	2,018	298	807	1,378
1876-80	78	385	680	122	276	527	34	277	69	1,051	1,806	302	726	1,450
1881-85	78	413	436	156	320	459	23	216	34	1,138	1,160	396	848	1,269
1886-90	14	468	241	170	295	444	7	179	17	1,313	656	445	799	1,250
1891-95	20	407	182	253	323	398	4	174	8	1,174	498	694	896	1,151
1896-1900	7	421	135	272	307	359	1	175	4	1,260	380	790	893	1,079
1901-05	25	327	126	205	222	301	1	113	2	1,016	366	616	668	940
1906-10	0	291	86	154	162	253	0	70	1	930	257	476	503	813
1862	78	481	728	241	519	602	919			1,335	1,964	605	1,384	1,686
1863	286	550	1,478	315	652	547	874			1,525	3,966	797	1,740	1,528
1864	364	397	1,418	261	585	409	960			1,101	3,796	642	1,546	1,142
1865	301	405	837	196	476	409	1,089			1,122	2,243	484	1,265	1,140
1866	139	511	546	140	381	736	986			1,414	1,465	346	1,019	2,050
1867	114	304	567	120	322	548	778			838	1,529	298	861	1,523
1868	91	528	996	137	341	419	895			1,460	2,681	340	907	1,164
1869	67	464	1,244	117	319	493	193	390	239	1,277	3,334	290	849	1,369
1870	113	335	1,446	120	311	529	147	388	233	920	3,844	297	827	1,466
1871	1,012	408	815	111	292	455	121	371	186	1,121	2,147	273	773	1,258
1872	821	368	515	93	250	596	80	377	145	1,010	1,364	229	664	1,648
1873	98	316	562	108	291	411	70	376	132	869	1,504	269	774	1,135
1874	88	517	1,050	150	361	437	74	374	130	1,418	2,798	367	950	1,205
1875	35	257	851	142	331	594	62	371	108	704	2,255	348	869	1,637
1876	99	408	691	129	301	432	48	309	81	1,117	1,828	320	794	1,190
1877	173	366	585	111	269	460	45	279	78	1,001	1,553	274	709	1,265
1878	74	310	753	140	302	710	36	306	71	846	2,009	349	795	1,953
1879	21	362	694	120	261	503	21	231	58	987	1,845	296	683	1,379
1880	25	478	675	109	247	530	21	261	58	1,299	1,789	271	651	1,454
1881	119	280	548	121	259	415	21	212	44	764	1,450	300	679	1,141
1882	50	483	521	152	327	579	36	229	39	1,323	1,389	386	868	1,595
1883	36	350	475	158	330	393	33	228	36	962	1,270	401	878	1,086
1884	82	419	402	186	362	425	12	236	28	1,156	1,082	473	961	1,180
1885	103	533	233	164	320	481	12	175	24	1,475	623	418	852	1,342
1886	11	436	218	149	283	470	9	184	22	1,213	588	385	759	1,314
1887	19	602	282	160	303	404	8	185	18	1,684	764	414	815	1,135
1888	37	347	226	171	300	436	6	172	15	972	614	447	810	1,227
1889	1	518	235	189	303	430	5	176	15	1,457	646	503	825	1,216
1890	0	439	242	179	288	478	5	179	13	1,240	665	474	785	1,358
1891	2	436	170	173	264	468	5	168	11	1,237	465	460	719	1,335
1892	15	459	190	222	298	454	3	137	8	1,317	519	603	821	1,307
1893	49	373	235	318	389	342	5	229	9	1,075	629	869	1,074	991
1894	27	391	167	291	349	410	4	159	7	1,136	461	809	978	1,198
1895	7	377	149	259	313	315	2	175	5	1,106	418	729	889	927
1896	17	570	177	291	342	429	2	166	5	1,685	495	829	981	1,274
1897	0	408	147	246	281	367	2	156	4	1,214	414	700	805	1,097
1898	8	419	113	243	270	323	1	181	4	1,256	320	705	788	973
1899	5	314	117	292	324	318	1	198	4	948	334	857	953	965
1900	3	394	119	290	316	356	1	173	4	1,199	340	856	936	1,090
1901	10	277	133	273	298	313	1	155	3	850	380	809	888	965
1902	75	392	148	237	255	298	2	126	3	1,211	427	710	768	924
1903	23	275	125	183	196	286	2	101	2	854	364	550	592	893
1904	15	365	112	170	184	353	1	93	2	1,141	330	520	564	1,109
1905	4	326	113	161	175	256	1	90	2	1,025	333	489	532	809
1906	1	275	101	178	191	242	0	92	1	871	301	545	587	768
1907	0	364	93	165	176	296	1	68	1	1,157	275	507	541	944
1908	0	228	80	158	167	280	0	75	1	729	236	492	521	899
1909	0	356	91	148	155	203	0	60	0	1,145	273	462	484	654
1910	0	232	66	120	122	246	0	53	0	750	200	377	384	798
1911	1	363	52	135	137	217	0	67	0	1,177	159	426	435	707

* See Remarks, page lvii.

TABLE 23.—MORTALITY from SEVERAL CAUSES, 1911.—ALL AREAS.

The mortality under one year of age is calculated per 1,000 births; that at other ages per 1,000 living at each age. Rates at 1-2 years must be used with caution. See note at head of Table 2.

		Males.									Females.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	North	17.13	159.32	53.73	12.27	3.21	3.89	6.99	23.72	94.04	14.99	133.14	51.22	12.07	3.20	3.30	5.81	18.84	82.59
	Midland	14.50	134.87	37.15	8.69	2.48	3.12	5.58	17.80	82.01	12.86	109.72	35.19	8.57	2.42	2.80	4.82	14.28	70.90
	South	14.99	125.87	40.04	9.13	2.59	3.08	6.53	19.92	81.89	12.85	104.38	35.64	8.77	2.54	2.58	4.70	14.48	70.71
	Wales	15.29	149.96	35.28	7.64	2.71	3.81	6.41	20.23	86.93	14.49	120.46	33.40	8.05	2.74	3.74	6.67	17.44	77.81
	E. & W.	15.58	142.28	43.52	9.96	2.77	3.42	6.39	20.54	85.65	13.67	117.37	40.76	9.79	2.74	2.97	5.23	16.00	74.46
1. Enteric fever	North	0.130	0.01	0.015	0.040	0.053	0.163	0.206	0.139	0.05	0.085	0.01	—	0.040	0.070	0.120	0.094	0.090	0.06
	Midland	0.057	—	0.017	0.024	0.032	0.090	0.078	0.053	0.02	0.041	—	0.009	0.011	0.034	0.061	0.049	0.043	0.02
	South	0.050	0.01	—	0.003	0.020	0.067	0.081	0.049	0.02	0.030	—	0.010	0.010	0.030	0.046	0.036	0.021	0.02
	Wales	0.082	0.03	0.036	—	0.062	0.122	0.108	0.086	—	0.054	—	—	0.070	0.039	0.079	0.070	0.034	0.02
	E. & W.	0.081	0.01	0.013	0.022	0.038	0.111	0.125	0.083	0.03	0.053	0.00	0.005	0.025	0.046	0.078	0.062	0.051	0.03
2. Small-pox	North	0.000	—	—	—	—	0.001	0.001	—	0.000	—	—	—	—	—	0.001	—	—	—
	Midland	0.000	—	—	—	—	0.001	—	—	0.000	—	—	—	—	—	—	—	0.001	—
	South	0.002	0.01	—	0.003	0.003	—	0.001	0.001	0.00	0.001	—	—	0.010	—	—	0.002	0.001	—
	Wales	0.001	—	—	—	—	—	—	0.005	—	0.001	—	—	—	—	—	—	0.006	—
	E. & W.	0.001	0.00	—	0.001	0.001	—	0.001	0.001	0.00	0.001	—	—	0.003	—	0.000	0.001	0.001	—
3. Measles ...	North	0.431	3.85	8.260	1.768	0.113	0.003	0.002	—	—	0.383	3.30	7.685	1.880	0.112	0.003	0.002	—	—
	Midland	0.349	2.85	6.462	1.536	0.145	0.005	0.004	—	—	0.290	2.34	5.590	1.461	0.145	0.004	0.003	0.003	0.00
	South	0.434	3.79	8.558	2.060	0.190	0.010	0.001	0.001	—	0.358	3.36	7.939	2.009	0.158	0.008	0.007	0.004	0.00
	Wales	0.234	2.27	4.500	0.790	0.050	0.004	0.005	—	0.02	0.205	1.92	3.301	0.801	0.058	0.009	0.009	0.006	—
	E. & W.	0.392	3.40	7.488	1.700	0.140	0.006	0.003	0.000	0.00	0.336	2.91	6.765	1.701	0.131	0.005	0.004	0.003	0.00
4. Scarlet fever	North	0.072	0.15	0.299	0.420	0.131	0.021	0.004	0.001	—	0.070	0.08	0.287	0.492	0.137	0.009	0.007	—	—
	Midland	0.051	0.05	0.227	0.318	0.098	0.007	0.005	0.001	—	0.053	0.08	0.189	0.373	0.094	0.013	0.009	0.001	—
	South	0.034	0.05	0.153	0.235	0.064	0.008	0.003	—	—	0.025	0.02	0.196	0.169	0.059	0.002	0.002	—	—
	Wales	0.054	0.17	0.179	0.349	0.089	—	0.008	—	—	0.057	0.15	0.399	0.302	0.066	0.019	0.015	—	—
	E. & W.	0.054	0.09	0.229	0.334	0.100	0.012	0.005	0.001	—	0.051	0.07	0.241	0.355	0.097	0.009	0.007	0.000	—
5. Whooping cough	North	0.240	4.26	3.362	0.661	0.030	—	—	0.001	—	0.308	5.67	4.712	0.963	0.052	—	—	—	0.00
	Midland	0.167	3.30	2.140	0.464	0.027	—	—	—	—	0.209	3.86	3.289	0.732	0.039	0.002	—	—	0.00
	South	0.172	3.37	2.741	0.451	0.032	0.001	—	0.001	—	0.186	3.95	3.169	0.725	0.032	—	—	—	—
	Wales	0.197	4.31	2.214	0.349	0.012	0.004	—	—	—	0.240	4.51	2.938	0.522	0.039	—	—	—	—
	E. & W.	0.195	3.73	2.727	0.520	0.028	0.001	—	0.001	—	0.237	4.57	3.727	0.794	0.042	0.001	—	—	0.00
6. Diphtheria and croup	North	0.161	0.30	0.929	1.037	0.279	0.007	0.004	0.002	0.02	0.149	0.26	0.737	1.007	0.297	0.012	0.003	0.005	0.01
	Midland	0.132	0.32	0.725	0.728	0.252	0.017	0.006	0.003	0.00	0.113	0.16	0.429	0.694	0.264	0.008	0.004	0.006	—
	South	0.130	0.22	0.968	0.811	0.248	0.015	0.007	0.001	0.00	0.130	0.32	0.692	0.793	0.335	0.014	0.007	0.007	—
	Wales	0.141	0.29	0.643	0.779	0.283	0.013	0.005	0.005	—	0.185	0.21	0.617	1.173	0.335	0.023	0.012	0.006	—
	E. & W.	0.142	0.29	0.853	0.860	0.262	0.013	0.006	0.003	0.01	0.134	0.24	0.619	0.864	0.299	0.012	0.005	0.006	0.00
7. Influenza ...	North	0.117	0.26	0.084	0.042	0.018	0.040	0.083	0.217	0.91	0.103	0.18	0.070	0.037	0.019	0.024	0.047	0.203	0.84
	Midland	0.128	0.27	0.169	0.051	0.015	0.033	0.082	0.254	0.81	0.104	0.18	0.137	0.038	0.015	0.017	0.055	0.185	0.69
	South	0.133	0.33	0.143	0.074	0.020	0.041	0.065	0.288	0.91	0.127	0.19	0.062	0.007	0.019	0.013	0.060	0.187	0.99
	Wales	0.154	0.09	0.179	0.046	0.035	0.065	0.122	0.303	1.06	0.147	0.15	0.109	0.058	0.019	0.042	0.097	0.280	1.06
	E. & W.	0.128	0.27	0.133	0.054	0.019	0.040	0.080	0.240	0.89	0.113	0.18	0.092	0.031	0.017	0.020	0.056	0.197	0.85
8. Erysipelas	North	0.030	0.16	0.015	0.002	0.006	0.010	0.016	0.064	0.18	0.026	0.22	0.008	0.007	0.002	0.002	0.008	0.045	0.20
	Midland	0.025	0.14	0.017	0.011	0.003	0.007	0.015	0.041	0.16	0.024	0.14	0.034	0.011	0.003	0.001	0.013	0.042	0.13
	South	0.030	0.14	0.020	0.006	0.002	0.004	0.011	0.058	0.22	0.031	0.16	0.021	—	0.001	0.009	0.014	0.047	0.19
	Wales	0.021	0.06	—	—	—	0.009	0.003	0.065	0.18	0.018	0.06	—	0.023	—	0.005	0.012	0.029	0.11
	E. & W.	0.028	0.14	0.016	0.006	0.003	0.008	0.013	0.055	0.19	0.026	0.17	0.019	0.008	0.002	0.004	0.012	0.044	0.17
9. Pulmonary tuberculosis.	North	1.313	0.40	0.683	0.308	0.213	1.152	1.896	2.485	1.30	0.978	0.42	0.714	0.296	0.400	1.188	1.418	1.099	0.59
	Midland	1.098	0.56	0.556	0.178	0.138	1.035	1.769	1.857	0.82	0.826	0.43	0.558	0.211	0.274	1.109	1.252	0.896	0.44
	South	1.411	0.49	0.621	0.274	0.167	1.045	2.210	2.485	1.49	0.915	0.47	0.557	0.267	0.258	0.984	1.333	1.123	0.75
	Wales	1.084	0.50	0.536	0.163	0.159	1.069	1.579	1.950	1.24	1.151	0.63	0.580	0.116	0.378	1.536	1.862	1.280	0.63
	E. & W.	1.256	0.48	0.616	0.247	0.173	1.080	1.922	2.254	1.19	0.923	0.45	0.614	0.248	0.320	1.127	1.369	1.054	0.59
10. Tuberculous meningitis.	North	0.172	1.40	1.620	0.674	0.176	0.050	0.019	0.008	—	0.153	1.11	1.475	0.560	0.205	0.068	0.015	0.012	—
	Midland	0.141	1.24	1.255	0.531	0.142	0.049	0.018	0.017	—	0.120	0.96	1.099	0.465	0.148	0.060	0.014	0.010	0.01
	South	0.153	1.34	1.437	0.560	0.188	0.059	0.019	0.012	0.00	0.134	1.47	1.311	0.553	0.195	0.049	0.012	0.007	0.00
	Wales	0.140	1.40	1.000	0.360	0.155	0.056	0.030	0.011	—	0.135	0.84	0.617	0.290	0.195	0.093	0.041	0.034	0.02
	E. & W.	0.155	1.34	1.410	0.575	0.166	0.053	0.019	0.012	0.00	0.136	1.14	1.250	0.508	0.183	0.062	0.016	0.011	0.00
11. Other tuberculous diseases.	North	0.326	2.78	2.503	0.624	0.248	0.157	0.129	0.171	0.19	0.279	2.87	2.220	0.594	0.237	0.125	0.129	0.137	0.14
	Midland	0.227	2.28	1.441	0.423	0.139	0.145	0.094	0.131	0.11	0.196	1.87	1.194	0.335	0.150	0.121	0.103	0.123	0.10
	South	0.218	1																

TABLE 23.—MORTALITY from SEVERAL CAUSES, 1911.—ALL AREAS—continued.
(See note at head of Table).

		Males.									Females.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
14. Meningitis	North	0.215	2.42	1.812	0.549	0.182	0.055	0.037	0.062	0.10	0.167	1.95	1.343	0.490	0.136	0.050	0.042	0.056	0.06
	Midland	0.143	1.76	1.146	0.337	0.113	0.048	0.033	0.040	0.05	0.113	1.17	1.030	0.313	0.105	0.043	0.033	0.030	0.03
	South	0.115	1.45	0.927	0.229	0.100	0.055	0.032	0.035	0.04	0.088	1.27	0.661	0.244	0.101	0.033	0.019	0.027	0.02
	Wales	0.162	1.78	1.107	0.325	0.128	0.074	0.041	0.081	0.02	0.166	1.89	1.233	0.360	0.128	0.046	0.050	0.046	0.03
	E. & W.	0.162	1.91	1.317	0.380	0.134	0.054	0.035	0.048	0.06	0.127	1.53	1.058	0.359	0.116	0.043	0.033	0.038	0.04
15. Organic heart disease.	North	1.208	0.01	0.031	0.037	0.129	0.223	0.504	3.206	12.51	1.315	0.04	0.039	0.060	0.166	0.303	0.624	3.124	11.29
	Midland	1.146	0.02	0.034	0.019	0.109	0.195	0.410	2.483	11.28	1.199	0.01	0.017	0.024	0.135	0.203	0.440	2.347	10.13
	South	1.247	0.03	0.010	0.029	0.105	0.193	0.525	2.615	11.50	1.332	0.03	0.031	0.039	0.152	0.236	0.462	2.420	10.58
	Wales	1.116	0.03	—	0.035	0.085	0.191	0.489	2.750	12.17	1.315	0.03	—	0.023	0.175	0.246	0.556	3.052	11.99
	E. & W.	1.193	0.02	0.024	0.029	0.113	0.204	0.480	2.778	11.75	1.284	0.03	0.027	0.040	0.153	0.249	0.516	2.661	10.71
16. Bronchitis	North	1.222	12.04	3.232	0.492	0.045	0.020	0.142	1.826	11.72	1.174	9.90	3.571	0.512	0.050	0.025	0.126	1.552	11.14
	Midland	0.923	7.93	2.334	0.321	0.027	0.021	0.087	1.075	8.75	0.898	6.76	2.173	0.308	0.021	0.018	0.074	0.875	8.25
	South	0.947	7.03	2.160	0.306	0.031	0.018	0.113	1.105	9.38	0.928	5.32	1.962	0.247	0.025	0.019	0.062	0.849	9.02
	Wales	0.888	7.31	2.464	0.279	0.019	0.026	0.087	1.188	9.64	0.917	6.25	2.285	0.290	0.035	0.046	0.102	1.040	9.06
	E. & W.	1.028	9.09	2.610	0.373	0.034	0.020	0.113	1.340	9.84	1.000	7.44	2.613	0.361	0.033	0.023	0.090	1.096	9.35
17. Pneumonia (all forms)	North	1.583	12.97	10.455	2.038	0.314	0.404	0.833	1.990	4.13	1.087	10.18	9.020	1.910	0.289	0.207	0.392	1.069	3.08
	Midland	0.985	9.33	6.858	1.251	0.148	0.217	0.473	1.139	2.51	0.690	7.04	6.234	1.221	0.165	0.104	0.244	0.512	1.93
	South	1.086	10.58	7.825	1.226	0.168	0.178	0.520	1.315	3.04	0.768	8.37	6.184	1.362	0.159	0.109	0.239	0.689	2.49
	Wales	1.255	11.74	7.071	1.348	0.140	0.274	0.632	1.664	3.82	0.920	8.53	6.601	1.231	0.172	0.218	0.334	0.834	2.83
	E. & W.	1.234	11.12	8.376	1.539	0.209	0.274	0.621	1.507	3.21	0.860	8.61	7.219	1.496	0.206	0.148	0.298	0.766	2.49
18. Other diseases of respiratory organs.	North	0.257	0.92	0.668	0.398	0.071	0.037	0.111	0.486	1.59	0.192	0.79	0.512	0.301	0.059	0.028	0.097	0.265	1.15
	Midland	0.208	0.68	0.362	0.272	0.035	0.029	0.089	0.362	1.34	0.157	0.58	0.335	0.165	0.035	0.036	0.057	0.222	0.98
	South	0.239	0.74	0.489	0.193	0.048	0.031	0.108	0.391	1.68	0.179	0.67	0.361	0.146	0.031	0.034	0.055	0.226	1.25
	Wales	0.260	0.73	0.429	0.349	0.074	0.043	0.084	0.529	1.90	0.173	0.72	0.363	0.186	0.043	0.028	0.070	0.263	1.11
	E. & W.	0.238	0.79	0.506	0.300	0.053	0.033	0.102	0.423	1.55	0.178	0.69	0.406	0.208	0.043	0.032	0.071	0.241	1.12
19. Diarrhoea and enteritis.	North	1.706	43.22	12.474	0.985	0.068	0.036	0.090	0.400	2.41	1.417	36.93	12.203	1.022	0.086	0.039	0.061	0.348	2.18
	Midland	1.309	36.96	7.793	0.542	0.045	0.035	0.063	0.286	1.69	1.072	30.78	7.617	0.640	0.063	0.020	0.064	0.224	1.62
	South	1.203	36.13	7.651	0.557	0.035	0.032	0.068	0.244	1.36	0.940	30.85	7.227	0.533	0.053	0.020	0.049	0.191	1.13
	Wales	1.471	38.94	8.249	0.395	0.047	0.035	0.105	0.373	1.76	1.355	33.92	7.617	0.534	0.059	0.028	0.105	0.354	1.83
	E. & W.	1.425	39.10	9.416	0.687	0.050	0.035	0.077	0.317	1.79	1.166	33.20	9.112	0.736	0.068	0.027	0.061	0.262	1.62
20. Appendicitis and typhlitis.	North	0.089	—	0.008	0.032	0.144	0.118	0.065	0.077	0.10	0.060	0.02	—	0.025	0.102	0.065	0.046	0.050	0.08
	Midland	0.089	0.01	0.017	0.054	0.130	0.097	0.072	0.098	0.08	0.057	—	0.009	0.046	0.085	0.050	0.049	0.061	0.06
	South	0.097	0.01	0.031	0.084	0.130	0.110	0.070	0.108	0.12	0.066	0.01	—	0.052	0.109	0.064	0.044	0.069	0.10
	Wales	0.087	—	—	0.035	0.155	0.100	0.073	0.065	0.06	0.058	—	—	0.058	0.094	0.060	0.035	0.074	0.03
	E. & W.	0.091	0.00	0.016	0.053	0.137	0.108	0.069	0.092	0.10	0.061	0.01	0.003	0.041	0.098	0.060	0.045	0.061	0.08
21. Cirrhosis of liver.	North	0.113	0.01	—	—	0.002	—	0.074	0.428	0.60	0.077	—	—	0.007	0.003	0.003	0.045	0.293	0.31
	Midland	0.107	0.01	0.008	0.003	0.002	0.001	0.069	0.372	0.53	0.085	—	—	—	0.003	—	0.057	0.288	0.33
	South	0.131	0.02	—	—	0.004	0.002	0.067	0.470	0.61	0.110	—	—	—	0.003	0.002	0.063	0.369	0.39
	Wales	0.096	—	—	—	0.004	—	0.057	0.384	0.51	0.048	—	—	—	—	—	0.035	0.189	0.19
	E. & W.	0.115	0.01	0.003	0.001	0.003	0.001	0.069	0.420	0.57	0.087	—	—	0.003	0.003	0.002	0.053	0.309	0.34
21A. Alcoholism	North	0.027	—	—	—	—	0.002	0.034	0.093	0.05	0.013	—	—	—	—	—	0.015	0.042	0.03
	Midland	0.016	—	—	—	—	0.001	0.027	0.043	0.02	0.009	—	—	—	—	—	0.010	0.032	0.01
	South	0.033	—	—	—	—	0.001	0.047	0.103	0.04	0.017	—	—	—	—	—	0.021	0.049	0.03
	Wales	0.025	—	—	—	—	—	0.035	0.076	0.08	0.016	—	—	—	—	0.005	0.018	0.063	0.02
	E. & W.	0.025	—	—	—	—	0.001	0.035	0.079	0.04	0.013	—	—	—	—	0.000	0.015	0.042	0.02
22. Nephritis and Bright's disease.	North	0.458	0.22	0.207	0.129	0.071	0.098	0.272	1.311	3.07	0.388	0.19	0.295	0.092	0.064	0.087	0.255	1.047	2.08
	Midland	0.377	0.17	0.135	0.062	0.041	0.050	0.198	0.964	2.71	0.311	0.18	0.172	0.084	0.053	0.076	0.168	0.717	1.76
	South	0.480	0.10	0.092	0.051	0.048	0.078	0.224	1.224	3.44	0.375	0.12	0.041	0.068	0.038	0.065	0.203	0.847	2.12
	Wales	0.415	0.15	0.179	0.116	0.058	0.052	0.262	1.059	3.41	0.343	0.21	0.218	0.081	0.055	0.088	0.217	0.903	2.00
	E. & W.	0.436	0.16	0.152	0.086	0.054	0.074	0.235	1.161	3.08	0.357	0.17	0.184	0.082	0.053	0.077	0.211	0.875	1.98
23. Puerperal fever.	North	—	—	—	—	—	—	—	—	—	0.074	—	—	—	—	0.086	0.190	0.001	—
	Midland	—	—	—	—	—	—	—	—	—	0.065	—	—	—	—	0.073	0.175	0.003	—
	South	—	—	—	—	—	—	—	—	—	0.055	—	—	—	—	0.051	0.144	0.006	—
	Wales	—	—	—	—	—	—	—	—	—	0.102	—	—	—	—	0.107	0.284	0.011	—
	E. & W.	—	—	—	—	—	—	—	—	—	0.068	—	—	—	—	0.073	0.178	0.004	—
24. Other accidents of pregnancy and parturition.	North	—	—	—	—	—	—	—	—	—	0.144	—	—	—	0.001	0.140	0.379	0.008	—
	Midland	—	—	—	—	—	—	—	—	—	0.103	—	—	—	—	0.090	0.288	0.015	—
	South</																		

TABLE 23.—MORTALITY from SEVERAL CAUSES, 1911.—ALL AREAS—*continued.*
(See note at head of Table.)

		Males.										Females.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
Suicide ...	North	0·158	—	—	—	—	0·064	0·190	0·437	0·52	0·054	—	—	—	0·002	0·048	0·071	0·111	0·11		
	Midlnd.	0·150	—	—	—	0·002	0·059	0·177	0·415	0·43	0·052	—	—	—	0·002	0·047	0·065	0·119	0·08		
	South	0·163	—	—	—	0·002	0·081	0·211	0·375	0·44	0·048	—	—	—	—	0·031	0·061	0·111	0·06		
	Wales	0·090	—	—	—	—	0·043	0·100	0·286	0·22	0·030	—	—	—	—	0·042	0·041	0·063	0·03		
	E. & W.	0·152	—	—	—	0·001	0·066	0·185	0·402	0·45	0·049	—	—	—	0·001	0·042	0·064	0·111	0·08		
Other de- fined dis- eases.	North	4·028	25·46	4·661	0·879	0·406	0·510	1·156	5·994	44·52	3·863	19·92	4·224	0·966	0·397	0·473	1·060	5·360	39·86		
	Midlnd.	3·867	19·07	3·370	0·745	0·416	0·473	1·036	4·514	40·73	3·720	14·85	2·901	0·746	0·327	0·449	0·990	4·014	35·47		
	South	3·799	16·76	2·985	0·799	0·355	0·471	1·229	5·048	36·99	3·567	12·39	2·705	0·729	0·370	0·435	0·911	3·782	32·43		
	Wales	4·005	34·41	3·962	0·628	0·359	0·406	1·053	5·019	41·30	1·052	24·03	3·698	0·780	0·317	0·421	1·270	5·003	38·49		
	E. & W.	3·913	21·91	3·763	0·797	0·390	0·476	1·135	5·191	40·64	3·745	16·69	3·370	0·820	0·361	0·452	1·005	4·435	35·86		
Diseases ill- defined or unknown.	North	0·156	0·30	1·313	0·092	0·008	0·017	0·053	0·421	0·69	0·118	0·29	1·234	0·124	0·018	0·010	0·047	0·253	0·37		
	Midlnd.	0·140	0·34	1·078	0·116	0·010	0·013	0·052	0·332	0·54	0·101	0·19	1·125	0·081	0·008	0·016	0·042	0·209	0·31		
	South	0·077	0·18	0·866	0·058	0·006	0·004	0·030	0·152	0·29	0·051	0·18	0·754	0·039	0·004	0·004	0·015	0·089	0·15		
	Wales	0·128	0·58	0·500	0·035	0·016	0·013	0·054	0·351	0·57	0·081	0·27	0·435	0·046	0·023	0·023	0·035	0·160	0·34		
	E. & W.	0·127	0·30	1·061	0·086	0·009	0·012	0·046	0·310	0·51	0·091	0·23	1·014	0·082	0·011	0·011	0·035	0·183	0·27		

TABLE 24.—MORTALITY from SEVERAL CAUSES, 1911.—LONDON.
(See note at head of Table 23).

All Causes	16·69	140·50	54·32	11·49	3·00	3·21	7·42	23·84	37·74	13·78	118·67	48·71	11·46	2·78	2·57	5·21	16·92	74·00
1. Enteric fever	0·036	—	—	0·007	0·019	0·047	0·055	0·038	0·010	0·028	—	—	0·021	0·031	0·040	0·030	0·023	0·02
2. Small-pox	0·001	0·02	—	0·007	0·002	—	—	—	—	0·003	—	—	0·021	—	—	0·004	—	—
3. Measles	0·629	5·20	12·214	2·901	0·198	0·003	0·002	0·003	—	0·517	4·28	11·348	2·993	0·169	0·004	0·005	0·005	—
4. Scarlet fever	0·045	0·07	0·200	0·314	0·082	0·005	0·003	—	—	0·033	0·04	0·336	0·214	0·067	—	0·005	—	—
5. Whooping cough	0·228	3·65	3·731	0·656	0·039	0·003	—	—	—	0·232	4·10	3·902	0·979	0·048	—	—	—	—
6. Diphtheria and croup.	0·137	0·42	1·555	0·777	0·195	0·008	0·006	0·003	—	0·142	0·51	1·121	0·900	0·297	0·011	0·005	0·005	—
7. Influenza	0·119	0·25	0·155	0·043	0·014	0·042	0·062	0·263	0·82	0·104	0·09	0·067	—	0·017	0·009	0·050	0·180	0·91
8. Erysipelas	0·045	0·25	0·044	—	—	0·008	0·023	0·095	0·31	0·046	0·22	0·045	—	—	0·016	0·024	0·076	0·30
9. Pulmonary tuberculosis.	1·791	0·69	1·044	0·378	0·174	1·161	2·628	3·481	2·45	1·019	0·57	0·650	0·386	0·283	0·922	1·460	1·382	1·00
10. Tuberculous meningitis.	0·199	1·58	2·065	0·777	0·239	0·044	0·018	0·009	—	0·164	1·86	1·884	0·664	0·202	0·038	0·012	0·005	—
11. Other tuberculous diseases.	0·253	2·14	1·532	0·549	0·205	0·138	0·102	0·145	0·17	0·170	1·29	0·897	0·393	0·207	0·100	0·072	0·068	0·21
12. Cancer, malignant disease.	1·065	0·04	0·067	0·029	0·034	0·055	0·271	3·391	9·75	1·083	—	0·045	0·029	0·021	0·038	0·489	3·039	7·51
13. Rheumatic fever	0·053	0·02	0·022	0·050	0·087	0·044	0·050	0·052	—	0·051	—	—	0·029	0·097	0·049	0·035	0·056	0·04
14. Meningitis	0·125	1·81	1·044	0·221	0·087	0·049	0·029	0·020	0·03	0·096	1·62	0·920	0·221	0·078	0·029	0·015	0·025	0·02
15. Organic heart disease.	1·168	0·04	0·022	0·029	0·152	0·255	0·580	2·784	10·89	1·296	—	0·067	0·057	0·221	0·278	0·593	2·725	10·23
16. Bronchitis	1·193	8·12	2·443	0·328	0·036	0·021	0·173	1·753	13·14	1·127	6·31	2·646	0·271	0·033	0·024	0·099	1·341	11·91
17. Pneumonia (all forms).	1·503	13·53	11·637	1·768	0·253	0·206	0·695	1·832	4·24	1·030	11·12	8·971	1·965	0·212	0·113	0·320	0·984	3·12
18. Other diseases of respiratory organs.	0·244	0·88	0·622	0·207	0·046	0·042	0·108	0·417	1·80	0·181	0·73	0·538	0·150	0·029	0·027	0·060	0·276	1·28
19. Diarrhoea and enteritis.	1·556	42·57	10·282	0·770	0·031	0·029	0·079	0·304	1·50	1·217	36·89	10·025	0·700	0·057	0·033	0·055	0·218	1·37
20. Appendicitis and typhlitis.	0·107	0·02	0·067	0·093	0·164	0·094	0·071	0·136	0·15	0·066	0·02	—	0·050	0·102	0·062	0·050	0·076	0·09
21. Cirrhosis of liver	0·147	0·04	—	—	0·007	0·003	0·076	0·576	0·65	0·139	—	—	—	0·002	0·004	0·088	0·515	0·46
21A. Alcoholism	0·044	—	—	—	—	0·003	0·052	0·148	0·08	0·029	—	—	—	—	—	0·034	0·091	0·05
22. Nephritis and Bright's disease.	0·528	0·09	0·155	0·029	0·051	0·086	0·268	1·487	4·05	0·429	0·16	0·022	0·086	0·050	0·071	0·263	1·113	2·38
23. Puerperal fever	—	—	—	—	—	—	—	—	—	0·065	—	—	—	—	0·056	0·170	—	—
24. Other accidents of pregnancy and parturition.	—	—	—	—	—	—	—	—	—	0·064	—	—	—	—	0·060	0·163	0·003	—
25. Congenital debility and malformation (including premature birth).	1·059	39·20	0·155	0·057	0·007	0·005	0·002	—	—	0·744	32·08	0·179	0·050	0·002	0·002	0·003	0·003	—
26. Violent deaths(excluding suicide).	0·661	2·89	1·066	0·649	0·456	0·297	0·478	0·917	1·37	0·333	3·41	1·009	0·436	0·176	0·076	0·093	0·314	1·53
27. Suicide	0·165	—	—	—	0·005	0·075	0·205	0·411	0·48	0·053	—	—	—	—	0·038	0·073	0·127	0·04
28. Other defined diseases.	3·550	16·89	3·175	0·807	0·411	0·489	1·376	5·523	35·263	2·292	13·33	2·987	0·830	0·383	0·466	0·938	4·228	31·50
29. Diseases — ill-defined or unknown.	0·041	0·09	1·022	0·043	0·002	—	0·006	0·052	0·09	0·032	0·04	1·054	0·014	—	0·002	0·007	0·041	0·03

TABLE 25.—MORTALITY from SEVERAL CAUSES, 1911.—COUNTY BOROUGHs.
(See note at head of Table 23.)

		Males.										Females.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
All Causes	North	18.38	165.76	60.81	13.83	3.48	4.03	7.97	27.03	98.13	15.69	136.84	58.20	13.73	3.39	3.46	6.21	20.42	85.07		
	Midland	16.53	162.92	51.27	11.53	2.90	3.61	6.60	21.72	88.68	14.56	134.20	49.44	11.68	2.87	3.12	5.66	17.26	78.42		
	South	14.97	130.30	36.92	8.64	2.70	2.81	6.82	20.12	81.99	12.99	106.07	31.19	7.98	2.93	2.84	4.70	13.80	70.79		
	Wales	15.48	145.67	36.90	7.72	2.68	3.95	7.46	23.31	89.61	14.47	127.01	37.02	9.71	3.51	3.46	6.91	19.90	77.41		
	E. & W.	17.33	160.63	54.51	12.35	3.19	3.77	7.42	24.52	92.45	14.99	132.63	51.94	12.37	3.19	3.29	5.90	18.61	80.41		
1. Enteric fever	North	0.106	0.01	0.031	0.020	0.042	0.123	0.183	0.098	0.03	0.068	—	—	0.030	0.049	0.100	0.075	0.075	0.05		
	Midland	0.078	—	—	0.056	0.046	0.098	0.117	0.071	0.02	0.061	—	—	0.019	0.048	0.078	0.070	0.084	0.02		
	South	0.082	0.07	—	—	0.018	0.104	0.125	0.117	—	0.048	—	—	0.088	—	0.044	0.067	0.062	0.025		
	Wales	0.068	—	—	—	—	—	—	—	—	0.048	—	—	—	—	0.062	0.045	0.059	0.031		
	E. & W.	0.093	0.01	0.017	0.028	0.040	0.113	0.155	0.091	0.02	0.062	—	—	0.009	0.022	0.049	0.088	0.071	0.070		
2. Small-pox	North	0.001	—	—	—	—	—	0.001	0.002	—	—	—	—	—	—	—	—	—	—		
	Midland	—	—	—	—	—	—	—	—	—	0.001	—	—	—	—	—	—	0.004	—		
	South	0.002	—	—	—	—	—	0.006	—	—	—	—	—	—	—	—	—	—	—		
	Wales	0.004	—	—	—	—	—	—	0.029	—	—	—	—	—	—	—	—	—	—		
	E. & W.	0.001	—	—	—	—	—	0.001	0.002	—	0.000	—	—	—	—	—	—	0.001	—		
3. Measles	North	0.490	4.11	9.291	2.057	0.125	0.002	0.003	—	—	0.425	3.42	8.761	2.137	0.120	0.003	0.002	—	—		
	Midland	0.492	3.90	9.394	2.136	0.134	0.004	—	—	—	0.396	2.94	7.809	2.060	0.177	—	—	—	—		
	South	0.345	3.13	7.210	1.640	0.117	0.009	—	—	—	0.267	3.34	5.831	1.541	0.097	—	0.005	—	0.02		
	Wales	0.154	1.53	3.441	0.432	0.021	—	—	—	—	0.126	0.94	2.088	0.618	0.041	—	—	—	—		
	E. & W.	0.460	3.84	8.849	1.965	0.122	0.003	0.002	—	—	0.386	3.16	7.880	1.987	0.132	0.002	0.002	—	0.00		
4. Scarlet fever	North	0.086	0.20	0.355	0.513	0.148	0.027	0.004	0.002	—	0.073	0.09	0.314	0.538	0.127	0.010	0.009	—	—		
	Midland	0.076	0.10	0.320	0.531	0.122	0.007	0.007	0.004	—	0.079	0.20	0.352	0.622	0.099	0.019	0.012	—	—		
	South	0.066	—	0.347	0.465	0.117	0.028	0.006	—	—	0.028	—	0.088	0.168	0.088	0.017	—	—	—		
	Wales	0.047	0.15	0.382	0.370	0.021	—	0.014	—	—	0.083	0.47	0.190	0.495	0.103	0.045	—	—	—		
	E. & W.	0.079	0.15	0.346	0.507	0.131	0.020	0.006	0.002	—	0.070	0.13	0.297	0.524	0.113	0.015	0.009	—	—		
5. Whooping cough	North	0.247	3.99	3.418	0.802	0.025	—	—	0.002	—	0.310	5.04	4.977	1.111	0.066	—	—	—	—		
	Midland	0.198	3.26	2.705	0.616	0.033	—	—	—	—	0.256	4.10	3.816	1.067	0.060	—	—	—	—		
	South	0.115	2.53	2.085	0.164	0.009	—	—	0.011	—	0.135	3.19	2.827	0.364	0.027	—	—	—	—		
	Wales	0.175	3.51	2.294	0.309	0.021	—	—	—	—	0.205	3.93	3.038	0.247	0.041	—	—	—	—		
	E. & W.	0.215	3.61	3.022	0.660	0.026	—	—	0.002	—	0.269	4.53	4.330	0.985	0.059	—	—	—	—		
6. Diphtheria and croup	North	0.178	0.36	1.165	1.071	0.310	0.008	0.002	0.004	0.01	0.162	0.30	0.958	1.091	0.310	0.012	0.004	0.006	—		
	Midland	0.160	0.48	1.076	0.905	0.268	0.011	0.004	—	—	0.137	0.20	0.675	0.947	0.273	0.006	0.006	0.004	—		
	South	0.168	0.15	0.782	1.038	0.370	0.038	0.017	—	—	0.178	0.08	0.707	1.008	0.601	0.008	0.019	0.008	—		
	Wales	0.154	0.31	0.956	1.049	0.230	—	0.014	—	—	0.287	0.16	1.329	2.041	0.472	0.022	—	0.031	—		
	E. & W.	0.170	0.37	1.091	1.017	0.300	0.012	0.005	0.002	0.01	0.161	0.24	0.866	1.082	0.336	0.010	0.006	0.007	—		
7. Influenza	North	0.114	0.15	0.093	0.045	0.015	0.050	0.073	0.261	0.85	0.103	0.14	0.079	0.030	0.016	0.019	0.053	0.228	0.83		
	Midland	0.107	0.07	0.175	0.075	0.006	0.036	0.080	0.205	0.80	0.075	0.10	0.117	0.028	0.009	0.013	0.040	0.191	0.44		
	South	0.170	0.07	0.174	0.082	0.036	0.038	0.074	0.277	1.50	0.138	0.15	—	0.028	0.018	0.008	0.076	0.241	0.87		
	Wales	0.141	0.31	0.382	—	0.042	0.046	0.138	0.171	1.17	0.104	—	0.190	0.062	0.062	0.022	0.059	0.219	0.74		
	E. & W.	0.119	0.13	0.139	0.055	0.016	0.044	0.078	0.243	0.94	0.099	0.12	0.087	0.031	0.016	0.016	0.052	0.219	0.72		
8. Erysipelas	North	0.036	0.18	0.031	0.005	0.007	0.015	0.022	0.080	0.19	0.029	0.21	—	0.010	0.003	0.002	0.006	0.055	0.25		
	Midland	0.029	0.22	—	0.009	—	0.004	0.024	0.050	0.18	0.035	0.25	0.059	0.009	0.003	—	0.014	0.053	0.28		
	South	0.017	0.07	—	—	—	—	0.006	0.032	0.17	0.024	0.08	—	—	0.009	—	0.005	0.017	0.23		
	Wales	0.009	—	—	—	—	—	—	0.029	0.13	0.022	—	—	0.062	—	—	0.030	0.031	0.11		
	E. & W.	0.031	0.17	0.017	0.006	0.004	0.010	0.020	0.064	0.18	0.030	0.20	0.017	0.011	0.004	0.001	0.009	0.049	0.25		
9. Pulmonary tuberculosis	North	1.637	0.43	0.621	0.309	0.245	1.305	2.399	3.246	1.84	1.077	0.47	0.769	0.324	0.474	1.275	1.521	1.241	0.70		
	Midland	1.485	0.60	0.698	0.326	0.158	1.333	2.251	2.837	1.23	1.025	0.49	0.939	0.297	0.310	1.281	1.538	1.168	0.56		
	South	1.402	0.37	0.261	0.164	0.261	0.917	2.248	2.513	1.24	1.044	0.61	0.707	0.308	0.283	1.217	1.566	1.130	0.62		
	Wales	1.502	0.76	0.765	0.123	0.188	1.186	2.284	2.885	1.69	1.411	1.42	0.949	0.186	0.533	1.652	2.139	1.687	0.85		
	E. & W.	1.560	0.49	0.615	0.291	0.218	1.264	2.335	3.026	1.55	1.071	0.53	0.822	0.308	0.408	1.286	1.555	1.221	0.65		
10. Tuberculous meningitis	North	0.195	1.43	1.818	0.772	0.208	0.063	0.019	0.009	—	0.153	0.98	1.539	0.608	0.203	0.066	0.014	0.014	—		
	Midland	0.164	1.51	1.367	0.616	0.140	0.058	0.020	0.029	—	0.140	1.21	1.321	0.548	0.189	0.047	0.006	0.008	—		
	South	0.160	1.42	1.303	0.711	0.144	0.085	0.028	0.011	0.03	0.141	1.75	1.679	0.476	0.248	0.050	—	0.008	—		
	Wales	0.128	1.38	0.956	0.247	0.167	0.023	0.028	0.029	—	0.170	0.79	0.759	0.495	0.287	0.045	0.059	0.031	0.11		
	E. & W.	0.179	1.45	1.593	0.696	0.179	0.062	0.021	0.016	0.01	0.148	1.11	1.452	0.572	0.207	0.057	0.012	0.012	0.00		
11. Other tuberculous diseases	North	0.338	2.66	2.517	0.677	0.277	0.185	0.111	0.183	0.23	0.280	2.26	2.277	0.677	0.247	0.112	0.122	0.130	0.15		
	Midland	0.279	3.11	1.861	0.550	0.189	0.188	0.059	0.117	0.14	0.228	2.42	1.527	0.455	0.183	0.113	0.090	0.134	0.08		
	South	0.217	1.79	1.737	0.437	0.189	0.132	0.074	0.128	0.17	0.199	1.90	0.884	0.308	0.194	0.134	0.105	0.158	0.17		
	Wales	0.274	2.90	1.147	0.309	0.146	0.182	0.194	0.029	0.52	0.196	1.73	0.949	0.247	0.144	0.179	0.074	0.094	0.21		
	E. & W.	0.304	2.72	2.182	0.599	0															

TABLE 25.—MORTALITY from SEVERAL CAUSES, 1911.—COUNTY BOROUGH—*continued*.
(See note at head of Table 23.)

		Males.										Females.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
14. Meningitis.	North	0.230	2.47	1.927	0.543	0.193	0.060	0.039	0.072	0.20	0.191	2.31	1.460	0.543	0.142	0.067	0.046	0.063	0.11		
	Midland	0.179	2.23	1.687	0.392	0.109	0.043	0.046	0.050	0.03	0.143	1.43	1.527	0.315	0.138	0.044	0.044	0.053	0.01		
	South	0.161	1.79	1.216	0.328	0.162	0.094	0.040	0.085	—	0.094	0.91	0.795	0.476	0.106	0.017	0.019	0.050	0.02		
	Wales	0.223	3.06	1.529	0.370	0.188	0.046	0.055	0.086	—	0.223	2.36	1.709	0.557	0.226	0.067	0.059	—	—		
	E. & W.	0.207	2.36	1.766	0.468	0.165	0.058	0.042	0.067	0.11	0.167	1.92	1.426	0.469	0.141	0.055	0.043	0.056	0.06		
15. Organic heart disease.	North	1.203	0.01	0.047	0.060	0.162	0.277	0.585	3.425	11.62	1.302	0.04	0.047	0.075	0.180	0.345	0.674	3.186	10.84		
	Midland	1.108	0.02	0.029	0.019	0.164	0.290	0.478	2.887	10.61	1.237	—	—	0.046	0.198	0.244	0.563	2.817	10.52		
	South	1.293	—	—	0.055	0.135	0.198	0.558	3.003	10.93	1.315	—	—	0.056	0.115	0.218	0.363	2.319	10.26		
	Wales	1.113	—	—	—	0.167	0.228	0.623	2.999	11.93	1.045	—	—	0.062	0.164	0.201	0.546	3.280	8.46		
	E. & W.	1.181	0.01	0.035	0.044	0.160	0.270	0.553	3.201	11.21	1.274	0.02	0.026	0.064	0.176	0.295	0.600	2.967	10.57		
16. Bronchitis.	North	1.420	12.28	3.418	0.523	0.045	0.025	0.205	2.444	14.77	1.386	10.42	3.925	0.618	0.054	0.045	0.185	2.091	13.52		
	Midland	1.224	9.79	3.344	0.401	0.046	0.029	0.143	1.852	12.65	1.179	9.00	3.317	0.483	0.039	0.031	0.135	1.386	11.55		
	South	0.821	6.26	2.867	0.301	0.045	0.019	0.114	0.671	8.52	0.967	6.22	2.209	0.308	0.035	0.008	0.048	0.690	9.15		
	Wales	0.809	5.50	2.868	0.309	0.021	0.023	0.055	1.314	10.50	0.945	6.45	3.038	0.247	0.062	—	0.133	1.624	9.73		
	E. & W.	1.270	10.66	3.316	0.455	0.044	0.025	0.170	2.018	13.01	1.258	9.41	3.533	0.530	0.048	0.035	0.152	1.684	12.06		
17. Pneumonia (all forms).	North	1.844	13.54	11.947	2.580	0.375	0.458	1.042	2.433	4.83	1.240	10.73	10.394	2.256	0.341	0.235	0.475	1.286	3.55		
	Midland	1.248	11.11	9.510	1.828	0.219	0.283	0.600	1.387	2.92	0.872	8.43	8.924	1.819	0.211	0.157	0.297	0.641	2.16		
	South	0.968	10.13	5.994	1.120	0.127	0.132	0.444	1.129	3.34	0.704	8.27	4.948	0.980	0.159	0.118	0.186	0.615	2.66		
	Wales	1.335	10.09	6.309	1.975	0.105	0.274	0.817	1.999	4.54	1.019	9.60	7.594	1.299	0.205	0.268	0.354	1.031	3.49		
	E. & W.	1.549	12.34	10.373	2.182	0.291	0.362	0.838	1.958	4.00	1.060	9.76	9.288	1.956	0.277	0.200	0.384	1.001	2.98		
18. Other dis. of respiratory organs.	North	0.266	0.97	0.746	0.418	0.080	0.033	0.127	0.487	1.62	0.198	0.90	0.612	0.284	0.048	0.035	0.112	0.310	1.02		
	Midland	0.229	0.55	0.553	0.298	0.012	0.043	0.113	0.482	1.55	0.167	0.59	0.470	0.139	0.039	0.031	0.062	0.275	1.15		
	South	0.241	0.74	0.434	0.191	0.081	0.028	0.119	0.351	1.71	0.202	0.68	—	0.224	0.035	0.059	0.053	0.208	1.51		
	Wales	0.193	0.61	0.191	0.370	—	0.023	0.055	0.571	1.17	0.148	0.47	0.569	0.062	0.041	0.045	0.074	0.344	0.74		
	E. & W.	0.249	0.81	0.632	0.358	0.056	0.035	0.119	0.474	1.59	0.187	0.77	0.507	0.225	0.044	0.037	0.089	0.287	1.13		
19. Diarrhoea and Enteritis.	North	1.880	46.00	14.589	1.211	0.070	0.044	0.092	0.440	2.40	1.518	38.89	14.398	1.181	0.082	0.029	0.057	0.355	2.19		
	Midland	1.794	47.86	11.575	0.830	0.064	0.047	0.083	0.360	2.03	1.450	40.51	11.831	0.891	0.069	0.016	0.072	0.290	1.85		
	South	1.237	39.71	6.602	0.519	0.045	0.028	0.068	0.266	1.34	0.889	31.18	6.538	0.504	0.044	—	0.038	0.199	1.15		
	Wales	1.733	44.18	10.323	0.370	—	0.068	0.111	0.743	2.46	1.511	37.93	8.354	0.433	0.123	0.022	0.089	0.406	3.07		
	E. & W.	1.778	45.87	12.702	0.990	0.063	0.044	0.088	0.410	2.13	1.424	38.58	12.577	0.993	0.076	0.022	0.060	0.317	1.94		
20. Appendicitis and typhlitis.	North	0.087	—	—	0.035	0.142	0.100	0.065	0.080	0.13	0.063	0.01	—	0.020	0.117	0.071	0.046	0.049	0.08		
	Midland	0.089	—	0.029	0.019	0.146	0.112	0.067	0.084	0.08	0.055	—	—	0.009	0.093	0.050	0.046	0.069	0.05		
	South	0.094	—	—	—	0.090	0.142	0.074	0.138	0.10	0.066	—	—	0.028	0.124	0.034	0.072	0.058	0.06		
	Wales	0.086	—	—	—	0.230	0.091	0.055	0.029	—	0.065	—	—	0.062	0.123	0.067	0.030	0.094	—		
	E. & W.	0.088	—	0.009	0.025	0.142	0.108	0.066	0.086	0.11	0.061	0.01	—	0.019	0.111	0.060	0.049	0.057	0.06		
21. Cirrhosis of liver.	North	0.117	—	—	—	0.005	—	0.081	0.425	0.72	0.086	—	—	0.015	0.003	0.002	0.048	0.351	0.30		
	Midland	0.118	—	—	—	—	0.004	0.098	0.415	0.61	0.106	—	—	—	0.006	—	0.093	0.386	0.32		
	South	0.111	—	—	—	—	—	0.074	0.394	0.47	0.117	—	—	—	0.018	—	0.062	0.366	0.40		
	Wales	0.098	—	—	—	0.021	—	0.028	0.457	0.52	0.078	—	—	—	—	—	0.059	0.375	0.21		
	E. & W.	0.116	—	—	—	0.004	0.001	0.083	0.420	0.64	0.095	—	—	0.008	0.005	0.001	0.063	0.364	0.32		
21a. Alcoholism.	North	0.031	—	—	—	—	0.004	0.042	0.103	0.04	0.014	—	—	—	—	—	0.014	0.047	0.04		
	Midland	0.014	—	—	—	—	—	0.020	0.038	0.05	0.013	—	—	—	—	—	0.016	0.046	0.02		
	South	0.019	—	—	—	—	—	0.040	0.043	—	0.010	—	—	—	—	—	0.014	0.033	—		
	Wales	0.021	—	—	—	—	—	0.042	0.057	—	0.026	—	—	—	—	0.022	0.030	0.062	0.11		
	E. & W.	0.024	—	—	—	—	0.002	0.035	0.075	0.04	0.014	—	—	—	—	0.001	0.015	0.045	0.03		
22. Nephritis and Bright's disease.	North	0.494	0.19	0.233	0.135	0.098	0.090	0.308	1.497	3.19	0.406	0.18	0.330	0.149	0.068	0.093	0.267	1.117	2.13		
	Midland	0.427	0.17	0.204	0.084	0.055	0.040	0.283	1.144	3.25	0.321	0.22	0.205	0.111	0.060	0.091	0.197	0.836	1.68		
	South	0.465	0.07	—	0.055	0.054	0.038	0.262	1.193	3.24	0.332	0.23	—	0.028	0.044	0.050	0.124	0.731	1.98		
	Wales	0.432	—	0.191	0.247	0.021	0.068	0.360	1.257	2.85	0.340	0.16	0.380	0.124	0.082	0.089	0.251	1.062	1.59		
	E. & W.	0.468	0.16	0.199	0.116	0.077	0.069	0.298	1.348	3.21	0.370	0.20	0.262	0.125	0.064	0.088	0.229	0.982	1.95		
23. Puerperal fever.	North	—	—	—	—	—	—	—	—	—	0.079	—	—	—	—	0.095	0.196	0.002	—		
	Midland	—	—	—	—	—	—	—	—	—	0.082	—	—	—	—	0.113	0.201	—	—		
	South	—	—	—	—	—	—	—	—	—	0.052	—	—	—	—	0.059	0.134	—	—		
	Wales	—	—	—	—	—	—	—	—	—	0.061	—	—	—	—	0.067	0.148	0.031	—		
	E. & W.	—	—	—	—	—	—	—	—	—	0.076	—	—	—	—	0.095	0.188	0.002	—		
24. Other accidents of preg. and parturition.	North	—	—	—	—	—	—	—	—	—	0.128	—	—	—	0.002	0.117	0.339	0.002	—		
	Midland	—	—	—	—	—	—	—	—	—	0.107	—	—	—	—	0.060	0.310	0.015	—		
	South	—	—	—	—	—	—	—	—	—	0.064	—	—	—	—	0.059	0.158	0.025	—		
	Wales	—	—	—	—	—	—	—	—	—	0.144	—	—	—	—	0.045	0.428	0.062			

TABLE 25.—MORTALITY from SEVERAL CAUSES, 1911.—COUNTY BOROUGH—continued.
(See note at head of Table 23.)

		Males.										Females.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
27. Suicide ...	North	0.151	—	—	—	—	0.048	0.182	0.447	0.51	0.051	—	—	—	0.002	0.026	0.067	0.124	0.13		
	Midlnd.	0.157	—	—	—	0.003	0.043	0.185	0.473	0.49	0.048	—	—	—	0.003	0.034	0.054	0.107	0.16		
	South	0.172	—	—	—	—	0.085	0.245	0.373	0.40	0.045	—	—	—	—	0.017	0.062	0.100	0.06		
	Wales	0.098	—	—	—	—	0.068	0.083	0.371	0.13	0.039	—	—	—	—	0.067	0.059	0.062	—		
	E. & W.	0.153	—	—	—	0.001	0.052	0.185	0.443	0.47	0.049	—	—	—	0.002	0.029	0.062	0.114	0.12		
28. Other de- fined diseases.	North	4.093	27.38	5.486	0.902	0.433	0.552	1.302	6.558	44.47	3.846	20.81	4.804	1.030	0.398	0.506	1.120	5.614	39.57		
	Midlnd.	3.827	22.49	3.662	0.903	0.435	0.523	1.161	5.470	41.79	3.752	17.30	3.406	0.945	0.351	0.460	1.134	4.865	38.00		
	South	4.040	18.12	3.388	0.711	0.353	0.371	1.398	5.890	38.24	3.701	12.20	2.475	0.646	0.407	0.547	0.910	3.656	32.34		
	Wales	3.945	35.46	3.631	0.556	0.313	0.387	1.204	6.141	42.53	3.700	23.93	3.229	1.296	0.324	0.287	1.310	5.468	38.68		
	E. & W.	4.003	25.45	4.651	0.867	0.418	0.515	1.267	6.143	42.63	3.797	19.08	4.085	0.979	0.381	0.487	1.106	5.132	37.85		
29. Diseases— ill-defined or un- known.	North	0.178	0.34	1.771	0.125	0.007	0.017	0.048	0.476	0.80	0.139	0.31	1.664	0.169	0.025	0.009	0.051	0.279	0.45		
	Midlnd.	0.160	0.22	2.065	0.196	0.003	0.014	0.052	0.331	0.61	0.130	0.12	1.908	0.149	0.006	0.025	0.056	0.225	0.41		
	South	0.062	0.15	1.129	0.027	—	0.009	0.017	0.106	0.20	0.046	0.30	0.618	0.056	0.009	—	0.019	0.091	0.04		
	Wales	0.124	0.46	0.765	—	0.021	0.023	0.055	0.428	0.13	0.096	0.16	0.759	0.186	—	0.045	0.044	0.156	0.42		
	E. & W.	0.158	0.29	1.749	0.130	0.006	0.016	0.046	0.389	0.62	0.124	0.25	1.592	0.153	0.016	0.014	0.049	0.234	0.37		

TABLE 26.—MORTALITY from SEVERAL CAUSES, 1911—OTHER URBAN DISTRICTS.
(See note at head of Table 23.)

All Causes	{	North	16.51	157.67	50.64	11.47	3.09	4.02	6.26	22.57	95.44	14.66	135.46	48.12	11.21	3.12	3.20	5.46	18.11	82.76	
		Midlnd.	13.87	132.44	37.00	8.87	2.41	3.05	5.32	17.85	81.11	12.13	108.86	34.83	8.40	2.41	2.56	4.41	13.93	69.97	
		South	13.82	117.47	29.22	7.69	2.28	3.16	5.95	17.73	81.49	12.07	95.44	26.88	7.45	2.35	2.30	4.15	13.08	68.86	
		Wales	15.58	162.35	42.07	8.49	2.83	3.57	6.16	21.22	91.38	14.58	130.34	38.69	8.63	2.54	3.59	6.50	18.00	78.51	
		E. & W.	14.94	142.25	41.00	9.52	2.66	3.46	5.85	19.79	86.38	13.19	118.48	38.63	9.24	2.66	2.82	4.88	15.46	74.04	
1. Enteric fever.	{	North	0.158	—	—	—	0.056	0.068	0.194	0.237	0.187	0.77	0.104	0.04	—	0.056	0.090	0.147	0.113	0.101	0.07
		Midlnd.	0.050	—	0.020	0.013	0.035	0.088	0.063	0.040	0.02	0.034	—	0.020	0.013	0.037	0.049	0.033	0.031	0.04	
		South	0.070	—	—	—	0.022	0.096	0.126	0.064	—	0.030	—	—	—	0.035	0.047	0.044	0.017	0.01	
		Wales	0.113	0.06	0.071	—	0.097	0.153	0.143	0.121	—	0.059	—	—	0.118	0.049	0.079	0.081	0.013	—	
		E. & W.	0.097	0.01	0.015	0.024	0.050	0.133	0.144	0.104	0.03	0.060	0.01	0.008	0.036	0.056	0.085	0.067	0.051	0.04	
2. Small-pox	{	North	—	—	—	—	—	—	—	—	—	0.000	—	—	—	—	0.002	—	—	—	
		Midlnd.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		South	0.003	—	—	—	0.009	—	—	0.005	0.02	0.000	—	—	—	—	—	—	0.004	—	
		Wales	—	—	—	—	—	—	—	—	—	0.002	—	—	—	—	—	—	0.013	—	
		E. & W.	0.001	—	—	—	0.002	—	—	0.001	0.00	0.000	—	—	—	—	0.001	—	0.002	—	
3. Measles ...	{	North	0.406	3.68	8.176	1.635	0.100	0.005	—	—	—	0.375	3.61	7.318	1.848	0.110	0.002	0.003	—	—	
		Midlnd.	0.405	2.92	7.134	1.857	0.186	0.008	0.003	—	—	0.334	2.84	6.322	1.646	0.175	0.004	0.004	0.005	0.01	
		South	0.368	3.17	6.892	1.789	0.255	0.018	0.003	—	—	0.305	2.88	6.918	1.724	0.230	0.004	0.007	0.004	—	
		Wales	0.306	2.70	5.695	1.043	0.073	—	0.006	—	—	0.284	2.37	4.654	1.058	0.057	0.010	0.006	—	—	
		E. & W.	0.389	3.22	7.306	1.686	0.158	0.008	0.002	—	—	0.338	3.07	6.597	1.669	0.151	0.004	0.004	0.003	0.00	
4. Scarlet fever.	{	North	0.066	0.09	0.279	0.399	0.134	0.013	0.005	—	—	0.077	0.06	0.301	0.537	0.167	0.010	0.004	—	—	
		Midlnd.	0.045	0.02	0.198	0.246	0.100	0.003	0.004	—	—	0.046	0.05	0.141	0.318	0.094	0.010	0.003	—	—	
		South	0.020	0.04	0.045	0.099	0.048	0.009	0.003	—	—	0.023	—	0.093	0.157	0.075	—	—	—	—	
		Wales	0.068	0.17	0.214	0.427	0.129	—	—	—	—	0.061	0.06	0.654	0.353	0.065	—	0.006	—	—	
		E. & W.	0.050	0.06	0.202	0.292	0.106	0.007	0.004	—	—	0.053	0.05	0.243	0.370	0.113	0.007	0.004	—	—	
5. Whooping cough.	{	North	0.241	4.65	3.369	0.580	0.036	—	—	—	—	0.311	6.30	4.692	0.879	0.047	—	—	—	0.01	
		Midlnd.	0.159	2.99	1.863	0.493	0.025	—	—	—	—	0.202	3.63	3.584	0.629	0.035	0.002	—	—	—	
		South	0.133	3.33	1.880	0.282	0.026	—	—	—	—	0.153	3.77	2.507	0.656	0.031	—	—	—	—	
		Wales	0.220	4.31	2.420	0.451	0.016	—	—	—	—	0.287	4.62	3.272	0.799	0.024	—	—	—	—	
		E. & W.	0.188	3.78	2.450	0.482	0.028	—	—	—	—	0.237	4.71	3.767	0.738	0.037	0.001	—	—	0.00	
6. Diphtheria and croup.	{	North	0.136	0.27	0.944	0.930	0.214	0.005	0.005	—	0.01	0.135	0.22	0.667	0.962	0.259	0.014	0.001	0.005	0.01	
		Midlnd.	0.125	0.32	0.694	0.695	0.231	0.013	0.001	0.003	—	0.110	0.16	0.443	0.674	0.265	0.002	0.003	0.008	—	
		South	0.128	—	0.492	0.972	0.282	0.009	0.006	—	—	0.108	0.16	0.232	0.742	0.323	0.017	0.002	0.009	—	
		Wales	0.113	0.23	0.783	0.521	0.226	0.009	—	0.012	—	0.136	0.24	0.436	0.823	0.235	0.020	—	—	—	
		E. & W.	0.128	0.24	0.757	0.806	0.234	0.009	0.003	0.002	0.00	0.120	0.19	0.487	0.801	0.270	0.011	0.002	0.007	0.00	
7. Influenza ...	{	North	0.117	0.38	0.043	0.042	0.018	0.031	0.092	0.202	0.88	0.100	0.22	0.022	0.042	0.020	0.038	0.037	0.187	0.81	
		Midlnd.	0.128	0.25	0.139	0.051	0.014	0.033	0.077	0.290	0.86	0.105	0.25	0.081	0.038	0.012	0.018	0.057	0.195	0.73	
		South	0.125	0.39	0.045	0.113	0.018	0.050	0.071	0.150	0.91	0.128	0.32	0.093	0.014	0.018	0.021	0.049	0.132	1.01	
		Wales	0.141	—	0.071	0.071	0.008	0.063	0.115	0.386	0.91	0.120	0.12	0.073	0.071	—	0.039	0.081	0.236	1.06	
		E. & W.	0.125	0.29	0.082	0.060	0.016	0.038	0.085	0.240	0.88	0.109	0.24	0.061	0.039	0.015	0.028	0.051	0.181	0.85	
8. Erysipelas	{	North	0.027	0.16	—	—	0.007	0.008	0.011	0.050	0.23	0.026	0.26	0.022	—	0.002	0.002	0.013	0.036	0.18	
		Midlnd.	0.028	0.08	0.020	0.013	0.002	0.013	0.013	0.057	0.21	0.021	0.14	0.040	0.019	0.002	—	0.015	0.046	0.07	
		South	0.018	—	—	0.014	0.004	—	—	0.027	0.22	0.017	0.16	—	—	—	0.009	0.005	0.043	0.04	
		Wales	0.017	0.06	—	—	—	0.009	0.006	0.048	0.15	0.014	0.12	—	—	—	0.010	0.006	0.026	0.08	
		E. & W.	0.025	0.09	0.007	0.007	0.004	0.008	0.009	0.048	0.21	0.021	0.18	0.023	0.007	0.002	0.003	0.011	0.040	0.10	
9. Pulmonary tuberculosis.	{	North	1.099	0.38	0.944	0.357	0.196	1.128	1.462	2.011	0.97	0.922	0.46	0.818	0.293	0.367	1.131	1.329	1.017	0.51	
		Midlnd.	1.034	0.69	0.595	0.133	0.133	1.002	1.638	1.739	0.82	0.758	0.42	0.503	0.229	0.257	1.034	1.089	0.848	0.39	
		South	1.184	0.31	0.224	0.268	0.141	1.063	1.949	1.876	0.86	0.780	0.32	0.557	0.171	0.217	0.911	1.079	0.997	0.58	
		Wales	0.918	0.52	0.498	0.190	0.145	0.894	1.273	1.808	0.96	0.982	0.36	0.436	0.118	0.349	1.330	1.623	1.023	0.57	
		E. & W.	1.074	0.50	0.644	0.239	0.157	1.047	1.598	1.868	0.88	0.837	0.41	0.616	0.230	0.297	1.069	1.212	0.951	0.49	

TABLE 26.—MORTALITY from SEVERAL CAUSES, 1911.—OTHER URBAN DISTRICTS—*continued.*

(See note at head of Table 23.)

		Males.									Females.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
10. Tuberculous meningitis.	North	0.171	1.64	1.588	0.643	0.171	0.046	0.018	0.009	—	0.163	1.34	1.442	0.572	0.232	0.072	0.017	0.014	—
	Midland	0.143	1.25	1.464	0.512	0.133	0.036	0.016	0.017	—	0.118	0.88	1.148	0.464	0.149	0.060	0.013	0.010	—
	South	0.126	1.25	0.985	0.394	0.141	0.087	0.021	0.027	—	0.096	0.93	0.557	0.484	0.164	0.051	0.017	0.004	—
	Wales	0.132	1.44	0.641	0.403	0.162	0.045	0.011	—	—	0.120	0.77	0.436	0.188	0.195	0.099	0.019	0.039	—
	E. & W.	0.148	1.41	1.341	0.526	0.150	0.050	0.017	0.015	—	0.130	1.04	1.080	0.476	0.185	0.066	0.016	0.012	—
11. Other tuberculous diseases.	North	0.347	3.29	2.532	0.622	0.248	0.140	0.159	0.214	0.15	0.283	2.58	2.281	0.537	0.243	0.130	0.132	0.134	0.16
	Midland	0.222	2.11	1.486	0.436	0.125	0.143	0.096	0.126	0.10	0.192	1.80	1.289	0.331	0.155	0.120	0.096	0.108	0.11
	South	0.199	1.61	1.208	0.296	0.185	0.132	0.109	0.144	0.09	0.160	0.89	0.697	0.199	0.146	0.166	0.104	0.141	0.13
	Wales	0.229	1.96	1.424	0.285	0.145	0.171	0.099	0.108	0.25	0.255	2.02	1.091	0.447	0.162	0.158	0.131	0.170	0.16
	E. & W.	0.262	2.43	1.798	0.461	0.180	0.143	0.121	0.159	0.12	0.222	1.95	1.522	0.392	0.185	0.135	0.113	0.128	0.13
12. Cancer, malignant disease.	North	0.799	0.02	—	0.035	0.032	0.038	0.231	2.568	7.98	1.041	0.02	0.043	0.014	0.011	0.031	0.414	3.252	7.93
	Midland	0.855	0.03	0.020	0.051	0.016	0.075	0.248	2.652	7.92	1.051	0.02	0.040	0.019	0.014	0.029	0.436	3.069	7.54
	South	0.997	0.04	—	0.070	0.031	0.018	0.268	2.662	8.54	1.264	—	—	—	0.018	0.047	0.444	3.068	7.82
	Wales	0.662	0.06	0.071	0.024	0.016	0.054	0.225	2.544	6.49	0.860	0.12	—	0.024	0.008	0.020	0.468	3.409	5.61
	E. & W.	0.844	0.03	0.015	0.046	0.024	0.049	0.243	2.615	7.98	1.074	0.03	0.030	0.015	0.013	0.032	0.433	3.156	7.60
13. Rheumatic fever	North	0.064	0.02	—	0.049	0.086	0.071	0.051	0.080	0.05	0.065	0.02	0.022	—	0.113	0.052	0.052	0.077	0.06
	Midland	0.050	0.02	—	0.032	0.057	0.058	0.049	0.066	—	0.050	0.02	—	0.025	0.096	0.053	0.037	0.041	0.03
	South	0.035	0.04	—	0.028	0.040	0.041	0.021	0.042	0.06	0.044	—	0.046	—	0.066	0.043	0.042	0.047	0.04
	Wales	0.086	—	—	0.024	0.113	0.063	0.099	0.121	0.05	0.088	—	—	0.024	0.097	0.158	0.081	0.079	0.04
	E. & W.	0.056	0.02	—	0.036	0.070	0.060	0.049	0.071	0.03	0.057	0.01	0.015	0.012	0.097	0.063	0.047	0.057	0.04
14. Meningitis	North	0.215	2.41	1.974	0.608	0.182	0.054	0.043	0.044	0.04	0.151	1.77	1.399	0.453	0.126	0.036	0.042	0.047	0.01
	Midland	0.139	1.45	1.110	0.341	0.121	0.058	0.030	0.040	0.04	0.104	1.24	0.825	0.350	0.100	0.029	0.025	0.020	0.02
	South	0.095	1.02	0.626	0.225	0.119	0.050	0.024	0.032	0.03	0.076	1.06	0.418	0.256	0.106	0.026	0.020	0.021	0.04
	Wales	0.147	1.32	1.068	0.308	0.121	0.063	0.038	0.072	0.05	0.174	2.02	1.309	0.306	0.122	0.049	0.037	0.079	—
	E. & W.	0.158	1.71	1.326	0.410	0.141	0.055	0.034	0.043	0.04	0.121	1.48	1.012	0.365	0.112	0.032	0.031	0.034	0.02
15. Organic heart disease.	North	1.229	—	0.021	0.007	0.098	0.199	0.457	3.241	13.51	1.366	0.04	0.043	0.035	0.171	0.295	0.596	3.220	11.95
	Midland	1.049	0.02	0.020	0.025	0.119	0.173	0.404	2.440	11.12	1.061	—	0.020	0.013	0.145	0.209	0.408	2.237	9.16
	South	1.275	—	—	0.042	0.066	0.141	0.520	2.485	12.22	1.268	0.12	—	0.028	0.106	0.187	0.355	2.041	10.18
	Wales	1.009	0.06	—	0.047	0.073	0.235	0.505	2.845	11.66	1.212	—	—	—	0.203	0.296	0.556	3.094	11.99
	E. & W.	1.150	0.01	0.015	0.024	0.098	0.182	0.454	2.767	12.16	1.219	0.03	0.023	0.022	0.153	0.242	0.474	2.591	10.44
16. Bronchitis	North	1.114	12.20	3.240	0.544	0.048	0.015	0.091	1.453	10.86	1.016	9.96	3.487	0.411	0.038	0.005	0.070	1.185	9.63
	Midland	0.832	7.39	2.180	0.316	0.025	0.015	0.074	1.006	8.63	0.804	6.12	1.611	0.261	0.012	0.016	0.058	0.827	8.18
	South	0.718	5.49	2.103	0.268	0.035	0.018	0.065	0.689	7.19	0.720	4.02	1.254	0.228	0.009	0.013	0.030	0.507	7.01
	Wales	0.965	8.51	2.848	0.403	0.032	0.018	0.104	1.459	11.11	0.912	6.76	2.327	0.353	0.049	0.039	0.125	1.101	9.47
	E. & W.	0.921	8.90	2.608	0.396	0.035	0.016	0.081	1.141	9.16	0.869	7.21	2.290	0.317	0.024	0.013	0.062	0.898	8.39
17. Pneumonia (all forms)	North	1.409	12.42	9.635	1.684	0.253	0.393	0.694	1.782	3.79	0.979	10.04	8.480	1.681	0.243	0.180	0.304	0.911	2.94
	Midland	0.973	9.36	6.540	1.225	0.137	0.193	0.482	1.187	2.50	0.650	6.67	5.879	1.119	0.149	0.078	0.241	0.504	2.01
	South	0.760	7.95	4.117	0.774	0.101	0.196	0.376	0.983	2.33	0.560	5.15	3.900	1.054	0.111	0.089	0.165	0.516	2.26
	Wales	1.337	13.52	8.329	1.518	0.170	0.334	0.587	1.604	3.85	0.953	9.43	7.198	1.363	0.178	0.207	0.312	0.826	2.40
	E. & W.	1.120	10.68	7.403	1.336	0.174	0.277	0.548	1.393	2.96	0.771	7.92	6.612	1.328	0.178	0.126	0.253	0.669	2.37
18. Other diseases of respiratory organs.	North	0.256	0.86	0.579	0.433	0.059	0.031	0.103	0.510	1.62	0.185	0.67	0.452	0.314	0.068	0.019	0.079	0.241	1.25
	Midland	0.209	0.74	0.337	0.291	0.041	0.015	0.086	0.374	1.51	0.159	0.65	0.322	0.191	0.024	0.031	0.058	0.218	1.11
	South	0.225	0.63	0.313	0.197	0.044	0.023	0.085	0.396	1.65	0.184	0.57	0.418	0.100	0.049	0.021	0.059	0.192	1.33
	Wales	0.259	0.75	0.641	0.474	0.081	0.054	0.077	0.518	1.93	0.187	0.83	0.436	0.212	0.057	0.039	0.062	0.249	1.42
	E. & W.	0.233	0.77	0.450	0.343	0.052	0.026	0.091	0.439	1.61	0.175	0.66	0.396	0.220	0.047	0.026	0.066	0.222	1.23
19. Diarrhoea and enteritis.	North	1.667	44.01	11.309	0.845	0.068	0.026	0.099	0.418	2.55	1.390	37.59	10.847	0.907	0.095	0.050	0.063	0.357	2.40
	Midland	1.381	39.15	8.006	0.505	0.043	0.033	0.056	0.287	1.70	1.097	32.44	7.570	0.636	0.073	0.016	0.060	0.223	1.66
	South	1.027	33.85	6.176	0.366	0.031	0.027	0.053	0.214	1.35	0.824	30.68	5.247	0.442	0.058	0.011	0.047	0.175	1.11
	Wales	1.833	46.47	10.963	0.403	0.073	0.036	0.088	0.386	2.18	1.749	40.97	9.744	0.729	0.032	0.039	0.125	0.420	2.36
	E. & W.	1.457	40.82	9.164	0.589	0.052	0.029	0.074	0.328	1.91	1.198	34.92	8.575	0.706	0.074	0.027	0.064	0.272	1.78
20. Appendicitis and typhlitis.	North	0.090	—	0.021	0.014	0.155	0.138	0.068	0.059	0.05	0.055	0.04	—	0.042	0.083	0.062	0.037	0.052	0.08
	Midland	0.095	0.02	0.020	0.076	0.133	0.118	0.077	0.098	0.04	0.060	—	0.020	0.064	0.073	0.051	0.056	0.064	0.09
	South	0.095	—	—	0.113	0.092	0.128	0.082	0.086	0.14	0.069	—	—	0.071	0.119	0.064	0.027	0.085	0.13
	Wales	0.090	—	—	0.047	0.146	0.090	0.088	0.084	—	0.063	—	—	0.047	0.057	0.069	0.056	0.105	0.08
	E. & W.	0.093	0.01	0.015	0.058	0.134	0.124	0.076	0.081	0.06	0.060	0.01	0.008	0.056	0.083	0.059	0.044	0.068	0.10
2																			

TABLE 26.—MORTALITY from SEVERAL CAUSES, 1911.—OTHER URBAN DISTRICTS—*continued.*
(See note at head of Table 23.)

		Males.									Females.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
23. Puerperal fever	North	—	—	—	—	—	—	—	—	0·071	—	—	—	—	0·077	0·186	—	—	
	Midlnd.	—	—	—	—	—	—	—	—	0·063	—	—	—	—	0·049	0·178	0·003	—	
	South	—	—	—	—	—	—	—	—	0·041	—	—	—	—	0·047	0·096	0·017	—	
	Wales	—	—	—	—	—	—	—	—	0·119	—	—	—	—	0·118	0·337	—	—	
E. & W.		—	—	—	—	—	—	—	—	0·066	—	—	—	—	0·064	0·177	0·005	—	
24. Other acci- dents of pregnancy and par- turition.	North	—	—	—	—	—	—	—	—	0·161	—	—	—	—	0·151	0·426	0·014	—	
	Midlnd.	—	—	—	—	—	—	—	—	0·099	—	—	—	—	0·093	0·262	0·015	—	
	South	—	—	—	—	—	—	—	—	0·098	—	—	—	—	0·064	0·276	0·004	—	
	Wales	—	—	—	—	—	—	—	—	0·210	—	—	—	—	0·207	0·599	—	—	
E. & W.		—	—	—	—	—	—	—	—	0·129	—	—	—	—	0·117	0·348	0·011	—	
25. Congenital debility and malforma- tion (includ- ing prema- ture birth).	North	1·224	46·30	0·129	0·056	0·018	0·018	—	—	0·949	39·69	0·151	0·028	0·014	—	0·003	0·003	—	
	Midlnd.	1·138	43·21	0·317	0·063	0·010	0·005	0·001	0·003	—	0·820	35·23	0·362	0·038	0·016	0·007	0·005	—	
	South	0·893	39·93	0·090	0·056	—	0·009	0·009	—	—	0·595	30·96	0·325	0·043	0·009	0·009	—	0·009	—
	Wales	1·339	44·92	0·356	0·047	0·008	0·009	0·006	—	—	1·038	34·04	0·145	0·024	0·008	—	—	—	—
E. & W.		1·141	43·96	0·217	0·058	0·011	0·011	0·003	0·001	—	0·838	35·98	0·259	0·034	0·013	0·004	0·003	0·003	—
26. Violent deaths (ex- cluding suicide).	North	0·833	1·14	0·751	0·853	0·421	0·766	0·839	1·151	1·72	0·229	0·93	0·538	0·474	0·153	0·079	0·098	0·269	1·01
	Midlnd.	0·523	1·72	0·694	0·600	0·276	0·373	0·407	0·718	1·45	0·243	1·53	0·705	0·502	0·118	0·067	0·074	0·228	1·20
	South	0·523	1·96	0·448	0·479	0·225	0·374	0·479	0·711	1·27	0·208	1·54	0·279	0·328	0·097	0·043	0·057	0·222	1·04
	Wales	0·994	0·35	0·641	1·115	0·477	0·804	1·135	1·459	2·48	0·284	1·07	1·163	0·635	0·211	0·108	0·087	0·210	1·22
E. & W.		0·576	1·40	0·667	0·719	0·336	0·553	0·644	0·934	1·57	0·235	1·27	0·624	0·476	0·136	0·070	0·080	0·239	1·10
27. Suicide ...	North	0·168	—	—	—	—	0·087	0·196	0·457	0·53	0·060	—	—	—	0·002	0·082	0·080	0·096	0·10
	Midlnd.	0·129	—	—	—	0·002	0·058	0·151	0·365	0·40	0·053	—	—	—	0·002	0·053	0·061	0·143	0·04
	South	0·155	—	—	—	—	0·087	0·191	0·347	0·47	0·051	—	—	—	—	0·030	0·062	0·132	0·04
	Wales	0·078	—	—	—	—	0·027	0·104	0·229	0·25	0·022	—	—	—	—	0·020	0·044	0·026	0·04
E. & W.		0·143	—	—	—	0·001	0·070	0·169	0·382	0·45	0·053	—	—	—	0·002	0·056	0·067	0·116	0·06
28. Other de- fined dis- eases.	North	3·954	23·23	4·016	0·916	0·415	0·479	1·014	5·981	45·90	3·881	19·18	3·937	0·981	0·388	0·427	1·004	5·311	40·97
	Midlnd.	3·544	18·24	3·250	0·730	0·392	0·472	1·002	4·583	39·87	3·416	14·38	2·779	0·678	0·336	0·422	0·895	3·846	34·87
	South	3·925	16·03	2·908	0·702	0·327	0·485	1·122	4·907	39·57	3·752	11·75	2·739	0·654	0·324	0·326	0·905	3·535	33·46
	Wales	3·896	34·36	4·484	0·475	0·422	0·380	1·051	5·450	44·75	3·920	23·94	4·438	0·839	0·333	0·362	1·364	5·414	39·58
E. & W.		3·790	21·43	3·593	0·764	0·389	0·471	1·031	5·213	42·03	3·685	16·74	3·357	0·796	0·350	0·400	0·970	4·393	36·64
29. Diseases— ill-defined or un- known.	North	0·132	0·21	0·880	0·040	0·011	0·018	0·057	0·362	0·63	0·100	0·22	0·925	0·091	0·014	0·012	0·044	0·230	0·29
	Midlnd.	0·118	0·29	0·753	0·095	0·012	0·008	0·050	0·316	0·45	0·075	0·21	0·926	0·057	0·008	0·009	0·024	0·164	0·21
	South	0·102	0·35	0·627	0·084	0·004	—	0·059	0·219	0·42	0·056	0·16	0·511	0·071	0·004	0·004	0·020	0·107	0·19
	Wales	0·113	0·46	0·570	0·071	0·008	0·009	0·044	0·326	0·56	0·074	0·24	0·582	0·024	0·016	0·020	0·025	0·184	0·24
E. & W.		0·120	0·29	0·757	0·072	0·010	0·010	0·054	0·315	0·51	0·079	0·21	0·822	0·068	0·010	0·010	0·030	0·175	0·23

TABLE 27.—MORTALITY from SEVERAL CAUSES, 1911—RURAL DISTRICTS.
(See note at head of Table 23.)

All Causes	North	14·45	140·44	37·56	8·89	2·56	3·14	5·36	15·81	82·10	13·28	114·00	35·09	8·46	2·73	2·91	5·23	15·01	74·70
	Midlnd.	13·49	107·87	23·02	5·55	2·19	2·77	4·95	14·44	79·14	12·22	84·02	20·91	5·64	2·01	2·82	4·58	12·08	66·94
	South	12·82	94·60	21·07	5·78	2·05	2·89	4·93	14·62	74·91	11·63	76·21	17·92	4·63	2·03	2·83	4·12	11·67	67·56
	Wales	14·76	131·94	23·38	6·29	2·56	4·08	6·15	17·41	82·33	14·37	99·78	22·68	6·16	2·58	4·16	6·75	15·61	77·34
	E. & W.	13·66	115·35	26·05	6·46	2·27	3·02	5·17	15·07	78·76	12·51	91·16	23·70	6·10	2·23	2·99	4·82	12·87	69·38
1. Enteric fever	North	0·142	—	—	0·068	0·056	0·217	0·203	0·152	0·07	0·097	—	—	0·035	0·091	0·126	0·114	0·112	0·04
	Midlnd.	0·046	—	0·030	0·009	0·014	0·085	0·059	0·053	0·03	0·032	—	—	—	0·018	0·062	0·051	0·024	0·01
	South	0·036	—	—	—	0·019	0·054	0·058	0·022	0·04	0·022	—	—	—	0·015	0·048	0·023	0·020	0·01
	Wales	0·046	—	—	—	0·035	0·079	0·052	0·060	—	0·049	—	—	0·036	0·012	0·101	0·062	0·060	—
	E. & W.	0·064	—	0·012	0·020	0·027	0·106	0·090	0·066	0·04	0·045	—	—	0·012	0·032	0·077	0·058	0·044	0·01
2. Small-pox	North	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Midlnd.	0·001	—	—	—	—	—	0·002	—	—	—	—	—	—	—	—	—	—	—
	South	0·001	—	—	—	—	—	0·004	—	—	—	—	—	—	—	—	—	—	—
	Wales	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	E. & W.	0·001	—	—	—	—	—	0·002	—	—	—	—	—	—	—	—	—	—	—
3. Measles ...	North	0·292	3·22	5·025	1·096	0·106	—	—	—	—	0·253	2·07	4·928	1·071	0·091	—	—	—	—
	Midlnd.	0·139	1·58	2·482	0·445	0·098	0·003	0·009	—	—	0·117	0·90	2·170	0·571	0·070	0·008	0·004	0·003	—
	South	0·154	1·20	2·751	0·733	0·142	0·016	—	—	—	0·122	1·49	2·472	0·372	0·089	0·030	0·010	0·005	—
	Wales	0·174	2·02	3·210	0·615	0·035	0·013	0·009	—	0·04	0·142	1·79	1·871	0·511	0·071	0·014	0·018	0·015	—
	E. & W.	0·180	1·94	3·229	0·684	0·105	0·007	0·005	—	0·00	0·150	1·42	2·860	0·630	0·080	0·012	0·006	0·004	—
4. Scarlet fever	North	0·036	0·09	0·155	0·154	0·067	0·025	0·004	—	—	0·044	0·09	0·161	0·225	0·097	—	0·008	—	—
	Midlnd.	0·037	0·05	0·177	0·209	0·072	0·014	0·005	—	—	0·038	—	0·092	0·200	0·088	0·008	0·011	0·003	—
	South	0·012	0·05	0·052	0·080	0·019	—	0·004	—	—	0·008	—	0·051	0·081	0·009	—	—	—	—
	Wales	0·039	0·19	—	0·217	0·070	—	0·017	—	—	0·037	0·10	0·117	0·109	0·047	0·029	0·035	—	—
	E. & W.	0·030	0·08	0·123	0·165	0·050	0·011	0·006	—	—	0·031	0·03	0·101	0·167	0·066	0·006	0·010	0·001	—
5. Whooping cough	North	0·214	4·29	3·160	0·377	0·028	—	—	—	—	0·293	6·34	3·857	0·656	0·017	—	—	—	—
	Midlnd.	0·150	3·81	1·979	0·265	0·023	—	—	—	—	0·173	3·93	2·292	0·542	0·023	0·004	—	—	0·01
	South	0·131	3·18	1·817	0·350	0·038	—	—	—	—	0·155	4·23	2·420	0·437	0·005	—	—	—	—
	Wales	0·177	4·80	1·834	0·217	—	0·013	—	—	—	0·194	4·67	2·339	0·255	0·059	—	—	—	—
	E. & W.	0·161	3·89	2·206	0·307	0·026	0·001	—	—	—	0·196	4·66	2·697	0·511	0·021	0·002	—	—	0·00

TABLE 27.—MORTALITY FROM SEVERAL CAUSES, 1911—RURAL DISTRICTS—*continued.*

(See note at head of Table 23.)

		Males.										Females.									
		All Ages	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
6. Diphtheria and croup	North	0.165	0.18	0.104	1.182	0.335	0.012	0.012	—	0.05	0.142	0.23	0.161	0.829	0.348	0.007	0.004	—	0.02		
	Midland	0.116	0.13	0.414	0.597	0.265	0.027	0.016	0.007	0.01	0.092	0.11	0.153	0.466	0.252	0.019	0.002	0.007	—		
	South	0.097	—	0.260	0.573	0.252	0.022	0.004	—	0.01	0.098	0.14	0.206	0.486	0.231	0.024	0.010	0.010	—		
	Wales	0.172	0.38	0.229	1.013	0.395	0.026	0.009	—	—	0.194	0.20	0.468	1.204	0.401	0.029	0.035	—	—		
	E. & W.	0.128	0.14	0.283	0.771	0.290	0.022	0.011	0.003	0.02	0.115	0.16	0.202	0.634	0.296	0.019	0.008	0.006	0.00		
7. Influenza ...	North	0.126	0.36	0.155	0.034	0.028	0.031	0.091	0.109	1.11	0.110	0.23	0.161	0.052	0.023	0.007	0.049	0.156	0.95		
	Midland	0.149	0.50	0.207	0.028	0.026	0.031	0.090	0.251	0.77	0.133	0.16	0.245	0.048	0.023	0.019	0.068	0.168	0.81		
	South	0.150	0.65	0.208	0.096	0.024	0.032	0.058	0.259	0.78	0.175	0.29	0.051	—	0.025	0.018	0.089	0.235	1.16		
	Wales	0.182	0.10	0.229	0.036	0.070	0.079	0.121	0.268	1.15	0.206	0.30	0.117	0.036	0.024	0.058	0.141	0.360	1.18		
	E. & W.	0.148	0.45	0.197	0.047	0.030	0.036	0.085	0.225	0.87	0.146	0.23	0.164	0.036	0.024	0.020	0.077	0.203	0.97		
8. Erysipelas	North	0.016	0.13	—	—	—	—	0.004	0.043	0.09	0.019	0.19	—	0.017	—	—	0.004	0.037	0.11		
	Midland	0.018	0.13	0.030	0.009	0.006	0.003	0.007	0.014	0.11	0.018	0.03	—	—	0.006	0.004	0.009	0.027	0.11		
	South	0.018	0.05	—	0.016	0.005	0.005	—	0.033	0.13	0.018	0.05	—	—	—	—	0.010	0.010	0.16		
	Wales	0.034	0.10	—	—	—	0.013	—	0.104	0.21	0.020	—	—	0.036	—	—	0.009	0.030	0.14		
	E. & W.	0.019	0.11	0.012	0.008	0.004	0.004	0.004	0.034	0.12	0.018	0.07	—	0.008	0.002	0.002	0.008	0.025	0.13		
9. Pulmonary tubercu- losis.	North	0.757	0.36	0.259	0.188	0.145	0.718	1.210	1.180	0.70	0.766	0.14	0.268	0.207	0.228	1.014	1.263	0.797	0.43		
	Midland	0.826	0.32	0.355	0.095	0.127	0.799	1.470	1.178	0.60	0.727	0.38	0.245	0.095	0.264	1.026	1.206	0.716	0.41		
	South	0.886	0.28	0.311	0.111	0.133	0.859	1.509	1.205	0.95	0.765	0.29	0.257	0.081	0.236	1.085	1.190	0.749	0.63		
	Wales	1.084	0.29	0.459	0.145	0.163	1.258	1.620	1.638	1.31	1.234	0.60	0.585	0.073	0.330	1.763	2.033	1.380	0.61		
	E. & W.	0.853	0.31	0.333	0.126	0.136	0.845	1.438	1.232	0.78	0.798	0.33	0.290	0.115	0.256	1.117	1.298	0.805	0.50		
10. Tubercu- lous men- ingitis.	North	0.094	0.72	1.036	0.411	0.078	0.019	0.017	—	—	0.124	0.99	1.339	0.363	0.143	0.066	0.012	—	—		
	Midland	0.118	0.92	0.827	0.474	0.156	0.058	0.020	0.007	—	0.101	0.79	0.795	0.380	0.105	0.077	0.024	0.010	0.02		
	South	0.084	0.78	0.571	0.175	0.161	0.043	0.014	0.006	—	0.111	0.91	0.618	0.421	0.187	0.078	0.016	0.015	0.01		
	Wales	0.157	1.35	1.605	0.362	0.140	0.093	0.061	0.015	—	0.135	0.99	0.819	0.328	0.141	0.116	0.062	0.030	—		
	E. & W.	0.108	0.89	0.900	0.374	0.139	0.049	0.022	0.006	—	0.112	0.89	0.882	0.381	0.138	0.079	0.023	0.012	0.01		
11. Other tu- berculous diseases.	North	0.233	1.97	2.383	0.445	0.151	0.111	0.116	0.029	0.18	0.269	2.21	1.875	0.449	0.188	0.159	0.151	0.171	0.07		
	Midland	0.184	1.63	0.945	0.275	0.112	0.106	0.128	0.148	0.11	0.171	1.37	0.703	0.219	0.111	0.138	0.130	0.134	0.11		
	South	0.166	1.25	0.986	0.239	0.109	0.081	0.170	0.099	0.10	0.161	1.11	0.566	0.178	0.108	0.167	0.119	0.127	0.17		
	Wales	0.276	2.21	0.459	0.145	0.244	0.252	0.234	0.164	0.21	0.280	0.80	0.935	0.219	0.212	0.246	0.326	0.210	0.21		
	E. & W.	0.200	1.69	1.245	0.291	0.134	0.116	0.148	0.112	0.13	0.200	1.44	0.970	0.262	0.138	0.162	0.151	0.147	0.13		
12. Cancer, ma- lignant disease.	North	0.710	—	—	—	0.039	0.031	0.166	1.933	6.64	1.021	0.05	0.054	0.017	0.017	0.033	0.400	3.098	7.32		
	Midland	0.965	0.03	0.059	0.028	0.017	0.038	0.198	2.110	7.81	1.166	—	0.061	0.029	0.018	0.038	0.409	2.750	6.98		
	South	0.989	0.09	0.052	0.032	0.014	0.059	0.203	2.355	7.16	1.183	—	—	0.016	0.010	0.054	0.379	2.702	7.10		
	Wales	0.862	—	—	—	0.012	0.053	0.208	2.546	6.61	1.112	—	—	—	0.035	0.029	0.414	2.925	7.34		
	E. & W.	0.905	0.03	0.37	0.020	0.021	0.043	0.193	2.184	7.31	1.184	0.01	0.038	0.020	0.017	0.040	0.399	2.821	7.10		
13. Rheumatic fever	North	0.042	0.05	—	0.034	0.039	0.050	0.037	0.058	0.02	0.058	—	—	—	0.080	0.066	0.065	0.030	0.11		
	Midland	0.035	—	0.030	0.019	0.029	0.051	0.025	0.046	0.05	0.047	—	0.031	0.029	0.062	0.062	0.042	0.045	0.04		
	South	0.042	—	0.052	—	0.085	0.059	0.033	0.022	—	0.036	—	—	0.016	0.069	0.030	0.026	0.036	0.04		
	Wales	0.056	—	—	—	0.093	0.066	0.052	0.045	0.04	0.079	0.10	—	0.109	0.094	0.116	0.062	0.030	0.11		
	E. & W.	0.040	0.01	0.025	0.016	0.052	0.055	0.032	0.042	0.03	0.050	0.01	0.013	0.028	0.071	0.060	0.045	0.038	0.06		
14. Meningitis	North	0.165	2.28	1.036	0.428	0.145	0.043	0.012	0.072	—	0.123	1.13	0.804	0.397	0.143	0.020	0.029	0.052	—		
	Midland	0.117	1.71	0.650	0.275	0.107	0.038	0.025	0.032	0.08	0.094	0.79	0.825	0.257	0.079	0.065	0.035	0.021	0.05		
	South	0.090	0.78	0.831	0.191	0.071	0.049	0.043	0.039	0.07	0.080	0.82	0.257	0.146	0.138	0.066	0.030	0.025	—		
	Wales	0.150	1.73	0.917	0.325	0.105	0.106	0.035	0.089	—	0.123	1.39	0.819	0.328	0.083	0.029	0.062	0.030	0.07		
	E. & W.	0.124	1.63	0.813	0.295	0.106	0.049	0.028	0.048	0.06	0.099	0.95	0.680	0.270	0.108	0.051	0.035	0.029	0.03		
15. Organic heart disease.	North	1.170	—	—	0.034	0.095	0.105	0.332	2.410	12.67	1.227	0.05	—	0.069	0.108	0.159	0.499	2.637	11.12		
	Midland	1.315	0.03	0.059	0.009	0.043	0.137	0.349	2.194	11.80	1.368	0.03	0.031	0.019	0.059	0.142	0.356	2.072	10.90		
	South	1.353	0.05	—	—	0.038	0.124	0.380	2.229	11.84	1.506	—	—	—	0.079	0.203	0.343	2.320	11.77		
	Wales	1.271	—	—	0.036	0.058	0.106	0.381	2.501	12.68	1.607	0.10	—	0.036	0.141	0.202	0.563	2.895	13.17		
	E. & W.	1.289	0.02	0.025	0.016	0.055	0.123	0.356	2.279	12.04	1.399	0.03	0.013	0.028	0.083	0.168	0.405	2.332	11.41		
16. Bronchitis	North	0.825	10.82	2.590	0.257	0.039	0.012	0.050	0.731	6.39	0.815	7.84	2.571	0.397	0.063	0.007	0.049	0.581	7.56		
	Midland	0.768	6.73	1.536	0.246	0.014	0.020	0.047	0.505	6.71	0.754	5.27	1.834	0.200	0.018	0.008	0.031	0.479	6.16		
	South	0.767	6.41	1.142	0.303	0.009	0.011	0.029	0.523	6.99	0.709	3.70	1.030	0.178	0.020	0.018	0.020	0.367	6.67		
	Wales	0.823	6.44	1.605	0.072	—	0.040	0.078	0.789	8.14	0.908	5.27	1.754	0.219	—	0.087	0.053	0.690	8.47		
	E. & W.	0.786	7.61	1.701	0.244	0.017	0.018	0.046	0.585	6.87	0.771	5.52	1.802	0.242	0.026	0.019	0.034	0.488	6.76		
17. Pneumonia (all forms)	North	1.140	12.29	7.460	1.387	0.263	0.260	0.439													

TABLE 27.—MORTALITY from SEVERAL CAUSES, 1911—RURAL DISTRICTS—*continued.*
(See note at head of Table 23.)

		Males.									Females.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
20. Appendicitis and typhlitis.	North	0·095	—	—	0·068	0·129	0·130	0·054	0·109	0·14	0·059	—	—	—	0·097	0·053	0·069	0·045	0·04
	Midlnd.	0·082	—	—	0·057	0·109	0·055	0·070	0·109	0·12	0·055	—	—	—	0·057	0·094	0·050	0·040	0·051
	South	0·079	—	—	0·080	0·123	0·103	0·051	0·061	0·08	0·063	—	—	—	0·049	0·103	0·089	0·033	0·041
	Wales	0·085	—	—	0·036	0·128	0·119	0·061	0·060	0·13	0·047	—	—	—	0·073	0·130	0·043	0·009	0·030
	E. & W.	0·084	—	—	0·063	0·119	0·091	0·060	0·091	0·11	0·057	—	—	—	0·044	0·101	0·060	0·041	0·045
21. Cirrhosis of liver.	North	0·117	—	—	—	—	—	0·083	0·420	0·52	0·061	—	—	—	—	0·013	0·033	0·209	0·30
	Midlnd.	0·090	—	—	—	—	—	0·047	0·275	0·44	0·060	—	—	—	—	—	0·035	0·171	0·25
	South	0·114	—	—	—	0·005	0·005	0·036	0·330	0·63	0·055	—	—	—	—	—	0·020	0·143	0·29
	Wales	0·087	—	—	—	—	—	0·052	0·313	0·38	0·022	—	—	—	—	—	0·018	0·045	0·14
	E. & W.	0·102	—	—	—	0·001	0·001	0·053	0·324	0·50	0·055	—	—	—	—	—	0·003	0·029	0·158
21A. Alcoholism	North	0·021	—	—	—	—	—	0·033	0·065	0·02	0·014	—	—	—	—	—	0·008	0·060	0·04
	Midlnd.	0·014	—	—	—	—	0·003	0·018	0·042	0·02	0·005	—	—	—	—	—	0·007	0·017	0·01
	South	0·022	—	—	—	—	—	0·036	0·072	—	0·003	—	—	—	—	—	0·007	—	0·01
	Wales	0·015	—	—	—	—	—	0·009	0·030	0·13	0·007	—	—	—	—	—	0·009	0·030	—
	E. & W.	0·018	—	—	—	—	0·001	0·025	0·054	0·02	0·007	—	—	—	—	—	0·007	0·022	0·01
22. Nephritis and Bright's disease.	North	0·349	0·13	0·104	0·137	0·034	0·080	0·211	0·832	2·33	0·327	0·19	0·321	—	0·063	0·073	0·229	0·708	2·03
	Midlnd.	0·350	0·18	0·089	0·038	0·035	0·051	0·126	0·794	2·26	0·298	0·14	0·092	0·048	0·044	0·104	0·152	0·592	1·48
	South	0·409	0·18	0·052	0·096	0·057	0·059	0·148	0·831	2·71	0·312	0·14	0·051	0·097	0·015	0·066	0·142	0·551	1·85
	Wales	0·457	0·29	—	—	0·035	0·040	0·243	0·893	3·90	0·368	0·20	—	0·073	0·071	0·087	0·194	0·765	2·17
	E. & W.	0·376	0·18	0·074	0·071	0·040	0·059	0·163	0·822	2·55	0·315	0·16	0·126	0·052	0·044	0·085	0·170	0·620	1·74
23. Puerperal fever	North	—	—	—	—	—	—	—	—	—	0·066	—	—	—	—	0·080	0·180	—	—
	Midlnd.	—	—	—	—	—	—	—	—	—	0·051	—	—	—	—	0·065	0·143	0·007	—
	South	—	—	—	—	—	—	—	—	—	0·051	—	—	—	—	0·042	0·148	0·010	—
	Wales	—	—	—	—	—	—	—	—	—	0·103	—	—	—	—	0·116	0·290	0·015	—
	E. & W.	—	—	—	—	—	—	—	—	—	0·060	—	—	—	—	0·068	0·167	0·007	—
24. Other acci- dents of pregnancy and par- turition.	North	—	—	—	—	—	—	—	—	—	0·155	—	—	—	—	0·199	0·405	0·015	—
	Midlnd.	—	—	—	—	—	—	—	—	—	0·107	—	—	—	—	0·123	0·308	0·014	—
	South	—	—	—	—	—	—	—	—	—	0·095	—	—	—	—	0·095	0·264	0·020	—
	Wales	—	—	—	—	—	—	—	—	—	0·201	—	—	—	—	0·173	0·598	0·030	—
	E. & W.	—	—	—	—	—	—	—	—	—	0·123	—	—	—	—	0·139	0·346	0·017	—
25. Congenital debility and malforma- tion(includ- ing prema- ture birth).	North	1·223	46·40	0·259	0·103	0·017	0·006	0·004	—	—	0·903	35·51	0·054	0·017	0·023	0·013	0·004	—	—
	Midlnd.	0·973	41·83	0·177	0·066	0·009	0·003	0·005	—	—	0·732	32·23	0·214	0·038	0·023	0·023	0·007	0·003	—
	South	0·750	35·07	0·104	0·048	0·019	0·011	—	—	—	0·595	29·26	0·206	0·032	0·020	0·018	0·016	—	—
	Wales	1·096	43·05	0·115	0·072	0·012	0·013	—	—	—	0·793	31·60	0·234	0·036	0·012	—	0·009	—	—
	E. & W.	0·982	41·49	0·173	0·071	0·013	0·007	0·003	—	—	0·738	32·25	0·176	0·032	0·021	0·017	0·009	0·001	—
26. Violent deaths(ex- cluding sui- cide).	North	0·758	0·40	0·673	0·890	0·346	0·681	0·870	0·992	1·36	0·221	0·28	0·964	0·570	0·120	0·046	0·090	0·216	1·10
	Midlnd.	0·634	1·37	0·680	0·512	0·311	0·475	0·547	0·928	1·48	0·214	0·76	0·458	0·447	0·111	0·058	0·086	0·181	0·90
	South	0·581	1·48	0·311	0·589	0·256	0·540	0·452	0·770	1·44	0·206	1·83	0·618	0·356	0·079	0·048	0·063	0·127	0·93
	Wales	0·876	0·67	0·802	0·832	0·395	0·954	0·944	1·087	1·57	0·231	0·50	0·935	0·620	0·153	0·043	0·044	0·255	0·93
	E. & W.	0·673	1·08	0·604	0·653	0·314	0·589	0·638	0·914	1·45	0·215	0·87	0·668	0·472	0·109	0·051	0·076	0·180	0·94
27. Suicide ...	North	0·153	—	—	—	—	0·062	0·203	0·355	0·54	0·045	—	—	—	—	0·040	0·061	0·104	0·07
	Midlnd.	0·172	—	—	—	—	0·075	0·209	0·427	0·42	0·054	—	—	—	—	0·050	0·083	0·096	0·08
	South	0·162	—	—	—	—	0·081	0·227	0·336	0·38	0·032	—	—	—	—	0·024	0·030	0·061	0·11
	Wales	0·102	—	—	—	—	0·053	0·104	0·313	0·21	0·037	—	—	—	—	0·058	0·026	0·105	0·04
	E. & W.	0·158	—	—	—	—	0·071	0·201	0·376	0·41	0·045	—	—	—	—	0·042	0·058	0·089	0·08
28. Other de- fined dis- eases.	North	4·001	24·12	3·470	0·704	0·285	0·429	1·021	4·228	41·93	3·850	18·60	2·945	0·675	0·411	0·477	0·998	4·572	38·20
	Midlnd.	4·342	16·72	3·248	0·610	0·426	0·426	0·967	3·627	40·89	1·138	12·88	2·565	0·643	0·300	0·484	0·989	3·477	34·39
	South	4·046	16·47	2·387	0·923	0·276	0·467	0·898	3·851	36·34	3·865	10·95	2·165	0·648	0·373	0·421	0·851	3·250	32·77
	Wales	4·197	33·83	3·324	0·903	0·289	0·452	0·961	3·899	38·03	4·439	24·13	2·805	0·367	0·295	0·592	1·115	4·305	37·46
	E. & W.	4·177	20·39	3·108	0·734	0·341	0·442	0·963	3·836	39·52	4·036	15·06	2·582	0·620	0·343	0·478	0·971	3·705	34·86
29. Diseases ill- defined or unknown	North	0·143	0·36	0·829	0·103	0·006	0·012	0·058	0·376	0·54	0·087	0·38	0·536	0·052	0·006	0·007	0·037	0·216	0·28
	Midlnd.	0·150	0·55	0·561	0·066	0·014	0·020	0·056	0·353	0·58	0·113	0·25	0·611	0·048	0·009	0·015	0·055	0·253	0·35
	South	0·129	0·23	0·623	0·080	0·019	0·016	0·058	0·297	0·48	0·090	0·48	0·412	0·049	0·010	0·012	0·030	0·163	0·35
	Wales	0·150	0·86	0·229	—	0·023	0·013	0·069	0·343	0·72	0·083	0·40	—	—	0·047	0·014	0·044	0·135	0·39
	E. & W.	0·143	0·46	0·604	0·071	0·015	0·017	0·058	0·342	0·56	0·098	0·35	0·479	0·044	0·012	0·012	0·043	0·209	0·34

TABLE 28.—ENGLAND AND WALES.—INFANT MORTALITY by SEX, AGE, CAUSE, and LEGITIMACY, 1911.

Cause of Death.		Sex.	Proportion of Deaths to 1,000 Births.																	
			All Infants.						Legitimate Infants.						Illegitimate Infants.					
			Under 1 Month.	1-3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 1 Month.	1-3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 1 Month.	1-3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.
ALL CAUSES ...	M	45.73	27.58	28.35	22.06	18.56	142.28	44.16	26.01	27.21	21.48	18.21	137.07	80.55	62.70	53.80	35.18	26.54	258.77	
	F	35.39	21.83	23.80	19.59	16.76	117.37	33.89	20.55	22.57	18.87	16.42	112.30	68.97	50.50	51.53	35.84	24.38	231.22	
	P	40.65	24.76	26.12	20.85	17.68	130.06	39.13	23.33	24.93	20.20	17.33	124.92	74.89	56.73	52.69	35.50	25.48	245.29	
I. Common Infectious Diseases (5-9, 19C).	M	0.12	0.77	1.20	2.15	3.33	7.57	0.13	0.78	1.19	2.15	3.31	7.56	0.05	0.51	1.35	2.66	3.60	8.17	
	F	0.16	0.90	1.24	2.29	3.25	7.84	0.16	0.92	1.24	2.26	3.27	7.85	—	0.49	1.35	2.83	2.77	7.49	
	P	0.14	0.83	1.21	2.22	3.29	7.69	0.14	0.85	1.22	2.19	3.29	7.69	0.03	0.52	1.36	2.76	3.17	7.84	
II. Tuberculous Diseases (23-35).	M	0.05	0.50	1.24	1.18	1.18	4.15	0.06	0.48	1.17	1.17	1.13	4.01	0.05	1.20	2.50	1.45	2.09	7.29	
	F	0.03	0.38	0.99	1.06	0.99	3.45	0.03	0.36	0.94	1.00	0.95	3.28	0.10	0.81	2.19	2.12	1.90	7.12	
	P	0.05	0.45	1.11	1.12	1.08	3.81	0.05	0.41	1.07	1.09	1.04	3.66	0.08	1.01	2.33	1.78	2.00	7.20	
III. Diarrhoea and Enteritis (104).	M	2.16	8.70	12.90	9.18	6.16	39.10	2.06	8.12	12.38	8.93	6.06	37.55	4.47	21.65	24.25	14.93	8.38	73.68	
	F	1.48	6.81	11.28	8.14	5.49	33.20	1.41	6.31	10.68	7.76	5.34	31.50	2.93	18.14	24.60	16.78	8.96	71.41	
	P	1.83	7.77	12.10	8.67	5.83	36.20	1.74	7.23	11.55	8.35	5.71	34.58	3.72	19.93	24.42	15.84	8.66	72.57	
IV. Developmental and Wasting Diseases (150, 151, 152B).	M	33.22	7.34	3.27	1.23	0.70	45.76	32.35	6.76	3.04	1.14	0.65	43.94	52.80	19.87	8.28	3.55	1.98	86.48	
	F	26.40	5.91	2.71	1.15	0.63	36.80	25.48	5.45	2.50	1.08	0.57	35.08	46.59	16.34	7.60	3.05	1.84	75.42	
	P	29.87	6.63	3.00	1.20	0.67	41.37	28.99	6.13	2.77	1.10	0.61	39.60	49.77	18.15	7.94	3.30	1.91	81.07	
V. Other Causes	M	10.18	10.27	9.74	8.32	7.19	45.70	9.56	9.87	9.43	8.09	7.06	44.01	23.18	19.47	17.42	12.59	10.49	88.15	
	F	7.32	7.83	7.58	6.95	6.40	36.08	6.81	7.51	7.21	6.77	6.29	34.59	19.35	14.72	15.79	11.01	8.91	69.78	
	P	8.76	9.08	8.70	7.64	6.81	40.99	8.21	8.71	8.32	7.47	6.68	39.39	21.29	17.12	16.64	11.82	9.74	76.61	
Small-pox (5) ...	M	—	0.00	—	—	—	0.00	—	—	—	—	—	—	—	0.05	—	—	—	0.05	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	P	—	0.00	—	—	—	0.00	—	—	—	—	—	—	—	0.03	—	—	—	0.03	
Chicken-pox (19C).	M	0.00	0.01	0.02	0.01	0.02	0.06	0.00	0.01	0.01	0.01	0.02	0.05	—	0.05	0.05	0.05	0.11	0.26	
	F	—	0.00	0.01	0.01	0.03	0.05	—	0.00	0.01	0.01	0.03	0.05	—	—	—	—	0.05	0.05	
	P	0.00	0.01	0.01	0.01	0.02	0.05	0.00	0.01	0.01	0.01	0.02	0.05	—	0.03	0.03	0.03	0.07	0.16	
Measles (6) ...	M	0.03	0.06	0.22	1.01	2.08	3.40	0.03	0.06	0.21	1.01	2.08	3.39	0.05	0.05	0.47	1.04	2.14	3.75	
	F	0.02	0.06	0.17	0.95	1.71	2.91	0.02	0.06	0.16	0.92	1.74	2.90	—	—	0.27	1.68	1.20	3.15	
	P	0.02	0.06	0.19	0.98	1.91	3.16	0.02	0.06	0.19	0.96	1.92	3.15	0.03	0.03	0.37	1.36	1.66	3.45	
Scarlet Fever (7)	M	—	0.00	0.02	0.02	0.05	0.09	—	0.00	0.03	0.03	0.04	0.10	—	—	—	0.05	—	0.05	
	F	—	0.00	0.01	0.03	0.03	0.07	—	0.00	0.01	0.03	0.03	0.07	—	—	0.05	—	—	0.05	
	P	—	0.00	0.02	0.02	0.04	0.08	—	0.00	0.02	0.02	0.04	0.08	—	—	0.03	0.02	—	0.05	
Whooping Cough (8).	M	0.08	0.67	0.91	1.03	1.04	3.73	0.09	0.68	0.91	1.01	1.04	3.73	—	0.36	0.78	1.52	1.14	3.80	
	F	0.13	0.82	1.04	1.23	1.35	4.57	0.13	0.84	1.05	1.23	1.34	4.59	—	0.49	1.03	1.09	1.41	4.02	
	P	0.11	0.74	0.97	1.13	1.19	4.14	0.11	0.76	0.98	1.12	1.18	4.15	—	0.43	0.90	1.30	1.28	3.91	
Diphtheria and Croup (9).	M	0.01	0.03	0.03	0.08	0.14	0.29	0.01	0.03	0.03	0.09	0.13	0.29	—	—	0.05	—	0.21	0.26	
	F	0.01	0.02	0.01	0.07	0.13	0.24	0.01	0.02	0.01	0.07	0.13	0.24	—	—	—	0.11	0.11	0.22	
	P	0.01	0.02	0.02	0.08	0.13	0.26	0.01	0.02	0.02	0.08	0.13	0.26	—	—	0.03	0.05	0.16	0.24	
Erysipelas (18)...	M	0.04	0.06	0.02	0.01	0.01	0.14	0.04	0.06	0.01	0.01	0.01	0.13	0.05	—	0.21	—	—	0.26	
	F	0.03	0.06	0.04	0.02	0.02	0.17	0.03	0.05	0.04	0.02	0.02	0.16	—	0.11	0.05	0.11	—	0.27	
	P	0.03	0.07	0.03	0.01	0.01	0.15	0.04	0.07	0.02	0.01	0.01	0.15	0.03	0.05	0.14	0.05	—	0.27	
Tuberculous meningitis (30).	M	0.01	0.09	0.36	0.44	0.44	1.34	0.01	0.09	0.34	0.45	0.43	1.32	—	0.26	0.63	0.36	0.42	1.67	
	F	0.01	0.08	0.28	0.40	0.37	1.14	0.01	0.08	0.27	0.38	0.36	1.10	—	0.05	0.49	0.71	0.60	1.85	
	P	0.01	0.09	0.32	0.42	0.40	1.24	0.01	0.08	0.31	0.42	0.40	1.22	—	0.16	0.56	0.53	0.50	1.75	
Abdominal Tuberculosis (31).	M	0.02	0.23	0.56	0.42	0.36	1.64	0.03	0.27	0.53	0.40	0.34	1.57	—	0.47	1.14	0.78	0.94	3.33	
	F	0.01	0.21	0.46	0.37	0.28	1.33	0.01	0.20	0.43	0.34	0.26	1.24	0.05	0.60	1.09	0.98	0.65	3.37	
	P	0.02	0.25	0.51	0.39	0.32	1.49	0.02	0.23	0.49	0.37	0.30	1.41	0.03	0.53	1.11	0.88	0.80	3.35	
Other Tuberculous Diseases (28, 29, 32-35).	M	0.02	0.13	0.32	0.32	0.38	1.17	0.02	0.12	0.30	0.32	0.36	1.12	0.05	0.47	0.73	0.31	0.73	2.29	
	F	0.01	0.09	0.25	0.29	0.34	0.98	0.01	0.08	0.24	0.28	0.33	0.94	0.05	0.16	0.61	0.43	0.65	1.90	
	P	0.02	0.11	0.28	0.31	0.36	1.08	0.02	0.10	0.27	0.30	0.34	1.03	0.05	0.32	0.66	0.37	0.70	2.10	
Meningitis (not Tuberculous) (61).	M	0.08	0.25	0.55	0.55	0.48	1.91	0.09	0.24	0.54	0.54	0.48	1.89	—	0.42	0.72	0.68	0.47	2.29	
	F	0.05	0.16	0.43	0.44	0.45	1.53	0.05	0.15	0.41	0.44	0.45	1.50	0.05	0.22	0.62	0.54	0.43	2.06	
	P	0.06	0.20	0.49	0.50	0.47	1.72	0.07	0.20	0.48	0.48	0.47	1.70	0.03	0.32	0.77	0.61	0.45	2.18	
Convulsions (71).	M	4.16	2.52	2.06	1.40	0.89	11.03	4.05	2.43	1.96	1.32	0.85	10.61	6.81	4.58	4.32	3.07	1.67	20.45	
	F	2.68	1.96	1.63	1.19	0.82	8.28	2.64	1.87	1.54	1.13	0.79	7.97	3.80	3.85	3.64	2.61	1.41	15.31	
	P	3.44	2.25	1.85	1.29	0.85	9.68	3.35	2.16	1.75	1.23	0.82	9.31	5.34	4.23	3.99	2.84	1.54	17.94	
Laryngitis (87B).	M	0.02	0.03	0.04	0.06	0.06	0.21	0.02	0.03	0.04	0.05	0.06	0.20	—	—	0.10	0.10	0.11	0.31	
	F	0.02	0.03	0.03	0.05	0.07	0.20	0.02	0.03	0.03	0.05	0.07	0.20	0.05	—	—	0.05	0.06	0.16	
	P																			

TABLE 28.—ENGLAND AND WALES.—INFANT MORTALITY by SEX, AGE, CAUSE, and LEGITIMACY, 1911—*continued*.

Cause of Death.		Sex.	Proportion of Deaths to 1,000 Births.																	
			All Infants.						Legitimate Infants.						Illegitimate Infants.					
			Under 1 Month.	1-3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 1 Month.	1-3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 1 Month.	1-3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.
Gastritis (103A)	M	0·29	0·60	0·53	0·27	0·15	1·84	0·27	0·58	0·51	0·26	0·15	1·77	0·62	1·31	0·99	0·36	0·21	3·49	
	F	0·18	0·42	0·43	0·22	0·19	1·44	0·18	0·39	0·40	0·22	0·19	1·38	0·22	0·92	0·87	0·33	0·27	2·61	
	P	0·24	0·50	0·48	0·25	0·17	1·64	0·23	0·48	0·46	0·24	0·17	1·58	0·43	1·11	0·93	0·35	0·24	3·06	
Syphilis (37) ...	M	0·43	0·55	0·26	0·09	0·07	1·40	0·34	0·44	0·18	0·07	0·05	1·08	2·45	3·27	1·93	0·52	0·42	8·59	
	F	0·34	0·41	0·27	0·09	0·07	1·18	0·26	0·33	0·19	0·07	0·05	0·90	2·17	2·39	2·01	0·65	0·38	7·60	
	P	0·39	0·48	0·26	0·09	0·07	1·29	0·30	0·38	0·19	0·07	0·05	0·99	2·31	2·84	1·97	0·58	0·40	8·10	
Rickets (36A) ...	M	0·00	0·02	0·09	0·12	0·24	0·47	0·00	0·02	0·08	0·11	0·21	0·42	—	0·10	0·36	0·26	0·68	1·40	
	F	0·00	0·02	0·05	0·10	0·15	0·32	0·00	0·01	0·05	0·09	0·15	0·30	—	0·11	0·05	0·22	0·38	0·76	
	P	0·00	0·02	0·07	0·11	0·19	0·39	0·00	0·02	0·07	0·10	0·17	0·36	—	0·11	0·21	0·24	0·53	1·09	
Suffocation, over-lying (163 part).	M	0·47	0·58	0·24	0·06	0·01	1·36	0·44	0·58	0·24	0·06	0·01	1·33	1·15	0·62	0·26	0·05	—	2·08	
	F	0·46	0·55	0·30	0·08	0·03	1·42	0·38	0·54	0·31	0·09	0·03	1·35	2·11	0·60	0·11	—	0·11	2·93	
	P	0·46	0·57	0·27	0·07	0·02	1·39	0·41	0·57	0·27	0·07	0·02	1·34	1·62	0·61	0·19	0·03	0·05	2·50	
Injury at Birth (152C).	M	1·14	0·02	0·00	—	—	1·16	1·06	0·02	0·00	—	—	1·08	2·76	0·05	—	—	—	2·81	
	F	0·88	0·01	0·00	—	—	0·89	0·81	0·01	0·00	—	—	0·82	2·55	—	—	—	—	2·55	
	P	1·02	0·01	0·00	—	—	1·03	0·94	0·01	0·00	—	—	0·95	2·65	0·03	—	—	—	2·68	
Atelectasis (152B).	M	1·77	0·13	—	—	—	1·90	1·75	0·12	—	—	—	1·87	2·39	0·26	—	—	—	2·65	
	F	1·38	0·09	—	—	—	1·47	1·36	0·09	—	—	—	1·45	1·84	0·11	—	—	—	1·95	
	P	1·58	0·11	—	—	—	1·69	1·55	0·11	—	—	—	1·66	2·12	0·19	—	—	—	2·31	
Congenital Malformations (150).	M	2·51	0·83	0·41	0·16	0·13	4·04	2·52	0·82	0·42	0·16	0·12	4·04	2·44	0·88	0·21	0·16	0·42	4·11	
	F	2·10	0·60	0·33	0·18	0·09	3·30	2·10	0·59	0·33	0·18	0·09	3·29	2·06	0·76	0·38	0·22	0·16	3·58	
	P	2·32	0·71	0·37	0·17	0·11	3·68	2·32	0·71	0·37	0·17	0·10	3·67	2·26	0·82	0·29	0·19	0·29	3·85	
Premature Birth (151A).	M	20·21	1·68	0·19	0·04	0·02	22·14	19·69	1·60	0·19	0·04	0·02	21·54	31·74	3·33	0·21	0·16	—	35·44	
	F	16·14	1·63	0·16	0·03	0·02	17·98	15·60	1·51	0·15	0·03	0·02	17·31	27·97	4·29	0·43	0·22	0·05	32·96	
	P	18·21	1·65	0·18	0·04	0·02	20·10	17·69	1·56	0·17	0·03	0·02	19·47	29·89	3·80	0·32	0·19	0·03	34·23	
Atrophy, Debility and Marasmus (151 B-E).	M	8·73	4·70	2·67	1·03	0·55	17·68	8·39	4·22	2·43	0·94	0·51	16·49	16·23	15·40	7·86	3·23	1·56	44·28	
	F	6·78	3·59	2·22	0·94	0·52	14·05	6·42	3·26	2·02	0·87	0·46	13·03	14·72	11·18	6·79	2·61	1·63	36·93	
	P	7·76	4·16	2·45	0·99	0·54	15·90	7·43	3·75	2·23	0·90	0·49	14·80	15·50	13·34	7·33	2·92	1·59	40·68	
Other Causes ...	M	1·99	1·16	1·13	0·98	0·71	5·97	1·68	1·09	1·15	0·94	0·74	5·60	8·04	2·14	1·51	1·57	1·04	14·30	
	F	1·51	0·87	0·82	0·80	0·60	4·60	1·27	0·82	0·79	0·76	0·60	4·24	7·31	2·12	1·89	1·34	0·49	13·15	
	P	1·73	1·03	1·00	0·90	0·67	5·33	1·48	0·94	0·94	0·90	0·67	4·93	7·65	2·11	1·70	1·46	0·81	13·73	

TABLE 28A.—ENGLAND AND WALES, 1911.—MORTALITY of LEGITIMATE INFANTS in
RELATION to OCCUPATION of FATHER.

NOTE.—Of the two lines of figures against each occupation the first refers to the number of deaths registered; the second—printed in italics—to the rate of infantile mortality per 1000 births.

Social Class (Table 28B).	OCCUPATION OF FATHER with its Order, Sub-order, and Title Number (the latter in brackets) in the 1911 Census Classification.	Number of Births.			Total Infant Mortality.			Ages at Death (Both Sexes).				Causes of Death (Both Sexes).					
		Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	(Months.)				Common Infec- tious Diseases.	Tuber- culous Diseases.	Diarrhoea and Enteritis.	Developmental and Wasting Diseases.	Other Causes.	
								0-1.	1-3.	3-6.	6-12.						
	Total Legitimate Infants ...	429715	413790	843505	58,901 137	46,468 112	105369 125	32,999 39.1	19,681 23.3	21,032 24.9	31,657 37.5	6492 7.7	3082 3.7	29,169 34.6	33,401 39.6	33,225 39.4	
	I. GENERAL OR LOCAL GOVERNMENT.																
	1. <i>National Government.</i>																
1	Civil Service Officers and Clerks (1, 2, 5).	1,940	1,867	3,807	125 64	101 54	226 59	96 25.2	46 12.1	32 8.4	52 13.7	14 3.7	8 2.1	59 15.5	78 20.5	67 17.6	
4	Postmen (3) ...	2,242	2,297	4,539	219 98	168 73	387 85	136 30.0	75 16.5	68 15.0	108 23.8	16 3.5	15 3.3	107 23.6	129 28.4	120 26.4	
4	Civil Service Messengers, &c. (4, 6).	628	592	1,220	66 105	57 96	123 101	47 38.5	24 19.7	23 18.9	29 23.8	6 4.9	3 2.5	36 29.5	43 35.2	35 28.7	
4	2. <i>Local Government.</i>																
4	Police (1) ...	3,123	2,987	6,110	302 97	259 87	561 92	215 35.2	97 15.9	106 17.3	143 23.4	41 6.7	16 2.6	156 25.5	194 31.8	154 25.2	
2	Officers of Local Authorities (2, 3).	1,135	1,099	2,234	102 90	77 70	179 80	77 34.5	32 14.3	26 11.6	44 19.7	14 6.3	4 1.8	36 16.1	72 32.2	53 23.7	
	II. DEFENCE OF THE COUNTRY.																
	1. <i>Army.</i>																
1	Army Officers (1, 2) ...	335	342	677	17 51	13 38	30 44	20 29.5	6 8.9	—	4 5.9	1 1.5	—	2 2.9	21 31.0	6 8.9	
4	Men of the Army (3) ...	3,077	2,865	5,942	330 107	234 82	564 95	200 33.7	104 17.5	106 17.8	154 25.9	38 6.4	15 2.5	149 25.1	199 33.5	163 27.4	
1	2. <i>Navy and Marines.</i>																
1	Naval Officers (1, 2, 4, 5) ...	164	177	341	7 43	7 40	14 41	3 8.8	1 2.9	3 8.8	7 20.5	—	1 2.9	2 5.9	2 5.9	9 26.4	
4	Men of the Navy (3, 6) ...	3,578	3,545	7,123	463 129	389 110	852 120	276 38.7	163 22.9	161 22.6	252 35.4	50 7.0	22 3.1	257 36.1	280 39.3	243 34.1	
	III. PROFESSIONAL OCCU- PATIONS.																
	1. <i>Clerical.</i>																
1	Church of England Clergy- men (1).	504	464	968	28 56	18 39	46 48	28 28.9	5 5.2	4 4.1	9 9.3	3 3.1	—	5 5.2	26 26.9	12 12.4	
1	Other Clergy (3) ...	325	296	621	29 89	14 47	43 69	18 29.0	5 8.1	10 16.1	10 16.1	2 3.2	1 1.6	13 20.9	18 29.0	9 14.5	
2	Scripture Readers, &c. (4)...	130	111	241	16 123	5 45	21 37	9 37.3	3 12.4	2 8.3	7 29.0	3 12.4	1 4.1	5 20.7	8 33.2	4 16.6	
2	Church, &c. Officials (6) ...	142	143	285	12 85	10 70	22 77	8 28.1	5 17.5	4 14.0	5 17.5	1 3.5	2 7.0	4 14.0	8 28.1	7 24.6	
1	2. <i>Legal.</i>																
1	Barristers (1) ...	99	92	191	7 71	5 54	12 63	5 26.2	2 10.5	3 15.7	2 10.5	—	—	3 15.7	7 36.6	2 10.5	
1	Solicitors (2)...	420	407	827	18 43	16 39	34 41	16 19.3	4 4.8	9 10.9	5 6.0	1 1.2	1 1.2	8 9.7	14 16.9	10 12.1	
1	Lawyers' Clerks (3)...	648	595	1,243	52 80	39 66	91 73	40 32.2	13 10.5	11 8.8	27 21.7	4 3.2	2 1.6	21 16.9	32 25.7	32 25.7	
1	3. <i>Medical.</i>																
1	Medical Practitioners (1) ...	652	633	1,285	25 38	25 39	50 39	26 20.2	8 6.2	6 4.7	10 7.8	1 0.8	1 0.8	11 8.6	19 14.8	18 14.0	
1	Dentists (2) ...	241	200	441	22 91	10 50	32 73	12 27.2	7 15.9	6 13.6	7 15.9	1 2.3	3 6.8	5 11.3	12 27.2	11 24.9	
2	Veterinary Surgeons (3) ...	58	60	118	4 69	3 50	7 59	3 25.4	2 16.9	1 8.5	1 8.5	—	—	1 8.5	3 25.4	1 8.5	
2	Sick Nurses (5) ...	49	57	106	5 102	6 105	11 104	4 37.7	1 5.4	1 9.4	5 47.2	—	—	3 28.3	4 37.7	4 37.7	
2	Subordinate Medical Service (6).	86	100	186	18 209	12 120	30 161	9 48.4	8 43.0	7 37.6	6 32.3	2 10.8	1 5.4	7 37.6	7 37.6	13 69.9	
1	4. <i>Teaching.</i>																
1	Teachers, &c. (1) ...	1,582	1,496	3,078	106 67	71 47	177 58	80 26.0	32 10.4	32 10.4	33 10.7	6 1.9	3 1.6	35 11.4	80 26.0	53 17.2	
2	Others connected with Edu- cation (2).	156	154	310	6 33	9 58	15 48	10 32.3	3 9.7	1 3.2	3 3.2	—	—	3 9.7	8 25.8	4 12.9	

TABLE 28A.—ENGLAND AND WALES, 1911.—MORTALITY OF LEGITIMATE INFANTS in
RELATION TO OCCUPATION OF FATHER—*continued.*

Social Class (Table 28B).	OCCUPATION OF FATHER with its Order, Sub-order, and Title Number (the latter in brackets) in the 1911 Census Classification.	Number of Births.			Total Infant Mortality.			Ages at Death (Both Sexes).				Causes of Death (Both Sexes).					
		Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	(Months.)				Common Infec- tious Diseases.	Tuberculous Diseases.	Diarrhoea and Enteritis.	Developmental and Wasting Diseases.	Other Causes.	
								0-1.	1-3.	3-6.	6-12.						
	III. PROFESSIONAL OCCU- PATIONS—continued. 5. <i>Literary, Scientific, and Political.</i>																
1	Authors, Journalists, &c. (1)	321	288	609	17 53	16 56	33 54	17 27·9	7 11·5	—	9 14·8	2 3·3	—	8 13·1	15 24·6	8 13·1	
2	Others connected with Liter- ature, Politics, &c. (3).	175	151	326	13 74	12 79	25 77	7 21·5	7 21·5	4 12·3	7 21·5	—	—	11 33·7	7 21·5	7 21·5	
1	Scientists and their Assist- ants (2).	160	132	292	9 56	11 83	20 68	11 37·7	2 6·8	2 6·8	5 17·1	1 3·4	—	1 3·4	9 30·8	9 30·8	
1	6. <i>Engineers and Surveyors.</i> Consulting Engineers (1) ...	354	325	679	19 54	22 68	41 60	11 16·2	13 19·1	3 4·4	14 20·6	3 4·4	3 4·4	14 20·6	13 19·1	8 11·8	
1	Surveyors (Land, Ship, &c.) (2).	174	146	320	11 63	9 62	20 63	11 34·4	—	2 6·3	7 21·9	—	—	4 12·5	9 28·1	7 21·9	
2	Engineers' and Surveyors' Assistants (3).	25	24	49	3 120	—	3 61	2 40·8	1 20·4	—	—	—	—	1 20·4	1 20·4	1 20·4	
1	7. <i>Art, Music, Drama.</i> Artists (1)	153	144	297	7 46	1 7	8 27	2 6·7	2 6·7	2 6·7	2 6·7	1 3·4	—	3 10·1	1 3·4	3 10·1	
1	Architects (2)	243	248	491	19 78	17 69	36 73	21 42·8	4 8·1	5 10·2	6 12·2	—	—	5 10·2	16 32·6	15 30·5	
2	Engravers (3)	120	131	251	10 83	13 99	23 92	9 35·9	3 12·0	6 23·9	5 19·9	2 8·0	1 4·0	4 15·9	8 31·9	8 31·9	
2	Photographers (4)	347	328	675	50 144	26 79	76 113	21 31·1	13 19·3	18 26·7	24 35·6	4 5·9	1 1·5	24 35·6	30 44·4	17 25·2	
2	Musicians, Teachers of Music (5).	633	651	1,284	88 139	66 101	154 120	45 35·0	32 24·9	25 19·5	52 40·1	7 5·5	5 3·9	44 34·3	49 38·2	49 38·2	
2	Actors (6)	258	287	545	40 155	30 105	70 128	23 42·1	17 31·2	11 20·2	19 34·9	1 1·8	3 5·5	27 49·5	21 38·5	18 33·0	
2	Art, Music, Theatre, &c., Service (7).	427	428	855	61 143	51 119	112 131	31 36·3	28 32·7	27 31·6	26 30·4	6 7·0	3 3·5	45 52·6	34 39·8	24 28·1	
2	8. <i>Exhibitions, Games, &c.</i> Exhibition, Games, &c., Service (1).	837	787	1,624	133 159	95 121	228 140	74 45·6	46 28·3	41 25·2	67 41·3	17 10·5	12 7·4	61 37·6	87 53·6	51 31·3	
	IV. DOMESTIC OFFICES OR SERVICES.																
3	1. <i>Domestic Indoor Service.</i> Domestic, Indoor Servants* (2).	615	579	1,194	79 128	96 166	175 147	52 43·6	32 26·8	47 39·4	44 36·9	16 13·4	9 7·5	43 36·0	54 45·2	53 44·4	
4	2. <i>Domestic Outdoor Service.</i> Domestic Coachmen and Grooms (1).	2,564	2,505	5,069	233 91	177 71	410 81	166 32·7	85 16·8	65 12·8	94 18·5	36 7·1	6 1·2	92 18·1	159 31·4	117 23·1	
4	Domestic Gardeners (3) ...	3,561	3,510	7,071	328 92	237 68	565 80	242 34·2	90 12·7	106 15·0	127 18·0	42 5·9	14 2·0	122 17·3	244 34·5	143 20·2	
3	Gamekeepers (4)	702	660	1,362	51 73	44 67	95 70	41 30·1	21 15·4	14 10·3	19 14·0	4 2·9	3 2·2	9 6·6	46 33·8	33 24·2	
3	3. <i>Other Service.</i> College, Club, Service (1) ...	287	300	587	20 70	27 90	47 80	12 20·4	8 13·6	11 18·7	16 27·3	4 6·8	2 3·4	17 29·0	16 27·3	8 13·6	
2	Hospital, Institution, Service (2).	501	534	1,035	63 126	51 96	114 110	40 38·6	28 27·1	16 15·5	30 29·0	4 3·9	7 6·8	34 32·9	33 31·9	36 34·8	
4	Park, Gate, &c., Keepers (3)	58	63	121	9 155	5 79	14 116	2 16·5	1 8·3	4 33·1	7 57·9	1 8·3	1 8·3	8 66·1	2 16·5	2 16·5	
4	Caretakers, &c. (4)	391	395	786	58 148	50 127	108 137	27 34·4	23 29·3	17 21·6	41 52·2	4 5·1	2 2·5	25 31·8	32 40·7	45 57·3	
3	Cooks (not Domestic) (5) ...	399	415	814	61 153	44 106	105 129	27 33·2	27 33·2	18 22·1	33 40·5	6 7·4	4 4·9	38 46·7	33 40·5	24 29·5	
4	Laundry Workers (8)	388	395	783	73 188	53 134	126 161	37 47·3	25 31·9	24 30·7	40 51·1	11 14·0	5 6·4	37 47·3	35 44·7	38 48·5	
4	Bath and Washhouse Service (9).	112	93	205	14 125	15 161	29 141	6 29·3	7 34·1	8 39·0	8 39·0	3 14·6	2 9·8	11 53·7	8 39·0	5 24·3	
4	Others engaged in Personal Service (10).	967	965	1,932	167 173	107 111	274 142	85 44·0	53 27·4	46 23·8	90 46·6	21 10·9	4 2·1	88 45·5	91 47·1	70 36·2	

* Domestic Indoor Servants in Inns, Hotels, Eating and Lodging Houses are included under "Others in Inn, Hotel Service,"
XX: 4.

TABLE 28A.—ENGLAND AND WALES, 1911.—MORTALITY OF LEGITIMATE INFANTS in
RELATION TO OCCUPATION OF FATHER—*continued.*

Social Class (Table 28B).	OCCUPATION OF FATHER with its Order, Sub-order, and Title Number (the latter in brackets) in the 1911 Census Classification.	Number of Births.			Total Infant Mortality.			Ages at Death (Both Sexes).				Causes of Death (Both Sexes).					
		Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	(Months.)				Common Infection Diseases.	Tuberculous Diseases.	Diarrhoea and Enteritis.	Developmental and Wasting Diseases.	Other Causes.	
								0-1.	1-3.	3-6.	6-12.						
	V. COMMERCIAL OCCUPATIONS.																
	1. <i>Merchants, Agents, and Accountants.</i>																
1	Merchants (Commodity undefined) (1).	201	200	401	7 35	5 25	12 30	4 10·0	2 5·0	4 10·0	2 5·0	— —	— —	3 7·5	4 10·0	5 12·5	
1	Brokers, Agents, Factors (2)	1,280	1,264	2,544	94 73	97 77	191 75	72 28·3	36 14·2	35 13·8	48 18·9	13 5·1	4 1·6	43 16·9	79 31·1	52 20·4	
1	Salesmen, Buyers (Goods undefined) (3).	41	42	83	6 146	5 119	11 133	5 60·3	3 36·1	—	3 36·1	— —	— —	2 24·1	3 36·1	6 72·3	
1	Commercial Travellers (4)...	3,292	3,174	6,466	299 91	259 82	558 86	206 31·9	101 15·6	113 17·5	138 21·3	26 4·0	20 3·1	151 23·3	199 30·8	162 25·0	
1	Accountants (5) ...	195	185	380	10 51	11 59	21 55	12 31·6	2 5·3	4 10·5	3 7·9	1 2·6	—	1 2·6	14 36·8	5 13·2	
1	Auctioneers, House Agents, &c. (6)	445	423	868	39 88	23 54	62 71	31 35·7	7 8·1	12 13·8	12 13·8	4 4·6	—	17 19·6	28 32·3	13 15·0	
2	Officers of Commercial Societies, &c. (7).	59	54	113	9 153	8 148	17 150	9 79·6	4 35·4	2 17·7	2 17·7	3 26·5	3 26·5	4 35·4	6 53·1	1 8·8	
	2. <i>Commercial or Business Clerks.</i>																
1	Commercial Clerks (1) ...	8,310	8,119	16,429	774 93	559 69	1,333 81	537 32·7	261 15·9	233 14·2	302 18·4	71 4·3	42 2·6	343 20·9	503 30·6	374 22·8	
	3. <i>Dealers in Money.</i>																
1	Bankers: Bank Clerks (1)	802	731	1,533	50 62	33 45	83 54	38 24·8	21 13·7	6 3·9	18 11·7	2 1·3	1 0·7	17 11·1	37 24·1	26 17·0	
1	Finance Agents, Clerks, &c. (2).	57	58	115	1 18	1 17	2 17	— —	— —	— —	2 17·4	— —	— —	1 8·7	—	1 8·7	
	4. <i>Insurance.</i>																
1	Insurance Officials, Clerks (1).	1,035	1,031	2,066	85 82	61 59	146 71	59 28·6	32 15·5	24 11·6	31 15·0	3 1·5	3 1·5	39 18·9	58 28·1	43 20·8	
1	Insurance Agents (2) ...	2,287	2,132	4,419	314 137	225 106	539 122	178 40·3	112 25·3	110 24·9	139 31·5	37 8·4	11 2·5	152 34·4	190 43·0	149 33·7	
	VI. CONVEYANCE OF MEN, GOODS, AND MESSAGES.																
	1. <i>On Railways.</i>																
1	Railway Officials, Clerks (1)	2,086	2,081	4,167	184 88	157 75	341 82	128 30·7	85 20·4	52 12·5	76 18·2	13 3·1	11 2·6	86 20·6	123 29·5	108 25·9	
3	Railway Ticket Collectors (2).	120	126	246	14 117	14 111	28 114	8 32·5	5 20·3	9 36·6	6 24·4	— —	— —	13 52·8	7 28·5	8 32·5	
3	Railway Engine, Drivers, Cleaners, &c. (3).	3,098	2,952	6,050	365 118	282 96	647 107	235 38·8	109 18·0	123 20·3	180 29·8	32 5·3	17 2·8	188 31·1	229 37·9	181 29·9	
3	Railway Guards (4) ...	954	889	1,843	103 108	85 96	188 102	52 28·2	35 19·0	38 20·6	63 34·2	16 8·7	4 2·2	54 29·3	57 30·9	57 30·9	
3	Signalmen (5) ...	1,067	982	2,049	113 106	80 81	193 94	75 36·6	28 13·7	33 16·1	57 27·8	15 7·3	4 2·0	50 24·4	66 32·2	58 28·3	
4	Pointsmen, &c. (6) ...	930	889	1,819	142 153	95 107	237 130	93 51·1	51 28·0	35 19·2	58 31·9	10 5·5	4 2·2	64 35·2	83 45·6	76 41·8	
5	Platelayers, &c. (7) ...	2,385	2,423	4,808	339 142	242 100	581 121	174 36·2	106 22·0	116 24·1	185 38·5	41 8·5	16 3·3	157 32·7	182 37·9	185 38·5	
5	Other Railway Servants (8, 9, 10).	5,871	5,433	11,304	874 149	637 117	1,511 134	453 40·1	287 25·4	301 26·6	470 41·6	102 9·0	48 4·2	456 40·3	458 40·5	447 39·5	
	2. <i>On Roads.</i>																
2	Horse, Cab, &c., Proprietors (1).	397	385	782	49 123	29 75	78 100	23 29·4	18 23·0	10 12·8	27 34·5	4 5·1	3 3·8	21 26·9	29 37·1	21 26·9	
5	Cabmen, &c. (3) ...	1,176	1,138	2,314	152 129	137 120	289 125	94 40·6	58 25·1	48 20·7	89 38·5	16 6·9	4 1·7	87 37·6	90 38·9	92 39·8	
5	Grooms (not Domestic) (4)	1,661	1,646	3,307	228 137	176 107	404 122	113 34·2	78 23·6	86 26·0	127 38·4	24 7·3	11 3·3	122 36·9	126 38·1	121 36·6	
5	Carmen, Carriers, &c. (6, 8)	17,250	16,525	33,775	2,745 159	2,204 133	4,949 147	1,348 39·9	936 27·7	996 29·5	1,669 49·4	350 10·4	155 4·6	1,454 43·0	1,412 41·8	1,578 46·7	
4	Garage Proprietors and Workers (2).	195	191	386	22 113	17 89	39 101	9 23·3	6 15·5	15 38·9	2 5·2	3 7·8	18 46·6	10 25·9	6 15·5		
3	Motor Drivers, Chauffeurs (5, 7); IV. 2 (2).	2,345	2,266	4,611	234 100	196 86	430 93	161 34·9	74 16·0	74 16·0	121 26·2	20 4·3	15 3·3	117 25·4	142 30·8	136 29·5	
4	Other Carrying Service (9)	321	314	635	29 90	18 57	47 74	14 22·0	10 15·7	5 7·9	18 28·3	2 3·1	2 3·1	14 22·0	14 22·0	15 23·6	

TABLE 28A.—ENGLAND AND WALES, 1911.—MORTALITY of LEGITIMATE INFANTS in
RELATION to OCCUPATION of FATHER—*continued.*

Social Class (Table 28B).	OCCUPATION OF FATHER with its Order, Sub-order, and Title Number (the latter in brackets) in the 1911 Census Classification.	Number of Births.			Total Infant Mortality.			Ages at Death (Both Sexes).				Causes of Death (Both Sexes).					
		Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	(Months.)				Common Infec- tious Diseases.	Tuber- culous Diseases.	Diarrhoea and Enteritis.	Developmental and Wasting Diseases.	Other Causes.	
								0-1.	1-3.	3-6.	6-12.						
	VI. CONVEYANCE OF MEN, GOODS, AND MESSAGES— <i>continued.</i>																
3	2. On Roads—continued. Omnibus Service (10, 11, 12, 13).	644	622	1,266	93 144	73 117	166 131	50 39.5	26 20.5	32 25.3	58 45.8	12 9.5	7 5.5	51 40.3	49 38.7	47 37.1	
3	Tramways Service (14,15,16)	2,343	2,361	4,704	283 121	263 111	546 116	184 39.1	99 21.0	97 20.6	166 35.3	24 5.1	19 4.0	170 36.1	175 37.2	158 33.6	
3	Others on Roads (17) ...	31	22	53	7 226	5 227	12 226	3 56.6	3 56.6	3 56.6	3 56.6	— —	— —	3 56.6	4 75.5	5 94.3	
2	3. On Seas, Rivers and Canals. Merchant Service ; Pilots, Boatmen (1, 2, 3, 4).	5,697	5,390	11087	858 151	643 119	1,501 135	445 40.1	305 27.5	317 28.6	434 39.1	78 7.0	43 3.9	407 36.7	472 42.6	501 45.2	
5	Bargemen, Watermen (5) ...	1,448	1,449	2,897	264 182	201 139	465 161	125 43.1	85 29.3	99 34.2	156 53.9	30 10.4	15 5.2	146 50.4	131 45.2	143 49.4	
2	Navigation Service on Shore (6).	150	131	281	9 60	15 115	24 85	10 35.6	7 24.9	3 10.7	4 14.2	— —	— —	10 35.6	7 24.9	7 24.9	
5	4. In Docks, Harbours and Lighthouses. Dock Labourers (1) ...	6,121	6,042	12163	1,104 180	987 163	2,091 172	532 43.7	394 32.4	441 36.3	724 59.5	106 8.7	65 5.3	628 51.6	541 44.5	751 61.7	
4	Harbour Dock, &c., Officials (2).	665	617	1,282	119 179	73 118	192 150	59 46.0	29 22.6	37 28.9	67 52.3	8 6.2	4 3.1	57 44.5	58 45.2	65 50.7	
4	5. In Storage, Portorage and Messages. Warehousemen (1) ...	367	347	714	61 166	45 130	106 148	30 42.0	24 33.6	25 35.0	27 37.8	4 5.6	4 5.6	25 35.0	30 42.0	43 60.2	
5	Coalheavers (2) ...	1,505	1,491	2,996	236 157	203 136	439 147	123 41.1	73 24.4	97 32.4	146 48.7	29 9.7	14 4.7	140 46.7	117 39.1	139 46.4	
5	Messengers, Porters, Watch- men (3).	2,209	2,122	4,331	321 145	249 117	570 132	154 35.6	104 24.0	125 28.9	187 43.2	22 5.1	20 4.6	162 37.4	152 35.1	214 49.4	
2	Telegraph, Telephone Service (not Government) (4).	199	209	408	19 95	8 38	27 66	15 36.8	6 14.7	4 9.8	2 4.9	3 7.4	— —	3 7.4	14 34.3	7 17.2	
	VII. AGRICULTURE.																
2	1. On Farms, Woods and Gardens. Farmers (1, 2) ...	8,189	7,828	16017	683 83	517 66	1,200 75	573 35.8	201 12.5	201 12.5	225 14.0	73 4.6	19 1.2	157 9.8	514 32.1	437 27.3	
3	Farm Bailiffs (3) ...	702	749	1,451	55 78	41 55	96 66	34 23.4	20 13.8	21 14.5	21 14.5	7 4.8	3 2.1	17 11.7	31 21.4	38 26.2	
4	Shepherds (4) ...	546	492	1,038	41 75	33 67	74 71	30 28.9	11 10.6	10 9.6	23 22.2	2 1.9	2 1.9	7 6.7	30 28.9	33 31.8	
8	Agricultural Labourers (5, 6, 7).	16140	15634	31774	1,750 108	1,330 85	3,080 97	1,168 36.8	570 17.9	579 18.2	763 24.0	198 6.2	94 3.0	567 17.8	1,202 37.8	1,019 32.1	
4	Woodmen (8) ...	279	273	552	13 47	13 48	26 47	10 18.1	4 7.2	6 10.9	6 10.9	— —	2 3.6	2 3.6	10 18.1	12 21.7	
4	Gardeners (not Domestic) (9, 10, 11).	3,089	2,843	5,932	349 113	277 97	626 106	225 37.9	101 17.0	116 19.6	184 31.0	42 7.1	20 3.4	167 28.1	227 38.3	170 28.7	
4	Agricultural Machine Own- ers, Attendants (12).	200	190	390	21 105	14 74	35 90	14 35.9	7 17.9	6 15.4	8 20.5	4 10.3	— —	4 10.3	13 33.3	14 35.9	
4	Others in Agriculture (13)	259	240	499	17 66	10 42	27 54	13 26.0	3 6.0	4 8.0	7 14.0	— —	— —	4 8.0	11 22.0	12 24.0	
	VIII. FISHING.																
4	1. In Fishing. Fishermen ...	1,639	1,542	3,181	235 143	206 134	441 139	131 41.2	98 30.8	100 31.4	112 35.2	25 7.9	10 3.1	128 40.2	131 41.2	147 46.2	
	IX. MINES AND QUARRIES.																
7	1. Workers. Coal Miners (1, 2, 3) ...	48653	46913	95566	8,588 177	6,848 146	15436 162	4,460 46.7	2,741 28.7	3,249 34.0	4,986 52.2	969 10.1	464 4.9	4,354 45.6	4,617 48.3	5,032 52.7	
1	Coal Mines :— Owners, Agents, Managers (4).	144	167	311	14 97	24 144	38 122	14 45.0	5 16.1	7 22.5	12 38.6	3 9.6	3 9.6	11 35.4	12 38.6	9 28.9	
7	Other Mine Service (5) ...	136	146	282	15 110	11 75	26 92	13 46.1	4 14.2	4 14.2	5 17.7	1 3.5	1 3.5	7 24.8	12 42.6	5 17.7	

TABLE 28A.—ENGLAND AND WALES, 1911.—MORTALITY of LEGITIMATE INFANTS in
RELATION to OCCUPATION of FATHER—*continued*.

Social Class (Table 28B).	OCCUPATION OF FATHER with its Order, Sub-order, and Title Number (the latter in brackets) in the 1911 Census Classification.	Number of Births.			Total Infant Mortality.			Ages at Death (Both Sexes).				Causes of Death (Both Sexes).					
		Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	(Months.)				Common Infectious Diseases.	Tuberculous Diseases.	Diarrhoea and Enteritis.	Developmental and Wasting Diseases.	Other Causes.	
								0-1.	1-3.	3-6.	6-12.						
	IX. MINES AND QUARRIES— <i>continued.</i>																
5	1. <i>Workers</i> — <i>continued.</i> Coke Burners (6) ...	455	479	934	71 156	60 125	131 140	36 38.5	32 34.3	23 24.6	40 42.8	11 11.8	1 1.1	34 36.4	41 43.9	44 47.1	
5	Patent Fuel Manufacture (7).	71	80	151	10 141	20 250	30 199	12 79.5	2 13.2	6 39.7	10 66.2	5 33.1	2 13.2	7 46.4	11 72.8	5 33.1	
7	Iron Miners (8) ...	1,126	1,001	2,127	128 114	101 101	229 108	74 34.8	35 16.5	43 20.2	77 36.2	30 14.1	6 2.8	37 17.4	70 32.9	86 40.4	
7	Copper Miners (9) ...	18	27	45	1 56	3 111	4 89	1 22.2	2 44.4	—	1 22.2	—	—	—	2 44.4	2 44.4	
7	Tin Miners (10) ...	332	367	699	65 196	68 185	133 190	29 41.5	22 31.5	40 57.2	42 60.1	5 7.2	5 7.2	54 77.3	36 51.5	33 47.2	
7	Lead Miners (11) ...	122	91	213	13 107	5 55	18 85	4 18.8	6 28.2	5 23.5	3 14.1	—	1 4.7	1 4.7	5 23.5	11 51.6	
7	Miners in other Minerals (12)	128	144	272	23 180	10 69	33 121	15 55.1	2 7.4	7 25.7	9 33.1	—	4 14.7	5 18.4	12 44.1	12 44.1	
1	Metalliferous Mines:— Owners, Agents, Managers (13).	20	15	35	2 100	2 133	4 114	1 28.6	1 28.6	—	2 57.1	—	—	1 28.6	—	3 85.7	
7	Other Mine Service (14)...	4	3	7	—	—	—	—	—	—	—	—	—	—	—	—	
1	Quarry, Owners, Managers, &c. (15).	26	23	49	1 38	2 87	3 61	—	1 20.4	1 20.4	1 20.4	—	—	1 20.4	—	2 40.8	
4	Stone Quarriers, Cutters, Dressers (16, 17).	1,630	1,602	3,232	188 115	169 105	357 110	128 39.5	70 21.7	65 20.1	94 29.1	25 7.7	14 4.3	73 22.6	118 36.5	127 39.3	
4	Slate Quarriers, Workers (18, 19).	421	385	806	46 109	46 119	92 114	34 42.2	26 32.3	14 17.4	18 22.3	7 8.7	3 3.7	11 13.6	35 43.4	36 44.7	
5	Limeburners (20) ...	96	73	169	8 83	11 151	19 112	6 35.5	2 11.8	4 23.7	7 41.4	1 5.9	—	4 23.7	7 41.4	7 41.4	
5	Clay, Sand, Gravel, Pit Workers (21).	468	511	979	54 115	47 92	101 103	31 31.7	23 23.5	22 22.5	25 25.5	5 5.1	4 4.1	24 24.5	42 42.9	26 26.6	
5	Other Workers in Quarry Products (22).	136	115	251	11 81	8 70	19 76	7 27.9	2 8.0	3 12.0	7 27.9	4 15.9	—	5 19.9	5 19.9	5 19.9	
2	2. <i>Dealers.</i> Coal, Coke Merchants (1) ...	790	793	1,583	85 108	71 90	156 99	44 27.8	33 20.8	36 22.7	43 27.2	12 7.6	6 3.8	49 31.0	45 28.4	44 27.8	
1	Dealers in Stone, Slate, &c. (2).	48	49	97	5 104	1 20	6 62	1 10.3	4 41.2	1 10.3	—	1 10.3	—	3 30.9	1 10.3	1 10.3	
	X. METALS, MACHINES, IMPLEMENTS, AND CON- VEYANCES.																
5	1. <i>Iron and Steel Manufacture.</i> Pig Iron Manufacture (1)...	995	917	1,912	187 188	131 143	318 166	95 49.7	47 24.6	71 37.1	105 54.9	23 12.0	10 5.2	62 32.4	97 50.7	126 65.9	
5	Puddling Furnaces and Rolling Mills (2).	2,534	2,379	4,913	410 162	341 143	751 153	212 43.2	120 24.4	176 35.8	243 49.5	56 11.4	31 6.3	189 38.5	201 40.9	274 55.8	
4	Tube Manufacture (3) ...	327	321	648	63 193	51 159	114 176	40 61.7	16 24.7	21 32.4	37 57.1	5 7.7	4 6.2	30 46.3	39 60.2	36 55.6	
4	Steel Smelting and Found- ing (4).	2,425	2,236	4,661	372 153	277 124	649 139	175 37.5	127 27.2	131 28.1	216 46.3	49 10.5	23 4.9	185 39.7	180 38.6	212 45.5	
3	3. <i>General Engineering and Machine Making.</i> Pattern Makers (1)...	354	385	739	44 124	35 91	79 107	27 36.5	14 18.9	17 23.0	21 28.4	4 5.4	4 5.4	25 33.8	24 32.5	22 29.8	
3	Millwrights (2) ...	193	139	332	23 119	12 86	35 105	13 39.1	9 27.1	7 21.1	6 18.1	2 6.0	—	8 24.1	9 27.1	16 48.2	
5	Ironfounders (3)— Foundry Labourers ...	1,803	1,691	3,494	325 180	272 161	597 171	151 43.2	121 34.6	129 36.9	196 56.1	32 9.2	18 5.2	204 58.4	164 46.9	179 51.2	
3	Others ...	3,206	3,135	6,341	432 135	327 104	759 120	240 37.8	160 25.3	132 20.8	227 35.8	40 6.3	17 2.7	210 33.1	259 40.8	233 36.7	
3	Brassfounders (4) ...	521	430	951	66 127	52 121	118 124	39 41.0	22 23.1	21 22.1	36 37.9	5 5.3	2 2.1	38 40.0	30 31.5	43 45.2	
3	Blacksmiths (5) ...	4,800	4,649	9,449	625 130	474 102	1,099 116	343 36.3	184 19.5	240 25.4	332 35.1	70 7.4	30 3.2	288 30.5	361 38.2	350 37.0	

TABLE 28A.—ENGLAND AND WALES, 1911.—MORTALITY OF LEGITIMATE INFANTS IN
RELATION TO OCCUPATION OF FATHER—*continued.*

Social Class (Table 28b).	OCCUPATION OF FATHER with its Order, Sub-order, and Title Number (the latter in brackets) in the 1911 Census Classification.	Number of Births.			Total Infant Mortality.			Ages at Death (Both Sexes).				Causes of Death (Both Sexes).					
		Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	(Months.)				Common Infectious Diseases.	Tuberculous Diseases.	Diarrhoea and Enteritis.	Developmental and Wasting Diseases.	Other Causes.	
								0-1.	1-3.	3-6.	6-12.						
3	X. METALS, MACHINES, IMPLEMENTS AND CON- VEYANCES—continued. 3. General Engineering and Machine Making—continued. Fitters (6)	6,369	6,183	12552	809 127	623 101	1,432 114	468 37·3	293 23·3	260 20·7	411 32·7	86 6·9	31 2·5	389 31·0	490 39·0	436 34·7	
5	Fitters' Labourers (7) ...	361	349	710	46 127	47 135	93 131	42 59·2	15 21·1	20 28·2	16 22·5	4 5·6	1 1·4	23 32·4	37 52·1	28 39·4	
3	Brass Finishers (8)	594	556	1150	87 146	63 113	150 130	45 39·1	33 28·7	36 31·3	36 31·3	12 10·4	2 1·7	45 39·1	43 37·4	48 41·7	
3	Coppersmiths (9)	180	185	365	18 100	18 97	36 99	9 24·7	6 16·4	4 11·0	17 46·6	2 5·5	2 5·5	12 32·9	13 35·6	7 19·2	
3	Metal Machinists (10) ...	1,554	1,554	3,108	243 156	218 140	461 148	150 48·3	92 29·6	86 27·7	133 42·8	21 6·8	12 3·9	130 41·8	156 50·2	142 45·7	
5	Labourers (undefined) in Engineering Works (11).	1,112	1,096	2,208	193 174	138 126	331 150	92 41·7	62 28·1	68 30·8	109 49·4	18 8·2	11 5·0	89 40·3	98 44·4	115 52·1	
3	Boiler Makers (12)	2,088	1,960	4,048	295 141	249 127	544 134	189 46·7	104 25·7	94 23·2	157 38·8	33 8·2	15 3·7	130 32·1	187 46·2	179 44·2	
	Other Workers in Engine and Machine Making:—																
3	In Textile Machinery	377	372	749	47 125	37 99	84 112	25 33·4	19 25·4	17 22·7	23 30·7	2 2·7	4 5·3	21 28·0	28 37·4	29 38·7	
4	Fittings, &c. (13).																
4	Others (14)	3,164	3,006	6,170	368 116	295 98	663 107	248 40·1	119 19·3	132 21·4	164 26·6	31 5·0	15 2·4	197 31·9	238 38·6	182 29·5	
	4. Electrical Apparatus.																
3	Makers of Electrical Ap- paratus, &c. (1, 2, 3).	1,709	1,537	3,246	223 130	128 83	351 108	122 37·6	54 16·6	71 21·9	104 32·0	12 3·7	13 4·0	105 32·3	124 38·2	97 29·9	
3	Electricians (undefined) (4)	1,863	1,774	3,637	208 112	154 87	362 100	115 31·6	63 17·3	80 22·0	104 28·6	21 5·8	8 2·2	109 30·0	115 31·6	109 30·0	
	5. Tools.																
3	Tool Makers (1)	863	871	1,734	118 137	82 94	200 115	83 47·9	31 17·9	32 18·5	54 31·1	10 5·8	8 4·6	41 23·6	84 48·4	57 32·9	
3	File Makers (2)	219	215	434	38 174	31 144	69 159	24 55·3	8 18·4	11 25·4	26 59·9	12 27·6	4 9·2	13 30·0	22 50·7	18 41·5	
3	Saw Makers (3)	71	77	148	7 99	7 91	14 95	8 54·1	3 20·3	1 6·8	2 13·5	— 6·8	— 6·8	1 6·8	7 47·3	5 33·8	
3	Cutlers (4)	571	556	1,127	82 144	69 124	151 134	48 42·6	22 19·5	24 21·3	57 50·6	18 16·0	8 7·1	34 30·2	45 39·9	46 40·8	
3	Needle, Pin, Makers (5) ...	38	42	80	4 105	2 48	6 75	3 37·5	1 12·5	2 25·0	— —	— —	— —	1 12·5	4 50·0	1 12·5	
3	Steel Pen Makers (6)	14	21	35	2 143	6 286	8 229	1 28·6	1 28·6	1 28·6	5 142·9	— —	— —	2 57·1	1 28·6	5 142·9	
	6. Types, Dies, Medals, Coins, &c.																
3	Roller Engravers, Block Cutters (1).	63	47	110	6 95	4 85	10 91	1 9·1	1 9·1	3 27·3	5 45·5	2 18·2	1 9·1	1 9·1	2 18·2	4 36·4	
3	Type Cutters, Founders (2)	37	29	66	2 54	— —	2 30	— —	1 15·2	1 15·2	— —	— —	— —	— —	2 30·3	— —	
3	Die, Seal, Coin, Makers (3)	64	75	139	9 141	7 93	16 115	5 36·0	1 7·2	7 50·4	3 21·6	— —	— —	7 50·4	5 36·0	4 28·8	
	7. Arms.																
3	Gunsmiths (1)	230	262	492	38 165	37 141	75 152	22 44·7	18 36·6	13 26·4	22 44·7	2 4·1	3 6·1	24 48·8	28 56·9	18 36·7	
3	Sword Makers (2)	8	9	17	2 250	— —	2 118	— —	— —	— —	2 117·6	— —	— —	2 117·6	— —	— —	
	2, 8. Miscellaneous Metal Trades.																
4	Nail Manufacture, 8 (1) ...	75	80	155	9 120	7 88	16 103	7 45·2	4 25·8	3 19·4	2 12·9	— —	— —	5 32·3	6 38·7	5 32·3	
4	Bolt, Nut, &c., Makers, 8 (2).	336	304	640	59 176	32 105	91 142	30 46·9	18 28·1	11 17·2	32 50·0	2 3·1	3 4·7	22 34·4	28 43·7	36 56·3	
4	Anchor, Chain, Manufacture, 8 (3).	240	212	452	42 175	26 123	68 150	23 50·9	12 26·5	13 28·8	20 44·2	4 8·9	2 4·4	14 31·0	30 66·3	18 39·8	
4	Stove, Grate, &c., Makers, 8 (4).	195	196	391	32 164	21 107	53 136	14 35·8	8 20·5	14 35·8	17 43·5	5 12·8	1 2·6	18 46·0	14 35·8	15 38·4	
4	Bedstead Makers, 8 (5) ...	166	163	329	33 199	13 80	46 140	14 42·6	8 24·3	12 36·5	12 36·5	1 3·0	2 6·1	14 42·6	18 54·7	11 33·4	
4	Wire Drawers, Workers, 8 (6).	851	838	1,689	133 156	102 122	235 139	77 45·6	53 31·4	35 20·7	70 41·4	12 7·1	2 1·2	61 36·1	75 44·4	85 50·3	

TABLE 28A.—ENGLAND AND WALES, 1911.—MORTALITY OF LEGITIMATE INFANTS in
RELATION to OCCUPATION of FATHER—*continued.*

Social Class (Table 28B).	OCCUPATION OF FATHER with its Order, Sub-order, and Title Number (the latter in brackets) in the 1911 Census Classification.	Number of Births.			Total Infant Mortality.			Ages at Death (Both Sexes).				Causes of Death (Both Sexes).					
		Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	(Months.)				Common Infec- tious Diseases.	Tuber- culous Diseases.	Diarrhea and Enteritis	Developmental and Wasting Diseases.	Other Causes.	
								0-1.	1-3.	3-6.	6-12.						
	X. METALS, MACHINES, IMPLEMENTS, AND CON- VEYANCES—continued.																
	2, 8. Miscellaneous Metal Trades—continued.																
4	Lock, Key, Makers, 8 (7) ...	171	137	308	22 129	11 80	33 107	9 29.2	8 26.0	8 26.0	8 26.0	3 9.7	—	8 26.0	11 35.7	11 35.7	
4	Gas Fittings Makers, 8 (8)	170	188	358	15 88	11 59	26 73	8 22.3	2 5.6	7 19.6	9 25.1	1 2.8	—	13 36.3	8 22.3	4 11.2	
4	Lamp, Lantern, Candlestick, Makers, 8 (9).	70	57	127	13 186	11 193	24 189	8 63.0	2 15.7	7 55.1	7 55.1	3 23.6	1 7.9	6 47.2	9 70.9	5 39.4	
4	Ware Manufacturers (White Metal, Plated), 8 (10).	394	389	783	31 79	35 90	66 84	17 21.7	11 14.0	16 20.4	22 28.1	3 3.8	—	25 31.9	20 25.5	18 23.0	
5	Galvanized Sheet Manufac- ture, 2 (1).	210	206	416	33 157	21 102	54 130	24 57.7	10 24.0	7 16.8	13 31.3	1 2.4	1 2.4	8 19.2	25 60.1	19 45.7	
4	Tinplate Manufacture, 2 (2)	870	795	1,665	133 153	105 132	238 143	70 42.0	45 27.0	59 35.4	64 38.4	17 10.2	13 7.8	62 37.2	65 39.0	81 48.6	
4	Tinplate Goods Makers, 8 (11).	719	780	1,499	110 153	95 122	205 137	56 37.4	32 21.3	44 29.4	73 48.7	17 11.3	8 5.3	58 38.7	55 36.7	67 44.7	
4	Copper Manufacture, Copper Workers, 2 (3), 8 (12).	354	331	685	55 155	45 136	100 146	30 43.8	22 32.1	19 27.7	29 42.3	5 7.3	2 2.9	26 38.0	34 49.6	33 48.2	
4	Lead Manufacture, Leaden Goods Makers, 2 (4), 8 (13).	129	123	252	23 178	15 122	38 151	14 55.6	5 19.8	7 27.8	12 47.6	5 19.8	1 4.0	4 15.9	16 63.5	12 47.6	
4	Zinc Manufacture, Zinc Workers, 2 (5), 8 (14).	101	106	207	15 149	11 104	26 126	7 33.8	7 33.8	3 14.5	9 43.5	2 9.7	—	3 14.5	9 43.5	12 58.0	
4	Brass Manufacture, Brass Workers, 2 (6), 8 (15).	868	865	1,733	160 184	141 163	301 174	73 42.1	62 35.8	65 37.5	101 58.3	15 8.7	7 4.0	100 57.7	91 52.5	88 50.8	
4	Sundry Iron Goods Makers, 8 (16).	1,352	1,318	2,670	152 112	127 96	279 104	101 37.7	57 21.3	49 18.4	72 27.0	13 4.9	8 3.0	66 24.7	103 38.6	89 33.2	
4	Iron Workers (undefined), 8 (17).	927	887	1,814	179 193	133 150	312 172	82 45.2	48 26.5	70 38.6	112 61.7	12 6.6	10 5.5	97 53.5	83 45.8	110 60.7	
4	Other Metal Workers, 2 (7), 8 (18).	1,176	1,134	2,310	197 168	157 138	354 153	103 44.6	67 29.0	70 30.3	114 49.4	21 9.1	8 3.5	118 51.1	117 50.6	90 39.0	
	9. Ships and Boats.																
3	Platers, Rivetters (1) ...	1,312	1,267	2,579	192 146	159 125	351 136	110 42.7	69 26.8	65 25.2	107 41.5	17 6.6	10 3.9	84 32.6	113 43.8	127 49.2	
4	Other Workers in Iron (2)...	36	44	80	7 194	6 136	13 163	4 50.0	2 25.0	3 37.5	4 50.0	—	—	5 62.5	4 50.0	4 50.0	
3	Shipwrights (3) ...	910	846	1,756	110 121	76 90	186 106	78 44.4	25 14.2	39 22.2	44 25.1	12 6.8	4 2.3	38 21.6	75 42.7	57 32.5	
4	Other Workers in Wood (4)	49	41	90	6 122	1 24	7 78	4 44.4	2 22.2	—	1 11.1	—	—	—	4 44.4	3 33.3	
5	Ship Painters (5) ...	124	136	260	16 129	18 132	34 131	14 53.8	2 7.7	6 23.1	12 46.2	2 7.7	1 3.8	13 50.0	11 42.3	7 26.9	
5	Shipyard Labourers (unde- fined) (6).	1,044	969	2,013	154 148	121 125	275 137	81 40.2	54 26.8	51 25.3	89 44.2	20 9.9	8 4.0	53 26.3	83 41.2	111 55.1	
4	Others (7) ...	298	315	613	38 128	30 95	68 111	25 40.8	12 19.6	9 14.7	22 35.9	4 6.5	1 1.6	16 26.1	25 40.8	22 35.9	
	10. Vehicles.																
3	Cycle Makers (3) ...	1,160	1,069	2,229	180 155	107 100	287 129	77 34.5	62 27.8	57 25.6	91 40.8	15 6.7	8 3.6	83 37.2	87 39.0	94 42.2	
3	Motor Car Chassis Makers ; Motor Mechanics (4).	1,451	1,327	2,778	111 76	92 69	203 73	65 23.4	44 15.8	45 16.2	49 17.6	13 4.7	4 1.4	73 26.3	65 23.4	48 17.3	
3	Wheelwrights (7) ...	672	690	1,362	93 138	61 88	154 113	54 39.6	26 19.1	30 22.0	44 32.3	6 4.4	5 3.7	47 34.5	50 36.7	46 33.8	
3	Other Vehicle Makers (1, 2, 5, 6, 8).	2,373	2,293	4,666	296 125	224 98	520 111	175 37.5	103 22.1	102 21.9	140 30.0	35 7.5	12 2.6	151 32.4	175 37.5	147 31.4	
	11. Dealers.																
2	Ironmongers (1) ...	724	671	1,395	63 87	51 76	114 82	45 32.3	22 15.8	22 15.8	25 17.9	2 1.4	5 3.6	29 20.8	39 28.0	39 28.0	
2	Other Dealers in Metals (2)	349	356	705	32 92	34 96	66 94	28 39.7	11 15.6	10 14.2	17 24.1	1 1.4	3 4.3	17 24.1	24 34.0	21 29.8	

TABLE 28A.—ENGLAND AND WALES, 1911.—MORTALITY OF LEGITIMATE INFANTS in
RELATION to OCCUPATION of FATHER—*continued.*

Social Class (Table 28B).	OCCUPATION OF FATHER with its Order, Sub-order, and Title Number (the latter in brackets) in the 1911 Census Classification.	Number of Births.			Total Infant Mortality.			Ages at Death (Both Sexes).				Causes of Death (Both Sexes).					
		Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	(Months).				Common Infec- tious Diseases.	Tuberculous Diseases.	Diarrhoea and Enteritis.	Developmental and Wasting Diseases.	Other Causes.	
								0-1.	1-3.	3-6.	6-12.						
	XI. PRECIOUS METALS, JEWELS, WATCHES, INSTRU- MENTS, GAMES.																
	1. <i>Precious Metals, Jewellery, Watches.</i>																
2	Jewellers, Watchmakers (1, 2), 2 (1), 5 (1).	1,328	1,373	2,701	165 124	107 78	272 101	87 32·2	56 20·7	45 16·7	84 31·1	19 7·0	11 4·1	80 29·6	83 30·7	79 29·2	
3	2. <i>Scientific Instruments.</i> Scientific Instrument Makers (2).	208	212	420	23 111	19 90	42 100	18 42·9	8 19·0	8 19·0	8 19·0	2 4·8	—	9 21·4	19 45·2	12 28·6	
3	Photographic Apparatus Makers (3).	21	18	39	4 190	1 56	5 128	1 25·6	—	2 51·3	2 51·3	—	—	3 76·9	1 25·6	1 25·6	
3	Weighing and Measuring Apparatus Makers (4).	233	210	443	25 107	18 86	43 97	15 33·9	7 15·8	12 27·1	9 20·3	2 4·5	—	17 38·4	12 27·1	12 27·1	
3	Surgical Instrument Makers (5).	196	178	374	18 92	13 73	31 83	11 29·4	7 18·7	4 10·7	9 24·1	—	—	10 26·7	11 29·4	10 26·7	
3	3. <i>Musical Instruments.</i> Piano, Organ Makers (1) ...	419	424	843	42 100	36 85	78 93	33 39·1	14 16·6	16 19·0	15 17·8	5 5·9	1 1·2	13 15·4	38 45·1	21 24·9	
3	Other Musical Instrument Makers (2).	67	63	130	11 164	10 159	21 162	6 46·2	4 30·8	5 38·5	6 46·2	3 23·1	—	3 23·1	4 30·8	11 84·6	
	4. <i>Tackle for Sports and Games.</i>																
3	Makers of Fishing Tackle, Toys, &c. (1).	161	194	355	24 149	19 98	43 121	13 36·6	12 33·8	8 22·5	10 28·2	4 11·3	1 2·8	9 25·4	13 36·6	16 45·1	
	5. <i>Dealers.</i>																
2	Dealers in Instruments, Toys, &c. (2).	100	116	216	6 60	9 78	15 69	5 23·1	5 23·1	1 4·6	4 18·5	—	1 4·6	4 18·5	8 37·0	2 9·3	
	XII. BUILDING AND WORKS OF CONSTRUCTION.																
	1. <i>House Building, &c.</i>																
1	Builders (1)	1,402	1,270	2,672	136 97	127 100	263 98	89 33·3	48 18·0	49 18·3	77 28·8	19 7·1	7 2·6	78 29·2	89 33·3	70 26·2	
5	Builders' Labourers (2) ...	2,132	2,054	4,186	320 150	260 127	580 139	143 34·2	110 26·3	127 30·3	200 47·8	42 10·0	19 4·5	178 42·5	150 35·8	191 45·7	
3	Carpenters (3)	7,671	7,242	14,913	828 108	680 94	1,508 101	538 36·1	279 18·7	297 19·9	394 26·4	80 5·4	47 3·2	415 27·8	531 35·6	435 29·2	
5	Carpenters' Labourers (4) ...	140	151	291	35 250	12 79	47 162	12 41·2	12 41·2	13 44·7	10 34·4	3 10·3	—	12 41·2	15 51·5	17 58·5	
3	Bricklayers (5)	4,661	4,506	9,167	559 120	474 105	1,033 113	333 36·3	196 21·4	218 23·8	286 31·2	68 7·4	28 3·1	292 31·9	335 36·5	310 33·8	
5	Bricklayers' Labourers (6)	2,173	2,106	4,279	348 160	278 132	626 146	158 36·9	152 35·5	107 25·0	209 48·8	39 9·1	22 5·1	183 42·8	194 45·3	188 43·9	
3	Masons (7)	2,064	2,063	4,127	284 138	245 119	529 128	174 42·2	103 25·0	112 27·1	140 33·9	38 9·2	12 2·9	125 30·3	176 42·7	178 43·1	
5	Masons' Labourers (8) ...	616	559	1,175	91 148	79 141	170 145	60 51·1	24 20·4	32 27·2	54 46·0	10 8·5	5 4·3	48 40·8	65 55·3	42 35·7	
3	Slaters (9)	415	401	816	66 159	58 145	124 152	33 40·4	22 27·0	22 27·0	47 57·6	15 18·4	4 4·9	32 39·2	33 40·4	40 49·0	
3	Plasterers (10)	1,227	1,218	2,445	159 130	111 91	270 110	83 33·9	53 21·7	54 22·1	80 32·7	21 8·6	4 1·6	76 31·1	86 35·2	83 33·9	
5	Plasterers' Labourers (11)...	221	191	412	35 158	29 152	64 155	19 46·1	14 34·0	12 29·1	19 46·1	6 14·6	6 14·6	16 38·8	19 46·1	17 41·3	
3	Paperhangers, Whitewashers (12).	222	203	425	28 126	22 108	50 118	16 37·7	8 18·8	10 23·5	16 37·7	2 4·7	—	13 30·6	19 44·7	16 37·7	
3	Painters (13)	7,775	7,209	14,984	1,004 129	837 116	1,841 123	560 37·4	353 23·6	358 23·9	570 38·0	111 7·4	56 3·7	549 36·6	571 38·1	554 37·0	
3	Glaziers (14)	128	123	251	15 117	16 130	31 124	9 35·9	9 35·9	6 23·9	7 27·9	1 4·0	1 4·0	9 35·9	10 39·8	10 39·8	
4	Architectural, Monumental Sculptors (15).	31	20	51	4 129	1 50	5 98	1 19·6	1 19·6	2 39·2	1 19·6	—	—	2 39·2	2 39·2	1 19·6	
3	Monumental Masons (16) ...	74	64	138	5 68	8 125	13 94	8 58·0	1 7·2	1 7·2	3 21·7	2 14·5	—	1 7·2	6 43·5	4 29·0	

TABLE 28A.—ENGLAND AND WALES, 1911.—MORTALITY OF LEGITIMATE INFANTS IN
RELATION TO OCCUPATION OF FATHER—*continued.*

Social Class (Table 28B).	OCCUPATION OF FATHER with its Order, Sub-order, and Title Number (the latter in brackets) in the 1911 Census Classification.	Number of Births.			Total Infant Mortality.			Ages at Death (Both Sexes).				Causes of Death (Both Sexes).					
		Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	(Months.)				Common Infec- tions Diseases.	Tuberculous Diseases.	Diarrhoea and Enteritis.	Developmental and Wasting Diseases.	Other Causes.	
								0-1.	1-3.	3-6.	6-12.						
	XII. BUILDING AND WORKS OF CONSTRUCTION— <i>cont.</i> 1. <i>House Building, &c.—</i> <i>continued.</i>																
3	Plumbers (17)	2,365	2,462	4,827	263 117	205 83	468 97	180 37·3	91 18·9	96 19·9	101 20·9	31 6·4	7 1·5	130 26·9	151 31·3	149 30·9	
3	Gasfitters (18)	780	729	1,509	91 117	69 95	160 106	51 33·8	26 17·2	32 21·2	51 33·8	8 5·3	4 2·7	55 36·5	50 33·1	43 28·5	
3	Locksmiths, Bellhangers (19)	22	29	51	3 136	4 138	7 137	4 78·4	—	2 39·2	1 19·6	—	—	1 19·6	3 58·8	3 58·8	
	2. <i>Other Works of Construc- tion and Roads.</i>																
2	Railway, Canal, &c., Con- tractors (1).	16	14	30	5 313	6 429	11 367	4 133·3	1 33·3	3 100·0	3 100·0	—	—	6 200·0	3 100·0	2 66·7	
5	Navvies (2)	235	246	481	47 200	43 175	90 187	24 49·9	13 27·0	18 37·4	35 72·8	6 12·5	4 8·3	30 62·4	25 52·0	25 52·0	
3	Well. Mine, Sinkers, Borers (3).	209	179	388	38 182	18 101	56 144	18 46·4	5 12·9	14 36·1	19 49·0	5 12·9	3 7·7	18 46·4	14 36·1	16 41·2	
1	Road Contractors, Surveyors (4).	67	73	140	7 104	6 82	13 93	6 42·9	1 7·1	—	6 42·9	4 28·6	—	1 7·1	7 50·0	1 7·1	
5	Paviours; Road Labourers (5).	1,370	1,284	2,654	172 126	124 97	296 112	96 36·2	54 20·3	62 23·4	84 31·6	17 6·4	7 2·6	88 33·2	96 36·2	88 33·2	
	XIII. WOOD FURNITURE, FITTINGS AND DECORA- TIONS.																
	1. <i>Furniture, Fittings, and Decorations.</i>																
3	Cabinet makers (1)	1,908	1,825	3,733	224 117	161 88	385 103	111 29·5	72 19·3	87 23·3	115 30·8	30 8·0	14 3·8	101 27·1	116 31·1	124 33·2	
3	French Polishers (2)	827	791	1,618	135 163	91 115	226 140	75 46·4	43 26·6	42 26·0	66 40·8	14 8·7	6 3·7	55 34·0	81 50·1	70 43·3	
3	Upholsterers (3)	565	543	1,108	79 140	53 98	132 119	47 42·4	26 23·5	29 26·2	30 27·1	2 1·8	5 4·5	39 35·2	48 43·3	38 34·3	
3	House and Shop Fittings, Makers (4).	371	389	760	26 70	26 67	52 68	18 23·6	5 6·6	12 15·8	17 22·4	2 2·6	2 2·6	19 25·0	16 21·1	13 17·1	
2	Undertakers (5)	97	101	198	12 124	9 89	21 106	9 45·5	3 15·2	6 30·3	3 15·2	1 5·1	—	6 30·3	10 50·5	4 20·2	
3	Wood Carvers; Carvers and Gilders (6).	390	344	734	59 151	36 105	95 129	26 35·4	15 20·4	19 25·9	35 47·7	9 12·3	7 9·5	24 32·7	30 40·9	25 34·0	
4	Basket Makers (7)	282	285	567	42 149	43 151	85 150	29 51·1	16 28·2	17 30·0	23 40·6	8 14·1	—	24 42·3	27 47·6	26 45·9	
2	Dealers in Works of Art (8)	104	104	208	8 77	6 58	14 67	4 19·2	4 9·6	2 19·2	4 19·2	1 4·8	1 4·8	4 19·2	3 14·4	5 24·0	
2	Furniture Dealers (9)	735	783	1,518	80 109	36 46	116 76	42 27·7	25 16·5	16 10·5	33 21·7	7 4·6	2 1·3	32 21·1	36 23·7	39 25·7	
	2. <i>Wood and Bark.</i>																
4	Sawyers (1)	1,415	1,364	2,779	186 131	126 92	312 112	108 38·9	58 20·9	57 20·5	89 32·0	23 8·3	8 2·9	76 27·4	112 40·3	93 33·5	
4	Lath. Wooden Fence, &c., Makers (2).	28	26	54	3 107	2 77	5 93	2 37·0	—	—	3 55·6	—	—	3 55·6	2 37·0	—	
4	Wood Turners (3)	231	211	442	41 177	23 109	64 145	15 33·9	8 18·1	20 45·2	21 47·5	3 6·8	1 2·3	20 45·2	18 40·7	22 49·8	
4	Wooden Box Makers (4)	424	439	863	73 172	56 128	129 149	45 52·1	24 27·8	21 24·3	39 45·2	8 9·3	4 4·6	38 44·0	43 49·8	36 41·7	
4	Coopers (5)	497	443	940	78 157	41 93	119 127	32 34·0	22 23·4	28 29·8	37 39·4	4 4·3	8 8·5	32 34·1	39 41·5	36 38·3	
4	Cork and Bark Workers (6)	39	35	74	9 231	3 86	12 162	3 40·5	2 27·0	2 27·0	5 67·6	—	—	3 40·5	4 54·1	5 67·6	
4	Other Workers in Wood (7)	667	691	1,358	120 180	97 140	217 160	46 33·9	46 33·9	37 27·2	88 64·8	12 8·8	3 5·2	77 56·7	55 40·5	70 51·6	
2	Timber Dealers (8)	280	247	527	29 104	28 113	57 108	22 41·7	11 20·9	7 13·3	17 32·3	1 1·9	—	13 24·7	22 41·7	21 39·9	

TABLE 28A.—ENGLAND AND WALES, 1911.—MORTALITY OF LEGITIMATE INFANTS in
RELATION to OCCUPATION of FATHER—*continued*.

Social Class (Table 28B).	OCCUPATION OF FATHER with its Order, Sub-order, and Title Number (the latter in brackets) in the 1911 Census Classification.	Number of Births.			Total Infant Mortality.			Ages at Death (Both Sexes).				Causes of Death (Both Sexes).					
		Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	(Months.)				Common Infec- tions Diseases.	Tuber- culous Diseases.	Diarrhea and Enteritis.	Developmental and Wasting Diseases.	Other Causes	
								0-1.	1-3.	3-6.	6-12.						
	XIV. BRICKS, CEMENT, POTTERY AND GLASS.																
	1. <i>Bricks, Cement, Pottery and Glass.</i>																
5	Brick, Plain Tile, Makers (1).	1,755	1,727	3,482	258 147	228 132	486 140	142 40·8	94 27·0	88 25·3	162 46·5	43 12·3	17 4·9	136 39·1	148 42·5	142 40·8	
5	Plaster, Cement, Manufac- ture (2).	411	408	819	55 134	51 125	106 129	34 41·5	20 24·4	22 26·9	30 36·6	8 9·8	2 2·4	33 40·3	41 50·1	22 26·8	
4	Earthenware Manufacture (3).	1,764	1,706	3,470	325 184	272 159	597 172	142 40·9	119 34·3	133 38·3	203 58·5	29 8·4	30 8·6	209 60·2	151 43·5	178 51·3	
4	Glass Manufacture (4, 5, 6)	1,293	1,188	2,481	209 162	179 151	388 156	97 39·1	69 27·8	78 31·4	144 58·0	24 9·7	10 4·0	108 43·5	111 44·7	135 54·4	
3	Dealers in Bricks, Cement, Pottery and Glass (7, 8).	215	226	441	17 79	16 71	33 75	16 36·3	3 6·8	9 20·4	5 11·3	1 2·3	1 2·3	9 20·4	11 24·9	11 24·9	
	XV. CHEMICALS, OIL, GREASE, SOAP, RESIN, &C.																
	1. <i>Colouring Matter.</i>																
4	Dye, Paint, Ink, &c., Makers (1).	382	335	717	64 168	37 110	101 141	28 39·1	23 32·1	16 22·3	34 47·4	6 8·4	—	35 48·8	30 41·8	30 41·8	
	2. <i>Explosives and Matches.</i>																
4	Explosives Manufacture (1)	94	85	179	8 85	8 94	16 89	7 39·1	2 11·2	—	7 39·1	1 5·6	2 11·2	2 11·2	6 33·5	5 27·9	
3	Cartridge, Firework, &c., Manufacture (2).	61	61	122	11 180	7 115	18 148	8 65·6	4 32·8	2 16·4	4 32·8	—	1 8·2	6 49·2	6 49·2	5 41·0	
4	Lucifer Match Manufacture (3).	18	19	37	5 278	3 158	8 216	1 27·0	3 81·1	1 27·0	3 81·1	—	—	6 162·2	1 27·0	1 27·0	
	3. <i>Salt, Drugs and other Chemicals.</i>																
4	Salt Makers (1)	140	128	268	26 186	25 195	51 190	16 59·7	6 22·4	10 37·3	19 70·9	7 26·1	—	10 37·3	13 48·5	21 78·4	
4	Chemical Manufacture (2, 3)	1,471	1,413	2,884	231 157	182 129	413 143	112 38·8	80 27·7	90 31·2	131 45·4	29 10·1	12 4·2	132 45·8	107 37·1	133 46·1	
1	Chemists, Druggists (4) ...	746	674	1,420	55 74	46 68	101 71	40 28·2	19 13·4	15 10·6	27 19·0	4 2·8	2 1·4	25 17·6	38 26·8	32 22·5	
	4. <i>Oil, Grease, Soap, Resin, &c.</i>																
5	Oil, Millers, Refiners (1) ...	549	523	1,072	91 166	72 138	163 152	46 42·9	36 33·6	17 15·9	64 59·7	13 12·1	5 4·7	34 37·7	45 42·0	66 61·6	
5	Grease, Soap, Manure, Makers (2, 3, 4).	421	413	834	53 126	47 114	100 120	27 32·4	26 31·2	20 24·0	27 32·4	7 8·4	3 3·6	28 33·6	30 36·0	32 38·4	
5	India Rubber Workers (5)...	678	666	1,344	116 171	77 116	193 144	52 38·7	33 24·6	47 35·0	61 45·4	12 8·9	10 7·4	65 48·4	58 43·2	48 35·7	
4	Waterproof Goods, Makers (6).	137	128	265	9 66	22 172	31 117	11 41·5	2 7·5	6 22·6	12 45·3	2 7·5	4 15·1	7 26·4	7 26·4	11 41·5	
5	Glue, Size, &c., Makers (7)...	126	131	257	15 119	10 76	25 97	7 27·2	2 7·8	7 27·2	9 35·0	4 15·6	1 3·9	7 27·2	8 31·1	5 19·5	
3	Oil and Colourmen (8) ...	278	276	554	37 133	25 91	62 112	26 46·9	10 18·1	10 18·1	16 28·9	5 9·0	1 1·8	19 34·3	18 32·5	19 34·3	
3	Other Dealers in Order XV. (9).	123	100	223	12 98	10 100	22 99	8 35·9	5 22·4	4 17·9	5 22·4	1 4·5	—	10 44·8	7 31·4	4 17·9	
	XVI. SKINS, LEATHER, HAIR AND FEATHERS.																
	1. <i>Skins and Leather.</i>																
4	Furriers, Skinners (1) ...	362	345	707	57 157	36 104	93 132	32 45·3	14 19·8	19 26·9	28 39·6	7 9·9	1 1·4	19 26·9	32 45·3	34 48·1	
4	Tanners (2)	435	428	863	57 131	49 114	106 123	36 41·7	19 22·0	18 20·9	33 38·2	5 5·8	3 3·5	37 42·9	29 33·6	32 37·1	
4	Curriers (3)	612	576	1,188	88 144	67 116	155 130	37 31·1	38 32·0	33 27·8	47 39·5	10 8·4	3 2·5	55 46·4	38 32·0	49 41·1	
3	Leather Goods Makers (4)...	354	353	707	44 124	31 88	75 106	31 43·8	9 12·7	19 26·9	16 22·6	6 8·5	5 7·1	15 21·2	30 42·4	19 26·9	
	2. <i>Saddlery and Harness.</i>																
3	Saddlers; Harness, Whip Makers (1).	659	590	1,249	81 123	56 95	137 110	41 32·8	23 18·4	26 20·8	47 37·6	21 16·8	3 2·4	35 28·0	43 34·4	35 28·0	

TABLE 28A.—ENGLAND AND WALES, 1911.—MORTALITY OF LEGITIMATE INFANTS in
RELATION to OCCUPATION of FATHER—*continued.*

Social Class (Table 28B).	OCCUPATION OF FATHER with its Order, Sub-order, and Title Number (the latter in brackets) in the 1911 Census Classification.	Number of Births.			Total Infant Mortality.			Ages at Death (Both Sexes).				Causee of Death (Both Sexes).					
		Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	(Months.)				Common Infec- tious Diseases.	Tuberculous Diseases.	Diarrhoea and Enteritis.	Developmental and Wasting Diseases.	Other Causes.	
								0-1.	1-3.	3-6.	6-12.						
	XVI. SKINS, LEATHER, HAIR AND FEATHERS— <i>continued.</i>																
5	3. <i>Hair and Feathers.</i> Brush Makers; Hair Workers (1).	286	251	537	40	33	73	26	14	15	18	7	2	16	26	22	
					140	131	136	48.4	26.1	27.9	33.5	13.0	3.7	29.8	48.4	41.0	
4	Feather Dressers (2) ...	29	12	41	1	3	4	1	1	—	2	—	—	2	1	1	
					34	250	98	24.4	24.4	—	48.8	—	—	48.8	24.4	24.4	
	4. <i>Dealers.</i>																
2	Dealers in Skins, Leather, Hair, and Feathers (1).	216	199	415	14	9	23	8	3	4	8	1	1	7	7	7	
					65	45	55	19.3	7.2	9.6	19.3	2.4	2.4	16.9	16.9	16.9	
	XVII. PAPER, PRINTS, BOOKS, AND STATIONERY.																
	1, 2. <i>Paper, Prints, Books, and Stationery.</i>																
4	Paper Manufacture, 1 (1) ...	641	653	1,294	83	76	159	56	25	33	45	12	7	38	54	48	
					129	116	123	43.3	19.3	25.5	34.8	9.3	5.4	29.4	41.7	37.1	
3	Paper Stainers, 1 (2) ...	83	61	144	11	7	18	5	4	2	7	1	1	5	5	6	
					133	115	125	34.7	27.8	13.9	48.6	6.9	6.9	34.7	34.7	41.7	
4	Stationery Manufacture, 1 (3).	168	168	336	23	15	38	13	7	8	10	2	2	5	15	14	
					137	89	113	38.7	20.8	23.8	29.8	6.0	6.0	14.9	44.6	41.7	
3	Envelope Makers, 1 (4) ...	17	10	27	1	—	1	—	—	1	—	—	—	—	1	—	
					59	—	37	—	—	37.0	—	—	—	—	37.0	—	
3	Paper Bag Makers, 1 (5) ...	11	10	21	2	2	4	3	1	—	—	—	—	—	2	2	
					182	200	190	142.8	47.6	—	—	—	—	—	95.2	95.2	
3	Card Board Box Makers, 1 (6).	107	132	239	15	13	28	9	7	7	5	—	—	6	9	13	
					140	98	117	37.7	29.3	29.3	20.9	—	—	25.1	37.7	54.4	
4	Other Workers in Paper, 1 (7).	48	47	95	6	6	12	4	1	3	4	—	—	5	3	4	
					125	128	126	42.1	10.5	31.6	42.1	—	—	52.6	31.6	42.1	
3	Printers, 2 (1, 2, 3, 4, 5) ...	3,699	3,612	7,311	396	356	752	251	149	131	221	39	23	203	255	232	
					107	99	103	34.3	20.4	17.9	30.2	5.3	3.1	27.8	34.9	31.7	
3	Lithographers, 2 (6) ...	327	283	610	37	19	56	18	13	7	18	4	—	15	18	19	
					113	67	92	29.5	21.3	11.5	29.5	6.6	—	24.6	29.5	31.1	
3	Bookbinders, 2 (7) ...	368	336	704	52	46	98	34	16	21	27	6	1	19	37	35	
					141	137	139	48.3	22.5	29.8	38.4	8.5	1.4	27.0	52.5	49.7	
2	Newspaper Publishers, 2 (9).	80	62	142	9	3	12	5	1	3	3	—	1	—	3	8	
					113	48	85	35.3	7.0	21.1	21.1	—	7.0	—	21.1	56.4	
2	Stationers, Newsagents, Booksellers, 1 (8), 2 (8, 10).	1,014	978	1,992	103	65	168	58	32	33	45	10	7	46	59	46	
					102	66	84	29.1	16.1	16.6	22.6	5.0	3.5	23.1	29.6	23.1	
2	Other Dealers in Paper, 1 (9).	130	125	255	8	6	14	4	1	5	4	2	—	5	4	3	
					62	48	55	15.7	3.9	19.6	15.7	7.8	—	19.6	15.7	11.8	
	XVIII. TEXTILE FABRICS.																
	1. <i>Cotton.</i>																
6	Cotton Manufacture (1-6)...	5,932	5,725	11,657	989	843	1,832	532	341	396	563	107	53	571	541	560	
					167	147	157	45.7	29.3	34.0	48.3	9.2	4.5	49.0	46.4	48.1	
6	Fustian Cutters (7) ...	43	40	83	11	6	17	3	3	6	5	1	—	6	6	4	
					256	150	205	36.1	36.1	72.3	60.2	12.0	—	72.3	72.3	48.2	
	2. <i>Wool and Worsted.</i>																
6	Wool and Worsted Manu- facture (1-6).	2,045	2,039	4,084	322	254	576	185	114	129	148	31	15	162	180	188	
					157	125	141	45.3	27.9	31.6	36.2	7.6	3.7	39.7	44.1	46.0	
	3. <i>Silk.</i>																
6	Silk Manufacture (1-4) ...	205	235	440	40	28	68	23	15	10	20	4	1	12	17	34	
					195	119	155	52.3	34.1	22.7	45.5	9.1	2.3	27.3	38.6	77.3	
	4. <i>Flax, Hemp, and other Fibrous Materials.</i>																
6	Workers (1-7) ...	328	335	663	70	52	122	28	22	28	44	9	3	42	32	36	
					213	155	184	42.2	33.2	42.2	66.4	13.6	4.5	63.3	48.3	54.3	
	5. <i>Mixed or Unspecified Materials.</i>																
6	Hosiery Manufacture (2) ...	418	405	823	54	37	91	28	18	18	27	3	6	28	33	21	
					129	91	111	34.0	21.9	21.9	32.8	3.6	7.3	34.0	40.1	25.5	
6	Lace Manufacture (3) ...	539	512	1,051	60	64	124	36	17	39	32	1	4	44	41	34	
					111	125	118	34.3	16.2	37.1	30.4	1.0	3.8	41.9	39.0	32.3	
6	Carpet, Rug, Felt Manufac- ture (5).	176	166	342	26	30	56	18	8	11	19	1	5	15	20	15	
					148	181	164	52.6	23.4	32.2	55.6	2.9	14.6	43.9	58.5	43.9	
6	Other Textile Manufacture (1, 4, 6-10).	254	256	510	42	36	78	26	11	21	20	7	4	21	23	23	
					165	141	153	51.0	21.6	41.2	39.2	13.7	7.8	41.2	45.1	45.1	

TABLE 28A.—ENGLAND AND WALES, 1911.—MORTALITY OF LEGITIMATE INFANTS IN
RELATION TO OCCUPATION OF FATHER—*continued.*

Social Class (Table 28B).	OCCUPATION OF FATHER with its Order, Sub-order, and Title Number (the latter in brackets) in the 1911 Census Classification.	Number of Births.			Total Infant Mortality.			Ages at Death (Both Sexes).				Causes of Death (Both Sexes).					
		Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	(Months.)				Common Infec- tious Diseases.	Tuberculous Diseases.	Diarrhea and Enteritis.	Developmental and Wasting Diseases.	Other Causes.	
								0-1.	1-3.	3-6.	6-12.						
	XVIII. TEXTILE FABRICS— <i>continued.</i>																
6	6. Bleaching, Printing, Dyeing, &c. Textile Bleachers, Printers, Dyers, &c. (1-4).	2,268	2,207	4,475	351 155	259 117	610 136	193 43.1	124 27.7	122 27.3	171 38.2	27 6.0	15 3.4	185 41.3	185 41.3	198 44.4	
2	7. Dealers. Drapers (1)	1,476	1,396	2,872	159 108	121 87	280 97	104 36.1	48 16.7	52 18.1	76 26.5	12 4.2	11 3.8	77 26.8	92 32.0	88 30.6	
2	Other Dealers in Textile Fabrics (2).	1,109	1,112	2,221	92 83	64 58	156 70	72 32.4	23 10.4	28 12.6	33 14.9	5 2.3	—	47 21.2	61 27.5	43 19.4	
	XIX. DRESS.																
4	1. Dress. Straw Plait and Hat Makers (1, 2).	191	181	372	24 126	22 122	46 124	17 45.7	7 18.8	11 29.6	11 29.6	2 5.4	3 8.1	18 48.4	13 34.9	10 26.8	
4	Makers of other Hats and Caps (3, 4, 5).	437	381	818	72 165	49 129	121 148	30 36.7	24 29.3	25 30.6	42 51.3	6 7.3	5 6.1	30 36.7	40 48.9	40 48.9	
2	Milliners (6)	39	30	69	3 77	5 167	8 116	4 58.0	1 14.5	1 14.5	2 29.0	1 14.5	—	3 43.5	2 29.0	2 29.0	
2	Hat Dealers (7)	91	71	162	9 99	8 113	17 105	9 55.6	3 18.5	3 18.5	2 12.3	1 6.2	1 6.2	3 18.5	8 49.4	4 24.7	
3	Tailors (8)	4,606	4,297	8,903	504 109	385 90	889 100	268 30.1	163 18.3	181 20.3	277 31.1	60 6.7	28 3.1	257 28.9	268 30.1	276 31.0	
2	Clothiers, Outfitters (Dealers) (9).	638	644	1,282	56 88	52 81	108 84	42 32.8	33 25.7	18 14.0	15 11.7	4 3.7	2 1.6	27 21.1	42 32.8	33 25.7	
2	Dress Makers (10)	71	79	150	9 127	13 165	22 147	9 60.0	4 26.7	5 33.3	4 26.7	2 13.3	—	5 33.3	9 60.0	6 40.0	
2	Stay Makers (11)	42	46	88	6 143	6 130	12 136	6 68.1	1 11.4	1 11.4	4 45.5	1 11.4	—	1 11.4	6 68.2	4 45.4	
2	Shirt Makers (12)	135	129	264	14 104	5 39	19 72	10 37.9	4 15.2	2 7.6	3 11.4	1 3.8	—	3 11.4	8 30.3	7 26.5	
4	Button Makers (13)	35	25	60	5 143	7 280	12 200	6 100.0	1 16.7	3 50.0	2 33.3	—	1 16.7	5 83.3	5 83.3	1 16.7	
4	Glove Makers (14)	73	97	170	6 82	5 52	11 65	3 17.6	2 11.8	3 17.6	3 17.6	1 5.9	—	1 5.9	5 29.4	4 23.5	
2	Hosiers (15)	180	158	338	20 111	13 82	33 98	7 20.7	8 23.7	4 11.8	14 41.4	—	1 3.0	10 29.6	9 26.6	13 38.5	
3	Boot Makers (16)	5,291	5,096	10,387	747 141	567 111	1,314 127	394 37.9	261 25.1	263 25.3	396 38.2	95 9.1	34 3.3	364 35.0	423 40.7	398 38.4	
3	Slipper Makers (17)	134	102	236	13 97	20 196	33 140	5 21.2	8 33.9	9 38.1	11 46.6	3 12.7	1 4.2	11 46.6	7 46.6	7 29.7	
3	Clog Makers (18)	153	167	320	21 137	29 174	50 156	14 43.8	6 18.8	9 28.1	21 65.6	5 15.6	2 6.3	14 43.8	13 40.6	16 50.0	
2	Boot, &c., Dealers (19) ...	493	470	963	39 79	41 87	80 83	24 24.9	17 17.7	16 16.6	23 23.9	5 5.2	3 3.1	30 31.2	18 18.7	24 24.9	
2	Artificial Flower Makers (20).	23	16	39	3 130	2 125	5 128	— 51.3	2 51.3	2 51.3	1 25.6	—	—	5 128.2	—	—	
3	Hair Dressers (21)	1,623	1,538	3,161	213 131	142 92	355 112	116 36.7	65 20.6	75 23.7	99 31.3	18 5.7	12 3.8	109 34.5	118 37.3	98 31.0	
3	Umbrella, Stick, Makers (22).	152	163	315	20 132	14 86	34 108	10 31.7	7 22.2	7 22.2	10 31.7	5 15.9	—	11 34.9	7 22.2	11 34.9	
4	Other Workers in Dress (23)	29	27	56	2 69	2 74	4 71	— —	— —	2 35.7	2 35.7	1 17.9	—	3 53.5	—	—	
2	Other Dealers in Dress (24)	75	62	137	9 120	10 161	19 139	6 43.8	7 51.1	2 14.6	4 29.2	2 14.6	—	5 36.5	6 43.8	6 43.8	
	XX. FOOD, TOBACCO, DRINK, AND LODGING.																
	1. Food.																
4	Creamery Workers (1) ...	45	49	94	3 67	3 61	6 64	2 21.3	1 10.6	1 10.6	2 21.3	—	—	1 10.6	3 31.8	2 21.3	
2	Milksellers, Dairymen (2) ...	2,174	2,079	4,253	232 107	209 101	441 104	146 34.3	82 19.3	86 20.2	127 29.9	26 6.1	10 2.4	138 32.4	146 34.3	121 28.5	
4	Provision Curers (3) ...	158	134	292	39 247	17 127	56 192	11 37.7	8 27.4	14 47.9	23 78.8	2 6.8	1 3.4	28 95.9	12 41.1	13 44.5	

TABLE 28A.—ENGLAND AND WALES, 1911.—MORTALITY OF LEGITIMATE INFANTS in
RELATION to OCCUPATION of FATHER—*continued*.

Social Class (Table 28B).	OCCUPATION OF FATHER with its Order, Sub-order, and Title Number (the latter in brackets) in the 1911 Census Classification.	Number of Births.			Total Infant Mortality.			Ages at Death (Both Sexes).				Causes of Death (Both Sexes).					
		Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	(Months.)				Common Infec- tious Diseases.	Tuber- culous Diseases.	Diarrhea and Enteritis.	Developmental and Wasting Diseases.	Other Causes.	
								0-1.	1-3.	3-6.	6-12.						
	XX. FOOD, TOBACCO, DRINK, AND LODGING—continued.																
	1. Food—continued.																
2	Provision Dealers (4) ...	558	584	1,142	69 124	44 75	113 99	39 34.2	21 18.4	20 17.5	33 28.9	3 2.6	4 3.5	44 38.5	35 30.6	27 23.6	
3	Slaughterers (5) ...	64	62	126	4 63	5 81	9 71	1 7.9	3 23.8	1 7.9	4 31.7	1 7.9	1 7.9	1 7.9	3 23.8	3 23.8	
2	Butchers (6) ...	4,353	4,213	8,566	523 120	387 92	910 106	314 36.7	167 19.5	181 21.1	243 29.0	59 6.9	27 3.2	269 31.4	279 32.6	276 32.2	
2	Fish Curers (7) ...	158	140	298	25 158	23 164	48 161	11 36.9	14 47.0	10 33.6	13 43.6	3 10.1	2 6.7	14 47.0	14 47.0	15 50.3	
2	Fishmongers, Poulterers (8)	1,576	1,431	3,007	196 124	152 106	348 116	108 35.9	72 23.9	68 22.6	100 33.3	17 5.7	13 4.3	108 35.9	98 32.6	112 37.2	
4	Millers (9) ...	872	854	1,726	107 123	79 93	186 108	60 34.8	32 18.5	36 20.9	58 33.6	11 6.4	3 1.7	52 30.1	57 33.0	63 36.5	
2	Corn Dealers (10) ...	508	482	990	45 89	37 77	82 83	31 31.3	10 10.1	19 19.2	22 22.2	8 8.1	1 1.0	27 27.3	25 25.3	21 21.2	
2	Bakers (11, 12) ...	4,687	4,338	9,025	541 115	451 104	992 110	325 36.0	175 19.4	185 20.5	307 34.0	55 6.1	27 3.0	299 33.1	314 34.8	297 33.0	
5	Sugar Refiners (13)...	216	202	418	38 176	22 109	60 144	15 35.9	12 28.7	14 33.5	19 45.5	3 7.2	1 2.4	19 45.5	13 31.1	24 57.4	
4	Jam, Sweet, &c. Makers (14)	290	289	579	34 117	23 80	57 98	11 19.0	13 22.5	12 20.7	21 36.2	4 6.9	4 6.9	20 34.5	13 22.5	16 27.6	
4	Chocolate, Cocoa Makers (15)	130	96	226	16 123	9 94	25 111	8 35.4	6 26.5	5 22.1	6 26.5	2 8.8	—	8 35.4	8 35.4	7 31.0	
2	Grocers (16) ...	4,196	3,941	8,137	487 116	337 86	824 101	296 36.4	174 21.4	155 19.0	199 24.5	47 5.8	21 2.6	256 31.5	275 33.8	225 27.7	
2	Greengrocers (17) ...	2,191	2,035	4,226	291 133	241 118	532 126	152 36.0	111 26.3	107 25.3	162 35.3	33 7.8	13 3.1	168 39.8	155 36.7	163 38.6	
2	Mineral Water Manufacture (18).	250	256	506	33 132	19 74	52 103	15 29.6	11 21.7	13 25.7	13 25.7	2 4.0	1 2.0	13 25.7	14 27.7	22 43.5	
2	Other Food Manufacture (19)	116	131	247	20 172	16 122	36 146	13 52.6	3 12.1	8 32.4	12 48.6	2 8.1	1 4.0	8 32.4	14 56.7	11 44.5	
2	Other Dealers in Food (20)	126	104	230	7 56	14 135	21 91	7 30.4	3 13.0	5 21.7	6 26.1	1 4.3	—	6 26.1	8 34.8	6 26.1	
	2. Tobacco.																
3	Tobacco Manufacture (1) ...	267	230	497	45 169	28 122	73 147	16 32.2	22 44.3	14 28.2	21 42.3	4 8.0	1 2.0	25 50.3	18 36.2	25 50.3	
2	Tobacconists (2) ...	370	383	753	40 108	23 60	63 84	23 30.5	12 15.9	14 18.6	14 18.6	2 2.7	1 1.3	19 25.2	21 27.9	20 26.6	
	3. Makers of Spirituous Drinks.																
4	Maltsters (1) ...	371	337	708	44 119	27 80	71 100	29 41.0	11 15.5	9 12.7	22 31.1	4 5.6	—	18 25.4	31 43.8	18 25.4	
4	Brewers (2) ...	1,115	1,133	2,248	142 127	118 104	260 116	83 36.9	40 17.8	51 22.7	86 38.3	18 8.0	9 4.0	67 29.8	87 38.7	79 35.1	
4	Distillers (3) ...	37	28	65	3 81	6 214	9 138	1 15.4	3 46.1	2 30.8	3 46.1	—	—	4 61.5	1 15.4	4 61.5	
	4. Board, Lodging, and Dealing in Spirituous Drinks.																
2	Coffee House, Eating House Keepers (1).	406	399	805	61 150	56 140	117 145	41 50.9	20 24.8	21 26.1	35 43.5	8 9.9	3 3.7	29 36.0	38 47.2	39 48.4	
2	Lodging House Keepers (2)	127	127	254	10 79	7 55	17 67	7 27.6	1 3.9	4 15.7	5 19.7	—	2 7.9	3 11.8	5 19.7	7 27.6	
2	Inn, Hotel Keepers (3) ...	2,750	2,538	5,288	425 155	324 128	749 142	234 44.3	148 28.0	153 28.9	214 40.5	35 6.6	24 4.5	242 45.8	227 42.9	221 41.8	
3	Beer Bottlers (4) ...	116	102	218	16 138	11 108	27 124	7 32.1	6 27.5	3 13.8	11 50.5	2 9.2	—	6 27.5	11 50.5	8 36.7	
3	Cellarmen (5) ...	362	359	721	34 94	36 100	70 97	20 27.7	13 18.0	15 20.8	22 30.5	2 2.8	1 1.4	22 30.5	26 36.1	19 26.4	
4	Barmen (6) ...	967	926	1,893	159 164	120 130	279 147	85 44.9	53 28.0	55 29.1	86 45.4	16 8.5	6 3.2	80 42.3	84 44.4	93 49.0	
3	Waiters (7) ...	756	756	1,512	101 134	81 107	182 120	69 45.6	33 21.8	36 23.8	44 29.1	10 6.6	5 3.3	50 33.1	69 45.6	48 31.7	

TABLE 28A.—ENGLAND AND WALES, 1911.—MORTALITY OF LEGITIMATE INFANTS in
RELATION to OCCUPATION of FATHER—*continued*.

Social Class (Table 28B).	OCCUPATION OF FATHER with its Order, Sub-order, and Title Number (the latter in brackets) in the 1911 Census Classification.	Number of Births.			Total Infant Mortality.			Ages at Death (Both Sexes).				Causes of Death (Both Sexes).					
		Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	(Months.)				Common Infec- tious Diseases.	Tuberculous Diseases.	Diarrhoea and Enteritis.	Developmental and Wasting Diseases.	Other Causes.	
								0-1.	1-3.	3-6.	6-12.						
	XX. FOOD, TOBACCO, DRINK, AND LODGING—continued.																
4	4. Board, Lodging, and Dealing in Spirituous Drinks—continued.																
	Others in Inn, Hotel, &c. Service* (8); IV. 1 (1).	720	681	1,401	109 151	85 125	194 138	53 37·8	41 29·3	40 28·6	60 42·7	14 10·0	7 5·0	67 47·8	53 37·8	53 37·8	
1	Wine, Spirit Merchants (9)	198	188	386	19 96	13 69	32 83	14 36·3	8 20·7	2 5·2	8 20·7	2 5·2	—	7 18·1	12 31·1	11 28·5	
	XXI. GAS, WATER, AND ELECTRICITY SUPPLY, SANITARY SERVICE.																
4	1. Gas, Water, Electricity. Gasworks Service (1) ...	2,608	2,504	5,112	417 160	336 134	753 147	218 42·6	130 25·4	164 32·1	241 47·1	56 11·0	18 3·5	219 42·8	237 46·4	223 43·6	
4	Waterworks Service (2) ...	244	273	517	30 123	33 121	63 122	26 50·3	15 29·0	8 15·5	14 27·1	3 5·8	1 1·9	19 36·8	27 52·2	13 25·1	
4	Electricity Supply (3) ...	513	457	970	57 111	51 112	108 111	33 34·0	15 15·5	27 27·8	33 34·0	8 8·2	1 1·0	43 44·3	28 28·9	28 28·9	
4	2. Sanitary Service. Drainage and Sanitary Service (1).	254	247	501	47 185	32 130	79 158	19 37·9	13 25·9	15 29·9	32 63·9	6 12·0	4 8·0	19 37·9	17 33·9	33 65·9	
5	Scavenging and Disposal of Refuse (2).	217	235	452	53 244	34 145	87 192	25 55·3	13 28·8	19 42·0	30 66·3	6 13·3	4 8·8	27 59·7	19 42·0	31 68·6	
	XXII. OTHER GENERAL AND UNDEFINED WORKERS AND DEALERS.																
2	1. Advertising. Circular, Envelope Ad- dressers (1).	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Advertising, Bill-posting Agents (2).	103	104	207	8 78	4 38	12 58	4 19·3	3 14·5	1 4·8	4 19·3	—	—	2 9·7	6 29·0	4 19·3	
5	Bill Posters (3) ...	153	141	294	21 137	19 135	40 136	13 44·2	10 34·0	8 27·2	9 30·6	4 13·6	—	13 44·2	11 37·4	12 40·8	
5	Sandwichmen, Bill Distri- butors (4).	7	5	12	3 429	1 200	4 333	—	1 83·3	1 83·3	2 166·7	—	—	1 83·3	—	3 250·0	
2	2. About Animals. Cattle Dealers (1) ...	138	127	265	12 87	5 39	17 64	8 30·2	1 3·8	4 15·1	4 15·1	2 7·5	—	6 22·6	5 18·9	4 15·1	
5	Drovers (2) ...	80	55	135	12 150	8 145	20 148	6 44·4	1 7·4	4 29·6	9 66·7	1 7·4	1 7·4	6 44·4	6 44·4	6 44·4	
2	Bird, Animal Keepers, Fanciers (3).	45	34	79	3 67	2 59	5 63	2 25·3	—	1 12·7	2 25·3	1 12·7	—	—	2 25·3	2 25·3	
2	Knackers, Cats'-meat Dealers (4).	52	46	98	5 96	7 152	12 122	—	4 40·8	3 30·6	5 51·0	1 10·2	1 10·2	4 40·8	—	6 61·2	
4	3. Sundry Specified Industries.																
4	Celluloid Makers, Workers (1).	25	30	55	5 200	1 33	6 109	2 36·4	1 18·2	1 18·2	2 36·4	1 18·2	—	1 18·2	2 36·4	2 36·4	
3	Tobacco Pipe, &c. Makers (2).	66	43	109	11 167	3 70	14 128	2 18·3	2 18·3	4 36·7	6 55·0	—	1 9·2	5 45·9	1 9·2	7 64·1	
3	Bone, Horn, &c. Workers (3)	28	19	47	7 250	2 105	9 191	4 85·0	1 21·3	1 21·3	3 63·8	1 21·3	—	—	3 63·8	5 106·3	
4	Floor Cloth, Oil Cloth Manu- facture (4).	191	198	389	21 110	31 157	52 134	13 33·4	15 38·6	9 23·1	15 38·6	2 5·1	2 5·1	13 33·4	14 36·0	21 54·0	
4	Japanners (5) ...	21	13	34	4 190	2 154	6 176	1 29·4	—	2 58·8	3 88·2	—	—	4 117·7	—	2 58·7	
3	Chimney Sweeps (6) ...	300	280	580	31 103	34 121	65 112	16 27·6	18 31·0	12 20·7	19 32·7	1 1·7	3 5·2	20 34·5	19 32·7	22 37·9	
4	Rag Gatherers, Dealers (7)	112	109	221	23 205	14 128	37 167	10 45·2	9 40·7	3 13·6	15 67·9	1 4·5	1 4·5	16 72·4	9 40·7	10 45·2	
4	Other Workers in Sundry Industries (8).	123	146	269	18 146	14 96	32 119	5 18·6	9 33·5	8 29·7	10 37·2	—	—	10 37·2	11 40·9	11 40·9	

* Includes Domestic Indoor Servants in Inns, Hotels, &c.

TABLE 28A.—ENGLAND AND WALES, 1911.—MORTALITY OF LEGITIMATE INFANTS in
RELATION to OCCUPATION of FATHER—*continued*.

Social Class (Table 28B).	OCCUPATION OF FATHER with its Order, Sub-order, and Title Number (the latter in brackets) in the 1911 Census Classification.	Number of Births.			Total Infant Mortality.			Ages at Death (Both Sexes).				Causes of Death (Both Sexes).					
		Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	(Months.)				Common Infec- tious Diseases.	Tuber- culous Diseases.	Diarrhoea and Enteritis.	Developmental and Wasting Diseases.	Other Causes.	
								0-1.	1-3.	3-6.	6-12.						
	XXII. OTHER GENERAL AND UNDEFINED WORKERS AND DEALERS —continued.																
	3. <i>Sundry Specified Indus- tries</i> —continued.																
2	Other Dealers in Sundry Industries (9).	54	50	104	4 74	6 120	10 96	3 28.8	4 38.5	1 9.6	2 19.2	—	—	3 28.8	4 38.5	3 28.8	
2	Receiving Office Keepers (10).	8	9	17	1 125	1 111	2 118	2 117.7	—	—	—	—	—	—	1 58.8	1 58.8	
	4. <i>Makers and Dealers (General or Undefined).</i>																
2	General or Unclassified Shop- keepers (1, 2).	1,510	1,566	3,076	229 152	203 130	432 140	112 36.4	85 27.6	97 31.5	138 44.9	30 9.8	15 4.9	145 47.1	107 34.8	135 43.8	
2	Pawnbrokers (3)	304	292	596	33 109	32 110	65 109	21 35.2	16 26.8	5 8.4	23 38.6	1 1.7	1 1.7	19 31.9	21 35.2	23 38.6	
5	Costermongers, Hawkers (4, 6).	2,168	2,102	4,270	462 213	375 178	837 196	212 49.6	174 40.7	155 36.3	296 69.3	68 15.9	24 5.6	218 51.1	223 52.2	304 71.2	
4	Contractors, Managers, Fore- men (undefined) (5).	234	195	429	23 98	20 103	43 100	11 25.6	9 21.0	11 25.6	12 28.0	3 7.0	2 4.7	13 30.3	10 23.3	15 35.0	
	5. <i>Mechanics and Labourers (General or Undefined).</i>																
5	General Labourers (1) ...	24758	23955	48713	4539 183	3584 150	8123 167	2295 47.1	1493 30.6	1731 35.5	2604 53.5	540 11.1	242 5.0	2165 44.4	2463 50.6	2713 55.7	
4	Engine Drivers (not Railway, Marine, Agricultural, or Electrical Supply) (2)	5,220	5,137	10357	803 154	607 118	1410 136	434 41.9	259 25.0	290 28.0	427 41.2	76 7.3	42 4.1	390 37.7	407 39.3	495 47.8	
4	Artizans, Mechanics (un- defined) (3).	391	352	743	66 169	40 114	106 143	34 45.7	19 25.6	24 32.3	29 39.0	5 6.7	4 5.4	32 43.1	28 37.7	37 49.7	
5	Factory Labourers (un- defined) (4).	770	741	1,511	149 194	140 189	289 191	68 45.0	52 34.4	58 38.4	111 73.5	19 12.6	10 6.6	87 57.6	81 53.6	92 60.9	
4	Machinists (undefined) (5)	89	103	192	16 180	10 97	26 135	9 46.9	6 31.3	4 20.8	7 36.5	1 5.2	1 5.2	5 26.0	8 41.7	11 57.3	
	XXIII. WITHOUT SPECIFIED OCCUPATION OR UN- OCCUPIED.																
1	Private Means	551	532	1,083	38 69	16 30	54 50	26 24.0	12 11.1	5 4.6	11 10.2	—	—	7 6.5	24 22.2	23 21.2	
1	Students	42	47	89	5 119	2 43	7 79	2 22.5	1 11.2	—	4 44.9	—	—	—	2 22.5	5 56.2	
2	Others	109	101	210	128 —	111 —	239 —	63 —	34 —	44 —	98 —	24 —	4 —	62 —	65 —	84 —	

TABLE 28B.—ENGLAND AND WALES.—LEGITIMATE INFANTILE MORTALITY, BY AGE AND CAUSE, OF VARIOUS SOCIAL CLASSES,* AS INDICATED BY OCCUPATION.

Cause of Death.	Social Class.	Under 1 month.	1-3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Cause of Death.	Social Class.	Under 1 month.	1-3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.
All Causes ...	1	30.2	14.9	13.0	9.9	8.4	76.4	Measles (6)	1	0.1	0.0	0.1	0.3	0.7	1.2
	2	36.5	20.6	20.3	16.3	12.7	106.4		2	0.0	0.1	0.1	0.7	1.2	2.1
	3	36.8	21.2	22.1	17.8	14.8	112.7		3	0.0	0.0	0.2	0.8	1.8	2.8
	4	38.6	22.7	23.8	19.7	16.7	121.5		4	0.0	0.1	0.1	1.0	1.7	2.9
	5	42.5	28.6	31.4	26.2	23.8	152.5		5	0.0	0.1	0.3	1.4	2.9	4.7
	6	44.4	27.9	32.3	23.6	19.9	148.1		6	—	0.0	0.3	1.2	2.0	3.5
	7	46.5	28.3	33.7	27.5	24.1	160.1		7	0.0	0.0	0.2	1.4	2.7	4.3
	8	36.8	17.9	18.2	13.0	11.0	96.9		8	—	0.1	0.1	0.4	0.7	1.3
	3-8	40.4	24.6	26.8	21.8	18.9	132.5		3-8	0.0	0.1	0.2	1.1	2.1	3.5
I. Common Infectious Diseases. (5-9, 19c.)	1	0.2	0.6	0.7	0.9	1.6	4.0	Scarlet fever (7)	1	—	—	0.1	0.0	0.0	0.1
	2	0.1	0.7	0.9	2.0	2.4	6.1		2	—	0.0	0.0	0.1	0.0	0.1
	3	0.1	0.6	1.1	2.0	3.0	6.8		3	—	0.0	—	0.0	0.1	0.1
	4	0.1	0.9	0.9	2.2	3.3	7.4		4	—	0.0	0.0	0.0	0.1	0.1
	5	0.1	1.0	1.4	2.9	4.7	10.1		5	—	0.0	0.0	0.0	0.1	0.1
	6	0.1	0.4	1.5	2.4	3.5	7.9		6	—	—	0.0	—	—	0.0
	7	0.2	1.0	1.6	2.8	4.5	10.1		7	—	—	0.0	0.0	0.1	0.1
	8	0.5	1.2	1.3	1.6	1.7	6.3		8	—	—	—	—	—	—
	3-8	0.1	0.9	1.2	2.4	3.7	8.3		3-8	—	0.0	0.0	0.0	0.1	0.1
II. Tuberculous Diseases. (28-35.)	1	0.0	0.1	0.7	0.6	0.7	2.1	Whooping-cough (8).	1	0.1	0.6	0.5	0.6	0.7	2.5
	2	0.0	0.4	0.8	0.9	0.9	3.0		2	0.1	0.6	0.8	1.1	0.9	3.5
	3	0.0	0.4	0.9	0.9	1.0	3.2		3	0.1	0.6	0.9	1.1	1.0	3.7
	4	0.0	0.5	0.9	1.1	1.0	3.5		4	0.1	0.8	0.8	1.1	1.3	4.1
	5	0.0	0.5	1.3	1.4	1.4	4.6		5	0.1	0.9	1.0	1.4	1.5	4.9
	6	0.0	0.5	1.6	1.0	1.3	4.4		6	0.1	0.4	1.2	1.1	1.3	4.1
	7	0.0	0.5	1.6	1.6	1.1	4.8		7	0.2	1.0	1.4	1.3	1.5	5.4
	8	—	0.5	0.8	1.0	0.7	3.0		8	0.3	1.1	1.2	1.2	1.0	4.8
	3-8	0.0	0.5	1.1	1.1	1.1	3.8		3-8	0.1	0.8	1.0	1.2	1.3	4.4
III. Diarrhoea and Enteritis. (104.)	1	1.3	5.0	6.1	4.1	2.7	19.2	Diphtheria and croup (9).	1	0.0	0.0	0.0	0.0	0.2	0.2
	2	2.0	6.8	9.7	6.9	4.2	29.6		2	0.0	0.0	0.0	0.1	0.2	0.3
	3	1.6	6.7	10.7	7.7	4.5	31.2		3	0.0	0.0	0.0	0.1	0.1	0.2
	4	1.8	7.3	11.3	8.1	5.8	34.3		4	0.0	0.0	0.0	0.1	0.2	0.3
	5	1.8	8.3	14.0	10.7	8.2	43.0		5	—	0.0	0.0	0.1	0.2	0.3
	6	2.7	10.1	15.9	10.2	6.1	45.0		6	—	—	—	0.1	0.2	0.3
	7	1.9	8.7	15.0	11.2	8.1	44.9		7	—	0.0	0.0	0.1	0.2	0.3
	8	0.9	3.6	6.7	3.9	2.7	17.8		8	0.2	0.0	—	0.0	0.0	0.2
	3-8	1.7	7.5	12.4	9.0	6.2	36.8		3-8	0.0	0.0	0.0	0.1	0.2	0.3
IV. Developmental and Wasting Diseases. (150, 151, 152b.)	1	22.8	4.2	1.2	0.5	0.2	28.9	Erysipelas (18).	1	0.0	0.1	0.0	—	0.0	0.1
	2	26.3	5.6	2.1	0.6	0.4	35.0		2	0.0	0.2	0.0	0.0	—	0.2
	3	27.6	5.8	2.5	0.9	0.5	37.3		3	0.0	0.1	0.0	0.0	0.0	0.1
	4	28.6	5.7	2.6	1.2	0.6	38.7		4	0.0	0.1	0.0	0.0	0.0	0.1
	5	31.4	7.0	3.8	1.6	0.9	44.7		5	0.0	0.2	0.0	0.0	0.0	0.2
	6	32.4	8.1	2.7	0.9	0.5	44.6		6	0.0	0.2	0.0	—	—	0.2
	7	34.4	7.3	3.7	1.6	0.9	47.9		7	0.1	0.0	0.0	—	0.0	0.1
	8	28.3	5.5	2.5	1.0	0.5	37.8		8	0.1	0.0	—	—	—	0.1
	3-8	29.9	6.4	3.1	1.2	0.7	41.3		3-8	0.0	0.2	0.0	0.0	0.0	0.2
V. Other Causes.	1	5.9	5.0	4.3	3.8	3.2	22.2	Tuberculous meningitis (30).	1	0.0	0.0	0.3	0.3	0.3	0.9
	2	8.1	7.1	6.8	5.9	4.8	32.7		2	0.0	0.1	0.3	0.4	0.4	1.2
	3	7.5	7.7	6.9	6.3	5.8	34.2		3	0.0	0.1	0.3	0.4	0.4	1.2
	4	8.1	8.3	8.1	7.1	6.0	37.6		4	0.0	0.1	0.3	0.4	0.4	1.2
	5	9.2	11.8	10.9	9.6	8.6	50.1		5	0.0	0.1	0.3	0.5	0.5	1.4
	6	9.2	8.8	10.6	9.1	8.5	46.2		6	—	0.1	0.6	0.4	0.4	1.5
	7	10.0	10.8	11.8	10.3	9.5	52.4		7	0.0	0.0	0.3	0.5	0.4	1.2
	8	7.1	7.1	6.9	5.5	5.4	32.0		8	—	0.0	0.2	0.4	0.2	0.8
	3-8	8.7	9.3	9.0	8.1	7.2	42.3		3-8	0.0	0.1	0.3	0.4	0.4	1.2
Smallpox (5)	1	—	—	—	—	—	—	Abdominal tuberculosis (31).	1	—	0.1	0.3	0.2	0.1	0.7
	2	—	—	—	—	—	—		2	0.0	0.2	0.3	0.2	0.3	1.0
	3	—	—	—	—	—	—		3	0.0	0.2	0.4	0.3	0.3	1.2
	4	—	—	—	—	—	—		4	0.0	0.2	0.4	0.4	0.3	1.3
	5	—	—	—	—	—	—		5	0.0	0.3	0.6	0.5	0.4	1.8
	6	—	—	—	—	—	—		6	—	0.2	0.6	0.3	0.3	1.4
	7	—	—	—	—	—	—		7	—	0.4	0.8	0.7	0.4	2.3
	8	—	—	—	—	—	—		8	—	0.3	0.3	0.2	0.2	1.0
	3-8	—	—	—	—	—	—		3-8	0.0	0.3	0.5	0.4	0.3	1.5
Chicken-pox (19c).	1	—	—	—	0.0	—	0.0	Other tuberculous diseases (28, 29, 32-35).	1	—	0.0	0.1	0.1	0.3	0.5
	2	0.0	0.0	0.0	0.0	0.1	0.1		2	0.0	0.1	0.2	0.3	0.2	0.8
	3	—	—	0.0	—	0.0	0.0		3	—	0.1	0.2	0.2	0.3	0.8
	4	—	0.0	0.0	0.0	0.0	0.0		4	0.0	0.2	0.2	0.3	0.3	1.0
	5	—	0.0	0.1	0.0	0.0	0.1		5	0.0	0.1	0.4	0.4	0.5	1.4
	6	—	—	—	—	0.0	0.0		6	0.0	0.2	0.4	0.3	0.6	1.5
	7	—	—	—	—	0.0	0.0		7	0.0	0.1	0.5	0.4	0.3	1.3
	8	—	—	—	—	—	—		8	—	0.2	0.3	0.4	0.3	1.2
	3-8	—	0.0	0.0	0.0	0.0	0.0		3-8	0.0	0.1	0.3	0.3	0.4	1.1

* For the composition of the Social Classes, see page xxxviii, and Table 28A.

TABLE 28B.—ENGLAND AND WALES.—LEGITIMATE INFANTILE MORTALITY, BY AGE AND CAUSE, OF VARIOUS SOCIAL CLASSES,* AS INDICATED BY OCCUPATION—*continued.*

Cause of Death.	Social Class.	Under 1 month.	1-3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Cause of Death.	Social Class.	Under 1 month.	1-3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.
Meningitis (not tuberculous) (61)	1	0.0	0.1	0.4	0.3	0.4	1.2	Rickets (36A)	1	—	—	0.0	0.1	0.1	0.2
	2	0.1	0.3	0.4	0.4	0.4	1.6		2	—	0.0	0.1	0.0	0.2	0.3
	3	0.1	0.2	0.4	0.4	0.5	1.6		3	0.0	0.0	0.1	0.1	0.2	0.4
	4	0.1	0.2	0.5	0.4	0.5	1.7		4	0.0	0.0	0.1	0.1	0.2	0.4
	5	0.1	0.2	0.5	0.7	0.4	1.9		5	—	0.0	0.1	0.1	0.2	0.4
	6	0.1	0.3	0.5	0.6	0.9	2.4		6	—	—	—	0.1	0.2	0.3
	7	0.0	0.2	0.6	0.7	0.5	2.0		7	0.0	0.0	0.1	0.1	0.2	0.4
	8	—	0.2	0.3	0.4	0.3	1.2		8	—	0.0	0.0	0.1	0.3	0.4
	3-8	0.1	0.2	0.5	0.5	0.5	1.8		3-8	0.0	0.0	0.1	0.1	0.2	0.4
Convulsions (71).	1	2.5	1.1	0.8	0.8	0.3	5.5	Suffocation, overlying (168 part).	1	0.1	0.3	0.1	0.0	—	0.5
	2	3.3	1.6	1.4	0.9	0.6	7.8		2	0.4	0.4	0.2	0.0	0.0	1.0
	3	2.9	1.8	1.4	1.0	0.7	7.8		3	0.3	0.6	0.2	0.1	0.0	1.2
	4	3.2	2.1	1.5	1.2	0.7	8.7		4	0.5	0.6	0.2	0.1	0.0	1.4
	5	3.3	2.7	2.2	1.4	1.0	10.6		5	0.7	1.1	0.6	0.1	0.0	2.5
	6	4.1	1.8	2.5	1.7	0.8	10.9		6	0.4	0.4	0.3	0.1	0.0	1.2
	7	5.0	3.7	2.8	2.0	1.5	15.0		7	0.3	0.2	0.1	0.0	0.0	0.6
	8	2.8	1.7	1.3	1.3	0.8	7.9		8	0.3	0.2	0.1	0.0	0.0	0.6
	3-8	3.4	2.4	1.9	1.3	0.9	9.9		3-8	0.5	0.6	0.3	0.1	0.0	1.5
Laryngitis (87B).	1	0.0	—	0.0	0.2	0.0	0.2	Injury at birth (152C)	1	1.0	—	—	—	—	1.0
	2	0.0	0.0	0.0	0.1	0.1	0.2		2	0.9	0.0	—	—	—	0.9
	3	0.0	0.0	0.0	0.0	0.2	0.2		3	1.0	0.0	0.0	—	—	1.0
	4	0.0	—	0.0	0.1	0.1	0.2		4	0.9	0.0	0.0	—	—	0.9
	5	0.0	0.0	0.0	0.1	0.1	0.2		5	0.9	0.0	—	—	—	0.9
	6	—	—	—	0.1	0.1	0.2		6	1.0	0.1	—	—	—	1.1
	7	0.1	0.0	0.0	0.1	0.1	0.3		7	1.1	0.0	—	—	—	1.1
	8	0.1	—	—	—	0.0	0.1		8	0.9	—	—	—	—	0.9
	3-8	0.0	0.0	0.0	0.0	0.2	0.2		3-8	1.0	0.0	0.0	—	—	1.0
Bronchitis (89, 90).	1	0.4	1.2	0.7	0.7	0.6	3.6	Atelectasis (152B).	1	1.1	0.1	—	—	—	1.2
	2	0.8	1.6	1.6	1.0	0.9	5.9		2	1.4	0.1	—	—	—	1.5
	3	0.8	2.0	1.6	1.4	1.2	7.0		3	1.5	0.1	—	—	—	1.6
	4	0.8	2.2	1.8	1.6	1.2	7.6		4	1.5	0.1	—	—	—	1.6
	5	1.2	2.9	2.6	2.3	1.8	10.8		5	1.8	0.1	—	—	—	1.9
	6	1.1	2.7	2.7	2.2	2.0	10.7		6	1.6	0.1	—	—	—	1.7
	7	1.1	3.2	2.8	2.2	2.1	11.4		7	1.9	0.1	—	—	—	2.0
	8	0.6	2.0	1.7	1.2	1.4	6.9		8	1.1	0.1	—	—	—	1.2
	3-8	1.0	2.5	2.1	1.8	1.5	8.9		3-8	1.6	0.1	—	—	—	1.7
Pneumonia (all forms) (91, 92).	1	0.3	0.9	1.0	1.1	1.3	4.6	Congenital malformations (150).	1	2.3	0.7	0.3	0.2	0.1	3.6
	2	0.4	1.3	1.7	2.2	2.0	7.6		2	2.0	0.9	0.4	0.2	0.1	3.6
	3	0.5	1.3	1.8	2.2	2.5	8.3		3	2.4	0.6	0.4	0.1	0.1	3.6
	4	0.4	1.6	2.1	2.6	2.6	9.3		4	2.4	0.7	0.3	0.2	0.1	3.7
	5	0.7	2.4	2.7	3.5	4.1	13.4		5	2.4	0.7	0.4	0.2	0.1	3.8
	6	0.3	1.4	2.9	2.7	3.5	10.8		6	3.0	1.0	0.3	0.2	0.1	4.6
	7	0.4	1.8	3.1	3.8	4.1	13.2		7	2.3	0.6	0.5	0.2	0.1	3.7
	8	0.4	1.1	1.8	1.6	1.9	6.8		8	2.2	0.4	0.3	0.3	0.2	3.4
	3-8	0.5	1.7	2.3	2.9	3.2	10.6		3-8	2.3	0.7	0.4	0.2	0.1	3.7
Diarrhoea and Enteritis (104).	1	1.3	5.0	6.1	4.1	2.7	19.2	Premature birth (151A).	1	13.8	1.2	0.1	—	0.0	15.1
	2	2.0	6.8	9.7	6.9	4.2	29.6		2	16.6	1.6	0.2	0.0	—	18.4
	3	1.6	6.7	10.7	7.7	4.5	31.2		3	17.1	1.6	0.2	0.1	0.0	19.0
	4	1.8	7.3	11.3	8.1	5.8	34.3		4	17.7	1.5	0.1	0.0	0.0	19.3
	5	1.8	8.3	14.0	10.7	8.2	43.0		5	19.0	1.7	0.2	0.0	0.0	20.9
	6	2.7	10.1	15.9	10.2	6.1	45.0		6	19.1	2.2	0.2	—	0.0	21.5
	7	1.9	8.7	15.0	11.2	8.1	44.9		7	20.3	1.5	0.1	0.0	0.0	21.9
	8	0.9	3.6	6.7	3.9	2.7	17.8		8	16.9	1.3	0.2	0.0	—	18.4
	3-8	1.7	7.5	12.4	9.0	6.2	36.8		3-8	18.2	1.6	0.2	0.0	0.0	20.0
Gastritis (103A).	1	0.3	0.3	0.1	0.1	0.1	0.9	Atrophy, debility and marasmus (151 B-E).	1	5.6	2.2	0.8	0.3	0.1	9.0
	2	0.2	0.5	0.4	0.2	0.1	1.4		2	6.3	3.0	1.5	0.4	0.3	11.5
	3	0.2	0.5	0.3	0.2	0.1	1.3		3	6.6	3.5	1.9	0.7	0.4	13.1
	4	0.3	0.5	0.4	0.2	0.2	1.6		4	7.0	3.4	2.2	1.0	0.5	14.1
	5	0.2	0.5	0.6	0.2	0.2	1.7		5	8.2	4.5	3.2	1.4	0.8	18.1
	6	0.2	0.5	0.7	0.3	0.2	1.9		6	8.7	4.8	2.2	0.7	0.4	16.8
	7	0.2	0.7	0.8	0.6	0.3	2.6		7	9.9	5.1	3.1	1.4	0.8	20.3
	8	0.1	0.4	0.3	0.1	0.1	1.0		8	8.1	3.7	2.0	0.7	0.3	14.8
	3-8	0.2	0.5	0.5	0.3	0.2	1.7		3-8	7.8	4.0	2.5	1.0	0.6	15.9
Syphilis (37)	1	0.2	0.2	0.1	0.0	0.0	0.5	Other causes	1	1.1	0.8	1.1	0.5	0.4	3.9
	2	0.3	0.2	0.2	0.0	0.1	0.8		2	1.7	1.0	0.8	1.1	0.4	5.0
	3	0.3	0.5	0.1	0.0	0.0	0.9		3	1.4	0.7	1.0	0.9	0.4	4.4
	4	0.3	0.3	0.2	0.1	0.0	0.9		4	1.6	0.7	1.3	0.7	0.5	4.8
	5	0.5	0.6	0.4	0.1	0.1	1.7		5	1.6	1.2	1.2	1.1	0.7	5.8
	6	0.4	0.3	0.2	0.1	0.1	1.1		6	1.6	1.1	0.8	1.2	0.7	5.4
	7	0.2	0.3	0.1	0.1	0.0	0.7		7	1.5	0.7	1.4	0.7	0.7	5.0
	8	0.2	0.2	0.1	0.1	0.1	0.7		8	1.6	1.3	1.3	0.7	0.5	5.4
	3-8	0.3	0.4	0.2	0.1	0.1	1.1		3-8	1.7	0.8	1.1	1.0	0.4	5.0

* For the composition of the Social Classes, see page xxxviii, and Table 28A.

TABLE 28C.—ENGLAND AND WALES, 1911.—MORTALITY OF ILLEGITIMATE INFANTS IN RELATION TO OCCUPATION OF MOTHER.

OCCUPATION OF MOTHER with its Order, Sub-order, and Title Number (the latter in brackets) in the 1911 Census Classification.	Births.		Deaths.		Ages at Death (Both Sexes).				Causes of Death (Both Sexes).								
	Both Sexes.		Males.	Females.	Both Sexes.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Common Infectious Diseases.	Tuberculous Diseases.	Diarrhoea and Enteritis.	Developmental and Wasting Diseases.	Lack of Care.	Suffocation.	Other Causes.	
	Males.	Females.															
All Illegitimate Infants...	19,218	18,415	37,633	4,973 259	4,258 231	9,231 245	2,818 74.9	2,135 56.7	1,983 52.7	2,295 61.0	295 7.8	271 7.2	2,731 72.6	3,051 81.3	134 3.6	94 2.5	2,655 70.7
Civil Service Officers and Clerks, I. 1 (1, 2, 5)	12	9	21	1 83	1 111	2 95	—	47.6	47.6	—	—	—	1	—	—	—	47.6
Midwives, III. 3 (4)	2	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sick Nurses, III. 3 (5)	56	47	103	7	11	18	5	4	3	6	1	1	3	5	1	—	7
Teachers, III. 4 (1)	57	48	105	125	234	175	48.5	38.8	29.1	53.3	9.7	9.7	29.1	48.5	9.7	—	68.0
Musicians, III. 7 (5)	23	30	53	175	208	190	85.7	38.1	47.6	19.0	9.5	—	6	8	1	—	38.1
Actresses, III. 7 (6)	31	47	78	217	200	208	18.9	37.7	56.6	94.3	18.9	—	6	2	2	—	37.7
Domestic Indoor Service, IV. 1 (2) ; 3 (6)	8,784	8,273	17,057	387 2,140	170 1,797	256 3,937	76.9 1,168	76.9 975	25.6 847	76.9 947	—	—	—	5	7	—	8
Charwomen, IV. 3 (7)	711	783	1,494	244	217	231	68.5	57.2	49.7	55.5	7.4	6.9	70.1	1,360	23	20	1,096
Laundry, Washing Service, IV. 3 (8)	660	658	1,318	191	206	397	111	81	88	117	20	13	108	79.8	1.3	1.2	64.3
Hospital Institution Service, IV. 3 (2)	22	17	39	269	263	266	74.3	54.2	58.9	78.3	13.4	8.7	72.3	79.7	0.7	2.0	89.0
Cooks (not Domestic), IV. 3 (5)	16	12	28	186	138	324	92	66	80	86	13	6	102	128	—	3	72
Commercial Clerks, V. 2 (1)	127	109	236	282	210	246	69.8	50.1	60.7	65.3	9.9	4.6	77.4	97.1	—	2.3	54.6
Farmers, Farmers' Daughters, &c., VII. 1 (1, 2)	41	35	76	364	235	308	102.6	—	102.6	102.6	25.6	—	102.6	76.9	—	1	3
Farm Labourers, VII. 1 (5, 6, 7)	139	151	290	1	5	6	—	35.7	71.4	107.2	3	1	4	—	—	25.6	76.9
Gardeners and Others in Agriculture, VII. 1 (3, 4, 8-13)	11	17	28	63	417	214	—	16	7	6	—	35.7	142.8	—	—	—	1
Coal Mines—Workers above Ground, IX. 1 (3)	33	37	70	148	156	148	67.8	25.4	29.7	25.4	—	4.2	46.6	46.6	—	—	35.7
Working in Metals, Machines, Implements and Conveyances, X 1-8, 10.	323	298	621	142	29	79	26.3	26.3	13.2	13.2	—	—	13.2	26.3	—	—	12.
				122	29	234	16	16	16	20	5	5	20	26.3	—	—	39.5
				230	238	234	55.2	55.2	55.2	68.8	17.2	17.2	69.0	75.9	—	—	16.
				8	6	14	2	5	3	4	—	—	6	3	—	—	55.1
				727	353	500	71.4	178.6	107.1	142.8	—	—	214.3	107.1	—	—	178.6
				8	16	24	10	1	5	8	—	1	6	10	—	—	7
				242	432	343	142.9	14.3	71.4	114.3	—	14.3	85.7	142.9	—	—	100.0
				85	83	168	38	40	39	51	6	3	54	61	2	2	40.
				263	279	271	61.2	64.4	62.8	82.1	9.7	4.8	87.0	98.2	3.2	3.2	64.4

[illegible]

TABLE 28C.—ENGLAND AND WALES, 1911.—MORTALITY OF ILLEGITIMATE INFANTS IN RELATION TO OCCUPATION OF MOTHER—continued.

OCCUPATION OF MOTHER with its Order, Sub-order, and Title Number (the latter in brackets) in the 1911 Census Classification.	Births.		Deaths.		Ages at Death (Both Sexes).				Causes of Death (Both Sexes).							
	Both Sexes.		Males.	Females.	Both Sexes.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Common Infectious Diseases.	Tuberculous Diseases.	Diarrhoea and Enteritis.	Developmental and Wasting Diseases.	Lack of Care.	Suffocation.	Other Causes.
	Males.	Females.														
Other Workers in Dress, XIX. 1 (3-5, 13, 14, 18, 20-23) ; XVI. 3 (2).	53	50	18	10	28	4	5	10	9	1	3	10	8	—	—	58·3
Jam, Preserve, Sweet Makers, XX. 1 (14) ...	62	51	340	200	272	38·8	48·5	97·1	87·4	9·7	29·1	97·1	77·7	—	—	58·3
Chocolate, Cocoa Manufacture, XX. 1 (15) ...	11	5	226	196	212	53·1	35·4	70·8	53·1	—	17·7	97·3	61·9	—	—	35·4
Mineral Water Manufacture, XX. 1 (18) ...	20	22	273	—	188	—	125·0	62·5	—	—	—	125·0	—	—	—	62·5
Other Workers in Food, XX. 1 (1, 3, 5, 7, 9, 11, 13, 19) ...	43	40	300	227	262	23·8	95·2	119·0	23·8	23·8	—	95·2	71·4	—	—	71·4
Tobacco Manufacture, XX. 2 (1) ...	33	39	209	200	205	43·2	36·1	60·2	60·2	—	12·0	96·4	84·3	—	—	12·0
Coffee House, Lodging House, Keepers, XX. 4 (1, 2) ...	28	16	182	179	181	41·7	55·6	27·8	55·6	—	—	83·3	13·9	—	—	83·3
Barmaids, XX. 4 (6) ...	133	142	214	250	227	90·9	90·9	—	45·5	—	22·7	68·2	90·9	—	—	22·7
Waitresses, XX. 4 (7) ...	170	163	308	263	287	69·1	72·7	50·9	94·5	10·9	7·3	109·1	80·0	1	—	76·4
Others in Inn, Hotel, &c., Service, XX. 4 (8) ; IV. 1 (1) ...	63	65	259	209	234	54·1	60·1	63·1	57·1	3·0	3·0	102·1	48·0	3·0	—	75·1
Rag Gatherers, Dealers, XXII. 3 (7) ...	43	37	206	200	203	46·9	39·1	39·1	78·1	—	—	85·9	62·5	7·8	—	46·9
Costermongers, Hawkers, XXII. 4 (4, 6) ...	130	141	233	270	250	62·5	75·0	62·5	50·0	—	—	112·5	37·5	—	—	87·5
Factory Labourers (undefined), XXII. 5 (4) ...	77	76	338	312	325	118·1	59·0	59·0	88·6	29·5	—	66·4	99·7	3·7	—	114·4
Shopkeepers,* Shop Assistants	357	358	260	276	268	111·4	32·7	78·3	45·8	—	13·1	71·9	104·6	—	—	78·5
All Other Occupations ...	173	155	151	184	168	46·1	53·1	30·8	37·8	9·8	2·8	51·7	64·3	—	—	39·2
Unoccupied ; Occupation not stated or unknown, XXIII. ...	3,751	3,622	353	335	345	122·0	79·3	57·9	85·4	6·1	6·1	91·5	143·3	3·0	—	91·5
			1,066	881	1,947	699	394	382	472	61	46	457	592	95	53	643
			284	243	264	95·0	53·4	51·8	63·9	8·3	6·2	62·0	80·3	12·9	7·2	87·2

* Includes all Dealers in Orders X.-XXII., excluding Hawkers and Street-sellers.

TABLE 28D.—ENGLAND AND WALES, 1911.—INFANTILE MORTALITY OF ILLEGITIMATE CHILDREN OF FEMALE DOMESTIC SERVANTS BY AGE AND CAUSE.

	Under one month.	1—3 months.	3—6 months.	6—9 months.	9—12 months.	Total under one year.
I. Common infectious diseases (5-9, 19c) ...	—	0·6	1·4	2·6	2·6	7·2
II. Tuberculous diseases (28-35) ...	—	0·7	2·4	1·7	2·0	6·8
III. Diarrhoea and enteritis (104) ...	3·3	21·1	22·9	15·1	7·8	70·2
IV. Developmental and wasting diseases (150, 151, 152B).	49·0	18·4	7·4	2·7	2·2	79·7
V. Other causes ...	16·0	16·2	15·5	10·7	8·3	66·7
All causes ...	68·3	57·0	49·6	32·8	22·9	230·6
Small-pox (5) ...	—	—	—	—	—	—
Chicken-pox (19c) ...	—	0·0	0·0	0·1	0·1	0·2
Measles (6) ...	—	0·1	0·3	1·2	1·1	2·7
Scarlet fever (7) ...	—	—	—	—	—	—
Whooping-cough (8) ...	—	0·5	1·0	1·3	1·3	4·1
Diphtheria and croup (9) ...	—	—	0·1	—	0·1	0·2
Erysipelas (18) ...	—	0·1	0·1	0·1	—	0·3
Tuberculous meningitis (30) ...	—	0·1	0·6	0·5	0·4	1·6
Abdominal tuberculosis (31) ...	—	0·4	1·2	1·0	0·8	3·4
Other tuberculous diseases (28, 29, 32-35) ...	—	0·2	0·6	0·2	0·8	1·8
Meningitis (not tuberculous) (61) ...	0·1	0·5	1·0	0·5	0·5	2·6
Convulsions (71) ...	5·6	3·5	3·9	2·2	1·4	16·6
Laryngitis (87B) ...	0·0	—	0·1	—	0·1	0·2
Bronchitis (89, 90) ...	0·5	3·1	2·8	2·3	1·9	10·6
Pneumonia (all forms) (91, 92) ...	0·4	2·3	3·2	3·1	3·0	12·0
Diarrhoea and enteritis (104) ...	3·3	21·1	22·9	15·1	7·8	70·2
Gastritis (103A) ...	0·2	0·8	0·9	0·4	0·1	2·4
Syphilis (37) ...	2·4	3·3	1·9	0·6	0·3	8·5
Rickets (36A) ...	—	—	0·1	0·2	0·6	0·9
Suffocation, overlying (168 part) ...	0·9	0·2	—	—	0·1	1·2
Injury at birth (152c) ...	2·1	0·1	—	—	—	2·2
Atelectasis (152B) ...	1·8	0·3	—	—	—	2·1
Congenital malformations (150) ...	2·8	0·8	0·4	0·2	0·2	4·4
Premature birth (151A) ...	28·2	3·4	0·3	0·2	0·1	32·2
Atrophy, debility and marasmus (151B-E) ...	16·2	13·9	6·7	2·3	1·9	41·0
Other causes ...	3·8	2·3	1·5	1·3	0·3	9·2

[illegible]

TABLE 29.—INFANTILE MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1911.—ADMINISTRATIVE AREAS—continued.

Proportion of Deaths to 1,000 Births.																			
Cause of Death.		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 1 Month.	1-3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 1 Month.	1-3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 1 Month.	1-3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.
Other Tuberculous Diseases (28, 29, 32-35).	London	—	0.10	0.38	0.38	0.48	1.34	—	0.08	0.36	0.40	0.50	1.34	—	0.46	0.68	—	0.23	1.37
	County Boroughs	0.03	0.14	0.29	0.33	0.42	1.21	0.02	0.13	0.27	0.32	0.39	1.13	0.08	0.25	0.92	0.67	1.18	3.10
	Other Urban Districts	0.02	0.10	0.29	0.29	0.35	1.05	0.02	0.08	0.28	0.29	0.34	1.01	0.08	0.39	0.62	0.39	0.62	2.10
	Rural Districts	0.02	0.10	0.19	0.24	0.20	0.75	0.02	0.09	0.19	0.25	0.19	0.74	—	0.24	0.35	0.12	0.35	1.06
	All Urban Districts	0.02	0.11	0.31	0.32	0.40	1.16	0.02	0.10	0.29	0.32	0.38	1.11	0.07	0.34	0.75	0.45	0.79	2.40
Meningitis (not Tuberculous) (61).	London	0.09	0.15	0.41	0.59	0.48	1.72	0.09	0.14	0.41	0.61	0.49	1.74	—	0.45	0.46	—	0.23	1.14
	County Boroughs	0.08	0.24	0.64	0.61	0.57	2.14	0.09	0.24	0.63	0.59	0.57	2.12	—	0.34	0.75	1.09	0.59	2.77
	Other Urban Districts	0.04	0.19	0.47	0.45	0.45	1.60	0.04	0.18	0.45	0.45	0.45	1.57	0.08	0.39	0.70	0.54	0.39	2.10
	Rural Districts	0.07	0.19	0.37	0.34	0.33	1.30	0.07	0.20	0.33	0.34	0.32	1.26	—	0.12	1.06	0.35	0.47	2.00
	All Urban Districts	0.06	0.21	0.53	0.54	0.49	1.83	0.07	0.20	0.52	0.53	0.50	1.82	0.03	0.38	0.69	0.69	0.44	2.23
Convulsions (71)	London	1.98	1.28	1.02	0.50	0.38	5.16	2.03	1.24	0.98	0.48	0.39	5.12	0.69	2.28	2.06	0.92	0.23	6.18
	County Boroughs	3.97	2.70	2.22	1.57	1.04	11.50	3.93	2.57	2.12	1.48	1.00	11.10	5.02	5.53	4.53	3.44	1.93	20.45
	Other Urban Districts	3.47	2.28	1.86	1.33	0.89	9.83	3.37	2.21	1.74	1.25	0.84	9.41	5.77	3.89	4.51	3.11	2.10	19.38
	Rural Districts	3.44	2.10	1.78	1.31	0.79	9.42	3.24	2.02	1.70	1.24	0.79	8.99	7.54	3.89	3.42	2.59	0.85	18.27
	All Urban Districts	3.44	2.28	1.87	1.29	0.87	9.75	3.38	2.20	1.77	1.22	0.83	9.40	4.70	4.32	4.15	2.92	1.75	17.84
Laryngitis (87 B)	London	0.02	0.03	0.01	0.03	0.06	0.15	0.02	0.04	0.01	0.03	0.06	0.16	—	—	—	—	—	—
	County Boroughs	0.00	0.03	0.04	0.05	0.08	0.20	0.00	0.03	0.04	0.05	0.06	0.18	—	—	0.08	0.17	0.25	0.50
	Other Urban Districts	0.02	0.03	0.05	0.06	0.07	0.23	0.02	0.03	0.04	0.07	0.08	0.24	—	—	0.08	0.08	—	0.16
	Rural Districts	0.06	0.02	0.03	0.04	0.04	0.19	0.05	0.02	0.03	0.05	0.05	0.20	0.12	—	—	—	—	0.12
	All Urban Districts	0.01	0.03	0.04	0.05	0.08	0.21	0.01	0.03	0.04	0.05	0.07	0.20	—	—	0.07	0.10	0.10	0.27
Bronchitis (89, 90)	London	0.88	2.03	1.93	1.24	1.16	7.24	0.88	2.00	1.90	1.24	1.14	7.16	0.92	2.29	2.74	1.37	1.83	9.15
	County Boroughs	1.13	2.78	2.29	2.15	1.70	10.05	1.14	2.71	2.22	2.13	1.70	9.90	0.84	4.52	3.77	2.51	1.68	13.32
	Other Urban Districts	0.81	2.21	1.99	1.67	1.39	8.07	0.81	2.14	1.95	1.63	1.34	7.87	0.70	3.97	2.72	2.65	2.65	12.69
	Rural Districts	0.67	1.95	1.64	1.20	1.13	6.59	0.67	1.87	1.58	1.19	1.08	6.39	0.83	3.42	2.83	1.41	2.12	10.61
	All Urban Districts	0.95	2.40	2.10	1.79	1.48	8.72	0.95	2.34	2.05	1.77	1.45	8.56	0.79	3.94	3.16	2.40	2.13	12.42
Pneumonia (all forms) (91, 92).	London	0.82	2.45	2.35	3.04	3.69	12.35	0.83	2.49	2.36	3.03	3.68	12.39	0.69	1.60	2.29	2.97	3.66	11.21
	County Boroughs	0.46	1.72	2.41	3.07	3.41	11.07	0.45	1.68	2.33	3.03	3.38	10.87	0.50	2.60	4.11	4.19	4.19	15.59
	Other Urban Districts	0.42	1.46	2.15	2.62	2.68	9.33	0.43	1.47	2.08	2.58	2.64	9.20	0.23	1.48	3.90	3.19	3.42	12.22
	Rural Districts	0.39	1.20	1.90	2.10	1.94	7.53	0.39	1.18	1.84	2.05	1.91	7.37	0.35	1.65	3.18	2.84	2.59	10.61
	All Urban Districts	0.50	1.72	2.29	2.86	3.13	10.50	0.50	1.71	2.22	2.83	3.11	10.37	0.41	1.96	3.74	3.57	3.77	13.45

Diarrhoea and Enteritis (104).	London County Boroughs Other Urban Districts Rural Districts All Urban Districts	1·69	7·51	13·63	9·83	7·12	39·78	1·66	6·91	12·85	9·57	6·83	37·82	2·52	22·19	32·95	16·24	14·18	88·08
		2·09	9·32	13·72	10·23	6·93	42·29	1·98	8·60	13·05	9·83	6·79	40·25	4·44	25·57	28·49	19·02	10·22	87·74
		2·02	8·17	12·78	9·03	5·93	37·93	1·93	7·62	12·23	8·67	5·83	36·28	4·13	20·86	25·45	17·36	8·25	76·05
		1·19	4·87	7·48	4·98	3·19	21·71	1·11	4·64	7·23	4·79	3·14	20·91	2·71	9·43	12·74	8·84	4·24	37·96
Gastritis (103 A)	London County Boroughs Other Urban Districts Rural Districts All Urban Districts	1·99	8·52	13·30	9·63	6·52	39·96	1·91	7·89	12·66	9·27	6·37	38·10	4·01	22·98	27·83	17·87	9·95	82·64
		0·15	0·27	0·21	0·09	0·06	0·78	0·17	0·24	0·20	0·07	0·06	0·74	—	0·91	0·46	0·46	—	1·83
		0·27	0·60	0·54	0·27	0·22	1·90	0·26	0·59	0·53	0·27	0·20	1·85	0·50	0·75	0·93	0·34	0·50	3·02
		0·17	0·45	0·41	0·19	0·13	1·89	0·27	0·52	0·51	0·30	0·20	1·80	0·47	1·63	1·32	0·39	0·16	3·97
Syphilis (37)	London County Boroughs Other Urban Districts Rural Districts All Urban Districts	0·25	0·54	0·49	0·26	0·18	1·72	0·25	0·50	0·47	0·25	0·18	1·65	0·41	1·17	1·03	0·38	0·27	3·26
		0·63	0·63	0·33	0·15	0·12	1·86	0·52	0·52	0·22	0·14	0·12	1·52	3·43	3·43	2·98	0·46	—	10·30
		0·60	0·68	0·39	0·13	0·10	1·90	0·46	0·50	0·26	0·09	0·08	1·39	3·77	4·43	3·44	1·01	0·59	13·24
		0·26	0·45	0·23	0·07	0·04	1·05	0·20	0·33	0·19	0·05	0·03	0·80	1·63	2·96	1·25	0·62	0·31	6·77
Rickets (36 A)...	London County Boroughs Other Urban Districts Rural Districts All Urban Districts	0·14	0·16	0·08	0·02	0·03	0·43	0·11	0·16	0·06	0·02	0·01	0·36	0·71	0·12	0·47	—	0·47	1·77
		0·45	0·57	0·31	0·11	0·08	1·52	0·35	0·44	0·22	0·08	0·06	1·15	2·78	3·64	2·40	0·75	0·38	9·95
		0·01	0·02	0·07	0·09	0·21	0·40	0·01	0·02	0·07	0·09	0·19	0·38	—	—	0·23	—	0·69	0·92
		—	0·02	0·08	0·13	0·17	0·40	—	0·01	0·08	0·12	0·17	0·36	—	0·17	0·17	0·17	0·41	0·92
Suffocation, overlying (168 part).	London County Boroughs Other Urban Districts Rural Districts All Urban Districts	0·00	0·03	0·08	0·11	0·19	0·41	0·00	0·02	0·06	0·10	0·18	0·36	—	0·16	0·39	0·39	0·54	1·48
		0·01	0·01	0·05	0·09	0·19	0·35	0·01	0·01	0·05	0·09	0·17	0·33	—	—	—	0·24	0·59	0·83
		0·00	0·02	0·08	0·11	0·19	0·40	0·00	0·02	0·07	0·11	0·17	0·37	—	0·14	0·27	0·24	0·52	1·17
		0·67	1·03	0·54	0·13	0·05	2·42	0·61	1·05	0·56	0·14	0·06	2·42	2·06	0·23	—	—	—	2·29
Injury at Birth (152 C)	London County Boroughs Other Urban Districts Rural Districts All Urban Districts	0·62	0·85	0·37	0·10	0·03	1·97	0·55	0·85	0·36	0·10	0·03	1·89	2·10	1·09	0·50	—	0·08	3·77
		0·36	0·19	0·05	0·01	0·01	0·96	0·32	0·34	0·19	0·05	0·01	0·91	1·56	0·54	0·08	—	0·08	2·26
		0·26	0·18	0·09	0·04	0·02	0·59	0·23	0·19	0·09	0·03	0·02	0·56	0·82	0·24	—	0·12	—	1·18
		0·52	0·66	0·32	0·08	0·02	1·60	0·46	0·66	0·32	0·08	0·02	1·54	1·85	0·72	0·24	—	0·07	2·88
Atelectasis (152 B)	London County Boroughs Other Urban Districts Rural Districts All Urban Districts	1·30	0·01	0·01	—	—	1·32	1·05	0·01	0·01	—	—	1·07	7·32	—	—	—	—	7·32
		0·99	0·01	0·00	—	—	1·00	0·93	0·01	0·00	—	—	0·94	2·26	—	—	—	—	2·26
		0·84	0·03	—	—	—	0·87	0·82	0·02	—	—	—	0·84	1·55	0·08	—	—	—	1·63
		1·14	0·01	—	—	—	1·15	1·08	0·01	—	—	—	1·09	2·48	—	—	—	—	2·48
Congenital Malforma- tions (150).	London County Boroughs Other Urban Districts Rural Districts All Urban Districts	0·97	0·02	0·00	—	—	0·99	0·91	0·01	0·00	—	—	0·92	2·71	0·03	—	—	—	2·74
		1·71	0·19	—	—	—	1·90	1·68	0·19	—	—	—	1·87	2·29	0·23	—	—	—	2·52
		1·64	0·14	—	—	—	1·78	1·61	0·14	—	—	—	1·75	2·34	0·17	—	—	—	2·51
		1·57	0·07	—	—	—	1·64	1·57	0·06	—	—	—	1·63	1·79	0·16	—	—	—	1·95
Premature Birth (151 A)	London County Boroughs Other Urban Districts Rural Districts All Urban Districts	1·44	0·08	—	—	—	1·52	1·39	0·08	—	—	—	1·47	2·24	0·24	—	—	—	2·48
		1·62	0·12	—	—	—	1·74	1·60	0·11	—	—	—	1·71	2·09	0·17	—	—	—	2·26
		2·58	0·89	0·42	0·23	0·09	4·21	2·60	0·90	0·44	0·22	0·09	4·25	2·05	0·69	—	0·46	—	3·20
		2·21	0·75	0·33	0·13	0·08	3·50	2·20	0·74	0·32	0·13	0·08	3·47	2·61	0·92	0·42	0·08	0·08	4·11
♀	London County Boroughs Other Urban Districts Rural Districts All Urban Districts	2·43	0·65	0·37	0·16	0·14	3·75	2·43	0·65	0·37	0·16	0·13	3·74	2·18	0·86	0·39	0·31	0·31	4·05
		2·12	0·66	0·41	0·19	0·13	3·51	2·14	0·65	0·42	0·20	0·10	3·51	2·00	0·71	0·12	—	0·71	3·54
		2·36	0·73	0·36	0·16	0·11	3·72	2·37	0·72	0·36	0·16	0·10	3·71	2·33	0·86	0·34	0·24	0·17	3·94
		16·43	1·79	0·16	0·02	0·02	18·42	16·07	1·66	0·15	0·02	0·02	17·92	25·17	5·03	0·46	—	—	30·66
♂	London County Boroughs Other Urban Districts Rural Districts All Urban Districts	19·66	1·82	0·18	0·04	0·02	21·72	19·05	1·72	0·17	0·03	0·02	20·99	33·02	4·19	0·42	0·25	0·08	37·96
		18·21	1·65	0·17	0·06	0·02	20·11	17·70	1·56	0·17	0·05	0·02	19·50	30·20	3·74	0·16	0·23	—	34·33
		17·09	1·31	0·19	0·02	—	18·61	16·58	1·24	0·18	0·02	—	18·02	27·47	2·71	0·35	0·12	—	30·65
		18·51	1·74	0·17	0·04	0·02	20·48	17·97	1·64	0·17	0·04	0·02	19·84	30·59	4·12	0·31	0·21	0·03	35·26

TABLE 29.—INFANTILE MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1911.—ADMINISTRATIVE AREAS—continued.

Proportion of Deaths to 1,000 Births.																			
Cause of Death.		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 1 Month.	1-3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 1 Month.	1-3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 1 Month.	1-3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.
Atrophy, Debility, and Marasmus (151 B-E).	{ London	5.24	3.71	2.67	1.03	0.43	13.08	4.98	3.37	2.42	1.01	0.37	12.15	11.67	12.13	8.69	1.60	1.83	35.92
	{ County Boroughs	7.98	4.67	2.75	1.25	0.76	17.41	7.72	4.24	2.45	1.09	0.70	16.20	13.66	14.33	9.30	4.78	2.18	44.25
	{ Other Urban Districts	8.07	4.20	2.55	0.94	0.48	16.19	7.69	3.75	2.28	0.86	0.44	15.02	16.81	14.95	7.39	2.57	1.40	43.12
	{ Rural Districts	8.49	3.57	1.77	0.66	0.35	14.84	8.03	3.25	1.67	0.61	0.32	13.88	18.05	10.14	3.77	1.53	0.94	34.43
	{ All Urban Districts	7.58	4.31	2.62	1.08	0.59	16.18	7.27	3.88	2.37	0.98	0.53	15.03	14.75	14.27	8.37	3.33	1.78	42.50
Other Causes	{ London	1.52	1.07	1.07	1.09	0.74	5.49	1.22	1.01	1.00	1.06	0.76	5.05	8.46	3.21	2.04	2.06	0.22	15.99
	{ County Boroughs	1.78	1.09	0.98	0.94	0.72	5.51	1.54	1.05	0.95	0.92	0.72	5.18	7.20	1.59	1.68	1.50	0.93	12.90
	{ Other Urban Districts	1.69	0.87	0.99	0.81	0.65	5.01	1.39	0.85	0.99	0.80	0.64	4.67	7.62	1.86	1.56	1.25	0.70	12.99
	{ Rural Districts	1.87	1.08	0.97	0.80	0.63	5.35	1.55	1.02	0.95	0.79	0.59	4.90	7.89	2.70	1.76	1.41	1.07	14.83
	{ All Urban Districts	1.72	0.98	0.99	0.91	0.69	5.29	1.44	0.95	0.97	0.88	0.70	4.94	7.61	1.96	1.67	1.45	0.73	13.42

TABLE 30.—ENGLAND AND WALES.—NAMES on the REGISTERS, SEARCHES, and FEES RECEIVED, at the GENERAL REGISTER OFFICE, 1862–1911.

Year.	Names on the Registers at the end of each Year.				Searches in the Registers, including Non-Parochial.	
	Persons Married.	Births.	Deaths.	Total.	Number.*	Amount received for Searches and for Certificates.*
						£ s. d.
1862	7,414,682	14,992,256	10,041,923	32,448,861	8,522	1,250 12 0
1863	7,761,702	15,719,673	10,515,760	33,997,135	8,825†	1,280 17 6†
1864	8,122,476	16,459,948	11,011,291	35,593,715	9,607	1,371 18 6
1865	8,493,424	17,208,017	11,502,200	37,203,641	10,182	1,487 12 0
1866	8,868,976	17,961,887	12,002,889	38,833,752	12,135	1,860 15 6
1867	9,227,284	18,730,236	12,473,962	40,431,482	12,343	1,906 16 6
1868	9,581,208	19,517,094	12,954,584	42,052,886	12,913†	2,031 11 0†
1869	9,935,148	20,290,475	13,449,412	43,675,035	14,260	2,247 7 6
1870	10,298,458	21,083,262	13,964,741	45,346,461	16,170	2,456 19 6
1871	10,678,682	21,880,690	14,479,620	47,038,992	17,910	2,705 7 0
1872	11,081,216	22,706,597	14,971,885	48,759,698	18,970	2,867 5 6
1873	11,492,446	23,536,375	15,464,405	50,493,226	20,941†	3,142 9 6†
1874	11,896,466	24,391,331	15,991,037	52,278,834	22,354	3,364 7 0
1875	12,298,890	25,241,938	16,537,490	54,078,318	26,356	3,879 15 6
1876	12,702,638	26,129,906	17,047,805	55,880,349	27,590	4,109 15 6
1877	13,091,342	27,018,106	17,548,301	57,657,749	27,721	4,211 13 6
1878	13,471,450	27,910,012	18,088,173	59,469,635	28,540	4,313 8 6
1879	13,835,614	28,790,401	18,614,428	61,240,443	29,690†	4,517 15 0†
1880	14,219,544	29,672,044	19,143,052	63,034,640	31,308	4,695 3 0
1881	14,614,124	30,555,686	19,634,987	64,804,797	32,305	4,976 12 6
1882	15,022,934	31,444,700	20,151,641	66,619,275	33,597	5,170 15 0
1883	15,435,702	32,335,422	20,674,638	68,445,762	34,810	5,356 0 0
1884	15,844,304	33,242,172	21,205,466	70,291,942	34,843†	5,177 15 0†
1885	16,239,794	34,136,442	21,728,216	72,104,452	36,450	5,317 13 6
1886	16,631,936	35,040,202	22,265,492	73,937,630	36,079	5,168 16 0
1887	17,032,972	35,926,533	22,796,250	75,755,755	37,750	5,347 5 0
1888	17,440,614	36,806,401	23,307,221	77,554,236	40,477	5,808 0 6
1889	17,868,344	37,692,345	23,825,574	79,386,263	41,002	5,884 2 6
1890	18,314,400	38,562,282	24,387,822	81,264,504	43,874†	6,178 4 0†
1891	18,767,452	39,476,439	24,975,747	83,219,638	46,500	6,458 10 6
1892	19,221,722	40,374,396	25,535,431	85,131,549	50,942	6,921 15 0
1893	19,659,100	41,288,968	26,105,389	87,053,457	50,626	6,845 6 6
1894	20,111,998	42,179,257	26,604,216	88,895,471	54,255	7,166 3 6
1895	20,568,406	43,101,548	27,173,213	90,843,167	53,289	7,200 12 6
1896	21,053,934	44,016,879	27,699,940	92,770,753	57,444†	7,600 0 6†
1897	21,552,224	44,938,562	28,241,427	94,732,213	58,664	7,686 8 6
1898	22,062,982	45,861,727	28,793,568	96,718,277	63,825	8,450 19 6
1899	22,587,650	46,790,373	29,375,367	98,753,390	57,670	8,551 19 6
1900	23,102,610	47,717,435	29,963,197	100,783,242	57,895	8,658 9 6
1901	23,621,410	48,647,242	30,514,782	102,783,434	58,445	8,645 10 0
1902	24,144,910	49,587,751	31,050,320	104,782,981	61,437†	9,177 15 0†
1903	24,667,116	50,536,022	31,564,948	106,768,086	63,519	9,437 9 6
1904	25,182,828	51,481,411	32,114,732	108,778,971	62,270	9,274 12 0
1905	25,704,312	52,410,704	32,634,763	110,749,779	65,142	9,611 9 0
1906	26,244,388	53,345,785	33,166,044	112,756,217	64,340	9,458 6 0
1907	26,797,230	54,263,827	33,690,265	114,751,322	69,249	10,194 9 0
1908	27,327,110	55,204,210	34,210,721	116,742,041	72,370†	10,550 8 0†
1909	27,848,198	56,118,682	34,728,724	118,695,604	73,543	10,568 8 0
1910	28,383,640	57,015,644	35,211,971	120,611,255	75,369	10,939 5 6
1911	28,933,526	57,896,782	35,739,781	122,570,089	75,005	10,875 6 0

* The figures in these columns refer to periods of 52 weeks except those marked † which refer to periods of 53 weeks.

TABLE 31.—ISLANDS IN THE BRITISH SEAS. AREA and POPULATION ; and BIRTHS and DEATHS, 1886–1911.

Year.	Islands in the British Seas.	Isle of Man.	Jersey.	Guernsey and adjacent Islands.				
Area in } Acres }	193,408	145,325	28,717	19,366				
Enumerated Population.								
1881	141,260	53,558	52,445	35,257				
1891	147,842	55,608	54,518	37,716				
1901	150,370	54,752	52,576	43,042				
1911	148,934	52,034	51,903	44,997				
—	Births.	Deaths.	Births.	Deaths.	Births.	Deaths.	Births.*	Deaths.
1886	3,778	2,960	1,574	1,096	1,464	1,145	740	719
1887	3,739	2,674	1,515	1,133	1,458	973	766	568
1888	3,810	2,663	1,564	1,078	1,523	1,025	723	560
1889	3,791	2,687	1,578	1,010	1,415	1,039	798	638
1890	3,607	3,040	1,458	1,159	1,375	1,156	774	725
1891	3,688	2,925	1,493	1,086	1,373	1,144	822	695
1892	3,382	3,031	1,331	1,131	1,269	1,262	782	638
1893	3,633	2,864	1,415	1,091	1,401	1,118	817	655
1894	3,305	2,700	1,336	1,091	1,227	987	742	622
1895	3,602	2,985	1,515	1,138	1,294	1,151	793	696
1896	3,538	2,602	1,437	1,073	1,307	998	794	531
1897	3,716	2,819	1,445	1,099	1,331	1,016	940	704
1898	3,585	2,760	1,400	1,008	1,259	1,020	926	732
1899	3,650	2,881	1,473	1,130	1,261	1,054	916	697
1900	3,375	2,894	1,376	1,143	1,151	1,054	848	697
1901	3,145	2,556	1,204	1,033	1,139	869	802	654
1902	3,289	2,466	1,256	979	1,137	864	896	623
1903	3,134	2,466	1,190	948	1,097	933	847	585
1904	3,536	2,649	1,227	1,027	1,068	903	1,241	719
1905	3,419	2,530	1,139	998	1,066	856	1,214	676
1906	3,310	2,397	1,123	894	1,007	878	1,180	625
1907	3,197	2,499	1,073	893	980	917	1,144	689
1908	3,162	2,391	1,044	901	1,039	815	1,079	675
1909	3,161	2,457	1,036	970	1,046	868	1,079	619
1910	3,125	2,246	1,023	841	1,038	765	1,064	640
1911	3,019	2,663	979	932	1,034	904	1,006	827

NOTE.—The above numbers of births and deaths have been compiled from returns furnished to the Registrar-General by the Registrar-General of the Isle of Man, the Government Secretary of Jersey, and the Lieutenant-Governor of Guernsey and its Dependencies.

* Up to and including the year 1895 the figures in this column refer to the number of Baptisms.

TABLE 32.—BALANCE inward or outward on PASSENGER MOVEMENT into and out of the UNITED KINGDOM, 1895–1911.

Year.	Balance Outward on Movement to and from non-European Countries.				Balance Inward on Movement to and from European Countries.	Net Balance Outward on Total Movement to and from all Countries.
	British Subjects.	Foreigners.	Nationality not Distinguished.	Total.	(All Nationalities).*	(All Nationalities).*
1895	75,763	18,015	2,320	96,098	28,503	67,595
1896	60,183	19,506	2,350	82,039	38,956	43,083
1897	51,239	4,938	1,989	58,166	17,850	40,316
1898	49,396	14,189	2,240	65,825	29,897	35,928
1899	46,116	30,444	2,025	78,585	56,660	21,925
1900	71,188	50,041	1,585	122,814	79,433	43,381
1901	72,016	63,618	1,923	137,557	88,712	48,845
1902	101,547	112,132	2,226	215,905	137,313	78,592
1903	147,036	99,149	3,136	249,321	114,540	134,781
1904	126,854	82,182	2,945	211,981	84,389	127,592
1905	139,365	110,514	4,590	254,469	107,733	146,736
1906	194,671	133,878	977†	327,572	134,199	193,373
1907	235,092	109,857	3,633†	341,316	113,385	227,931
1908	91,156	47,667†	—	43,489	24,267‡	67,756
1909	139,693	73,360	—	213,053	94,263	118,790
1910	233,709	86,371	—	320,080	112,664	207,416
1911	261,809	11,187	—	272,996	31,845	241,151

* Prior to 1st January, 1908, no statutory returns were available with regard to the passenger movement between the United Kingdom and the Continent of Europe, and the returns furnished voluntarily were to some extent incomplete, and were not prepared on an absolutely uniform system. Hence the figures given above for the years 1895 to 1907 cannot be regarded as a complete statement of the passenger movement between the United Kingdom and other countries in those years.

† Balance inward.

‡ Balance outward.

TABLE 33.—ARMY.—STRENGTH and MORTALITY, 1872-1911.
(Regiments on Passage Out and Home are included with the Number Abroad.)

Year.	Strength.			Deaths.			Death-rate per 1000.		
	Total Army.	In United Kingdom.	Abroad.	Total Army.	In United Kingdom.	Abroad.	Total Army.	In United Kingdom.	Abroad.
1872 ...	192,007	104,154	87,853	2,649	940	1,709	13·8	9·0	19·5
1873 ...	188,379	100,583	87,796	2,139	931	1,208	11·4	9·3	13·8
1874 ...	186,389	97,635	88,754	2,136	1,007	1,129	11·5	10·3	12·7
1875 ...	184,669	97,193	87,476	2,269	1,061	1,208	12·3	10·9	13·8
1876 ...	184,433	97,146	87,287	2,102	930	1,172	11·4	9·6	13·4
1877 ...	190,502	101,904	88,598	1,801	856	945	9·5	8·4	10·7
1878 ...	200,758	109,201	91,557	2,249	778	1,471	11·2	7·1	16·1
1879 ...	191,290	88,215	103,075	4,239	796	3,443	22·2	9·0	33·4
1880 ...	188,986	91,887	97,099	3,333	756	2,577	17·6	8·2	26·5
1881 ...	188,798	91,946	96,852	2,650	844	1,806	14·0	9·2	18·6
1882 ...	189,229	94,295	94,934	2,224	806	1,418	11·8	8·5	14·9
1883 ...	181,971	90,071	91,900	1,783	672	1,111	9·8	7·5	12·1
1884 ...	183,004	89,994	93,010	1,611	523	1,088	8·8	5·8	11·7
1885 ...	198,064	91,579	106,485	2,730	735	1,995	13·8	8·0	18·7
1886 ...	203,805	98,057	105,748	2,813	703	2,110	13·8	7·2	20·0
1887 ...	209,574	106,767	102,807	2,006	568	1,438	9·6	5·3	14·0
1888 ...	211,105	106,913	104,192	2,041	731	1,310	9·7	6·8	12·6
1889 ...	210,298	105,956	104,342	1,961	525	1,436	9·3	5·0	13·8
1890 ...	209,221	105,668	103,553	1,813	631	1,182	8·7	6·0	11·4
1891 ...	209,699	104,860	104,839	1,869	562	1,307	8·9	5·4	12·5
1892 ...	213,540	106,115	107,425	1,950	502	1,448	9·1	4·7	13·5
1893 ...	217,279	106,074	111,205	1,803	586	1,217	8·3	5·5	10·9
1894 ...	219,121	105,749	113,372	1,871	447	1,424	8·5	4·2	12·6
1895 ...	220,309	107,636	112,673	1,839	491	1,348	8·3	4·6	12·0
1896 ...	220,742	106,408	114,334	1,862	431	1,431	8·4	4·1	12·5
1897 ...	219,283	102,155	117,128	2,188	403	1,785	10·0	3·9	15·2
1898 ...	225,027	102,202	122,825	2,699	452	2,247	12·0	4·4	18·3
1899 ...	238,739	107,504	131,235	2,516	486	2,030	10·5	4·5	15·5
1900 ...	383,037	117,041	265,996	10,554	958	9,596	27·6	8·2	36·1
1901 ...	412,949	126,797	286,152	6,237	780	5,457	15·1	6·2	19·1
1902 ...	379,048	126,992	252,056	4,029	625	3,404	10·6	4·9	13·5
1903 ...	295,589	137,755	157,834	2,067	703	1,364	7·0	5·1	8·6
1904 ...	283,691	134,345	149,346	1,715	444	1,271	6·0	3·3	8·5
1905 ...	274,158	132,141	142,017	1,526	385	1,141	5·6	2·9	8·0
1906 ...	263,834	129,421	134,413	1,445	399	1,046	5·5	3·1	7·8
1907 ...	249,890	123,668	126,222	1,186	332	804	4·7	3·1	6·4
1908 ...	247,277	124,422	122,855	1,178	329	849	4·8	2·6	6·9
1909 ...	252,105	130,098	122,007	985	400	585	3·9	3·1	4·8
1910 ...	250,942	129,131	121,811	844	319	525	3·4	2·5	4·3
1911 ...	243,414	128,405	115,009	822	320	502	3·4	2·5	4·4

TABLE 34.—ROYAL NAVY.—MORTALITY in the SERVICE AFLOAT, 1872-1911.
(From the Statistical Reports of the Health of the Navy.)

Year.	Death-rate per 1000.			Year.	Death-rate per 1000.		
	From All Causes.	From Disease.	From Violence.		From All Causes.	From Disease.	From Violence.
1872 ...	8·2	5·6	2·6	1892 ...	5·58	4·50	1·08
1873 ...	8·3	6·0	2·3	1893 ...	11·29	4·07	7·21
1874 ...	9·4	6·7	2·7	1894 ...	5·76	4·05	1·71
1875 ...	8·8	6·9	1·9	1895 ...	6·60	4·64	1·95
1876 ...	9·24	5·99	3·24	1896 ...	5·28	3·81	1·47
1877 ...	7·05	4·91	2·13	1897 ...	5·23	3·78	1·45
1878 ...	14·41	5·32	9·09	1898 ...	4·91	3·56	1·35
1879 ...	8·58	6·23	2·34	1899 ...	5·41	3·87	1·53
1880 ...	12·57	4·62	7·95	1900 ...	7·27	4·96	2·30
1881 ...	10·94	5·27	5·67	1901 ...	5·34	3·38	1·96
1882 ...	9·49	6·87	2·62	1902 ...	5·92	3·51	2·40
1883 ...	5·88	4·05	1·82	1903 ...	4·19	2·79	1·40
1884 ...	9·00	5·83	3·16	1904 ...	4·45	3·14	1·31
1885 ...	7·04	4·77	2·27	1905 ...	3·90	2·74	1·15
1886 ...	6·88	5·04	1·83	1906 ...	3·68	2·48	1·20
1887 ...	8·32	4·89	3·42	1907 ...	3·35	2·26	1·09
1888 ...	5·71	3·95	1·75	1908 ...	3·37	2·07	1·30
1889 ...	5·33	3·87	1·45	1909 ...	3·21	2·28	0·92
1890 ...	8·54	4·14	4·40	1910 ...	3·15	2·12	1·03
1891 ...	6·17	4·68	1·49	1911 ...	3·12	2·22	0·90

TABLE 35.—MERCHANT SERVICE. NUMBER and MORTALITY of MASTERS and SEAMEN employed in SEA-GOING VESSELS (excluding Fishing Vessels and Yachts) registered in the UNITED KINGDOM and the ISLE OF MAN, under the Merchant Shipping Act, reported to the Board of Trade during each of the Years ending 30th June, 1890–1891 to 1910–1911.

(Furnished to the Registrar-General by the Marine Department of the Board of Trade.)

Years.	No. of Masters and Seamen Employed.*	No. of Deaths Reported.				Death-rate per 1,000.			
		From All Causes.	From Disease, &c.†	From Wreck or Casualty.‡	From Accident other than Wreck or Casualty.	From All Causes.	From Disease, &c.†	From Wreck or Casualty.‡	From Accident other than Wreck or Casualty.
DEATHS IN SAILING VESSELS.									
1890-1891 ...	65,792	1,526	352	805	369	23·2	5·4	12·2	5·6
1891-1892 ...	63,357	1,561	455	750	356	24·6	7·2	11·8	5·6
1892-1893 ...	63,618	1,248	392	541	315	19·6	6·2	8·5	5·0
1893-1894 ...	61,327	1,344	374	613	357	21·9	6·1	10·0	5·8
1894-1895 ...	58,537	1,400	484	594	322	23·9	8·3	10·1	5·5
1895-1896 ...	56,095	1,370	410	637	323	24·4	7·3	11·4	5·8
1896-1897 ...	53,267	965	285	413	267	18·1	5·4	7·8	5·0
1897-1898 ...	49,858	781	295	255	231	15·7	5·9	5·1	4·6
1898-1899 ...	46,553	896	271	430	195	19·2	5·8	9·2	4·2
1899-1900 ...	43,356	754	256	307	191	17·4	5·9	7·1	4·4
1900-1901 ...	41,151	894	215	474	205	21·7	5·2	11·5	5·0
1901-1902 ...	38,400	686	207	294	185	17·9	5·4	7·7	4·8
1902-1903 ...	36,406	588	217	196	175	16·2	6·0	5·4	4·8
1903-1904 ...	34,748	652	175	300	177	18·8	5·0	8·6	5·1
1904-1905 ...	32,466	599	166	283	150	18·5	5·1	8·7	4·6
1905-1906 ...	30,204	576	146	287	143	19·1	4·8	9·5	4·7
1906-1907 ...	28,142	386	103	152	131	13·7	3·7	5·4	4·7
1907-1908 ...	25,821	462	105	226	131	17·9	4·1	8·8	5·1
1908-1909 ...	23,478	399	107	214	78	17·0	4·6	9·1	3·3
1909-1910 ...	21,470	283	66	134	83	13·2	3·1	6·2	3·9
1910-1911 ...	19,364	287	60	148	79	14·8	3·1	7·6	4·1
DEATHS IN STEAM VESSELS.									
1890-1891 ...	148,635	1,513	690	403	420	10·2	4·6	2·7	2·8
1891-1892 ...	154,890	1,759	951	354	454	11·4	6·1	2·3	2·9
1892-1893 ...	155,942	1,430	667	429	334	9·2	4·3	2·8	2·1
1893-1894 ...	156,990	1,799	747	607	445	11·5	4·8	3·9	2·8
1894-1895 ...	159,257	1,538	733	363	442	9·7	4·6	2·3	2·8
1895-1896 ...	162,129	1,697	761	517	419	10·5	4·7	3·2	2·6
1896-1897 ...	165,966	1,668	717	486	465	10·1	4·3	2·9	2·8
1897-1898 ...	168,158	1,412	759	234	419	8·4	4·5	1·4	2·5
1898-1899 ...	172,830	1,961	843	651	467	11·3	4·9	3·8	2·7
1899-1900 ...	177,751	1,981	1,043	462	476	11·1	5·9	2·6	2·7
1900-1901 ...	183,394	1,887	1,052	370	465	10·3	5·7	2·0	2·5
1901-1902 ...	187,043	1,939	1,022	481	436	10·4	5·5	2·6	2·3
1902-1903 ...	193,755	1,797	1,024	305	468	9·3	5·3	1·6	2·4
1903-1904 ...	198,734	1,600	1,015	181	404	8·1	5·1	0·9	2·0
1904-1905 ...	202,111	1,704	993	327	384	8·4	4·9	1·6	1·9
1905-1906 ...	207,607	1,909	1,128	287	494	9·2	5·4	1·4	2·4
1906-1907 ...	214,828	1,924	1,141	347	436	9·0	5·3	1·6	2·0
1907-1908 ...	221,092	1,850	1,208	181	461	8·4	5·5	0·8	2·1
1908-1909 ...	219,711	1,744	1,048	273	423	7·9	4·8	1·2	1·9
1909-1910 ...	220,029	1,812	976	445	391	8·2	4·4	2·0	1·8
1910-1911 ...	223,423	1,917	1,103	404	410	8·6	4·9	1·8	1·8
TOTAL.									
1890-1891 ...	214,427	3,039	1,042	1,208	789	14·2	4·9	5·6	3·7
1891-1892 ...	218,247	3,320	1,406	1,104	810	15·2	6·4	5·1	3·7
1892-1893 ...	219,560	2,678	1,059	970	649	12·2	4·8	4·4	3·0
1893-1894 ...	218,317	3,143	1,121	1,220	802	14·4	5·1	5·6	3·7
1894-1895 ...	217,794	2,938	1,217	957	764	13·5	5·6	4·4	3·5
1895-1896 ...	218,224	3,067	1,171	1,154	742	14·1	5·4	5·3	3·4
1896-1897 ...	219,233	2,633	1,002	899	732	12·0	4·6	4·1	3·3
1897-1898 ...	218,016	2,193	1,054	489	650	10·1	4·8	2·2	3·0
1898-1899 ...	219,383	2,857	1,114	1,081	662	13·0	5·1	4·9	3·0
1899-1900 ...	221,107	2,735	1,299	769	667	12·4	5·9	3·5	3·0
1900-1901 ...	224,545	2,781	1,267	844	670	12·4	5·6	3·8	3·0
1901-1902 ...	225,443	2,625	1,229	775	621	11·6	5·5	3·4	2·8
1902-1903 ...	230,161	2,385	1,241	501	643	10·4	5·4	2·2	2·8
1903-1904 ...	233,482	2,252	1,190	481	581	9·6	5·1	2·1	2·5
1904-1905 ...	234,577	2,303	1,159	610	534	9·8	4·9	2·6	2·3
1905-1906 ...	237,811	2,485	1,274	574	637	10·4	5·4	2·4	2·7
1906-1907 ...	242,970	2,310	1,244	499	567	9·5	5·1	2·1	2·3
1907-1908 ...	246,913	2,312	1,313	407	592	9·4	5·3	1·6	2·4
1908-1909 ...	243,189	2,143	1,155	487	501	8·8	4·7	2·0	2·1
1909-1910 ...	241,499	2,095	1,042	579	474	8·7	4·3	2·4	2·0
1910-1911 ...	242,787	2,204	1,163	552	489	9·1	4·8	2·3	2·0

* The figures relating to employment are made up for the year ending in December, and are compared with the deaths in the year ending in the following June.

† These figures include cases of homicide, suicide, supposed suicide, missing at sea, and a few cases where the causes of the deaths were unknown.

‡ These figures include only deaths resulting from casualties to ships.

TABLE 36.—MALES and FEMALES at TWELVE GROUPS of AGES in a MILLION PERSONS at ALL AGES.

	Australian Commonwealth.	Austria.	Belgium.	Bulgaria.	Denmark.	England and Wales.	Finland.	France.	German Empire.	Hungary.	Ireland.	Italy.	The Netherlands.	New Zealand.	Prussia.	Russia (European).	Scotland.	Spain.	Sweden.	Switzerland.
Census Year ...	1901.	1900.	1900.	1900.	1901.	1901.	1900.	1901.	1900.	1900.	1901.	1901.	1899.	1901.	1900.	1897.	1901.	1900.	1900.	1900.
Persons All Ages ...	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000
Under 5 years...	115,089	130,537	117,061	145,739	124,559	114,292	129,898	93,190	130,753	133,866	99,290	126,866	129,852	112,838	133,830	151,215	119,191	116,089	114,695	114,082
5 —	120,974	111,250	103,349	131,263	110,228	107,209	110,077	83,757	113,651	115,940	101,122	103,863	112,937	110,954	116,105	121,757	104,182	113,513	106,652	101,573
10 —	114,719	102,301	96,686	124,898	106,787	102,735	105,430	84,126	103,579	106,155	103,080	104,437	102,418	110,292	105,641	112,741	104,944	105,272	103,061	94,538
15 —	100,134	95,358	96,329	109,594	96,685	99,796	97,042	85,161	94,367	100,702	106,035	92,988	95,315	109,761	94,300	101,189	101,973	83,720	94,464	95,165
20 —	93,106	87,381	90,522	101,334	84,231	95,946	87,518	82,753	90,468	80,733	99,625	81,559	87,470	107,615	88,688	83,477	96,886	83,530	82,861	90,725
25 —	161,957	143,751	154,383	123,777	136,873	161,579	139,544	150,795	149,389	135,319	147,266	131,225	142,001	162,421	147,697	138,705	155,226	145,188	127,912	154,385
30 —	180,652	118,838	119,008	98,039	114,127	122,849	115,479	143,934	115,980	122,325	108,276	115,862	129,778	109,295	116,533	111,339	117,021	123,035	116,635	123,450
35 —	72,592	91,865	88,628	78,038	91,504	89,232	94,009	112,532	87,802	94,499	92,780	98,595	86,834	78,340	86,649	80,943	80,166	101,800	93,286	91,642
40 —	47,353	63,951	72,244	64,345	69,113	59,741	68,609	91,652	65,217	66,155	72,768	76,858	70,316	87,581	62,839	56,466	60,010	74,663	76,750	76,145
45 —	29,357	36,444	43,233	33,343	44,438	33,080	38,106	58,411	35,630	32,785	48,823	44,702	42,006	32,058	34,373	29,892	33,747	37,812	55,859	40,191
50 —	9,952	13,224	18,656	17,726	21,939	13,651	14,247	23,639	13,264	11,444	20,385	17,000	18,050	8,517	13,149	12,331	14,554	14,187	27,825	15,101
55 —	8,555	—	—	161	2,486	—	—	—	—	77	—	45	22	828	196	358	—	1,111	—	—
60 —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65 —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70 —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75 years and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Age not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Males All Ages ...	524,288	491,485	496,722	509,995	487,213	483,543	494,765	491,977	492,082	497,656	493,418	497,385	493,835	525,407	492,318	489,599	486,070	488,015	487,371	490,741
Under 5 years...	58,233	65,297	58,871	73,092	62,685	57,039	65,622	46,565	65,602	67,100	50,424	64,709	65,517	57,361	67,253	75,236	60,008	58,609	58,344	57,133
5 —	61,186	55,976	51,807	65,921	55,634	53,462	55,376	41,830	56,894	57,952	51,232	55,882	56,752	56,054	58,239	60,389	55,748	57,260	54,209	50,857
10 —	57,869	50,788	48,505	63,693	52,422	51,370	53,057	42,180	51,908	53,050	52,533	52,832	53,091	56,777	53,117	55,998	53,280	53,000	52,112	47,318
15 —	50,240	46,626	43,376	55,652	48,484	49,420	48,385	42,487	47,300	49,332	52,705	45,065	43,027	54,944	47,496	48,484	51,509	40,528	48,223	48,008
20 —	46,284	43,315	45,514	55,652	48,484	49,420	48,385	42,487	47,300	49,332	52,705	45,065	43,027	54,944	47,496	48,484	51,509	40,528	48,223	48,008
25 —	73,542	58,547	59,305	61,410	65,203	76,425	69,076	66,652	74,282	89,560	48,735	40,269	43,027	53,313	43,675	40,378	47,045	39,490	41,367	44,506
30 —	41,256	44,516	43,463	50,835	43,940	42,924	57,244	74,886	74,282	66,462	48,735	63,722	69,020	84,120	73,386	67,095	74,298	69,888	62,187	77,050
35 —	26,116	32,303	31,917	35,288	32,729	27,913	32,149	45,616	41,958	47,406	52,436	48,477	42,787	59,388	57,331	54,751	56,202	59,377	54,779	60,295
40 —	17,085	16,352	20,339	18,295	20,516	14,691	16,381	64,924	66,652	61,688	52,436	48,477	42,787	59,388	57,331	54,751	56,202	59,377	54,779	60,295
45 —	5,516	6,040	8,180	9,046	9,347	5,632	5,762	44,244	30,234	33,235	37,946	37,860	34,053	34,313	29,057	27,463	27,095	35,838	35,248	35,257
50 —	2,619	—	—	92	1,282	—	—	27,241	15,991	19,237	21,598	22,126	19,509	20,019	15,446	14,339	14,152	18,190	26,273	13,803
55 —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60 —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65 —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70 —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75 years and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Age not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Females All Ages ...	475,712	508,515	503,278	490,005	512,787	516,457	505,235	508,023	507,918	502,344	506,532	502,615	505,165	474,593	507,682	510,401	513,930	511,985	512,029	508,259
Under 5 years...	56,856	65,240	58,190	72,047	61,873	57,223	64,276	46,624	65,151	66,765	48,866	62,157	64,835	54,977	66,577	75,979	59,183	57,480	56,351	56,949
5 —	59,788	55,274	51,542	65,342	54,594	53,747	52,971	41,927	56,757	57,948	49,890	53,381	56,185	54,900	57,846	61,368	54,434	56,263	52,443	50,719
10 —	58,860	51,513	48,181	61,205	51,365	51,365	52,373	41,946	51,671	53,105	50,547	51,605	52,328	54,515	52,524	56,420	51,061	52,212	50,919	47,220
15 —	48,894	48,732	47,353	53,342	48,311	50,376	48,057	42,674	47,067	49,370	53,830	46,923	47,543	54,817	46,804	46,241	43,192	43,192	46,241	47,157
20 —	46,822	44,066	45,008	53,217	48,314	50,673	48,442	42,068	45,411	41,733	50,890	41,290	44,443	54,302	45,013	43,099	49,841	41,040	40,894	46,219
25 —	77,555	73,291	76,939	62,367	71,670	85,154	69,637	62,068	75,107	68,367	72,399	67,503	72,981	78,301	71,311	71,610	80,928	75,300	65,726	77,335
30 —	57,110	60,291	59,703	47,804	60,074	63,155	58,235	67,282	58,898	60,637	55,840	58,909	55,477	49,907	53,202	56,578	60,819	63,658	61,866	63,155
35 —	31,336	47,349	45,065	38,522	47,564	46,298	48,434	57,458	45,841	47,093	49,114	43,632	44,097	33,632	45,184	41,792	44,986	53,225	49,565	48,018
40 —	21,217	36,048	37,327	29,557	36,384	31,828	36,460	48,434	39,983	32,920	49,114	38,998	36,263	23,268	33,782	25,083	32,315	38,814	41,502	40,888
45 —	13,922	19,432	22,894	16,233	23,912	18,383	21,125	31,170	19,539	22,576	21,225	22,576	22,497	19,989	18,927	19,468	19,595	19,622	30,586	30,588
50 —	4,436	7,284	10,476	8,680	12,592	7,949	8,495	13,357	7,495	5,894	10,759	8,528	10,004	3,716	7,424	6,199	9,104	7,647	15,947	8,211
55 —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60 —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65 —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70 —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75 years and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Age not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 37.—BIRTHS and DEATHS per 1,000 of the POPULATION in the UNITED KINGDOM and in certain COLONIES and FOREIGN COUNTRIES, 1886-1911. (Tabulated from returns furnished by the authorities of the various States.)

Year.	Australian Commonwealth.	Austria.	Belgium.	Bulgaria.	Ceylon.	Chili.	Denmark.	England and Wales.	Finland.	France.	German Empire.	Hungary.	Ireland.	Italy.	Jamaica.	Japan.	The Netherlands.	New Zealand.	Norway.	Ontario, Province of.	Prussia.	Roumania.	Russia (European).	Scotland.	Serbia.	Spain.	Sweden.	Switzerland.	United Kingdom.	United States (Registration Area).	Year.	
BIRTHS (EXCLUDING STILLBORN) PER 1,000 LIVING.																																
1886	35.4	38.3	29.9	32.3	27.1	28.7	32.4	32.8	35.3	23.9	37.0	45.6	23.2	37.0	36.1	27.3	34.6	33.1	31.2	22.0	37.7	42.2	46.5	32.9	42.0	36.7	29.8	27.8	31.5	1886		
1887	35.6	38.6	29.7	32.5	32.7	29.1	31.7	31.9	36.2	23.5	36.9	44.2	23.1	38.9	34.7	27.1	33.7	32.1	31.2	21.7	37.6	41.0	47.5	31.7	46.3	36.1	29.7	27.9	30.7	1887		
1888	35.5	38.3	29.4	32.6	31.8	31.8	31.5	31.2	34.9	23.1	36.6	43.8	22.8	37.5	39.1	29.6	33.7	30.2	31.8	21.8	37.4	42.4	49.9	31.3	45.7	36.4	28.8	27.7	30.1	1888		
1889	34.7	38.3	29.4	32.6	27.7	37.7	31.2	31.1	33.4	23.0	36.4	43.7	22.7	38.3	35.3	30.2	33.2	30.2	30.1	22.6	37.1	40.6	48.8	30.9	44.1	36.4	27.7	27.6	30.0	1889		
1890	35.0	36.8	29.0	32.9	31.9	37.6	30.5	30.2	32.9	21.6	35.7	40.3	22.3	35.8	38.4	28.3	32.9	29.4	30.3	22.0	36.6	38.5	48.2	30.4	40.2	34.4	28.0	26.6	29.2	1890		
1891	34.5	38.6	30.0	33.9	31.9	30.0	31.0	31.4	34.3	22.6	35.7	40.2	22.1	37.2	38.3	26.7	33.7	29.0	30.3	22.4	37.7	42.3	48.8	31.2	45.0	35.3	28.3	28.2	30.4	1891		
1892	38.7	36.3	28.9	35.8	30.2	39.1	29.6	30.4	31.5	22.3	35.7	40.4	22.5	36.2	37.3	29.4	32.0	27.8	29.6	19.5	36.2	39.0	47.2	30.7	42.4	35.8	27.0	27.7	29.5	1892		
1893	32.8	38.2	29.5	34.9	31.3	38.9	30.7	30.7	29.9	22.8	36.8	42.6	23.0	36.5	40.6	29.5	32.9	27.5	29.6	19.7	37.4	40.5	47.0	30.8	42.5	35.6	27.4	27.9	29.8	1893		
1894	30.8	37.0	29.0	37.6	33.2	40.7	30.4	29.6	30.8	22.3	35.9	41.5	23.3	35.5	37.2	28.9	32.7	27.3	29.6	19.1	36.5	40.9	48.7	29.9	42.4	34.8	27.1	27.3	29.8	1894		
1895	30.4	38.1	28.5	40.2	31.8	38.7	30.3	30.3	32.6	21.7	36.1	41.8	23.3	34.8	38.8	29.5	32.8	26.8	30.3	18.8	36.9	42.3	49.4	30.0	44.0	35.0	27.5	27.3	29.4	1895		
1896	28.4	38.0	29.0	41.0	32.0	37.0	30.5	29.6	32.1	22.5	36.3	40.5	23.7	34.8	38.5	30.0	32.7	26.3	30.2	20.6	36.9	40.7	49.7	30.4	41.2	35.9	27.2	28.1	29.0	1896		
1897	28.2	37.5	29.0	42.2	37.7	39.0	29.8	29.6	31.9	22.2	36.0	40.3	23.5	34.7	39.8	30.9	32.5	26.0	29.9	20.8	36.5	42.9	49.5	30.0	42.6	34.1	26.7	28.3	28.9	1897		
1898	27.2	36.3	28.6	39.1	38.8	36.8	30.2	29.3	34.0	21.8	36.1	37.7	23.3	33.5	38.1	31.3	31.9	25.7	30.1	20.2	36.7	36.7	48.7	30.1	35.1	33.3	27.1	28.5	28.9	1898		
1899	27.3	37.3	28.8	40.5	38.5	37.0	29.7	29.1	33.2	21.9	35.8	39.3	23.1	33.9	42.2	31.4	32.0	25.1	30.7	19.2	36.3	42.0	49.0	29.8	39.3	34.2	26.4	28.5	28.5	1899		
1900	27.3	37.3	28.9	42.2	38.6	37.8	29.7	28.7	32.0	21.4	35.6	39.3	22.7	33.0	35.7	31.7	31.5	25.6	29.9	19.6	36.1	38.8	49.4	29.6	42.0	33.8	27.0	28.6	28.2	1900		
1901	27.2	36.6	29.4	42.7	37.5	38.6	29.7	28.5	32.5	22.0	35.7	37.8	22.7	32.6	40.9	32.7	30.6	26.3	29.9	20.7	36.2	39.3	47.9	29.5	38.0	34.9	27.0	29.0	28.0	1901		
1902	26.7	37.1	28.4	38.8	38.5	38.4	29.2	28.5	31.5	21.7	35.1	38.9	23.0	33.4	39.3	32.9	31.8	25.9	29.2	21.3	35.5	39.0	49.1	29.3	38.0	35.5	26.5	28.5	28.0	1902		
1903	25.3	35.3	27.5	40.9	40.0	37.7	28.7	28.5	30.4	21.1	33.9	36.9	23.1	31.7	39.9	32.0	31.6	23.6	28.6	21.7	34.4	40.1	48.1	29.4	40.9	36.3	25.7	27.4	28.0	1903		
1904	26.4	35.6	27.1	42.4	38.5	37.6	28.9	28.0	31.8	20.9	34.1	37.4	22.6	32.9	36.1	30.6	31.4	26.9	28.0	22.3	34.7	40.1	48.5	29.1	39.8	34.3	25.8	27.3	27.7	1904		
1905	26.2	33.9	26.1	43.5	38.7	37.8	28.4	27.3	32.3	20.6	33.0	36.3	23.4	32.7	38.8	30.6	30.8	27.2	27.2	23.0	33.5	38.6	44.8	28.6	37.3	35.2	25.7	26.9	27.1	1905		
1906	26.6	35.0	25.7	44.0	36.5	36.0	28.5	27.2	31.3	20.3	33.1	36.5	23.5	32.1	38.1	28.9	30.4	27.1	26.8	22.9	33.7	40.5	—	28.6	41.3	34.0	25.7	26.9	27.0	1906		
1907	26.8	34.0	25.3	43.6	33.6	38.8	28.2	26.5	31.2	19.7	32.3	36.7	23.2	31.7	35.0	33.0	30.0	27.3	26.4	23.5	33.0	41.7	—	27.7	40.0	33.6	25.5	26.2	26.3	1907		
1908	26.6	33.7	24.9	40.4	41.0	39.3	28.5	26.7	30.7	20.1	32.1	36.9	23.3	33.7	37.6	33.9	29.7	27.4	26.4	24.3	32.7	40.8	—	28.1	36.8	34.0	25.7	26.4	26.5	1908		
1909	26.7	33.4	23.7	40.6	37.5	38.6	28.2	25.8	31.2	19.5	31.1	37.7	23.4	32.7	37.8	34.2	29.1	27.3	28.7	24.3	31.7	41.7	—	27.3	36.5	33.5	25.6	25.5	25.7	1909		
1910	26.7	32.5	23.7	—	39.0	38.0	27.5	25.1	30.1	19.6	29.8	35.7	23.3	33.3	38.6	—	28.6	26.2	26.1	21.9	30.5	39.8	—	26.2	38.5	33.1	24.7	25.0	25.0	1910		
1911	27.2	31.4	—	—	37.9	38.5	26.8	24.4	29.1	18.7	28.6	35.0	23.2	31.5	39.0	—	27.8	26.0	25.9	21.7	29.4	43.0	—	25.6	36.2	31.2	23.8	—	24.4	1911		
DEATHS (EXCLUDING STILLBORN) PER 1,000 LIVING.																																
1886	14.6	29.7	21.3	19.1	23.7	26.5	18.1	19.5	22.2	22.5	26.2	31.7	17.8	28.7	23.3	24.4	21.8	10.5	16.2	11.0	26.1	26.7	31.2	18.9	29.6	29.3	16.6	20.7	19.2	1886		
1887	14.6	29.2	19.3	18.1	24.0	31.3	18.2	18.2	19.5	22.0	24.2	33.8	18.2	28.0	23.3	19.3	19.7	10.3	16.2	11.1	23.8	30.5	32.2	19.0	24.9	29.3	16.1	20.7	19.0	1887		
1888	14.6	29.6	20.3	18.1	26.4	31.8	19.5	18.1	19.8	21.9	23.7	32.0	17.9	27.5	22.3	20.2	20.1	9.4	17.6	11.0	22.8	30.6	32.3	18.0	24.4	30.1	16.0	19.9	18.1	1888		
1889	15.4	27.6	19.8	18.4	28.5	32.0	18.5	18.2	19.6	20.7	23.7	29.9	17.4	26.6	22.2	20.2	20.1	9.4	17.6	10.9	23.2	27.2	34.5	18.4	25.5	30.4	16.0	20.3	18.1	1889		
1890	14.3	29.5	19.8	18.0	23.0	36.4	19.0	19.5	19.5	22.8	24.4	32.4	18.2	26.3	25.1	20.4	20.5	9.7	17.9	11.1	24.1	28.4	35.7	19.7	25.3	32.1	17.1	20.9	19.4	1890		
1891	14.8	28.3	21.2	18.0	26.6	33.9	20.0	20.2	21.2	22.9	23.4	33.1	18.4	26.1	22.7	21.0	20.7	10.3	17.8	11.3	22.9	30.1	34.6	20.7	26.5	31.3	16.8	20.6	20.0	1891		
1892	12.9	28.9	21.8	31.4	27.5	37.5	19.5	19.0	23.7	22.8	24.1	35.1	19.4	26.2	20.9	21.6	21.0	10.1	17.5	10.8	23.4	34.7	42.1	18.5	33.5	30.6	17.9	19.0	19.0	1892		
1893	13.7	27.3	20.3	27.5	29.6	34.9	19.0	19.2	20.9	22.5	24.6	31.2	18.0	25.2	22.1	22.7	19.2	10.2	16.3	10.6	24.1	30.8	33.1	19.3	29.7	29.7	16.8	20.1	19.0	1893		
1894	12.7	28.0	18.6	27.2	27.9	33.4	17.6	16.6	19.2	21.2	22.3	30.5	18.2	25.0	21.0	20.1	18.5	10.2	16.8	10.3	21.7	31.7	34.0	17.1	28.0</							

TABLE 37.—POPULATION, MARRIAGES, BIRTHS, AND DEATHS.—*continued.*

NOTE.—The diseases in the following section correspond with those of the same name in the Short Lists of Causes of Death of the International Institute and of the Registrar-General. (For contents of the several headings see pp. xxiii and xxv of the Manual of the International List.)

Year.	Numbers.				Proportion per 1,000 of the Population.			Deaths of Children under 1 Year to 1,000 Births, exclusive of Still-born.	The Total Deaths include :—										Year.
	Estimated Population in the middle of each Year.	Persons Married.	Births.	Deaths.	Persons Married.	Births.	Deaths.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant disease.		
AUSTRALIA, COMMONWEALTH OF. (Furnished by the Commonwealth Statistician.)																			
1892	3,273,371	44,098	110,158	42,268	13·5	33·7	12·9	106	917	2	4	102	504	1,246	—	3,505	1,557	1892	
1893	3,333,825	41,262	109,322	45,801	12·4	32·8	13·7	115	702	7	1,280	210	589	1,123	—	3,638	1,613	1893	
1894	3,394,328	41,250	104,660	42,958	12·2	30·8	12·7	103	997	3	335	214	591	1,028	—	3,587	1,681	1894	
1895	3,459,192	43,128	105,084	43,080	12·5	30·4	12·5	101	1,083	—	6	103	606	666	—	3,511	1,771	1895	
1896	3,522,362	46,136	100,134	45,202	13·1	28·4	12·3	113	1,495	—	8	99	278	546	—	3,403	1,904	1896	
1897	3,585,442	47,878	101,137	43,447	13·4	28·2	12·1	105	1,339	—	11	180	69	647	—	3,322	1,971	1897	
1898	3,641,251	48,944	98,845	51,406	13·4	27·2	14·1	127	1,615	2	1,452	284	572	805	—	3,622	2,145	1898	
1899	3,690,353	51,916	100,638	47,629	14·1	27·3	12·9	117	1,147	1	404	181	1,101	462	—	3,378	2,200	1899	
1900	3,740,665	54,202	102,221	44,060	14·5	27·3	11·8	100	986	—	132	41	311	376	—	3,434	2,341	1900	
1901*	3,790,710	55,506	102,945	46,330	14·6	27·2	12·2	104	839	5	138	24	597	442	—	3,557	2,401	1901*	
1902	3,847,998	55,862	102,776	48,078	14·5	26·7	12·5	107	903	1	416	104	551	309	—	3,552	2,467	1902	
1903	3,893,329	51,954	98,443	47,293	13·3	25·3	12·2	111	1,145	19	89	193	493	403	—	3,526	2,396	1903	
1904	3,942,730	55,364	104,113	43,572	14·0	26·4	11·1	82	671	—	28	100	337	517	—	3,524	2,371	1904	
1905	4,001,117	58,008	104,941	43,514	14·5	26·2	10·9	82	626	—	133	44	42	324	—	3,231	2,539	1905	
1906	4,060,324	60,820	107,890	44,333	15·0	26·6	10·9	83	735	—	41	61	294	340	—	3,174	2,608	1906	
1907	4,123,729	64,940	110,347	45,305	15·7	26·8	11·0	81	564	—	147	37	1,070	403	—	3,166	2,940	1907	
1908	4,194,410	65,102	111,545	46,426	15·5	26·6	11·1	78	736	—	125	63	249	421	—	3,367	2,921	1908	
1909	4,274,617	67,550	114,071	44,172	15·8	26·7	10·3	72	661	1	31	74	257	435	—	3,119	3,092	1909	
1910	4,370,185	73,184	116,801	45,590	16·7	26·7	10·4	75	648	4	124	48	476	555	—	3,059	3,205	1910	
1911*	4,490,366	78,964	122,193	47,869	17·6	27·2	10·7	68	488	1	206	24	291	696	—	3,164	3,321	1911*	
AUSTRIA.† (Furnished by the President of the Central Statistical Commission, Austria.)																			
1892	23,976,437	375,414	871,278	693,421	15·7	36·3	28·9	259	13,637	6,087	8,941	13,790	17,178	28,412	125	88,043	13,774	1892	
1893	24,152,635	386,470	923,420	660,081	16·0	38·2	27·3	232	11,123	5,821	7,503	12,695	15,429	28,531	920	83,885	14,352	1893	
1894	24,349,532	388,466	901,398	682,805	16·0	37·0	28·0	251	9,207	2,512	14,228	12,287	14,621	32,578	8,748	88,539	14,912	1894	
1895	24,731,121	399,522	941,184	682,899	16·2	38·1	27·6	241	8,901	1,164	8,577	13,547	19,016	29,874	459	91,663	15,757	1895	
1896	24,961,694	396,922	948,419	657,011	15·9	38·0	26·3	230	7,851	897	7,928	16,341	18,208	27,401	19	88,278	16,410	1896	
1897	25,212,994	407,686	944,764	646,019	16·2	37·5	25·6	228	7,382	1,450	9,229	14,316	12,956	23,347	—	86,278	17,109	1897	
1898	25,462,769	399,322	923,241	635,115	15·7	36·3	24·9	224	7,127	2,521	13,765	15,009	10,622	19,740	—	83,682	17,667	1898	
1899	25,714,019	427,502	960,205	658,269	16·6	37·3	25·6	219	6,290	1,899	11,556	14,614	12,307	18,198	—	88,251	17,961	1899	
1900*	25,975,976	428,428	967,939	658,680	16·5	37·3	25·4	231	6,229	369	5,731	10,422	13,452	13,723	—	92,196	18,423	1900*	
1901	26,278,933	427,514	961,501	631,377	16·3	36·6	24·0	209	5,878	96	8,166	12,551	12,123	13,152	—	87,897	19,154	1901	
1902	26,535,205	413,154	984,240	656,400	15·6	37·1	24·7	216	4,813	30	17,169	14,930	15,984	11,251	—	89,648	19,685	1902	
1903	26,780,035	418,270	943,953	638,092	15·6	35·3	23·8	215	5,301	17	5,546	15,573	11,911	11,227	—	90,230	19,728	1903	
1904	27,021,055	420,292	961,430	642,333	15·6	35·6	23·8	210	5,237	17	8,260	9,767	9,704	11,961	—	89,830	20,231	1904	
1905	27,228,585	425,854	921,764	634,537	15·6	33·9	25·1	231	4,864	20	6,789	8,099	9,737	10,740	—	98,312	20,744	1905	
1906	27,447,933	434,634	961,258	619,063	15·8	35·0	22·6	202	4,127	39	9,107	10,554	13,255	9,228	—	86,754	21,391	1906	
1907	27,705,717	419,028	942,169	629,913	15·1	34·0	22·7	209	4,165	41	6,805	10,006	10,606	6,893	—	87,627	21,431	1907	
1908	27,949,768	427,340	941,375	627,771	15·3	33·7	22·5	199	4,201	14	7,923	14,965	8,972	8,009	—	84,947	21,788	1908	
1909	28,185,927	426,166	941,239	646,122	15·1	33·4	22·9	209	4,004	13	12,392	16,123	8,569	8,135	—	85,410	22,180	1909	
1910*	28,426,589	429,940	923,545	602,046	15·1	32·5	21·2	189	3,770	5	10,079	13,765	8,515	7,443	6	81,789	22,157	1910*	
1911	28,649,449	434,746	898,702	628,305	15·2	31·4	21·9	207	2,747	31	6,794	8,217	11,811	7,296	39	84,155	23,585	1911	
BELGIUM. (Furnished by the Director-General of the Statistical Department, Belgium.)																			
1892	6,195,355	94,418	177,485	133,693	15·4	28·9	21·8	169	2,508	2,528	4,319	871	3,205	3,130	981	10,491	1892	Not available.	
1893	6,262,272	94,130	183,062	125,530	15·2	29·5	20·3	165	2,150	2,103	4,137	847	3,437	3,331	452	9,982	1893		
1894	6,341,958	95,470	181,466	118,213	15·0	29·0	18·6	152	1,775	537	2,766	816	3,071	3,237	1,228	7,478	1894		
1895	6,410,783	99,424	183,015	125,148	15·5	28·5	19·5	172	1,843	298	3,535	1,159	3,782	2,383	41	9,698	1895		
1896	6,495,886	105,170	188,533	113,748	16·2	29·0	17·5	142	1,584	130	3,134	1,003	3,290	1,982	27	9,524	1896	Not available.	
1897	6,586,593	108,396	190,987	113,586	16·5	29·0	17·2	149	1,598	140	2,083	1,019	2,809	1,734	56	9,359	1897		
1898	6,669,732	110,888	190,921	117,457	16·6	28·6	17·6	160	1,491	158	2,364	1,726	2,734	1,682	84	9,311	1898		
1899	6,744,532	111,530	194,268	126,963	16·5	28·8	18·8	167	1,682	257	3,188	2,095	3,633	1,769	32	9,818	1899		
1900*	6,693,548	116,422	193,789	129,046	17·2	28·9	19·3	172	1,702	193	2,610	1,360	3,459	1,828	37	9,117	1900*		
1901	6,799,999	114,262	200,077	116,077	17·4	29·4	17·2	142	1,508	260	2,036	1,409	2,365	1,750	26	9,186	1901	Not available.	
1902	6,896,079	112,314	195,871	119,330	16·2	28·4	17·3	144	1,228	652	3,305	992	2,651	1,817	17	9,077	1902		
1903	6,985,219	109,892	192,301	118,675	15·7	27·5	17·0	155	1,088	1,630	2,309	698	2,734	1,393	9	7,586	1903		
1904	7,074,910	113,480	191,721	119,506	16·0	27·1	16·9	152	1,051	656	2,758	726	2,918	1,289	6	7,716	1904		
1905	7,160,547	113,358	187,437	118,343	15·8	26·1	16·5	146	984	244	2,446	760	2,689	1,253	5	7,701	1905		
1906	7,238,622	116,776	186,271	118,884	16·1	25·7	16·4	153	890	41	2,459	785	2,544	1,198	39	7,647	4,232	1906	
1907	7,317,561	117,320	185,138	115,347	16·0	25·3	15·7	132	874	55	2,011	927	2,354	1,141	2	7,377	4,396	1907	
1908	7,386,444	115,128	183,834	121,964	15·6	24·9	16·5	147	824	42	2,982	1,203	2,676	1,228	—	7,463	4,713	1908	
1909	7,451,903	114,252	176,451	117,571	15·3	23·7	15·8	137	693	40	2,676	1,184	2,089	1,141	10	7,590	4,786	1909	
1910*	7,423,784	117,552	176,413	112,826	15·8	23·7	15·2	134	771	68	2,537	1,113	2,446	1,057	10	7,217	4,699	1910*	
1911	7,490,411	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1911	

TABLE 37.—POPULATION, MARRIAGES, BIRTHS, AND DEATHS—*continued.*

Year.	Numbers.				Proportion per 1,000 of the Population.			Deaths of Children under 1 Year to 1,000 Births, exclusive of Still-born.										Year.
	Estimated Population in the middle of each Year.	Persons Married.	Births.	Deaths. Exclusive of Stillborn.	Persons Married.	Births.	Deaths.	The Total Deaths include :—										
								Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant disease.		

BULGARIA. (Furnished by the Director of the Statistical Bureau, Bulgaria.)

* Census year.	1892	3,294,737	55,106	117,883	103,550	16·8	35·8	31·4	144
	1893*	3,336,276	43,984	116,319	91,829	13·2	34·9	27·5	147
+ The figures for the year 1909 are pro- visional.	1894	3,387,995	53,280	127,516	92,037	15·8	37·6	27·2	142
	1895	3,440,517	62,460	138,338	90,210	18·2	40·2	26·2	144
	1896	3,493,852	58,398	143,255	84,076	16·8	41·0	24·1	134
	1897	3,548,014	58,454	149,681	90,134	16·4	42·2	25·4	147
	1898	3,603,017	56,464	141,046	82,725	15·6	39·1	23·0	143
	1899	3,658,872	64,154	148,172	90,324	17·6	40·5	24·7	158
	1900*	3,715,593	61,322	156,962	83,667	16·6	42·2	22·5	131
	1901	3,772,444	65,638	141,373	87,239	17·9	37·5	23·1	143
	1902	3,829,402	72,082	148,719	91,093	18·8	38·8	23·8	143
	1903	3,887,219	73,368	159,164	88,314	18·8	40·9	22·7	154
	1904	3,945,911	89,236	167,263	83,731	22·6	42·4	21·2	142
	1905*	4,005,488	86,482	174,189	87,304	21·6	43·5	21·8	159
	1906	4,065,965	77,540	178,989	90,870	19·1	44·0	22·3	154
	1907	4,127,361	81,700	180,059	92,193	19·8	43·6	22·3	154
	1908	4,189,684	74,096	169,328	101,807	17·7	40·4	24·3	170
	1909+	4,252,861	77,834	172,583	113,304	18·3	40·6	26·6	—
	1910*	—	—	—	—	—	—	—	—
	1911	—	—	—	—	—	—	—	—

NOTE.—The deaths from the several diseases are not tabulated for the whole of Bulgaria.

CEYLON. (Furnished by the Registrar-General, Ceylon.)

NOTE.—The majority of the causes of death outside the towns is not medically certified.	1892	3,088,405	33,366	93,233	84,937	11·7	30·2	27·5	162	69	390	—	69	105	2,833	2,373	187	1892
	1893	3,121,093	34,654	97,800	92,422	11·9	31·3	29·6	177	37	254	—	65	153	645	2,575	235	1893
	1894	3,144,561	45,566	104,301	87,784	15·4	33·2	27·9	165	3	188	—	107	13	530	2,512	196	1894
	1895	3,193,821	61,382	101,480	88,301	20·4	31·8	27·6	169	5	372	—	50	7	589	2,445	207	1895
	1896	3,240,501	39,358	103,854	81,398	12·8	32·0	25·3	158	21	384	—	53	11	428	2,873	128	1896
	1897	3,315,768	43,638	125,019	78,638	14·0	37·7	23·7	140	25	566	—	61	6	104	2,732	177	1897
	1898	3,395,519	48,508	131,620	90,256	15·3	38·8	26·6	169	13	292	—	43	15	302	2,889	175	1898
* Census year.	1899	3,429,745	64,988	132,190	104,983	20·1	38·5	30·6	197	96	188	—	65	14	—	3,167	191	1899
	1900	3,520,574	56,384	136,051	100,873	17·2	38·6	28·7	178	41	123	—	111	15	217	3,217	233	1900
† Registration of marriages is not compulsory except among the Kandyan Sinhalese.	1901*	3,582,697	47,472	134,252	98,813	14·2	37·5	27·6	170	80	207	—	53	8	52	3,390	213	1901*
	1902	3,629,986	55,632	141,893	99,680	16·4	38·5	27·5	173	35	194	—	40	11	139	3,297	219	1902
	1903	3,703,615	47,068	148,027	96,084	13·7	40·0	25·9	164	6	158	—	63	18	6	3,383	212	1903
	1904	3,767,826	43,894	145,253	93,940	12·5	38·5	24·9	174	2	64	—	34	16	4	3,488	190	1904
	1905	3,901,471	42,376	150,785	108,160	11·7	38·7	27·7	176	112	211	—	167	8	1	3,733	207	1905
	1906	3,883,168	36,010	141,847	136,271	9·3	36·5	35·1	198	72	296	—	66	10	204	4,153	182	1906
‡ Excluding acute military tuberculosis for years prior to 1911.	1907	3,885,967	37,966	130,403	119,377	9·8	33·6	30·7	186	27	89	—	54	8	77	4,096	148	1907
	1908	3,923,369	42,104	150,713	117,982	10·7	41·0	30·1	183	303	102	—	108	17	33	4,039	169	1908
	1909	3,969,629	40,242	148,891	122,969	10·9	37·5	31·0	202	82	232	—	82	22	8	4,195	158	1909
	1910	4,035,173	43,954	157,554	110,195	11·7	39·0	27·3	176	29	57	—	62	10	22	3,917	264	1910
	1911*	4,120,813	42,772	156,398	143,580	10·4	37·9	34·8	218	651	89	42	72	21	277	4,286	394	1911*

CHILI. (Furnished by the Director of the General Statistical Office, Chili.)

[illegible]

TABLE 37.—POPULATION, MARRIAGES, BIRTHS, AND DEATHS—continued.

Year.	Numbers.				Proportion per 1,000 of the Population.			Deaths of Children under 1 Year to 1,000 Births, exclusive of Still-born.	The Total Deaths include:—											Year.
	Estimated Population in the middle of each Year.	Persons Married.	Births.	Deaths.	Persons Married.	Births.	Deaths.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant disease.			

DENMARK. (Furnished by the Director of the Statistical Bureau, Denmark.)

1892	2,210,000	80,078	65,468	43,079	13·5	29·6	19·5	140	109	—	255	68	301	1,022	—	1,654	837	1892
1893	2,226,000	81,478	68,530	42,295	14·2	30·8	19·0	150	101	—	80	132	370	976	—	1,551	936	1893
1894	2,248,000	81,374	68,800	39,508	14·0	30·4	17·6	134	100	1	220	316	144	793	—	1,528	875	1894
1895	2,276,000	82,294	68,871	38,573	14·2	30·3	16·9	137	122	—	215	127	383	393	—	1,591	933	1895
1896	2,306,000	83,646	70,271	36,090	14·6	30·5	15·7	126	94	1	186	55	251	275	—	1,450	1,022	1896
1897	2,338,000	84,928	69,576	33,744	15·0	29·8	16·6	129	87	—	166	31	151	282	—	1,511	1,054	1897
1898	2,371,000	85,794	71,670	36,671	15·1	30·2	15·5	123	93	—	63	76	444	195	—	1,465	1,073	1898
1899	2,403,000	85,874	71,355	41,477	15·0	29·7	17·3	154	102	—	142	173	358	250	—	1,467	1,063	1899
1900	2,432,000	86,996	72,129	40,891	15·2	29·7	16·8	128	83	—	56	140	120	209	—	1,627	1,123	1900
1901*	2,462,000	85,198	73,211	38,786	14·3	29·7	15·8	134	131	6	260	102	324	175	—	1,476	1,201	1901*
1902	2,491,000	85,298	72,795	36,408	14·2	29·2	14·6	114	50	—	151	85	389	137	—	1,354	1,276	1902
1903	2,519,000	85,852	72,348	36,945	14·2	28·7	14·7	116	69	—	81	65	279	127	—	1,428	1,229	1903
1904	2,546,000	86,450	73,691	35,903	14·3	28·9	14·1	112	44	1	102	50	342	81	—	1,498	1,313	1904
1905	2,574,000	86,958	73,082	35,598	14·3	28·4	15·0	121	49	—	184	56	247	123	—	1,543	1,338	1905
1906*	2,603,000	88,716	74,216	35,231	14·9	28·5	13·5	109	35	—	131	20	227	94	—	1,404	1,344	1906*
1907	2,635,000	40,206	74,327	37,275	15·3	28·2	14·1	106	38	1	151	15	437	111	—	1,377	1,438	1907
1908	2,668,000	40,022	76,232	39,072	15·0	28·5	14·6	123	59	—	103	68	320	129	—	1,469	1,415	1908
1909	2,702,000	39,888	76,301	35,837	14·7	28·2	13·2	98	45	3	125	112	280	99	1	1,281	1,515	1909
1910	2,737,000	39,972	75,297	35,187	14·6	27·5	12·9	102	30	—	62	119	143	90	—	1,230	1,547	1910
1911*	2,771,000	39,758	73,938	37,232	14·4	26·8	13·6	106	21	—	113	83	257	107	—	1,332	1,575	1911*

NOTE.—The deaths from the several diseases refer to Copenhagen and other large cities only. The populations of these cities at the several censuses were:—1890, 726,355; 1901, 958,905; 1906, 1,028,804; 1911, 1,109,033.

* Census year.

ENGLAND AND WALES.

1892	29,421,392	454,270	897,957	559,684	15·4	30·4	19·0	148	4,037	431	13,553	5,618	13,406	8,787	†	43,323	20,353	1892
1893	29,760,842	437,378	914,572	569,958	14·7	30·7	19·2	159	6,801	1,467	11,110	6,982	10,176	11,568	—	43,632	21,135	1893
1894	30,104,201	452,398	920,289	498,827	15·0	29·6	16·6	137	4,781	820	11,757	5,032	12,354	10,516	—	41,641	21,422	1894
1895	30,461,528	456,408	922,291	568,997	15·0	30·3	18·7	161	5,326	223	11,491	4,532	9,594	9,542	—	42,490	22,945	1895
1896	30,802,858	485,528	915,331	526,727	15·7	29·6	17·1	148	5,125	541	17,618	5,476	13,266	10,571	—	40,251	23,521	1896
1897	31,158,245	493,290	921,683	541,487	16·0	29·6	17·4	156	4,851	25	12,711	4,577	11,431	8,753	—	41,642	24,443	1897
1898	31,517,725	510,758	923,165	552,141	16·2	29·3	17·5	160	5,708	253	13,220	3,548	10,175	8,524	—	41,335	25,196	1898
1899	31,881,365	524,668	928,646	581,799	16·5	29·1	18·2	163	6,304	174	9,998	3,722	10,129	10,301	—	42,408	26,325	1899
1900	32,249,187	514,960	927,062	587,830	16·0	28·7	18·2	154	5,591	85	12,710	3,844	11,467	10,187	—	42,987	26,721	1900
1901*	32,612,022	518,800	929,807	551,585	15·9	28·5	16·9	151	5,071	356	9,019	4,339	10,205	9,761	—	41,224	27,487	1901*
1902	32,960,909	523,500	940,509	535,538	15·9	28·5	16·3	133	4,149	2,464	12,930	4,875	9,805	8,448	—	40,671	27,872	1902
1903	33,293,321	522,206	948,271	514,628	15·7	28·5	15·5	132	3,347	760	9,150	4,158	9,522	6,544	—	40,132	29,082	1903
1904	33,639,287	515,712	945,389	549,784	15·3	28·0	16·3	145	3,153	507	12,306	3,770	11,909	6,280	—	41,851	29,682	1904
1905	33,988,844	521,484	929,293	520,031	15·3	27·3	15·3	128	3,052	116	11,076	3,834	8,709	5,962	—	38,950	30,221	1905
1906	34,342,040	540,076	935,081	531,281	15·7	27·2	15·5	132	3,169	21	9,444	3,475	8,313	6,608	—	39,746	31,668	1906
1907	34,698,905	552,842	918,042	524,221	15·9	26·5	15·1	118	2,344	10	12,625	3,220	10,255	6,132	—	39,839	31,745	1907
1908	35,059,484	529,880	940,383	520,456	15·1	26·7	14·8	120	2,651	12	8,011	2,327	9,851	5,920	—	39,499	32,717	1908
1909	35,423,805	521,088	914,472	518,003	14·7	25·8	14·6	109	2,142	21	12,618	3,215	7,182	5,507	1	38,639	34,053	1909
1910	35,791,902	535,442	896,962	483,247	15·0	25·1	13·5	105	1,889	19	8,302	2,370	8,797	4,375	—	36,334	34,607	1910
1911*	36,163,833	549,886	881,138	527,810	15·2	24·4	14·6	130	2,416	23	13,128	1,892	7,844	4,992	—	39,232	35,902	1911*

* Census year.

† Deaths from Asiatic cholera were not separately tabulated for the years 1892–1900.

‡ Excluding acute military tuberculosis for years prior to 1911.

FINLAND. (Furnished by the Director of the Central Statistical Bureau, Finland.)

1892	2,423,580	29,650	76,433	57,486	12·2	31·5	23·7	170	5,540	790	7,576	Included with pulmonary tuberculosis.				3	† 6,777	1892
1893	2,446,668	28,190	73,030	51,002	11·5	29·9	20·9	143	5,333	876	3,890					13	6,336	1893
1894	2,472,341	32,226	76,206	47,467	13·0	30·8	19·2	140	4,703	255	3,287					29	6,333	1894
1895	2,506,452	36,612	81,783	44,482	14·6	32·6	17·7	129	4,505	72	1,479					4	6,335	1895
1896	2,543,583	38,378	81,656	47,061	15·1	32·1	18·5	143	4,836	56	1,692					—	6,765	1896
1897	2,580,820	39,826	82,330	45,233	15·4	31·9	17·5	133	4,063	52	1,797	Included with enteric fever.				—	6,620	1897
1898	2,622,679	41,222	89,106	45,751	15·7	34·0	17·4	128	4,016	77	2,414					—	6,687	1898
1899	2,663,871	39,078	88,358	53,042	14·7	33·2	19·9	137	4,360	83	5,126					—	7,530	1899
1900*	2,697,490	36,590	86,339	57,915	13·6	32·0	21·5	153	4,939	49	6,282					—	8,011	1900*
1901	2,729,419	37,070	88,637	56,223	13·6	32·5	20·6	145	4,723	103	4,900					—	7,720	1901
1902	2,764,971	35,016	87,082	50,999	12·7	31·5	18·4	129	4,479	72	3,283					—	8,090	1902
1903	2,801,968	35,308	85,120	49,992	12·6	30·4	17·8	127	3,857	35	2,632					—	8,044	1903
1904	2,841,303	37,292	90,253	50,227	13·1	31·8	17·7	120	4,202	36	1,398					—	8,490	1904
1905	2,880,522	37,264	87,841	52,773	12·9	30·5	18·3	135	4,348	18	1,222					—	8,445	1905
1906	2,920,255	39,874	91,401	50,857	13·7	31·3	17·4	119	4,579	29	2,258	Included with enteric fever.				—	7,858	1906
1907	2,962,937	40,532	92,457	53,028	13·7	31·2	17·9	112	4,642	23	3,251					5	8,295	1907
1908	3,003,758	40,182	92,146	55,305	13·4	30·7	18·4	125	5,254	24	2,773					5	8,713	1908
1909	3,047,343	38,836	95,005	50,577	12·7	31·2	16·6	111	4,029	61	2,043					8	7,941	1909
1910*	3,093,219	37,562	92,984	51,007	12·1	30·1	16·5	118	4,304	70	1,900					10	8,076	1910*
1911	3,135,011	37,470	91,238	51,648	12·0	29·1	16·5	114	4,305	59	1,677	Included with enteric fever.				3	7,995	1911

* Census year.

† Including deaths from diphtheria and croup.

‡ Including deaths from whooping cough

TABLE 37.—POPULATION, MARRIAGES, BIRTHS, AND DEATHS—*continued.*

Year.	Numbers.				Proportion per 1,000 of the Population.			Deaths of Children under 1 Year to 1,000 Births, exclusive of Still-born.	Deaths from certain Diseases with Population of the Area to which they refer.									
	Estimated Population in the middle of each Year.	Persons Married.	Births.	Deaths.	Persons Married.	Births.	Deaths.		Population.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant Disease.
FRANCE. (Furnished by the Director of the Statistical Bureau, France.)																		
1892	38,360,000	580,638	855,847	875,888	15.1	22.3	22.8	181	12,223,548	5,130	1,699	2,705	647	1,573	6,018	—	31,080	10,761
1893	38,380,000	574,588	874,672	867,526	14.9	22.8	22.5	173	—	4,512	1,336	4,662	801	1,741	6,231	—	31,025	11,442
1894	38,420,000	573,324	855,388	815,620	14.9	22.3	21.2	158	—	3,870	1,155	3,056	647	1,633	4,774	—	31,418	11,607
1895	38,460,000	575,830	834,173	851,986	14.7	21.7	22.2	180	—	3,367	1,082	2,095	675	1,660	2,263	—	33,076	11,955
1896*	38,520,000	580,302	865,586	771,886	15.1	22.5	20.0	148	12,869,412*	2,969	1,076	3,290	744	1,432	2,207	—	32,751	12,212
1897	38,680,000	582,924	859,107	751,019	15.1	22.2	19.4	152	—	3,182	190	2,831	412	1,259	1,550	—	31,816	12,631
1898	38,800,000	574,358	843,933	810,073	14.8	21.8	20.9	169	—	3,400	105	2,828	541	1,581	1,588	—	31,980	12,789
1899	38,900,000	591,504	847,627	816,233	15.3	21.9	21.1	163	—	4,501	670	3,046	796	1,775	1,775	—	33,282	13,161
1900	38,900,000	598,168	827,297	853,285	15.5	21.4	21.9	161	—	4,210	1,783	2,521	574	1,105	1,800	—	34,357	13,392
1901*	38,980,000	606,938	857,274	784,876	15.6	22.0	20.1	142	13,771,440*	2,868	1,017	1,937	550	1,504	2,269	—	37,160	12,385
1902	39,055,000	589,572	845,378	761,434	15.1	21.7	19.5	135	—	2,727	2,553	2,317	511	1,337	2,191	—	37,483	12,463
1903	39,124,000	591,992	826,712	753,606	15.1	21.1	19.2	137	—	2,773	2,350	2,163	496	1,254	1,578	—	37,512	12,912
1904	39,190,000	597,442	818,229	761,203	15.2	20.9	19.4	144	—	2,650	735	2,055	410	1,247	1,264	2	37,613	13,312
1905	39,222,000	605,246	807,291	770,171	15.4	20.6	19.6	136	—	2,168	292	1,783	308	1,053	1,161	—	37,642	13,793
1906*	39,282,000	612,974	806,847	780,196	15.6	20.6	19.9	143	39,282,000*	5,453	631	3,754	907	3,492	3,314	2	71,496	27,306
1907	39,279,000	628,122	772,681	791,752	16.0	19.7	20.2	131	39,279,000	5,133	2,679	3,763	1,623	3,534	3,637	—	74,746	29,234
1908	39,368,000	631,282	792,178	744,135	16.0	20.1	18.9	127	39,368,000	4,855	171	3,222	1,495	3,514	3,470	—	73,327	30,124
1909	39,421,000	615,374	769,565	754,957	15.6	19.5	19.1	118	39,421,000	3,857	87	2,881	1,557	2,619	3,502	—	70,223	30,645
1910	39,528,000	615,420	774,390	702,972	15.6	19.6	17.8	111	39,528,000	3,165	78	3,717	969	3,517	2,830	3	70,679	31,308
1911*	39,602,000	615,576	742,114	776,983	15.5	18.7	19.6	—	39,602,000*	—	—	—	—	—	—	—	—	—

NOTE.—The deaths of Frenchmen abroad, civil or military, are registered in the books of the Commune in which they were last domiciled. The deaths from the several diseases relate to 567 towns for the years 1892-95, to 584 towns for the years 1896-1900, to 616 towns for the years 1901-5, and to the whole of France for 1906 and subsequent years.
* Census year.

GERMAN EMPIRE. (Furnished by the Presidents of the Statistical Department and the Imperial Health Office, German Empire.)

1892	50,266,216	797,550	1,795,971	1,211,402	15.9	35.7	24.1	—	47,125,446	8,230	105	14,614	10,437	18,766	55,746	8,937	113,720	28,745	
1893	50,756,521	802,468	1,865,715	1,248,201	15.8	36.8	24.6	—	47,625,932	7,392	151	13,555	13,575	19,713	75,322	360	115,641	30,013	
1894	51,339,492	816,132	1,841,205	1,144,331	15.9	35.9	22.3	—	48,259,077	6,314	84	16,130	8,884	21,428	63,162	479	113,971	31,137	
1895*	52,001,060	828,436	1,877,278	1,151,488	15.9	36.1	22.1	—	48,818,672*	6,129	27	9,536	8,538	17,063	37,527	1	112,087	32,071	
1896	52,753,455	864,214	1,914,749	1,098,966	16.4	36.3	20.8	—	49,356,136	5,587	10	13,462	8,142	19,495	31,503	—	107,103	33,620	
1897	53,569,271	895,540	1,926,690	1,142,056	16.7	36.0	21.3	—	49,893,600	5,771	5	10,793	6,720	21,056	25,788	—	107,089	34,584	
1898	54,406,277	917,754	1,964,731	1,117,860	16.9	36.1	20.5	—	50,431,064	5,081	16	12,728	9,031	18,004	23,642	—	100,544	35,504	
1899	55,248,225	943,038	1,980,304	1,135,197	17.1	35.8	21.5	—	51,843,158	5,756	25	12,794	13,369	19,015	23,816	—	104,698	38,209	
1900*	56,045,886	952,982	1,996,139	1,236,382	17.0	35.6	22.1	—	52,624,706*	5,894	49	12,317	13,169	18,445	20,477	—	108,827	37,946	
1901	56,861,612	936,658	2,032,313	1,174,489	16.5	35.7	20.7	207	53,406,252	5,691	52	16,334	13,351	19,766	21,142	—	103,154	39,917	
1902	57,709,213	914,416	2,024,735	1,122,492	15.9	35.1	19.5	183	54,187,799	3,769	12	14,085	12,949	18,754	17,457	—	101,730	40,613	
1903	58,575,463	926,300	1,983,078	1,170,905	15.8	33.9	20.0	204	54,969,346	4,028	18	14,979	14,851	16,797	18,707	—	102,972	42,535	
1904	59,430,283	955,644	2,025,347	1,163,183	16.1	34.1	19.6	196	58,433,571	4,115	25	12,389	12,651	17,753	18,982	—	106,709	46,723	
1905*	60,285,103	971,312	1,987,153	1,194,314	16.1	33.0	19.8	205	59,413,982*	3,750	27	9,421	9,351	18,856	16,967	77	106,552	48,078	
1906	61,139,923	997,980	2,022,477	1,112,202	16.3	33.1	18.2	185	61,139,923	3,478	47	13,340	9,974	17,948	14,692	—	98,152	49,127	
1907	61,994,743	1,007,928	1,999,933	1,117,309	16.3	32.3	18.0	176	61,994,743	3,012	63	11,330	11,151	12,330	14,089	—	97,555	50,933	
1908	62,849,563	1,001,240	2,014,735	1,135,341	15.9	32.1	18.1	178	62,849,563	2,979	65	10,612	10,852	16,388	14,909	1	95,402	51,948	
1909	63,695,875	988,254	1,978,078	1,093,664	15.5	31.1	17.2	170	63,695,875	2,675	23	10,269	11,082	15,162	15,512	—	90,962	53,214	
1910*	64,568,950	992,792	1,924,817	1,045,488	15.4	29.8	16.2	162	63,824,043*	2,544	34	11,245	7,079	14,133	14,755	—	90,691	56,092	
1911	65,425,853	1,025,638	1,870,164	1,130,638	15.7	28.6	17.3	192	64,612,000	3,166	37	8,380	6,843	11,990	16,192	—	89,927	57,519	

NOTE.—The causes of death for the whole of the German Empire are not available for years prior to 1906. The figures in this table for the years 1892-1903 relate to 10 of the Federated States, those for 1904 and 1905 to 23 States, and those for 1910 and 1911 to 24 States. For the years 1906-9 the deaths from measles, whooping cough, pulmonary tuberculosis, and cancer relate to the whole of the German Empire, and for the remaining diseases to 24 States (population, 1906, 59,912,782; 1907, 61,260,509; 1908, 62,111,705; and 1909, 62,954,673).
* Census year.
† Including Röheln.
‡ Including "New Growths."

TABLE 37.—POPULATION, MARRIAGES, BIRTHS, AND DEATHS—*continued.*

Year.	Numbers.			Proportion per 1,000 of the Population.			Deaths of Children under 1 Year to 1,000 Births, exclusive of Still-born.	The Total Deaths include:—											Year.
	Estimated Population in the middle of each Year.	Persons Married.	Births.	Deaths.	Persons Married.	Births.		Deaths.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer.	Malignant disease.	
HUNGARY. (Furnished by the Director of the Central Statistical Office, Kingdom of Hungary.)																			
1892	17,647,298	325,414	712,608	618,765	18.4	40.4	35.1	274	—	—	—	—	—	—	—	—	—	1892	
1893	17,779,476	333,022	758,222	554,941	18.8	42.6	31.2	239	—	—	—	—	—	—	—	—	—	1893	
1894	17,963,599	332,150	744,995	547,194	18.6	41.5	30.5	244	—	—	—	—	—	—	—	—	—	1894	
1895	18,155,843	307,862	758,302	538,768	17.0	41.8	29.7	240	—	—	—	—	—	—	—	—	—	1895	
1896	18,355,347	294,954	742,936	530,368	16.2	40.5	28.9	226	—	—	—	—	—	—	—	—	—	1896	
1897	18,554,194	302,338	748,064	528,967	16.4	40.3	28.5	222	7,255	1,506	5,182	8,645	15,069	14,007	—	59,860	4,975	1897	
1898	18,738,579	312,416	706,833	524,390	16.8	37.7	28.0	222	8,224	1,656	9,111	11,666	12,433	14,005	—	68,511	5,458	1898	
1899	18,927,595	341,652	743,272	514,334	18.2	39.3	27.2	206	6,782	1,363	10,950	12,258	8,968	12,552	—	73,323	5,267	1899	
1900*	19,144,142	339,374	752,718	515,234	17.8	39.3	26.9	219	6,193	815	7,327	9,658	7,616	9,941	—	72,467	7,021	1900*	
1901	19,342,190	340,632	731,721	491,804	17.6	37.8	25.4	205	5,538	841	7,983	11,486	7,028	9,227	—	70,731	6,941	1901	
1902	19,513,336	338,058	759,739	528,058	17.3	38.9	27.1	216	5,338	322	10,103	14,135	12,817	9,038	—	75,145	7,461	1902	
1903	19,669,177	320,442	725,239	515,926	16.3	36.9	26.2	212	5,554	249	6,965	16,318	9,500	10,740	—	76,637	7,742	1903	
1904	19,831,663	364,340	740,799	495,836	18.4	37.4	25.0	195	5,089	445	5,969	14,467	5,360	9,013	—	77,923	8,112	1904	
1905	19,869,296	341,120	720,532	560,921	17.2	36.3	23.2	230	6,499	457	8,816	9,100	6,650	8,132	—	89,120	8,110	1905	
1906	20,099,028	353,652	733,953	504,790	17.6	36.5	25.1	205	5,509	232	9,894	8,829	8,103	7,150	—	78,225	8,229	1906	
1907	20,210,113	402,862	740,867	518,614	19.9	36.7	25.7	208	5,440	146	8,569	11,758	8,807	7,166	—	79,018	8,635	1907	
1908	20,458,762	377,296	755,888	516,128	18.4	36.9	25.2	199	5,058	121	9,299	13,598	6,369	9,288	—	76,940	9,022	1908	
1909	20,606,760	357,770	776,395	526,798	17.4	37.7	25.6	212	6,336	101	8,163	10,654	7,044	9,212	—	75,954	9,175	1909	
1910*	20,792,709	359,074	742,899	490,689	17.3	35.7	23.6	194	5,009	116	9,339	10,626	6,427	8,657	302	72,423	9,489	1910*	
1911	20,958,295	386,964	732,767	524,496	18.5	35.0	25.1	207	4,829	87	8,941	13,642	5,520	8,740	252	76,930	9,718	1911	
IRELAND. (Furnished by the Registrar-General, Ireland.)																			
1892	4,633,808	43,060	104,234	90,044	9.3	22.5	19.4	105	714	—	1,183	419	1,154	876	—	10,048	2,221	1892	
1893	4,607,462	43,428	106,082	82,321	9.4	23.0	18.0	102	919	1	1,082	457	1,169	1,015	—	9,869	2,280	1893	
1894	4,589,260	43,204	105,354	83,528	9.4	23.0	18.2	102	783	72	1,215	599	1,242	924	—	9,626	2,375	1894	
1895	4,559,936	46,240	106,113	84,395	10.1	23.3	18.5	104	760	146	301	590	1,047	754	—	9,768	2,296	1895	
1896	4,542,061	46,110	107,641	75,700	10.2	23.7	16.7	95	716	4	516	752	1,040	745	—	9,051	2,437	1896	
1897	4,529,917	45,782	106,664	83,339	10.1	23.5	18.5	109	998	3	1,070	522	1,851	790	—	9,748	2,635	1897	
1898	4,518,478	45,160	105,457	82,404	10.0	23.3	18.2	110	1,284	—	316	325	1,588	791	—	9,678	2,657	1898	
1899	4,502,401	44,622	103,900	79,699	9.9	23.1	17.7	108	890	1	1,532	205	988	759	—	9,480	2,654	1899	
1900	4,468,501	42,660	101,459	87,606	9.5	22.7	19.6	109	769	1	640	245	689	726	—	10,076	2,717	1900	
1901*	4,447,085	45,128	100,976	79,119	10.1	22.7	17.8	101	829	2	459	205	1,123	663	—	9,549	2,893	1901*	
1902	4,434,551	45,898	101,863	77,676	10.4	23.0	17.5	100	613	1	1,076	186	1,002	735	—	9,400	2,861	1902	
1903	4,417,757	45,984	101,831	77,358	10.4	23.1	17.5	96	480	40	686	210	1,062	670	—	9,559	3,043	1903	
1904	4,408,103	45,922	103,811	79,513	10.4	23.6	18.0	100	466	16	522	204	1,551	585	—	9,833	3,055	1904	
1905	4,399,308	46,156	102,332	75,071	10.5	23.4	17.1	95	502	5	809	170	581	558	—	9,216	3,291	1905	
1906	4,397,571	45,324	103,536	74,427	10.3	23.5	16.9	93	394	—	388	149	929	602	—	8,933	3,481	1906	
1907	4,388,451	45,018	101,742	77,334	10.3	23.2	17.6	92	362	1	584	99	809	432	—	8,828	3,338	1907	
1908	4,384,664	45,468	102,039	76,891	10.4	23.3	17.5	97	338	—	858	72	945	490	—	8,511	3,314	1908	
1909	4,386,601	45,300	102,765	74,973	10.3	23.4	17.1	92	305	—	443	129	1,175	529	—	8,051	3,502	1909	
1910	4,385,421	44,224	101,963	74,894	10.1	23.3	17.1	95	278	—	853	173	1,297	432	—	7,627	3,664	1910	
1911*	4,383,608	46,946	101,758	72,475	10.7	23.2	16.5	94	356	—	431	293	815	475	—	7,584	3,582	1911*	
ITALY. (Furnished by the Director of the Statistical Department, Italy.)																			
1892	30,665,662	457,144	1,110,573	802,779	14.9	36.2	26.2	184	15,619	1,453	12,399	7,890	7,594	16,634	—	89,715	13,069	1892	
1893	30,875,678	456,206	1,126,296	776,713	14.8	36.5	25.2	180	15,065	2,638	12,953	6,596	6,847	17,783	3,040	38,380	13,234	1893	
1894	31,085,694	463,162	1,102,935	776,372	14.9	35.5	25.0	184	13,639	2,606	9,001	4,511	8,261	15,585	20	40,169	13,841	1894	
1895	31,295,710	456,304	1,092,102	733,813	14.6	34.9	25.0	187	15,590	2,998	11,322	3,814	8,678	11,466	—	41,624	15,089	1895	
1896	31,506,302	445,206	1,095,505	758,129	14.1	34.8	24.1	177	16,397	2,033	11,499	3,234	6,660	9,286	—	41,069	15,482	1896	
1897	31,716,318	458,082	1,101,848	695,602	14.4	34.7	21.9	165	15,557	1,003	6,156	3,907	7,938	8,881	—	38,670	15,967	1897	
1898	31,926,334	439,194	1,070,074	732,265	13.8	33.5	22.9	169	17,412	420	5,429	4,492	7,420	7,808	—	38,335	16,330	1898	
1899	32,136,350	471,330	1,088,558	703,393	14.7	33.9	21.9	156	14,963	214	7,433	4,487	7,886	6,893	—	39,807	16,680	1899	
1900	32,346,366	465,262	1,067,376	768,917	14.4	33.0	23.8	172	15,060	316	8,827	1,483	6,565	5,790	—	41,733	16,873	1900	
1901*	32,475,253	469,638	1,057,763	715,036	14.5	32.6	22.0	165	11,748	3,396	5,562	1,185	6,916	5,444	—	38,512	17,141	1901*	
1902	32,699,510	475,026	1,093,074	727,181	14.5	33.4	22.2	175	11,358	2,413	9,961	1,338	7,202	4,514	—	35,722	17,634	1902	
1903	32,839,509	474,422	1,042,090	736,311	14.4	31.7	22.4	168	11,671	6,049	7,283	1,991	6,521	4,064	—	36,924	17,774	1903	
1904	33,016,234	495,616	1,085,431	698,604	15.0	32.9	21.2	164	12,230	3,093	5,332	1,611	5,958	4,519	—	39,152	18,860	1904	
1905	33,193,289	511,746	1,084,518	730,340	15.4	32.7	22.0	166	10,896	482	6,738	1,689	5,767	4,255	—	40,349	19,348	1905	
1906	33,325,098	521,560	1,070,978	696,875	15.7</														

* Census year.

† Tuberculosis all forms.

* Census year.

† Excluding acute military tuberculosis for the years 1892-1910.

* Census year.

† Including 77,283 deaths in the earthquake at Messina and Reggio (28th Dec., 1908). Excluding these deaths the death-rate was 20.5.

TABLE 37.—POPULATION, MARRIAGES, BIRTHS, AND DEATHS—*continued.*

Year.	Numbers.				Proportion per 1,000 of the Population.			Deaths of Children under 1 Year to 1,000 Births, exclusive of Still-born.	The Total Deaths include:—											Year.
	Estimated Population in the middle of each Year.	Persons Married.	Births.	Deaths.	Persons Married.	Births.	Deaths.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant disease.			
JAMAICA. (Furnished by the Registrar-General, Jamaica.)																				
1892	655,595	6,698	24,475	13,717	10.2	37.3	20.9	165	42	—	2	1	—	6	—	1,050	88	1892		
1893	667,554	7,468	27,365	14,885	11.1	40.6	22.1	168	49	—	1	—	13	13	—	1,040	96	1893		
1894	678,786	7,258	25,298	14,321	10.6	37.2	21.0	168	57	—	—	1	202	10	—	1,102	102	1894		
1895	690,667	6,484	26,842	15,716	9.3	38.8	22.7	178	75	—	9	—	326	16	—	1,182	115	1895		
1896	701,181	6,052	27,064	15,535	8.6	38.5	22.1	176	89	—	121	—	495	14	—	1,191	113	1896		
1897	713,384	5,322	28,447	16,474	7.4	39.8	23.0	177	117	—	19	—	311	12	—	1,168	97	1897		
1898	725,033	6,724	27,648	15,290	9.2	38.1	21.0	176	65	—	4	—	138	9	—	1,156	108	1898		
1899	740,171	7,534	31,259	16,880	10.1	42.2	22.8	170	90	—	23	—	25	14	—	1,187	129	1899		
1900	751,588	6,442	26,869	16,243	8.5	35.7	21.6	174	55	—	128	—	—	12	—	1,204	124	1900		
1901	763,545	6,404	31,268	16,756	8.3	40.9	21.9	163	71	—	33	—	2	7	—	1,148	118	1901		
1902	778,120	7,202	30,605	15,413	9.2	39.3	19.8	162	96	—	3	—	—	2	—	1,149	109	1902		
1903	794,053	7,152	31,687	19,593	9.0	39.9	24.6	187	89	—	—	1	292	3	—	1,232	125	1903		
1904	802,609	5,760	29,025	19,863	7.1	36.1	24.7	193	131	—	3	1	1,546	4	—	1,308	128	1904		
1905	814,800	6,232	31,618	17,871	7.6	38.8	21.9	165	69	—	—	—	40	12	—	1,240	153	1905		
1906	827,744	11,014	31,547	21,723	13.2	38.1	26.2	197	86	—	97	—	5	6	—	1,328	141	1906		
1907	834,012	12,502	29,210	23,672	14.8	35.0	28.3	223	223	—	150	1	2	4	—	1,451	126	1907		
1908	843,648	7,052	31,785	18,928	8.3	37.6	22.4	175	243	—	2	—	—	4	—	1,317	136	1908		
1909	856,785	7,086	32,402	18,636	8.2	37.8	21.7	174	244	—	—	—	—	5	—	1,232	157	1909		
1910	826,371	6,680	31,918	19,119	8.0	38.6	23.1	188	237	—	1	—	619	—	—	1,291	172	1910		
1911*	839,247	7,214	32,750	18,631	8.5	39.0	22.1	187	179	—	30	1	869	—	—	1,257	150	1911*		
JAPAN. (Furnished by the Director of the General Statistical Bureau, Japan.)																				
1892	41,089,940	698,978	1,207,034	886,988	17.0	29.4	21.6	150	8,529	8,409	—	—	—	2,531	497	57,292	—	1892		
1893	41,388,313	716,778	1,178,428	937,644	17.3	28.5	22.7	158	8,183	11,852	—	—	—	3,205	364	57,798	—	1893		
1894	41,813,215	722,638	1,208,983	840,768	17.3	28.9	20.1	144	8,054	3,342	—	—	—	2,903	314	52,888	—	1894		
1895	42,270,620	731,266	1,246,427	852,422	17.3	29.5	20.2	141	8,401	268	—	—	—	3,025	40,154	58,992	—	1895		
1896	42,708,264	1,003,554	1,282,178	912,322	23.5	30.0	21.4	149	9,174	3,388	—	—	—	3,296	908	62,790	—	1896		
1897	43,228,863	730,414	1,334,125	876,837	16.9	30.9	20.3	151	5,870	12,276	—	3	—	5,579	488	65,597	—	1897		
1898	43,763,855	942,596	1,369,638	894,524	21.5	31.3	20.4	154	5,697	362	—	7	—	6,453	374	72,708	—	1898		
1899	44,260,642	594,856	1,388,185	934,566	13.4	31.4	21.1	154	6,761	223	2,558	7	1,334	7,481	2	55,938	19,382	1899		
1900	44,815,980	693,180	1,421,919	914,557	15.4	31.7	20.4	155	5,549	7	1,740	13	1,456	6,017	—	59,525	20,334	1900		
1901	45,437,032	757,274	1,503,361	928,578	16.6	32.7	20.4	151	5,882	7	3,643	6	1,450	4,937	—	62,002	22,149	1901		
1902	46,022,476	788,756	1,513,090	962,097	17.1	32.9	20.9	161	5,239	24	3,348	17	1,868	4,519	8,164	65,993	24,598	1902		
1903	46,732,876	742,374	1,493,547	933,834	15.9	32.0	20.0	157	4,585	25	850	3	2,117	4,271	140	67,722	25,550	1903		
1904	47,215,630	798,436	1,444,307	999,621	16.9	30.6	21.2	151	5,100	154	1,434	15	2,533	3,846	51	69,107	25,993	1904		
1905	47,674,460	702,520	1,457,039	1,044,855	14.7	30.6	22.0	151	6,291	70	4,129	18	2,773	3,881	84	76,061	26,668	1905		
1906	48,450,900	706,548	1,399,203	961,550	14.6	28.9	19.8	153	6,338	99	2,341	36	3,251	4,215	29	75,469	27,863	1906		
1907	49,092,000	867,054	1,621,973	1,024,286	17.7	33.0	20.9	151	5,974	211	2,107	70	3,289	4,256	1,702	75,544	28,451	1907		
1908*	49,318,300	923,880	1,672,627	1,038,110	18.7	33.9	21.0	157	5,824	4,274	2,742	126	4,044	5,088	297	76,589	30,440	1908*		
1909	49,903,700	877,542	1,705,877	1,099,797	17.6	34.2	22.0	166	6,024	36	4,504	339	3,715	5,269	158	82,623	32,543	1909		
1910	50,504,000	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1910		
1911	51,119,200	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1911		
THE NETHERLANDS. (Furnished by the Director of The Netherlands Central Statistical Bureau.)																				
1892	4,645,660	66,660	148,714	97,530	14.4	32.0	21.0	174	711	49	1,200	246	1,488	1,422	193	8,906	3,712	1892		
1893	4,701,243	68,622	159,005	90,372	14.6	32.9	19.2	164	566	190	795	233	1,521	1,741	113	8,647	3,798	1893		
1894	4,764,279	68,940	154,722	87,970	14.4	32.7	18.5	152	496	625	737	128	1,269	1,583	53	9,010	3,859	1894		
1895	4,827,549	71,196	158,130	90,007	14.8	32.8	18.6	167	518	79	538	166	1,535	999	—	8,897	4,122	1895		
1896	4,894,055	72,980	160,247	84,291	15.0	32.7	17.2	148	481	34	1,171	202	1,477	960	—	8,429	4,329	1896		
1897	4,966,431	73,592	161,441	83,856	14.8	32.5	16.9	148	447	1	538	162	1,094	853	—	8,631	4,487	1897		
1898	5,039,418	73,626	160,765	85,813	14.6	31.9	17.0	156	507	7	838	106	1,357	721	—	8,027	4,685	1898		
1899*	5,107,093	75,980	163,289	87,319	14.8	32.0	17.1	149	533	—	405	206	1,488	694	—	7,937	4,900	1899*		
1900	5,159,347	78,838	162,611	92,043	15.2	31.5	17.8	155	544	6	1,326	152	1,180	695	—	8,451	4,733	1900		
1901	5,221,180	80,522	168,380	89,967	15.4	32.3	17.2	149	474	7	2,741	101	1,211	931	—	7,171	4,894	1901		
1902	5,305,207	79,839	168,728	86,243	15.2	31.8	16.3	130	454	5	2,430	128	1,053	835	—	7,028	5,040	1902		
1903	5,389,082	79,415	170,108	83,933	14.9	31.6	15.6	135	457	22	1,223	132	860	633	—	7,225	5,331	1903		
1904	5,470,301	80,530	171,495	87,128	14.7	31.4	15.9	137	485	11	2,399	175	1,409	658	1	7,158	5,356	1904		
1905	5,550,690	80,766	170,767	85,016	14.6	30.8	15.3	131	461	13	1,182	191	1,226	558	—	7,621	5,618	1905		
1906	5,631,824	83,739	170,952	83,259	14.9	30.4	14.8	127	453	6	1,400	155	1,002	470	—	7,617	5,673	1906		
1907	5,709,755	85,912	171,510	83,356	15.0	30.0	14.6	112	372	6	1,477	269	1,035	461	—	7,494	5,813	1907		
1908	5,786,231	83,066	171,861	86,936	14.4	29.7	15.0	125	363	1	1,576	302	1,325	469	—	7,002	5,947	1908		
1909*	5,861,813	82,548	170,766	80,283	14.1	29.1	13.7	99	317	—	968	177	1,002	456	18	7,250	6,012	1909		
1910	5,901,552	84,579	168,894	79,984	14.3	28.6	13.6	108	300	—	1,176	113	1,056	401	—	7,017	6,279	1910		
1911	5,983,989	85,583	166,527	86,732	14.3	27.8	14.5	137	320	—	1,243	113	1,104	430	—	7,095	6,407	1911		

TABLE 37.—POPULATION, MARRIAGES, BIRTHS, AND DEATHS—continued.

Year.	Numbers.				Proportion per 1,000 of the Population.			Deaths of Children under 1 Year to 1,000 Births, exclusive of Still-born.	The Total Deaths include:—										Year.
	Estimated Population in the middle of each Year.	Persons Married.	Births.	Deaths.	Persons Married.	Births.	Deaths.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant disease.		

NEW ZEALAND. (Furnished by the Registrar-General, New Zealand.)

1892	642,245	8,004	17,876	6,459	12.5	27.8	10.1	89	134	—	—	4	115	281	—	524	307	1892
1893	661,349	8,230	18,187	6,767	12.4	27.5	10.2	88	97	—	525	1	55	187	—	545	332	1893
1894	679,196	8,356	18,528	6,918	12.3	27.3	10.2	81	115	—	14	5	190	147	—	576	408	1894
1895	692,417	8,220	18,546	6,863	11.9	26.8	9.9	88	94	—	—	6	150	121	—	553	383	1895
1896*	706,846	9,686	18,612	6,432	13.7	26.3	9.1	77	124	—	1	4	24	124	—	523	389	1896*
1897	721,609	9,856	18,787	6,595	13.7	26.0	9.1	72	106	—	1	2	2	80	—	596	395	1897
1898	736,260	10,182	18,955	7,244	13.8	25.7	9.8	80	120	—	57	2	6	85	—	597	471	1898
1899	749,984	10,922	18,835	7,680	14.6	25.1	10.2	96	93	—	137	—	123	95	—	593	468	1899
1900	763,594	11,720	19,546	7,200	15.3	25.6	9.4	75	68	—	9	10	90	91	—	577	430	1900
1901*	777,968	12,190	20,491	7,634	15.7	26.3	9.8	71	95	—	7	17	9	72	—	596	515	1901*
1902	797,798	12,788	20,655	8,375	16.0	25.9	10.5	83	53	—	134	39	83	69	—	617	536	1902
1903	820,217	13,496	21,829	8,528	16.5	26.6	10.4	81	61	1	143	131	204	40	—	570	582	1903
1904	845,022	13,966	22,766	8,087	16.5	26.9	9.5	71	173	—	10	13	35	39	—	598	571	1904
1905	870,000	14,400	23,682	8,061	16.6	27.2	9.3	68	45	—	8	10	3	50	—	496	566	1905
1906*	895,594	15,184	24,252	8,339	17.0	27.1	9.3	62	48	—	12	18	26	45	—	556	623	1906*
1907	919,105	16,384	25,094	10,066	18.0	27.3	10.9	89	53	—	101	25	307	75	—	612	674	1907
1908	945,063	16,678	25,940	9,043	18.0	27.4	9.5	68	90	—	19	60	42	49	—	663	657	1908
1909	971,784	16,188	26,524	8,959	16.7	27.3	9.2	62	55	—	26	26	41	90	—	624	711	1909
1910	992,802	16,472	25,984	9,639	16.6	26.2	9.7	68	62	—	1	13	148	82	—	582	742	1910
1911*	1,014,896	17,750	26,354	9,534	17.4	26.0	9.3	56	67	—	41	9	17	74	—	584	809	1911*

* Census year.

NORWAY. (Furnished by the Director of the Central Statistical Bureau, Norway.)

1892	2,010,000	25,484	59,430	35,769	12.7	29.6	17.8	105	87	3	334	215	1,368	453	2	3,358	1,278	1892
1893	2,021,400	25,948	61,918	32,915	12.8	30.6	16.3	89	137	1	125	195	1,615	170	—	3,559	1,405	1893
1894	2,039,800	25,932	60,450	34,355	12.7	29.6	16.8	104	140	1	470	275	1,620	436	—	3,663	1,449	1894
1895	2,065,900	26,678	62,932	32,189	12.9	30.5	15.5	96	141	3	146	242	620	462	—	3,837	1,464	1895
1896	2,094,100	27,924	63,308	31,574	13.3	30.2	15.1	96	185	—	185	224	356	470	—	3,892	1,691	1896
1897	2,123,700	28,440	63,417	32,889	13.4	29.9	15.3	97	145	3	240	162	349	296	—	4,123	1,802	1897
1898	2,155,400	30,078	64,821	32,693	14.0	30.1	15.2	91	164	6	243	113	379	369	—	4,391	1,802	1898
1899	2,185,300	31,060	67,013	36,563	14.2	30.7	16.7	105	172	—	214	127	233	450	—	4,773	1,931	1899
1900*	2,211,300	30,444	66,149	34,932	13.8	29.9	15.8	90	133	—	216	177	181	365	—	4,888	2,008	1900*
1901	2,235,000	29,520	66,207	33,295	13.2	29.9	14.9	93	174	—	103	118	156	338	—	4,337	2,126	1901
1902	2,254,600	28,770	65,262	31,163	12.8	29.2	13.8	75	102	—	287	106	242	461	—	4,249	1,964	1902
1903	2,265,900	27,132	65,155	33,567	12.0	28.6	14.7	79	144	—	300	120	334	440	—	4,488	2,112	1903
1904	2,274,500	26,962	63,955	32,467	11.9	28.0	14.3	76	99	—	234	72	318	140	—	4,489	2,182	1904
1905	2,284,400	26,538	62,698	33,793	11.6	27.2	14.7	81	86	6	87	130	444	468	—	4,652	2,248	1905
1906	2,293,800	27,180	61,316	31,214	11.8	26.8	13.6	69	126	—	42	80	477	428	—	4,539	2,239	1906
1907	2,302,700	27,906	60,722	32,789	12.1	26.4	14.3	67	78	—	132	59	511	255	—	4,656	2,310	1907
1908	2,313,400	28,306	60,866	33,181	12.2	26.4	14.2	76	79	19	293	85	555	225	—	4,376	2,252	1908
1909	2,338,400	28,160	61,407	31,603	12.0	26.7	13.5	72	68	2	118	146	497	557	—	3,997	2,226	1909
1910*	2,353,300	29,132	61,461	31,856	12.4	26.1	13.5	67	90	—	54	80	420	309	1	4,135	2,186	1910*
1911†	2,370,700	29,600	61,400	31,300	12.5	25.9	13.2	—	—	—	—	—	—	—	—	—	—	1911†

NOTE.—The deaths from the several diseases are incomplete; only about 50 per cent. of the causes were stated in 1881, against 85 per cent. in 1901, and 89 per cent. in 1909.

* Census year.

† The figures for the year 1911 are provisional.

ONTARIO, PROVINCE OF. (Furnished by the Deputy Registrar-General, Ontario.)

1892	2,146,020	28,964	41,947	23,120	13.5	19.5	10.8	—	445	—	117	240	145	890	—	2,592	410	1892
1893	2,167,460	28,950	42,686	22,903	13.4	19.7	10.6	—	?	?	?	?	?	942	—	2,552	?	1893
1894	2,189,116	28,682	41,899	22,538	13.1	19.1	10.3	—	?	?	?	454	?	1,075	—	2,379	?	1894
1895	2,211,101	27,974	41,474	22,461	12.7	18.8	10.2	—	588	?	?	?	?	942	—	2,472	?	1895
1896	2,263,492	29,808	46,680	24,857	13.2	20.6	11.0	—	552	—	136	99	187	932	—	2,922	?	1896
1897	2,257,378	30,586	46,888	26,508	13.5	20.8	11.7	—	355	—	80	169	169	976	—	3,164	927	1897
1898	2,279,929	30,750	46,067	25,409	13.5	20.2	11.1	—	405	—	115	222	126	634	—	3,291	975	1898
1899	2,302,705	33,023	44,286	27,747	14.3	19.2	12.0	125	452	7	40	246	124	599	—	3,405	1,041	1899
1900	2,325,712	34,214	45,549	28,543	14.7	19.6	12.3	138	682	11	143	170	185	738	—	3,484	1,055	1900
1901*	2,184,144	36,070	45,281	28,500	16.4	20.7	13.0	121	500	7	181	268	166	772	—	3,243	1,094	1901*
1902	2,205,965	36,144	46,973	26,713	16.4	21.3	12.1	104	392	7	143	346	204	676	—	2,694	1,048	1902
1903	2,198,692	39,660	47,709	28,399	18.0	21.7	12.9	115	391	21	55	580	204	687	—	2,723	1,156	1903
1904	2,203,968	39,578	49,158	29,600	17.8	22.3	13.4	107	482	3	30	163	109	608	—	2,877	1,253	1904
1905	2,208,364	40,852	50,808	29,748	18.4	23.0	13.5	121	446	3	63	72	181	503	—	2,667	1,224	1905
1906	2,214,116	39,692	50,621	31,244	17.8	22.9	14.1	137	891	4	128	64	240	423	—	2,911	1,411	1906
1907	2,220,430	43,830	51,838	31,756	19.6	23.3	14.3	121	520	4	166	102	214	380	—	2,530	1,329	1907
1908	2,226,360	42,116	55,388	30,947	18.0	24.9	13.9	124	662	2	38	163	246	450	—	2,511	1,348	1908
1909	2,233,264	44,732	52,629	30,792	20.0	24.3	14.6	131	669	3	167	200	262	430	—	2,380	1,597	1909
1910	2,239,621	48,072	53,664	31,332	21.4	24.9	14.0	123	706	2	304	237	186	435	—	2,287	1,587	1910
1911*	2,523,274	51,614	54,772	31,878	20.4	21.7	12.6	117	637	3	169	290	169	423	—	2,353	1,602	1911*

* Census year.

† Census population.

‡ Tuberculosis, all forms.

TABLE 37.—POPULATION, MARRIAGES, BIRTHS, AND DEATHS—*continued.*

Year.	Numbers.				Proportion per 1,000 of the Population.			Deaths of Children under 1 Year to 1,000 Births, exclusive of Still-born.	The Total Deaths include:—											Year.
	Estimated Population in the middle of each Year.	Persons Married.	Births.	Deaths.	Persons Married.	Births.	Deaths.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant disease.			
PRUSSIA. (Furnished by the President of the Statistical Department, Prussia.)																				
1892	30,556,897	490,894	1,106,815	714,823	16·1	36·2	23·4	211	6,243	91	10,606	6,267	13,929	40,201	866	76,161	15,122	1892		
1893	30,936,865	496,696	1,156,596	746,675	16·1	37·4	24·1	206	5,303	136	8,751	9,956	15,272	55,401	289	76,977	15,740	1893		
1894	31,316,833	501,920	1,143,353	679,933	16·0	36·5	21·7	196	4,772	77	9,706	6,779	14,755	46,026	478	74,656	16,480	1894		
1895*	31,696,801	507,458	1,168,248	689,798	16·0	36·9	21·8	212	4,697	24	6,184	7,067	12,329	28,717	—	73,752	16,850	1895*		
1896	32,160,485	529,644	1,185,533	666,796	16·5	36·9	20·7	191	4,328	7	10,116	6,892	14,846	24,251	—	70,373	17,643	1896		
1897	32,683,962	549,386	1,194,113	683,036	16·8	36·5	20·9	205	4,308	5	6,814	5,471	15,142	20,077	—	70,380	18,315	1897		
1898	33,207,439	560,788	1,219,589	665,146	16·9	36·7	20·0	193	3,729	12	9,040	7,708	12,748	18,147	—	65,560	18,695	1898		
1899	33,730,916	574,816	1,225,708	720,701	17·0	36·3	21·4	204	4,416	25	9,752	12,136	13,351	18,593	—	63,408	20,011	1899		
1900*	34,254,393	586,128	1,235,932	745,544	17·1	36·1	21·8	212	4,631	46	6,803	12,039	13,313	16,138	—	70,602	20,430	1900*		
1901	34,801,604	577,134	1,260,586	713,793	16·6	36·2	20·5	200	4,420	47	10,744	11,831	13,990	16,809	—	67,445	21,488	1901		
1902	35,365,767	563,064	1,255,937	677,431	15·9	35·5	19·2	172	2,846	13	10,080	11,134	13,284	14,175	—	66,726	21,876	1902		
1903	35,929,930	570,768	1,235,395	708,038	15·9	34·4	19·7	194	2,874	14	9,702	12,427	11,663	14,914	—	70,049	23,420	1903		
1904	36,494,093	589,464	1,264,756	702,259	16·2	34·7	19·2	185	2,867	17	7,367	10,202	12,051	14,162	—	69,326	25,050	1904		
1905*	37,058,256	599,976	1,241,883	726,869	16·2	33·5	19·6	198	2,730	10	6,292	7,446	13,327	12,005	77	70,323	25,704	1905*		
1906	37,628,378	619,844	1,269,795	673,769	16·5	33·7	17·9	177	2,419	30	9,107	7,770	11,749	10,025	—	64,459	26,493	1906		
1907	38,202,757	626,078	1,259,822	681,071	16·4	33·0	17·8	168	2,168	23	6,925	8,484	8,827	9,307	—	65,054	28,034	1907		
1908	38,777,088	622,262	1,269,584	694,152	16·0	32·7	17·9	173	2,065	61	7,379	8,482	10,672	9,797	—	63,320	28,531	1908		
1909	39,351,479	615,808	1,249,213	667,879	15·6	31·7	17·0	164	1,911	18	6,657	8,455	9,875	9,832	9	60,371	29,429	1909		
1910*	39,925,870	620,830	1,219,577	638,045	15·5	30·5	16·0	157	1,889	28	7,310	5,498	9,330	9,683	11	60,479	31,340	1910*		
1911	40,500,280	642,302	1,189,217	696,854	15·9	29·4	17·2	188	2,462	30	5,509	5,114	8,230	10,291	—	61,219	32,660	1911		
ROUMANIA. (Furnished by the Director of the Statistical Department, Roumania.)																				
1892	5,424,517	83,514	211,679	187,977	15·4	39·0	34·7	243	1,056	308	402	829	808	1,077	—	—	—	1892		
1893	5,485,739	81,054	222,115	169,132	14·8	40·5	30·8	217	734	289	875	1,620	613	907	872	—	—	1893		
1894	5,544,706	99,072	226,605	175,877	17·8	40·9	31·7	227	629	26	2,568	3,638	495	1,187	—	—	—	1894		
1895	5,635,434	82,964	238,191	155,702	14·8	42·3	27·6	201	573	638	729	2,080	488	1,092	—	—	—	1895		
1896	5,709,959	94,648	232,428	166,142	16·6	40·7	29·1	230	407	2,813	361	1,773	623	1,339	—	—	—	1896		
1897	5,795,255	83,216	248,845	171,808	14·4	42·9	29·6	216	972	1,512	452	889	1,178	2,297	—	—	—	1897		
1898	5,863,037	87,622	215,029	155,358	15·0	36·7	26·5	222	712	99	2,026	728	1,482	1,928	—	3,145	—	1898		
1899*	5,956,690	100,280	250,450	163,881	16·8	42·0	27·5	198	819	63	1,954	2,101	706	1,814	—	3,358	—	1899*		
1900	6,045,389	80,814	234,843	146,144	13·4	38·8	24·2	191	496	2	307	2,263	925	1,251	—	3,694	—	1900		
1901	6,125,742	87,500	240,704	160,351	14·2	39·3	26·2	205	671	1	1,176	3,036	600	1,293	—	3,341	—	1901		
1902	6,195,798	110,908	241,884	171,823	18·0	39·0	27·7	221	628	14	2,854	4,139	1,425	981	—	3,360	—	1902		
1903	6,292,032	109,576	252,242	156,008	17·4	40·1	24·8	201	914	2	2,023	3,760	1,358	829	—	3,213	—	1903		
1904	6,392,273	103,624	256,177	155,936	16·2	40·1	24·4	—	813	18	1,671	2,099	618	631	—	3,908	—	1904		
1905	6,480,300	102,382	247,959	159,932	15·8	38·6	25·0	—	932	—	319	1,152	1,013	471	—	4,387	—	1905		
1906	6,585,552	133,726	262,438	157,204	20·6	40·5	24·3	—	1,027	2	224	1,309	1,290	441	—	3,562	788	1906		
1907	6,684,265	140,526	274,487	175,794	21·3	41·7	26·7	—	1,160	—	1,433	2,362	1,102	376	—	3,401	709	1907		
1908	6,771,722	122,993	272,850	185,393	18·4	40·8	27·7	—	1,400	—	1,662	5,260	2,360	303	—	2,967	818	1908		
1909	6,865,739	126,424	282,342	188,325	18·7	41·7	27·8	—	1,982	1	705	7,392	1,081	358	—	3,547	765	1909		
1910	6,966,002	123,572	273,106	172,843	18·4	39·8	25·2	—	1,091	—	1,447	5,349	1,946	678	4	3,384	852	1910		
1911	7,086,796	149,082	299,870	179,076	21·0	43·0	25·7	197	1,489	11	2,022	3,022	1,294	1,025	149	3,282	813	1911		
RUSSIA, EUROPEAN (50 Governments, excluding Finland and the Provinces of the Vistula and of the Caucasus). (Furnished by the Central Statistical Committee, Ministry of the Interior, Russia.)																				
1892	—	1,567,778	4,033,402	3,596,585	18·4	47·2	42·1	307	—	—	—	—	—	—	—	—	—	1892		
1893	—	1,575,054	4,298,323	3,028,300	17·2	47·0	33·1	252	—	—	—	—	—	—	—	—	—	1893		
1894	93,292,955†	1,696,766	4,391,658	3,062,022	18·8	48·7	34·0	265	—	—	—	—	—	—	—	—	—	1894		
1895	—	1,685,262	4,539,176	3,213,841	18·4	49·4	35·0	280	—	—	—	—	—	—	—	—	—	1895		
1896	—	1,619,694	4,634,809	3,063,047	17·4	49·7	32·8	274	—	—	—	—	—	—	—	—	—	1896		
1897*	94,494,863	1,714,742	4,692,621	2,976,453	18·2	49·5	31·4	260	—	—	—	—	—	—	—	—	—	1897*		
1898	—	1,651,204	4,625,558	3,156,303	17·4	48·7	33·2	279	—	—	—	—	—	—	—	—	—	1898		
1899	97,143,469	1,796,404	4,764,673	3,013,114	18·4	49·0	31·0	240	—	—	—	—	—	—	—	—	—	1899		
1900	98,379,841	1,746,036	4,853,804	3,055,030	17·6	49·4	31·1	252	—	—	—	—	—	—	—	—	—	1900		
1901	100,172,597	1,724,816	4,801,190	3,218,501	17·2	47·9	32·1	272	—	—	—	—	—	—	—	—	—	1901		
1902	101,634,686	1,755,818	4,993,243	3,204,333	17·2	49·1	31·5	260	—	—	—	—	—	—	—	—	—	1902		
1903	103,423,601	1,838,164	4,978,305	3,103,213	17·8	48·1	30·0	256	—	—	—	—	—	—	—	—	—	1903		
1904	105,650,900†	1,605,050	5,124,544	3,153,146	15·2	48·5	29·9	232	—	—	—	—	—	—	—	—	—	1904		
1905	—	1,679,972	4,819,155	3,410,569	15·6	44·8	31·1	—	—	—	—	—	—	—	—	—	—	1905		
1906	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1906		
1907	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1907		
1908	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1908		
1909	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1909		
1910	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1910		
1911	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1911		

TABLE 37.—POPULATION, MARRIAGES, BIRTHS, AND DEATHS—*continued.*

Year.	Numbers.				Proportion per 1,000 of the Population.			Deaths of Children under 1 Year to 1,000 Births, exclusive of Still-born.	The Total Deaths include:—										Year.
	Estimated Population in the middle of each Year.	Persons Married.	Births.	Deaths.	Persons Married.	Births.	Deaths.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant disease.		
SCOTLAND. (Furnished by the Registrar-General, Scotland.)																			
1892	4,078,910	57,340	125,043	75,545	14.1	30.7	18.5	117	644	11	2,280	871	1,792	1,347	—	6,765	2,715	1892	
1893	4,122,029	54,290	127,110	79,670	13.2	30.8	19.3	136	932	68	3,639	832	2,026	1,679	—	6,921	2,816	1893	
1894	4,165,606	55,208	124,367	71,113	13.3	29.9	17.1	117	702	129	791	834	2,552	1,828	—	7,108	2,928	1894	
1895	4,209,645	56,844	126,494	81,852	13.5	30.0	19.4	133	730	47	2,063	782	1,948	1,260	—	7,688	2,993	1895	
1896	4,254,153	60,540	129,172	70,677	14.2	30.4	16.6	115	662	2	1,515	669	1,970	1,126	—	6,893	3,013	1896	
1897	4,299,132	62,100	128,877	79,144	14.4	30.0	18.4	138	655	10	2,056	716	2,877	812	—	7,200	3,212	1897	
1898	4,344,589	64,224	130,861	78,397	14.8	30.1	18.0	134	814	2	2,290	909	2,476	850	—	7,090	3,453	1898	
1899	4,390,530	65,956	130,733	79,593	15.0	29.8	18.1	131	803	1	1,599	831	1,894	856	—	7,275	3,572	1899	
1900	4,436,958	64,888	131,401	82,296	14.6	29.6	18.5	128	644	53	1,825	654	1,812	961	—	7,299	3,503	1900	
1901*	4,479,065	62,774	132,192	80,107	14.0	29.5	17.9	129	717	278	1,655	595	2,751	878	—	6,776	3,662	1901*	
1902	4,507,048	63,826	132,267	77,941	14.2	29.3	17.3	113	552	80	1,388	524	1,765	787	—	6,572	3,711	1902	
1903	4,535,201	64,702	133,525	76,002	14.3	29.4	16.8	118	552	41	1,133	407	1,946	715	—	6,630	3,798	1903	
1904	4,563,530	64,542	132,603	77,981	14.1	29.1	17.1	123	410	185	1,512	277	2,405	750	—	6,738	3,920	1904	
1905	4,592,036	62,540	131,410	74,536	13.6	28.6	16.2	116	373	4	1,662	211	2,243	721	—	6,374	4,132	1905	
1906	4,620,720	66,284	132,005	75,635	14.3	28.6	16.4	115	400	1	1,445	230	1,363	862	—	6,491	4,509	1906	
1907	4,649,586	66,596	128,840	77,296	14.3	27.7	16.6	110	367	1	1,153	233	2,485	729	—	6,415	4,551	1907	
1908	4,678,629	63,212	131,362	77,838	13.5	28.1	16.6	121	282	6	2,503	381	2,144	748	—	6,079	4,611	1908	
1909	4,707,858	60,216	128,669	74,632	12.8	27.3	15.9	108	296	—	890	555	2,215	917	—	6,000	4,782	1909	
1910	4,737,268	61,804	124,059	72,268	13.0	26.2	15.3	108	264	—	2,243	595	999	939	—	5,409	4,863	1910	
1911*†	4,749,673	63,622	121,811	71,726	13.4	25.6	15.1	—	—	—	—	—	—	—	—	—	—	1911*†	
SERVIA. (Furnished by the Director of the State Statistical Bureau, Servia.)																			
1892	2,211,606	42,036	93,833	74,135	19.0	42.4	33.5	196	4,367	2,184	2,341	7,691	6,511	—	—	5,626	121	1892	
1893	2,240,270	47,353	95,232	66,568	21.1	42.5	29.7	175	3,708	3,516	2,411	4,344	7,221	—	—	6,505	140	1893	
1894	2,272,992	49,926	96,488	63,766	22.0	42.4	28.0	163	3,232	4,233	1,304	4,227	9,934	—	—	5,482	156	1894	
1895*	2,312,484	41,198	101,676	62,184	17.8	44.0	26.9	158	2,678	2,865	612	5,643	11,653	—	—	5,055	128	1895*	
1896	2,345,837	41,682	96,752	63,399	17.8	41.2	27.0	167	2,471	5,567	386	5,174	11,572	—	—	5,109	154	1896	
1897	2,384,205	42,314	101,605	63,237	17.7	42.6	26.5	167	3,412	1,548	306	5,741	7,663	—	—	5,413	167	1897	
1898	2,413,694	45,042	84,789	55,300	18.7	35.1	22.9	161	2,726	2,693	420	5,745	3,401	—	—	5,228	178	1898	
1899	2,450,392	48,912	96,246	59,548	20.0	39.3	24.3	152	2,638	4,203	1,953	5,019	4,241	—	—	5,311	233	1899	
1900*	2,492,882	62,406	104,772	58,034	25.0	42.0	23.3	150	2,351	1,343	2,074	5,703	3,194	—	—	6,396	235	1900*	
1901	2,535,956	42,060	96,348	53,274	16.6	38.0	21.0	145	2,432	799	1,799	3,913	1,937	—	—	6,166	230	1901	
1902	2,576,517	53,036	98,000	57,439	20.6	38.0	22.3	151	2,179	1,654	2,635	5,214	1,875	—	—	6,343	248	1902	
1903	2,621,576	49,002	105,553	60,494	19.0	40.9	23.5	151	1,834	3,148	2,593	7,544	1,992	—	—	7,276	238	1903	
1904	2,671,505	61,098	106,259	56,330	22.9	39.8	21.1	135	1,964	1,067	2,498	4,642	1,366	—	—	7,400	275	1904	
1905*	2,688,747	53,216	100,242	65,276	19.8	37.3	24.4	165	435	2,607	2,418	4,408	1,433	—	—	8,940	279	1905*	
1906	2,735,147	55,956	112,973	65,851	20.4	41.3	24.0	144	451	4,778	4,696	4,166	1,415	—	—	7,861	290	1906	
1907	2,784,036	59,130	111,340	62,451	21.2	40.0	22.8	147	367	996	3,974	4,986	1,142	—	—	8,143	371	1907	
1908	2,821,015	51,780	103,903	66,924	18.4	36.8	23.7	158	371	1,722	3,987	5,856	915	—	—	8,799	355	1908	
1909	2,847,891	53,282	110,226	83,350	18.7	36.5	29.3	181	3,488	5,735	5,363	4,886	1,115	—	—	9,789	374	1909	
1910*	2,911,701	53,372	112,215	64,464	20.5	38.5	22.1	138	—	—	—	—	—	—	—	—	—	1910*	
1911	2,954,515	60,906	107,229	64,415	20.6	36.2	21.8	—	—	—	—	—	—	—	—	—	—	1911	
SPAIN. (Furnished by the Director General of the Geographical and Statistical Institute, Spain.)																			
1892	17,916,000	302,534	641,731	547,604	16.9	35.8	30.6	—	—	—	—	—	—	—	—	—	—	1892	
1893	17,996,000	281,736	640,324	534,721	15.7	35.6	29.7	—	—	—	—	—	—	—	—	—	—	1893	
1894	18,076,400	282,338	628,382	540,579	15.6	34.8	30.3	—	—	—	—	—	—	—	—	—	—	1894	
1895	18,157,100	279,912	636,130	527,192	15.4	35.0	29.0	—	—	—	—	—	—	—	—	—	—	1895	
1896	18,238,200	265,290	654,796	539,145	14.5	35.9	29.6	—	—	—	—	—	—	—	—	—	—	1896	
1897	18,319,700	257,360	625,304	520,210	14.0	34.1	28.4	—	—	—	—	—	—	—	—	—	—	1897	
1898	18,401,500	250,818	612,343	518,795	13.6	33.3	28.2	—	—	—	—	—	—	—	—	—	—	1898	
1899	18,483,700	312,226	632,588	533,109	16.9	34.2	28.8	—	—	—	—	—	—	—	—	—	—	1899	
1900*	18,566,200	322,402	627,848	536,716	17.4	33.8	28.9	204	11,426†	6,497	12,010	1,237	4,750	8,489	—	23,026	7,294	1900*	
1901	18,657,000	315,624	650,649	517,578	16.9	34.9	27.7	186	9,594	5,250	18,463	1,140	3,889	6,299	—	23,649	7,912	1901	
1902	18,755,000	327,334	666,687	488,289	17.5	35.5	26.0	181	8,587	5,590	10,746	1,184	4,236	5,247	—	27,983	8,117	1902	
1903	18,853,000	308,978	685,265	470,387	16.4	36.3	25.0	162	8,164	4,699	9,989	1,011	4,551	4,751	—	27,096	8,315	1903	
1904	18,951,000	290,916	649,878	486,889	15.3	34.3	25.7	173	8,397	2,859	9,770	978	4,559	3,823	—	28,523	8,825	1904	
1905	19,049,000	273,794	670,651	491,369	14.4	35.2	25.8	161	7,158	2,740	13,763	1,046	4,386	3,524	—	26,827	8,719	1905	
1906	19,147,000	276,968	650,385	499,018	14.5	34.0	26.1	173	8,068	4,342	8,699	1,399	4,434	3,390	—	27,502	9,113	1906	
1907	19,245,000	272,646	646,374	472,012	14.2	33.6	24.5	158	6,825	3,234	6,834	2,357	3,397	3,630	—	27,015	9,141	1907	
1908†	19,343,000	282,092	657,701	460,940	14.6	34.0	23.8	—	6,319	2,802	7,188	2,201	4,337	3,932	—	26,651	9,947	1908†	
1909†	19,44																		

TABLE 37.—POPULATION, MARRIAGES, BIRTHS, AND DEATHS—*continued*.

Year.	Numbers.				Proportion per 1,000 of the Population.		Deaths of Children under 1	The Total Deaths include:—										Year.
	Estimated Population in the middle of each Year.	Persons Married.	Births.	Deaths.	Persons Married.	Births.	Deaths.	Year to 1,000 Births, exclusive of Still-born.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant disease.	
SWEDEN. (Furnished by the Director of the Central Statistical Bureau, Sweden.)																		
1892	4,804,808	54,676	129,622	85,894	11·4	27·0	17·9	109	1,022	4	422	1,587	956	2,704	—	—	—	1892
1893	4,815,508	54,488	131,729	81,027	11·3	27·4	16·8	101	950	25	159	1,657	841	3,804	1	—	—	1893
1894	4,848,667	55,702	131,409	79,444	11·5	27·1	16·4	101	905	21	302	1,115	874	3,582	5	—	—	1894
1895	4,890,221	57,456	134,599	74,368	11·7	27·5	15·2	95	761	—	463	788	577	2,220	—	—	—	1895
1896	4,940,914	58,752	134,308	77,259	11·9	27·2	15·6	103	809	2	665	654	1,109	1,871	—	—	—	1896
1897	4,986,100	60,442	132,999	76,558	12·1	26·7	15·4	99	752	1	620	415	1,038	1,701	—	—	—	1897
1898	5,036,275	61,800	136,523	75,949	12·3	27·1	15·1	91	710	1	324	271	1,047	1,881	—	—	—	1898
1899	5,080,160	63,420	133,882	89,678	12·5	26·4	17·7	112	803	1	786	414	1,092	2,974	—	—	—	1899
1900*	5,116,922	62,956	138,139	86,146	12·3	27·0	16·8	99	704	2	459	426	626	2,710	—	—	—	1900
1901	5,155,835	62,556	139,370	82,772	12·1	27·0	16·1	103	647	—	378	485	884	2,617	—	—	—	1901
1902	5,186,990	61,792	137,364	79,722	11·9	26·5	15·4	86	539	1	638	436	1,084	1,754	—	—	—	1902
1903	5,210,022	60,176	133,896	78,610	11·6	25·7	15·1	93	275	2	807	352	953	1,382	—	—	—	1903
1904	5,241,051	61,366	134,952	80,152	11·7	25·8	15·3	84	266	1	173	437	885	1,346	—	—	—	1904
1905	5,277,848	61,776	135,409	82,443	11·7	25·7	15·6	88	517	3	142	624	765	1,710	—	—	—	1905
1906	5,315,970	65,166	136,620	76,366	12·3	25·7	14·4	81	334	—	198	387	881	1,146	—	—	—	1906
1907	5,357,384	66,502	136,793	78,149	12·4	25·5	14·6	77	339	—	440	221	680	834	—	—	—	1907
1908	5,403,657	66,168	138,874	80,568	12·2	25·7	14·9	85	478	1	490	252	962	643	—	—	—	1908
1909	5,453,021	65,092	139,505	74,538	11·9	25·6	13·7	72	239	—	221	270	750	722	—	—	—	1909
1910*	5,499,422	66,324	135,625	77,212	12·1	24·7	14·0	75	315	—	558	334	717	796	—	—	—	1910*
1911†	5,542,101	65,066	131,997	76,354	11·7	23·8	13·8	—	—	—	—	—	—	—	—	—	—	1911†
SWITZERLAND. (Furnished by the Director of the Federal Statistical Bureau, Switzerland.)																		
1892	3,002,263	43,768	83,125	57,173	14·6	27·7	19·0	150	345	35	316	211	562	1,135	—	5,785	3,706	1892
1893	3,039,472	43,768	84,897	61,059	14·4	27·9	20·1	152	380	15	870	138	377	1,599	—	5,756	3,653	1893
1894	3,076,682	44,376	84,142	61,885	14·4	27·3	20·1	153	302	51	473	58	694	1,930	—	6,222	3,802	1894
1895	3,113,891	45,364	84,973	59,747	14·6	27·3	19·2	159	305	1	185	62	581	999	—	6,377	3,923	1895
1896	3,151,101	47,568	88,428	56,096	15·1	28·1	17·8	132	288	8	423	89	511	848	—	6,051	3,916	1896
1897	3,188,510	49,908	90,073	56,399	15·7	28·3	17·7	141	261	1	272	47	476	760	—	6,106	4,088	1897
1898	3,225,520	50,228	91,793	58,914	15·6	28·5	18·3	155	308	2	354	34	445	994	—	5,984	4,125	1898
1899	3,262,729	50,824	94,472	57,591	15·6	29·0	17·7	136	269	3	264	38	601	1,106	—	5,823	4,130	1899
1900*	3,299,939	51,074	94,316	63,606	15·5	28·6	19·3	150	220	30	809	34	695	981	—	6,692	4,285	1900*
1901	3,340,984	50,756	97,028	60,018	15·2	29·0	18·0	137	240	37	829	71	846	1,052	—	6,241	4,271	1901
1902	3,384,769	50,156	96,481	57,602	14·8	28·5	17·0	132	207	2	456	73	512	726	—	6,280	4,258	1902
1903	3,428,554	50,566	93,824	59,626	14·7	27·4	17·4	133	169	4	545	162	561	540	—	6,381	4,447	1903
1904	3,472,339	51,004	94,867	60,859	14·7	27·3	17·5	140	265	4	821	279	836	607	—	6,452	4,464	1904
1905	3,516,124	52,588	94,653	61,800	14·9	26·9	17·6	129	174	36	657	312	654	668	—	6,630	4,555	1905
1906	3,559,909	54,596	95,595	59,204	15·3	26·9	16·6	127	167	14	569	153	649	516	—	6,407	4,593	1906
1907	3,603,694	55,320	94,508	59,252	15·4	26·2	16·4	121	176	8	613	140	433	528	—	6,063	4,414	1907
1908	3,647,479	55,268	96,245	57,697	15·2	26·4	15·8	108	135	2	226	147	489	565	—	6,150	4,669	1908
1909	3,691,264	54,940	94,112	59,416	14·9	25·5	16·1	115	113	3	373	170	846	580	—	6,008	4,676	1909
1910*	3,735,049	54,602	93,514	56,498	14·6	25·0	15·1	105	152	2	352	100	741	455	—	6,011	4,612	1910
1911	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1911
UNITED KINGDOM.																		
1892	38,134,110	554,670	1,127,234	725,273	14·5	29·5	19·0	140	5,395	442	17,016	6,908	16,352	11,010	†	60,136	25,289	1892*
1893	38,490,333	585,096	1,147,764	732,449	13·9	29·8	19·0	151	8,652	1,526	15,831	8,271	13,371	14,262	—	60,422	26,231	1893
1894	38,859,067	551,310	1,120,010	653,468	14·2	28·8	16·8	131	6,266	1,021	13,763	6,465	16,148	13,268	—	58,375	26,725	1894
1895	39,221,109	559,492	1,154,898	735,244	14·3	29·4	18·7	152	6,816	416	13,855	5,904	12,589	11,356	—	59,946	28,234	1895
1896	39,599,072	592,178	1,152,144	673,104	15·0	29·0	16·9	139	6,503	547	19,649	6,897	16,276	12,442	—	56,195	28,971	1896
1897	39,987,294	606,172	1,157,224	704,470	15·2	28·9	17·6	150	6,504	38	15,337	5,815	16,169	10,355	—	58,590	30,290	1897
1898	40,380,792	620,142	1,159,483	712,942	15·4	28·7	17·7	153	7,806	255	15,826	4,782	14,239	10,165	—	58,103	31,806	1898
1899	40,774,296	635,246	1,163,279	741,091	15·6	28·5	18·2	154	7,997	176	13,129	4,758	13,011	11,916	—	59,163	32,551	1899
1900	41,154,646	622,508	1,159,922	757,732	15·1	28·2	18·4	147	7,004	139	15,175	4,743	13,968	11,874	—	60,362	32,941	1900
1901*	41,538,172	626,702	1,162,975	710,811	15·1	28·0	17·1	144	6,617	636	11,133	5,139	14,079	11,302	—	57,549	34,042	1901*
1902	41,892,508	633,224	1,174,639	691,155	15·1	28·0	16·5	128	5,314	2,545	15,394	5,585	12,572	9,970	—	56,643	34,444	1902
1903	42,246,279	632,892	1,183,627	667,988	15·0	28·0	15·8	127	4,379	841	10,969	4,775	12,530	7,929	—	56,321	35,935	1903
1904	42,610,920	626,176	1,181,803	707,278	14·7	27·7	16·6	139	4,029	708	14,340	4,251	15,865	7,615	—	58,422	36,557	1904
1905	42,980,188	630,180	1,163,535	669,638	14·7	27·1	15·6	124	3,927	125	13,547	4,215	11,533	7,241	—	54,540	37,644	1905
1906	43,360,331	651,684	1,170,622	681,343	15·0	27·0	15·7	127	3,963	22	11,277	3,854	10,605	8,072	—	55,170	39,658	1906
1907	43,736,942	664,456	1,148,624	678,851	15·2	26·3	15·5	114	3,073	12	14,362	3,552	13,549	7,293	—	55,082	39,634	1907
1908	44,122,777	638,560	1,173,784	675,185	14·4	26·5	15·3	118	3,271	18	11,372	3,280	12,940	7,158	—	54,089	40,642	1908
1909	44,518,264	626,604	1,145,900	667,608	14·1	25·7	15·0	107	2,743	21	13,951	3,899	10,572	6,953	1	52,690	42,337	1909
1910†	44,914,591	641,470	1,122,984	630,409	14·3	25·0	14·0	105	2,431	19	11,398	3,138	11,093	5,746	—	49,270	43,134	1910
1911†	45,297,114	660,454	1,104,707	672,011	14·6	24·4	14·8	—	—	—	—	—	—	—	—	—	—	1911†

TABLE 37.—POPULATION, MARRIAGES, BIRTHS, AND DEATHS—*continued*.

UNITED STATES OF AMERICA (REGISTRATION AREA). (Furnished by Chief Statistician for Vital Statistics
Bureau of the Census, U.S.A.)

NOTE.—The following Table embodies the Mortality Statistics collected and tabulated by the Bureau of the Census since 1900 from those States and Cities whose registration laws are considered to be efficient by the Bureau. The Registration Area for the years 1900-05 includes the States of Connecticut, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, and Vermont; to which were added, for the years 1906-11, California, Colorado, Maryland, Pennsylvania; 1906-09, South Dakota; 1908-11, Washington and Wisconsin; 1909-11, Ohio; 1910-11, Minnesota, Montana, and Utah; and 1911, Kentucky, and Missouri. The District of Columbia (city of Washington) is treated as a separate city, and for 1910-11 all Municipalities of North Carolina of 1,000 population or over in 1900 (in addition to seven cities of 10,000 population and over) are included.

Year.	Estimated Popula- tion in the middle of each year.		The Regis- tration Area includes:—		Deaths, exclud- ing Still- births.	Death- rate per 1,000 persons living.	The Total Deaths include:—										Year.
	Total United States (Conti- nental).	Total Registra- tion Area.	States.	Cities (not in- cluded in pre- ceding column).			Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (includ- ing Carcinoma and Sarcoma).		
1900*	75,994,575	30,765,618	10	134	539,939	17.6	11,044	611	3,865	3,135	3,719	13,314	—	55,910	19,381	1900*	
1901	77,747,402	31,370,952	10	126	518,207	16.5	10,127	1,085	2,287	4,113	3,051	10,667	—	55,262	20,171	1901	
1902	79,365,396	32,029,815	10	125	508,640	15.9	10,980	2,111	3,033	4,041	3,854	9,859	—	52,620	20,847	1902	
1903	80,983,390	32,701,083	10	125	524,415	16.0	11,149	1,382	3,221	3,991	5,171	10,363	—	54,449	22,325	1903	
1904	82,601,384	33,345,163	10	124	551,354	16.5	10,557	709	3,659	3,610	2,183	9,444	—	59,333	23,395	1904	
1905	84,219,378	34,052,201	10	124	545,533	16.0	9,479	308	2,557	2,284	3,599	8,039	—	57,380	24,330	1905	
1906	85,837,372	41,983,419	15	78	658,105	15.7	13,160	95	5,087	3,227	6,324	10,793	—	65,986	29,020	1906	
1907	87,455,366	43,016,990	15	77	687,034	16.0	12,670	74	4,302	4,309	4,856	10,154	—	67,064	30,514	1907	
1908	89,073,360	46,789,913	17	75	691,574	14.8	11,375	92	4,611	5,577	4,969	10,052	—	68,074	33,465	1908	
1909	90,691,354	50,870,518	18	55	732,538	14.4	10,722	79	4,860	5,781	4,906	10,358	—	70,844	37,562	1909	
1910*	92,309,348	53,843,896	20	51	805,412	15.0	12,673	202	6,598	6,255	6,146	11,521	—	75,211	41,039	1910*	
1911	93,927,342	59,275,977	22	46	839,284	14.2	12,451	130	5,922	5,243	6,682	11,174	2	81,796	44,024	1911	

* Census year.

TABLE 38.—METEOROLOGICAL ELEMENTS,

Year.	Mean weekly Movement of the Air in Miles.	Departure from Average of 50 Years (1861-1910).	Fall of rain in Inches.	Departure from Average of 50 Years (1861-1910).	Mean Degree of Humidity of the Air. (Saturation = 100).	Departure from Average of 50 Years (1861-1910).	Mean Temperature of the Air.	Departure from Average of 50 Years (1861-1910).
	Miles.	Miles.	Inches.	Inches.	%	%	°	°
1861 ...	1666	— 285	20·8	— 3·2	84	+ 3	49·4	— 0·1
1862 ...	1680	— 271	26·2	+ 2·2	84	+ 3	49·5	0·0
1863 ...	1775	— 176	20·0	— 4·0	80	— 1	50·3	+ 0·8
1864 ...	1597	— 354	16·7	— 7·3	78	— 3	48·5	— 1·0
1865 ...	1553	— 398	29·0	+ 5·0	80	— 1	50·3	+ 0·8
1866 ...	1917	— 34	30·7	+ 6·7	82	+ 1	49·8	+ 0·3
1867 ...	1981	+ 30	28·4	+ 4·4	82	+ 1	48·6	— 0·9
1868 ...	2029	+ 78	25·2	+ 1·2	78	— 3	51·5	+ 2·0
1869 ...	2043	+ 92	24·0	0·0	81	0	49·5	0·0
1870 ...	1872	— 79	18·5	— 5·5	79	— 2	48·7	— 0·8
1871 ...	1749	— 202	22·3	— 1·7	81	0	48·5	— 0·8
1872 ...	1998	+ 47	30·0	+ 6·0	82	+ 1	50·7	+ 1·2
1873 ...	1940	— 11	23·4	— 0·6	82	+ 1	48·9	— 0·6
1874 ...	1915	— 36	20·0	— 4·0	82	+ 1	49·3	— 0·2
1875 ...	1942	— 9	28·2	+ 4·2	80	— 1	49·2	— 0·3
1876 ...	2036	+ 85	24·2	+ 0·2	80	— 1	50·1	+ 0·6
1877 ...	2184	+ 233	26·9	+ 2·9	79	— 2	49·4	— 0·1
1878 ...	1880	— 71	29·2	+ 5·2	81	0	49·6	+ 0·1
1879 ...	1873	— 78	31·3	+ 7·3	83	+ 2	46·2	— 3·3
1880 ...	1928	— 23	29·8	+ 5·8	84	+ 3	49·4	— 0·1
1881 ...	2030	+ 79	25·2	+ 1·2	81	0	48·7	— 0·8
1882 ...	2151	+ 200	25·2	+ 1·2	84	+ 3	49·7	+ 0·2
1883 ...	2058	+ 107	21·9	— 2·1	82	+ 1	49·4	— 0·1
1884 ...	2034	+ 83	18·1	— 5·9	80	— 1	50·7	+ 1·2
1885 ...	2008	+ 57	24·0	0·0	81	0	48·6	— 0·9
1886 ...	1962	+ 11	24·2	+ 0·2	81	0	48·7	— 0·8
1887 ...	1927	— 24	19·9	— 4·1	79	— 2	47·8	— 1·7
1888 ...	2049	+ 98	27·5	+ 3·5	82	+ 1	47·7	— 1·8
1889 ...	1934	— 17	23·3	— 0·7	83	+ 2	48·8	— 0·7
1890 ...	1946	— 5	21·9	— 2·1	81	0	48·6	— 0·9
1891 ...	1945	— 6	25·1	+ 1·1	82	+ 1	48·4	— 1·1
1892 ...	1863	— 88	22·3	— 1·7	80	— 1	48·1	— 1·4
1893 ...	1909	— 42	20·1	— 3·9	76	— 5	51·1	+ 1·6
1894 ...	2019	+ 68	26·9	+ 2·9	81	0	49·9	+ 0·4
1895 ...	1951	0	19·7	— 4·3	78	— 3	49·3	— 0·2
1896 ...	1932	— 19	22·4	— 1·6	79	— 2	50·2	+ 0·7
1897 ...	2033	+ 82	22·1	— 1·9	79	— 2	50·3	+ 0·8
1898 ...	1956	+ 5	18·9	— 5·1	78	— 3	51·3	+ 1·8
1899 ...	1911	— 40	22·3	— 1·7	77	— 4	50·6	+ 1·1
1900 ...	2050	+ 99	23·2	— 0·8	79	— 2	50·4	+ 0·9
1901 ...	1970	+ 19	20·3	— 3·7	78	— 3	49·2	— 0·3
1902 ...	1933	— 18	19·3	— 4·7	80	— 1	49·2	— 0·3
1903 ...	2226	+ 275	35·5	+ 11·5	80	— 1	50·1	+ 0·6
1904 ...	1913	— 38	20·7	— 3·3	82	+ 1	49·8	+ 0·3
1905 ...	2063	+ 112	23·0	— 1·0	81	0	49·9	+ 0·4
1906 ...	2093	+ 142	24·7	+ 0·7	79	— 2	50·7	+ 1·2
1907 ...	1977	+ 26	22·3	— 1·7	81	0	49·7	+ 0·2
1908 ...	1932	— 19	23·8	— 0·2	83	+ 2	50·1	+ 0·6
1909 ...	2041	+ 90	25·7	+ 1·7	83	+ 2	48·9	— 0·6
1910 ...	2155	+ 204	28·1	+ 4·1	84	+ 3	50·2	+ 0·7
1911 ...	2140	+ 189	23·7	— 0·3	79	— 2	51·8	+ 2·3
Average 50 years (1861- 1910).	1951	—	24·0	—	81	—	49·5	—

GREENWICH, 1861-1911.

Mean Temperature of the Air in the Quarters ended the last day of								Year.
March.	Departure from Average of 50 Years (1861-1910).	June.	Departure from Average of 50 Years (1861-1910).	September.	Departure from Average of 50 Years (1861-1910).	December.	Departure from Average of 50 Years (1861-1910).	
°	°	°	°	°	°	°	°	
39.9	- 0.1	51.8	- 1.2	60.4	- 0.1	45.5	+ 1.2	1861
41.0	+ 1.2	53.3	+ 0.3	58.8	- 1.7	45.0	+ 0.7	1862
42.6	+ 2.6	53.1	+ 0.1	58.8	- 1.7	46.8	+ 2.5	1863
37.9	- 2.1	53.1	+ 0.1	59.4	- 1.1	43.7	- 0.6	1864
36.5	- 3.5	56.2	+ 3.2	62.5	+ 2.0	46.0	+ 1.7	1865
41.2	+ 1.2	53.0	0.0	58.9	- 1.6	46.2	+ 1.9	1866
38.9	- 1.1	53.5	+ 0.5	59.7	- 0.8	42.5	- 1.8	1867
41.4	+ 1.4	55.8	+ 2.8	63.9	+ 3.4	45.1	+ 0.8	1868
41.3	+ 1.3	52.0	- 1.0	61.4	+ 0.9	43.3	- 1.0	1869
38.0	- 2.0	54.4	+ 1.4	60.7	+ 0.2	41.6	- 2.7	1870
40.2	+ 0.2	51.5	- 1.5	61.3	+ 0.8	41.8	- 2.5	1871
43.6	+ 3.6	52.8	- 0.2	61.1	+ 0.6	45.3	+ 1.0	1872
39.4	- 0.6	51.8	- 1.2	60.3	- 0.2	44.2	- 0.1	1873
41.4	+ 1.4	52.8	- 0.2	60.9	+ 0.4	42.3	- 2.0	1874
39.5	- 0.5	53.4	+ 0.4	60.7	+ 0.2	43.1	- 1.2	1875
39.5	- 0.5	51.7	- 1.3	61.8	+ 1.3	47.0	+ 2.7	1876
42.3	+ 2.3	51.9	- 1.1	58.5	- 2.0	45.0	+ 0.7	1877
41.5	+ 1.5	54.6	+ 1.6	60.8	+ 0.3	41.6	- 2.7	1878
37.1	- 2.9	49.5	- 3.5	58.1	- 2.4	39.9	- 4.4	1879
39.8	- 0.2	52.4	- 0.6	61.4	+ 0.9	44.0	- 0.3	1880
37.3	- 2.7	52.9	- 0.1	60.0	- 0.5	44.6	+ 0.3	1881
42.3	+ 2.3	53.0	0.0	58.1	- 2.4	44.7	+ 0.4	1882
40.0	0.0	53.0	0.0	59.5	- 1.0	44.9	+ 0.6	1883
43.4	+ 3.4	52.5	- 0.5	62.7	+ 2.2	44.1	- 0.2	1884
40.3	+ 0.3	52.4	- 0.6	59.1	- 1.4	42.8	- 1.5	1885
36.5	- 3.5	52.5	- 0.5	61.2	+ 0.7	44.6	+ 0.3	1886
37.3	- 2.7	51.6	- 1.4	61.0	+ 0.5	41.3	- 3.0	1887
36.9	- 3.1	51.6	- 1.4	57.6	- 2.9	44.6	+ 0.3	1888
38.2	- 1.8	54.5	+ 1.5	58.9	- 1.6	43.5	- 0.8	1889
41.4	+ 1.4	52.8	- 0.2	58.4	- 2.1	40.8	- 3.5	1890
37.6	- 2.4	51.6	- 1.4	59.3	- 1.2	45.0	+ 0.7	1891
37.5	- 2.5	53.4	+ 0.4	59.2	- 1.3	42.3	- 2.0	1892
40.9	+ 0.9	57.0	+ 4.0	61.9	+ 1.4	44.6	+ 0.3	1893
41.4	+ 1.4	53.3	+ 0.3	58.6	- 1.9	46.4	+ 2.1	1894
35.2	- 4.8	55.1	+ 2.1	62.3	+ 1.8	44.7	+ 0.4	1895
42.2	+ 2.2	55.6	+ 2.6	60.4	- 0.1	42.4	- 1.9	1896
41.1	+ 1.1	53.1	+ 0.1	60.9	+ 0.4	46.0	+ 1.7	1897
41.5	+ 1.5	52.4	- 0.6	62.7	+ 2.2	48.5	+ 4.2	1898
41.8	+ 1.8	52.8	- 0.2	63.0	+ 2.5	44.7	+ 0.4	1899
39.2	- 0.8	52.8	- 0.2	61.8	+ 1.3	47.6	+ 3.3	1900
37.8	- 2.2	53.4	+ 0.4	61.7	+ 1.2	43.9	- 0.4	1901
40.5	+ 0.5	51.0	- 2.0	59.6	- 0.9	45.2	+ 0.9	1902
43.9	+ 3.9	51.2	- 1.8	60.0	- 0.5	45.2	+ 0.9	1903
39.5	- 0.5	53.8	+ 0.8	61.5	+ 1.0	44.3	0.0	1904
41.9	+ 1.9	53.8	+ 0.8	61.7	+ 1.2	42.2	- 2.1	1905
41.1	+ 1.1	52.8	- 0.2	63.2	+ 2.7	45.8	+ 1.5	1906
40.0	0.0	52.9	- 0.1	60.1	- 0.4	45.8	+ 1.5	1907
39.5	- 0.5	53.8	+ 0.8	60.3	- 0.2	46.6	+ 2.3	1908
38.4	- 1.6	52.5	- 0.5	59.7	- 0.8	44.8	+ 0.5	1909
41.5	+ 1.5	54.2	+ 1.2	59.3	- 1.2	45.6	+ 1.3	1910
40.3	+ 0.3	54.9	+ 1.9	65.7	+ 5.2	46.2	+ 1.9	1911
40.0	—	53.0	—	60.5	—	44.3	—	Average 50 years (1861- 1910).

TABLE 39.—QUARTERLY METEOROLOGICAL

Winter .. Spring .. Summer .. Autumn ..	Jan., Feb., March. ... April, May, June. ... July, Aug., Sept. ... Oct., Nov., Dec. ..	Temperature of								Elastic Force of Vapour.		Weight of Vapour in a Cubic Foot of Air.		
		Air.			Evaporation.		Dew Point.		Air— Daily Range.					
		Mean of Maximum and Minimum.	Diff. from Average of 130 years.	Diff. from Average of 60 years.	Mean.	Diff. from Average of 60 years.	Mean.	Diff. from Average of 60 years.	Mean.	Diff. from Average of 60 years.	Mean.	Diff. from Average of 60 years.	Mean.	Diff. from Average of 60 Years.
1911.		°	°	°	°	°	°	°	°	°	in.	in.	grs.	gr.
Year.		51·8	+3·1	+2·4	47·6	+1·1	44·5	+1·0	16·5	+0·7	·304	+·011	3·4	0·0
Winter Quarter		40·3	+1·4	+0·5	38·1	+0·3	35·9	+0·7	10·4	−1·4	·210	+·003	2·5	+0·1
Spring do.		54·9	+2·5	+2·0	49·8	+0·7	46·0	+0·8	19·7	−0·2	·315	+·009	3·5	+0·1
Summer do.		65·7	+5·9	+5·3	58·6	+2·1	53·7	+0·7	24·8	+5·1	·419	+·017	4·6	0·0
Autumn do.		46·2	+2·5	+1·8	44·2	+1·6	42·3	+1·7	11·1	−0·6	·272	+·015	3·1	0·0

In this Table + and − respectively signify that the number in the preceding column is

ELEMENTS, GREENWICH, 1911.

Degree of Humidity.		Readings of Barometer, reduced to 32° F.		Weight of a Cubic Foot of Air.		Rain.		Readings of Thermometer on Grass.						Jan., Feb., March.	April, May, June.	July, Aug., Sept.	Oct., Nov., Dec.
								Number of Nights it was			Lowest Reading at Night.		Highest Reading at Night.				
Mean (Saturation=100).	Diff. from Average of 60 years.	Mean.	Diff. from Average of 60 years.	Mean.	Diff. from Average of 60 years.	Amount.	Diff. from Average of 86 years.	At or below 30°.	Between 30° and 40°.	Above 40°.	Lowest Reading at Night.		Highest Reading at Night.	Winter	Spring	Summer	Autumn
		ins.	in.	grs.	grs.	ins.		°	°	°	°	°	°
79	-3	29·833	+·056	542	0	23·67	-1·13	96	145	124	14·0	59·0					1911.
																	Year.
86	+2	29·965	+·191	556	+4	4·27	-0·67	45	41	4	14·0	44·1					Winter Quarter.
75	-2	29·829	+·044	539	+1	5·71	+0·10	20	35	36	21·5	53·1					Spring do.
68	-9	29·909	+·113	529	-1	2·95	-4·22	2	22	68	28·8	59·0					Summer do.
88	-1	29·629	-·124	544	-3	10·74	+3·66	29	47	16	21·0	51·0					Autumn do.

above or below the average to the amount of the quantities to which the signs are affixed.

TABLE 40.—METEOROLOGICAL TABLE for LONDON, 1911.

(Deduced from Observations at Greenwich, under the Superintendence of the Astronomer Royal.)

1911.	Barometer.	Air Temperature.					Hygrometer.				Earth Temperature.		Bright Sunshine.					
		Mean of		Mean of A and B.	Difference from Normal†	Absolute Maximum and Minimum.				Mean of Observations at 9 a.m. and 9 p.m.*				At 1 foot depth.	At 3 ft. 2 in. depth.	Total Observed.	Difference from Normal†	Per cent. of Possible.
		Maximum. A	Minimum. B			Maximum.	Day of Month.	Minimum.	Day of Month.	Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.					
January	ins. 30.147	° 42.0	° 34.2	° 38.1	° -0.3	° 52	26	° 24	15	° 37.6	° 1.3	ins. .200	% 89	° 42.8	hrs. 33	hrs. 10	13	
February	30.009	46.0	35.3	40.7	+0.9	55	18	22	1	40.6	2.1	.209	83	41.7	64	3	23	
March	29.738	48.4	35.8	42.1	-0.4	62	21	29	10, 17	41.1	1.7	.221	86	43.2	76	28	21	
April...	29.846	55.3	38.6	46.9	-1.2	67	22	27	9	45.8	3.4	.233	76	44.7	151	0	37	
May ...	29.815	68.1	46.3	57.2	+3.4	82	31	35	22	55.8	3.6	.345	77	51.7	221	22	46	
June ...	29.827	70.9	50.3	60.6	+0.3	84	5	41	11	59.6	4.8	.367	72	58.6	225	31	45	
July ...	29.990	81.1	55.0	68.0	+4.3	96	22	46	16	67.1	7.3	.418	63	62.7	334	109	67	
August	29.845	81.1	57.0	69.0	+6.1	100	9	48	31	66.8	5.3	.468	71	66.4	260	49	58	
September	29.892	72.1	47.9	60.0	+1.8	94	8	38	22	59.5	5.0	.372	71	62.8	234	77	62	
October	29.742	57.4	43.9	50.7	+0.3	68	12	28	29	49.6	1.6	.314	89	56.0	97	1	29	
November	29.569	49.2	38.4	43.8	+0.4	59	5	28	22	43.7	2.0	.241	84	50.1	55	3	21	
December	29.577	48.6	39.7	44.1	+4.5	54	17	29	8	44.1	1.3	.260	90	46.3	41	7	17	
Year	29.833	60.0	43.5	51.8	+1.7	-	-	-	-	50.9	3.3	.304	79	52.3	1,791	+265	40	

* The hours of observation are 9 a.m. and 9 p.m. local time.

† The averages used are obtained from observations extending over 65 years for Rain and Temperature, and 15 years for Sunshine.

Wind Force.—Beaufort Scale (0-12) is used. The number of observations of moderate and strong wind (force 4-7), the number of observations of calm, and the number of days of gale (force 8 and above) are given in the table.

TABLE 41.—MEAN ANNUAL VALUES OF METEOROLOGICAL

1911.	Height of Barometer Cistern above M.S.L.	Baro- meter.	Air Temperature.								Hygrometer.				Earth Tempera- ture.		Bright Sunshine.		
Station.	Mean Pressure, at 32° F. at Level and Latitude of Station.	Maximum.	Minimum.	Mean of A and B.	Difference from Normal.	Absolute Maximum and Minimum.				Mean of Observa- tions at 9 a.m. and 9 p.m., or at 7 a.m.				At 1 foot depth.	At 4 feet depth.	Total Observed.	Difference from Normal.	Per cent. of Possible.	
						A	B	Maximum.	Day of Month.	Minimum.	Day of Month.	Dry Bulb.	Depression of Wet Bulb.						Vapour Pressure.
1. LONDON :—	Ft.	Ins.	°	°	°	°	°	°	°	°	°	°	In.	%	°	°	Hrs.	Hrs.	%
Tottenham ..	55	29'938	59'2	45'3	52'3	+2'5	96	Aug. 9	23	Feb. 1	51'6	2'7	'331	84	—	53'0	1,718	—	39
Hampstead ..	453	29'520	57'4	43'7	50'6	—	94	Aug. 9	22	Feb. 1, April 6.	49'9	2'8	'303	82	—	—	1,756	—	40
Camden Square	123	29'877	60'7	44'5	52'6	+2'2	97	Aug. 9	21	Feb. 1	51'8	3'2	'317	81	51'2	50'8	1,543	—	35
Westminster ..	—	—	59'7	45'9	52'8	+2'7	96	Aug. 9	25	Feb. 2	—	—	—	—	—	—	1,592	+448	36
Greenwich ..	159	29'833	60'0	43'5	51'8	+1'7	100	Aug. 9	22	Feb. 1	50'9	3'3	'304	80	—	52'3	1,789	+263	40
Dulwich† ..	190	29'784	59'5	43'8	51'7	+2'1	96	Aug. 9	24	Feb. 1, 2	50'8	3'3	'301	79	51'2	—	—	—	—
Kew	34	29'977	58'7	44'8	51'8	+2'3	94	Aug. 9	23	Jan. 16, Feb. 1, 2.	51'2	3'6	'301	78	50'7	50'9	1,720	+253	39
District Value..	—	—	59'3	44'5	51'9	+2'2	100	—	21	—	—	—	—	—	51'0	51'8	1,686	+351	38
2. ENGLAND, CENT.:— (a) East, (b) West.																			
Huddersfield* ..	411	29'521	55'4	42'8	49'1	—	92	Aug. 9	20	Feb. 1	48'4	2'6	'292	83	49'3	48'7	1,414	—	32
Belvoir Castle..	276	29'693	56'9	42'2	49'6	+1'5	95	Aug. 9	17	Feb. 1	48'6	2'6	'290	83	49'8	49'7	1,742	—	39
Coventry	309	29'663	58'1	43'4	50'8	+1'9	94	Aug. 9	19	Feb. 1	50'7	3'3	'289	77	50'0	50'5	1,556	—	35
NOTTINGHAM ..	85	29'879	57'6	42'1	49'9	+1'5	94	Aug. 9	18	Feb. 2	47'0	1'7	'293	88	49'7	49'5	1,532	—	35
Birmingham ..	542	29'405	56'8	43'5	50'2	+2'1	94	Aug. 9	22	Feb. 1	48'5	3'1	'282	81	48'5	49'0	1,289	—	29
Oxford	212	29'784	58'7	43'6	51'2	+2'2	95	Aug. 9	20	Feb. 1, 2	48'7	2'7	'292	83	—	—	1,746	+248	40
Bath	84	29'907	59'3	43'2	51'3	+1'5	93	Sept. 8	20	Feb. 2	48'1	—	—	—	52'2	52'1	1,911	—	43
Shrewsbury ..	212	29'755	58'5	41'9	50'2	+1'2	93	Aug. 9	16	Feb. 1	49'6	2'8	'305	83	—	—	—	—	—
Sheffield	450	29'487	56'2	43'7	50'0	+1'5	92	Aug. 9	24	Feb. 1	49'4	2'9	'298	82	48'7	48'5	1,544	—	35
Buxton*	997	28'903	53'9	40'5	47'2	+1'9	88	Aug. 9	15	Feb. 1	46'9	2'6	'272	83	48'1	48'2	1,520	—	34
Wistanstow ..	484	29'460	57'4	41'5	49'5	—	92	Sept. 8	17	Feb. 1	—	—	—	—	—	—	—	—	—
Cheltenham ..	206	29'779	58'5	44'0	51'2	+2'6	93	Aug. 9	21	Feb. 1	50'9	2'9	'314	82	—	—	1,746	—	40
District Value..	—	—	57'6	42'2	49'6	+1'8	98	—	10	—	—	—	—	—	49'4	49'3	1,589	+182	36
3. ENGLAND, S.E.:—																			
Salisbury ..	186	29'811	59'0	41'8	50'4	+1'4	96	Aug. 13	18	Feb. 2	50'3	2'2	'323	86	52'3	—	—	—	—
Brighton	48	29'962	57'7	45'9	51'8	+1'4	90	Aug. 12	26	Jan. 16	52'7	3'4	'324	79	—	52'5	2,128	+397	48
Portsmouth ..	18	30'001	59'1	46'3	52'7	+2'4	90	Aug. 14	25	Jan. 16	53'2	3'8	'319	77	53'2	53'4	2,100	—	48
Eastbourne ..	36	29'976	57'4	45'9	51'7	+1'6	90	July 22	25	Jan. 16, Feb. 1.	52'0	2'8	'336	83	52'7	52'9	2,158	+419	49
Southampton ..	84	29'932	59'2	45'0	52'1	+1'6	89	July 22, Aug. 14.	25	Jan. 15, 16, Feb. 1, April 6	51'9	3'3	'321	80	—	—	1,914	+249	43
Ventnor	80	29'914	58'2	47'3	52'8	+1'5	87	Aug. 10	27	Feb. 1	53'2	3'7	'322	77	—	—	2,070	+347	47
District Value..	—	—	58'0	44'2	50'9	+1'4	97	—	13	—	—	—	—	—	51'9	52'0	1,935	+332	44
4. ENGLAND, E.:— (a) North, (b) South.																			
Lowestoft ..	75	29'908	55'4	44'7	50'1	+1'6	80	Aug. 18	26	Feb. 2	50'5	2'6	'315	83	51'1	50'8	1,936	—	44
Cromer†	139	—	56'8	43'7	50'3	—	92	Aug. 9	22	April 5	50'4	2'6	'314	84	—	—	1,761	—	40
Hillington ..	92	29'877	57'8	41'9	49'9	+1'7	97	Aug. 9	18	Feb. 1	49'3	2'2	'311	86	—	—	1,687	+188	38
Norwich	93	—	57'6	43'4	50'5	—	94	Aug. 9	20	Feb. 1	—	—	—	—	—	—	—	—	—
Cambridge ..	43	29'934	59'0	42'4	50'7	+1'8	96	Aug. 9	16	Feb. 1	50'0	2'9	'307	83	51'2	51'6	1,841	+281	42
CLACTON.. ..	62	29'929	56'6	44'9	50'8	+1'2	85	Aug. 18	25	Feb. 2, April 6	48'9	1'9	'312	87	51'4	51'8	1,986	—	45
Bennington ..	411	29'590	58'1	42'3	50'2	+1'9	94	Aug. 9	20	Feb. 2	49'1	3'0	'289	81	51'3	51'2	1,829	—	41
Berkhampsted..	397	29'584	58'5	41'8	50'2	+1'8	96	Aug. 9	18	Feb. 1	48'9	2'8	'291	82	51'1	—	1,732	—	39
District Value..	—	—	57'7	43'5	50'4	+2'2	97	—	16	—	—	—	—	—	51'5	51'8	1,812	+229	41

Dulwich now takes the place of Norwood from which it is distant 1 mile E.

† See note on page 9.

ELEMENTS from OBSERVATIONS at SEVERAL STATIONS in the YEAR 1911.

Cloud (0-10).	Rain and other forms of Precipitation.				Weather. Number of days of									Wind.											
														No. of Observations reduced to a total of 1095 for the year.											
	Mean of Observations of amount at 9 a.m. and 9 p.m., or at 7 a.m.	Total Fall.	Difference from Normal.	Most in a day.		Precipitation.	Snow.	Hail.	Thunderstorm.	Clear sky. (<i>See</i> Note on p. 2.)	Overcast. (<i>See</i> Note on p. 2.)	Fog.	Wind force 8 and above.	Force (0-12).		Direction.									
				Amount.	Day of Month.									Moderate and Strong Wind. (Force 4-7.)	Calm.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.		
6.3	23.9	—	1.16	Oct. 24	135	12	0	11	40	126	9	0	58	28	137	171	72	60	63	317	139	106			
6.1	24.0	—	1.21	Oct. 24	164	16	4	14	52	129	26	6	119	161	91	201	64	38	71	246	151	72			
6.2	24.8	- 0.4	1.10	Oct. 24	155	7	3	8	93	179	11	—	—	99	222	150	36	45	102	171	153	117			
—	22.3	- 2.1	0.95	July 28	145	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
6.2	23.7	- 0.4	1.42	Oct. 24	158	15	4	7	50	136	31	0	151	94	109	155	96	45	80	293	180	43			
6.0	23.7	- 1.2	1.24	Oct. 24	141	14	0	14	59	132	31	3	113	173	114	135	77	25	153	183	169	66			
6.0	23.1	- 0.9	1.13	Oct. 24	158	13	0	12	39	118	24	0	265	148	139	139	73	25	134	237	138	62			
6.1	23.6	- 0.8	1.42	—	151	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
6.6	32.7	—	1.33	June 24	206	14	10	11	37	140	11	6	242	117	76	155	78	42	119	134	252	122			
6.2	21.2	- 4.2	1.20	May 26	203	16	4	23	37	121	68	15	351	142	182	76	20	27	106	255	167	120			
6.3	21.4	- 4.3	0.74	Oct. 24	161	13	2	6	87	181	4	0	366	45	81	177	51	66	75	255	189	156			
6.7	19.4	- 5.4	0.93	June 24	177	15	5	12	27	112	17	33	352	13	83	155	156	39	95	231	255	68			
6.2	20.4	- 7.0	0.87	Dec. 14	162	6	0	7	49	129	7	0	143	135	89	144	102	40	136	190	145	114			
6.6	20.9	- 4.1	0.81	May 25	163	11	4	16	58	133	23	3	333	76	116	196	50	56	157	243	141	60			
6.6	25.7	- 4.8	0.78	Dec. 13	146	—	—	—	72	144	—	—	148	240	28	201	86	48	31	204	189	68			
5.8	17.4	—	0.71	June 24	148	10	5	12	33	66	12	1	102	13	84	92	61	108	100	254	205	178			
6.8	25.4	- 7.2	0.98	June 24	169	20	1	8	20	143	22	0	43	133	128	117	27	60	123	224	147	136			
6.3	40.2	-10.4	1.10	Dec. 10	177	28	5	14	46	125	3	6	172	18	45	108	153	63	87	231	228	162			
6.5	27.1	—	0.97	Nov. 9	149	17	4	13	47	154	11	7	72	396	82	95	34	9	28	295	99	57			
5.4	21.7	- 5.9	1.05	Dec. 6	145	6	4	9	83	106	7	14	303	70	42	89	45	114	127	382	102	124			
6.2	22.1	- 4.3	1.71	—	159	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
6.0	36.1	+ 3.9	1.39	Aug. 21	193	7	5	9	43	105	27	0	177	12	134	145	52	92	69	211	182	198			
6.1	30.5	+ 2.9	1.70	Oct. 21	143	10	4	7	81	162	4	—	—	42	153	198	96	63	108	186	156	93			
5.2	30.1	+ 2.5	1.40	Aug. 22 Oct. 24	141	3	1	8	117	125	8	0	465	9	105	147	135	81	90	144	201	183			
4.9	35.5	+ 4.6	1.92	Oct. 23	149	11	1	8	111	102	10	6	83	113	72	263	25	51	24	282	100	165			
4.9	30.4	- 0.5	1.16	Nov. 11	154	9	5	11	106	95	16	0	205	3	6	307	11	138	4	376	45	205			
5.9	29.3	- 0.3	1.35	Nov. 11	165	5	5	6	67	123	6	11	304	30	148	86	112	93	156	252	160	58			
5.6	28.1	+ 1.0	1.92	—	159	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
5.5	21.6	- 2.1	1.49	Nov. 18	165	17	12	15	69	90	24	9	324	31	116	138	88	45	153	231	191	102			
6.7	19.3	—	0.71	Nov. 18	233	4	1	3	20	132	17	2	460	14	132	83	67	99	222	183	154	141			
6.8	32.0	+ 4.5	1.85	June 23	216	11	11	19	25	145	17	3	246	79	69	274	32	45	63	263	152	118			
—	26.7	—	0.97	Nov. 18	197	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
6.0	19.0	- 3.7	0.90	June 23	150	15	14	14	53	127	20	13	163	143	213	35	32	103	152	225	111	81			
6.6	18.6	—	1.24	June 23	142	15	4	10	11	98	8	4	372	12	124	118	100	99	177	152	175	138			
6.0	24.2	- 1.8	1.23	June 23	159	16	6	19	69	139	56	0	41	253	41	153	72	65	84	162	223	42			
6.2	25.8	- 2.7	0.80	Dec. 20	168	20	12	18	56	126	28	1	17	209	80	119	64	36	131	163	208	85			
6.1	23.2	- 0.5	1.85	—	175	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			

§ 3 feet.

|| The sunshine entered to Portsmouth is registered at Southsea.

TABLE 41.—MEAN ANNUAL VALUES OF METEOROLOGICAL

1911.	Station.	Height of Barometer Cistern above M.S.L.	Baro- meter. Mean Pressure, at 32° F. at Level and Latitude of Station.	Air Temperature.								Hygrometer.				Earth Tempera- ture.		Bright Sunshine.		
				Mean of		Difference from Normal.	Absolute Maximum and Minimum.				Mean of Observa- tions at 9 a.m. and 9 p.m., or at 7 a.m.					At 1 foot depth.	At 4 feet depth.	Total Observed.	Difference from Normal.	Per cent. of Possible.
				A	B		Maximum.	Day of Month.	Minimum.	Day of Month.		Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.					
		Ft.	Ins.	°	°	°	°	°	°	°	°	°	°	In.	%	°	°	Hrs.	Hrs.	%
5. ENGLAND, N.E.:—																				
(a) North, (b) South.																				
	Morpeth	331	29°579	53°7	41°3	47°5	—	84	Aug. 9	25	Jan. 31	47°2	2°4	284	84	47°3	47°7	1,608	—	36
a	Shields	117	29°803	54°8	41°7	48°3	+1°1	82	July 14,	25	Jan. 21, 22	47°1	1°8	289	87	—	—	—	—	—
	Durham	352	29°551	54°7	41°1	47°9	+1°1	83	Aug. 9	21	Jan. 21	47°7	2°2	291	86	—	—	1,443	+126	33
	York	53	29°911	57°0	43°1	50°1	+2°0	90	Aug. 9	19	Feb. 1	49°1	3°0	289	81	49°4	49°5	1,411	+135	32
	Spurn Head* ..	28	29°911	54°4	44°9	49°7	+1°4	86	July 21	28	Feb. 1	48°7	2°0	304	86	—	—	—	—	—
b	Lincoln†	42	—	57°6	42°6	50°1	+1°7	96	Aug. 9	21	Feb. 1	50°5	3°3	302	80	48°8	49°2	—	—	—
	Hull	12	—	56°9	43°3	50°1	+2°3	89	July 21	21	Feb. 1	50°0	2°9	300	81	49°0	48°9	1,220	—	28
	District Value..	—	—	55°7	42°5	48°9	+1°6	96	—	19	—	—	—	—	—	49°0	49°2	1,597	+146	36
6. ENGLAND, N.W.:—																				
(a) England, N.W.																				
(b) North Wales.																				
	Southport* ..	42	29°931	55°7	44°3	50°0	+1°8	87	Aug. 13	20	Feb. 1	49°9	2°8	303	83	50°1	50°6	1,823	+357	41
	Manchester (City).	195	29°764	56°9	45°5	51°2	—	88	Aug. 13	25	Feb. 1	50°6	3°4	300	80	49°7	51°0	1,284	—	29
a	Aspatria	254	29°666	55°1	42°0	48°6	+1°5	86	Aug. 13	22	Feb. 2	48°2	2°3	293	85	48°8	48°7	1,724	—	39
	Stonyhurst ..	363	29°579	54°8	43°1	49°0	+1°6	84	July 12	21	Feb. 1	48°8	3°2	283	79	—	—	1,459	+103	33
	Liverp'l, Bidston Obs.	197	29°750	55°7	45°0	50°4	+1°5	87	Aug. 13	24	Feb. 1	49°8	3°3	289	79	—	—	1,767	—	40
b	Llandudno ..	21	29°955	56°8	40°5	51°7	+1°8	90	Aug. 13	26	Feb. 2	51°5	2°5	329	84	—	—	1,817	+361	41
	Bettws-y-Coed	100	29°835	56°8	42°6	49°7	—	87	July 29	20	Feb. 1	49°5	2°2	309	86	49°3	49°5	—	—	—
	District Value..	—	—	55°7	43°8	49°6	+1°4	93	—	17	—	—	—	—	—	49°8	49°6	1,705	+318	38
7. ENGLAND, S.W.:—																				
(a) South Wales.																				
(b) England, S.W.																				
a	Llangamarch Wells.	583	29°354	56°1	39°8	48°0	+0°2	87	Aug. 13	13	Feb. 1	48°7	2°3	300	85	49°2	49°5	1,492	—	34
	PEMBROKE ..	150	29°729	55°9	46°2	51°1	+1°2	82	July 8, 13	28	April 6	49°9	1°7	324	88	—	—	1,842	+200	42
	Bristol (Clifton) ..	229	—	58°5	45°4	52°0	+2°1	91	Aug. 14	23	Feb. 1	—	—	—	—	—	—	1,807	—	41
	PORTLAND BILL	37	29°964	56°1	48°0	52°1	+1°1	83	July 29	28	April 6	51°2	1°6	346	89	—	—	—	—	—
b	Plymouth* ..	116	29°883	58°1	46°5	52°3	+1°4	85	July 13	26	Feb. 3	53°0	2°7	342	83	53°6	—	1,970	+320	45
	Falmouth* ..	183	29°830	56°7	47°4	52°1	+1°1	78	July 8, 14	29	April 6	52°0	2°8	327	83	—	—	2,054	+288	47
	Woolacombe ..	120	29°890	57°6	47°5	52°6	+0°4	88	Sept. 8	26	Feb. 2	52°4	3°1	324	80	—	—	1,918	+292	43
	District Value..	—	—	57°2	44°6	50°7	+1°2	91	—	13	—	—	—	—	—	51°8	—	1,841	+275	42
8. ENGLISH CHAN.:—																				
	SCILLY	152	29°829	56°9	47°8	52°4	+0°1	78	July 8	30	April 6	51°5	1°1	359	92	—	—	1,831	+ 20	41
	JERSEY	36	29°998	59°6	48°3	54°0	+1°9	89	Sept. 7	28	April 6	52°0	2°6	333	83	—	—	2,124	+197	48
	Guernsey (Brooklyn).	311	29°699	58°0	48°2	53°1	+1°3	87	Sept. 8	28	April 6	52°1	3°0	323	81	53°8	53°8	2,124	+218	48
	District Value..	—	—	58°4	48°1	53°2	+1°1	89	—	28	—	—	—	—	—	—	—	2,025	+121	46

† See note on p. 9.

NOTES ON THE STATISTICAL TABLES.

Hours of Observation.—The hours of observation are indicated by the type in which the names of stations are printed. Clarendon, normal climatological stations, 9 a.m. and 9 p.m.; BLACK CAPITALS, telegraphic reporting, normal climatological stations, 7 a.m., 1 p.m., 9 p.m.; Roman, telegraphic reporting stations, 7 a.m., 6 p.m.; Italics, auxiliary climatological stations, 9 a.m. only (Ventnor 9 a.m. and 3 p.m.). At stations marked * an additional observation is taken, at 3 p.m. in the case of stations printed in clarendon type, and at 1 p.m. in the case of stations printed in Roman type. These additional observations are used in preparing the wind summaries, and in computing the number of days of overcast or clear sky. At telegraphic reporting stations (black capitals or Roman type), the results given under "hygrometer" and "cloud" are based on the morning observations only. At Cromer and Lincoln the hygrometrical results are based on the 9 a.m. observation only.

Barometer.—The correction for latitude has not been applied. The values are for station level. They are the means of readings at 9 a.m. only, or 9 a.m. and 9 p.m., or 7 a.m., 1 p.m., 9 p.m., or 7 a.m. and 6 p.m., as the case may be.

Hygrometer.—At certain stations the vapour pressure and relative humidity are the results obtained from the daily values. These are entered in italic type. At other stations the calculations are made from the monthly means of the dry and wet bulb readings.

Rainfall.—The amount is for the 24 hours commencing at the time of morning observation.

Weather Phenomena.—The number of days of Rain, Snow, Hail, Thunderstorm, Fog and Gale are counted irrespective of the hours at which the phenomena occur. Except in the case of rainfall (see above) the day is the civil day. A day is reckoned as a day of "clear sky," if the mean of the estimates of the "amount of cloud" at the fixed hours of observation is less than 2, and as an "overcast" day if the mean is greater than 8.

ELEMENTS from OBSERVATIONS at SEVERAL STATIONS in the YEAR 1911—continued.

Cloud (0-10).	Rain and other forms of Precipitation.				Weather. Number of days of								Wind.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
													No. of Observations reduced to a total of 1095 for the year.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
	Total Fall.	Difference from Normal.	Most in a day.		Precipitation.	Snow.	Hail.	Thunderstorm.	Clear Sky. (See Note on p. 9.)	Overcast. (See Note on p. 9.)	Fog.	Wind force 8 and above.	Force (0-12).		Direction.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
			Amount.	Day of Month.									Moderate and Strong Wind. (Force 4-7.)	Calm.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
Mean of Observations of amount at 9 a.m. and 9 p.m., or at 7 a.m.	Ins.	Ins.	Ins.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					

Wind Summaries.—The results given under wind direction, and the number of observations of calms and of fresh or strong wind, are based on the observations at fixed hours (see above). At Falmouth, Kew and Stonyhurst the wind observations are based on the records of a standard Robinson anemometer (factor 2'2). (At Southport the equivalent values are obtained from a Dines Pressure Tube Anemometer.) Velocities of between 13 and 38 miles in the hour have been entered as "fresh or strong winds," velocities of 39 miles in the hour, or above, as gales.

Averages.—The averages used are—Temperature and Rainfall for the 35 years 1871-1905; Bright sunshine for the 25 years 1881-1905. The values are published in Appendix III. to the Weekly Weather Report of the Meteorological Office for 1906.

Royal Observatory, Greenwich.—The averages for Temperature and Rainfall, with which the current values are compared, are for the 65 years 1841-1905. The averages for sunshine are for the period 1897-1911. The earth temperatures are taken at a depth of 3 ft. 2 in. The daily rainfall amounts are those for the 24 hours comprising the civil day.

Mean Values for Districts.—The yearly mean values for districts for temperature, rainfall and sunshine are computed from the data for those stations which are included in the Weekly Weather Report of the Meteorological Office. The selection of stations is not identical with that included in this Report. The district values, as quoted, are comparable with the statistics published in previous issues of the Weekly Weather Report of which a summary is in course of preparation. The averages with which the current district values are compared are for the 25 years 1881-1905. The district values for amount of cloud and earth temperatures are taken from the Monthly Weather Report of the Meteorological Office.

MARRIAGES ; MODE OF SOLEMNIZATION ; SEASON ;

REGISTRATION DIVISIONS AND REGISTRATION COUNTIES.*	AREA in Statute Acres.†	Enumerated POPULATION, 1911.	TOTAL MARRIAGES.	MARRIAGES.												
				According to the Rites of the Established Church.						Not according to the Rites of the Established Church.						
				Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	TOTAL.	In Registered Buildings.			District Register Office.	Quakers.	Jews.
											Roman Catholics.	Other Christian Deno- minations.				
												Before Registrar.	Before Authorized Person.			
ENGLAND AND WALES ...	37,337,537	36,070,492	274,943	28	7,184	159,063	1,457	213	167,925	107,018	12,002	22,834	12,824	57,435	103	1,820
I.—LONDON	74,816	4,521,685	40,222	18	1,020	23,612	4	4	24,658	15,564	1,614	1,338	508	10,736	15	1,353
1. LONDON	74,816	4,521,685	40,222	18	1,020	23,612	4	4	24,658	15,564	1,614	1,338	508	10,736	15	1,353
II.—SOUTH EASTERN DIV.	3,993,763	3,825,464	26,149	4	610	16,951	22	30	17,617	8,532	529	1,659	495	5,826	10	13
2. SURREY	463,553	920,016	5,857	1	138	3,836	—	10	3,985	1,872	149	300	80	1,338	5	—
3. KENT	968,975	1,019,801	7,058	1	125	4,664	9	5	4,804	2,254	125	384	203	1,538	3	1
4. SUSSEX	938,630	666,838	4,386	2	114	2,937	2	6	3,061	1,325	87	335	43	856	1	3
5. HAMPSHIRE	1,048,916	915,404	6,678	—	188	4,047	10	—	4,245	2,433	147	519	109	1,650	—	8
6. BERKSHIRE	573,689	303,405	2,170	—	45	1,467	1	9	1,522	648	21	121	60	444	1	1
III.—SOUTH MIDLAND DIV.	3,247,303	2,648,579	18,214	2	375	11,913	13	50	12,353	5,861	283	1,343	590	3,634	5	6
7. MIDDLESEX	178,607	1,144,520	7,654	—	176	4,707	4	8	4,895	2,759	180	391	161	2,021	—	6
8. HERTFORDSHIRE	446,424	286,963	1,927	1	26	1,330	—	4	1,361	566	21	161	51	333	—	—
9. BUCKINGHAMSHIRE	407,046	193,919	1,250	—	26	885	1	8	920	330	1	134	34	161	—	—
10. OXFORDSHIRE	491,421	198,491	1,363	1	28	976	—	14	1,019	344	23	93	30	198	—	—
11. NORTHAMPTONSHIRE	642,402	363,852	2,666	—	43	1,701	3	4	1,751	915	30	206	203	473	3	—
12. HUNTINGDONSHIRE	207,572	48,101	349	—	4	254	—	2	260	89	2	31	5	51	—	—
13. BEDFORDSHIRE	307,338	197,624	1,418	—	24	947	4	3	978	440	10	161	69	198	2	—
14. CAMBRIDGESHIRE	566,493	215,109	1,587	—	48	1,113	1	7	1,169	418	16	166	37	199	—	—
IV.—EASTERN DIVISION ..	3,126,362	2,200,675	15,546	—	239	10,613	2	31	10,885	4,661	295	1,044	476	2,831	7	8
15. ESSEX	904,386	1,329,246	9,427	—	129	6,307	2	10	6,448	2,979	239	619	270	1,840	3	8
16. SUFFOLK	930,631	382,732	2,701	—	43	1,910	—	6	1,959	742	24	224	68	425	1	—
17. NORFOLK	1,291,345	488,697	3,418	—	67	2,396	—	15	2,478	940	32	201	138	566	3	—
V.—SOUTH WESTERN DIV.	5,023,620	2,018,320	14,203	1	600	8,247	19	24	8,891	5,312	163	1,906	591	2,644	5	3
18. WILTSHIRE	809,216	279,340	1,918	—	33	1,248	—	3	1,284	634	33	228	60	313	—	—
19. DORSETSHIRE	824,375	220,494	1,493	—	37	1,047	1	4	1,089	404	12	158	30	203	1	—
20. DEVONSHIRE	1,633,467	701,944	5,183	1	250	2,759	7	8	3,025	2,158	79	559	203	1,311	3	3
21. CORNWALL	886,329	325,283	2,234	—	149	993	2	1	1,145	1,089	12	517	165	395	—	—
22. SOMERSETSHIRE ..	1,070,233	491,259	3,375	—	131	2,200	9	8	2,348	1,027	27	444	133	422	1	—
VI.—WEST MIDLAND DIV.	4,052,121	3,997,571	30,629	2	541	20,642	38	19	21,242	9,387	849	1,845	1,115	5,522	18	38
23. GLOUCESTERSHIRE	713,161	672,570	4,968	—	129	2,963	2	7	3,101	1,867	90	440	181	1,148	2	6
24. HEREFORDSHIRE	539,230	113,088	659	2	30	425	—	—	457	202	13	60	6	120	3	—
25. SHROPSHIRE	958,665	266,052	1,701	—	76	1,121	3	6	1,206	495	26	147	25	297	—	—
26. STAFFORDSHIRE ..	771,435	1,359,524	10,730	—	156	7,514	16	1	7,687	3,043	376	608	501	1,553	1	4
27. WORCESTERSHIRE	443,261	562,351	4,048	—	68	2,840	9	2	2,919	1,129	94	161	166	707	1	—
28. WARWICKSHIRE ..	626,369	1,023,986	8,523	—	82	5,779	8	3	5,872	2,651	250	429	236	1,697	11	28

* The Registration or Union Counties consist of groups of Registration Districts which are generally co-extensive with the Poor Law Unions. The Counties are grouped in Registration Divisions, the County of Monmouth being by this arrangement included in the Welsh Division. The differences between Registration Counties and Administrative Counties are shown in Table 7, Vol. 2, of the Census of England and Wales, 1911.
† These areas are derived from those published in the Census Report for 1911. They do not include space occupied by foreshore or tidal waters of rivers and creeks

CIVIL CONDITION ; AGE ; SIGNATURE BY MARK IN REGISTER.

MARRIAGES.												Signed the Marriage Register with Marks.				REGISTRATION DIVISIONS AND REGISTRATION COUNTIES.					
Registered in the Quarter ended the last day in				Contracted between†				Of		Of Persons not of Full Age.				Cases in which							
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.			Men	Women.					Both signed.	One signed.
44,808	75,656	77,873	76,606	243,493	8,646	14,421	8,383	22,804	17,029	10,809	36,651	2,763	3,257	715	4,590	ENGLAND AND WALES.					
6,391	10,387	12,044	11,400	35,454	1,472	2,084	1,212	3,296	2,684	1,234	4,397	355	500	120	615	I.—LONDON.					
6,391	10,387	12,044	11,400	35,454	1,472	2,084	1,212	3,296	2,684	1,234	4,397	355	500	120	615	1. LONDON.					
4,217	6,988	7,399	7,545	23,278	837	1,368	666	2,034	1,503	619	2,705	237	152	53	283	II.—SOUTH EASTERN.					
923	1,585	1,785	1,564	5,243	149	317	148	465	297	130	542	49	39	16	56	2. SURREY.					
1,135	1,817	1,917	2,189	6,314	245	327	172	499	417	181	811	73	49	17	88	3. KENT.					
714	1,209	1,240	1,223	3,877	133	269	107	376	240	101	381	38	19	2	53	4. SUSSEX.					
1,111	1,762	1,834	1,971	5,894	250	339	195	534	445	155	760	54	36	17	56	5. HAMPSHIRE.					
334	615	623	598	1,950	60	116	44	160	104	52	211	23	9	1	30	6. BERKSHIRE.					
2,686	4,803	5,603	5,122	16,365	489	915	445	1,360	934	601	1,964	170	131	27	247	III.—SOUTH MIDLAND.					
1,137	2,034	2,492	1,991	6,816	230	410	198	608	428	209	754	45	29	6	62	7. MIDDLESEX.					
306	532	573	516	1,755	38	94	40	134	78	69	194	21	13	4	26	8. HERTFORDSHIRE.					
173	324	370	383	1,141	32	59	18	77	50	30	137	12	5	2	13	9. BUCKINGHAMSH.					
179	362	434	388	1,218	33	76	36	112	69	42	137	20	16	6	24	10. OXFORDSHIRE.					
383	736	757	790	2,409	71	114	72	186	143	108	323	28	35	3	57	11. NORTHAMPTONSH.					
59	95	83	112	311	13	14	11	25	24	12	52	7	6	2	9	12. HUNTINGDONSH.					
213	341	458	406	1,277	36	77	28	105	64	60	153	13	13	1	24	13. BEDFORDSHIRE.					
236	379	436	536	1,438	36	71	42	113	78	71	214	24	14	3	32	14. CAMBRIDGESH.					
2,343	3,954	4,282	4,967	13,836	432	788	490	1,278	922	470	1,735	202	111	36	241	IV.—EASTERN.					
1,319	2,522	2,815	2,771	8,397	285	447	298	745	583	262	1,058	85	57	16	110	15. ESSEX.					
443	633	658	967	2,396	69	147	89	236	158	77	305	54	32	14	58	16. SUFFOLK.					
581	799	809	1,229	3,043	78	194	103	297	181	131	372	63	22	6	73	17. NORFOLK.					
2,451	4,030	3,668	4,054	12,530	408	833	432	1,265	840	407	1,416	152	115	28	211	V.—SOUTH WESTERN.					
277	527	523	591	1,711	60	105	42	147	102	51	199	21	17	3	32	18. WILTSHIRE.					
243	459	364	427	1,332	46	76	39	115	85	44	152	12	13	5	15	19. DORSETSHIRE.					
926	1,480	1,330	1,447	4,532	167	299	185	484	352	133	546	39	36	5	65	20. DEVONSHIRE.					
460	572	556	646	1,949	63	158	64	222	127	79	248	36	28	9	46	21. CORNWALL.					
545	992	895	943	3,006	72	195	102	297	174	100	271	44	21	6	53	22. SOMERSETSHIRE.					
4,764	8,524	8,437	8,904	27,195	893	1,560	981	2,541	1,874	1,417	4,193	369	411	99	582	VI.—WEST MIDLAND.					
803	1,335	1,386	1,444	4,311	136	341	180	521	316	120	426	60	51	14	83	23. GLOUCESTERSH.					
116	200	167	176	586	18	42	13	55	31	8	53	8	8	—	16	24. HEREFORDSHIRE.					
287	489	455	470	1,526	46	87	42	129	88	44	150	21	20	4	33	25. SHROPSHIRE.					
1,703	3,011	2,853	3,163	9,601	324	467	338	805	662	646	1,600	135	159	39	216	26. STAFFORDSHIRE.					
590	1,128	1,196	1,134	3,611	110	210	117	327	227	176	469	49	34	15	53	27. WORCESTERSHIRE.					
1,265	2,361	2,380	2,517	7,560	259	413	291	704	550	423	1,295	96	139	27	181	28. WARWICKSHIRE.					

† Divorced men and women who marry are classified in the Marriage Tables as bachelors and spinsters.

MARRIAGES ; MODE OF SOLEMNIZATION ; SEASON ;

REGISTRATION DIVISIONS AND REGISTRATION COUNTIES.	AREA in Statute Acres.	Enumerated POPULATION, 1911.	TOTAL MARRIAGES.	MARRIAGES.												
				According to the Rites of the Established Church.						Not according to the Rites of the Established Church.						
				Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	TOTAL.	In Registered Buildings.			District Register Office.	Quakers.	Jews.
											Roman Catholics.	Other Christian Deno- minations.				
												Before Registrar.	Before Authorized Person.			
VII.—NORTH MIDLAND DIV.	3,504,656	2,323,887	17,575	—	465	10,801	19	24	11,309	6,266	273	1,426	1,146	3,414	—	7
29. LEICESTERSHIRE ..	550,168	481,061	3,685	—	67	2,189	7	6	2,269	1,416	68	307	259	780	—	2
30. RUTLANDSHIRE ..	108,700	21,167	121	—	3	95	—	—	98	23	2	8	—	13	—	—
31. LINCOLNSHIRE ..	1,668,603	557,485	4,308	—	124	2,807	3	10	2,944	1,364	39	318	314	690	—	3
32. NOTTINGHAMSHIRE ..	616,287	716,519	5,545	—	149	3,349	—	6	3,504	2,041	60	365	298	1,316	—	2
33. DERBYSHIRE ..	560,898	547,655	3,916	—	122	2,361	9	2	2,494	1,422	104	428	275	615	—	—
VIII.—NORTH WEST'RN DIV.	1,910,815	5,720,367	44,582	1	1,485	23,673	709	5	25,873	18,709	4,594	4,118	3,692	6,068	11	226
34. CHESHIRE ..	611,276	895,278	6,467	1	259	3,704	31	—	3,995	2,472	377	588	528	977	—	2
35. LANCASHIRE ..	1,299,539	4,825,089	38,115	—	1,226	19,969	678	5	21,878	16,237	4,217	3,530	3,164	5,091	11	224
IX.—YORKSHIRE DIVISION	3,721,246	3,968,664	30,936	—	635	18,873	199	10	19,717	11,219	1,396	2,341	2,550	4,801	17	114
36. WEST RIDING ..	1,751,064	3,044,608	23,843	—	387	14,552	191	5	15,135	8,708	1,003	1,867	2,096	3,636	10	96
37. EAST RIDING (with YORK)	693,171	507,038	3,987	—	100	2,536	1	3	2,640	1,347	156	188	323	660	4	16
38. NORTH RIDING ..	1,277,011	417,018	3,106	—	148	1,785	7	2	1,942	1,164	237	286	131	505	3	2
X.—NORTHERN DIVISION	3,536,522	2,403,239	18,969	—	626	8,889	329	7	9,851	9,118	1,482	1,489	1,027	5,085	14	21
39. DURHAM ..	766,591	1,377,025	11,242	—	263	5,215	259	5	5,742	5,500	918	761	730	3,073	6	12
40. NORTHUMBERLAND ..	1,291,515	696,893	5,412	—	175	2,422	13	—	2,610	2,802	401	542	173	1,670	7	9
41. CUMBERLAND ..	973,086	265,746	1,873	—	162	948	56	1	1,167	706	156	145	111	293	1	—
42. WESTMORLAND ..	505,330	63,575	442	—	26	304	1	1	332	110	7	41	13	49	—	—
XI.—WELSH DIVISION	5,146,313	2,442,041	17,918	—	568	4,849	103	9	5,529	12,389	524	4,325	634	6,874	1	31
43. MONMOUTHSHIRE ..	395,593	414,666	3,110	—	81	1,206	6	1	1,294	1,816	111	728	63	909	—	5
44. GLAMORGANSHIRE ..	576,540	1,130,668	8,830	—	219	2,171	34	2	2,426	6,404	334	1,578	368	4,097	1	26
45. CARMARTHENSHIRE ..	465,226	151,050	1,140	—	44	195	17	—	256	884	4	318	60	502	—	—
46. PEMBROKESHIRE ..	357,419	84,874	632	—	40	198	10	2	250	382	7	130	39	206	—	—
47. CARDIGANSHIRE ..	595,412	80,769	499	—	34	68	15	2	119	380	—	176	21	183	—	—
48. BRECKNOCKSHIRE ..	473,080	56,370	398	—	19	109	5	—	133	265	9	191	2	63	—	—
49. RADNORSHIRE ..	238,663	17,505	116	—	7	57	3	2	69	47	—	38	3	6	—	—
50. MONTGOMERYSHIRE ..	591,999	62,201	384	—	17	126	1	—	144	240	1	136	12	91	—	—
51. FLINTSHIRE ..	106,878	69,722	439	—	15	191	3	—	209	230	11	142	12	65	—	—
52. DENBIGHSHIRE ..	378,309	136,810	893	—	21	247	4	—	272	621	18	290	21	292	—	—
53. MERIONETHSHIRE ..	524,035	60,280	339	—	10	47	—	—	57	282	1	181	10	90	—	—
54. CARNARVONSHIRE ..	322,742	141,767	922	—	43	212	4	—	259	663	13	302	20	328	—	—
55. ANGLESEY ..	120,417	35,359	216	—	18	22	1	—	41	175	15	115	3	42	—	—

CIVIL CONDITION ; AGE ; SIGNATURE BY MARK IN REGISTER—*continued.*

MARRIAGES.												Signed the Marriage Register with Marks.				REGISTRATION DIVISIONS AND REGISTRATION COUNTIES.
Registered in the Quarter ended the last day of				Contracted between*				Of		Of Persons not of Full Age.		Men.	Women.	Cases in which		
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.			Both signed.	One signed.	
2,745	5,324	4,636	4,870	15,732	463	856	524	1,380	987	1,014	3,008	141	179	34	252	VII.—NORTH MIDLAND.
511	1,179	1,000	995	3,318	96	151	120	271	216	206	471	22	26	3	42	29. LEICESTERSHIRE.
17	31	35	38	108	2	7	4	11	6	5	12	—	—	—	—	30. RUTLANDSHIRE.
692	1,368	1,082	1,166	3,869	114	214	111	325	225	204	742	33	37	7	56	31. LINCOLNSHIRE.
866	1,638	1,431	1,310	4,939	156	270	180	450	336	410	1,133	55	78	17	99	32. NOTTINGHAMSH.
659	1,108	1,088	1,061	3,498	95	214	109	323	204	189	650	31	38	7	55	33. DERBYSHIRE.
7,565	12,593	13,253	11,171	39,185	1,424	2,482	1,491	3,973	2,915	1,899	5,490	393	606	110	779	VIII.—N. WESTERN.
1,081	1,786	1,911	1,689	5,737	171	407	152	559	323	225	723	49	49	11	76	34. CHESHIRE.
6,484	10,807	11,342	9,482	33,448	1,253	2,075	1,339	3,414	2,592	1,674	4,767	344	557	99	703	35. LANCASHIRE.
4,928	8,834	8,642	8,532	27,277	953	1,645	1,061	2,706	2,014	1,486	5,201	315	453	96	576	IX.—YORKSHIRE.
3,727	6,855	6,788	6,473	20,967	704	1,293	879	2,172	1,583	1,196	4,032	284	341	80	445	36. WEST RIDING.
673	1,045	1,076	1,193	3,548	140	190	109	299	249	132	519	21	46	4	59	37. EAST RIDING (with YORK).
528	934	778	886	2,762	109	162	73	235	182	158	650	30	66	12	72	38. NORTH RIDING.
3,419	5,441	5,211	4,898	16,833	687	887	562	1,449	1,249	958	3,708	202	302	50	404	X.—NORTHERN.
1,960	3,249	3,122	2,911	9,985	396	500	361	861	757	632	2,482	142	204	33	280	39. DURHAM.
1,018	1,539	1,487	1,368	4,772	228	258	154	412	382	250	939	41	78	10	99	40. NORTHUMBERLD.
367	526	482	498	1,683	51	98	41	139	92	62	249	16	19	7	21	41. CUMBERLAND.
74	127	120	121	393	12	31	6	37	18	14	33	3	1	—	4	42. WESTMORLAND.
3,299	4,778	4,698	5,143	15,808	588	1,003	519	1,522	1,107	704	2,834	227	297	62	400	XI.—WELSH.
591	882	820	817	2,753	123	135	99	234	222	167	619	40	70	13	84	43. MONMOUTHSHIRE.
1,638	2,321	2,401	2,470	7,798	336	437	259	696	595	396	1,673	110	132	25	192	44. GLAMORGANSH.
208	250	329	353	1,002	30	84	24	108	54	44	158	12	20	5	22	45. CARMARTHENSH.
108	150	159	215	567	12	43	10	53	22	25	78	5	6	2	7	46. PEMBROKESHIRE.
86	121	113	179	434	8	42	15	57	23	12	20	10	9	4	11	47. CARDIGANSHIRE.
77	109	96	116	348	13	27	10	37	23	9	45	6	8	2	10	48. BRECKNOCKSHIRE.
15	45	22	34	108	1	5	2	7	3	2	10	—	—	—	—	49. RADNORSHIRE.
72	121	96	95	334	6	34	10	44	16	5	35	7	6	1	11	50. MONTGOMERYSH.
76	129	111	123	397	8	20	14	34	22	2	42	4	5	2	5	51. FLINTSHIRE.
155	247	231	260	781	26	58	28	86	54	15	86	9	13	—	22	52. DENBIGHSHIRE.
53	111	69	106	291	5	29	14	43	19	8	12	2	5	2	3	53. MERIONETHSHIRE.
178	240	205	299	801	17	78	26	104	43	16	44	15	19	4	26	54. CARNARVONSH.
42	52	46	76	194	3	11	8	19	11	3	12	7	4	2	7	55. ANGLESEY.

* See note † on page 127.

ENGLAND AND WALES.—AGES and CONDITIONS of

	MINORS.								Age not stated.	FULL						
	14—	15—	16—	17—	18—	19—	20—	21—		22—	23—	24—	25—	30—	35—	
Men ...	—	1	5	60	696	2,870	7,164	13	18,835	20,920	23,693	25,039	97,198	37,553	16,117	
Bachelors ...	—	1	5	60	696	2,870	7,163	13	18,830	20,898	23,639	24,961	95,918	34,929	12,577	
Widowers ...	—	—	—	—	—	—	1	—	5	22	54	78	1,280	2,624	3,540	
Bachelors who married :—																
Spinsters ...	—	1	5	60	694	2,865	7,135	13	18,750	20,734	23,444	24,679	93,930	32,941	10,920	
Widows ...	—	—	—	—	2	5	28	—	80	164	195	282	1,988	1,988	1,657	
Widowers who married :—																
Spinsters ...	—	—	—	—	—	—	1	—	5	21	52	76	1,160	2,228	2,699	
Widows ...	—	—	—	—	—	—	—	—	—	1	2	2	120	396	841	

ENGLAND and WALES.—AGES and CONDITIONS of

	MINORS.								Age not stated.	FULL						
	14—	15—	16—	17—	18—	19—	20—	21—		22—	23—	24—	25—	30—	35—	
Women ...	1	11	160	1,136	5,455	11,815	18,041	32	29,219	25,871	25,414	24,013	78,642	26,712	11,576	
Spinsters ...	1	11	160	1,136	5,455	11,813	18,036	32	29,190	25,805	25,288	23,855	76,907	23,917	8,315	
Widows ...	—	—	—	—	—	2	5	—	29	66	126	158	1,735	2,795	3,261	
Spinsters who married :—																
Bachelors ...	1	11	157	1,125	5,387	11,689	17,811	32	28,743	25,305	24,768	23,283	73,822	21,087	6,094	
Widowers ...	—	—	3	11	68	124	225	—	447	500	520	572	3,085	2,830	2,221	
Widows who married :—																
Bachelors ...	—	—	—	—	—	2	4	—	28	61	105	140	1,429	2,073	1,996	
Widowers ...	—	—	—	—	—	—	1	—	1	5	21	18	306	722	1,265	

the 274,943 MEN who MARRIED in the Year 1911.

AGE.											TOTALS.			—
40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and up-wards.	Age not stated.	Minors.	Full Age.	All Ages.	
8,022	5,423	3,560	2,481	1,704	996	551	199	36	16	1,791	10,809	264,134	274,943	Men.
4,689	2,146	855	365	153	73	38	10	1	—	1,249	10,808	241,331	252,139	Bachelors.
3,333	3,277	2,705	2,116	1,551	923	513	189	35	16	542	1	22,803	22,804	Widowers.
														Bachelors who married :—
3,652	1,555	577	225	94	50	21	10	1	—	1,137	10,773	232,720	243,493	Spinsters.
1,037	591	278	140	59	23	17	—	—	—	112	35	8,611	8,646	Widows.
														Widowers who married :—
2,252	1,883	1,373	1,010	637	407	193	62	16	5	341	1	14,420	14,421	Spinsters.
1,081	1,394	1,332	1,106	914	516	320	127	19	11	201	—	8,383	8,383	Widows.

the 274,943 WOMEN who MARRIED in the Year 1911.

AGE.											TOTALS.			—
40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and up-wards.	Age not stated.	Minors.	Full Age.	All Ages.	
6,198	4,017	2,124	1,247	662	352	201	49	1	2	1,992	36,651	238,292	274,943	Women.
3,390	1,710	735	333	112	55	19	5	—	1	1,633	36,644	221,270	257,914	Spinsters.
2,808	2,307	1,389	914	550	297	182	44	1	1	359	7	17,022	17,029	Widows.
														Spinsters who married :—
1,846	683	224	79	29	18	9	3	—	—	1,287	36,213	207,280	243,493	Bachelors.
1,544	1,027	511	254	83	37	10	2	—	1	346	431	13,990	14,421	Widows.
														Widows who married :—
1,308	765	335	143	64	33	11	2	1	1	145	6	8,640	8,646	Bachelors.
1,500	1,542	1,054	771	486	264	171	42	—	—	214	1	8,382	8,383	Widows.

ENGLAND AND WALES.—AGES of the 243,493 BACHELORS and of the 243,493 SPINSTERS who intermarried in 1911.

SPINSTERS UNDER AGE.										SPINSTERS OF FULL AGE.										Total Bachelors.	70 and upwards.	Not stated.	Total Bachelors.	
14—	15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—					65—
BACHELORS UNDER AGE.	15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.			
	15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.			
	15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.			
	15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.			
	15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.			
	15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.			
BACHELORS OF FULL AGE.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75 and upwards.	Not stated.	Total Bachelors.		Total Bachelors.		Total Bachelors.			
	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75 and upwards.	Not stated.	Total Bachelors.		Total Bachelors.		Total Bachelors.			
	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75 and upwards.	Not stated.	Total Bachelors.		Total Bachelors.		Total Bachelors.			
	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75 and upwards.	Not stated.	Total Bachelors.		Total Bachelors.		Total Bachelors.			
	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75 and upwards.	Not stated.	Total Bachelors.		Total Bachelors.		Total Bachelors.			
	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75 and upwards.	Not stated.	Total Bachelors.		Total Bachelors.		Total Bachelors.			
Total Spinsters		1	11	157	1,125	5,387	11,689	17,811	32	28,743	25,305	24,768	23,283	73,822	21,087	6,094	1,846	683	224	29	18	12	1,287	243,493

For the method of reading this table, see explanatory note on page 132.

ENGLAND AND WALES.—AGES of the 8,646 BACHELORS and of the 8,646 Widows who intermarried in 1911.

BACHELORS UNDER AGE.	WIDOWS OF FULL AGE.													Total Bachelors.	Bachelors. 85 and upwards, Not stated.	Total Widows		
	WIDOWS UNDER AGE.																	
	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Not stated.
18—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
19—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
23—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
40—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
85 and upwards, Not stated.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total Bachelors	2	4	—	28	61	105	140	1,429	2,073	1,996	1,308	765	335	143	64	33	15	145
Total Widows	2	4	—	28	61	105	140	1,429	2,073	1,996	1,308	765	335	143	64	33	15	145

For the method of reading this table, see explanatory note on page 132.

LONDON.—AGES and CONDITIONS of the 40,222

—	MINORS.								FULL						
	14—	15—	16—	17—	18—	19—	20—	Age not stated.	21—	22—	23—	24—	25—	30—	35—
Men ...	—	—	—	8	75	339	811	1	2,359	2,838	3,272	3,460	14,127	5,791	2,661
Bachelors ...	—	—	—	8	75	339	811	1	2,359	2,836	3,266	3,449	13,984	5,488	2,211
Widowers ...	—	—	—	—	—	—	—	—	—	2	6	11	143	303	450
Bachelors who married :—															
Spinsters ...	—	—	—	8	75	339	810	1	2,348	2,822	3,240	3,407	13,684	5,171	1,930
Widows ...	—	—	—	—	—	—	1	—	11	14	26	42	300	317	281
Widowers who married :—															
Spinsters ...	—	—	—	—	—	—	—	—	—	2	6	11	128	255	327
Widows ...	—	—	—	—	—	—	—	—	—	—	—	—	15	48	123

LONDON.—AGES and CONDITIONS of the 40,222

—	MINORS.								FULL						
	14—	15—	16—	17—	18—	19—	20—	Age not stated.	21—	22—	23—	24—	25—	30—	35—
Women ...	1	—	25	130	597	1,388	2,253	3	4,171	3,850	3,889	3,647	11,644	3,947	1,895
Spinsters ...	1	—	25	130	597	1,388	2,253	3	4,169	3,843	3,868	3,622	11,353	3,497	1,382
Widows ...	—	—	—	—	—	—	—	—	2	7	21	25	291	450	513
Spinsters who married :—															
Bachelors ...	1	—	25	126	584	1,370	2,222	3	4,108	3,781	3,799	3,546	10,895	3,122	1,050
Widowers ...	—	—	—	4	13	18	31	—	61	62	69	76	458	375	332
Widows who married :—															
Bachelors ...	—	—	—	—	—	—	—	—	2	6	18	25	241	330	314
Widowers ...	—	—	—	—	—	—	—	—	—	1	3	—	50	120	199

MEN who MARRIED in the Year 1911.

AGE.											TOTALS.			—
40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and up-wards	Age not stated.	Minors.	Full Age.	All Ages.	
1,456	1,030	643	410	276	150	91	27	5	1	391	1,234	38,988	40,222	Men.
922	504	208	91	45	18	8	1	—	—	302	1,234	35,692	36,926	Bachelors.
534	526	435	319	231	132	83	26	5	1	89	—	3,296	3,296	Widowers.
725	373	148	57	28	15	6	1	—	—	266	1,233	34,221	35,454	Bachelors who married :— Spinsters.
197	131	60	34	17	3	2	—	—	—	36	1	1,471	1,472	Widows.
345	302	249	167	105	71	42	11	4	—	59	—	2,084	2,084	Widowers who married :— Spinsters.
189	224	186	152	126	61	41	15	1	1	30	—	1,212	1,212	Widows.

WOMEN who MARRIED in the Year 1911.

AGE.											TOTALS.			—
40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and up-wards.	Age not stated.	Minors.	Full Age.	All Ages.	
1,048	643	329	166	69	47	26	4	—	—	450	4,397	35,825	40,222	Women.
545	289	117	58	13	13	6	1	—	—	365	4,397	33,141	37,538	Spinsters.
503	354	212	108	56	34	20	3	—	—	85	—	2,684	2,684	Widows.
309	130	38	20	4	8	5	—	—	—	308	4,331	31,123	35,454	Spinsters who married :— Bachelors.
236	159	79	38	9	5	1	1	—	—	57	66	2,018	2,084	Widows.
240	139	64	26	11	6	1	—	—	—	49	—	1,472	1,472	Widows who married :— Bachelors.
263	215	148	82	45	28	19	3	—	—	36	—	1,212	1,212	Widows.

LONDON.—AGES of the 40,222 MEN and of the 40,222 WOMEN who intermarried in 1911.

WIVES UNDER AGE.													WIVES OF FULL AGE.													Total Husbands.	Husbands.	Wives.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
14—	15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75 and upwards.	Not stated.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
HUSBANDS UNDER AGE.													HUSBANDS OF FULL AGE.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
15—	16—	17—	18—	19—	20—	Not stated.																		15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75 and upwards.	Not stated.	40,222	40,222																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
8	75	339	811	1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															</

For the method of reading this table, see explanatory note on page 132.

LONDON.—AGES of the 2,084 WIDOWERS and of the 2,084 SPINSTERS who intermarried in 1911.

SPINSTERS UNDER AGE.													SPINSTERS OF FULL AGE.											Total Widowers.	Widowers. 2,084	Spinsters. 2,084
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and up- wards.	Not stated.					
WIDOWERS UNDER AGE. <div>18— 19— 20— Not stated.</div>	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
WIDOWERS OF FULL AGE. <div>21— 22— 23— 24— 25— 30— 35— 40— 45— 50— 55— 60— 65— 70— 75— 80— 85 and upwards. Not stated.</div>	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Total Spinsters	—	—	4	13	18	31	—	61	62	69	76	458	375	332	236	159	79	38	9	5	2	57	2,084			

For the method of reading this table, see explanatory note on page 132.

NUMBER of MARRIAGES in each REGISTRATION DISTRICT, 1911.

District.	Marriages.	District.	Marriages.	District.	Marriages.	District.	Marriages.
LONDON.		KENT—cont.		BERKSHIRE.		NORTHAMPTON- SHIRE—cont.	
Paddington ...	1552	Bridge ...	82	Newbury ...	167	Brixworth ...	71
Kensington ...	1686	Canterbury ...	165	Hungerford ...	99	Wellingborough ...	419
Fulham ...	2552	Blean ...	158	Faringdon ...	78	Kettering ...	384
Chelsea ...	557	Faversham ...	221	Abingdon ...	129	Thrapston ...	102
St. George, Hano- ver Square.	1343	Milton ...	232	Wantage... ..	89	Oundle ...	60
Westminster ...	411	Sheppey... ..	144	Wallingford ...	96	Peterborough ...	425
St. Marylebone ...	1323	Thanet ...	488	Bradfield ...	121	HUNTINGDON- SHIRE.	
Hampstead ...	702	Eastry ...	223	Reading ...	658	Huntingdon ...	132
St. Pancras ...	2059	Dover ...	433	Wokingham ...	162	St. Ives ...	111
Islington ...	2843	Elham ...	449	Maidenhead ...	214	St. Neots ...	106
Hackney ...	2183	Romney Marsh... ..	32	Easthampstead ...	90	BEDFORDSHIRE.	
St. Giles ...	360	SUSSEX.		Windsor... ..	267	Bedford ...	449
Strand ...	297			MIDDLESEX.		Biggleswade ...	192
Holborn ...	1112			Staines ...	206	Amptill ...	152
London City ...	451	Rye ...	81	Uxbridge ...	358	Leighton Buzzard	113
Shoreditch ...	1015	Hastings ...	380	Brentford ...	1909	Luton ...	512
Bethnal Green ...	1005	Battle ...	159	Willesden ...	1043	CAMBRIDGE- SHIRE.	
Whitechapel ...	527	Eastbourne ...	400	Hendon ...	541	Caxton ...	68
St. George in the East.	306	Hailsham ...	110	Barnet ...	537	Chesterton ...	277
Stepney ...	381	Ticehurst ...	121	Edmonton ...	3060	Cambridge ...	309
Mile End Old Town	1302	Uckfield ...	168	HERTFORDSHIRE.		Linton ...	69
Poplar ...	1471	East Grinstead ...	119	Ware ...	164	Newmarket ...	227
Southwark ...	1898	Cuckfield ...	164	Bishop Stortford	150	Ely ...	170
St. Olave (Ber- mondsey).	1123	Lewes ...	149	Royston ...	155	North Witchford	163
Lambeth ...	2471	Newhaven ...	72	Hitchin ...	267	Whittlesey ...	36
Wandsworth ...	3624	Brighton ...	844	Hertford ...	145	Wisbech... ..	268
Camberwell ...	2166	Steyning ...	566	Hatfield ...	70	ESSEX.	
Greenwich ...	1328	Horsham ...	230	St. Albans ...	289	West Ham ...	5416
Lewisham ...	1129	Petworth ...	55	Watford... ..	441	Epping ...	180
Woolwich ...	1045	Thakeham ...	44	Hemel Hempstead	132	Ongar ...	76
SURREY.		East Preston ...	322	Berkhampstead	114	Romford ...	909
		Westhampnett ...	173	BUCKINGHAM- SHIRE.		Orsett ...	298
		Chichester ...	65	Amersham ...	164	Billericay ...	163
		Midhurst ...	98	Eton ...	243	Chelmsford ...	253
		Westbourne ...	66	Wycombe ...	374	Rochford ...	628
		HAMPSHIRE.		Aylesbury ...	177	Maldon ...	172
Epsom ...	459	Havant ...	106	Winslow ...	40	Tendring ...	317
Chertsey ...	302	Portsmouth ...	2054	Newport Pagnell	189	Colchester ...	330
Guildford ...	505	Alverstone ...	234	Buckingham ...	63	Lexden ...	150
Farnham ...	486	Fareham ...	200	OXFORDSHIRE.		Halstead ...	117
Hambleton ...	151	Isle of Wight ...	604	Henley ...	140	Braintree ...	191
Dorking ...	100	Lymington ...	98	Thame ...	90	Dunmow ...	119
Reigate ...	327	Christchurch ...	572	Headington ...	280	Saffron Walden...	108
Godstone ...	190	Ringwood ...	43	Oxford ...	212	SUFFOLK.	
Croydon ...	1791	Fordingbridge ...	35	Bicester ...	89	Risbridge ...	107
Kingston ...	1111	New Forest ...	107	Woodstock ...	104	Sudbury ...	180
Richmond ...	435	Southampton ...	912	Witney ...	143	Cosford ...	106
KENT.		South Stoneham	348	Chipping Norton	120	Bury St. Edmunds	209
Bromley ...	621	Romsey ...	72	Banbury ...	185	Mildenhall ...	46
Dartford ...	635	Stockbridge ...	44	NORTHAMPTON- SHIRE.		Stow ...	139
Gravesend ...	241	Winchester ...	272	Brackley ...	55	Hartismere ...	149
Strood ...	292	Droxford ...	81	Towcester ...	69	Bosmere... ..	103
Hoo ...	37	Catherington ...	26	Potterspury ...	109	Samford... ..	86
Medway ...	873	Petersfield ...	101	Hardingstone ...	82	Ipswich ..	559
Malling ...	204	Alresford ...	47	Northampton ...	776	Woodbridge ...	178
Sevenoaks ...	206	Alton ...	132	Daventry ...	114	Plomesgate ...	129
Tonbridge ...	474	Hartley Wintney	240			Blything ...	193
Maidstone ...	380	Basingstoke ...	153			Wangford ...	108
Hollingbourn ...	80	Whitchurch ...	37			Mutford... ..	409
Cranbrook ...	79	Andover... ..	110				
Tenterden ...	64	Kingsclere ...	50				
West Ashford ...	159						
East Ashford ...	86						

NUMBER of MARRIAGES in each REGISTRATION DISTRICT, 1911—*continued.*

District.	Marriages.	District.	Marriages.	District.	Marriages.	District.	Marriages.
NORFOLK.		DEVONSHIRE— <i>cont.</i>		GLOUCESTER- SHIRE— <i>cont.</i>		WARWICKSHIRE.	
Yarmouth ...	438	Plymouth ...	970	Winchcomb ...	73	Birmingham ...	2194
Flegg ...	70	East Stonehouse ...	123	Cheltenham ...	389	Aston ...	2985
Smallburgh ...	133	Devonport ...	616	Tewkesbury ...	81	Meriden ...	82
Erpingham ...	141	Tavistock ...	170			Atherstone ...	151
Aylsham ...	106	Okehampton ...	127	HEREFORDSHIRE.		Nuneaton ...	305
St. Faith's ...	60	Crediton ...	102			Foleshill ...	155
Norwich ...	926	Tiverton ...	190	Ledbury ...	68	Coventry ...	938
Forehoe ...	71	South Molton ...	80	Ross ...	88	Rugby ...	283
Henstead ...	77	Barnstaple ...	294	Hereford ...	276	Solihull ...	509
Blofield ...	75	Torrington ...	74	Weobley ...	38	Warwick ...	416
Loddon ...	76	Bideford ...	155	Bromyard ...	56	Stratford on Avon ...	163
Depwade ...	174	Holsworthy ...	65	Leominster ...	67	Alcester ...	178
Wayland ...	91			Kington ...	66	Shipston on Stour ...	103
Mitford ...	162	CORNWALL.				Southam ...	61
Walsingham ...	116	Stratton ...	53	SHROPSHIRE.		LEICESTERSHIRE.	
Docking ...	118	Camelford ...	55	Ludlow ...	120	Lutterworth ...	75
Freebridge Lynn ...	102	Launceston ...	85	Clun ...	52	Market ...	156
King's Lynn ...	146	St. Germans ...	96	Church Stretton ...	38	Harborough.	
Downham ...	146	Liskeard ...	162	Cleobury Mor- timer.	53	Billesdon ...	51
Swaffham ...	62	Bodmin ...	111	Bridgnorth ...	81	Blaby ...	188
Thetford ...	128	St. Columb ...	131	Shifnal ...	61	Hinckley ...	194
WILTSHIRE.		St. Austell ...	253	Madeley ...	144	Market Bosworth ...	133
Swindon ...	477	Truro ...	236	Atcham ...	372	Ashby de la Zouch ...	350
Cricklade ...	75	Falmouth ...	186	Oswestry ...	178	Loughborough ...	306
Malmesbury ...	80	Helston ...	121	Ellesmere ...	98	Barrow upon Soar ...	199
Chippenham ...	163	Redruth ...	391	Wem ...	59	Leicester ...	1886
Calne ...	50	Penzance ...	342	Whitchurch ...	80	Melton Mowbray ...	147
Marlborough ...	55	Isles of Scilly ...	12	Market Drayton ...	81	RUTLANDSHIRE.	
Devizes ...	126	SOMERSETSHIRE.		Wellington ...	182	Oakham ...	61
Melksham ...	137	Williton ...	113	Newport ...	102	Uppingham ...	60
Bradford on Avon ...	71	Dulverton ...	37	STAFFORDSHIRE.		LINCOLNSHIRE.	
Westbury ...	63	Wellington ...	120	Stafford ...	274	Stamford ...	108
Warminster ...	79	Taunton ...	289	Stone ...	127	Bourne ...	136
Pewsey ...	77	Bridgwater ...	238	Newcastle under Lyne.	340	Spalding ...	165
Amesbury ...	74	Langport ...	103	Wolstanton ...	939	Holbeach ...	123
Salisbury ...	234	Chard ...	198	Stoke upon Trent ...	1424	Boston ...	303
Wilton ...	66	Yeovil ...	214	Leek ...	352	Sleaford ...	190
Tisbury ...	51	Wincanton ...	113	Cheadle ...	191	Grantham ...	250
Mere ...	40	Frome ...	179	Uttoxeter ...	95	Lincoln ...	746
DORSETSHIRE.		Shepton Mallet ...	89	Burton upon Trent ...	681	Horncastle ...	145
Shaftesbury ...	84	Wells ...	156	Tamworth ...	222	Spilsby ...	178
Sturminster ...	70	Axbridge ...	342	Lichfield ...	290	Louth ...	192
Blandford ...	69	Clutton ...	174	Cannock ...	366	Grimsby ...	891
Wimborne ...	120	Bath ...	579	Wolverhampton ...	1446	Caistor ...	123
Poole ...	317	Keynsham ...	255	Walsall ...	1136	Glanford Brigg ...	442
Wareham ...	135	Long Ashton ...	176	West Bromwich ...	1552	Gainsborough ...	316
Weymouth ...	293	GLOUCESTER- SHIRE.		Dudley ...	1295	NOTTINGHAM- SHIRE.	
Dorchester ...	168	Bristol ...	2760	WORCESTER- SHIRE.		East Retford ...	204
Sherborne ...	88	ChippingSodbury ...	109	Stourbridge ...	759	Worksop ...	403
Beaminster ...	49	Thornbury ...	113	Kidderminster ...	340	Mansfield ...	936
Bridport ...	100	Dursley ...	90	Tenbury ...	29	Basford ...	1369
DEVONSHIRE		Westbury on Severn.	153	Martley ...	72	Nottingham ...	2195
Axminster ...	111	Newent ...	54	Worcester ...	404	Southwell ...	109
Honiton ...	162	Gloucester ...	526	Upton on Severn ...	178	Newark ...	236
St. Thomas ...	349	Wheatenhurst ...	27	Evesham ...	138	Bingham ...	93
Exeter ...	353	Stroud ...	283	Pershore ...	102		
Newton Abbot ...	666	Tetbury ...	37	Droitwich ...	119		
Totnes ...	310	Cirencester ...	164	Bromsgrove ...	250		
Kingsbridge ...	116	Northleach ...	50	Kings Norton ...	1657		
Plympton St. Mary ...	150	Stow on the Wold ...	59				

BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS, 1911.

NOTE.—The populations marked * have been adjusted in order to make them comparable with the births and deaths shown in the table, changes in the boundaries of the areas affected having been made during the year. Births occurring in lying-in institutions have been transferred to the parents' area of residence where this differed from that in which the birth took place. Deaths, in this as in other tables, have been transferred to the area of residence in accordance with the rules referred to on page viii. Non-transference of certain deaths owing to want of information may have caused overstatement of mortality in certain areas containing institutions for the sick or infirm. The areas chiefly so affected are marked † in the column giving total deaths.

Summary.

Administrative Area.	Estimated Population. (Middle, 1911.)	BIRTHS (exclusive of Still-born).						Deaths (exclusive of Still-born).				Deaths under one year.		
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	Natural Increase per 1,000 living.
		M.	F.	M.	F.									
All Areas	North ...	12,129,235	151,250	145,136	6,849	6,550	309,785	25·5	194,402	16·0	16·6	45,384	147	9·5
	Midlands ...	11,292,076	133,002	127,949	5,964	5,790	272,705	24·2	154,203	13·7	12·9	33,417	123	10·5
	South ...	10,310,850	112,476	108,672	5,056	4,828	231,032	22·4	142,987	13·9	13·1	26,641	115	8·5
	Wales ...	2,431,672	32,987	32,033	1,349	1,247	67,616	27·8	36,218	14·9	14·8	9,158	135	12·9
	England and Wales.	36,163,833	429,715	413,790	19,218	18,415	881,138	24·4	527,810	14·6	14·3	114,600	130	9·8
London ...		4,521,301	54,702	52,710	2,216	2,155	111,783	24·7	68,505	15·2	15·3	14,508	130	9·5
County Boroughs.	North ...	6,010,779	76,328	73,291	3,454	3,311	156,384	26·0	102,102	17·0	17·9	23,707	152	9·0
	Midlands ...	3,225,249	40,067	38,728	1,703	1,711	82,209	25·5	49,996	15·5	15·7	12,232	149	10·0
	South ...	1,244,282	12,761	12,557	662	623	26,603	21·4	17,302	13·9	13·1	3,147	118	7·5
	Wales ...	463,348	6,302	6,125	240	229	12,896	27·8	6,940	15·0	15·9	1,760	136	12·8
	England and Wales.	10,943,658	135,458	130,701	6,059	5,874	278,092	25·4	176,340	16·1	16·6	40,846	147	9·3
Urban Districts.	North ...	4,409,214	53,569	51,507	2,376	2,288	109,740	24·9	68,596	15·6	16·2	16,108	147	9·3
	Midlands ...	4,759,134	56,772	54,349	2,386	2,340	115,847	24·3	61,691	13·0	12·7	14,006	121	11·3
	South ...	2,463,761	24,315	23,498	1,206	1,145	50,164	20·4	31,751	12·9	11·8	5,350	107	7·5
	Wales ...	1,147,681	16,799	16,347	589	517	34,252	29·8	17,324	15·1	15·6	5,021	147	14·7
	England and Wales.	12,779,790	151,455	145,701	6,557	6,290	310,003	24·3	179,362	14·0	14·0	40,485	131	10·3
Rural Districts.	North ...	1,709,242	21,353	20,338	1,019	951	43,661	25·5	23,704	13·9	13·3	5,569	128	11·6
	Midlands ...	3,307,693	36,163	34,872	1,875	1,739	74,649	22·6	42,516	12·9	10·7	7,179	96	9·7
	South ...	2,081,506	20,698	19,907	972	905	42,482	20·4	25,429	12·2	10·2	3,636	86	8·2
	Wales ...	820,643	9,886	9,561	520	501	20,468	24·9	11,954	14·6	13·2	2,377	116	10·3
	England and Wales.	7,919,084	88,100	84,678	4,386	4,096	181,260	22·9	103,603	13·1	11·4	18,761	104	9·8

County Boroughs.

Administrative Area.	Estimated Population. (Middle, 1911.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	Natural Increase per 1,000 living.
		M.	F.	M.	F.									
Barrow-in-Furness ...	63,933	854	792	30	23	1,699	26·6	806	12·6	1·0683	13·5	187	110	14·0
Bath, City of ...	53,433*	393	397	22	20	832	15·6	723	13·5	0·8335	11·3	89	107	2·1
Birkenhead ...	131,318	1,840	1,776	60	58	3,734	28·4	2,107	16·0	1·0324	16·5	509	136	12·4
Birmingham, City of ...	571,852*	7,249	7,123	231	238	14,841	26·0	9,542	16·7	1·0373	17·3	2,546	172	9·3
Blackburn ...	133,153	1,365	1,362	69	55	2,851	21·4	2,163	16·2	1·0849	17·6	537	188	5·2
Blackpool... ..	58,661	435	460	43	41	979	16·7	897	15·3	1·0019	15·3	130	133	1·4
Bolton ...	181,184	2,044	1,907	108	108	4,167	23·0	2,972	16·4	1·0876	17·8	673	162	6·6
Bootle ...	70,130	1,039	1,011	34	34	2,118	30·2	1,291	18·4	1·0528	19·4	311	147	11·8
Bournemouth ...	79,172	611	553	38	28	1,230	15·5	967	12·2	0·9142	11·2	127	103	3·3
Bradford, City of ...	288,687	2,718	2,500	132	136	5,486	19·0	4,352	15·1	1·0550	15·9	762	139	3·9
Brighton ...	131,441	1,232	1,179	85	109	2,605	19·8	1,862	14·2	0·9092	12·9	257	99	5·6
Bristol, City of ...	357,522	3,855	3,610	133	130	7,728	21·6	5,424	15·2	0·9835	14·9	1,086	141	6·4
Burnley ...	106,631*	1,221	1,115	62	73	2,471	23·2	1,930	18·1	1·1051	20·0	521	211	5·1
Burton-upon-Trent ...	48,210	505	492	32	19	1,048	21·7	646	13·4	0·9911	13·3	116	111	8·8
Bury ...	58,721*	568	560	32	31	1,191	20·3	954	16·2	1·0622	17·2	199	167	4·1
Canterbury, City of ...	24,619	238	230	15	9	492	20·0	341	13·8	0·8764	12·1	54	110	6·2
Cardiff, City of ...	182,731	2,286	2,242	111	94	4,733	25·9	2,623	14·4	1·0606	15·3	633	134	11·5
Chester, City of ...	39,047	447	429	30	31	937	24·0	575	14·7	0·9887	14·5	102	109	9·3
Coventry, City of ...	107,307	1,476	1,338	31	40	2,885	26·9	1,407	13·1	1·0671	14·0	314	109	13·8
Croydon ...	170,491	1,755	1,825	88	82	3,750	22·0	2,042	12·0	0·9650	11·6	399	106	10·0
Derby ...	123,636	1,454	1,335	71	58	2,918	23·6	1,749	14·1	1·0078	14·2	363	124	9·5
Devonport ...	81,974	1,005	981	26	19	2,031	24·8	1,145	14·0	1·0618	14·9	241	119	10·8
Dudley ...	51,141	678	683	27	31	1,419	27·7	823	16·1	1·0029	16·1	214	151	11·6
Eastbourne ...	52,529*	405	404	29	27	865	16·5	551	10·5	1·0150	10·7	92	106	6·0
Exeter, City of ...	48,703	453	449	27	36	965	19·8	772	15·9	0·9062	14·4	120	124	3·9
Gateshead... ..	117,102	1,751	1,652	69	74	3,546	30·3	1,936	16·5	1·0737	17·7	486	137	13·8
Gloucester, City of ...	50,090	590	592	20	31	1,233	24·6	664	13·3	0·9525	12·7	133	108	11·3
Gt. Yarmouth ...	56,026	661	630	34	36	1,361	24·3	821	14·7	0·8703	12·8	170	125	9·6
Grimsby ...	74,963	1,037	972	56	70	2,135	28·5	1,108	14·8	1·0211	15·1	325	152	13·7
Halifax ...	101,464	927	861	46	35	1,869	18·4	1,555	15·3	1·0239	15·7	230	123	3·1
Hastings ...	61,029	461	435	28	31	955	15·6	858	14·1	0·8410	11·9	105	110	1·5
Huddersfield ...	108,158	1,025	1,004	55	39	2,123	19·6	1,633	15·1	1·0493	15·8	282	133	4·5
Ipswich ...	74,124	858	810	63	42	1,773	23·9	945	12·7	0·9324	11·8	180	102	11·2
Kingston-upon-Hull, C. of	278,985	3,811	3,804	167	180	7,962	28·5	4,662	16·7	1·0056	16·8	1,236	155	11·8

BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS, 1911—continued.

Administrative Area.	Estimated Population. (Middle, 1911).	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	
		M.	F.	M.	F.									
Leeds, City of ...	445,987	5,176	4,798	300	297	10,571	23·7	7,348	16·5	1·0594	17·5	1,681	159	7·2
Leicester ...	227,634	2,530	2,438	134	124	5,226	23·0	3,026	13·3	1·0286	13·7	681	130	9·7
Lincoln, City of ...	57,509	669	674	49	43	1,435	25·0	848	14·7	0·9787	14·4	193	134	10·3
Liverpool, City of ...	747,535	11,120	10,542	392	401	22,455	30·0	15,080	20·2	1·0324	20·9	3,489	155	9·8
Manchester, City of ...	716,163	9,066	8,728	400	401	18,595	26·0	12,281	17·1	1·0799	18·5	2,908	156	8·9
Merthyr Tydfil ...	81,300	1,210	1,195	48	52	2,505	30·8	1,282	15·8	1·0586	16·7	387	154	15·0
Middlesbrough ...	105,122	1,567	1,533	81	68	3,249	30·9	2,110	20·1	1·0721	21·5	552	170	10·8
Newcastle-on-Tyne, City of	267,119	3,457	3,307	160	163	7,087	26·5	4,364	16·3	1·0526	17·2	969	137	10·2
Newport (Mon.) ...	84,124	1,132	1,102	44	39	2,317	27·5	1,140	13·5	1·0635	14·4	283	122	14·0
Northampton ...	90,144	948	890	47	41	1,926	21·4	1,199	13·3	1·0133	13·5	250	130	8·1
Norwich, City of ...	121,677	1,368	1,203	70	78	2,719	22·3	1,745	14·3	0·9285	13·3	371	136	8·0
Nottingham, City of ...	260,435	3,047	2,884	204	207	6,342	24·4	4,214	16·2	1·0090	16·3	1,030	162	8·2
Oldham ...	147,753	1,697	1,611	90	86	3,484	23·6	2,619	17·7	1·0783	19·1	557	160	5·9
Oxford, City of ...	53,146	482	479	23	35	1,019	19·2	677	12·7	0·9322	11·8	109	107	6·5
Plymouth ...	112,146	1,292	1,212	71	69	2,644	23·6	1,938	17·3	0·9150	15·8	378	143	6·3
Portsmouth ...	232,253	2,786	2,753	145	94	5,778	24·9	3,346	14·4	0·9885	14·2	734	127	10·5
Preston ...	117,196	1,284	1,310	95	86	2,775	23·7	1,990	17·0	1·0584	18·0	474	171	6·7
Reading ...	77,106*	754	775	31	44	1,604	20·8	92	11·9	0·9546	11·4	166	103	8·9
Rochdale ...	91,647	899	914	55	55	1,923	21·0	1,407	15·4	1·0619	16·4	268	139	5·6
Rotherham ...	62,697	897	829	40	36	1,802	28·7	1,041	16·6	1·0267	17·0	287	159	12·1
St. Helens ...	96,871	1,586	1,553	63	47	3,249	33·5	1,770†	18·3	1·0785	19·7	511	157	15·2
Salford ...	231,631	3,088	3,074	100	82	6,344	27·4	3,953	17·1	1·0728	18·3	952	150	10·3
Sheffield, City of ...	455,832	6,062	6,023	299	251	12,635	27·7	7,346	16·1	1·0511	16·9	1,770	140	11·6
Smethwick ...	71,120	941	977	24	31	1,973	27·7	1,033	14·5	1·0700	15·5	284	144	13·2
Southampton ...	119,386	1,376	1,364	57	55	2,852	23·9	1,836	15·4	0·9574	14·7	385	135	8·5
Southport ...	51,737	356	392	28	29	805	15·6	708	13·7	0·9344	12·8	89	111	1·9
South Shields ...	108,852	1,638	1,531	74	58	3,301	30·3	1,884	17·3	1·0339	17·9	480	145	13·0
Stockport ...	109,100	1,246	1,203	45	52	2,546	23·3	1,766	16·2	1·0610	17·2	436	171	7·1
Stoke-on-Trent ...	235,056	3,537	3,480	166	190	7,373	31·4	4,681	19·9	1·0664	21·2	1,491	202	11·5
Sunderland ...	151,293	2,233	2,080	90	101	4,504	29·8	2,736	18·1	1·0108	18·3	684	152	11·7
Swansea ...	115,193	1,674	1,586	37	44	3,341	29·0	1,895	16·5	1·0497	17·3	457	137	12·5
Tynemouth ...	59,012	837	763	26	26	1,652	28·0	934	15·8	1·0189	16·1	204	123	12·2
Walsall ...	92,265	1,305	1,254	48	40	2,647	28·7	1,526	16·5	1·0294	17·0	423	160	12·2
Warrington ...	72,375	1,013	959	38	26	2,036	28·1	1,143	15·8	1·0861	17·2	299	147	12·3
West Bromwich ...	68,415	942	976	52	44	2,014	29·4	1,096	16·0	1·0102	16·2	281	140	13·4
West Ham ...	289,601	4,274	4,212	120	109	8,715	30·1	4,569	15·8	1·0259	16·2	1,229	141	14·3
West Hartlepool ...	63,957	914	885	30	29	1,858	29·1	1,018	15·9	1·0350	16·5	240	129	13·2
Wigan ...	89,329	1,183	1,137	56	58	2,434	27·2	1,649	18·5	1·1149	20·6	469	193	8·7
Wolverhampton ...	95,358	1,147	1,176	45	52	2,420	25·4	1,519	15·9	1·0172	16·2	332	137	9·5
Worcester, City of ...	48,018	514	500	23	22	1,059	22·1	734	15·3	0·9282	14·2	111	105	6·8
York, City of ...	82,397	964	886	55	41	1,946	23·6	1,122	13·6	0·9934	13·5	223	115	10·0

Administrative Counties.

ANGLESEY.	50,936	495	499	61	54	1,109	21·8	840	16·5	·8426	13·9	142	128	5·3
Total Urban Districts ...	18,997	193	206	19	16	434	22·8	340	17·9	·9073	16·2	64	147	4·9
Total Rural Districts ...	31,939	302	293	42	38	675	21·1	500	15·7	·8090	12·7	78	116	5·4
Urban Districts.														
Amlwch ...	2,711	26	27	4	4	61	22·5	57	21·0	·7520	15·8	9	148	1·5
Beaumaris M.B. ...	2,228	18	16	1	1	36	16·2	36	16·2	·9546	15·5	5	139	—
Holyhead ...	10,650	113	124	7	10	254	23·8	184	17·3	·9809	17·0	39	154	6·5
Llangefni ...	1,772	20	24	7	1	52	29·3	27	15·2	·8407	12·8	4	77	14·1
Menai Bridge ...	1,636	16	15	—	—	31	18·9	36	22·0	·7874	17·3	7	226	—3·1
Rural Districts.														
Aethwy ...	8,710	91	78	6	14	189	21·7	130	14·9	·8411	12·5	18	95	6·8
Dwyran ...	2,988	27	32	3	2	64	21·4	60	20·1	·7557	15·2	11	171	1·3
Twrcelyn ...	9,331	85	89	16	9	199	21·3	144	15·4	·7839	12·1	20	101	5·9
Valley ...	10,910	99	94	17	13	223	20·4	166	15·2	·8219	12·5	29	130	4·2
BEDFORDSHIRE.														
Total Urban Districts ...	195,191	2,035	1,924	106	120	4,185	21·4	2,572	13·2	·9064	12·0	475	114	8·2
Total Rural Districts ...	117,538	1,259	1,188	61	73	2,581	22·0	1,552	13·2	·9782	12·9	336	130	8·8
Total ...	77,653	776	736	45	47	1,604	20·7	1,020	13·1	·8150	10·7	139	87	7·6
Urban Districts.														
Ampthill ...	2,272	27	20	2	1	50	22·0	39	17·2	·7229	12·4	10	200	4·8
Bedford M.B. ...	39,289	349	313	25	19	706	18·0	487	12·4	1·0052	12·5	86	122	5·6
Biggleswade ...	5,382	63	64	6	8	141	26·2	69	12·8	·8323	10·7	18	128	13·4
Dunstable M.B. ...	8,100	80	76	5	5	166	20·5	113	14·0	·9223	12·9	24	145	6·5
Kempston ...	5,365	68	66	4	2	140	26·1	64	11·9	·9982	11·9	18	129	14·2
Leighton Buzzard ...	6,794	76	64	4	9	153	22·5	92	13·5	·8144	11·0	12	78	9·0
Luton M.B. ...	50,336	596	585	15	29	1,225	24·3	688	13·7	1·0334	14·2	168	137	10·6
Rural Districts.														
Ampthill ...	19,550	183	170	13	8	374	19·1	277	14·2	·7919	11·2	38	102	4·9
Bedford ...	19,223	204	169	12	14	399	20·8	234	12·2	·8027	9·8	28	70	8·6
Biggleswade ...	21,943	209	213	12	11	445	20·3	279	12·7	·8311	10·6	42	94	7·6
Eaton Bray ...	3,886	34	42	3	2	81	20·8	53	13·6	·7925	10·8	2	25	7·2
Eaton Socon ...	3,547	41	48	3	3	95	26·8	45	12·7	·7504	9·5	7	74	14·1
Luton ...	9,504	105	94	2	9	210	22·0	132	13·9	·8950	12·4	22	105	8·2

BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS, 1911—continued.

Administrative Area.	Estimated Population. (Middle, 1911.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	Natural Increase per 1,000 living.
		M.	F.	M.	F.									
BERKSHIRE.	195,822*	1,913	1,777	93	122	3,905	19.9	2,387	12.2	8742	10.7	308	79	7.7
Total Urban Districts ...	57,584	544	545	30	36	1,155	20.1	782	13.6	8778	11.9	105	91	6.5
Total Rural Districts ...	138,238*	1,369	1,232	63	86	2,750	19.9	1,605	11.6	8726	10.1	203	74	8.3
Urban Districts.														
Abingdon M.B. ...	6,818	62	61	5	2	130	19.1	86	12.6	8773	11.1	13	100	6.5
Maidenhead M.B. ...	15,277	153	144	8	14	319	20.9	188	12.3	9295	11.4	26	82	7.6
Newbury M.B. ...	12,135	110	116	9	11	246	20.3	176	14.5	8409	12.2	20	81	5.8
New Windsor M.B. ...	12,643	122	132	5	4	263	20.8	172	13.6	9517	12.9	26	99	7.2
Wallingford M.B. ...	2,714	22	21	—	2	45	16.6	31	11.4	7570	8.6	3	67	5.2
Wantage ...	3,624	31	27	2	2	62	17.1	56	15.5	8363	13.0	5	81	1.6
Wokingham M.B. ...	4,373	44	44	1	1	90	20.6	73	16.7	7651	12.8	12	133	3.9
Rural Districts.														
Abingdon ...	9,273	90	89	7	4	190	20.5	121	13.0	8531	11.1	17	89	7.5
Bradfield ...	16,711*	143	138	10	11	302	18.1	183	11.0	8905	9.8	17	56	7.1
Cookham ...	12,357	115	135	4	7	261	21.1	153	12.4	8956	11.1	20	77	8.7
Easthampstead ...	17,595	175	126	5	2	308	17.5	193	11.0	9211	10.1	30	97	6.5
Faringdon (part of)† ...	11,091	118	106	4	16	244	22.0	127	11.5	8271	9.5	16	66	10.5
Hungerford ...	9,021	100	85	4	7	196	21.7	111	12.3	8222	10.1	13	66	9.4
Newbury ...	10,777	100	90	3	4	197	18.3	142	13.2	8223	10.9	21	107	5.1
Wallingford ...	7,272	77	64	4	3	148	20.4	82†	11.3	8651	9.8	14	95	8.1
Wantage ...	12,030	126	100	7	12	245	20.4	158	13.1	8254	10.8	16	65	7.3
Windsor ...	15,399	152	142	6	11	311	20.2	169	11.0	9588	10.5	21	68	9.2
Wokingham ...	16,712	173	157	9	9	348	20.8	166	9.9	8734	8.6	18	52	10.9
BRECKNOCKSHIRE.														
Total Urban Districts ...	59,421	726	718	41	29	1,514	25.5	908	15.3	9304	14.2	199	131	10.2
Total Rural Districts ...	17,575	200	216	13	9	438	24.9	283	16.1	9484	15.3	58	132	8.8
Total Rural Districts ...	41,846	526	502	28	20	1,076	25.7	625	14.9	9233	13.8	141	131	10.8
Urban Districts.														
Brecknock§ ...	5,909	64	56	4	2	126	21.3	80	13.5	9148	12.3	13	103	7.8
Brynmawr ...	7,602	107	132	6	3	248	32.6	129	17.0	10694	18.2	41	165	15.6
Builth Wells ...	1,707	8	14	—	2	24	14.1	28	16.4	8406	13.8	3	125	2.3
Hay ...	1,601	12	8	3	2	25	15.6	34	21.2	7880	16.7	1	40	5.6
Llanwrtyd ...	756	9	6	—	—	15	19.8	12	15.9	8410	13.4	—	—	3.9
Rural Districts.														
Brecknock ...	9,139	97	86	4	4	191	20.9	112	12.3	8428	10.4	17	89	8.6
Builth ...	4,234	46	33	3	2	84	19.8	51	12.0	8721	10.5	7	83	7.8
Crickhowell ...	7,735	102	72	6	2	182	23.5	114	14.7	8923	13.1	23	126	8.8
Hay ...	3,593	31	34	1	1	67	18.6	53†	14.8	8346	12.4	6	90	3.8
Vaynor and Penderyn ...	5,546	62	82	5	3	152	27.4	99	17.9	9899	17.7	21	138	9.5
Ystradgynlais ...	10,595	178	183	8	8	377	35.6	183	17.3	10660	18.4	66	175	18.3
Area administered by Rural District Council of Rhayader (Radnor). ...	375	2	5	—	—	7	18.7	3	8.0	9755	7.8	1	143	10.7
Area administered by Rural District Council of Neath (Glamorgan-shire). ...	629	8	7	1	—	16	25.4	10	15.9	8985	14.3	—	—	9.5
BUCKINGHAMSHIRE.														
Total Urban Districts ...	220,144	2,272	2,108	108	93	4,581	20.8	2,700	12.3	8942	11.0	410	90	8.5
Total Urban Districts ...	80,239	861	819	41	32	1,753	21.8	967	12.1	9452	11.4	165	94	9.7
Total Rural Districts ...	139,905	1,411	1,289	67	61	2,828	20.2	1,733	12.4	8680	10.8	245	87	7.8
Urban Districts.														
Aylesbury... ..	11,096	113	93	6	3	215	19.4	137	12.3	8950	11.0	27	126	7.1
Beaconsfield ...	2,536	31	39	—	1	71	28.0	26	10.3	9881	10.2	6	85	17.7
Buckingham M.B. ...	3,285	28	33	—	2	63	19.2	23	7.0	8106	5.7	2	32	12.2
Chepping Wycombe M.B. ...	20,458	244	224	16	8	492	24.0	275	13.4	9968	13.4	53	108	10.6
Chesham ...	8,229	79	80	2	4	165	20.1	102	12.4	9564	11.9	13	79	7.7
Eton ...	3,189	7	13	—	1	21	6.6	29	9.1	13431	12.2	—	—	2.5
Fenny Stratford¶ ...	5,176	63	54	—	—	117	22.6	51	9.9	9535	9.4	8	68	12.7
Linslade ...	2,265	26	18	—	1	45	19.9	31	13.7	8655	11.9	7	156	6.2
Marlow ...	4,687	50	48	6	6	110	23.5	90	19.2	8718	16.7	19	173	4.3
Newport Pagnell... ..	4,244	40	37	3	1	81	19.1	39	9.2	8426	7.8	5	62	9.9
Slough ...	15,074	180	180	8	5	373	24.7	164	10.9	9315	10.2	25	67	13.8
Rural Districts.														
Amersham ...	18,570*	190	175	7	7	379	20.4	207	11.1	9260	10.3	30	79	9.3
Aylesbury... ..	16,034	162	133	6	4	305	19.0	216†	13.5	7970	10.8	24	79	5.5
Buckingham ...	8,327	77	96	7	4	184	22.1	96	11.5	7901	9.1	7	38	10.6
Eton ...	23,525	252	233	18	16	519	22.1	301	12.8	9365	12.0	57	110	9.3
Hambleton ...	1,971	22	17	—	1	40	20.3	27	13.7	9375	12.8	2	50	6.6
Long Crendon ...	4,231	44	37	—	1	82	19.4	67	15.8	8122	12.8	10	122	3.6
Newport Pagnell... ..	19,020	209	173	8	5	395	20.8	256	13.5	8757	11.8	42	106	7.3
Stratford and Wolverton ...	10,481	94	82	1	4	181	17.3	89	8.5	9669	8.2	14	77	8.8
Wing ...	6,084	57	55	1	4	117	19.2	74	12.2	8200	10.0	9	77	7.0
Winslow ...	6,994	52	56	7	6	121	17.3	105	15.0	7842	11.8	12	99	2.3
Wycombe ...	24,668*	252	232	12	9	505	20.5	295	12.0	8588	10.3	38	75	8.5

† The remainder of Faringdon Rural District is in Gloucestershire; see page 158.

§ Brecknock U.D. includes Brecknock M.B. and the Civil Parishes of Castle Inn and Christ's College.

¶ The name of Fenny Stratford Urban District was changed to Bletchley on 16th May, 1911.

BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS, 1911—continued.

Administrative Area.	Estimated Population. (Middle, 1911.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	
		M.	F.	M.	F.									
CAMBRIDGESHIRE.	128,534	1,248	1,209	74	48	2,579	20.1	1,686	13.1	.8472	11.1	253	98	7.0
Total Urban Districts ...	51,656	498	461	33	18	1,010	19.6	672	13.0	.9306	12.1	111	110	6.6
Total Rural Districts ...	76,878	750	748	41	30	1,569	20.4	1,014	13.2	.7986	10.5	142	91	7.2
Urban Districts.														
Cambridge M.B. ...	40,070	388	337	27	12	764	19.1	550	13.7	.9427	12.9	96	126	5.6
Chesterton ...	11,586	110	124	6	6	246	21.2	122	10.5	.8994	9.4	15	61	10.7
Rural Districts.														
Caxton and Arrington ...	7,774	76	65	5	2	148	19.0	121	15.6	.7610	11.9	14	95	3.4
Chesterton ...	27,531	273	258	15	7	553	20.1	319†	11.6	.8318	9.6	45	81	8.5
Linton ...	10,563	98	98	9	6	211	20.0	153	14.5	.7811	11.3	24	114	5.5
Melbourn ...	8,538	78	79	3	6	166	19.4	120	14.1	.7441	10.5	16	96	5.3
Newmarket ...	19,885	205	220	8	8	441	22.2	258	13.0	.8246	10.7	39	88	9.2
Swavesey ...	2,587	20	28	1	1	50	19.3	43	16.6	.6959	11.6	4	80	2.7
CARDIGANSHIRE.	59,847	515	478	38	39	1,070	17.9	1,095	18.3	.8011	14.7	137	128	—0.4
Total Urban Districts ...	16,337	145	125	8	5	283	17.3	283	17.3	.8887	15.4	40	141	—
Total Rural Districts ...	43,510	370	353	30	34	787	18.1	812	18.7	.7731	14.5	97	123	—0.6
Urban Districts.														
Aberayron ...	1,342	12	9	1	1	23	17.1	32	23.8	.7522	17.9	2	87	—6.7
Aberystwyth M.B. ...	8,421	75	69	3	2	149	17.7	140	16.6	.9835	16.3	27	181	1.1
Cardigan M.B. ...	3,580	37	27	3	2	69	19.3	60	16.8	.8492	14.3	7	101	2.5
Lampeter M.B. ...	1,804	13	12	1	—	26	14.4	30	16.6	.8690	14.4	2	77	—2.2
New Quay ...	1,190	8	8	—	—	16	13.4	21	17.6	.6827	12.0	2	125	—4.2
Rural Districts.														
Aberayron ...	7,717	69	57	2	3	131	17.0	156	20.2	.7407	15.0	19	145	—3.2
Aberystwyth ...	13,062	102	101	10	9	222	17.0	238	18.2	.7768	14.1	23	104	—1.2
Cardigan ...	3,262	32	33	2	2	69	21.2	68	20.8	.8200	17.1	7	101	0.4
Lampeter ...	3,561	34	27	4	2	67	18.8	62	17.4	.7749	13.5	13	194	1.4
Llandyssil ...	7,979	65	70	7	7	149	18.7	131	16.4	.7947	13.0	14	93	2.4
Tregaron ...	7,510	65	62	4	11	142	18.9	150	20.0	.7556	15.1	20	141	—1.1
Area administered by Rural District Council of Machynlleth (Montgomeryshire).	419	3	3	1	—	7	16.7	7	16.7	.7839	13.1	1	143	—
CARMARTHENSHIRE.	161,067	2,088	1,979	75	70	4,212	26.2	2,416	15.0	.9579	14.4	534	127	11.2
Total Urban Districts ...	61,145	762	691	25	20	1,498	24.5	937	15.3	1.0061	15.4	190	127	9.2
Total Rural Districts ...	99,922	1,326	1,288	50	50	2,714	27.2	1,479	14.8	.9308	13.8	344	127	12.4
Urban Districts.														
Ammanford ...	6,153	103	76	4	2	185	30.1	76	12.4	1.0842	13.4	20	108	17.7
Burry Port ...	4,619	76	51	1	2	130	28.1	56	12.1	.9649	11.7	10	77	16.0
Carmarthen M.B. ...	10,226	79	93	5	4	181	17.7	171†	16.7	.9541	15.9	24	133	1.0
Kidwelly M.B. ...	3,053	34	45	3	3	85	27.8	59	19.3	.9598	18.5	13	153	8.5
Llandilo ...	1,931	20	14	3	—	37	19.2	39	20.2	.9025	18.2	1	27	—1.0
Llandovery M.B. ...	1,998	16	22	1	—	39	19.5	48	24.0	.8930	21.4	6	154	—4.5
Llanelly ...	32,241	424	381	8	9	822	25.5	470	14.6	1.0530	15.4	113	137	10.9
Newcastle Emlyn. ...	924	10	9	—	—	19	20.6	18	19.5	.7958	15.5	3	158	1.1
Rural Districts.														
Carmarthen ...	24,228	282	272	15	20	589	24.3	385	15.9	.8813	14.0	83	141	8.4
Llandilo Fawr ...	25,439	375	370	9	8	762	30.0	387	15.2	.9736	14.8	115	151	14.8
Llandovery ...	7,349	69	76	3	5	153	20.8	106	14.4	.8521	12.3	22	144	6.6
Llanelly ...	27,616	439	427	10	10	886	32.1	387	14.0	1.0135	14.2	93	105	18.1
Llanybyther ...	3,594	30	24	4	3	61	17.0	47	13.1	.7678	10.1	9	148	3.9
Newcastle in Emlyn. ...	6,473	80	65	3	2	150	23.2	94	14.5	.9026	13.1	15	100	8.7
Whitland ...	5,223	51	54	6	2	113	21.6	73	14.0	.8817	12.3	7	62	7.6
CARNARVONSHIRE.	125,027	1,135	1,121	102	85	2,443	19.5	1,904	15.2	.8943	13.6	266	109	4.3
Total Urban Districts ...	58,354	492	534	41	32	1,099	18.8	906	15.5	.9384	14.5	134	122	3.3
Total Rural Districts ...	66,673	643	587	61	53	1,344	20.2	998	15.0	.8591	12.9	132	98	5.2
Urban Districts.														
Bangor M.B. ...	11,234	91	108	8	5	212	18.9	183	16.2	.9923	16.2	30	142	2.6
Bethesda ...	4,704	48	40	5	2	95	20.2	103	21.9	.7753	17.0	12	126	—1.7
Bettws y Coed ...	921	4	9	—	—	13	14.1	14	15.2	.9124	13.9	—	—	—1.1
Carnarvon M.B. ...	9,102	76	81	9	7	173	19.0	152	16.7	.9241	15.4	20	116	1.3
Conway M.B. ...	5,257	54	56	4	3	117	22.3	69	13.1	.9818	12.9	12	103	9.2
Criccieth ...	1,375	9	12	—	1	22	16.0	11	8.0	.8394	6.7	—	—	8.0
Llandudno ...	10,500	74	79	4	8	165	15.7	131	12.5	1.0326	12.9	21	127	3.2
Llanfairfechan ...	2,978	34	31	—	1	66	22.2	38	12.8	.8735	11.2	2	30	9.4
Penmaenmawr ...	4,056	39	34	2	—	75	18.5	53	13.1	.9777	12.8	9	120	5.4
Pwllheli M.B. ...	3,794	29	30	4	4	67	17.7	66	17.4	.9170	16.0	14	209	0.3
Ynyscynhaiarn ...	4,433	34	54	5	1	94	21.2	86	19.4	.8612	16.7	14	149	1.8
Rural Districts.														
Conway ...	7,186	75	71	4	4	154	21.4	95	13.2	.9391	12.4	20	130	7.2
Geirionydd ...	4,468	46	30	4	2	82	18.4	60	13.4	.9082	12.2	7	85	5.0
Glaslyn ...	3,326	33	29	2	5	69	20.8	51	15.3	.8790	13.4	8	116	5.5

BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS, 1911—continued.

Administrative Area.	Estimated Population. (Middle, 1911.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	Natural Increase per 1,000 living.
		M.	F.	M.	F.									
CARNARVONSHIRE—cont.														
Gwyrfai	28,190	282	273	21	18	594	21·1	449	15·9	·8813	14·0	60	101	5·2
Lleyn	16,840	147	127	28	21	323	19·2	247	14·7	·7837	11·5	28	87	4·5
Ogwen	6,663	60	57	2	3	122	18·3	96	14·4	·8553	12·3	9	74	3·9
CHESHIRE.														
Total Urban Districts ...	678,446	7,383	7,014	368	337	15,102	22·3	9,420	13·9	1·0085	14·0	1,974	131	8·4
Total Rural Districts ...	494,670	5,486	5,193	277	263	11,219	22·7	7,232	14·6	1·0206	14·9	1,604	143	8·1
Urban Districts.	183,776	1,897	1,821	91	74	3,883	21·1	2,188	11·9	·9770	11·6	370	95	9·2
Alderley Edge	3,150	24	28	—	—	52	16·5	26	8·3	1·0633	8·8	6	115	8·2
Alsager	2,747	30	21	1	1	53	19·3	43	15·6	·9178	14·3	4	75	3·7
Altrincham	17,839	204	187	12	14	417	23·4	294	16·5	1·0363	17·1	74	177	6·9
Ashton upon Mersey ...	7,278	68	81	4	6	159	21·8	88	12·1	1·0425	12·6	16	101	9·7
Bollington	5,223	44	50	3	6	103	19·7	68	13·0	1·0226	13·3	16	155	6·7
Bowdon	3,051	22	28	2	—	52	17·0	34	11·1	1·0162	11·3	3	58	5·9
Bredbury and Romiley ...	8,722	89	80	2	3	174	20·0	118	13·5	1·0394	14·0	14	80	6·5
Bromborough	1,976	23	22	—	1	46	23·3	23	11·6	1·0595	12·3	5	109	11·7
Buglawton	1,438	12	15	—	2	29	20·2	25	17·4	·9256	16·1	6	207	2·8
Cheadle and Gatley ...	9,966	98	90	2	2	192	19·3	109	10·9	1·0279	11·2	16	83	8·4
Compstall	909	9	11	—	1	21	23·1	6	6·6	1·0068	6·6	—	—	16·5
Congleton, M.B.	11,325	131	116	8	11	266	23·5	200	17·7	·9554	16·9	53	199	5·8
Crewe, M.B.	45,036	496	496	32	14	1,038	23·0	621	13·8	1·0464	14·4	168	162	9·2
Dukinfield, M.B.	19,435	248	245	10	5	508	26·1	378	19·5	1·0787	21·0	106	209	6·6
Ellesmere Port and Whitby	10,526	207	188	2	2	399	37·9	142	13·5	1·0800	14·6	61	153	24·4
Hale	8,451	76	68	4	1	149	17·6	90	10·6	1·0964	11·6	15	101	7·0
Handforth	935	9	10	—	—	19	20·3	21	22·5	·9991	22·5	1	53	—2·2
Hazel Grove and Bramhall	9,676	83	77	3	4	167	17·3	146	15·1	1·0548	15·9	20	120	2·2
Higher Bebington	1,693	14	16	1	1	32	18·9	12	7·1	·9329	6·6	2	63	11·8
Hollingsworth	2,584	26	28	2	2	58	22·4	43	16·6	·9605	15·9	11	190	5·8
Hoole	5,944	66	67	1	5	139	23·4	63	10·6	1·0376	11·0	7	50	12·8
Hoylake and West Kirby	14,111	134	101	1	5	241	17·1	157	11·1	1·0009	11·1	24	100	6·0
Hyde, M.B.	33,455	359	354	19	11	743	22·2	628	18·8	1·0359	19·5	144	194	3·4
Knutsford	5,775	49	58	7	2	116	20·1	62	10·7	·9743	10·4	9	78	9·4
Lower Bebington	11,480	180	155	5	6	346	30·1	120	10·5	1·0919	11·5	30	87	19·6
Lymm	4,996	63	47	1	—	111	22·2	58	11·6	·9485	11·0	3	27	10·6
Macclesfield, M.B.	34,802	305	338	37	21	701	20·1	566+	16·3	·9558	15·6	104	148	3·8
Marple	6,506	46	64	1	6	117	18·0	90	13·8	1·0059	13·9	19	162	4·2
Middlewich	4,915	70	66	3	3	142	28·9	69	14·0	1·0159	14·2	30	211	14·9
Mottram in Longdendale ...	3,047	22	23	1	1	47	15·4	35	11·5	1·0292	11·8	6	128	3·9
Nantwich	7,817	83	73	11	15	182	23·3	113	14·5	·9582	13·9	30	165	8·8
Neston and Parkgate ...	4,608	53	53	4	5	115	25·0	57	12·4	1·0252	12·7	15	130	12·6
Northwich	18,165	217	212	9	15	453	24·9	295	16·2	1·0323	16·7	85	188	8·7
Runcorn	17,376	266	210	11	8	495	28·5	278	16·0	1·0138	16·2	91	184	12·5
Sale	15,122	170	169	6	5	350	23·1	206	13·6	1·0193	13·9	44	126	9·5
Sandbach	5,727	63	57	4	6	130	22·7	105	18·3	·8999	16·5	20	154	4·4
Stalybridge, M.B.	26,482	274	256	25	18	573	21·6	506	19·1	1·0584	20·2	98	171	2·5
Tarporley	2,603	37	30	2	4	73	28·0	43	16·5	·9093	15·0	6	82	11·5
Wallasey, M.B.	79,161	889	801	28	34	1,752	22·1	1,022	12·9	1·0385	13·4	191	109	9·2
Wilmslow	8,174	83	76	—	4	163	19·9	103	12·6	·9505	12·0	11	67	7·3
Winsford	10,780	131	112	13	13	269	25·0	145	13·5	·9413	12·7	38	141	11·5
Yeardsley cum Whaley ...	1,664	13	14	—	—	27	16·2	24	14·4	1·0040	14·5	2	74	1·8
Rural Districts.														
Bucklow	22,946	193	209	10	3	415	18·1	266	11·6	1·0372	12·0	46	111	6·5
Chester	12,488	115	106	11	7	239	19·1	125+	10·0	1·0106	10·1	26	109	9·1
Congleton	12,837	149	141	6	5	301	23·4	144	11·2	·8979	10·1	17	56	12·2
Disley	2,961	24	33	—	2	59	19·9	41	13·8	1·0074	13·9	2	34	6·1
Macclesfield	16,651	135	148	3	6	292	17·5	173	10·4	·9983	10·4	19	65	7·1
Malpas	4,647	48	47	4	3	102	21·9	53	11·4	·8871	10·1	6	59	10·5
Nantwich	25,042	314	245	14	13	586	23·4	308	12·3	·9278	11·4	49	84	11·1
Northwich	23,302	268	263	13	9	553	23·7	336	14·4	·9979	14·4	73	132	9·3
Runcorn	28,348	297	310	14	9	630	22·2	339	12·0	·9944	11·9	70	111	10·2
Tarvin	13,202	130	120	9	9	268	20·3	187	14·2	·9214	13·1	32	119	6·1
Tintwistle	2,195	23	20	—	1	44	20·0	30	13·7	·9885	13·5	2	45	6·3
Wirral	19,157	201	179	7	7	394	20·6	186	9·7	1·0203	9·9	28	71	10·9
CORNWALL.														
Total Urban Districts ...	328,250	3,236	3,107	173	160	6,676	20·3	5,124	15·6	·8543	13·3	878	132	4·7
Total Rural Districts ...	144,342	1,375	1,373	72	75	2,895	20·1	2,388	16·5	·8695	14·3	460	159	3·6
Urban Districts.	183,908	1,861	1,734	101	85	3,781	20·6	2,736	14·9	·8429	12·6	418	111	5·7
Bodmin, M.B.	5,744	33	39	3	3	78	13·6	94+	16·4	·8634	14·2	10	128	—2·8
Callington	1,712	22	20	2	—	44	25·7	23	13·4	·9093	12·2	3	68	11·3
Camborne	15,858	188	193	11	8	400	25·2	267	16·8	·9367	15·7	70	175	5·4
Falmouth, M.B.	13,167	113	109	5	7	234	17·8	221	16·8	·8764	14·7	42	179	1·0
Hayle	1,027	7	9	1	2	19	18·5	22	21·4	·8395	18·0	3	158	—2·9

BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS, 1911—*continued.*

Administrative Area.	Estimated Population. (Middle, 1911.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	
		M.	F.	M.	F.									
CORNWALL—cont.														
Helston M.B. ...	2,933	31	28	2	6	67	22·8	60	20·5	·7692	15·8	12	179	2·3
Launceston M.B. ...	4,119	26	18	1	—	45	10·9	65	15·8	·8722	13·8	3	67	—4·9
Liskeard M.B. ...	4,381	37	38	1	1	77	17·6	65	14·8	·7942	11·8	8	104	2·8
Looe ...	2,722	15	32	1	—	48	17·6	30	11·0	·8443	9·3	5	104	6·6
Lostwithiel M.B. ...	1,374	5	11	—	1	17	12·4	18	13·1	·6952	9·1	1	59	—0·7
Ludgvan ...	2,211	25	33	1	1	60	27·1	38	17·2	·8846	15·2	6	100	9·9
Madron ...	3,716	32	31	1	1	65	17·5	62	16·7	·8239	13·8	8	123	0·8
Newquay ...	4,449	37	34	2	2	75	16·9	62	13·9	·9340	13·0	5	67	3·0
Padstow ...	2,504	12	13	2	—	27	10·8	35	14·0	·9862	13·8	2	74	—3·2
Paul ...	6,006	64	70	—	2	136	22·6	93	15·5	·8404	13·0	23	169	7·1
Penryn M.B. ...	3,089	38	37	2	2	79	25·6	62	20·1	·8042	16·2	19	241	5·5
Penzance M.B. ...	13,487	113	94	9	10	226	16·8	228	16·9	·8649	14·6	42	186	—0·1
Phillack ...	3,604	45	26	2	2	75	20·8	58	16·1	·8491	13·7	12	160	4·7
Redruth ...	10,824	125	107	5	10	247	22·8	226	20·9	·9131	19·1	65	263	1·9
St. Austell ...	3,366	23	24	3	1	51	15·2	51	15·2	·8231	12·5	10	196	—
St. Ives M.B. ...	7,182	79	85	3	2	169	23·5	130	18·1	·8282	15·0	36	213	5·4
St. Just ...	5,756	67	82	4	3	156	27·1	112	19·5	·8567	16·7	31	199	7·6
Saltash M.B. ...	4,150	35	42	1	1	79	19·0	53	12·8	·9491	12·1	9	114	6·2
Stratton and Bude	2,994	26	21	1	2	50	16·7	41	13·7	·9059	12·4	3	60	6·0
Torpoint ...	4,305	60	50	—	2	112	26·0	59	13·7	·8592	11·8	9	80	12·3
Truro M.B. ...	11,319	98	108	8	6	220	19·4	179	15·8	·8936	14·1	19	86	3·6
Wadebridge ...	2,343	19	19	1	—	39	16·6	34	14·5	·7966	11·6	4	103	2·1
Rural Districts.														
Bodmin ...	10,356	94	106	7	7	214	20·7	141	13·6	·8337	11·3	15	70	7·1
Calstock ...	4,854	61	44	—	3	108	22·2	86	17·7	·8690	15·4	17	157	4·5
Camelford ...	7,390	92	66	5	3	166	22·5	100	13·5	·8479	11·4	20	120	9·0
East Kerrier ...	8,004	63	60	2	4	129	16·1	115	14·4	·8051	11·6	17	132	1·7
Helston ...	17,179	162	151	6	13	332	19·3	248	14·4	·8306	12·0	29	87	4·9
Holsworthy (part of) ‡ ...	325	1	—	—	—	1	3·1	2	6·2	1·0285	6·4	—	—	—3·1
Launceston ...	7,537	83	58	3	7	151	20·0	78	10·3	·8215	8·5	8	53	9·7
Liskeard ...	15,340	173	144	9	8	334	21·8	221	14·4	·8082	11·6	28	84	7·4
Redruth ...	17,992	179	195	10	5	389	21·6	369	20·5	·8711	17·9	78	201	1·1
St. Austell ...	32,781	363	337	25	16	741	22·6	480	14·6	·9049	13·2	87	117	8·0
St. Columb Major	11,276	118	106	9	8	241	21·4	175	15·5	·8507	13·2	27	112	5·9
St. Germans ...	12,217	96	129	4	3	232	19·0	170	13·9	·8509	11·8	25	108	5·1
Scilly, Isles of	2,097	20	12	1	—	33	15·7	21	10·0	·8775	8·8	2	61	5·7
Stratton ...	4,922	53	47	3	2	105	21·3	49	10·0	·8519	8·5	6	57	11·3
Truro ...	20,474	191	168	11	4	374	18·3	311	15·2	·7808	11·9	30	80	3·1
West Penwith ...	11,164	112	111	6	2	231	20·7	170	15·2	·8494	12·9	29	126	3·5
CUMBERLAND.														
Total Urban Districts ...	265,715	3,161	3,008	201	211	6,581	24·8	3,877	14·6	·9578	14·0	779	118	10·2
Total Rural Districts ...	164,781	2,056	1,974	121	122	4,273	25·9	2,524	15·3	·9893	15·1	546	128	10·6
	100,934	1,105	1,034	80	89	2,308	22·9	1,353	13·4	·9099	12·2	233	101	9·5
Urban Districts.														
Arlecdon and Frizington	5,179	86	83	9	6	184	35·5	68	13·1	·9306	12·2	17	92	22·6
Aspatria ...	3,351	47	49	5	—	101	30·1	46	13·7	·9624	13·2	11	109	16·4
Carlisle M.B. ...	46,445	546	515	30	26	1,117	24·0	761	16·4	1·0289	16·9	165	148	7·6
Cleator Moor ...	8,306	126	112	3	10	251	30·2	134	16·1	1·0387	16·7	31	124	13·1
Cockermouth ...	5,199	52	61	3	13	129	24·8	79	15·2	·9369	14·2	11	85	8·6
Egremont ...	6,319	86	82	2	7	177	28·0	106	16·8	·9945	16·7	28	158	11·2
Harrington ...	4,355	61	66	3	4	134	30·8	59	13·5	1·0216	13·8	12	90	17·3
Holme Cultram ...	4,500	44	34	7	4	89	19·8	51	11·3	·8820	10·0	5	56	8·5
Keswick ...	4,402	35	38	1	1	75	17·0	58	13·2	·8929	11·8	6	80	3·8
Maryport ...	11,405	154	161	13	8	336	29·5	168	14·7	·9744	14·3	26	77	14·8
Millom ...	8,564	100	83	6	5	194	22·7	101	11·8	·9741	14·5	25	129	10·9
Penrith ...	8,967	95	76	8	6	185	20·6	117	13·0	·9278	12·1	19	103	7·6
Whitehaven M.B. ...	19,038	256	282	7	17	562	29·5	364	19·1	·9813	18·7	92	164	10·4
Wigton ...	3,687	30	37	4	2	73	19·8	63	17·1	·8486	14·5	16	219	2·7
Workington M.B. ...	25,064	338	295	20	13	666	26·6	349	13·9	1·0528	14·6	82	123	12·7
Rural Districts.														
Alston with Garrigill ...	3,073	28	29	4	2	63	20·5	59	19·2	·8763	16·8	6	95	1·3
Bootle ...	5,660	58	47	3	2	110	19·4	64	11·3	·8934	10·1	7	64	8·1
Brampton ...	7,961	67	70	15	9	161	20·2	109	13·7	·8333	11·4	10	62	6·5
Carlisle ...	17,745	141	152	18	15	326	18·4	227	12·8	·9042	11·6	23	71	5·6
Cockermouth ...	22,245	297	265	13	19	594	26·7	292	13·1	·9539	12·5	70	118	13·6
Longtown ...	6,154	66	60	7	9	142	23·1	92	14·9	·8642	12·9	11	77	8·2
Penrith ...	12,537	124	116	9	11	260	20·7	145	11·6	·8975	10·4	21	81	9·1
Whitehaven ...	14,178	194	179	5	10	388	27·4	210	14·8	·9963	14·7	61	157	12·6
Wigton ...	11,381	130	116	6	12	264	23·2	155	13·6	·8684	11·8	24	91	9·6

† The remainder of Holsworthy Rural District is in Devonshire; see page 155.

BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS, 1911—continued.

Administrative Area.	Estimated Population. (Middle, 1911.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	
		M.	F.	M.	F.									
DENBIGHSHIRE.	145,131	1,722	1,677	103	103	3,605	24·8	2,142	14·8	·9507	14·1	466	129	10·0
Total Urban Districts ...	48,819	480	485	40	35	1,040	21·3	750	15·4	·9624	14·8	138	133	5·9
Total Rural Districts ...	96,312	1,242	1,192	63	68	2,565	26·6	1,392	14·5	·9447	13·7	328	128	12·1
Urban Districts.														
Abergele and Pensarn ...	2,122	21	15	3	2	41	19·3	24	11·3	·8591	9·7	4	98	8·0
Colwyn Bay and Colwyn	12,734	95	112	11	5	223	17·5	171	13·4	1·0018	13·4	29	130	4·1
Denbigh M.B. ...	6,904	62	49	12	7	130	18·8	94	13·6	·8838	12·0	16	123	5·2
Llangollen ...	3,248	23	26	2	—	51	15·7	60	18·5	·8860	16·4	5	98	—2·8
Llanrwst ...	2,516	24	26	2	4	56	22·3	61	24·2	·8599	20·8	7	125	—1·9
Ruthin M.B. ...	2,829	28	30	1	3	62	21·9	55	19·4	·8411	16·3	4	65	1·5
Wrexham M.B. ...	18,466	227	227	9	14	477	25·8	285	15·4	1·0343	15·9	73	153	10·4
Rural Districts.														
Chirk ...	4,559	57	46	4	—	107	23·5	60	13·2	·9805	12·9	12	112	10·3
Llangollen ...	3,610	44	40	2	2	88	24·4	56	15·5	·9104	14·1	13	148	8·9
Llanrwst ...	4,399	57	45	5	4	111	25·2	64	14·5	·8239	11·9	12	108	10·7
Llansilin ...	3,190	27	39	3	7	76	23·8	57	17·9	·8762	15·7	13	171	5·9
Ruthin ...	9,074	86	81	7	7	181	19·9	136	15·0	·8574	12·9	17	94	4·9
St. Asaph (Denbigh) ...	6,705	60	68	3	2	133	19·8	102	15·2	·8894	13·5	11	83	4·6
Uwchaled ...	2,243	25	19	2	1	47	21·0	39	17·4	·8454	14·7	9	191	3·6
Wrexham ...	60,821	870	832	35	45	1,782	29·3	858	14·1	·9889	13·9	236	132	15·2
Area administered by Rural District Council of Conway (Carnarvonshire).	1,711	16	22	2	—	40	23·4	20	11·7	·8279	9·7	5	125	11·7
DERBYSHIRE.	561,993	7,736	7,255	315	302	15,608	27·8	7,691	13·7	1·0025	13·7	2,118	136	14·1
Total Urban Districts ...	288,665	3,929	3,667	166	166	7,928	27·5	4,115	14·3	1·0211	14·6	1,147	145	12·2
Total Rural Districts ...	273,328	3,807	3,588	149	136	7,680	28·1	3,576	13·1	·9834	12·9	971	126	15·0
Urban Districts.														
Alfreton ...	19,087	287	281	15	11	594	31·1	246	12·9	·9908	12·8	70	118	18·2
Alvaston and Boulton ...	1,401	17	26	3	2	48	34·3	41	29·3	·8811	25·8	5	104	5·0
Ashbourne ...	4,060	35	52	3	—	90	22·2	45	11·1	·9740	10·8	4	44	11·1
Bakewell ...	3,083	40	30	—	1	71	23·0	35	11·4	·9204	10·5	7	99	11·6
Baslow and Bubnell ...	860	12	7	1	—	20	23·3	6	7·0	·8095	5·7	—	—	16·3
Belper ...	11,659	175	127	1	2	305	26·2	173	14·8	·9542	14·1	38	125	11·4
Bolsover ...	11,329	202	171	9	5	387	34·2	162	14·3	1·0926	15·6	69	178	19·9
Bonsall ...	1,245	13	21	—	2	36	28·9	25	20·1	·9293	18·7	5	139	8·8
Brampton and Walton ...	2,124	31	19	—	—	50	23·5	27	12·7	·8771	11·1	5	100	10·8
Buxton ...	10,020	60	82	5	3	150	15·0	106	10·6	1·0415	11·0	21	140	4·4
Chesterfield M.B. ...	37,540	540	495	37	30	1,102	29·4	639	17·0	1·0589	18·0	195	177	12·4
Clay Cross ...	8,365	128	103	6	13	250	29·9	150	17·9	1·0109	18·1	47	188	12·0
Dronfield ...	3,947	46	54	2	2	104	26·3	59	14·9	·9417	14·0	15	144	11·4
Fairfield ...	4,144	57	53	2	3	115	27·8	50	12·1	1·0161	12·3	8	70	15·7
Glossop M.B. ...	21,692	238	217	9	11	475	21·9	354	16·3	1·0130	16·5	99	208	5·6
Heage ...	3,489	63	52	—	3	118	33·8	47	13·5	·9938	13·4	13	110	20·3
Heanor ...	19,944	298	246	6	9	559	28·0	231	11·6	1·0277	11·9	67	120	16·4
Ilkeston M.B. ...	31,822	503	498	19	19	1,039	32·7	474	14·9	1·0723	16·0	160	154	17·8
Long Eaton ...	19,369	241	217	8	9	475	24·5	168	8·7	1·1119	9·7	49	103	15·8
Matlock ...	6,765	56	55	5	3	119	17·6	85	12·6	·9452	11·9	12	101	5·0
Matlock Bath and Scarthin Nick.	1,802	19	15	2	2	38	21·1	29	16·1	·9342	15·0	5	132	5·0
New Mills ...	9,030	102	91	6	6	205	22·7	130	14·4	1·0223	14·7	25	122	7·3
North Darley ...	3,332	38	35	—	2	75	22·5	38	11·4	1·0519	14·0	7	93	11·1
Ripley ...	11,894	145	176	6	5	332	27·9	124	10·4	1·0032	10·4	27	81	17·5
South Darley ...	810	11	12	—	1	24	29·6	14	17·3	·8970	15·5	2	83	12·3
Swadlincote District ...	18,691	286	236	10	14	546	29·2	273	14·6	1·0149	14·8	87	159	14·6
Whittington and Newbold	17,271	255	263	8	8	534	30·9	313	18·1	1·0359	18·7	102	191	12·8
Wirksworth ...	3,890	31	33	3	—	67	17·2	71	18·3	·9030	16·5	3	45	—1·1
Rural Districts.														
Ashbourne ...	10,290	135	106	10	6	257	25·0	136	13·2	·8900	11·7	24	93	11·8
Bakewell ...	20,299	218	186	7	11	422	20·8	280	13·8	·9010	12·4	46	109	7·0
Belper ...	23,615	262	238	11	4	515	21·8	284	12·0	·9506	11·4	47	91	9·8
Blackwell ...	39,584	716	671	30	21	1,438	36·3	554	14·0	1·0515	14·7	219	152	22·3
Chapel en le Frith ...	16,642	175	182	6	5	368	22·1	223	13·4	·9976	13·4	42	114	8·7
Chesterfield ...	72,488	1,137	1,093	45	43	2,318	32·0	987	13·6	1·0055	13·7	320	138	18·4
Clowne ...	18,000	307	321	7	14	649	36·1	247	13·7	1·0469	14·3	101	156	22·4
Glossop Dale ...	4,005	36	29	2	1	66	17·0	54	13·5	·9620	13·0	3	44	3·5
Hartshorn and Seals ...	7,964	117	113	6	5	241	30·3	99	12·4	·9518	11·8	26	108	17·9
Hayfield ...	5,205	60	44	2	2	108	20·7	60	11·5	1·0068	11·6	13	120	9·2
Norton ...	3,934	36	30	—	1	67	17·0	29	7·4	·9922	7·3	3	45	9·6
Repton ...	16,156	196	170	6	5	377	23·3	203	12·6	·9580	12·1	43	114	10·7
Shardlow ...	31,013	373	353	15	15	756	24·4	372	12·0	·9610	11·5	76	101	12·4
Sudbury ...	2,687	20	37	2	3	62	23·1	32	11·9	·8821	10·5	5	81	11·2
Area administered by Rural District Council of Basford (Nottinghamshire).	1,446	19	15	—	—	34	23·5	16	11·1	1·0103	11·2	3	88	12·4

BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS, 1911—continued.

Administrative Area.	Estimated Population. (Middle, 1911.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.			Natural Inc. case per 1,000 living.
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
DEVONSHIRE.	457,867	4,201	4,025	195	212	8,633	18.9	6,370	13.9	8544	11.9	829	96	5.0	
Total Urban Districts ...	231,365*	2,010	1,962	109	107	4,188	18.1	3,369	14.6	8599	12.6	434	104	3.5	
Total Rural Districts ...	226,502*	2,191	2,063	86	105	4,445	19.6	3,001	13.2	8488	11.2	395	89	6.4	
Urban Districts.															
Ashburton ...	2,490	22	26	1	—	49	19.7	46	18.5	8381	15.5	8	163	1.2	
Bampton ...	1,570	15	19	1	1	36	22.9	21	13.4	8559	11.5	3	83	8.5	
Barnstaple M.B. ...	14,495	142	127	14	11	294	20.3	235	16.2	8453	13.7	33	112	4.1	
Bideford M.B. ...	9,087	90	101	5	6	202	22.2	130	14.3	8885	12.7	18	89	7.9	
Brixham ...	7,950	73	106	—	3	182	22.9	119	15.0	8806	13.2	16	88	7.9	
Buckfastleigh ...	2,428	18	14	—	1	33	13.6	27	11.1	9465	10.5	4	121	2.5	
Budleigh Salterton ...	2,178	21	27	—	—	48	22.0	17	7.8	7374	5.8	4	83	14.2	
Crediton ...	3,631	30	25	—	1	56	15.4	64	17.6	7605	13.4	3	54	—2.2	
Dartmouth M.B. ...	7,016	68	60	3	4	135	19.2	98	14.0	9807	13.7	13	96	5.2	
Dawlish ...	4,102	33	41	3	1	78	19.0	56	13.7	7735	10.6	4	51	5.3	
East Stonehouse ...	13,712	198	167	10	7	382	27.9	285	20.8	9837	20.5	58	152	7.1	
Exmouth ...	12,001	103	84	2	5	194	16.2	140	11.7	8297	9.7	6	31	4.5	
Great Torrington M.B. ...	3,036	39	27	2	2	70	23.1	51	16.8	7937	13.3	4	57	6.3	
Heavitree ...	11,040	123	92	1	2	218	19.7	142	12.9	9171	11.8	24	110	6.8	
Holsworthy ...	1,502	17	14	1	—	32	21.3	27	18.0	8592	15.5	6	188	3.3	
Honiton M.B. ...	3,189	30	25	2	3	60	18.8	40	12.5	8386	10.5	3	50	5.3	
Ilfracombe ...	8,945	57	48	2	1	108	12.1	123	13.8	8362	11.5	10	93	—1.7	
Ivybridge ...	1,734	12	9	6	2	29	16.7	22	12.7	9453	12.0	6	207	4.0	
Kingsbridge ...	3,050	16	20	4	—	40	13.1	49	16.1	7850	12.6	4	100	—3.0	
Lynton ...	1,773	13	8	1	3	25	14.1	17	9.6	9777	9.4	1	40	4.5	
Newton Abbot ...	13,742	124	120	3	2	249	18.1	233	17.0	8970	15.2	31	124	1.1	
Northam ...	5,504	63	73	1	5	142	25.8	75	13.6	8499	11.6	14	99	12.2	
Okehampton M.B. ...	3,190	35	33	5	5	78	24.5	34	10.7	9454	10.1	6	77	13.8	
Ottery St. Mary ...	3,704	39	43	2	1	85	22.9	66	17.8	7804	13.9	9	106	5.1	
Paignton ...	11,316	94	96	8	3	201	17.8	153	13.5	8499	11.5	22	109	4.3	
Salcombe ...	2,040	18	15	—	2	35	17.2	26	12.7	7996	10.2	1	29	4.5	
Seaton ...	1,704	13	10	—	—	23	13.5	28	16.4	8843	14.5	1	43	—2.9	
Sidmouth ...	5,649	36	38	1	3	78	13.8	60	10.6	8567	9.1	5	64	3.2	
South Molton M.B. ...	2,739	28	30	1	1	60	21.9	52	19.0	7685	14.6	4	67	3.2	
Tavistock ...	4,381*	26	35	3	5	69	15.7	62	14.1	7886	11.1	13	188	1.6	
Teignmouth ...	9,230	65	58	1	6	130	14.1	133	14.4	8072	11.6	10	77	—0.3	
Tiverton M.B. ...	10,200	71	73	8	1	153	15.0	128	12.5	8848	11.1	19	124	2.5	
Torquay M.B. ...	38,907	251	254	14	19	538	13.8	554	14.2	8730	12.4	64	119	—0.4	
Totnes M.B. ...	4,130	27	44	4	1	76	18.4	56	13.6	7703	10.5	7	92	4.8	
Rural Districts.															
Axminster ...	12,342	141	120	4	3	268	21.7	171	13.9	8075	11.2	7	26	7.8	
Barnstaple ...	18,242	186	170	8	8	372	20.4	217	11.9	8275	9.8	29	78	8.5	
Bideford ...	6,351	83	56	4	2	145	22.8	84	13.2	8460	11.2	14	97	9.6	
Broadwood Widger ...	2,388	24	16	1	1	42	17.6	31	13.0	8986	11.7	4	95	4.6	
Crediton ...	10,902	103	106	6	8	223	20.5	118	10.8	8293	9.0	16	72	9.7	
Culmstock ...	3,346	30	32	—	—	62	18.5	40	12.0	8429	10.1	5	81	6.5	
Holsworthy (part of)† ...	7,023	74	87	5	3	169	24.1	94	13.4	8554	11.5	16	95	10.7	
Honiton ...	9,607	90	90	4	2	186	19.4	113	11.8	8347	9.8	13	70	2.6	
Kingsbridge ...	11,652	119	95	6	9	229	19.7	157	13.5	8167	11.0	23	100	6.7	
Newton Abbot ...	19,523	176	173	7	9	365	18.7	304	15.6	8579	13.4	36	99	3.1	
Okehampton ...	13,611	135	115	4	8	262	19.2	192	14.1	8411	11.9	24	92	5.1	
Plympton St. Mary ...	21,479	204	203	9	7	423	19.7	310	14.4	8931	12.9	46	109	5.3	
St. Thomas ...	26,514	241	239	11	14	505	19.0	359†	13.5	8414	11.4	43	85	5.5	
South Molton ...	10,907	109	107	3	6	225	20.6	126	11.6	8594	10.0	24	107	9.0	
Tavistock ...	16,228*	110	122	4	13	249	15.3	210	12.9	8763	11.3	29	116	2.4	
Tiverton ...	15,120	146	159	5	3	313	20.7	201	13.3	8834	11.7	22	70	7.4	
Torrington ...	8,962	96	75	2	5	178	19.9	127	14.2	8442	12.0	19	107	5.7	
Totnes ...	12,305	124	98	3	4	229	18.6	147	11.9	8464	10.1	25	109	6.7	
DORSETSHIRE.															
Total Urban Districts ...	223,825	2,193	2,097	109	117	4,516	20.2	2,846	12.7	8935	11.3	405	90	7.5	
Total Rural Districts ...	118,928	1,132	1,093	62	77	2,364	19.9	1,532	12.9	9526	12.3	255	108	7.0	
Total ...	104,897	1,061	1,004	47	40	2,152	20.5	1,314	12.5	8343	10.4	150	70	8.0	
Urban Districts.															
Blandford Forum M.B. ...	3,472	37	38	1	1	77	22.2	58	16.7	7978	13.3	2	26	5.5	
Bridport M.B. ...	5,918	49	59	—	6	114	19.3	87	14.7	7929	11.7	6	53	4.6	
Dorchester M.B. ...	9,852	115	89	5	11	220	22.3	138	14.0	9565	13.4	19	86	8.3	
Lyne Regis M.B. ...	2,790	18	16	1	—	35	12.5	35	12.5	9548	11.9	1	29	—	
Poole M.B. ...	39,183	428	439	32	37	936	23.9	545	13.9	9374	13.0	116	124	10.0	
Portland ...	17,061	119	107	4	3	233	13.7	145	8.5	1.3272	11.3	37	159	5.2	
Shaftesbury M.B. ...	1,869	14	10	—	1	25	13.4	30	16.0	8468	13.5	3	120	—2.6	
Sherborne... ..	5,958	55	41	2	1	99	16.6	83	13.9	9227	12.8	10	101	2.7	
Swanage ...	4,723	37	30	2	1	70	14.8	51	10.8	9484	10.2	6	86	4.0	
Wareham M.B. ...	2,002	16	13	1	2	32	16.0	31	15.5	7778	12.1	3	94	0.5	
Weymouth and Melcombe Regis M.B. ...	22,389	206	227	12	12	457	20.4	276	12.3	9319	11.5	46	101	8.1	
Wimborne Minster ...	3,711	38	24	2	2	66	17.8	53	14.3	8439	12.1	6	91	3.5	

† The remainder of Holsworthy Rural District is in Cornwall; see page 153.

BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS, 1911—continued.

Administrative Area.	Estimated Population. (Middle, 1911.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
DORSETSHIRE—cont.															
Rural Districts.															
Beaminster	9,214	109	86	3	3	201	21·8	129	14·0	·7902	11·1	15	75	7·8	
Blandford	8,768	81	79	2	1	163	18·6	99	11·3	·8284	9·4	9	55	7·3	
Bridport	6,731	51	72	3	4	130	19·3	79	11·7	·8333	9·7	9	69	7·6	
Cerne	4,911	54	53	4	2	113	23·0	60	12·2	·8323	10·2	12	106	10·8	
Dorchester	9,618	89	71	6	3	169	17·6	132½	13·7	·8722	11·9	13	77	3·9	
Poole	6,345	76	81	3	6	166	26·2	84	13·2	·8513	11·2	16	96	13·0	
Shaftesbury	10,910	112	105	4	6	227	20·8	132	12·1	·8014	9·7	14	62	8·7	
Sherborne	5,923	61	55	4	2	122	20·6	75	12·7	·8694	11·0	6	49	7·9	
Sturminster	8,496	81	87	2	3	173	20·4	101	11·9	·8244	9·8	12	69	8·5	
Wareham and Purbeck ...	10,566	107	88	5	—	200	18·9	125	11·8	·8382	9·9	7	35	7·1	
Weymouth	8,412	83	73	3	4	163	19·4	119	14·1	·8737	12·3	17	104	5·3	
Wimborne and Cranborne	15,003	157	154	8	6	325	21·7	179	11·9	·8450	10·1	20	62	9·8	
DURHAM.															
Total Urban Districts ...	933,461	14,662	13,819	596	553	29,630	31·7	15,321	16·4	1·0210	16·7	4,707	159	15·3	
Total Rural Districts ...	530,102	8,182	7,806	340	302	16,630	31·4	8,867	16·7	1·0249	17·1	2,534	152	14·7	
Urban Districts.															
Annfield Plain	16,659	279	284	7	7	577	34·6	304	18·2	1·0287	18·7	103	179	16·4	
Barnard Castle	4,766	41	45	3	3	92	19·3	76	15·9	·9558	15·2	10	109	3·4	
Benfieldside	8,379	123	114	4	1	242	28·9	132	15·8	1·0576	16·7	35	145	13·1	
Bishop Auckland	13,883	184	177	10	2	373	26·9	219	15·8	·9843	15·6	49	131	11·1	
Blaydon	31,438	549	505	29	29	1,112	35·4	547	17·4	1·0608	18·5	207	186	18·0	
Brandon and Byshottles...	17,722	283	291	10	13	597	33·7	302	17·0	1·0434	17·7	92	154	16·7	
Chester le Street	14,790	237	229	11	11	488	33·0	255	17·2	1·0126	17·4	90	184	15·8	
Consett	11,247	163	148	4	2	317	28·2	197	17·5	1·0713	18·7	48	151	10·7	
Crook	12,330	196	176	9	6	387	31·4	217	17·6	1·0211	18·0	59	152	13·8	
Darlington, M.B.	55,924	732	706	33	34	1,505	26·9	837	15·0	1·0066	15·1	205	136	11·9	
Durham, M.B.	17,587	226	212	11	8	457	26·0	306	17·4	·9929	17·3	69	151	8·6	
Felling	25,093	405	388	17	13	823	32·8	379	15·1	1·0135	15·3	102	124	17·7	
Hartlepool, M.B.	20,559	308	318	13	14	653	31·8	426	20·7	1·0206	21·1	97	149	11·1	
Hebburn	21,786	384	333	17	15	749	34·4	360	16·5	1·0470	17·3	95	127	7·9	
Hetton	15,731	302	251	10	18	581	36·9	339	21·6	·9989	21·6	121	208	15·3	
Houghton le Spring	9,803	154	147	9	5	315	32·1	171	17·4	·9818	17·1	48	152	14·7	
Jarrow, M.B.	33,711	520	502	19	11	1,052	31·2	563	16·7	1·0180	17·0	130	124	14·5	
Leadgate	4,999	80	65	4	3	152	30·4	88	17·6	1·0039	17·7	34	224	12·8	
Ryton	13,066	217	197	7	7	428	32·8	186	14·2	1·0066	14·3	66	154	18·6	
Seaham Harbour	15,904	277	268	7	6	558	35·1	299	18·8	1·0277	19·3	108	194	16·3	
Shildon	13,534	207	166	5	11	389	28·1	178	13·2	·9951	13·1	39	100	15·5	
Southwick on Wear	13,814	229	258	6	6	499	36·1	270	19·5	1·0324	20·1	79	158	16·6	
Spennymoor	17,942	288	292	18	14	612	34·1	292	16·3	1·0094	16·5	102	167	17·8	
Stanhope	2,011	25	10	2	1	38	18·9	35	17·4	·9280	16·1	2	53	1·5	
Stanley	23,551	407	391	13	13	824	35·0	381	16·2	1·0755	17·4	149	181	18·8	
Stockton on Tees, M.B.	52,172	756	714	38	32	1,540	29·5	873	16·7	1·0248	17·1	206	134	12·8	
Tanfield	10,149	153	164	2	2	321	31·6	158	15·6	1·0318	16·1	54	168	16·0	
Tow Law	4,323	59	52	3	2	116	26·8	62	14·3	1·0058	14·4	9	78	12·5	
Whickham	18,476	271	260	16	9	556	30·1	254	13·7	1·0637	14·6	80	144	16·4	
Willington	8,753	127	143	3	4	277	31·6	161	18·4	1·0163	18·7	46	166	13·2	
Rural Districts.															
Auckland	58,518	929	863	51	49	1,892	32·3	945	16·1	1·0112	16·3	298	158	16·2	
Barnard Castle	11,701	172	126	8	11	317	27·1	145	12·4	·9499	11·8	25	79	14·7	
Chester le Street	64,276	1,115	1,015	32	34	2,196	34·2	1,049	16·3	1·0359	16·9	417	190	17·9	
Darlington	10,949	114	131	4	8	257	23·5	174	15·9	·9084	14·4	34	132	17·6	
Durham	30,890	498	506	19	17	1,040	33·7	553	17·9	·9882	17·7	171	164	15·8	
Easington	60,553	1,092	1,060	42	48	2,242	37·0	1,077	17·8	1·0477	18·6	399	178	19·2	
Hartlepool	3,367	30	22	2	—	54	16·0	31	9·2	·9615	8·8	9	167	6·8	
Houghton le Spring	25,691	478	430	17	22	947	36·9	401	15·6	·9965	15·5	147	155	11·3	
Lanchester	32,371	498	493	24	13	1,028	31·8	468	14·5	1·0369	15·0	162	158	17·3	
Sedgefield	34,049	507	468	16	21	1,012	29·7	517½	15·2	1·0534	16·0	171	169	14·5	
South Shields	14,578	201	166	5	6	378	25·9	194	13·3	1·0261	13·6	61	161	12·6	
Stockton	17,601	275	192	7	5	479	27·2	270	15·3	·9973	15·3	71	148	11·9	
Sunderland	29,166	470	442	21	12	945	32·4	498	17·1	1·0219	17·5	192	203	15·3	
Weardale	9,649	101	99	8	5	213	22·1	132	13·7	·9594	13·1	16	75	8·4	
ELY, ISLE OF.															
Total Urban Districts ...	69,891	753	796	41	52	1,642	23·5	1,023	14·6	·8385	12·2	201	122	8·9	
Total Rural Districts ...	36,685	386	397	29	37	849	23·1	582	15·9	·8400	13·4	111	131	7·2	
Urban Districts.															
Chatteris	33,206	367	399	12	15	793	23·9	441	13·3	·8364	11·1	90	113	10·6	
Ely	5,273	61	68	8	4	141	26·7	76	14·4	·8498	12·2	15	106	11·3	
March	7,922	81	79	4	9	173	21·8	94	11·9	·8392	10·0	16	92	9·9	
March	8,425	88	93	6	6	193	22·9	113	13·4	·8989	12·0	27	140	9·5	
Whittlesey	4,215	51	47	2	3	103	24·4	73	17·3	·7998	13·8	10	97	7·1	
Wisbech, M.B.	10,850	105	110	9	15	239	22·0	226	20·8	·8130	16·9	43	180	1·2	

BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS, 1911—continued.

Administrative Area.	Estimated Population. (Middle, 1911.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
ELY, ISLE OF—cont.															
Rural Districts.															
Ely	12,929	123	160	4	8	295	22·8	166	12·8	·8233	10·5	26	88	10·8	
North Witchford ...	5,228	65	57	4	4	130	24·9	70	13·4	·8083	10·8	12	92	11·5	
Thorney	1,905	27	20	—	—	47	24·7	24	12·6	·9290	11·7	8	170	12·1	
Whittlesey	3,385	34	48	—	—	82	24·2	34	10·0	·8791	8·8	9	110	14·2	
Wisbech	9,759	118	114	4	3	239	24·5	147	15·1	·8427	12·7	35	146	9·4	
ESSEX.															
Total Urban Districts ...	1,068,312	11,759	11,444	402	394	23,999	22·5	12,781	12·0	·9737	11·7	2,542	106	10·5	
Total Rural Districts ...	802,184	9,073	8,831	287	282	18,473	23·0	9,485	11·8	1·0218	12·1	2,038	110	11·2	
Urban Districts.															
Barking Town	31,551	497	479	10	19	1,005	31·9	509	16·1	1·0470	16·9	156	155	15·8	
Braintree	6,190	56	63	5	3	127	20·5	85	13·7	·8898	12·2	6	47	6·8	
Brentwood	6,975	64	51	1	1	117	16·8	71	10·2	1·0142	10·3	13	111	6·6	
Brightlingsea	4,400	40	32	2	—	74	16·8	68	15·5	·8247	12·8	11	149	1·3	
Buckhurst Hill	4,889	50	44	2	9	105	21·5	53	10·8	1·0003	10·8	11	105	10·8	
Burnham on Crouch ...	3,197	26	23	2	3	54	16·9	30	9·4	·8326	7·8	2	37	6·5	
Chelmsford M.B.	18,072	180	174	8	5	367	20·3	213	11·8	·9273	10·9	32	87	8·5	
Chingford	8,284	93	83	1	2	179	21·6	72	8·7	1·0334	9·0	10	56	12·9	
Clacton	9,888	86	80	3	8	177	18·0	99	10·1	·9625	9·7	23	130	7·9	
Colchester M.B.	43,586	460	481	24	12	977	22·4	541	12·4	1·0097	12·5	105	107	10·0	
East Ham M.B.	134,474	1,773	1,645	50	28	3,496	26·0	1,651	12·3	1·0536	13·0	412	118	13·7	
Epping	4,265	32	33	1	2	68	15·9	61	14·3	·8126	11·6	6	88	1·6	
Frinton on Sea	1,533	10	13	2	1	26	17·0	11	7·2	1·1189	8·1	1	38	9·8	
Grays Thurrock	16,055	186	181	12	7	386	24·0	179	11·1	1·0762	11·9	38	98	12·9	
Halstead	6,269	58	46	1	3	108	17·2	90	14·4	·8697	12·5	10	93	2·8	
Harwich M.B.	13,716	169	157	7	6	339	24·7	154	11·2	1·1101	12·4	38	112	13·5	
Ilford	79,161	774	789	16	18	1,597	20·2	704†	8·9	1·0637	9·5	136	85	11·3	
Leigh on Sea	7,820	82	86	6	2	176	22·5	96	12·3	·9580	11·8	13	74	10·2	
Leyton	125,415	1,431	1,419	41	38	2,929	23·4	1,526	12·2	1·0217	12·5	335	114	11·2	
Loughton	5,452	51	42	2	6	101	18·5	64	11·7	1·0138	11·9	10	99	6·8	
Maldon M.B.	6,271	60	60	5	2	127	20·3	107	17·1	·8281	14·2	19	150	3·2	
Romford	17,057	182	185	12	17	396	23·2	211	12·4	·9491	11·8	48	121	10·8	
Saffron Walden M.B. ...	6,322	44	40	3	6	93	14·7	92	14·6	·8063	11·8	10	108	0·1	
Shoeburyness	5,028	72	82	3	—	157	31·2	59	11·7	1·0398	12·2	19	121	19·5	
Southeast on Sea M.B. ...	63,605	611	584	21	30	1,246	19·6	754	11·9	1·0088	12·0	155	124	7·7	
Waltham Holy Cross ...	6,801	68	66	1	—	135	19·9	98	14·4	1·0139	14·6	18	133	5·5	
Walthamstow	125,356	1,543	1,557	39	41	3,180	25·4	1,468	11·7	1·0646	12·5	343	108	13·7	
Walton on the Naze ...	2,176	9	18	1	2	30	13·8	19	8·7	·9139	8·0	4	133	5·1	
Wanstead	13,953	118	98	1	6	223	16·0	145	10·4	1·0790	11·2	17	76	5·6	
Witham	3,481	33	31	1	—	65	18·7	44	12·6	·9005	11·3	5	77	6·1	
Wivenhoe	2,370	18	17	2	—	37	15·6	28	11·8	·8370	9·9	5	135	3·8	
Woodford	18,622	197	172	2	5	376	20·2	183	9·8	1·0246	10·0	27	72	10·4	
Rural Districts.															
Belchamp	4,671	41	42	1	1	85	18·2	77	16·5	·7492	12·4	8	94	1·7	
Billericay	21,662	193	182	5	9	389	18·0	284†	13·1	·9322	12·2	31	80	4·9	
Braintree	18,472	150	162	5	8	325	17·6	250	13·5	·7900	10·7	41	126	4·1	
Bumpstead	2,595	28	24	2	2	56	21·6	34	13·1	·7803	10·2	7	125	8·5	
Chelmsford	22,845	224	239	13	7	483	21·1	275	12·0	·8243	9·9	42	87	9·1	
Dunmow	16,094	153	133	13	3	302	18·8	235	14·6	·7791	11·4	31	103	4·2	
Epping	13,990	151	121	7	4	283	20·2	145	10·4	·8920	9·3	21	74	9·8	
Halstead	10,336	94	109	2	6	211	20·4	129	12·5	·8086	10·1	19	90	7·9	
Lexden and Winstree ...	19,715	212	196	14	8	430	21·8	262	13·3	·8150	10·8	35	81	8·5	
Maldon	16,204	154	178	7	7	346	21·4	173	10·7	·8024	8·6	19	55	10·7	
Ongar	10,660	85	85	5	11	186	17·4	117	11·0	·8953	9·8	13	70	6·4	
Orsett	25,003	312	295	6	9	622	24·9	307	12·3	·9692	11·9	62	100	12·6	
Rochford	18,475	188	182	10	4	384	20·8	237	12·8	·8740	11·2	43	112	8·0	
Romford	25,524	305	317	7	16	645	25·3	276	10·8	·9617	10·4	68	105	14·5	
Saffron Walden	10,811	112	84	6	6	208	19·2	148	13·7	·7812	10·7	12	58	5·5	
Stansted	7,071	76	59	1	2	138	19·5	89	12·6	·8212	10·3	17	123	6·9	
Tendring	22,000	208	205	11	9	433	19·7	258	11·7	·8219	9·6	35	81	8·0	
FLINTSHIRE.															
Total Urban Districts ...	93,001	1,139	1,066	62	48	2,315	24·9	1,369	14·7	·9243	13·6	250	108	10·2	
Total Rural Districts ...	34,980	434	452	19	16	921	26·3	537	15·4	·9545	14·7	109	118	10·9	
Urban Districts.															
Buckley	6,348	88	99	3	2	192	30·2	99	15·6	·9478	14·8	21	109	14·6	
Connah's Quay	4,628	90	78	2	—	170	36·7	66	14·3	1·0282	14·7	21	124	22·4	
Flint M.B.	5,494	93	95	4	5	197	35·9	108	19·7	·9478	18·7	34	173	16·2	
Holywell	2,546	30	24	2	2	58	22·8	44	17·3	·9398	16·3	6	103	5·5	
Mold	4,889	61	70	2	2	135	27·6	81	16·6	·9370	15·6	16	119	11·0	
Prestatyn	2,056	10	15	—	1	26	12·6	30	14·6	·8761	12·8	2	77	2·0	
Rhyl	9,019	62	71	6	4	143	15·9	109	12·1	·9626	11·6	9	63	3·8	

BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS, 1911—continued.

Administrative Area.	Estimated Population. (Middle, 1911.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
FLINTSHIRE—cont.															
Rural Districts.															
Hawarden... ..	20,696	293	237	10	11	551	26·6	282	13·6	·9832	13·4	64	116	13·0	
Holywell	25,364	301	263	20	11	595	23·5	378	14·9	·8800	13·1	56	94	8·6	
Overton	5,179	54	56	6	3	119	23·0	67	12·9	·8975	11·6	7	59	10·1	
St. Asaph (Flint) ...	6,782	57	58	7	7	129	19·0	105	15·5	·8176	12·7	14	109	3·5	
GLAMORGANSHIRE.															
Total Urban Districts ...	748,562	11,937	11,583	330	312	24,162	32·3	10,729	14·3	1·0659	15·2	3,511	145	18·0	
Total Rural Districts ...	541,043	8,978	8,620	247	230	18,075	33·4	7,961	14·7	1·0836	15·9	2,743	152	18·7	
Urban Districts.	207,519	2,959	2,963	83	82	6,087	29·3	2,768	13·3	1·0218	13·6	768	126	16·0	
Aberavon M.B.	10,583	157	178	4	5	344	32·5	180	17·0	1·0603	18·0	51	148	15·5	
Aberdare	51,027	833	794	31	20	1,678	32·9	933	18·3	1·0580	19·4	315	188	14·6	
Barry	33,940	443	437	14	11	905	26·7	387	11·4	1·1124	12·7	96	106	15·3	
Bridgend	8,066	99	89	3	3	194	24·1	120	14·9	1·0335	15·4	20	103	9·2	
Briton Ferry	8,511	133	122	4	3	262	30·8	114	13·4	1·0609	14·2	32	122	17·4	
Caerphilly	33,292	570	606	9	12	1,197	36·0	519	15·6	1·1003	17·2	192	160	20·4	
Cowbridge M.B.	1,166	10	5	2	—	17	14·6	14	12·0	·9330	11·2	1	59	2·6	
Gelligaer	36,003	648	623	20	26	1,317	36·6	477	13·2	1·1011	14·5	189	144	23·4	
Glyncorwg	8,747	159	144	3	5	311	35·6	133	15·2	1·1044	16·8	38	122	20·4	
Maesteg	25,240	453	436	5	14	908	36·0	394	15·6	1·0725	16·7	169	186	20·4	
Margam	14,863	230	211	5	2	448	30·1	218	14·7	1·0745	15·8	67	150	15·4	
Mountain Ash	42,540	735	707	16	11	1,469	34·5	518	12·2	1·0948	13·4	174	118	22·3	
Neath M.B.	17,689	268	234	10	5	517	29·2	301	17·0	1·0306	17·5	82	159	12·2	
Ogmore and Garw ...	26,921	497	425	13	18	953	35·4	351	13·0	1·0911	14·2	147	154	22·4	
Oystermouth	6,141	62	56	3	3	124	20·2	80	13·0	·9081	11·8	9	73	7·2	
Penarth	15,521	157	163	9	6	335	21·6	187	12·0	1·0757	12·9	30	90	9·6	
Pontypridd	43,498	766	718	22	17	1,523	35·0	647	14·9	1·0984	16·4	223	146	20·1	
Porthcawl... ..	3,485	39	34	3	5	81	23·2	43	12·3	·9927	12·2	7	86	10·9	
Rhondda	153,810	2,719	2,638	71	64	5,492	35·7	2,345	15·2	1·1005	16·7	901	164	20·5	
Rural Districts.															
Cowbridge	7,964	114	98	5	2	219	27·5	98	12·3	·9329	11·5	22	100	15·2	
Gower	8,658	118	89	5	3	215	24·8	120	13·9	·8934	12·4	19	88	10·9	
Llandaff and Dinas Powis	33,468	379	410	8	12	809	24·2	402	12·0	1·0145	12·2	76	94	12·2	
Llantrisant and Llantwit-fardre.	17,631	295	294	11	3	603	34·2	223	12·6	1·0198	12·8	80	133	21·6	
Neath	41,964	631	625	22	19	1,297	30·9	614	14·6	1·0514	15·4	196	151	16·3	
Penybont	22,482	331	325	5	14	675	30·0	317†	14·1	1·0067	14·2	80	119	15·9	
Pontardawe	31,776	498	543	11	15	1,067	33·6	452	14·2	1·0486	14·9	149	140	19·4	
Swansea	43,576	593	579	16	14	1,202	27·6	542	12·4	1·0436	12·9	146	121	15·2	
GLOUCESTERSHIRE.															
Total Urban Districts ...	329,214	3,327	3,143	193	161	6,824	20·7	4,391	13·3	·8715	11·6	639	94	7·4	
Total Rural Districts ...	100,420	994	880	74	53	2,001	19·9	1,400	13·9	·8861	12·3	217	108	6·0	
Urban Districts.	228,794	2,333	2,263	119	108	4,823	21·1	2,991	13·1	·8653	11·3	422	88	8·0	
Awre	1,069	18	8	—	—	26	24·3	20	18·7	·8980	16·8	—	—	5·7	
Charlton Kings	4,513	49	35	3	—	87	19·3	57	12·6	·8742	11·0	7	80	6·7	
Cheltenham M.B. ...	48,929	448	418	44	27	937	19·2	693	14·2	·8709	12·4	117	125	5·0	
Cirencester	7,634	65	60	3	5	133	17·4	100	13·1	·8979	11·8	7	53	4·3	
Coleford	2,606	36	26	2	6	70	26·9	42	16·1	·8434	13·6	10	143	10·8	
Kingswood	12,718	153	124	4	5	286	22·5	143	11·2	1·0765	12·1	32	112	11·3	
Nailsworth	3,031	31	35	5	1	72	23·8	43	14·2	·8736	12·4	7	97	9·6	
Newnham	1,017	6	5	1	1	13	12·8	16	15·7	·8475	13·3	—	—	2·9	
Stow on the Wold ...	1,299	13	12	1	—	26	20·0	20	15·4	·8862	13·6	2	77	4·6	
Stroud	8,757	81	77	5	2	165	18·8	124	14·2	·8831	12·5	13	79	4·6	
Tetbury	1,752	14	19	3	1	37	21·1	34	19·4	·7901	15·3	9	243	1·7	
Tewkesbury M.B. ...	5,284	60	47	3	2	112	21·2	75	14·2	·8710	12·4	11	98	7·0	
Westbury on Severn ...	1,811	20	14	—	3	37	20·4	33	18·2	·7039	12·8	2	54	2·2	
Rural Districts.															
Campden	5,601	59	57	3	3	122	21·8	75	13·4	·8206	11·0	15	123	8·4	
Cheltenham	5,270	49	43	1	1	94	17·8	61	11·6	·8877	10·3	3	32	6·2	
Chipping Sodbury ...	20,925	223	184	10	12	429	20·5	285	13·6	·8568	11·7	46	107	6·9	
Cirencester	12,763	120	133	12	9	274	21·5	165	12·9	·8488	10·9	18	66	8·6	
Dursley	12,249	110	113	5	3	231	18·9	160	13·1	·8599	11·3	13	56	5·8	
East Dean and United Parishes.	19,950	230	239	13	9	491	24·6	258	12·9	·8938	11·5	45	92	11·7	
Faringdon (part of)† ...	1,167	12	10	—	—	22	18·9	16	13·7	·8522	11·7	4	182	5·2	
Gloucester	12,663	112	98	2	6	218	17·2	135†	10·7	·8848	9·5	18	83	6·5	
Lydney	9,014	96	82	3	2	183	20·3	118	13·1	·9236	12·1	18	98	7·2	
Marston Sicca	1,612	20	19	1	—	40	24·8	28	17·4	·7638	13·3	3	75	7·4	
Newent	6,961	64	73	2	5	144	20·7	103	14·8	·7778	11·5	14	97	5·9	
Northleach	8,055	78	84	3	4	169	21·0	97	12·0	·7977	9·6	11	65	9·0	
Pebworth... ..	3,247	32	36	5	2	75	23·1	55	16·9	·8052	13·6	10	133	6·2	
Stow on the Wold (part of)§	6,812	53	67	4	3	127	18·6	90	13·2	·8029	10·6	8	63	5·4	
Stroud	28,074	236	241	9	15	501	17·8	383	13·6	·8706	11·8	44	88	4·2	

† The remainder of Faringdon Rural District is in Berkshire; see page 150.
§ The remainder of Stow on the Wold Rural District is in Worcestershire; see page 175.

BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS, 1911—continued.

Administrative Area.	Estimated Population. (Middle, 1911.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	
		M.	F.	M.	F.									
Tetbury (part of)† ...	3,916	44	38	2	1	85	21·7	37	9·4	·9331	8·8	7	82	12·3
Tewkesbury (part of)§ ...	5,077	64	46	7	4	121	23·8	70	13·8	·7987	11·0	7	58	10·0
Thornbury ...	19,095	180	195	8	7	390	20·4	254	13·3	·8690	11·6	28	72	7·1
Warmley ...	17,221	200	155	9	6	370	21·5	206	12·0	·9826	11·8	39	105	9·5
West Dean ...	13,476	183	191	11	7	392	29·1	198	14·7	·9087	13·4	45	115	14·4
Wheatenhurst ...	6,093	57	59	3	3	122	20·0	72	11·8	·8055	9·5	9	74	8·2
Winchcomb (part of)§ ...	9,553	111	100	6	6	223	23·3	125	13·1	·8344	10·9	17	76	10·2
HEREFORDSHIRE.														
Total Urban Districts ...	114,273	1,096	1,076	82	85	2,339	20·5	1,672	14·6	·8229	12·0	187	80	5·9
Total Rural Districts ...	39,901	393	379	30	27	829	20·8	636	15·9	·8701	13·8	81	98	4·9
Urban Districts.	74,372	703	697	52	58	1,510	20·3	1,036	13·9	·7997	11·1	106	70	6·4
Bromyard... ..	1,704	17	16	2	—	35	20·5	31	18·2	·8537	15·5	3	86	2·3
Hereford M.B. ...	22,599	212	193	16	12	433	19·2	354	15·7	·9068	14·2	40	92	3·5
Kington ...	1,816	13	10	—	2	25	13·8	36	19·8	·7783	15·4	5	200	—6·0
Ledbury ...	3,361	48	34	4	2	88	26·2	59	17·6	·8307	14·6	9	102	8·6
Leominster M.B. ...	5,734	60	76	6	7	149	26·0	86	15·0	·8494	12·7	11	74	11·0
Ross ...	4,687	43	50	2	4	99	21·1	70	14·9	·8558	12·8	13	131	6·2
Rural Districts.														
Bredwardine ...	1,992	12	22	3	—	37	18·6	25	12·6	·8212	10·3	3	81	6·0
Bromyard... ..	7,923	75	81	12	7	175	22·1	103	13·0	·7833	10·2	14	80	9·1
Dore ...	6,484	79	70	5	8	162	25·0	92	14·2	·8095	11·5	12	74	10·8
Hereford ...	13,607	111	120	3	11	245	18·0	205†	15·1	·8143	12·3	22	90	2·9
Kington ...	4,989	50	46	4	8	108	21·6	68	13·6	·7712	10·5	7	65	8·0
Ledbury ...	9,059	85	80	4	4	173	19·1	129	14·2	·8473	12·0	15	87	4·9
Leominster ...	7,915	76	58	3	7	144	18·2	109	13·8	·7792	10·8	5	35	4·4
Ross ...	10,424	109	110	7	2	228	21·9	140	13·4	·8097	10·8	15	66	8·5
Weobley ...	6,692	53	65	6	5	129	19·3	93	13·9	·7726	10·7	8	62	5·4
Whitchurch ...	1,525	12	11	1	2	26	17·0	21	13·8	·7938	11·0	3	115	3·2
Wigmore ...	3,762	41	34	4	4	83	22·1	51	13·6	·7936	10·8	2	24	8·5
HERTFORDSHIRE.														
Total Urban Districts ...	312,677	3,173	3,020	141	138	6,472	20·7	3,541	11·3	·9392	10·6	574	89	9·4
Total Rural Districts ...	195,100	1,976	1,917	85	96	4,074	20·9	2,212	11·3	·9434	10·7	389	95	9·6
Urban Districts.	117,577	1,197	1,103	56	42	2,398	20·4	1,329	11·3	·9251	10·5	185	77	9·1
Baldock ...	2,095	33	17	1	2	53	25·3	28	13·4	·8393	11·2	6	113	11·9
Barnet ...	10,495	106	103	8	6	223	21·2	129	12·3	·9571	11·8	21	94	8·9
Bishop's Stortford ...	8,758	85	77	4	9	175	20·0	112	12·8	·9018	11·5	20	114	7·2
Bushey ...	7,042	58	63	2	1	124	17·6	45	6·4	1·0750	6·9	2	16	11·2
Cheshunt ...	12,971	150	141	6	5	302	23·3	166	12·8	·9712	12·4	32	106	10·5
East Barnet Valley ...	12,441	133	125	4	3	265	21·3	90	7·2	·9935	7·2	19	72	14·1
Great Berkhamstead ...	7,327	42	51	4	5	102	13·9	81	11·1	·9772	10·8	12	118	2·8
Harpenden ...	6,210	53	55	—	1	109	17·6	65	10·5	·9715	10·2	8	73	7·1
Hemel Hempstead M.B....	12,931	144	141	8	3	296	22·9	170	13·1	·9327	12·2	28	95	9·8
Hertford M.B. ...	10,411	109	99	8	5	221	21·2	132	12·7	·9594	12·2	26	118	8·5
Hitchin ...	11,953	133	120	6	9	268	22·4	173	14·5	·8640	12·5	30	112	7·9
Hoddesdon ...	5,209	48	62	2	8	120	23·0	78	15·0	·8819	13·2	10	83	8·0
Rickmansworth ...	6,305	67	61	1	4	133	21·1	60	9·5	1·0033	9·5	15	113	11·6
Royston ...	3,997	30	34	4	2	70	17·5	44	11·0	·8018	8·8	8	114	6·5
St. Albans M.B. ...	18,190	175	150	6	5	336	18·5	223	12·3	·9491	11·7	34	101	6·2
Sawbridgeworth ...	2,310	23	19	—	3	45	19·5	26	11·3	·8951	10·1	7	156	8·2
Stevenage... ..	4,880	50	50	2	3	105	21·5	48	9·8	·8984	8·8	10	95	11·7
Tring ...	4,484	46	48	3	2	99	22·1	53	11·8	·8508	10·0	6	61	10·3
Ware ...	5,849	57	55	1	5	118	20·2	75	12·8	·9074	11·6	14	119	7·4
Watford ...	41,242	434	446	15	15	910	22·1	414	10·0	1·0171	10·2	81	89	12·1
Rural Districts.														
Ashwell ...	3,948	42	38	2	—	82	20·8	55	13·9	·7708	10·7	4	49	6·9
Barnet ...	4,990	64	46	—	1	111	22·2	54	10·8	·9984	10·8	14	126	11·4
Berkhamstead ...	4,707	36	42	1	1	80	17·0	55	11·7	·8915	10·4	7	88	5·3
Buntingford ...	5,019	57	50	4	1	112	22·3	86	17·1	·7709	13·2	10	89	5·2
Hadham ...	5,810	47	47	4	3	101	17·4	72	12·4	·8083	10·0	5	50	5·0
Hatfield ...	8,619	92	92	6	4	194	22·5	102	11·8	·9604	11·3	13	67	10·7
Hemel Hempstead ...	6,580	80	67	3	—	150	22·8	90	13·7	·8694	11·9	14	93	9·1
Hertford ...	7,769*	86	77	7	4	174	22·4	90	11·6	·8637	10·0	15	86	10·8
Hitchin ...	18,679*	191	202	14	11	418	22·4	203	10·9	·9197	10·0	23	55	11·5
St. Albans ...	19,654	218	191	5	10	424	21·6	204†	10·4	1·0032	10·4	38	90	11·2
Ware ...	11,479	108	98	5	4	215	18·7	128	11·2	·9317	10·4	20	93	7·5
Watford ...	17,867	149	127	4	2	282	15·8	159	8·9	1·0454	9·3	17	60	6·9
Welwyn ...	2,456*	27	26	1	1	55	22·4	31	12·6	·9350	11·8	5	91	9·8

† The remainder of Tetbury Rural District is in Wiltshire; see page 175.

§ The remaining parts of Tewkesbury and Winchcomb Rural Districts are in Worcestershire; see page 175.

BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS, 1911—continued.

Administrative Area.	Estimated Population. (Middle, 1911.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
HUNTINGDONSHIRE.															
Total Urban Districts ...	55,615	573	560	34	33	1,200	21·6	725	13·0	·8239	10·7	106	88	8·6	
Total Rural Districts ...	23,683	257	268	18	20	563	23·8	311	13·1	·8799	11·5	48	85	10·7	
Urban Districts.															
Godmanchester, M.B. ...	31,932	316	292	16	13	637	20·0	414	13·0	·7868	10·2	58	91	7·0	
Huntingdon, M.B. ...	2,133	25	22	2	1	50	23·4	25	11·7	·7815	9·1	2	40	11·7	
Old Fletton ...	3,996	31	42	2	3	78	19·5	60	15·0	·8284	12·4	5	64	4·5	
Ramsey ...	5,016	69	56	3	5	133	26·5	59	11·8	1·0030	11·8	12	90	14·7	
St. Ives, M.B. ...	5,341	58	71	5	4	138	25·8	64	12·0	·9043	10·9	11	80	13·8	
St. Neots ...	3,018	28	32	4	5	69	22·9	35	11·6	·8357	9·7	6	87	11·3	
Rural Districts.															
Huntingdon ...	4,179	46	45	2	2	95	22·7	68	16·3	·8573	14·0	12	126	6·4	
Norman Cross ...	6,937	67	65	1	2	135	19·5	81	11·7	·8057	9·4	9	67	7·8	
Oundle (part of)‡ ...	5,625	62	44	5	3	114	20·3	72	12·8	·8500	10·9	14	123	7·5	
St. Ives ...	1,138	10	15	—	—	25	22·0	15	13·2	·7731	10·2	2	80	8·8	
St. Neots ...	9,708	100	90	5	6	201	20·7	123	12·7	·7655	9·7	18	90	7·0	
Thrapston (part of)‡ ...	7,227	68	64	4	—	136	18·8	114	15·8	·7623	12·0	14	103	3·0	
Area administered by Rural District Council of Barnack (Soke of Peterborough).	865	5	9	1	1	16	18·5	9	10·4	·7124	7·4	1	63	8·1	
	432	4	5	—	1	10	23·1	—	—	·7720	—	—	—	—	
KENT.															
Total Urban Districts ...	1,023,197	10,399	10,174	529	471	21,573	21·1	12,883	12·6	·9318	11·7	2,336	108	8·5	
Total Rural Districts ...	710,561	7,297	7,087	351	329	15,064	21·2	9,147	12·9	·9638	12·4	1,670	111	8·3	
Urban Districts.															
Ashford ...	312,636	3,102	3,087	178	142	6,509	20·8	3,736	11·9	·8660	10·3	666	102	8·9	
Beckenham ...	13,691	125	126	7	5	263	19·2	187	13·7	·9066	12·4	38	144	5·5	
Bexley ...	31,834	278	271	9	10	568	17·8	305	9·6	1·0056	9·7	41	72	8·2	
Broadstairs and St. Peter's	15,959	174	157	9	6	346	21·7	217	13·6	·9258	12·6	38	110	8·1	
Bromley, M.B. ...	8,994	65	51	6	4	126	14·0	82	9·1	1·0183	9·3	9	71	4·9	
Chatham, M.B. ...	33,811	333	303	15	9	660	19·5	345	10·2	·9926	10·1	50	76	9·3	
Cheriton ...	42,387	550	528	17	19	1,114	26·3	671	15·8	1·0055	15·9	143	128	10·5	
Chislehurst ...	7,590	103	119	9	2	233	30·7	78	10·3	1·1890	12·2	24	103	20·4	
Dartford ...	8,699	84	75	2	3	164	18·9	77	8·9	1·0196	9·1	14	85	10·0	
Deal, M.B. ...	23,740	269	243	15	9	536	22·6	279†	11·8	1·0421	12·3	78	146	10·8	
Dover, M.B. ...	11,314	128	107	12	12	259	22·9	175	15·5	·8885	13·8	35	135	7·4	
Erith ...	43,671	473	508	18	28	1,027	23·5	664	15·2	·9519	14·5	131	128	8·3	
Faversham, M.B. ...	27,815	343	350	9	13	715	25·7	267	9·6	1·0028	9·6	49	69	16·1	
Folkestone, M.B. ...	10,601	100	106	8	7	221	20·8	163	15·4	·8612	13·3	29	131	5·4	
Foots Cray ...	33,577	286	260	20	16	582	17·3	392	11·7	·9695	11·3	66	113	5·6	
Gillingham, M.B. ...	8,534	91	54	3	2	150	17·6	80	9·4	1·0288	9·7	9	60	8·2	
Gravesend, M.B. ...	52,502	618	580	17	18	1,233	23·5	644	12·3	1·0620	13·1	157	127	11·2	
Herne Bay ...	28,139	293	279	10	17	599	21·3	437	15·5	·9413	14·6	74	124	5·8	
Hythe, M.B. ...	7,808	61	60	6	3	130	16·6	91	11·7	·9001	10·5	15	115	4·9	
Lydd, M.B. ...	6,409	66	61	6	3	136	21·2	72	11·2	·9050	10·1	19	140	10·0	
Maidstone, M.B. ...	2,879	26	23	2	—	51	17·7	34	11·8	1·0013	11·8	7	137	5·9	
Margate, M.B. ...	35,527	350	345	19	17	731	20·6	529†	14·9	·9261	13·8	94	129	5·7	
Milton Regis ...	27,190	222	194	15	8	439	16·1	338	12·4	1·0284	12·8	56	128	3·7	
New Romney, M.B. ...	7,485	90	81	4	4	179	23·9	89	11·9	·8622	10·3	10	56	12·0	
Northfleet ...	1,333	9	12	1	3	25	18·8	11	8·3	·7848	6·5	1	40	10·5	
Penge ...	14,218	180	184	9	11	384	27·0	209	14·7	·9636	14·2	52	135	12·3	
Queenborough, M.B. ...	22,326	219	206	12	10	447	20·0	305	13·7	·9244	12·7	45	101	6·3	
Ramsgate, M.B. ...	2,492	29	31	2	—	62	24·9	30	12·0	1·1191	13·4	7	113	12·9	
Rochester, M.B. ...	29,652	262	274	21	10	567	19·1	418	14·1	·8829	12·4	56	99	5·0	
Sandgate ...	31,405	360	378	13	5	756	24·1	465	14·8	·9627	14·2	86	114	9·3	
Sandwich, M.B. ...	2,376	9	23	—	3	35	14·7	24	10·1	1·2933	13·1	1	29	4·6	
Sevenoaks ...	3,037	23	26	4	3	56	18·4	46	15·1	·8396	12·7	8	143	3·3	
Sheerness ...	9,210	76	76	7	7	166	18·0	114	12·4	·9666	12·0	13	78	5·6	
Sittingbourne ...	17,467	218	218	3	4	443	25·4	228	13·1	1·0150	13·3	50	113	12·3	
Southborough ...	8,365	91	90	6	13	200	23·9	131	15·7	·9278	14·6	25	125	8·2	
Tenterden, M.B. ...	7,002	62	64	3	9	138	19·7	92	13·1	·8225	10·8	16	116	6·6	
Tonbridge ...	3,383	34	27	4	1	66	19·5	46	13·6	·7730	10·5	5	76	5·9	
Tunbridge Wells, M.B. ...	14,850	140	148	7	11	306	20·6	200	13·5	·9776	13·2	31	101	7·1	
Walmer ...	35,758	274	275	13	17	579	16·2	422	11·8	·8683	10·2	49	85	4·4	
Whitstable ...	5,340	55	50	1	—	106	19·9	39	7·3	1·0631	7·8	14	132	12·6	
Wrotham ...	8,006	84	80	5	6	175	21·9	106	13·2	·7899	10·4	19	109	8·7	
Rural Districts.															
Blean ...	4,185	44	44	2	1	91	21·7	45	10·8	·9286	10·0	6	66	10·9	
Bridge ...	7,611	58	68	5	4	135	17·7	92	12·1	·8178	9·9	9	67	5·6	
Bromley ...	11,200	89	109	10	4	212	18·9	147†	13·1	·8078	10·6	18	85	5·8	
Cranbrook ...	22,041	220	193	16	5	434	19·7	248	11·3	·9510	10·7	55	127	8·4	
Dartford ...	13,709	120	108	7	5	240	17·5	137	10·0	·8515	8·5	12	50	7·5	
Dover ...	39,971	455	465	18	18	956	23·9	491	12·3	·9950	12·2	129	135	11·6	
East Ashford ...	8,352	76	74	1	3	154	18·4	65	7·8	·9895	7·7	19	123	10·6	
Eastry ...	13,629	150	144	7	4	305	22·4	170	12·5	·8111	10·1	20	66	9·9	
	13,187	133	125	4	12	274	20·8	173	13·1	·8247	10·8	24	88	7·7	

† The remaining parts of Oundle and Thrapston Rural Districts are in Northamptonshire; see page 167.

BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS, 1911—continued.

Administrative Area.	Estimated Population. (Middle, 1911.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
KENT—cont.															
Elham	7,458	60	73	3	1	137	18·4	85	11·4	·7852	9·0	6	44	7·0	
Faversham	14,103	140	145	8	6	299	21·2	185	13·1	·8258	10·8	36	120	8·1	
Hollingbourne	12,853	116	98	7	8	229	17·8	160	12·4	·8106	10·1	17	74	5·4	
Hoo	3,957	45	48	2	2	97	24·5	56	14·2	·8716	12·4	8	82	10·3	
Isle of Thanet	12,976	115	105	7	4	231	17·8	145	11·2	·9396	10·5	31	134	6·6	
Maidstone... ..	16,420	150	184	11	9	354	21·6	217	13·2	·8443	11·1	42	119	8·4	
Malling	24,220	237	265	15	17	534	22·0	304	12·6	·8608	10·8	62	116	9·4	
Milton	12,461	151	140	2	5	298	23·9	145	11·6	·8618	10·0	37	124	12·3	
Romney Marsh	2,803	30	31	4	—	65	23·2	29	10·3	·8618	8·9	4	62	12·9	
Sevenoaks... ..	24,064	222	213	10	5	450	18·7	253	10·5	·8793	9·2	37	82	8·2	
Sheppey	4,476	47	50	4	1	102	22·8	55	12·3	·9014	11·1	16	157	10·5	
Strood	15,378	193	165	17	10	385	25·0	197	12·8	·9370	12·0	42	109	12·2	
Tenterden	6,014	48	67	4	2	121	20·1	63	10·5	·7798	8·2	7	58	9·6	
Tonbridge	17,783	180	151	12	16	359	20·2	214	12·0	·8864	10·6	17	47	8·2	
West Ashford	7,970	67	66	4	1	138	17·3	105	13·2	·8130	10·7	18	130	4·1	
LANCASHIRE.															
Total Urban Districts ...	1,743,443*	19,231	18,507	716	731	39,185	22·5	26,196	15·0	1·0559	15·8	5,669	145	7·5	
Total Rural Districts ...	1,502,348*	16,748	16,197	635	640	34,220	22·8	23,125	15·4	1·0678	16·4	5,124	150	7·4	
Urban Districts.	241,095*	2,483	2,310	81	91	4,965	20·6	3,071	12·7	·9864	12·5	545	110	7·9	
Abram	6,908	83	101	9	6	199	28·8	114	16·5	1·1456	18·9	25	126	12·3	
Accrington M.B.	45,079	386	375	13	19	793	17·6	714	15·8	1·0833	17·1	143	180	1·8	
Adlington	4,455	53	41	1	2	97	21·8	44	9·9	1·0729	10·6	9	93	11·9	
Allerton	1,318	13	11	—	—	24	18·2	7	5·3	1·1011	5·8	—	—	12·9	
Ashton in Makerfield ...	21,618	284	297	11	15	607	28·1	325	15·0	1·0937	16·4	88	145	13·1	
Ashton under Lyne M.B.	45,206	483	470	33	29	1,015	22·5	812	18·0	1·0765	19·4	103	200	4·5	
Aspull	8,273	122	124	4	3	253	30·6	146	17·6	1·0745	18·9	55	217	13·0	
Atherton	19,055	233	245	9	9	496	26·0	307	16·1	1·1161	18·0	92	185	9·9	
Audenshaw	7,997	93	100	4	3	200	25·0	110	13·8	1·0790	14·9	26	130	11·2	
Bacup M.B.	22,313	218	184	9	6	417	18·7	342	15·3	1·0491	16·1	46	110	3·4	
Barrowford	5,542	57	58	1	3	119	21·5	57	10·3	1·0695	11·0	13	109	11·2	
Billinge	4,921	77	67	1	3	148	30·1	78	15·9	·9812	15·6	21	142	14·2	
Birkdale	18,066	161	144	8	7	320	17·7	240	13·3	·9641	12·8	32	100	4·4	
Bispham with Norbreck...	2,277	18	17	—	1	36	15·8	30	13·2	·9313	12·3	5	139	2·6	
Blackrod	3,897	55	44	3	2	104	26·7	54	13·9	1·0839	15·1	16	154	12·8	
Brierfield	8,285	92	65	4	1	162	19·6	100	12·1	1·1252	13·6	19	117	7·5	
Carnforth	3,144	24	30	3	2	59	18·8	38	12·1	1·0283	12·4	8	136	6·7	
Chadderton	28,389	330	362	17	11	720	25·4	462	16·3	1·0874	17·7	105	146	9·1	
Childwall	197	3	2	—	—	5	25·4	2	10·2	1·0025	10·2	—	—	15·2	
Chorley M.B.	30,406	344	335	17	17	713	23·4	506	16·6	1·0919	18·1	123	173	6·8	
Church	6,899	65	70	1	7	143	20·7	130	18·8	1·0956	20·6	36	252	1·9	
Clayton le Moors	8,887	117	109	3	6	235	26·4	132	14·9	1·1069	16·5	28	119	11·5	
Clitheroe M.B.	12,529	147	133	3	3	286	22·8	184	14·7	1·0046	14·8	44	154	8·1	
Colne M.B.	25,760	270	276	12	12	570	22·1	400	15·5	1·1004	17·1	86	151	6·6	
Crompton	14,785	155	176	5	5	341	23·1	236	16·0	1·1075	17·7	49	144	7·1	
Croston	2,039	23	16	1	1	41	20·1	24	11·8	·9598	11·3	3	73	8·3	
Dalton in Furness	10,704	137	129	12	9	287	26·8	185	17·3	·9033	15·6	33	115	9·5	
Darwen M.B.	40,388	371	359	17	9	756	18·7	639	15·8	1·1206	17·7	116	153	12·9	
Denton	16,928	194	180	3	8	385	22·7	257	15·2	1·0659	16·2	57	148	7·5	
Droylsden	13,316	158	153	6	5	322	24·2	217	16·3	1·0881	17·7	44	137	7·9	
Eccles M.B.	42,144	483	426	16	16	941	22·3	593	14·1	1·0766	15·2	116	123	8·2	
Failsworth	16,047	210	195	9	10	424	26·4	300	18·7	1·1011	20·6	81	191	7·7	
Farnworth	28,189	341	308	18	13	680	24·1	494	17·5	1·0926	19·1	147	216	6·6	
Fleetwood	15,975	252	225	3	6	486	30·4	232	14·5	1·0698	15·5	74	152	15·9	
Formby	5,955	59	47	2	2	110	18·5	63	10·6	1·0173	10·8	9	82	7·9	
Fulwood	6,613	30	38	—	1	69	10·4	84	12·7	1·0942	13·9	3	43	2·3	
Golborne	6,935	113	102	4	2	221	31·9	145	20·9	1·0549	22·0	50	226	11·0	
Grange	2,238	8	11	—	2	21	9·4	24	10·7	·9188	9·8	2	95	1·3	
Great Crosby	12,397	122	117	3	1	243	19·6	132	10·6	1·0789	11·4	22	91	9·0	
Great Harwood	13,862	133	94	1	5	233	16·8	167	12·0	1·1492	13·8	30	129	4·8	
Haslingden M.B.	18,724	173	168	10	3	354	18·9	287	15·3	1·0978	16·8	67	189	3·6	
Haydock	9,677	149	159	3	4	315	32·6	160	16·5	1·0857	17·9	59	187	16·1	
Heaton Norris	11,289	68	79	—	2	149	13·2	116	10·3	1·0436	10·7	13	87	2·9	
Heysham	3,349	27	22	1	1	51	15·2	35	10·5	·8881	9·3	4	78	4·7	
Heywood M.B.	26,730	231	302	13	10	556	20·8	463	17·3	1·0692	18·5	94	169	3·5	
Hindley	24,116	347	336	16	12	711	29·5	406	16·8	1·1142	18·7	104	146	12·7	
Horwich	16,317	172	178	10	6	366	22·4	187	11·5	1·1400	13·1	40	109	10·9	
Hurst	7,877	95	83	4	4	186	23·6	150	19·0	1·0619	20·2	34	183	4·6	
Huyton with Roby	4,556	44	30	2	1	77	16·9	44	9·7	1·0573	10·3	10	130	7·2	
Ince in Makerfield	22,054	359	340	13	24	736	33·4	478	21·7	1·1021	23·9	137	186	11·7	
Irlam	6,360	74	79	7	1	161	25·3	84	13·2	1·0901	14·4	23	143	12·1	
Kearsley	9,681	114	113	2	4	233	24·1	169	17·5	1·0952	19·2	41	176	6·6	
Kirkham	3,796	37	32	5	1	75	19·8	94	24·8	1·0073	25·0	17	227	5·0	
Lancaster M.B.	41,438	421	380	21	20	842	20·3	541	13·1	1·0442	13·7	84	100	7·2	

BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS, 1911—continued.

Administrative Area.	Estimated Population. (Middle, 1911.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
LANCASHIRE—cont.															
Lathom and Burscough...	7,238	95	84	1	2	182	25.1	115	15.9	.9804	15.6	16	88	9.2	
Lees	3,663*	40	39	1	1	81	22.1	78	21.3	.9918	21.1	19	235	0.8	
Leigh M.B.	44,211	616	624	21	35	1,296	29.3	859	19.4	1.0948	21.2	269	208	9.9	
Leyland	8,120	76	85	6	2	169	20.8	115	14.2	1.0510	14.9	18	107	6.6	
Litherland	14,906	249	253	4	3	509	34.1	239	16.0	1.0433	16.7	75	147	18.1	
Littleborough	11,711	113	112	3	4	232	19.8	180	15.4	1.0582	16.3	23	99	4.4	
Little Crosby	851	15	7	1	1	24	28.2	3	3.5	1.1982	4.2	—	—	24.7	
Little Hulton	8,124	89	102	1	2	194	23.9	124	15.3	1.0931	16.7	30	155	8.6	
Little Lever	5,196	73	56	3	3	135	26.0	78	15.0	1.0436	15.7	17	126	11.0	
Little Woolton	1,102	7	7	—	—	14	12.7	12	10.9	1.0595	11.5	—	—	1.8	
Longridge	4,341	48	46	3	3	100	23.0	71	16.4	1.0034	16.5	13	130	6.6	
Lytham	9,523	71	47	6	3	127	13.3	114	12.0	.9739	11.7	12	94	1.3	
Middleton M.B.	28,054	333	284	12	16	645	23.0	464	16.5	1.0744	17.7	116	180	6.5	
Milnrow	8,593	94	91	5	2	192	22.3	136	15.8	1.0179	16.1	23	120	6.5	
Morecambe M.B.	12,140	89	93	5	16	203	16.7	215	17.7	.8817	15.6	28	138	—1.0	
Mossley M.B.	13,198	130	135	6	4	275	20.8	199	15.1	1.0105	15.3	27	98	5.7	
Much Woolton	4,309	43	48	5	3	99	23.0	68	15.8	1.0269	16.2	9	91	7.2	
Nelson M.B.	39,655	351	344	14	15	724	18.3	401	10.1	1.1919	12.0	54	75	8.2	
Newton in Makerfield	18,497	243	274	4	4	525	28.4	280	15.1	1.0580	16.0	92	175	13.3	
Norden	3,794	35	48	1	1	85	22.4	42	11.1	.9927	11.0	5	59	11.3	
Ormskirk	7,421	94	74	2	7	177	23.9	131	17.7	.9886	17.5	28	158	6.2	
Orrell	6,341	86	78	4	1	169	26.7	99	15.6	1.0918	17.0	26	154	11.1	
Oswaldtwistle	15,754	198	154	8	6	366	23.2	221	14.0	1.0964	15.3	47	128	9.2	
Padiham	13,673	160	135	8	3	306	22.4	234	17.1	1.0855	18.6	52	170	5.3	
Poulton le Fylde	2,429	26	20	3	—	49	20.2	25	10.3	.9069	9.3	4	82	9.9	
Preesall	1,726	13	19	1	—	33	19.1	20	11.6	.9524	11.0	4	121	7.5	
Prescot	8,162	119	126	1	2	248	30.4	123	15.1	1.0356	15.6	29	117	15.3	
Prestwich	17,312	166	143	3	2	314	18.1	224†	12.9	1.0808	13.9	40	127	5.2	
Radcliffe	26,043*	228	247	4	7	486	18.7	430	16.5	1.1102	18.3	89	183	2.2	
Rainford	3,507	58	53	—	2	113	32.2	49	14.0	1.0021	14.0	11	97	18.2	
Ramsbottom	15,126	113	151	6	2	272	18.0	205	13.6	1.0583	14.4	39	143	4.4	
Rawtenstall M.B.	30,502	327	273	15	9	624	20.5	461	15.1	1.0705	16.2	81	130	5.4	
Rishton	7,452	77	73	2	2	154	20.7	73	9.8	1.1417	11.2	18	117	10.9	
Royton	17,127	203	218	5	8	434	25.3	319	18.6	1.0812	20.1	82	189	6.7	
St. Anne's on the Sea	9,916	74	64	2	2	142	14.3	114	11.5	1.0508	12.1	14	99	2.8	
Skelmersdale	6,852	120	95	3	12	230	33.6	136	19.8	1.0478	20.7	41	178	13.8	
Standish with Langtree	7,306	93	80	3	1	177	24.2	108	14.8	1.0778	16.0	29	164	9.4	
Stretford	42,814	372	350	10	16	748	17.5	473	11.0	1.1097	12.2	83	111	6.5	
Swinton and Pendlebury	30,858	369	401	7	8	785	25.4	517	16.8	1.1332	19.0	132	168	8.6	
Thornton	4,710	54	66	—	1	121	25.7	75	15.9	.9558	15.2	13	107	9.8	
Tottington	6,786	80	39	1	3	123	18.1	86	12.7	1.0375	13.2	13	106	5.4	
Trawden	2,971	29	30	—	—	59	19.9	48	16.2	1.0716	17.4	9	153	3.7	
Turton	12,656	111	106	—	1	218	17.2	142	11.2	1.0615	11.9	18	83	6.0	
Tyldesley with Shakerley	15,601	210	206	10	5	431	27.6	267	17.1	1.1091	19.0	72	167	10.5	
Ulverston	9,539	85	86	10	6	187	19.6	148	15.5	.9271	14.4	29	155	4.1	
Upholland	5,245	75	72	3	2	152	29.0	75	14.3	1.0024	14.3	27	178	14.7	
Urmston	7,947	75	71	1	1	148	18.6	80	10.1	1.0798	10.9	15	101	8.5	
Walton le Dale	12,378	149	118	4	4	275	22.2	143	11.6	1.0469	12.1	37	135	10.6	
Wardle	4,728	32	32	2	4	70	14.8	95	20.1	1.0301	20.7	22	314	—5.3	
Waterloo with Seaforth	26,483	289	292	10	18	609	23.0	346	13.1	1.0190	13.3	70	115	9.9	
Westhoughton	15,064	202	198	4	5	409	27.2	466	30.9	1.0725	33.1	55	134	—3.7	
Whitefield	6,977	65	73	4	3	145	20.8	95	13.6	1.0821	14.7	22	152	7.2	
Whitworth	8,853	81	75	7	4	167	18.9	154	17.4	1.0520	18.3	26	156	1.5	
Widnes M.B.	31,619	491	483	16	13	1,003	31.7	576	18.2	1.0547	19.2	168	167	13.5	
Withnell	3,400	46	32	1	—	79	23.2	53	15.6	1.0756	16.8	6	76	7.6	
Worsley	13,944	140	148	—	5	293	21.0	181	13.0	1.1100	14.4	41	140	8.0	
Rural Districts.															
Barton upon Irwell	9,302	115	94	2	2	213	22.9	121	13.0	1.0196	13.3	20	94	9.9	
Blackburn	9,467	71	73	3	1	148	15.6	128	13.5	1.0427	14.1	21	142	2.1	
Burnley	20,300*	203	186	10	4	403	19.9	241	11.9	1.0724	12.8	56	139	8.0	
Bury	9,068	92	72	4	5	173	19.1	118	13.0	1.0430	13.6	21	121	6.1	
Chorley	21,550	232	258	6	11	507	23.5	320	14.8	1.0431	15.4	54	107	8.7	
Clitheroe	6,355	56	63	2	1	122	19.2	94	19.8	.9672	14.3	11	90	4.4	
Fylde	11,613	135	119	3	4	261	22.5	134	11.5	.9949	11.4	22	84	11.0	
Garstang	10,698	127	98	9	6	240	22.4	119	11.1	.9072	10.1	17	71	11.3	
Lancaster	9,092	78	85	6	5	174	19.1	97	10.7	.8944	9.6	14	80	8.4	
Leigh	10,121	132	137	1	3	273	27.0	151	14.9	1.0463	15.6	46	168	12.1	
Limehurst	10,559*	126	104	4	1	235	22.3	169	16.0	1.0497	16.8	37	157	6.3	
Lunesdale	6,880	55	63	2	3	123	17.9	64	9.3	.9317	8.7	7	57	8.6	
Preston	20,999	185	167	7	8	367	17.5	243†	11.6	.9813	11.4	38	104	5.9	
Sefton	5,957	55	53	2	2	112	18.8	86	14.4	1.0126	14.6	13	116	4.4	
Ulverston	17,001	154	132	8	10	304	17.9	227	13.4	.8731	11.7	21	69	4.5	
Warrington	13,831	139	107	3	4	253	18.3	140†	10.1	1.0409	10.5	26	103	8.2	
West Lancashire	20,709	226	186	4	12	428	20.7	272	13.1	.9812	12.9	44	103	7.6	
Whiston	21,259	242	247	4	4	497	23.4	255†	12.0	1.0010	12.0	60	121	11.4	
Wigan	6,334	60	66	1	5	132	20.8	92	14.5	1.0001	14.5	17	129	6.3	

BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS, 1911—continued.

Administrative Area.	Estimated Population. (Middle, 1911.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	
		M.	F.	M.	F.									
LEICESTERSHIRE.	249,948	2,883	2,793	126	106	5,908	23·6	3,271	13·1	·9342	12·2	649	110	10·5
Total Urban Districts ...	98,786	1,207	1,129	58	43	2,437	24·7	1,347	13·6	·9936	13·5	320	131	11·1
Total Rural Districts ...	151,162	1,676	1,664	68	63	3,471	23·0	1,924	12·7	·8987	11·4	329	95	10·3
Urban Districts.														
Ashby de la Zouch ...	4,932	47	52	2	1	102	20·7	64	13·0	·8836	11·5	10	98	7·7
Ashby Wolds ...	2,783	40	37	1	1	79	28·4	41	14·7	1·0412	15·3	9	114	13·7
Coalville ...	18,636	260	261	10	9	540	29·0	251	13·5	1·0305	13·9	84	156	15·5
Hinckley ...	12,877	164	141	5	3	313	24·3	185	14·4	1·0114	14·6	41	131	9·9
Loughborough M.B. ...	23,029	255	247	18	11	531	22·1	312	13·5	1·0032	13·5	63	119	9·6
Market Harborough ...	8,882	78	78	3	3	162	18·2	113	12·7	·9866	12·5	9	56	5·5
Melton Mowbray ...	9,248	127	122	6	9	264	28·5	123	13·3	·9633	12·8	39	148	15·2
Quorndon ...	2,368	30	21	2	—	53	22·4	24	10·1	·9299	9·4	6	113	12·3
Shepshed ...	5,549	71	58	3	2	134	24·1	86	15·5	·9676	15·0	16	119	8·6
Thurmaston ...	1,826	36	23	—	—	59	32·3	41	22·5	·9114	20·5	14	237	9·8
Wigston Magna ...	8,656	99	89	8	4	200	23·1	107	12·4	1·0461	13·0	29	145	10·7
Rural Districts.														
Ashby de la Zouch ...	16,303	222	215	10	9	456	28·0	211	12·9	·9399	12·1	53	116	15·1
Barrow upon Soar ...	23,813	233	257	10	10	510	21·4	310	13·0	·9340	12·1	54	106	8·4
Belvoir ...	3,250	32	27	1	3	63	19·4	47	14·5	·7358	10·7	3	48	4·9
Billesdon ...	6,933	57	63	2	3	125	18·0	106	15·3	·8404	12·9	10	80	2·7
Blaby ...	19,183	165	182	8	4	359	18·7	235†	12·3	·9310	11·5	33	92	6·4
Castle Donington ...	6,421	66	69	3	2	140	21·8	97	15·1	·8876	13·4	15	107	6·7
Hallaton ...	1,865	21	17	1	—	39	20·9	27	14·5	·8057	11·7	2	51	6·4
Hinckley ...	13,856	169	146	8	3	326	23·5	149	10·8	·9929	10·7	32	98	12·7
Loughborough ...	4,584	38	48	2	1	89	19·4	67	14·6	·8576	12·5	12	135	4·8
Lutterworth ...	9,944	91	105	4	2	202	20·3	135	13·6	·7961	10·8	16	79	6·7
Market Bosworth ...	21,943	337	310	5	9	661	30·1	290	13·2	·9363	12·4	66	100	16·9
Market Harborough ...	7,784	94	75	3	4	176	22·6	76	9·8	·8602	8·4	9	51	12·8
Melton Mowbray ...	15,283	151	150	11	13	325	21·3	174	11·4	·8466	9·7	24	74	9·9
LINCOLNSHIRE														
(PARTS OF HOLLAND).	82,987	979	983	64	56	2,082	25·1	1,243	15·0	·8307	12·5	260	125	10·1
Total Urban Districts ...	37,307	422	440	31	27	920	24·7	623	16·7	·8440	14·1	148	161	8·0
Total Rural Districts ...	45,680	557	543	33	29	1,162	25·4	620	13·6	·8203	11·2	112	96	11·8
Urban Districts.														
Boston M.B. ...	16,701	202	222	11	7	442	26·5	315	18·9	·8647	16·3	90	204	7·6
Holbeach ...	5,272	63	57	6	3	129	24·5	78	14·8	·8480	12·6	20	155	9·7
Long Sutton ...	2,845	33	29	4	6	72	25·3	53	18·6	·7878	14·7	13	181	6·7
Spalding ...	10,332	96	107	7	9	219	21·2	158	15·3	·8396	12·8	24	110	5·9
Sutton Bridge ...	2,157	28	25	3	2	58	26·9	19	8·8	·7891	6·9	1	17	18·1
Rural Districts.														
Boston ...	21,090	267	256	21	11	555	26·3	300	14·2	·8212	11·7	58	105	12·1
Crowland ...	2,681	31	37	3	2	73	27·2	37	13·8	·7898	10·9	8	110	13·4
East Elloe... ..	8,702	114	99	6	10	229	26·3	129	14·8	·7990	11·8	22	96	11·5
Spalding ...	13,207	145	151	3	6	305	23·1	154	11·7	·8409	9·8	24	79	11·4
(PARTS OF KESTEVEN).	111,518	1,281	1,092	67	56	2,496	22·4	1,474	13·2	·8533	11·3	250	100	9·2
Total Urban Districts ...	44,123	519	435	26	23	1,003	22·7	529	12·0	·9088	10·9	90	90	10·7
Total Rural Districts ...	67,395	762	657	41	33	1,493	22·2	945	14·0	·8205	11·5	160	107	8·2
Urban Districts.														
Bourne ...	4,343	46	32	5	2	85	19·6	51	11·7	·7987	9·3	9	106	7·9
Bracebridge ...	2,295	38	26	1	1	66	28·8	21	9·2	1·0072	9·3	4	61	19·6
Grantham M.B. ...	20,135	239	203	8	10	460	22·8	248	12·3	·9611	11·8	45	98	10·5
Ruskington ...	1,214	5	13	—	1	19	15·7	10	8·2	·7881	6·5	—	—	7·5
Sleaford ...	6,452	79	61	3	6	149	23·1	81†	12·6	·8452	10·6	12	81	10·5
Stamford M.B. ...	9,684	112	100	9	3	224	23·1	118	12·2	·9176	11·2	20	89	10·9
Rural Districts.														
Bourne ...	13,396	168	135	9	5	317	23·7	210	15·7	·7915	12·4	33	104	8·0
Branston ...	14,966	150	146	7	7	310	20·7	193†	12·9	·8603	11·1	41	132	7·8
Claypole ...	7,963	86	72	2	6	166	20·8	114	14·3	·7665	11·0	16	96	6·5
Grantham... ..	12,252	147	109	14	4	274	22·4	165	13·5	·8413	11·4	26	95	8·9
Sleaford ...	17,275	187	181	9	9	386	22·3	237	13·7	·8192	11·2	41	106	8·6
Uffington ...	1,543	24	14	—	2	40	25·9	26	16·9	·8986	15·2	3	75	9·0
(PARTS OF LINDSEY).	238,668	2,780	2,737	164	173	5,854	24·5	3,218	13·5	·8628	11·6	696	119	11·0
Total Urban Districts ...	96,645	1,179	1,144	65	82	2,470	25·6	1,333	13·8	·9313	12·9	330	134	11·8
Total Rural Districts ...	142,023	1,601	1,593	99	91	3,384	23·8	1,885	13·3	·8216	10·9	366	108	10·5
Urban Districts.														
Alford ...	2,392	21	22	4	6	53	22·2	35	14·6	·7467	10·9	7	132	7·6
Barton upon Humber ...	6,699	81	81	1	1	164	24·5	94	14·0	·8776	12·3	26	159	10·5
Brigg ...	3,348	34	42	3	5	84	25·1	47	14·0	·8549	12·0	7	83	11·1
Broughton ...	1,383	15	16	1	—	32	23·1	24	17·4	·8493	14·8	3	94	5·7
Bramby and Frodingham	2,948	46	48	4	1	99	33·6	41	13·9	1·0188	14·2	13	131	19·7
Cleethorpe with Thurnscoe.	21,650	296	276	15	16	603	27·9	252	11·6	1·0414	12·1	81	134	16·3

BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS, 1911—continued.

Administrative Area.	Estimated Population. (Middle, 1911.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.			Natural Increase per 1,000 living.
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
LINCOLNSHIRE—cont.															
Crowle	2,855	39	29	2	1	71	24·9	46	16·1	·7670	12·3	11	155	8·8	
Gainsborough	20,664	265	273	7	14	559	27·1	239	11·6	1·0330	12·0	66	118	15·5	
Horncastle	3,896	37	32	3	2	74	19·0	61	15·7	·7405	11·6	7	95	3·3	
Louth M.B.	9,890	86	75	8	8	177	17·9	170	17·2	·7657	13·2	20	113	0·7	
Mablethorpe	1,240	6	9	—	2	17	13·7	20	16·1	·8317	13·4	6	353	—2·4	
Market Rasen	2,299	31	26	—	1	58	25·2	41	17·8	·7944	14·1	6	103	7·4	
Roxby cum Risby	378	5	4	1	—	10	26·5	6	15·9	·9732	15·5	2	200	10·6	
Scunthorpe	10,260	163	149	13	16	341	33·2	175	17·1	1·0603	18·1	60	176	16·1	
Skegness	3,818	30	34	2	8	74	19·4	40	10·5	1·0149	10·7	8	108	8·9	
Winterton	1,428	12	11	1	—	24	16·8	24	16·8	·7521	12·6	4	167	0·0	
Woodhall Spa	1,497	12	17	—	1	30	20·0	18	12·0	·9201	11·0	3	100	8·0	
Rural Districts.															
Caistor	13,142	133	130	13	8	284	21·6	158	12·0	·8039	9·6	34	120	9·6	
Gainsborough	14,748	165	176	5	7	353	23·9	225	15·3	·8111	12·4	31	88	8·6	
Glanford Brigg	30,056	392	400	17	21	830	27·6	372	12·4	·8681	10·8	88	106	15·2	
Grimsby	10,766	131	115	8	8	262	24·3	138	12·8	·9279	11·9	37	141	11·5	
Horncastle	13,092	141	136	8	5	290	22·2	154	11·8	·8123	9·6	26	90	10·4	
Isle of Axholme	6,819	79	79	8	3	169	24·8	108	15·8	·7939	12·5	23	136	9·0	
Louth	18,279	182	180	9	14	385	21·1	253	13·8	·8000	11·0	54	140	7·3	
Sibsey	2,988	32	36	6	2	76	25·4	43	14·4	·7997	11·5	4	53	11·0	
Spilsby	21,025	221	230	18	21	490	23·3	281	13·4	·7724	10·4	39	80	9·9	
Welton	11,108	125	111	7	2	245	22·1	153	13·8	·8241	11·4	30	122	8·3	
LONDON.															
Metropolitan Boroughs.	4,521,301	54,702	52,710	2216	2155	111783	24·7	68,505	15·2	1·0000	15·3	14508	130	9·5	
Battersea	167,712	2,091	2,130	67	88	4,376	26·1	2,408	14·4	1·0098	14·5	546	125	11·7	
Bernmondsey	125,775	1,924	1,922	38	26	3,910	31·1	2,325	18·5	·9976	18·5	613	157	12·6	
Bethnal Green	128,144	2,015	1,932	42	43	4,032	31·5	2,342	18·3	1·0397	19·0	616	153	13·2	
Camberwell	261,380	3,110	3,049	128	116	6,403	24·5	3,753	14·4	·9883	14·2	696	109	10·1	
Chelsea	66,189	605	574	47	41	1,267	19·1	1,031	15·6	·9513	14·8	140	110	3·5	
Deptford	109,472	1,477	1,432	47	48	3,004	27·4	1,715	15·7	·9879	15·5	428	142	11·7	
Finsbury	87,566	1,320	1,255	54	48	2,677	30·6	1,727	19·7	·9887	19·5	420	157	10·9	
Fulham	153,705	1,977	1,949	100	99	4,125	26·8	2,227	14·5	1·0340	15·0	519	126	12·3	
Greenwich	95,973	1,132	1,172	36	36	2,376	24·8	1,440	15·0	·9837	14·8	306	129	9·8	
Hackney	222,623	2,642	2,447	80	58	5,227	23·5	3,212	14·4	1·0066	14·5	623	119	9·1	
Hammersmith	121,766	1,415	1,341	97	76	2,929	24·1	1,910	15·7	·9884	15·5	430	147	8·4	
Hampstead	85,589	599	609	38	30	1,276	14·9	847	9·9	1·0572	10·5	104	82	5·0	
Holborn	49,092	431	445	36	33	945	19·2	771	15·7	1·0034	15·8	110	116	3·5	
Islington	327,203	3,971	3,848	158	140	8,117	24·8	4,894	15·0	·9749	14·6	1,036	128	9·8	
Kensington	172,203	1,607	1,451	85	111	3,254	18·9	2,391	13·9	·9957	13·8	434	133	5·0	
Lambeth	297,957	3,596	3,360	171	171	7,298	24·5	4,461	15·0	·9804	14·7	902	124	9·5	
Lewisham	161,712	1,713	1,590	56	62	3,421	21·2	1,845	11·4	·9826	11·2	355	104	9·8	
Paddington	142,513	1,410	1,413	115	102	3,040	21·3	1,939	13·6	·9941	13·5	389	128	7·7	
Poplar	162,274	2,531	2,366	56	64	5,017	30·9	3,083	19·0	·9898	18·8	786	157	11·9	
St. Marylebone	117,761	1,106	1,071	89	108	2,374	20·2	1,795	15·2	1·0198	15·5	257	108	5·9	
St. Pancras	217,941	2,709	2,539	158	156	5,562	25·5	3,391	15·6	·9971	15·6	632	114	9·0	
Shoreditch	111,199	1,745	1,671	51	64	3,531	31·8	2,236	20·1	1·0331	20·8	605	171	11·7	
Southwark	191,531	2,732	2,762	95	104	5,693	29·7	3,545	18·5	1·0060	18·6	820	144	11·2	
Stepney	279,309	4,415	4,147	98	83	8,743	31·3	4,858	17·4	1·0433	18·2	1,265	145	13·9	
Stoke Newington	50,644	526	492	11	16	1,045	20·6	661	13·1	·9512	12·5	107	102	7·5	
Wandsworth	313,453	3,259	3,229	135	125	6,748	21·5	3,824	12·2	1·0045	12·3	829	123	9·3	
Westminster	159,662	1,121	1,073	89	74	2,357	14·8	2,018	12·6	1·0540	13·3	242	103	2·2	
Woolwich	121,487	1,410	1,340	33	27	2,810	23·1	1,566	12·9	1·0249	13·2	272	97	10·2	
City of London	19,466	113	101	6	6	226	11·6	290	14·9	1·0419	15·5	26	115	—3·3	
MERIONETHSHIRE.															
Total Urban Districts	45,478	388	417	40	37	882	19·4	753	16·6	·8682	14·4	92	104	2·8	
Total Rural Districts	20,107	169	184	13	17	383	19·0	351	17·5	·8959	15·7	45	117	1·5	
Urban Districts.	25,371	219	233	27	20	499	19·7	402	15·8	·8466	13·4	47	94	7·9	
Bala	1,537	6	20	—	3	29	18·9	28	18·2	·8079	14·7	6	207	0·7	
Barmouth	2,103	12	13	—	3	28	13·3	23	10·9	·9037	9·9	3	107	2·4	
Dolgelly	2,153	18	24	1	2	45	20·9	50	23·2	·8162	18·9	3	67	—2·3	
Ffestiniog	9,626	101	96	11	6	214	22·2	185	19·2	·9493	18·2	31	145	3·0	
Mallwyd	754	4	3	—	1	8	10·6	9	11·9	·7142	8·5	—	—	—1·3	
Towyn	3,934	28	28	1	2	59	15·0	56	14·2	·8868	12·6	2	34	0·8	
Rural Districts.															
Dendraeth	7,787	80	73	7	7	167	21·4	122	15·7	·8628	13·5	21	126	5·7	
Dolgelly	7,955	57	68	9	6	140	17·6	117	14·7	·8471	12·5	5	36	2·9	
Edeirnion	5,132	41	58	4	4	107	20·8	92	17·9	·8501	15·2	10	93	2·9	
Penllyn	4,069	34	32	7	3	76	18·7	65	16·0	·8182	13·1	11	145	2·7	
Area administered by Rural District Council of Machynlleth (Montgomeryshire).	428	7	2	—	—	9	21·0	6	14·0	·8165	11·4	—	—	7·0	

BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS, 1911—continued.

Administrative Area.	Estimated Population. (Middle 1911)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	
		M.	F.	M.	F.									
MIDDLESEX.	1,135,265	13,582	13,025	463	447	27,517	24.2	13,266	11.7	1.0198	11.9	3,247	118	12.5
Total Urban Districts ...	1,085,776*	13,079	12,494	423	419	26,415	24.3	12,761	11.8	1.0232	12.1	3,119	118	12.5
Total Rural Districts ...	49,489*	503	531	40	28	1,102	22.3	505	10.2	.9580	9.8	128	116	12.1
Urban Districts.														
Acton ...	58,017	739	688	30	27	1,484	25.6	771	13.3	1.0464	13.9	206	139	12.5
Brentford...	16,608	207	203	14	6	430	25.9	288	17.3	1.0261	17.8	75	174	8.6
Chiswick ...	38,931	472	406	10	14	902	23.2	477	12.3	1.0204	12.6	88	98	10.9
Ealing M.B. ...	61,965	644	589	24	22	1,279	20.6	707	11.4	.9933	11.3	148	116	9.2
Edmonton ...	65,269	874	915	28	29	1,846	28.3	836	12.8	1.0716	13.7	263	142	15.5
Enfield ...	56,696	662	611	17	23	1,313	23.2	733	12.9	1.0348	13.3	185	141	10.3
Feltham ...	5,151	69	76	2	—	147	28.5	58	11.3	.9478	10.7	21	143	17.2
Finchley ...	39,875	476	455	13	13	957	24.0	355	8.9	1.0160	9.0	69	72	15.1
Friern Barnet ...	15,012	161	149	5	4	319	21.2	141†	9.4	1.0136	9.5	38	119	11.8
Greenford ...	1,070	10	15	—	1	26	24.3	18	16.8	.8979	15.1	2	77	7.5
Hampton ...	9,283	99	108	8	3	218	23.5	96	10.3	.9699	10.0	24	110	13.2
Hampton Wick ...	2,412	21	7	—	2	30	12.4	25	10.4	.9487	9.9	7	233	2.0
Hanwell ...	19,356	258	242	8	10	518	26.8	259	13.4	1.0486	14.1	75	145	13.4
Harrow on the Hill ...	17,255	181	170	5	5	361	20.9	146	8.5	1.0655	9.1	30	83	12.4
Hayes ...	4,305	66	57	3	3	129	30.0	67	15.6	.9353	14.6	19	147	14.4
Hendon ...	39,237	477	456	18	8	959	24.4	400	10.2	1.0569	10.8	89	93	14.2
Heston and Isleworth ...	43,641	510	483	13	16	1,022	23.4	585	13.4	.9409	12.6	162	159	10.0
Hornsey M.B. ...	84,922	772	688	14	27	1,501	17.7	815	9.6	1.0255	9.8	116	77	8.1
Kingsbury ...	823	2	8	—	—	10	12.2	8	9.7	1.0659	10.3	2	200	2.5
Ruislip Northwood ...	6,287	59	60	3	2	124	19.7	54	8.6	1.0635	9.1	9	73	11.1
Southall Norwood ...	26,669	357	311	13	6	687	25.8	249†	9.3	1.0370	9.6	79	115	16.5
Southgate...	34,103	346	334	6	7	693	20.3	300	8.8	1.0288	9.1	62	89	11.5
Staines ...	6,757	66	60	3	4	133	19.7	96	14.2	.9626	13.7	15	113	5.5
Sunbury on Thames ...	4,609	59	37	4	2	102	22.1	78	16.9	.9343	15.8	17	167	5.2
Teddington ...	17,947	208	187	7	8	410	22.8	218	12.1	.9593	11.6	46	112	10.7
Tottenham ...	138,333	1,900	1,844	61	53	3,858	27.9	1,820	13.2	1.0227	13.5	475	123	14.7
Twickenham ...	29,588	307	357	13	21	698	23.6	350	11.8	.9839	11.6	76	109	11.8
Uxbridge ...	10,421	116	121	4	9	250	24.0	160	15.4	.9391	14.5	31	124	8.6
Wealdstone ...	12,082	172	169	6	2	349	28.9	120	9.9	1.0930	10.8	33	95	19.0
Wembley ...	10,859	143	137	6	3	289	26.6	96	8.8	1.0442	9.2	25	87	17.8
Willesden...	155,252	1,949	1,912	66	77	4,004	25.8	1,848	11.9	1.0500	12.5	497	124	13.9
Wood Green ...	49,768	615	587	18	10	1,230	24.7	557	11.2	1.0158	11.4	124	101	13.5
Yiewsley ...	3,273*	82	52	1	2	137	41.9	30	9.2	1.0037	9.2	11	80	32.7
Rural Districts.														
Hendon ...	14,305	124	151	6	6	287	20.1	102	7.1	1.0632	7.5	16	56	13.0
South Mimms ...	2,809	29	31	4	1	65	23.1	31	11.0	.9183	10.1	2	31	12.1
Staines ...	22,027	251	242	15	17	525	23.8	259	11.7	.9293	10.9	82	156	12.1
Uxbridge ...	10,348*	99	107	15	4	225	21.7	113	10.9	.9181	10.0	28	124	9.9
MONMOUTHSHIRE.	314,168	4,756	4,705	143	119	9,723	30.9	4,692	14.9	1.0173	15.2	1,437	148	16.0
Total Urban Districts ...	266,561	4,244	4,187	125	103	8,659	32.5	4,031	15.1	1.0418	15.7	1,351	156	17.4
Total Rural Districts ...	47,607	512	518	18	16	1,064	22.3	661	13.9	.8975	12.5	86	81	8.4
Urban Districts.														
Abercarn ...	16,546	260	254	4	4	522	31.5	217	13.1	1.0851	14.2	79	151	18.4
Abergavenny M.B. ...	8,530	83	87	9	3	182	21.3	109	12.8	.9079	11.6	14	77	8.5
Abersychan ...	24,837	398	363	8	15	784	31.6	324	13.0	1.0527	13.7	116	148	18.6
Abertillery ...	35,769	609	634	9	18	1,270	35.5	522	14.6	1.1165	16.3	183	144	20.9
Bedwellty...	22,878	426	393	16	7	842	36.8	377	16.5	1.1001	18.2	159	189	20.3
Blaenavon ...	12,040	165	145	7	5	322	26.7	234	19.4	1.0141	19.7	79	245	7.3
Caerleon ...	2,064	14	26	—	—	40	19.4	19	9.2	.9163	8.4	7	175	10.2
Chepstow ...	2,950	27	30	—	1	58	19.7	29	9.8	.7996	7.8	3	52	9.9
Ebbw Vale ...	30,793	558	500	11	9	1,078	35.0	560	18.2	1.0590	19.3	189	175	16.8
Llanfrechfa Upper ...	4,507	71	71	1	1	144	32.0	50	11.1	1.0457	11.6	15	104	20.9
Llantarnam ...	7,105	99	111	2	6	218	30.7	91	12.8	1.0095	12.9	36	165	17.9
Monmouth M.B. ...	5,274	58	49	7	4	118	22.4	81	15.4	.8390	12.9	8	68	7.0
Mynyddislwyn ...	10,155	204	208	10	1	423	41.7	152	15.0	1.0646	16.0	61	144	26.7
Nantyglo and Blaina ...	15,445	261	260	11	12	544	35.2	226	14.6	1.0781	15.7	87	160	20.6
Panteg ...	10,167	124	139	2	2	267	26.3	108	10.6	1.0291	10.9	29	109	15.7
Pontypool ...	6,461	83	83	2	3	171	26.5	106	16.4	1.0504	17.2	28	164	10.1
Rhymney ...	11,542	191	205	6	3	405	35.1	169	14.6	1.0624	15.5	54	133	20.5
Risca ...	14,267	220	219	4	3	446	31.3	182	12.8	1.0698	13.7	56	126	18.5
Tredegar ...	23,735	381	399	16	6	802	33.8	449	18.9	1.0250	19.4	146	182	14.9
Usk ...	1,496	12	11	—	—	23	15.4	26	17.4	.8701	15.1	2	87	—2.0
Rural Districts.														
Abergavenny ...	8,795	65	79	4	4	152	17.3	136†	15.5	.8625	13.4	12	79	1.8
Chepstow ...	7,983	100	85	4	4	193	24.2	95	11.9	.8761	10.4	8	41	12.3
Magor ...	4,860	51	53	1	—	105	21.6	54	11.1	.8874	9.9	5	48	10.5
Monmouth ...	6,523	61	74	3	5	143	21.9	109	16.7	.8380	14.0	12	84	5.2
Pontypool ...	5,061	60	40	5	1	106	20.9	75	14.8	.8415	12.5	14	132	6.1
St. Mellons ...	14,385	175	187	1	2	365	25.4	192	13.3	1.0078	13.4	35	96	12.1

BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS, 1911—continued.

Administrative Area.	Estimated Population, (Middle, 1911.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	Natural Increase per 1,000 living.
		M.	F.	M.	F.									
MONTGOMERYSHIRE.	53,100	509	490	45	49	1,093	20·6	772	14·5	·8358	12·1	106	97	6·1
Total Urban Districts ...	19,115	179	185	15	19	398	20·8	301	15·7	·8674	13·6	40	101	5·1
Total Rural Districts ...	33,985	330	305	30	30	695	20·5	471	13·9	·8404	11·7	66	95	6·6
Urban Districts.														
Llanfyllin M.B. ...	1,633	16	14	1	4	35	21·4	24	14·7	·7976	11·7	4	114	6·7
Llanidloes M.B. ...	2,589	25	31	2	3	61	23·6	52	20·1	·8698	17·5	12	197	3·5
Machynlleth ...	1,943	16	17	3	—	36	18·5	27	13·9	·9592	13·3	—	—	4·6
Montgomery M.B. ...	982	5	11	—	—	16	16·3	20	20·4	·7697	15·7	2	125	—4·1
Newtown and Llanllwchaearn.	6,056	60	46	4	8	118	19·5	90	14·9	·9144	13·6	14	119	4·6
Welshpool M.B. ...	5,912	57	66	5	4	132	22·3	88	14·9	·8299	12·4	8	61	7·4
Rural Districts.														
Forden ...	5,736	61	59	4	8	132	23·0	67	11·7	·7879	9·2	11	83	11·3
Llanfyllin... ..	12,498	103	104	9	12	228	18·2	177	14·2	·8087	11·5	24	105	4·0
Machynlleth ...	4,125	35	35	3	2	75	18·2	59	14·3	·8076	11·5	5	67	3·9
Newtown and Llanidloes	11,626	131	107	14	8	260	22·4	168	14·5	·8366	12·0	26	100	7·9
NORFOLK.	322,007	3,365	3,210	263	259	7,097	22·0	4,278	13·3	·8020	10·7	699	98	8·7
Total Urban Districts ...	60,966	604	592	46	50	1,292	21·2	832	13·6	·8574	11·7	129	100	7·6
Total Rural Districts ...	261,041	2,761	2,618	217	209	5,805	22·2	3,446	13·2	·7900	10·4	570	98	9·0
Urban Districts.														
Cromer ...	4,081	30	30	2	3	65	15·9	43	10·5	1·0277	10·8	7	108	5·4
Diss ...	3,770	24	43	2	4	73	19·4	50	13·3	·8419	11·2	4	55	6·1
Downham Market ...	2,498	26	18	1	1	46	18·4	39	15·6	·7252	11·3	7	152	2·8
East Dereham ...	5,733	45	51	6	6	108	18·8	76	13·3	·8400	11·2	9	83	5·5
King's Lynn M.B. ...	20,199	237	212	19	14	482	23·9	277	13·7	·8782	12·0	46	95	10·2
New Hunstanton ...	2,527	10	18	1	1	30	11·9	18	7·1	1·0144	7·2	1	33	4·8
North Walsham ...	4,261	45	51	4	3	103	24·2	66	15·5	·8768	13·6	8	78	8·7
Sheringham ...	3,403	26	28	4	1	59	17·3	34	10·0	·9125	9·1	5	85	7·3
Swaffham... ..	3,230	32	28	1	4	65	20·1	46	14·2	·7477	10·6	5	77	5·9
Thetford M.B. ...	4,782	51	47	3	1	102	21·3	67	14·0	·8192	11·5	13	127	7·3
Walsoken ...	3,915	50	39	2	8	99	25·3	80	20·4	·8682	17·7	20	202	4·9
Wells ...	2,567	28	27	1	4	60	23·4	36	14·0	·7256	10·2	4	67	9·4
Rural Districts.														
Aylsham ...	17,352	174	165	16	10	365	21·0	214	12·3	·7862	9·7	34	93	8·7
Blofield ...	12,167	115	116	8	9	248	20·4	157	12·9	·8000	10·3	19	77	7·5
Depwade ...	19,929	200	200	16	15	431	21·6	240	12·0	·7704	9·2	48	111	9·6
Docking ...	16,974	174	169	23	13	379	22·3	211	12·4	·7803	9·7	39	103	9·9
Downham... ..	15,545	167	166	11	21	365	23·5	246	15·8	·8020	12·7	53	145	7·7
East and West Flegg ...	9,948	143	131	8	6	288	29·0	128	12·9	·8018	10·3	31	108	16·1
Erpingham ...	17,164	173	164	12	8	357	20·8	205	11·9	·8196	9·8	34	95	8·9
Forehoe ...	11,384	111	123	12	9	255	22·4	162	14·2	·7709	10·9	24	94	8·2
Freebridge Lynn... ..	12,113	136	127	5	12	280	23·1	159	13·1	·7906	10·4	25	89	10·0
Henstead ...	10,283	104	114	11	9	238	23·1	125	12·2	·7874	9·6	21	88	10·9
King's Lynn ...	942	9	3	1	1	14	14·9	7	7·4	·9532	7·1	1	71	7·5
Loddon and Clavering ...	12,554	141	111	10	11	273	21·7	201	16·0	·7731	12·4	29	106	5·7
Marshland ...	12,409	182	144	2	9	337	27·2	144	11·6	·8311	9·6	25	74	15·6
Mitford and Launditch ...	18,705	198	185	20	19	422	22·6	278	14·9	·7608	11·3	40	95	7·7
St. Faith's... ..	10,818	107	96	6	7	216	20·0	129	11·9	·8257	9·8	15	69	8·1
Smallburgh ...	13,426	122	130	16	10	278	20·7	198	14·7	·7712	11·3	30	108	6·0
Swaffham ...	7,569	90	71	3	3	167	22·1	97	12·8	·7792	10·0	19	114	9·3
Thetford ...	10,064	101	110	5	11	227	22·6	123	12·2	·8151	9·9	25	110	10·4
Walsingham ...	17,253	159	171	13	16	359	20·8	235	13·6	·8425	11·5	29	81	7·2
Wayland ...	14,442	155	122	19	10	306	21·2	187	12·9	·7491	9·7	29	95	8·3
NORTHAMPTONSHIRE.	213,898	2,134	2,076	111	100	4,421	20·7	2,697	12·6	·9042	11·4	425	96	8·1
Total Urban Districts ...	95,622	984	926	44	34	1,988	20·8	1,110	11·6	1·0200	11·8	211	106	9·2
Total Rural Districts ...	118,276	1,150	1,150	67	66	2,433	20·6	1,587	13·4	·8276	11·1	214	88	7·2
Urban Districts.														
Brackley M.B. ...	2,637	25	24	3	2	54	20·5	41	15·5	·9301	14·4	5	93	5·0
Daventry M.B. ...	3,509	34	33	2	2	71	20·2	41	11·7	·7843	9·2	9	127	8·5
Desborough ...	4,106	52	44	1	1	98	23·9	45	11·0	1·0140	11·2	5	51	12·9
Finedon ...	3,773	51	46	—	—	97	25·7	57	15·1	·9754	14·7	8	82	10·6
Higham Ferrers M.B. ...	2,731	26	27	—	1	54	19·8	29	10·6	1·0224	10·8	2	37	9·2
Irthlingborough ...	4,638	54	69	3	3	129	27·8	59	12·7	1·0560	13·4	17	132	15·1
Kettering ...	30,007	320	282	14	11	627	20·9	344	11·5	1·0818	12·4	77	123	9·4
Onndle ...	2,758	16	13	1	—	30	10·9	29	10·5	·8791	9·2	3	100	4
Raunds ...	3,875	32	41	3	—	76	19·6	49	12·6	·9474	11·9	4	53	7·0
Rothwell ...	4,422	43	27	1	1	72	16·3	53	12·0	1·0241	12·3	7	97	4·3
Rushden ...	13,378	147	130	5	5	287	21·5	130	9·7	1·1441	11·1	29	101	11·8
Wellingborough ...	19,788	184	190	11	8	393	19·9	233	11·8	·9825	11·6	45	115	8·1
Rural Districts.														
Brackley ...	7,208	80	71	4	3	158	21·9	96	13·3	·7731	10·3	7	44	8·6
Brixworth... ..	11,833	108	132	6	8	254	21·5	140	11·8	·8329	9·8	14	55	9·7
Crick ...	2,344	22	30	1	2	55	23·5	39	16·6	·7618	12·6	4	73	6·9

BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS, 1911—continued.

Administrative Area.	Estimated Population, (Middle, 1911.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
NORTHAMPTONSHIRE— <i>cont.</i>															
Daventry	13,819	138	133	6	4	281	20·3	180	13·0	·8340	10·8	28	100	7·3	
Easton on the Hill	1,544	14	18	—	1	33	21·4	15	9·7	·7887	7·7	1	30	11·7	
Gretton	1,530	9	14	—	—	23	15·0	20	13·1	·8189	10·7	1	43	1·9	
Hardingstone	7,561	65	67	4	3	139	18·4	103	13·6	·8147	11·1	10	72	4·8	
Kettering	12,927	128	141	6	6	281	21·7	163	12·6	·8981	11·3	25	89	9·1	
Middleton Cheney	2,578	34	26	2	2	64	24·8	50	19·4	·7931	15·4	9	141	5·4	
Northampton	6,706	54	76	3	5	138	20·6	92†	13·7	·8514	11·7	15	109	6·9	
Oundle (part of)†	7,052	70	69	5	7	151	21·4	101	14·3	·7746	11·1	11	73	7·1	
Oxendon	4,278	33	29	1	—	63	14·7	56	13·1	·7816	10·2	8	127	1·6	
Potterspury	5,184	47	39	3	1	90	17·4	70	13·5	·8126	11·0	9	100	3·9	
Thrapston (part of)†	10,657	116	99	9	6	230	21·6	141	13·2	·8287	10·9	21	91	8·4	
Towcester	10,476	98	91	9	10	208	19·9	146	13·9	·7933	11·0	15	72	6·0	
Wellingborough	12,579	134	115	8	8	265	21·1	175	13·9	·8990	12·5	36	136	7·2	
NORTHUMBERLAND.	373,233	5,042	4,717	249	204	10,212	27·4	5,225	14·0	·9933	13·9	1,393	136	13·4	
Total Urban Districts	247,660	3,603	3,373	169	135	7,280	29·4	3,530	14·3	1·0193	14·6	1,039	143	15·1	
Total Rural Districts	125,573	1,439	1,344	80	69	2,932	23·3	1,695	13·5	·9456	12·8	354	121	9·8	
<i>Urban Districts.</i>															
Alnwick	7,050	80	79	5	5	169	24·0	103	14·6	·9064	13·2	16	95	6·5	
Amble	4,893	76	70	3	1	150	30·7	62	12·7	·9807	12·5	11	73	18·0	
Ashington	24,863	461	445	13	14	933	37·5	444	17·9	1·1051	19·8	197	211	19·6	
Bedlingtonshire	25,616	417	389	29	11	846	33·0	393	15·3	1·0160	15·5	134	158	17·7	
Berwick upon Tweed M.B.	13,065	136	136	23	7	302	23·1	192	14·7	·9111	13·4	17	56	8·4	
Blyth	28,410	437	450	13	14	914	32·2	436	15·3	1·0428	16·0	140	153	16·9	
Cramlington	6,374	97	66	4	2	169	26·5	103	16·2	·9893	16·0	27	160	10·3	
Earsdon	10,609	179	134	6	4	323	30·4	163	15·4	1·0083	15·5	52	161	15·0	
Gosforth	15,619	166	158	5	5	334	21·4	149	9·5	1·0717	10·2	32	96	11·9	
Hexham	8,452	86	87	15	13	201	23·8	123	14·6	·9387	13·7	29	144	9·2	
Morpeth M.B.	7,467	95	100	3	6	204	27·3	106	14·2	·9927	14·1	32	157	13·1	
Newbiggin by the Sea	3,496	61	45	2	4	112	32·0	43	12·3	·9896	12·2	14	125	19·7	
Newburn	17,277	284	234	7	9	534	30·9	235	13·6	1·0571	14·4	59	110	17·3	
Prudhoe	8,243	141	113	10	12	276	33·5	114	13·8	1·0011	13·8	39	141	19·7	
Rothbury	1,143	8	3	—	—	11	9·6	13	11·4	·8180	9·3	—	—	—1·8	
Seghill	2,045	22	29	2	2	55	26·9	26	12·7	1·0205	13·0	12	218	14·2	
Wallsend M.B.	41,721	627	644	21	19	1,311	31·4	582	13·9	1·0425	14·5	178	136	17·5	
Weetslade	6,733	115	96	4	3	218	32·4	101	15·0	·9786	14·7	32	147	17·4	
Whitley and Monkseaton	14,584	115	95	4	4	218	14·9	142	9·7	1·0496	10·2	18	83	5·2	
<i>Rural Districts.</i>															
Alnwick	12,150	135	111	8	5	259	21·3	164	13·5	·9040	12·2	18	69	7·8	
Belford	5,001	49	40	6	2	97	19·4	63	12·6	·9042	11·4	12	124	6·8	
Bellingham	5,733	51	55	3	3	112	19·5	81	14·1	·8672	12·2	5	45	5·4	
Castle Ward	11,991	132	128	5	5	270	22·5	145	12·1	1·0202	12·3	36	133	10·4	
Glendale	8,574	84	78	5	3	170	19·8	95	11·1	·8799	9·8	14	82	8·7	
Haltwhistle	8,546	84	89	6	9	188	22·0	112	13·1	·9232	12·1	27	144	8·9	
Hexham	21,920	204	202	13	19	438	20·0	270	12·3	·9373	11·5	39	89	7·7	
Morpeth	17,381	196	203	14	4	417	24·0	251†	14·4	1·0004	14·4	61	146	9·6	
Norham and Islandshires	5,824	69	53	1	4	127	21·8	62	10·6	·8882	9·4	7	55	11·2	
Rothbury	4,604	47	52	6	1	106	23·0	48	10·4	·8913	9·3	7	66	12·6	
Tynemouth	23,849	388	333	13	14	748	31·4	404	16·9	1·0035	17·0	128	171	14·5	
NOTTINGHAMSHIRE.	346,025	4,640	4,350	241	228	9,459	27·3	4,584	13·2	·9704	12·8	1,202	127	14·1	
Total Urban Districts	216,430	3,078	2,906	159	159	6,302	29·1	2,931	13·5	1·0233	13·8	882	140	15·6	
Total Rural Districts	129,595	1,562	1,444	82	69	3,157	24·4	1,653	12·8	·8931	11·4	320	101	11·6	
<i>Urban Districts.</i>															
Arnold	11,209	134	138	8	7	287	25·6	139	12·4	1·0236	12·7	44	153	13·2	
Beeston	11,399	135	154	6	9	304	26·7	139	12·2	1·0225	12·5	31	102	14·5	
Carlton	15,727	191	209	11	9	420	26·7	191	12·1	1·0362	12·5	47	112	14·6	
East Retford M.B.	13,413	155	177	11	12	355	26·5	212	15·8	·9335	14·7	58	163	10·7	
Eastwood	4,689	62	62	3	1	128	27·3	60	12·8	1·0182	13·0	21	164	14·5	
Hucknall Torkard	15,886	241	206	8	15	470	29·6	217	13·7	1·0163	13·9	61	130	15·9	
Huthwaite	5,261	95	69	11	7	182	34·6	78	14·8	1·0148	15·0	29	159	19·8	
Kirkby in Ashfield	15,511	262	231	14	12	519	33·5	173	11·2	1·0447	11·7	69	133	22·3	
Mansfield M.B.	37,295	559	567	23	25	1,174	31·5	528	14·2	1·0721	15·2	172	147	17·3	
Mansfield Woodhouse	11,177	219	178	5	12	414	37·0	197	17·6	1·0922	19·2	86	208	19·4	
Newark M.B.	16,445	185	180	11	10	386	23·5	232	14·1	·9441	13·3	48	124	9·4	
Sutton in Ashfield	21,888	358	309	22	19	708	32·3	309	14·1	1·0523	14·8	115	162	18·2	
Warsop	4,276	87	72	6	3	168	39·3	63	14·7	·9759	14·3	21	125	24·6	
West Bridgford	11,754	94	101	4	2	201	17·1	108	9·2	1·1043	10·2	22	109	7·9	
Worksop	20,500	301	253	16	16	586	28·6	285	13·9	1·0158	14·1	58	99	14·7	
<i>Rural Districts.</i>															
Basford	42,057	539	543	19	18	1,119	26·6	507	12·1	·9611	11·6	116	104	14·5	
Bingham	14,619	145	130	14	13	302	20·7	189†	12·9	·8221	10·6	20	66	7·8	
Blyth and Cuckney	4,966	58	56	3	2	119	24·0	72	14·5	·9070	13·2	15	126	9·5	

† The remaining parts of Oundle and Thrapston Rural Districts are in Huntingdonshire; see page 160.

BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS, 1911—continued.

Administrative Area.	Estimated Population, (Middle, 1911.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	
		M.	F.	M.	F.									
NOTTINGHAMSHIRE—cont.														
East Retford	14,788	162	144	12	9	327	22·1	187	12·6	·8349	10·5	19	58	9·5
Leake	3,720	40	24	—	2	66	17·7	40	10·8	·8359	9·0	9	136	6·9
Misterton	4,025	46	54	3	—	103	25·6	64	15·9	·8763	13·9	17	165	9·7
Newark	8,351	108	86	8	1	203	24·3	89	10·7	·8642	9·2	16	79	13·6
Skegby	7,030	121	100	6	6	233	33·1	96	13·7	1·0249	14·0	38	163	19·4
Southwell... ..	19,585	189	175	10	14	388	19·8	266	13·6	·8166	11·1	31	80	6·2
Stapleford	10,063	152	131	7	4	294	29·2	141	14·0	·9871	13·8	39	132	15·2
Area administered by Rural District Council of Shardlow (Derbyshire).	391	2	1	—	—	3	7·7	2	5·1	·9161	4·7	—	—	2·6
OXFORDSHIRE.														
Total Urban Districts ...	145,028*	1,533	1,455	97	86	3,171	21·9	1,881	13·0	·8400	10·9	266	84	8·9
Total Rural Districts ...	44,857*	492	459	35	33	1,019	22·7	555	12·4	·8787	10·9	77	76	10·3
Urban Districts.	100,171*	1,041	996	62	53	2,152	21·5	1,326	13·2	·8231	10·9	189	88	8·3
Banbury M.B.	13,471	128	131	5	11	275	20·4	171	12·7	·8927	11·3	31	113	7·7
Bicester	3,395	36	33	4	8	81	23·9	43	12·7	·8123	10·3	9	111	11·2
Caversham	8,500*	120	116	7	7	250	29·4	95	11·2	·9781	11·0	18	72	18·2
Chipping Norton M.B. ...	3,977	35	38	2	3	78	19·6	58	14·6	1·0491	15·3	4	51	5·0
Henley on Thames M.B.	6,468	76	58	8	2	144	22·3	85	13·1	·8748	11·5	8	56	9·2
Thame	2,958	37	20	1	1	59	19·9	28	9·5	·8197	7·8	1	17	10·4
Wheatley	968	9	12	2	1	24	24·8	14	14·5	·7975	11·6	—	—	10·3
Witney	3,528	39	37	4	—	80	22·7	41	11·6	·8468	9·8	5	63	11·1
Woodstock M.B....	1,592	12	14	2	—	28	17·6	20	12·6	·8071	10·2	1	36	5·0
Rural Districts.														
Banbury	11,450	123	104	6	4	237	20·7	162	14·1	·7852	11·1	20	84	6·6
Bicester	9,637	97	77	2	7	183	19·0	122	12·7	·7829	9·9	15	82	6·3
Chipping Norton...	11,356	126	113	7	7	253	22·3	149	13·1	·8491	11·1	16	63	9·2
Crommarsh	5,020	49	52	5	3	109	21·7	78	15·5	·7836	12·1	12	110	6·2
Culham	2,619	35	19	2	1	57	21·8	23	8·8	·9045	8·0	1	18	13·0
Goring	3,187	29	22	2	2	55	17·3	31	9·7	·8959	8·7	1	18	7·6
Headington	13,253	143	148	4	4	299	22·6	179	13·5	·8965	12·1	36	120	9·1
Henley	10,194*	105	95	12	1	213	20·9	114	11·2	·8831	9·9	16	75	9·7
Thame	5,543	49	59	3	5	116	20·9	76	13·7	·7570	10·4	17	147	7·2
Witney	17,192	155	198	11	15	379	22·0	242	14·1	·7954	11·2	28	74	7·9
Woodstock	10,720	130	109	8	4	251	23·4	150	14·0	·8188	11·5	27	108	9·4
PEMBROKESHIRE.														
Total Urban Districts ...	90,014	1,037	939	59	56	2,091	23·2	1,374	15·3	·8884	13·6	229	110	7·9
Total Rural Districts ...	38,826	461	415	23	13	912	23·5	593	15·3	·9419	14·4	102	112	8·2
Urban Districts.	51,188	576	524	36	43	1,179	23·0	781	15·3	·8519	13·0	127	108	7·7
Fishguard... ..	2,922	36	39	2	1	78	26·7	47	16·1	·9387	15·1	6	77	10·6
Haverfordwest M.B. ...	5,917	65	54	2	3	124	21·0	97	16·4	·8902	14·6	16	129	4·6
Milford Haven	6,433	125	113	5	2	245	38·1	102	15·9	1·0452	16·6	25	102	22·2
Narberth	1,106	9	9	2	—	20	18·1	21	19·0	·8742	16·6	1	50	—0·9
Neyland	2,412	23	19	2	—	44	18·2	35	14·5	·9486	13·8	7	159	3·7
Pembroke M.B.	15,669	173	147	7	4	331	21·1	229	14·6	·9504	13·9	39	118	6·5
Tenby M.B.	4,367	30	34	3	3	70	16·0	62	14·2	·8800	12·5	8	114	1·8
Rural Districts.														
Haverfordwest	21,388	270	239	12	25	546	25·5	319	14·9	·8834	13·2	52	95	10·6
Llanfyrnach	2,421	30	15	1	3	49	20·2	31	12·8	·8556	11·0	5	102	7·4
Narberth	10,992	113	115	10	7	245	22·3	159	14·5	·8472	12·3	31	127	7·8
Pembroke... ..	8,509	98	90	7	7	202	23·7	116	13·6	·8899	12·1	22	109	10·1
St. Dogmells	7,878	65	65	6	1	137	17·4	156	19·8	·7503	14·9	17	124	—2·4
PETERBOROUGH, SOKE OF.														
Urban District	44,813	418	414	23	18	873	19·5	553	12·3	·8946	11·0	85	97	7·2
Total Rural Districts ...	33,645	295	310	19	15	639	19·0	439	13·0	·9292	12·1	71	111	6·0
Urban District.	11,168	123	104	4	3	234	21·0	114	10·2	·8162	8·3	14	60	10·8
Peterborough M.B. ...	33,645	295	310	19	15	639	19·0	439	13·0	·9292	12·1	71	111	6·0
Rural Districts.														
Barnack	2,100	18	27	—	—	45	21·4	16	7·6	·8210	6·2	3	67	13·8
Peterborough	9,068	105	77	4	3	189	20·8	98	10·8	·8132	8·8	11	58	10·0
RADNORSHIRE.														
Total Urban Districts ...	22,572	238	236	10	17	501	22·2	284	12·6	·8602	10·8	29	58	9·6
Total Rural Districts ...	5,822	62	47	1	2	112	19·2	51	8·8	·9260	8·1	7	63	10·4
Urban Districts.	16,750	176	189	9	15	389	23·2	233	13·9	·8121	11·3	22	57	9·3
Knighton	1,879	20	17	1	—	38	20·2	21	11·2	·8025	9·0	1	26	9·0
Llandrindod Wells ...	2,805	29	22	—	—	51	18·2	20	7·1	1·1257	8·0	2	39	11·1
Presteigne	1,138	13	8	—	2	23	20·2	10	8·8	·7950	7·0	4	174	11·4

BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS, 1911—continued.

Administrative Area.	Estimated Population. (Middle, 1911.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	
		M.	F.	M.	F.									
RADNORSHIRE—cont.														
Rural Districts.														
Colwyn	2,056	18	24	1	—	43	20·9	18	8·8	·9195	8·1	2	47	12·1
Knighton	4,432	46	51	3	6	106	23·9	62	14·0	·8575	12·0	6	57	9·9
New Radnor	2,753	29	29	1	2	61	22·2	45	16·3	·8362	13·6	2	33	5·9
Paincastle	2,333	29	28	1	2	60	25·7	32	13·7	·8299	11·4	4	67	12·0
Rhayader	5,176	54	57	3	5	119	23·0	76	14·7	·8057	11·8	8	67	8·3
RUTLANDSHIRE.														
Urban District	2,771*	32	25	1	—	58	20·9	29	10·5	·9237	9·7	7	121	10·4
Total Rural Districts	17,592*	191	173	7	8	379	21·5	241	13·7	·8392	11·5	33	87	7·8
Urban District.														
Oakham	2,771*	32	25	1	—	58	20·9	29	10·5	·9237	9·7	7	121	10·4
Rural Districts.														
Ketton	2,943	39	24	—	2	65	22·1	41	13·9	·8739	12·1	6	92	8·2
Oakham	7,916*	85	90	4	3	182	23·0	102	12·9	·8444	10·9	18	99	10·1
Uppingham	6,733	67	59	3	3	132	19·6	98	14·6	·8197	12·0	9	68	5·0
SHROPSHIRE.														
Total Urban Districts	109,755	1,210	1,080	76	77	2,443	22·3	1,586	14·5	·8988	13·0	249	102	7·8
Total Rural Districts	136,724	1,464	1,428	84	96	3,072	22·5	1,829	13·4	·8410	11·3	266	87	9·1
Urban Districts.														
Bishop's Castle, M.B.	1,410	15	9	1	2	27	19·1	27	19·1	·7432	14·2	2	74	0·0
Bridgnorth, M.B.	5,761	60	47	4	4	115	20·0	72	12·5	·8913	11·1	9	78	7·5
Church Stretton	1,472	16	10	—	1	27	18·3	21	14·3	·9365	13·4	1	37	4·0
Dawley	7,706	87	101	8	8	204	26·5	102	13·2	·8998	11·9	23	113	13·3
Ellesmere	1,946	17	10	1	—	28	14·4	29	14·9	·8303	12·4	4	143	—0·5
Ludlow, M.B.	5,914	53	50	10	7	120	20·3	129	21·8	·8389	18·3	14	117	—1·5
Newport	3,250	35	31	2	1	69	21·2	45	13·8	·8526	11·8	6	87	7·4
Oakengates	11,766	143	132	2	2	279	23·7	153	13·0	·9330	12·1	32	115	10·7
Oswestry, M.B.	10,002	124	102	6	8	240	24·0	140	14·0	·9231	12·9	25	104	10·0
Shrewsbury, M.B.	29,415	325	284	16	17	642	21·8	413	14·0	·9381	13·1	69	107	7·8
Wellington	7,839	92	75	8	2	177	22·6	111	14·2	·8985	12·8	17	96	8·4
Wem	2,276	26	16	—	1	43	18·9	27	11·9	·8719	10·4	5	116	7·0
Wenlock, M.B.	15,227	153	151	16	13	333	21·9	239	15·7	·8420	13·2	29	87	6·2
Whitchurch	5,771	64	62	2	11	139	24·1	78	13·5	·8851	11·9	13	94	10·6
Rural Districts.														
Atcham	21,792	230	208	13	15	466	21·4	285†	13·1	·8224	10·8	40	86	8·3
Bridgnorth	9,140	96	114	5	7	222	24·3	106	11·6	·8599	10·0	14	63	12·7
Burford	1,310	11	12	—	1	24	18·3	19	14·5	·8110	11·8	2	83	3·8
Chirbury	3,298	37	30	2	6	75	22·7	53	16·1	·8004	12·9	5	67	6·6
Church Stretton	4,805	47	39	4	5	95	19·8	70	14·6	·7920	11·6	7	74	5·2
Cleobury Mortimer	6,983	83	89	2	5	179	25·6	89	12·7	·8615	10·9	12	67	12·9
Clun	6,558	67	80	2	5	154	23·5	84	12·8	·7933	10·2	12	78	10·7
Drayton	12,357	121	134	7	16	278	22·5	178	14·4	·8512	12·3	28	101	8·1
Ellesmere	8,377	79	91	4	3	177	21·1	123	14·7	·8973	13·2	21	119	6·4
Ludlow	9,434	106	103	7	6	222	23·5	109	11·6	·8938	10·4	23	104	11·7
Newport	6,004	72	62	5	2	141	23·5	69	11·5	·8622	9·9	10	71	12·0
Oswestry	15,462	185	156	10	10	361	23·3	218	14·1	·8502	12·0	31	86	9·2
Shifnal	8,159	87	89	9	3	188	23·0	110	13·5	·8253	11·1	19	101	9·5
Teme	1,639	17	9	—	1	27	16·5	33	20·1	·7828	15·7	5	185	—3·6
Wellington	11,095	119	117	8	6	250	22·5	139	12·5	·8578	10·7	24	96	10·0
Wem	8,376	94	80	4	5	183	21·8	127	15·2	·8335	12·7	9	49	6·6
Whitchurch	1,935	13	15	2	—	30	15·5	17	8·8	·8696	7·7	4	133	6·7
SOMERSETSHIRE.														
Total Urban Districts	157,728	1,539	1,529	71	75	3,214	20·4	2,088	13·2	·9164	12·1	317	99	7·2
Total Rural Districts	247,472*	2,520	2,346	86	96	5,048	20·4	3,178	12·8	·8487	10·9	392	78	7·6
Urban Districts.														
Bridgwater, M.B....	16,844	213	194	6	12	425	25·2	255	15·1	·9164	13·8	52	122	10·1
Burnham	3,976	25	38	1	3	67	16·9	47	11·8	·9100	10·7	9	134	5·1
Chard, M.B.	4,571	58	44	4	3	109	23·8	67	14·7	·8761	12·9	13	119	9·1
Clevedon	6,117	50	45	2	—	97	15·9	90	14·7	·8051	11·8	7	72	1·2
Crewkerne	3,931	36	43	1	2	82	20·9	43	10·9	·9262	10·1	7	85	10·0
Frome	10,897	94	88	1	5	188	17·3	179	16·4	·8860	14·5	17	90	0·9
Glastonbury, M.B.	4,256	60	40	—	2	102	24·0	72	16·9	·8929	15·1	11	108	7·1
Highbridge	2,346	32	26	1	—	59	25·1	41	17·5	·9465	16·6	8	136	7·6
Ilminster	2,472	16	20	1	2	39	15·8	33	13·3	·8674	11·5	2	51	2·5
Midsomer Norton	7,338	75	91	2	4	172	23·4	73	9·9	1·0116	10·0	11	64	13·5
Minehead	3,483	31	33	1	—	65	18·7	46	13·2	·9763	12·9	7	108	5·5
Portishead	3,350	25	35	—	2	62	18·5	30	9·0	·9434	8·5	4	65	9·5
Radstock	3,699	49	46	1	2	98	26·5	33	8·9	·9129	8·1	6	61	17·6
Shepton Mallet	5,005	49	37	1	1	88	17·6	63	12·6	·8749	11·0	4	45	5·0

BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS, 1911—continued.

Administrative Area.	Estimated Population. (Middle, 1911.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
SOMERSETSHIRE—cont.															
Street	4,241	31	37	—	—	68	16·0	46	10·8	·9703	10·5	7	103	5·2	
Taunton M.B.	22,600	208	233	27	17	485	21·5	324	14·3	·9665	13·8	53	109	7·2	
Watchet	1,845	15	19	1	2	37	20·1	20	10·8	·8846	9·6	6	162	9·3	
Wellington	7,642	80	69	1	1	151	19·8	92	12·0	·9023	10·8	16	106	7·8	
Wells M.B.	4,650	40	34	2	2	78	16·8	60	12·9	·8260	10·7	6	77	3·9	
Weston super Mare	23,324	188	191	13	11	403	17·3	285	12·2	·8952	10·9	42	104	5·1	
Wiveliscombe	1,313	7	17	1	—	25	19·0	24	18·3	·8506	15·6	1	40	0·7	
Yeovil M.B.	13,828	157	149	4	4	314	22·7	165	11·9	·9905	11·8	28	89	10·8	
Rural Districts.															
Axbridge	23,066	255	189	10	9	463	20·1	286	12·4	·8326	10·3	38	82	7·7	
Bath	28,254*	285	304	8	10	607	21·5	354	12·5	·9432	11·8	60	99	9·0	
Bridgwater	18,196	189	153	4	16	362	19·9	209	11·5	·8156	9·4	24	66	8·4	
Chard	13,391	152	143	2	3	300	22·4	176	13·1	·8571	11·2	24	80	9·3	
Clutton	18,509	243	232	4	7	486	26·3	234	12·6	·8716	11·0	45	93	13·7	
Dulverton... ..	4,843	43	47	1	—	91	18·8	49	10·1	·8416	8·5	5	55	8·7	
Frome	11,172	111	120	3	3	237	21·2	139	12·4	·8455	10·5	19	80	8·8	
Keynsham	10,190	104	111	1	2	218	21·4	123	12·1	·8818	10·7	16	73	9·3	
Langport	13,344	124	124	4	9	261	19·6	188	14·1	·7991	11·3	17	65	5·5	
Long Ashton	16,210	166	147	5	4	322	19·9	210	13·0	·8669	11·3	28	87	6·9	
Shepton Mallet	10,192	100	110	6	6	222	21·8	105	10·3	·8490	8·7	16	72	11·5	
Taunton	17,841	166	137	12	4	319	17·9	253†	14·2	·8425	12·0	15	47	3·7	
Wellington	6,069	66	57	5	3	131	21·6	78	12·9	·8187	10·6	7	53	8·7	
Wells	10,629	90	85	2	4	181	17·0	155	14·6	·8270	12·1	13	72	2·4	
Williton	12,663	104	94	9	4	211	16·7	174	13·7	·8071	11·1	17	81	3·0	
Wincanton	16,440	161	138	6	6	311	18·9	225	13·7	·8388	11·5	28	90	5·2	
Yeovil	16,463	161	155	4	6	326	19·8	220	13·4	·8302	11·1	20	61	6·4	
SOUTHAMPTON.															
Total Urban Districts ...	435,408	4,803	5,627	203	175	9,808	22·5	5,145	11·8	·9456	11·2	919	94	10·7	
Total Rural Districts ...	205,258	2,405	2,298	95	80	4,878	23·8	2,463	12·0	1·0040	12·0	503	103	11·8	
Total	230,150	2,398	2,329	108	95	4,930	21·4	2,682	11·7	·8992	10·5	416	84	9·7	
Urban Districts.															
Aldershot... ..	35,286	456	455	11	11	933	26·4	397	11·3	1·2819	14·5	111	119	15·2	
Alton	5,557	68	57	6	—	131	23·6	73	13·1	·7953	10·4	11	84	10·5	
Andover M.B.	7,625	79	93	11	4	187	24·5	110	14·4	·8585	12·4	15	80	10·1	
Basingstoke M.B.	11,586	128	132	3	5	268	23·1	129	11·1	·9653	10·7	22	82	12·0	
Christchurch M.B.	5,128	55	46	1	3	105	20·5	59	11·5	·8780	10·1	6	57	9·0	
Eastleigh and Bishopstoke	15,403	184	174	2	7	367	23·8	128	8·3	1·0732	8·9	30	82	15·5	
Fareham	9,712	93	77	4	6	180	18·5	137†	14·1	·8735	12·3	15	83	4·4	
Farnborough	14,270	160	156	3	5	324	22·7	110	7·7	1·3024	10·0	23	71	15·0	
Fleet	3,314	32	32	1	—	65	19·6	28	8·4	·8774	7·4	3	46	11·2	
Gosport and Alverstoke...	33,416	422	391	18	18	849	25·4	484	14·5	·9883	14·3	114	134	9·0	
Havant	4,104	36	34	3	—	73	17·8	54	13·2	·8562	11·3	12	164	4·6	
Itchen	19,652	302	270	10	8	590	30·0	224	11·4	·9816	11·2	59	100	18·6	
Lymington M.B....	4,333	50	43	2	3	98	22·6	61	14·1	·7764	10·9	7	71	8·5	
Petersfield	3,965	40	36	3	2	81	20·4	59	14·9	·9295	13·8	6	74	5·5	
Romsey M.B.	4,677	52	40	3	1	96	20·5	83	17·7	·8921	15·8	14	146	2·8	
Warblington	3,787	33	41	—	—	74	19·5	45	11·9	·8474	10·1	7	95	7·6	
Winchester M.B....	23,443	215	221	14	7	457	19·5	282	12·0	·9567	11·5	48	105	7·5	
Rural Districts.															
Alresford	7,545	68	66	5	3	142	18·8	87	11·5	·8556	9·8	16	113	7·3	
Alton	18,482	202	200	7	3	412	22·3	193	10·4	1·0149	10·6	49	119	11·9	
Andover	14,427	162	144	5	7	318	22·0	138	9·6	1·0510	10·1	16	50	12·4	
Basingstoke	12,383	149	109	5	7	270	21·8	143	11·5	·8359	9·6	23	85	10·3	
Catherington	3,684	37	29	2	2	70	19·0	57	15·5	·8170	12·7	5	71	3·5	
Christchurch	6,615	72	60	1	1	134	20·3	61	9·2	·9082	8·4	8	60	11·1	
Droxford	12,936	135	124	8	10	277	21·4	188	14·5	·8175	11·9	30	108	6·9	
Fareham	14,271	138	155	6	2	301	21·1	147	10·3	·9484	9·8	28	93	10·8	
Fordingbridge	6,452	71	67	13	5	156	24·2	92	14·3	·8309	11·9	20	128	9·9	
Hartley Wintney	18,684	201	194	10	6	411	22·0	207	11·1	·8863	9·8	23	56	10·9	
Havant	5,832	36	45	1	2	84	14·4	67	11·5	·8489	9·8	7	83	2·9	
Hursley	4,412	47	46	2	4	99	22·4	42	9·5	·8838	8·4	8	81	12·9	
Kingsclere	8,851	85	85	6	5	181	20·4	92	10·4	·8281	8·6	13	72	10·0	
Lymington	11,971	133	130	4	4	271	22·6	145	12·1	·9087	11·0	12	44	10·5	
New Forest	16,420	156	179	13	2	350	21·3	194	11·8	·8829	10·4	25	71	9·5	
Petersfield	12,102	112	118	2	4	236	19·5	119	9·8	·9894	9·7	20	85	9·7	
Ringwood... ..	7,178	83	76	1	7	167	23·3	107	14·9	·8762	13·1	20	120	8·4	
Romsey	6,814	82	80	1	4	167	24·5	85	12·5	·8709	10·9	15	90	12·0	
South Stoneham	17,863	192	197	6	11	406	22·7	237	13·3	·9344	12·4	45	111	9·4	
Stockbridge	6,493	67	64	4	3	138	21·3	93	14·3	·8326	11·9	13	94	7·0	
Whitchurch	6,129	71	63	2	—	136	22·2	73	11·9	·8407	10·0	11	81	10·3	
Winchester	10,606	99	98	4	3	204	19·2	115	10·8	·9037	9·8	9	44	8·4	

BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS, 1911—continued.

Administrative Area.	Estimated Population. (Middle, 1911.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	
		M.	F.	M.	F.									
STAFFORDSHIRE.	730,746*	9,787	9,405	439	389	20,020	27.4	10,728	14.7	.9782	14.4	2,596	130	12.7
Total Urban Districts ...	521,337*	7,374	6,985	305	276	14,940	28.7	8,109	15.6	1.0001	15.6	2,090	140	13.1
Total Rural Districts ...	209,409*	2,413	2,420	134	113	5,080	24.3	2,619	12.5	.9262	11.6	506	100	11.8
Urban Districts.														
Amblecote ...	3,156	35	35	3	1	74	23.4	62	19.6	.9881	19.4	17	23	3.8
Audley ...	14,805	214	181	7	7	409	27.6	218	14.7	1.0133	14.9	56	137	12.9
Biddulph ...	7,453	100	88	5	12	205	27.5	100	13.4	.9855	13.2	30	146	14.1
Bilston ...	25,724	408	396	16	15	835	32.5	479	18.6	.9888	18.4	108	129	13.9
Brierley Hill ...	12,269	168	154	9	4	335	27.3	193	15.7	.9898	15.5	56	167	11.6
Brownhills ...	16,891*	252	278	8	8	546	32.3	249	14.7	1.0174	15.0	64	117	17.6
Cannock ...	28,708	455	444	23	16	938	32.7	429	14.9	.9913	14.8	140	149	17.8
Coseley ...	22,850	309	314	14	11	648	28.4	352	15.4	.9886	15.2	80	123	13.0
Darlaston ...	17,152	279	264	13	10	566	33.0	313	18.2	1.0202	18.6	100	177	14.8
Handsworth ...	59,000*	744	677	14	16	1,451	24.6	635	10.8	1.0469	11.3	117	81	13.8
Heathtown or Wednesfield Heath.	12,351	184	151	9	7	351	28.4	190	15.4	1.0082	15.5	42	120	13.0
Kidsgrove... ..	9,030	145	148	3	2	298	33.0	135	15.0	.9970	15.0	47	158	18.0
Leek ...	16,694	156	181	7	13	357	21.4	262	15.7	1.0028	15.7	44	123	5.7
Lichfield, M.B. ...	8,635	117	80	4	4	205	23.7	131	15.2	.8873	13.5	24	117	8.5
Newcastle under Lyme, M.B.	20,209	275	272	20	20	587	29.0	393	19.4	.9887	19.2	112	191	9.6
Perry Barr ...	2,404	32	17	—	—	49	20.4	32	13.3	1.0642	14.2	11	224	7.1
Quarry Bank ...	7,406	113	103	1	5	222	30.0	103	13.9	.9991	13.9	28	126	16.1
Rowley Regis ...	37,061	542	514	16	13	1,085	29.3	498	13.4	1.0209	13.7	127	117	15.9
Rugeley ...	4,506	45	57	2	2	106	23.5	67	14.9	.9134	13.6	15	142	8.6
Sedgley ...	16,542	201	207	11	10	429	25.9	281	17.0	.9906	16.8	66	154	8.9
Short Heath ...	4,089	62	61	3	—	126	30.8	52	12.7	.9523	12.1	16	127	18.1
Smallthorne ...	13,627	225	232	12	5	474	34.8	258	18.9	1.0308	19.5	95	200	15.9
Stafford, M.B. ...	23,449	283	266	24	12	585	24.9	348†	14.8	1.0278	15.2	70	120	10.1
Stone ...	5,688	58	55	1	5	119	20.9	84	14.8	.8798	13.0	11	92	6.1
Tamworth, M.B....	7,750	115	99	8	3	225	29.0	126	16.3	.9564	15.6	32	142	12.7
Tettenhall ...	5,382	55	50	3	2	110	20.4	84	15.6	.9002	14.0	6	55	4.8
Tipton ...	31,788	507	480	16	19	1,022	32.2	624	19.6	.9735	19.1	171	167	12.6
Uttoxeter ...	5,732	77	66	3	6	152	26.5	71	12.4	.9543	11.8	16	105	14.1
Wednesbury, M.B.	28,144	425	403	17	13	858	30.5	487	17.3	1.0071	17.4	132	154	13.2
Wednesfield ...	6,530	91	90	5	4	190	29.1	82	12.6	.9747	12.3	29	153	16.5
Willenhall ...	18,853	281	250	8	8	547	29.0	350	18.6	1.0304	19.2	99	181	10.4
Wolstanton United ...	27,459	421	372	20	23	836	30.4	421	15.3	1.0365	15.9	129	154	15.1
Rural Districts.														
Blore Heath ...	2,291	23	29	2	2	56	24.4	25	10.9	.8432	9.2	3	54	13.5
Cannock ...	19,837	264	227	12	6	509	25.7	240	12.1	.9419	11.4	61	120	13.6
Cheadle ...	26,760	307	316	17	9	649	24.3	369†	13.8	.9539	13.2	62	96	10.5
Dudley ...	12	—	—	—	—	—	—	—	—	—	—	—	—	—
Gnosall ...	4,767	48	50	2	4	104	21.8	67	14.1	.8188	11.5	7	67	7.7
Kingswinford ...	20,836	280	230	17	13	540	25.9	306	14.7	.9253	13.6	79	146	11.2
Leek ...	15,515	184	182	11	17	394	25.4	211	13.6	.9313	12.7	38	96	11.8
Lichfield ...	28,778*	317	358	20	13	708	24.6	318†	11.1	.9706	10.8	53	75	13.5
Mayfield ...	3,911	38	51	1	4	94	24.0	41	10.5	.8569	9.0	7	74	13.5
Newcastle under Lyme ...	6,407	62	74	6	3	145	22.6	68	10.6	.9426	10.0	11	76	12.0
Seisdon ...	15,131	165	169	9	5	348	23.0	157	10.4	.8773	9.1	30	86	12.6
Stafford ...	11,813	132	116	3	5	256	21.7	132	11.2	.9194	10.3	15	59	10.5
Stoke upon Trent ...	4,787	73	71	3	5	152	31.8	65	13.6	.9773	13.3	20	132	18.2
Stone ...	14,398	151	148	13	3	315	21.9	184	12.8	.8990	11.5	27	86	9.1
Tamworth (part of)‡	5,121	51	57	2	3	113	22.1	78	15.2	.8927	13.6	15	133	6.9
Tutbury ...	9,086	98	109	4	7	218	24.0	113	12.4	.9221	11.4	25	115	11.6
Uttoxeter ...	8,153	70	85	7	7	169	20.7	90	11.0	.9186	10.1	12	71	9.7
Walsall ...	11,009	143	143	5	6	297	27.0	143	13.0	.9746	12.7	40	135	14.0
Area administered by Rural District Council of Shifnal (Shropshire)	797	7	5	—	1	13	16.3	12	15.1	.8190	12.4	1	77	1.2
SUFFOLK, EAST.	203,593	2,116	2,110	126	126	4,478	22.0	2,631	12.9	.8526	11.0	429	96	9.1
Total Urban Districts ...	81,194	899	896	48	62	1,905	23.5	1,027	12.6	.9194	11.6	201	106	10.9
Total Rural Districts ...	122,399	1,217	1,214	78	64	2,573	21.0	1,604	13.1	.8132	10.7	228	89	7.9
Urban Districts.														
Aldeburgh, M.B....	2,373	13	18	2	1	34	14.3	26	11.0	.8838	9.7	4	118	3.3
Beccles, M.B. ...	7,145	77	77	3	7	164	23.0	83	11.6	.9007	10.4	10	61	11.4
Bungay ...	3,360	38	26	4	5	73	21.7	50	14.9	.8561	12.8	7	96	6.8
Eye, M.B....	2,000	22	17	2	1	42	21.0	37	18.5	.7098	13.1	8	191	2.5
Felixstowe and Walton ...	8,742	81	64	5	3	153	17.5	78	8.9	1.0590	9.4	9	59	8.6
Halesworth ...	2,258	19	25	1	1	46	20.4	35	15.5	.8386	13.0	5	109	4.9
Leiston cum Sizewell ...	4,388	55	49	4	5	113	25.8	51	11.6	.9897	11.5	7	62	14.2
Lowestoft, M.B. ...	33,880	417	452	15	21	905	26.7	438	12.9	.9340	12.0	115	127	13.8
Oulton Broad ...	4,139	54	58	5	7	124	30.0	34	8.2	.9344	7.7	11	89	21.8
Saxmundham ...	1,403	10	12	1	—	23	16.4	27	19.2	.8497	16.3	3	130	—2.8
Southwold, M.B....	2,651	26	23	3	4	56	21.1	33	12.4	.8544	10.6	5	89	8.7

† The remainder of Tamworth Rural District is in Warwickshire ; see page 174.

BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS, 1911—continued.

Administrative Area.	Estimated Population. (Middle, 1911.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
SUFFOLK, EAST—cont.															
Stowmarket	4,232	42	40	2	2	86	20·3	69	16·3	·8556	13·9	9	105	4·0	
Woodbridge	4,623	45	35	1	5	86	18·6	66	14·3	·8242	11·8	8	93	4·3	
Rural Districts.															
Blything	18,214	181	191	10	7	389	21·4	246	13·5	·7799	10·5	32	82	7·9	
Bosmere and Claydon ...	14,069	166	153	10	11	340	24·2	198	14·1	·7889	11·1	29	85	10·1	
East Stow	6,231	64	59	3	5	131	21·0	83	13·3	·8248	11·0	17	130	7·7	
Hartismere	11,484	105	120	11	10	246	21·4	157	13·7	·8021	11·0	17	69	7·7	
Hoxne	10,413	90	95	9	6	200	19·2	133	12·8	·7937	10·2	17	85	6·4	
Mutford and Lothingland	11,201	123	162	5	—	290	25·9	147	13·1	·8430	11·0	26	90	12·8	
Plomesgate	15,707	165	155	7	12	339	21·6	211	13·4	·8141	10·9	42	124	8·2	
Samford	13,911	126	102	8	5	241	17·3	169	12·1	·9033	10·9	17	71	5·2	
Wangford... ..	4,824	49	43	6	—	98	20·3	61	12·6	·7890	9·9	8	82	7·7	
Woodbridge	16,345	148	134	9	8	299	18·3	199†	12·2	·8365	10·2	23	77	6·1	
SUFFOLK, WEST.															
Total Urban Districts ...	43,848	393	406	28	37	864	19·7	593	13·5	·8929	12·1	93	108	6·2	
Total Rural Districts ...	73,040	755	727	38	50	1,570	21·5	952	13·0	·7909	10·3	128	82	8·5	
Urban Districts.															
Bury St. Edmunds M.B.	16,799	162	152	7	19	340	20·2	220	13·1	·8865	11·6	32	94	7·1	
Glensford	1,486	14	16	—	1	31	20·9	25	16·8	·7206	12·1	7	226	4·1	
Hadleigh	3,199	29	36	1	3	69	21·6	49	15·3	·8281	12·7	6	87	6·3	
Haverhill	4,745	33	42	1	1	77	16·2	66	13·9	·9826	13·7	10	130	2·3	
Newmarket	10,477	98	108	8	3	217	20·7	130	12·4	·9673	12·0	21	97	8·3	
Sudbury M.B.	7,142	57	52	11	10	130	18·2	103	14·4	·8299	12·0	17	131	3·8	
Rural Districts.															
Brandon	5,863	56	61	6	5	128	21·8	80	13·6	·7963	10·8	14	109	8·2	
Clare	8,565	80	79	2	2	163	19·0	106	12·4	·7553	9·4	8	49	6·6	
Cosford	11,813	127	132	5	4	268	22·7	152	12·9	·7905	10·2	20	75	9·8	
Melford	12,782	113	125	4	17	259	20·3	181	14·2	·7803	11·1	19	73	6·1	
Mildenhall	8,312	89	90	6	5	190	22·9	109	13·1	·7925	10·4	15	79	9·8	
Moulton	2,252	26	12	—	—	38	16·9	29	12·9	·8375	10·8	2	53	4·0	
Thedwastre	9,016	85	89	6	10	190	21·1	104	11·5	·7992	9·2	15	79	9·6	
Thingoe	14,437	179	139	9	7	334	23·1	191	13·2	·8081	10·7	35	105	9·9	
SURREY.															
Total Urban Districts ...	455,305	4,489	4,299	227	191	9,206	20·2	5,010	11·0	·9761	10·7	923	100	9·2	
Total Rural Districts ...	224,839	2,275	2,188	101	89	4,653	20·7	2,331	10·4	·9768	10·2	408	88	10·3	
Urban Districts.															
Barnes	30,708	362	342	8	20	732	23·8	336	10·9	1·0060	11·0	71	97	12·9	
Carshalton	11,763	124	107	4	3	238	20·2	119	10·1	1·0190	10·3	26	109	10·1	
Caterham	10,877	107	95	3	6	211	19·4	85	7·8	·9772	7·6	19	90	11·6	
Chertsey	13,844	123	146	4	6	279	20·2	161	11·6	·9077	10·5	29	104	8·6	
Dorking	7,853	69	71	10	5	155	19·7	105	13·4	·8601	11·5	18	116	6·3	
East and West Molesey...	6,504	60	64	3	3	130	20·0	82	12·6	·9455	11·9	8	62	7·4	
Egham	12,568	105	107	4	12	228	18·1	152	12·1	·9712	11·8	31	136	6·0	
Epsom	19,371	148	135	3	6	292	15·1	150†	7·7	·9829	7·6	26	89	7·4	
Esher and the Dittons ...	12,598	113	139	10	5	267	21·2	136	10·8	·9945	10·7	21	79	10·4	
Farnham	7,390	72	79	9	5	165	22·3	102	13·8	·8762	12·1	27	164	8·5	
Frimley	13,812	133	127	3	3	266	19·3	121	8·8	1·1354	10·0	22	83	10·5	
Godalming M.B.	8,849	84	68	1	3	156	17·6	100	11·3	1·0384	11·7	15	96	6·3	
Guildford M.B.	23,904	241	232	14	6	493	20·6	261	10·9	·9612	10·5	55	112	9·7	
Ham	1,434	11	21	3	—	35	24·4	28	19·5	·9276	18·1	6	171	4·9	
Kingston on Thames M.B.	38,070	449	375	27	21	872	22·9	525	13·8	·9652	13·3	108	124	9·1	
Leatherhead	5,512	46	55	1	2	104	18·9	43	7·8	1·0452	8·2	7	67	11·1	
Merton	13,160	181	163	8	2	354	26·9	168	12·8	1·0327	13·2	37	105	14·1	
Reigate M.B.	28,568	244	228	15	6	493	17·3	328	11·5	·9279	10·7	40	81	5·8	
Richmond M.B.	33,262	275	247	15	13	550	16·5	422	12·7	·9296	11·8	66	120	3·8	
Surbiton	17,788	157	155	11	6	329	18·5	191	10·7	·9826	10·5	20	61	7·8	
Sutton	21,377	213	193	14	14	434	20·3	236	11·0	·9359	10·3	39	90	9·3	
The Maldens and Coombe	12,293	147	122	8	4	281	22·9	114	9·3	1·0126	9·4	20	71	13·6	
Walton upon Thames ...	12,923	115	138	4	2	259	20·0	137	10·6	1·0108	10·7	23	89	9·4	
Weybridge	6,311	60	46	1	2	109	17·3	55	8·7	1·0062	8·8	8	73	8·6	
Wimbledon M.B.	55,317	556	529	24	25	1,134	20·5	582	10·5	1·0196	10·7	124	109	10·0	
Windlesham	4,271	39	39	2	1	81	19·0	58	13·6	·9548	13·0	11	136	5·4	
Woking	24,978	255	276	18	10	559	22·4	213†	8·5	1·0407	8·8	46	82	13·9	
Rural Districts.															
Chertsey	9,455	83	98	1	—	182	19·2	82	8·7	1·0210	8·9	19	104	10·5	
Croydon	65,962	761	717	29	25	1,532	23·2	716†	10·9	1·0399	11·3	163	106	12·3	
Dorking	10,601	108	99	—	4	206	19·4	104	9·8	·8958	8·8	14	68	9·6	
Epsom	29,920	261	249	12	6	528	17·6	272†	9·1	1·0386	9·5	44	83	8·5	
Farnham	20,354	234	228	15	12	489	24·0	252	12·4	·9253	11·5	52	106	11·6	
Godstone	23,447	215	236	12	11	474	20·2	232	9·9	·9427	9·3	28	59	10·3	
Guildford... ..	18,321	206	153	10	9	378	20·6	211	11·5	·9381	10·8	26	69	9·1	

BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS, 1911—*continued.*

Administrative Area.	Estimated Population. (Middle-1911.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.	
		Legitimate		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
SURREY—cont.															
Hambleton	25,467	212	223	10	12	457	17·9	257	10·1	·9210	9·3	36	79	7·8	
Reigate	21,312	200	185	12	10	407	19·1	205†	9·6	·9551	9·2	26	64	9·5	
SUSSEX, EAST.															
Total Urban Districts ...	243,020*	2,083	2,025	129	107	4,344	17·9	2,851	11·7	·8980	10·5	360	83	6·2	
Total Rural Districts ...	116,215	988	921	63	55	2,027	17·4	1,518	13·1	·9092	11·9	196	97	4·3	
Urban Districts.	126,805*	1,095	1,104	66	52	2,317	18·3	1,333	10·5	·8875	9·3	164	71	7·8	
Battle	2,922	34	29	—	1	64	21·9	39	13·3	·8003	10·6	5	78	8·6	
Bexhill M.B.	15,411	119	109	13	7	248	16·1	195	12·7	·9913	12·6	30	121	3·4	
Burgess Hill	5,130	53	44	4	3	104	20·3	56	10·9	·8460	9·2	6	58	9·4	
Cuckfield	1,901	14	14	—	—	28	14·7	30	15·8	·7713	12·2	2	71	—1·1	
East Grinstead	7,115	65	56	4	2	127	17·8	88	12·4	·9336	11·6	12	94	5·4	
Hayward's Heath	4,881	45	30	1	1	77	15·8	50	10·2	·9632	9·8	8	104	5·6	
Hove M.B.	42,322	303	309	22	20	654	15·5	561	13·3	·8784	11·7	66	101	2·2	
Lewes M.B.	10,965	82	85	4	7	178	16·2	155	14·1	·9127	12·9	23	129	2·1	
Newhaven... ..	6,662	83	70	2	—	155	23·3	85	12·8	·9916	12·7	8	52	10·5	
Portslade by Sea... ..	6,487	83	65	4	7	159	24·5	97	15·0	·9390	14·1	23	145	9·5	
Rye M.B.	4,238	46	39	4	4	93	21·9	74	17·5	·8788	15·4	7	75	4·4	
Seaford	4,825	31	33	2	2	68	14·1	40	8·3	1·0741	8·9	2	29	5·8	
Uckfield	3,356	30	38	3	1	72	21·5	48	14·3	·7999	11·4	4	56	7·2	
Rural Districts.															
Battle	6,632	65	86	5	4	160	24·1	74	11·2	·8478	9·5	10	63	12·9	
Chailly	12,783	82	97	3	8	190	14·9	127	9·9	·8492	8·4	10	53	5·0	
Cuckfield	16,885	135	125	6	3	269	15·9	160	9·5	·9202	8·7	13	48	6·4	
Eastbourne	5,606*	56	52	—	2	110	19·6	61	10·9	·9005	9·8	4	36	8·7	
East Grinstead	13,036	128	115	5	2	250	19·2	139	10·7	·8900	9·5	20	80	8·5	
Hailsham	18,106	173	196	15	6	390	21·5	218†	12·0	·8532	10·2	36	92	9·5	
Hastings	1,763	5	12	2	—	19	10·8	21	11·9	·8089	9·6	1	53	—1·1	
Newhaven... ..	5,044	42	41	1	3	87	17·2	45	8·9	1·1259	10·0	8	92	8·3	
Rye	7,146	62	56	3	—	121	16·9	84	11·8	·7871	9·3	11	91	5·1	
Steyning East	2,907	21	12	3	1	37	12·7	26	8·9	1·0260	9·1	5	135	3·8	
Ticehurst	13,524	113	102	9	8	232	17·2	150	11·1	·8594	9·5	20	86	6·1	
Uckfield	23,373	213	210	14	15	452	19·3	228	9·8	·9248	9·1	26	58	9·5	
SUSSEX, WEST.															
Total Urban Districts ...	176,968	1,623	1,590	90	88	3,391	19·2	2,213	12·5	·8584	10·7	288	85	6·7	
Total Rural Districts ...	83,942	760	700	54	52	1,566	18·7	1,117	13·3	·8650	11·5	157	100	5·4	
Urban Districts.	93,026	863	890	36	36	1,825	19·6	1,096	11·8	·8521	10·1	131	72	7·8	
Arundel M.B.	2,836	29	15	1	1	46	16·2	37	13·0	·8583	11·2	7	152	3·2	
Bognor	8,194	72	64	6	6	148	18·1	112	13·7	·9492	13·0	15	101	4·4	
Chichester M.B.	12,600	123	117	6	11	257	20·4	151†	12·0	·8740	10·5	19	74	8·4	
Horsham	11,328	109	95	11	10	225	19·9	148	13·1	·8542	11·2	22	98	6·8	
Littlehampton	8,377	71	68	3	3	145	17·3	99	11·8	·9067	10·7	13	90	5·5	
Shoreham by Sea	5,759	57	60	4	4	125	21·7	74	12·8	·9050	11·6	13	104	8·9	
Southwick	4,339	45	40	2	3	90	20·7	65	15·0	·8499	12·7	12	133	5·7	
Worthing M.B.	30,509	254	241	21	14	530	17·4	431	14·1	·8302	11·7	56	106	3·3	
Rural Districts.															
East Preston	6,877	67	63	2	4	136	19·8	90	13·1	·8337	10·9	16	118	6·7	
Horsham	20,882	170	196	5	7	378	18·1	230	11·0	·9243	10·2	22	58	7·1	
Midhurst	15,324	139	139	10	5	293	19·1	159	10·4	·8819	9·2	15	51	8·7	
Petworth	8,783	84	107	4	4	199	22·7	108	12·3	·8065	9·9	16	80	10·4	
Steyning West	8,837	74	77	2	3	156	17·7	90	10·2	·8551	8·7	9	58	7·5	
Thakeham	8,361	99	70	3	3	175	20·9	106	12·7	·8258	10·5	16	91	8·2	
Westbourne	8,371	97	87	2	6	192	22·9	117	14·0	·7934	11·1	14	73	8·9	
Westhampnett	15,591	133	151	8	4	296	19·0	196	12·6	·8438	10·6	23	78	6·4	
WARWICKSHIRE.															
Total Urban Districts ...	394,180*	4,581	4,631	157	178	9,547	24·2	5,094	12·9	·9552	12·3	1,076	113	11·3	
Total Rural Districts ...	226,400*	2,702	2,742	88	103	5,635	24·9	2,989	13·2	·9957	13·1	690	122	11·7	
Urban Districts.	167,780	1,879	1,889	69	75	3,912	23·3	2,105	12·5	·9018	11·3	386	99	10·8	
Aston Manor M.B.	64,082*	992	1,000	15	20	2,027	31·6	988	15·4	1·0637	16·4	300	148	16·2	
Bulkington	1,845	31	27	4	—	62	33·6	23	12·5	·8405	10·5	9	145	21·1	
Erdington... ..	27,996*	268	249	10	10	537	19·2	319	11·4	1·0300	11·7	67	125	7·8	
Kenilworth	5,808	56	51	5	4	116	20·0	85	14·6	·8818	12·9	11	95	5·4	
Nuneaton M.B.	37,391	564	594	11	12	1,181	31·6	451	12·1	1·0564	12·8	133	113	19·5	
Royal Leamington Spa M.B.	26,708	188	240	16	18	462	17·3	402	15·1	·8310	12·5	45	97	2·2	
Rugby	21,888	220	203	10	14	447	20·4	225	10·3	1·0690	11·0	44	98	10·1	
Stratford on Avon M.B.	8,537	66	68	6	6	146	17·1	115	13·5	·8709	11·8	14	96	3·6	
Sutton Coldfield M.B. ...	20,287	193	190	6	7	396	19·5	208	10·3	·9984	10·3	40	101	9·2	
Warwick M.B.	11,858	124	120	5	12	261	22·0	173	14·6	·8715	12·7	27	103	7·4	

BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS, 1911—continued.

Administrative Area.	Estimated Population. (Middle, 1911.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	Natural Increase per 1,000 living.
		M.	F.	M.	F.									
WARWICKSHIRE—cont.														
Rural Districts.														
Alcester ...	11,878	107	138	5	8	258	21·7	166	14·0	·8632	12·1	20	78	7·7
Atherstone ...	19,206	244	275	8	6	533	27·8	246	12·8	·9812	12·6	54	101	15·0
Brailes ...	6,039	65	50	4	3	122	20·2	77	12·8	·749	9·6	8	66	7·4
Castle Bromwich...	2,725	30	23	1	—	54	19·8	25	9·2	·9538	8·8	3	56	10·6
Coventry ...	589	6	6	—	1	13	22·1	7	11·9	1·0914	13·0	3	231	10·2
Farnborough ...	1,480	15	7	2	1	25	16·9	23	15·5	·8069	12·5	4	160	1·4
Foleshill ...	23,158	343	358	5	6	712	30·7	332	14·3	·9833	14·1	90	126	16·4
Meriden ...	12,708	114	115	9	6	244	19·2	156	12·3	·8578	10·5	24	98	6·9
Monks Kirby ...	1,553	12	21	—	2	35	22·5	17	10·9	·8056	8·8	2	57	11·6
Nuneaton ...	2,529	26	26	1	—	53	21·0	32	12·7	·8974	11·4	12	226	8·3
Rugby ...	17,409	208	200	6	5	419	24·1	198	11·4	·9115	10·4	40	95	12·7
Solihull ...	18,869	170	151	3	8	332	17·6	198	10·5	·9134	9·6	27	81	7·1
Southam ...	9,987	106	90	4	9	209	20·9	128	12·8	·7750	9·9	11	53	8·1
Stratford on Avon ...	11,091	108	107	9	6	230	20·7	159	14·3	·8044	11·5	19	83	6·4
Tamworth (part of)† ...	16,126	229	213	8	8	458	28·4	187	11·6	1·0111	11·7	50	109	16·8
Warwick ...	12,433	96	109	4	6	215	17·3	154†	12·4	·8917	11·1	19	88	4·9
WESTMORLAND.														
Total Urban Districts ...	63,553	601	567	46	35	1,249	19·7	827	13·0	·8970	11·7	104	83	6·7
Total Rural Districts ...	26,866	273	221	18	15	527	19·6	357	13·3	·9303	12·4	43	82	6·3
	36,687	328	346	28	20	722	19·7	470	12·8	·8730	11·2	61	84	6·9
Urban Districts.														
Ambleside... ..	2,553	25	13	—	—	38	14·9	25	9·8	·9768	9·6	2	53	5·1
Appleby M.B. ...	1,735	26	15	3	—	44	25·4	23	13·3	·8761	11·7	4	91	12·1
Grasmere ...	879	7	3	—	—	10	11·4	9	10·2	·7920	8·1	—	—	1·2
Kendal M.B. ...	14,029	142	131	12	14	299	21·3	217	15·5	·9415	14·6	30	100	5·8
Kirkby Lonsdale ...	1,521	16	10	—	—	26	17·1	18	11·8	·9410	11·1	3	115	5·3
Shap ...	1,000	9	6	2	—	17	17·0	10	10·0	·8350	8·4	1	59	7·0
Windermere ...	5,149	48	43	1	1	93	18·1	55	10·7	·9477	10·1	3	32	7·4
Rural Districts.														
East Westmorland ...	11,143	93	121	13	5	232	20·8	154	13·8	·8440	11·6	21	91	7·0
South Westmorland ...	19,112	168	167	9	9	353	18·5	237	12·4	·9004	11·2	29	82	6·1
West Ward ...	6,432	67	58	6	6	137	21·3	79	12·3	·8497	10·5	11	80	9·0
WIGHT, ISLE OF.														
Total Urban Districts ...	88,338	778	705	32	28	1,543	17·5	1,162	13·2	·8570	11·3	116	75	4·3
Rural District ...	57,213	514	453	24	18	1,009	17·6	796	13·9	·8544	11·9	88	87	3·7
	31,125	264	252	8	10	534	17·2	366	11·8	·8626	10·2	28	52	5·4
Urban Districts.														
Cowes ...	9,661	105	82	7	2	196	20·3	114	11·8	·9292	11·0	15	77	8·5
East Cowes ...	4,698	40	45	1	1	87	18·5	59	12·6	·9668	12·2	11	126	5·9
Newport M.B. ...	11,159	123	117	6	3	249	22·3	157	14·1	·8802	12·4	13	52	8·2
Ryde M.B. ...	10,597	87	76	4	—	167	15·8	165	15·6	·7655	11·9	16	96	0·2
St. Helens ...	4,991	43	42	3	6	94	18·8	66	13·2	·8409	11·1	11	117	5·6
Sandown ...	5,565	50	40	—	2	92	16·5	77	13·8	·8398	11·6	9	98	2·7
Shanklin ...	4,757	26	28	1	2	57	12·0	66	13·9	·8109	11·3	4	70	—1·9
Ventnor ...	5,785	40	23	2	2	67	11·6	92	15·9	·8593	13·7	9	134	—4·3
Rural District.														
Isle of Wight ...	31,125	264	252	8	10	534	17·2	366†	11·8	·8626	10·2	28	52	5·4
WILTSHIRE.														
Total Urban Districts ...	287,228	2,961	2,916	140	119	6,136	21·4	3,592	12·5	·8841	11·1	507	83	8·9
Total Rural Districts ...	125,320	1,262	1,238	48	50	2,598	20·7	1,541	12·3	·9449	11·6	242	93	8·4
	161,908	1,699	1,678	92	69	3,538	21·9	2,051	12·7	·8421	10·7	265	75	9·2
Urban Districts.														
Bradford on Avon ...	4,501	43	43	3	2	91	20·2	59	13·1	·8638	11·3	8	88	7·1
Calne M.B. ...	3,540	45	33	2	1	81	22·9	56	15·8	·7880	12·5	3	37	7·1
Chippenham M.B. ...	5,339	47	57	1	3	108	20·2	60	11·2	·9374	10·5	9	83	9·0
Devizes M.B. ...	6,744	82	73	4	2	161	23·9	89	13·2	·8624	11·4	15	93	10·7
Malmesbury M.B. ...	2,651	23	32	1	3	59	22·3	42	15·8	·8319	13·1	2	34	6·5
Marlborough M.B. ...	4,409	26	27	—	4	57	12·9	49	11·1	1·0144	11·3	—	—	1·8
Melksham... ..	3,118	33	28	2	—	63	20·2	27	8·7	·9365	8·1	4	63	11·5
Salisbury M.B. ...	21,244	217	204	8	10	439	20·7	262	12·3	·9547	11·7	39	89	8·4
Swindon M.B. ...	50,902	549	521	18	17	1,105	21·7	570	11·2	1·0266	11·5	113	102	10·5
Trowbridge ...	11,823	112	109	4	3	228	19·3	185	15·6	·8628	13·5	27	118	3·7
Warminster ...	5,491	37	52	4	3	96	17·5	78	14·2	·8627	12·3	14	146	3·3
Westbury ...	3,436	35	34	1	1	71	20·7	42	12·2	·8493	10·4	3	42	8·5
Wilton M.B. ...	2,122	13	25	—	1	39	18·4	22	10·4	·8294	8·6	5	128	8·0
Rural Districts.														
Amesbury ...	11,234	142	146	8	3	299	26·6	121	10·8	1·0071	10·9	24	80	15·8
Bradford on Avon ...	5,319	48	59	1	1	109	20·5	83	15·6	·8697	13·6	14	128	4·9
Calne ...	4,599	42	46	2	4	94	20·4	73	15·9	·8030	12·8	6	64	4·5
Chippenham ...	18,245	190	188	8	3	389	21·3	272	14·9	·8544	12·7	37	95	6·4
Cricklade and Wootton Bassett.	10,993	130	132	7	5	274	24·9	144	13·1	·8343	10·9	19	69	11·8

† The remainder of Tamworth Rural District is in Staffordshire; see page 171.

BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS, 1911—continued.

Administrative Area.	Estimated Population. (Middle, 1911.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	
		M.	F.	M.	F.									
WILTSHIRE—cont.														
Devizes	12,848	108	128	14	9	259	20·2	164†	12·8	·8333	10·7	17	66	7·4
Highworth	15,162	179	164	14	7	364	24·0	166	10·9	·8663	9·4	24	66	13·1
Malmesbury	9,349	96	83	3	4	186	19·9	105	11·2	·8079	9·0	8	43	8·7
Marlborough	4,500	51	34	1	3	89	19·8	44	9·8	·8369	8·2	2	22	10·0
Melksham... ..	4,993	62	55	3	2	122	24·4	56	11·2	·8403	9·4	9	74	13·2
Mere	5,172	53	62	2	2	119	23·0	73	14·1	·7994	11·3	7	59	8·9
Pewsey	13,358	152	153	8	10	323	24·2	147	11·0	·8805	9·7	26	80	13·2
Ramsbury	7,109	62	80	2	5	149	21·0	74	10·4	·7780	8·1	7	47	10·6
Salisbury	10,188	103	100	3	2	208	20·4	125	12·3	·8439	10·4	12	58	8·1
Tetbury (part of)†	373	3	6	—	—	9	24·1	4	10·7	·8993	9·6	1	111	13·3
Tisbury	7,805	70	62	4	2	138	17·7	119	15·2	·8220	12·5	11	80	2·5
Warminster	5,950	61	48	2	3	114	19·2	94	15·8	·7721	12·2	13	114	3·4
Westbury and Whorwells-down.	6,616	58	64	1	4	127	19·2	85	12·8	·8104	10·4	11	87	6·4
Wilton	8,095	89	68	9	—	166	20·5	102	12·6	·8320	10·5	17	102	7·9
WORCESTERSHIRE.														
Total Urban Districts ...	408,577*	4,839	4,566	190	163	9,758	23·9	5,277	12·9	·9562	12·3	1,024	105	11·0
Total Rural Districts ...	223,601*	2,677	2,573	110	96	5,456	24·4	2,966	13·3	·9933	13·2	656	121	11·1
Urban Districts.	184,976*	2,162	1,993	80	67	4,302	23·3	2,311	12·5	·9149	11·4	368	86	10·8
Bewdley M.B.	2,742	31	42	2	—	75	27·4	44	16·0	·8615	13·8	5	67	11·4
Bromsgrove	8,939	92	93	6	6	197	22·0	134	15·0	·8839	13·3	20	102	7·0
Droitwich M.B.	4,145	44	42	3	1	90	21·7	60	14·5	·8287	12·0	13	144	7·2
Evesham M.B.	8,373	116	96	4	3	219	26·2	112	13·4	·9843	13·2	31	142	12·8
Kidderminster M.B. ...	24,324	270	234	17	10	531	21·8	369	15·2	·9658	14·7	80	151	6·6
King's Norton and Northfield.	69,909*	929	801	23	24	1,777	25·4	679	9·7	1·0508	10·2	168	95	15·7
Lye and Wollescote ...	11,703	150	172	7	8	337	28·8	214	18·3	1·0113	18·5	50	148	10·5
Malvern	16,515	116	114	10	6	246	14·9	216	13·1	·9297	12·2	16	65	1·8
North Bromsgrove ...	7,250	66	71	2	1	140	19·3	88†	12·1	·9167	11·1	19	136	7·2
Oldbury	32,418	470	471	23	21	985	30·4	543	16·7	1·0249	17·1	151	153	13·7
Redditch	15,515	147	154	3	4	308	19·9	184	11·9	1·0257	12·2	31	110	8·0
Stourbridge	17,339	204	230	9	11	454	26·2	260	15·0	·9502	14·3	59	130	11·2
Stourport... ..	4,429	42	53	1	1	97	21·9	63	14·2	·9311	13·2	13	134	7·7
Rural Districts.														
Bromsgrove	13,432*	127	115	2	1	245	18·2	155	11·5	·8933	10·3	30	122	6·7
Droitwich... ..	12,977	116	130	9	4	259	20·0	157	12·1	·8295	10·0	19	73	7·9
Evesham	9,135	95	103	2	2	202	22·1	107	11·7	·8602	10·1	11	54	10·4
Feckenham	5,454	52	46	—	3	101	18·5	81	14·9	·8533	12·7	10	99	3·6
Halesowen	25,849*	372	308	17	9	706	27·3	405	15·7	1·0297	16·2	101	143	11·6
Kidderminster	10,503	108	93	2	1	204	19·4	124	11·8	·8885	10·5	18	88	7·6
Martley	13,066	120	143	6	10	279	21·4	170	13·0	·8220	10·7	18	65	8·4
Pershore	13,246	152	118	9	5	284	21·4	182	13·7	·8209	11·2	20	70	7·7
Rock	2,194	21	23	2	1	47	21·4	22	10·0	·7452	7·5	2	43	11·4
Shipston on Stour ...	4,711	54	47	1	4	106	22·5	100	21·2	·7317	15·5	9	85	1·3
Stow on the Wold (part of)†	311	—	1	—	—	1	3·2	4	12·9	·7268	9·4	1	1000	—9·7
Tenbury	4,724	41	38	2	1	82	17·4	62	13·1	·8538	11·2	10	122	4·3
Tewkesbury (part of)† ...	2,317	26	17	4	2	49	21·1	32	13·8	·8128	11·2	4	82	7·3
Upton on Severn	14,605	158	120	9	10	297	20·3	191†	13·1	·8169	10·7	13	44	7·2
Winchcomb (part of)† ...	116	4	2	—	1	7	60·3	1	8·6	·8009	6·9	—	—	51·7
Yardley	51,144*	708	675	14	11	1,408	27·5	500	9·8	1·0494	10·3	97	69	17·7
Area administered by Rural District Council of Newent (Gloucestershire).	1,192	8	14	1	2	25	21·0	18	15·1	·7482	11·3	5	200	5·9
YORKSHIRE, EAST RIDING.														
Total Urban Districts ...	155,031	1,614	1,605	142	141	3,502	22·6	2,100	13·5	·8660	11·7	393	112	9·1
Total Rural Districts ...	60,082*	615	581	54	68	1,318	21·9	854	14·2	·8757	12·4	157	119	7·7
Urban Districts.	94,949*	999	1,024	88	73	2,184	23·0	1,246	13·1	·8598	11·3	236	108	9·9
Beverley M.B.	13,666	171	137	15	15	338	24·7	219	16·0	·8497	13·6	43	127	8·7
Bridlington M.B.	14,383	140	116	11	22	289	20·1	211	14·7	·8883	13·1	33	114	5·4
Cottingham	4,672	48	55	2	3	108	23·1	47	10·1	·9217	9·3	11	102	13·0
Filey	3,234	34	29	3	3	69	21·3	50	15·5	·8883	13·8	5	72	5·8
Great Driffield	5,674	61	54	5	12	132	23·3	107	18·9	·8028	15·2	21	159	4·4
Hedon M.B.	1,175	8	10	1	—	19	16·2	15	12·8	·7802	10·0	2	105	3·4
Hessle	5,360	42	52	2	3	99	18·5	55	10·3	·9360	9·6	11	111	8·2
Hornsea	3,041	22	24	4	2	52	17·1	29	9·5	·9280	8·8	5	96	7·6
Norton	3,994	46	53	8	6	113	28·3	48	12·0	·9239	11·1	14	124	16·3
Pocklington	2,556	25	30	3	1	59	23·1	42	16·4	·8089	13·3	6	102	6·7
Withernsea	2,327*	18	21	—	1	40	17·2	31	13·3	·9252	12·3	6	150	3·9
Rural Districts														
Beverley	11,636	116	127	13	8	264	22·7	145†	12·5	·8922	11·2	43	163	10·2
Bridlington	7,743	90	81	9	10	190	24·5	107	13·8	·8863	12·2	16	84	10·7

† The remaining parts of Tetbury, Stow on the Wold, Tewkesbury, and Winchcomb Rural Districts are in Gloucestershire; see pages 158 and 159.

BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS, 1911—continued.

Administrative Area.	Estimated Population. (Middle, 1911.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.			Natural Increase per 1,000 living.
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
YORKSHIRE, EAST RIDING															
—cont.															
Driffield	12,112	133	126	15	9	283	23·4	159	13·1	·8535	11·2	34	120	10·3	
Escrick	5,889	52	69	5	3	129	21·9	73	12·4	·9159	11·4	11	85	9·5	
Howden	12,645	151	144	14	8	317	25·1	183	14·5	·8360	12·1	29	91	10·6	
Norton	5,816	50	73	5	8	136	23·4	61	10·5	·8885	9·3	11	81	12·9	
Patrington	7,209*	79	73	4	2	158	21·9	103	14·3	·7986	11·4	20	127	7·6	
Pocklington	11,280	128	119	9	7	263	23·3	141	12·5	·8493	10·6	26	99	10·8	
Riccall	3,282	32	37	—	2	71	21·6	50	15·2	·7802	11·9	5	70	6·4	
Sculcoates... ..	7,914	61	76	7	1	145	18·3	102	12·9	·9093	11·7	17	117	5·4	
Sherburn	2,256	21	25	1	6	53	23·5	23	10·2	·9511	9·7	2	38	13·3	
Skirlaugh	7,167	86	74	6	9	175	24·4	99	13·8	·8388	11·6	22	126	10·6	
YORKSHIRE, NORTH RIDING.															
Total Urban Districts ...	178,847	2,316	2,255	124	148	4,843	27·1	3,032	17·0	·9526	16·2	705	146	10·1	
Total Rural Districts ...	136,689	1,432	1,368	82	97	2,979	21·8	1,740	12·7	·8630	11·0	239	80	9·1	
Urban Districts.															
Eston	12,048	208	186	6	6	406	33·7	220	18·3	1·0043	18·4	68	167	15·4	
Guisborough	7,098	100	98	7	10	215	30·3	152	21·4	·9238	19·8	38	177	8·9	
Hinderwell	2,506	36	33	1	2	72	28·7	37	14·8	·9389	13·9	7	97	13·9	
Kirklington cum Upsland	244	4	4	—	—	8	32·8	3	12·3	·9503	11·7	1	125	20·5	
Loftus	8,934	133	164	10	6	313	35·0	128	14·3	1·0072	14·4	35	112	20·7	
Malton	4,824	41	48	5	8	102	21·1	72	14·9	·8638	12·9	4	39	6·2	
Masham	3,140	48	33	4	1	86	27·4	36	11·5	·9392	10·8	8	93	15·9	
Northallerton	4,827	63	44	4	3	114	23·6	63	13·1	·9682	12·7	12	105	10·5	
Ormesby	14,716	231	261	2	6	500	34·0	354	24·1	1·0493	25·3	111	222	9·9	
Pickering	3,679	29	41	2	7	79	21·5	48	13·0	·8231	10·7	8	101	8·5	
Redcar	10,582	113	113	8	5	239	22·6	133	12·6	·9817	12·4	31	130	10·0	
Richmond, M.B. ...	3,937	49	48	4	3	104	26·4	53	13·5	·9396	12·7	7	67	12·9	
Saltburn by the Sea ...	3,342	34	27	4	2	67	20·0	38	11·4	·9612	11·0	6	90	8·6	
Scalby	1,640	18	12	—	2	32	19·5	19	11·6	1·0360	12·0	5	156	7·9	
Scarborough, M.B. ...	37,176	320	278	31	40	669	18·0	626	16·8	·8864	14·9	78	117	1·2	
Skelton and Brotton ...	15,245	224	225	16	13	478	31·4	236	15·5	·9846	15·3	52	109	15·9	
South Bank in Normanby	15,117	263	232	9	10	514	34·0	285	18·9	1·0696	20·2	100	195	15·1	
Thornaby on Tees, M.B.	18,669	290	294	11	11	606	32·5	348	18·6	1·0370	19·3	109	180	13·9	
Whitby	11,123	112	114	—	13	239	21·5	181	16·3	·8507	13·9	25	105	5·2	
Rural Districts.															
Aysgarth	4,256	45	36	2	2	85	20·0	77	18·1	·8713	15·8	12	141	1·9	
Bedale	6,943	64	74	2	7	147	21·2	94	13·5	·8507	11·5	12	82	7·7	
Croft	2,239	26	21	—	—	47	21·0	25	11·2	·9205	10·3	7	149	9·8	
Easingwold	10,221	116	105	7	5	233	22·8	137	13·4	·8234	11·0	15	64	9·4	
Flaxton	8,510	85	76	3	5	169	19·9	96†	11·3	·9663	10·9	11	65	8·6	
Guisborough	7,850	118	95	3	5	221	28·2	94	12·0	·9065	10·9	16	72	16·2	
Helmsley	5,153	44	50	4	4	102	19·8	65	12·6	·8886	11·2	10	98	7·2	
Kirkby Moorside ...	4,872	57	42	9	2	110	22·6	56	11·5	·8275	9·5	9	182	11·1	
Leyburn	6,306	72	60	3	3	138	21·9	78	12·4	·8421	10·4	10	72	9·5	
Malton	6,188	67	68	4	6	145	23·4	55	8·9	·8504	7·6	7	48	14·5	
Middlesbrough	2,591	16	12	1	1	30	11·6	38	14·7	1·0628	15·6	2	67	—3·1	
Northallerton	7,749	95	71	5	9	180	23·2	102	13·2	·8439	11·1	18	100	10·0	
Pickering	6,464	66	59	6	10	141	21·8	86	13·3	·8059	10·7	11	78	8·5	
Reeth	2,393	22	22	1	1	46	19·2	33	13·8	·8290	11·4	2	43	5·4	
Richmond	8,087	74	104	7	5	190	23·5	109	13·5	·8467	11·4	21	111	10·0	
Scarborough	6,315	63	57	4	6	130	20·6	73	11·6	·8712	10·1	13	100	9·0	
Startforth	4,927	53	40	2	6	101	20·5	61	12·4	·9097	11·3	7	69	8·1	
Stokesley	12,136	122	124	6	5	257	21·2	170	14·0	·8855	12·4	25	97	7·2	
Thirsk	12,795	119	129	10	13	271	21·2	160	12·5	·8448	10·6	15	55	8·7	
Wath	2,181	25	24	—	2	51	23·4	24	11·0	·8579	9·4	3	59	12·4	
Whitby	8,513	83	99	3	—	185	21·7	107	12·6	·8353	10·5	13	70	9·1	
YORKSHIRE, WEST RIDING.															
Total Urban Districts ...	1,590,038	19,480	18,985	371	782	40,118	25·2	24,562	15·4	1·0150	15·6	5,714	142	9·8	
Total Rural Districts ...	1,203,858*	14,290	13,907	638	595	29,430	24·4	19,075	15·8	1·0290	16·3	4,356	148	8·6	
Urban Districts.															
Altofts	4,707	95	75	3	3	176	37·4	60	12·7	1·0219	13·0	20	114	24·7	
Ardsley	6,887	118	108	6	4	236	34·3	173	25·1	1·1055	27·7	50	212	9·2	
Ardley East and West ...	8,137	112	101	6	4	223	27·4	122	15·0	1·0688	16·0	25	112	12·4	
Baildon	6,048	57	59	2	1	119	19·7	59	9·8	1·0441	10·2	4	34	9·9	
Balby with Hexthorpe ...	11,696	147	176	9	2	334	28·6	134	11·5	1·0203	11·7	32	96	17·1	
Barkisland	1,626	14	9	—	—	23	14·1	31	19·1	·9628	18·4	1	43	—5·0	
Barnoldswick	9,791	133	104	7	8	252	25·7	116	11·8	1·1277	13·3	31	123	13·9	
Barnsley, M.B.	50,865	721	717	54	50	1,542	30·3	1,049	20·6	1·0490	21·6	317	206	9·7	
Batley, M.B.	36,431	386	420	24	19	849	23·3	643	17·7	1·0470	18·5	163	192	5·6	
Bentley with Arksey ...	4,976*	87	82	2	2	173	34·8	60	12·1	1·0786	13·1	26	150	17·1	
Bingley	18,768	164	178	7	11	360	19·2	239	12·7	1·0126	12·9	34	94	6·5	
Birkenshaw	2,517	21	23	2	—	46	18·3	34	13·5	·9768	13·2	1	22	4·8	

BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS, 1911—continued.

Administrative Area.	Estimated Population. (Middle, 1911.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
YORKSHIRE, WEST RIDING															
—cont.															
Birstal	7,131	82	78	—	1	161	22·6	141	19·8	1·0055	19·9	35	217	2·8	
Bolton upon Dearne	8,798	175	193	7	9	384	43·6	164	18·6	1·1011	20·5	75	195	25·0	
Brighouse M.B.	20,819	190	175	6	3	374	18·0	260	12·5	1·0446	13·1	29	78	5·5	
Burley in Wharfedale	3,772	36	31	1	2	70	18·6	48†	12·7	1·0030	12·7	4	57	5·9	
Calverley	3,006	23	22	—	1	46	15·3	27	9·0	·9836	8·9	2	43	6·3	
Castleford	23,240	343	371	23	23	760	32·7	387	16·7	1·0690	17·9	113	149	16·0	
Clayton	4,856	38	33	2	—	73	15·0	67	13·8	·9089	12·5	9	123	1·2	
Clayton West	1,885	23	14	1	—	38	20·2	22	11·7	1·0633	12·4	4	105	8·5	
Cleckheaton	12,875	102	123	1	4	230	17·9	182	14·1	1·0621	15·0	29	126	3·8	
Cudworth... ..	6,914	135	134	9	8	286	41·4	107	15·5	1·1039	17·1	43	150	25·9	
Darfield	5,459	86	70	2	2	160	29·3	103	18·9	1·0330	19·5	41	256	10·4	
Darton	9,392	147	135	3	3	288	30·7	149	15·9	1·0000	15·9	47	163	14·8	
Denby and Cumberworth	3,691	40	31	2	1	74	20·0	50	13·5	1·0316	13·9	6	81	6·5	
Denholme... ..	2,973	22	24	2	—	48	16·1	56	18·8	·9811	18·4	3	63	—2·7	
Dewsbury M.B.	53,406	553	549	29	29	1,160	21·7	938	17·6	1·0576	18·6	182	157	4·1	
Dodworth... ..	3,291	46	54	1	*2	103	31·3	72	21·9	1·0180	22·3	17	165	9·4	
Doncaster M.B.	30,558	351	357	25	19	752	24·6	508	16·6	1·0018	16·6	115	153	8·0	
Drighlington	4,124	43	49	1	3	96	23·3	72	17·5	·9964	17·4	12	125	5·8	
Earby	6,082	70	70	2	3	145	23·8	64	10·5	1·1229	11·8	13	90	13·3	
Elland	10,683	96	91	1	2	190	17·8	152	14·2	1·0362	14·7	22	116	3·6	
Emley	1,627	20	17	1	—	38	23·4	22	13·5	·9975	13·5	6	158	9·9	
Farnley Tyas	479	9	4	—	—	13	27·1	8	16·7	·8460	14·1	1	77	10·4	
Farsley	6,004	67	54	1	3	125	20·8	82	13·7	1·0228	14·0	11	88	7·1	
Featherstone	14,434	270	278	8	13	569	39·4	282	19·5	1·0323	20·1	86	151	19·9	
Flockton	1,382	24	18	3	—	45	32·6	22	15·9	·9928	15·8	5	111	16·7	
Garforth	4,000	53	77	4	—	134	33·5	51	12·8	1·0178	13·0	9	67	20·7	
Gildersome	2,979	27	32	1	—	60	20·1	42	14·1	·9887	13·9	6	100	6·0	
Goldcar	10,132	103	109	4	4	220	21·7	150	14·8	1·0613	15·7	25	114	6·9	
Gomersal	3,802	42	34	3	2	81	21·3	61	16·0	1·0011	16·0	9	111	5·3	
Goole	20,431	290	300	18	22	630	30·8	358	17·5	·9867	17·3	117	186	13·3	
Greasbrough	3,134	40	38	2	2	82	26·2	51	16·3	·9637	15·7	16	195	9·9	
Greetland	4,491	31	33	6	2	72	16·0	69	15·4	·9986	15·4	7	97	0·6	
Guiseley	4,935	53	45	3	1	102	20·7	75	15·2	1·0333	15·7	18	176	5·5	
Gunthwaite and Ingbirchworth.	381	4	5	—	—	9	23·6	3	7·9	·9783	7·7	—	—	15·7	
Handsworth	14,219	220	204	7	10	441	31·0	215	15·1	1·0202	15·4	72	163	15·9	
Harrogate M.B.	33,842	283	281	23	19	606	17·9	401	11·8	1·0029	11·8	61	101	6·1	
Haworth	6,479	52	44	2	3	101	15·6	106	16·4	1·0423	17·1	14	139	—0·8	
Hebden Bridge	7,162	48	49	2	4	103	14·4	107	14·9	1·0629	15·8	11	107	—0·5	
Heckmondwike	9,004	71	87	4	4	166	18·4	152	16·9	1·0305	17·4	27	163	1·5	
Hipperholme	4,444	38	32	1	1	72	16·2	63	14·2	1·0452	14·8	6	83	2·0	
Holme	388	6	3	1	—	10	25·8	10	25·8	·8819	22·8	1	100	0·0	
Holmfirth... ..	9,254	83	88	3	4	178	19·2	158	17·1	·9829	16·8	20	112	2·1	
Honley	5,105	37	48	2	1	88	17·2	88	17·2	·9940	17·1	8	91	0·0	
Horbury	7,529	74	90	1	—	165	21·9	122	16·2	1·0445	16·9	28	170	5·7	
Horsforth... ..	9,181	89	82	5	3	179	19·5	116	12·6	1·0088	12·7	15	84	6·9	
Hoyland Nether	14,695	252	229	16	7	504	34·3	229	15·6	1·0318	16·1	93	185	18·7	
Hoyland Swaine	605	7	6	—	—	13	21·5	9	14·9	·9190	13·7	2	154	6·6	
Hunsworth	1,325	12	8	—	—	20	15·1	23	17·4	1·0173	17·7	4	200	—2·3	
Ilkley	8,006	49	53	2	2	106	13·2	72	9·0	·9854	8·9	8	75	4·2	
Keighley M.B.	43,538	458	421	9	17	905	20·8	667	15·3	1·0759	16·5	136	150	5·5	
Kirkburton	3,420	43	27	—	1	71	20·8	51	14·9	·9752	14·5	12	169	5·9	
Kirkheaton	2,624	33	24	2	1	60	22·9	44	16·8	·9195	15·4	6	100	6·1	
Knaresborough	5,321	54	41	5	3	103	19·4	93	17·5	·8612	15·1	13	126	1·9	
Knottingley	6,703	106	91	9	10	216	32·2	118	17·6	1·0086	17·8	34	157	14·6	
Lepton	3,005	32	30	—	—	62	20·6	44	14·6	1·0260	15·0	6	97	6·0	
Linthwaite	9,016	90	93	5	5	193	21·4	133	14·8	1·0803	16·0	20	104	6·6	
Liversedge	14,676	168	166	3	7	344	23·4	229	15·6	1·0458	16·3	58	169	7·6	
Luddenden Foot... ..	2,892	30	25	—	1	56	19·4	52	18·0	1·0306	18·6	7	125	1·4	
Marsden	5,794	67	56	2	2	127	21·9	90	15·5	1·0945	17·0	14	110	6·5	
Meltham	5,163	51	49	2	2	104	20·1	74	14·3	·9845	14·1	10	96	5·8	
Methley	4,328	69	58	2	3	132	30·5	95	22·0	·9810	21·6	26	197	8·5	
Mexborough	14,506	234	239	18	12	503	34·7	275	19·0	1·0492	19·9	90	179	15·7	
Midgley	2,137	14	16	—	—	30	14·0	31	14·5	1·0078	14·6	6	200	—0·5	
Mirfield	11,722	107	107	3	7	224	19·1	178	15·2	1·0367	15·8	22	98	3·9	
Monk Bretton	4,805	76	72	3	7	158	32·9	95	19·8	1·0439	20·7	26	165	13·1	
Morley M.B.	24,299	287	284	13	10	594	24·4	396	16·3	1·0583	17·3	82	138	8·1	
Mytholmroyd	4,151	31	35	1	3	70	16·9	63	15·2	·9482	14·4	8	114	1·7	
Netherthong	871	12	5	1	—	18	20·7	11	12·6	·9684	12·2	1	56	8·1	
New Mill	4,566	49	53	2	1	105	23·0	80	17·5	1·0310	18·0	18	171	5·5	
Normanton	15,103	281	258	12	9	560	37·1	208	13·8	1·0493	14·5	75	134	23·3	
Oakworth... ..	4,279	33	40	1	1	75	17·5	65	15·2	·9701	14·7	6	80	2·3	
Ossett M.B.	14,109	156	142	4	4	306	21·7	259	18·4	1·0519	19·4	59	193	3·3	
Otley	9,848	85	90	5	4	184	18·7	134	13·6	·9982	13·6	28	152	5·1	
Oxenhope... ..	2,444	21	11	—	1	33	13·5	32	13·1	1·0090	13·2	2	61	0·4	

BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS, 1911—continued.

Administrative Area.	Estimated Population. (Middle, 1911.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	Natural Increase per 1,000 living.
		M.	F.	M.	F.									
YORKSHIRE, WEST RIDING														
—cont.														
Penistone	3,417	41	41	—	1	83	24·3	22	6·4	1·0032	6·4	8	96	17·9
Pontefract M.B. ...	16,016	232	247	10	12	501	31·3	224	14·0	·9986	14·0	65	130	17·3
Pudsey M.B.	14,000	126	110	4	4	244	17·4	224	16·0	·9898	15·8	38	156	1·1
Queensbury	6,117	44	45	2	—	91	14·9	101	16·5	1·0349	17·1	14	154	—1·6
Rawdon	3,198	29	23	2	—	54	16·9	39	12·2	·9894	12·1	6	111	4·7
Rawmarsh	17,254	268	264	9	10	551	31·9	281	16·3	1·0355	16·9	90	163	15·6
Ripon M.B.	8,218	76	74	4	8	162	19·7	132	16·1	·8853	14·3	27	167	3·6
Rishworth	935	8	9	—	—	17	18·2	13	13·9	1·0998	15·3	1	59	4·3
Rothwell	14,345	174	177	7	1	359	25·0	221	15·4	1·0352	15·9	42	117	9·6
Royston	6,285	124	128	4	2	258	41·1	100	15·9	1·0890	17·3	45	174	25·2
Saddleworth	12,610	109	122	1	5	237	18·8	193	15·3	·9822	15·0	24	101	3·5
Scammonden	340	2	1	—	—	3	8·8	4	11·8	·8093	9·5	—	—	—3·0
Selby	9,081	114	127	7	6	254	28·0	130	14·3	·9433	13·5	37	146	13·7
Shelf	2,330	12	20	—	—	32	13·7	37	15·9	·9281	14·8	4	125	—2·2
Shelley	1,758	26	10	—	—	36	20·5	25	14·2	·9790	13·9	2	56	6·3
Shepley	1,883	10	17	—	—	27	14·3	25	13·3	1·1106	14·8	5	185	1·0
Shipley	27,762	237	237	6	4	484	17·4	385	13·9	1·0564	14·7	60	124	3·5
Silsden	4,977	36	52	1	2	91	18·3	71	14·3	1·0567	15·1	4	44	4·0
Skelmanthorpe	3,830	52	47	1	4	104	27·2	46	12·0	1·0466	12·6	11	106	15·2
Skipton	13,003	145	101	7	11	264	20·3	186	14·3	1·0626	15·2	35	133	6·0
Slaithwaite	5,589	58	39	1	1	99	17·7	69	12·3	1·0277	12·6	8	81	5·4
South Crosland	3,128	21	29	—	—	50	16·0	43	13·7	·9744	13·3	4	80	2·3
Southowram	2,743	34	22	2	2	60	21·9	36	13·1	1·0450	13·7	9	150	8·8
Sowerby	3,221	19	17	1	—	37	11·5	47	14·6	9·281	13·6	—	—	—3·1
Sowerby Bridge	11,347	97	95	3	5	200	17·6	158	13·9	1·0610	14·7	26	130	3·7
Soyland	2,929	29	20	—	—	49	16·7	52	17·8	·9668	17·2	6	122	—1·1
Springhead	5,060	55	70	7	1	133	26·3	72	14·2	1·0257	14·6	16	120	12·1
Stainland with Old Lindley	4,447	38	26	—	2	66	14·8	68	15·3	·9808	15·0	6	91	—0·5
Stanley	13,620	200	196	8	5	409	30·0	243	17·8	1·0201	18·2	76	186	12·2
Stocksbridge	7,100	95	97	2	2	196	27·6	103	14·5	1·0983	15·9	29	148	13·1
Swinton	13,692	226	216	6	6	454	33·2	303	22·1	1·0355	22·9	101	222	11·1
Thurlstone	2,844	31	29	2	2	64	22·5	39	13·7	·9877	13·5	7	109	8·8
Thurnscoe	4,119	80	61	4	—	145	35·2	79	19·2	1·0934	21·0	36	248	16·0
Thurstonland	2,072	9	11	—	—	20	9·7	35+	16·9	1·0163	17·2	—	—	—7·2
Tickhill	1,812	27	21	3	2	53	29·2	26	14·3	·8140	11·6	7	132	14·9
Todmorden M.B. ...	25,404	231	192	6	9	438	17·2	412	16·2	1·0230	16·6	52	119	1·0
Wakefield M.B. ...	51,599	590	551	28	25	1,194	23·1	813+	15·8	1·0460	16·5	174	146	17·3
Wath upon Dearne ...	11,910	209	176	7	7	399	33·5	208	17·5	1·0628	18·8	66	165	16·0
Wheatley	5,410	58	46	1	—	105	19·4	57	10·5	1·0351	10·9	9	86	8·9
Whitley Upper	832	8	6	—	—	14	16·8	10	12·0	1·0869	13·0	2	143	4·8
Whitwood	5,534	88	101	5	2	196	35·4	97	17·5	1·0158	17·8	29	148	17·9
Wombwell	17,650	320	319	12	10	661	37·5	363	20·6	1·0537	21·7	129	195	16·9
Worsborough	12,814	221	212	10	4	447	34·9	222	17·3	1·0497	18·2	67	150	17·6
Yeadon	7,450	84	66	—	3	153	20·5	108	14·5	1·0632	15·4	23	150	6·0
Rural Districts.														
Barnsley	4,126	65	62	5	—	132	32·0	81	19·6	1·0120	19·8	20	152	12·4
Bishopthorpe	2,094	23	24	—	1	48	22·9	20	9·6	·9538	9·2	4	83	13·3
Bowland	5,360	62	49	1	2	114	21·3	72	13·4	·8932	12·0	9	79	7·9
Doncaster... ..	39,572*	701	654	27	19	1,401	35·4	585	14·8	·9995	14·8	174	124	20·6
Goole	8,531	107	98	6	6	217	25·4	133	15·6	·8746	13·6	29	134	9·8
Great Ouseburn	10,696	122	116	9	8	255	23·8	143	13·4	·8754	11·7	21	82	10·4
Halifax	6,203	68	61	1	1	131	21·1	87	14·0	1·0400	14·6	14	107	7·1
Hemsworth	40,545	713	724	41	32	1,510	37·2	665	16·4	1·0378	17·0	255	169	20·8
Hunslet	7,814	93	94	6	5	198	25·3	90	11·5	1·0108	11·6	26	131	13·8
Keighley	6,651	51	48	1	1	101	15·2	80	12·0	1·0079	12·1	7	69	3·2
Kiveton Park	13,599	213	235	8	11	467	34·3	174	12·8	1·0375	13·3	66	141	21·5
Knaresborough	8,174	98	73	5	8	184	22·5	102	12·5	·9449	11·8	15	82	10·0
Leeds (Roundhay and Seacroft).	4,317	27	27	—	—	54	12·5	36	8·3	1·0989	9·1	3	56	4·2
Pateley Bridge	7,745	86	74	4	4	168	21·7	104	13·4	·9052	12·1	16	95	8·3
Penistone	5,516	65	86	3	2	156	28·0	63	11·3	·9199	10·4	16	103	16·7
Pontefract	15,338	248	225	11	13	497	32·4	254	16·6	·9672	16·1	60	121	15·8
Ripon	5,373	56	50	6	2	114	21·2	66	12·3	·8161	10·0	12	105	8·9
Rotherham	33,511	565	526	17	13	1,121	33·5	548	16·4	1·0598	17·4	178	159	17·1
Sedburgh	3,732	37	36	1	2	76	20·4	46	12·3	·9185	11·3	7	92	8·1
Selby	5,925	74	74	5	1	154	26·0	85	14·3	·8245	11·8	13	84	11·7
Settle	14,916	137	133	5	5	280	18·8	145	9·7	·9447	9·2	16	57	9·1
Skipton	18,578	186	166	4	5	361	19·4	223	12·0	·9433	11·3	25	69	7·4
Tadcaster	29,145	368	375	21	12	776	26·6	418	14·3	·9740	13·9	113	146	12·3
Thorne	8,823	117	125	9	7	258	29·2	161	18·2	·8052	14·7	38	147	11·0
Todmorden	4,610	41	45	—	—	86	18·7	69	15·0	·9411	14·1	11	128	3·7
Wakefield	16,767	256	236	6	7	505	30·1	263	15·7	1·0152	15·9	84	166	14·4
Wetherby	16,232	150	160	14	8	332	20·5	202	12·4	·8957	11·1	31	93	8·1
Wharfedale	9,401	75	63	4	2	144	15·3	106+	11·3	1·0100	11·4	8	75	4·0
Wortley	32,886	386	439	13	10	848	25·8	466+	14·2	1·0230	14·5	87	103	11·6

ENGLAND and WALES—DEATHS at EACH YEAR of AGE REGISTERED in the
YEAR 1911.

Age.	Persons.	Males.	Females.				Age.	Persons.	Males.	Total.	Females.			
			Total.	Single.	Married.	Widowed.					Total.	Single.	Married.	Widowed.
All Ages	527,810	272,512	255,298	117,926	70,131	67,241	50	4,928	2,724	2,204	365	1,437	402	
0	114,600	63,874	50,726	50,726	—	—	51	4,330	2,306	2,024	321	1,306	397	
1	31,395	16,326	15,069	15,069	—	—	52	4,927	2,738	2,189	321	1,389	479	
2	11,555	5,822	5,733	5,733	—	—	53	4,900	2,666	2,234	290	1,433	511	
3	6,819	3,449	3,370	3,370	—	—	54	5,394	2,973	2,421	314	1,553	554	
4	4,701	2,386	2,315	2,315	—	—	55	5,048	2,764	2,284	306	1,420	558	
5	4,036	2,089	1,947	1,947	—	—	56	5,586	2,985	2,601	297	1,570	734	
6	2,929	1,463	1,466	1,466	—	—	57	5,433	2,900	2,533	322	1,503	708	
7	2,261	1,177	1,084	1,084	—	—	58	5,890	3,139	2,751	299	1,635	817	
8	1,850	903	947	947	—	—	59	5,846	3,183	2,663	296	1,487	880	
9	1,592	779	813	813	—	—	60	6,531	3,610	2,921	355	1,578	988	
10	1,487	758	729	729	—	—	61	5,884	3,139	2,745	279	1,449	1,017	
11	1,457	756	701	701	—	—	62	6,517	3,420	3,097	361	1,545	1,191	
12	1,293	633	660	660	—	—	63	6,652	3,553	3,099	368	1,488	1,243	
13	1,366	649	717	717	—	—	64	6,762	3,533	3,229	407	1,499	1,323	
14	1,607	778	829	829	—	—	65	7,227	3,854	3,373	379	1,455	1,539	
15	1,618	785	833	832	1	—	66	6,908	3,616	3,292	341	1,405	1,546	
16	1,879	953	926	924	2	—	67	7,131	3,709	3,422	370	1,367	1,685	
17	1,962	1,029	933	926	7	—	68	7,610	3,924	3,686	421	1,429	1,836	
18	1,987	1,067	920	882	38	—	69	7,674	4,003	3,671	416	1,310	1,945	
19	2,186	1,204	982	906	76	—	70	8,494	4,144	4,350	477	1,385	2,488	
20	2,121	1,154	967	815	152	—	71	7,744	3,713	4,031	419	1,243	2,369	
21	2,230	1,102	1,128	879	247	2	72	8,319	3,958	4,361	478	1,228	2,655	
22	2,174	1,182	992	716	273	3	73	7,914	3,649	4,265	438	1,073	2,754	
23	2,315	1,199	1,116	699	411	6	74	7,917	3,745	4,172	473	997	2,702	
24	2,344	1,165	1,179	669	501	9	75	7,444	3,471	3,973	419	875	2,679	
25	2,318	1,196	1,122	573	544	5	76	7,133	3,240	3,893	410	773	2,710	
26	2,476	1,273	1,203	517	676	10	77	6,652	3,071	3,581	409	662	2,510	
27	2,547	1,302	1,245	444	787	14	78	6,612	2,945	3,667	383	667	2,617	
28	2,630	1,357	1,273	425	821	27	79	5,649	2,560	3,089	377	490	2,222	
29	2,611	1,376	1,235	421	797	17	80	5,605	2,406	3,199	370	401	2,428	
30	2,830	1,438	1,392	405	962	25	81	4,922	2,113	2,809	286	321	2,202	
31	2,638	1,402	1,236	322	890	24	82	4,739	1,990	2,749	334	296	2,119	
32	2,977	1,597	1,380	343	1,006	31	83	4,035	1,664	2,371	272	210	1,889	
33	2,907	1,528	1,379	314	1,017	48	84	3,757	1,551	2,206	264	174	1,768	
34	3,139	1,658	1,481	322	1,112	47	85	3,158	1,319	1,839	250	122	1,467	
35	3,269	1,788	1,481	331	1,096	54	86	2,735	1,141	1,594	208	87	1,299	
36	3,345	1,829	1,516	302	1,140	74	87	2,299	909	1,390	185	73	1,132	
37	3,205	1,613	1,592	311	1,206	75	88	1,879	737	1,142	131	65	946	
38	3,589	1,857	1,732	306	1,324	102	89	1,473	587	886	119	35	732	
39	3,587	1,907	1,680	297	1,290	93	90	1,106	420	686	71	18	597	
40	3,757	2,050	1,707	297	1,286	124	91	900	303	597	79	11	507	
41	3,301	1,802	1,499	223	1,152	124	92	746	255	491	51	8	432	
42	4,030	2,109	1,921	308	1,449	164	93	476	181	295	47	5	243	
43	3,748	2,046	1,702	294	1,260	148	94	332	108	224	34	3	187	
44	3,756	1,982	1,774	298	1,283	193	95	218	71	147	19	2	126	
45	4,126	2,239	1,887	352	1,313	222	96	186	62	124	18	2	104	
46	4,074	2,207	1,867	342	1,294	231	97	107	26	81	9	—	72	
47	4,213	2,296	1,917	294	1,367	256	98	74	18	56	6	—	50	
48	4,514	2,399	2,115	320	1,458	337	99	46	10	36	6	—	30	
49	4,547	2,455	2,092	334	1,409	349	100 and over.	63	18	45	7	—	38	

NOTE.—The 527,810 deaths at all ages include 1,192 cases (764 males and 428 females) in which only approximate ages were stated : these have been included under the approximate age (*e.g.*, age about 40 under 40). In a few cases the ages were stated to be unknown : these have been distributed with regard as far as possible to the cause of death.

Of the 255,298 deaths of females, 1,902 were cases in which the condition as to marriage was not stated ; these have been distributed among the single, married, and widowed in proportion to their respective numbers at the same age. The deaths of 21 divorced women are included with the deaths of widows.

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGH, 1911.

Age.	Sex.	Barrow in Furness.	Bath.	Birkenhead.	Birmingham.	Blackburn.	Blackpool.	Bolton.	Bootle.	Bourne-mouth.	Bradford.	Brighton.	Bristol.	Burnley.	Burton upon Trent.	Bury.
All Ages {	M	458	321	1119	4879	1065	434	1509	691	471	2212	889	2704	989	336	475
	F	348	402	988	4663	1098	463	1463	600	496	2140	973	2720	941	310	479
Under 1 month {	M	42	21	72	426	81	23	99	67	22	187	47	222	70	19	40
	F	32	11	57	319	60	12	81	36	24	98	37	132	49	23	19
1-3 months {	M	29	10	64	275	51	17	64	30	11	75	27	115	51	13	24
	F	15	8	55	249	60	18	59	26	8	64	27	72	34	7	21
3-6 months {	M	20	11	57	276	69	14	67	38	11	86	32	105	77	18	12
	F	8	5	47	215	48	16	71	31	11	63	24	113	56	10	22
6-12 months {	M	26	8	75	415	83	12	129	41	19	94	33	179	91	15	38
	F	15	15	82	371	85	18	103	42	21	95	30	148	93	11	23
Total under 1 year {	M	117	50	268	1392	284	66	359	176	63	442	139	621	289	65	114
	F	70	39	241	1154	253	64	314	135	64	320	118	465	232	51	85
1— {	M	22	7	69	366	70	12	95	58	20	90	37	156	70	19	27
	F	15	5	77	354	50	21	91	41	8	73	38	154	69	14	31
2— {	M	17	1	28	127	22	4	33	17	6	34	5	66	30	4	13
	F	6	4	39	139	25	3	33	12	7	29	5	65	23	7	12
3— {	M	11	4	19	71	13	4	18	7	4	16	10	34	13	2	10
	F	6	1	20	57	18	5	20	16	3	31	9	30	14	4	6
4— {	M	2	2	10	47	13	2	19	10	2	19	8	24	10	2	4
	F	6	2	6	47	9	5	6	8	3	18	7	26	10	3	3
Total under 5 years. {	M	169	64	394	2003	402	88	524	268	95	601	199	901	412	92	168
	F	103	51	383	1751	355	98	464	212	85	471	177	740	348	79	137
5— {	M	12	3	31	114	27	5	40	15	11	52	15	55	18	6	10
	F	16	7	27	123	37	8	32	22	6	36	12	50	21	7	11
10— {	M	13	4	11	47	12	5	27	7	3	29	6	32	19	7	5
	F	5	4	22	64	9	3	20	11	5	29	7	40	12	—	3
15— {	M	10	8	22	67	27	11	32	8	9	35	10	49	11	6	5
	F	10	5	15	73	24	4	24	15	7	50	17	50	22	9	7
20— {	M	6	4	29	95	17	7	39	13	10	41	14	65	20	9	14
	F	8	11	14	85	29	15	36	11	14	58	25	69	23	5	11
25— {	M	8	9	32	108	16	15	39	15	12	73	18	73	25	9	9
	F	11	10	18	84	36	12	30	11	16	64	19	71	15	7	6
30— {	M	15	9	33	144	31	16	38	14	13	59	28	72	16	11	11
	F	11	2	24	118	36	13	39	22	13	63	18	67	21	13	10
35— {	M	11	11	41	199	35	10	50	23	19	95	44	94	28	11	18
	F	13	13	31	157	37	15	51	25	12	84	41	95	38	15	17
40— {	M	20	9	51	183	41	23	70	33	19	98	41	95	31	19	18
	F	11	15	48	168	28	21	67	21	16	96	43	113	32	14	18
45— {	M	17	10	58	223	52	26	86	26	26	121	48	111	40	18	16
	F	6	13	44	215	35	29	73	25	21	105	48	93	41	13	15
50— {	M	22	22	50	231	56	40	84	44	32	149	45	114	58	14	25
	F	17	23	37	210	68	25	71	36	21	133	47	120	48	10	33
55— {	M	27	22	77	260	60	35	98	53	34	183	66	146	43	20	37
	F	24	20	43	252	55	42	81	24	25	144	59	127	45	10	29
60— {	M	34	23	72	315	75	42	99	45	32	166	63	159	74	27	32
	F	23	23	58	258	80	24	98	49	30	156	66	154	62	19	37
65— {	M	34	26	76	274	65	41	111	58	44	150	64	206	70	32	43
	F	24	27	59	248	81	55	101	32	41	170	63	177	59	32	37
70— {	M	29	33	61	237	74	30	101	39	37	165	88	211	75	20	34
	F	31	38	58	331	90	43	126	39	52	226	95	237	74	27	42
75— {	M	19	29	39	207	36	18	40	18	32	110	66	161	35	13	17
	F	15	59	48	258	49	30	86	25	53	139	102	230	45	20	33
80— {	M	9	18	34	114	26	13	24	8	20	62	53	95	10	14	9
	F	13	37	44	170	34	15	50	13	44	79	74	154	25	18	25
85— {	M	3	17	8	58	13	9	7	4	23	23	21	65	4	8	4
	F	7	44	15	98	15	11	14	7	35	37	60	133	10	12	8

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGH, 1911—*continued.*

Age.	Sex.	Canterbury.	Cardiff.	Chester.	Coventry.	Croydon.	Derby.	Devonport.	Dudley.	Eastbourne.	Exeter.	Gateshead.	Gloucester.	Great Yarmouth.	Grimsby.	Halifax.
All Ages {	M	160	1373	306	723	1011	888	588	418	268	359	1028	354	395	584	769
	F	181	1250	269	684	1031	861	557	405	283	413	908	310	426	524	786
Under 1 month {	M	3	88	17	63	67	89	39	37	19	26	107	27	23	53	53
	F	8	103	11	56	59	57	29	30	11	16	69	26	18	29	35
1-3 months {	M	5	73	10	30	46	43	28	20	11	7	44	13	15	36	26
	F	3	39	10	23	36	24	23	21	1	7	36	19	17	29	16
3-6 months {	M	7	76	17	30	40	38	33	24	11	10	53	10	23	42	19
	F	8	69	11	20	35	24	12	20	15	5	46	5	16	37	22
6-12 months {	M	14	100	15	55	61	49	42	33	11	26	68	22	26	54	34
	F	6	85	11	37	55	39	35	29	13	23	63	11	32	45	25
Total under 1 year. {	M	29	337	59	178	214	219	142	114	52	69	272	72	87	185	132
	F	25	296	43	136	185	144	99	100	40	51	214	61	83	140	98
1— {	M	5	60	16	48	49	64	49	33	8	26	94	20	21	36	20
	F	6	56	9	53	48	46	47	34	3	18	93	13	24	45	27
2— {	M	4	21	4	18	25	18	16	13	2	8	37	6	6	11	12
	F	2	18	9	14	17	12	22	17	—	9	33	9	7	15	10
3— {	M	—	9	3	13	10	9	13	6	2	2	14	2	3	10	9
	F	2	11	3	15	10	17	10	7	2	2	14	7	6	4	10
4— {	M	—	10	1	14	11	6	16	1	—	7	10	3	3	4	8
	F	2	17	4	11	8	7	8	2	1	3	7	2	2	6	8
Total under 5 years. {	M	38	437	83	271	309	316	236	167	64	112	427	103	120	246	181
	F	37	398	68	229	268	226	186	160	46	83	361	92	122	210	153
5— {	M	1	26	9	31	25	18	18	8	5	13	33	9	11	13	20
	F	4	45	4	26	34	28	19	10	3	8	21	8	5	17	17
10— {	M	3	14	4	11	13	14	9	7	—	7	21	13	3	4	4
	F	2	25	2	9	16	13	14	2	3	6	10	4	2	13	14
15— {	M	3	27	8	14	14	26	7	4	4	8	17	8	8	12	17
	F	3	24	3	15	18	20	9	11	6	11	10	10	5	11	17
20— {	M	3	23	6	16	22	20	13	7	5	9	21	9	5	15	15
	F	4	36	8	19	18	21	14	9	3	8	23	10	17	14	17
25— {	M	6	38	16	17	23	16	21	9	10	13	31	5	13	17	18
	F	1	39	11	17	20	26	20	3	8	7	22	6	11	14	14
30— {	M	7	53	6	23	32	21	18	7	10	13	20	15	7	15	16
	F	5	36	10	23	18	25	12	13	10	6	28	8	7	4	20
35— {	M	3	57	7	26	39	22	17	6	9	9	33	9	11	22	29
	F	2	50	13	19	37	37	18	9	9	9	31	12	12	26	30
40— {	M	9	59	11	24	45	35	18	13	11	8	29	8	15	20	28
	F	2	55	6	20	23	27	23	10	7	12	28	7	15	26	33
45— {	M	5	83	18	29	39	39	25	15	17	16	39	9	20	23	38
	F	8	56	17	18	38	31	22	17	12	16	31	12	15	25	37
50— {	M	2	81	8	33	51	33	31	22	14	25	52	18	17	25	51
	F	9	54	13	23	48	31	19	14	10	16	43	19	16	18	47
55— {	M	8	85	20	40	59	58	37	17	18	18	56	24	13	32	66
	F	8	73	12	36	47	45	11	15	20	18	42	14	18	16	55
60— {	M	10	93	29	51	59	65	25	36	11	20	62	28	18	23	92
	F	14	59	12	33	66	48	27	15	22	16	48	14	25	14	50
65— {	M	22	94	24	30	78	62	25	30	17	25	82	25	37	39	59
	F	7	78	21	37	62	73	24	25	23	35	54	16	25	34	67
70— {	M	13	83	29	45	78	63	33	34	22	17	40	26	22	27	55
	F	16	90	28	51	80	80	48	39	36	51	60	24	29	24	86
75— {	M	9	62	13	34	54	44	22	16	16	22	39	19	39	27	51
	F	25	61	21	52	97	63	36	24	30	45	44	20	38	30	73
80— {	M	11	39	7	15	35	20	21	13	21	11	21	11	17	17	18
	F	16	43	13	30	79	50	30	17	24	41	33	22	36	14	38
85— {	M	7	19	8	13	36	16	12	7	14	13	5	15	19	7	11
	F	18	28	7	27	62	17	25	12	11	25	19	12	28	14	18

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGH, 1911—continued.

Age.	Sex.	Hastings.	Hudders- field.	Ipswich.	Kingston upon Hull.	Leads.	Leicester.	Lincoln.	Liverpool.	Manchester.	Merthyr Tydfil.	Middles- brough.	Newcastle upon Tyne.	Newport (Mon.).	Northamp- ton.	Norwich.
All Ages {	M	397	800	463	2443	3815	1502	435	7880	6463	682	1199	2255	570	618	900
	F	461	833	482	2219	3533	1524	413	7200	5818	600	911	2109	570	581	845
Under 1 month {	M	22	41	36	199	265	138	33	525	510	58	80	185	50	40	71
	F	10	47	31	155	208	73	30	396	361	55	64	149	49	37	46
1-3 months {	M	15	40	17	139	196	67	19	403	361	39	60	93	32	26	45
	F	6	17	13	122	153	56	14	310	256	30	44	71	23	28	23
3-6 months {	M	13	25	19	136	186	92	21	373	324	41	45	90	30	29	43
	F	8	24	17	108	154	43	17	300	262	44	35	72	25	19	32
6-12 months {	M	20	52	26	194	281	110	27	603	454	65	121	161	43	41	66
	F	11	36	21	183	238	102	32	579	380	55	103	148	31	30	45
Total under 1 year {	M	70	158	98	668	928	407	100	1904	1649	203	306	529	155	136	225
	F	35	124	82	568	753	274	93	1585	1259	184	246	440	128	114	146
1— {	M	14	27	19	156	254	74	21	739	458	40	170	171	37	21	48
	F	9	39	11	183	230	74	13	647	449	33	104	162	36	33	48
2— {	M	2	12	2	57	78	35	6	249	165	15	45	51	8	12	15
	F	6	9	4	65	91	24	11	255	163	13	54	73	15	6	23
3— {	M	2	7	8	31	62	24	5	140	90	10	30	37	5	8	18
	F	2	10	4	26	68	24	6	127	76	11	27	43	5	6	18
4— {	M	2	13	2	27	41	10	1	85	66	4	24	18	2	5	12
	F	4	11	3	13	41	17	—	84	50	5	14	24	12	2	12
Total under 5 years {	M	90	217	129	939	1363	550	133	3117	2428	272	575	806	207	182	318
	F	56	193	104	855	1183	413	123	2698	1997	246	445	742	196	161	247
5— {	M	5	17	8	59	104	36	6	237	132	9	42	54	14	8	24
	F	5	15	18	61	94	34	9	193	152	16	28	69	21	13	27
10— {	M	5	18	2	27	50	21	6	89	90	9	19	38	10	12	11
	F	—	10	1	27	62	18	6	126	86	12	15	42	9	9	9
15— {	M	5	10	8	41	75	33	8	146	132	17	23	42	12	14	16
	F	6	14	9	36	74	30	5	126	109	15	18	42	12	16	22
20— {	M	5	17	10	71	70	31	16	163	144	18	20	58	19	22	24
	F	9	20	9	50	86	42	8	144	135	13	19	43	11	18	28
25— {	M	12	12	15	56	71	39	10	202	165	22	36	54	19	13	22
	F	20	12	12	55	80	49	8	162	134	14	13	57	18	13	19
30— {	M	13	28	17	75	113	48	13	274	229	21	30	70	20	20	19
	F	7	22	17	66	94	47	14	201	176	29	23	72	20	20	18
35— {	M	9	26	11	68	153	47	12	329	263	27	41	88	22	17	20
	F	14	21	15	73	120	54	19	268	206	19	33	62	21	20	16
40— {	M	16	39	15	86	138	36	21	303	313	32	49	92	23	23	18
	F	12	42	20	65	138	53	22	264	238	17	24	65	29	20	19
45— {	M	17	42	15	116	186	57	15	351	315	47	45	112	25	25	29
	F	24	44	18	78	138	62	15	297	277	22	25	101	27	23	31
50— {	M	20	44	32	109	191	81	24	424	370	36	55	107	27	31	39
	F	24	43	16	78	162	70	14	342	304	30	23	80	31	30	39
55— {	M	18	68	24	137	253	75	28	429	436	43	44	145	21	32	54
	F	24	61	29	89	187	86	16	381	312	27	42	86	31	36	34
60— {	M	30	57	30	153	258	100	26	515	410	37	56	153	30	34	57
	F	27	67	37	109	222	86	19	433	361	37	50	143	24	35	37
65— {	M	49	63	35	155	277	102	37	467	391	31	57	138	37	47	60
	F	40	68	41	140	235	137	32	414	389	23	41	140	39	36	56
70— {	M	38	73	37	146	242	106	30	437	323	25	57	143	41	54	58
	F	37	85	44	168	252	123	35	520	452	33	48	157	33	51	64
75— {	M	23	36	40	98	168	81	21	238	194	21	27	84	24	40	66
	F	65	63	37	129	206	99	32	314	264	21	35	98	21	41	64
80— {	M	24	28	18	75	71	34	18	97	96	10	17	46	15	31	41
	F	44	35	32	84	135	71	24	208	153	18	18	67	16	22	71
85— {	M	18	5	17	32	32	25	11	62	32	5	6	25	4	13	24
	F	47	18	23	56	65	50	12	109	73	8	11	43	11	17	44

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGH, 1911—*continued.*

Age.	Sex.	Notting- ham.	Oldham.	Oxford.	Plymouth.	Portsmouth.	Preston.	Reading.	Rochdale.	Rotherham.	St. Helens.	Salford.	Sheffield.	Smethwick.	Southamp- ton.	Southport.
All Ages {	M	2130	1357	342	979	1729	966	458	673	568	920	2083	4006	501	996	321
	F	2084	1262	335	959	1617	1024	463	734	473	850	1870	3340	532	840	387
Under 1 month {	M	175	91	21	47	141	73	28	47	39	71	151	317	59	67	17
	F	117	79	9	48	96	65	31	41	31	64	122	225	38	38	12
1-3 months {	M	139	77	14	46	84	51	16	35	32	54	112	179	34	46	7
	F	102	40	11	40	45	45	19	18	19	43	84	113	21	38	8
3-6 months {	M	112	62	11	40	80	55	10	22	32	54	101	210	25	54	7
	F	114	38	9	41	80	57	13	21	27	43	83	127	24	44	16
6-12 months {	M	138	106	16	65	110	72	29	52	51	99	162	348	34	58	14
	F	133	64	18	51	98	56	20	32	56	83	137	251	49	40	8
Total under 1 year. {	M	564	336	62	198	415	251	83	156	154	278	526	1054	152	225	45
	F	466	221	47	180	319	223	83	112	133	233	426	716	132	160	44
1— {	M	130	84	9	60	85	48	19	29	41	104	136	372	39	46	7
	F	134	84	11	54	63	43	14	35	42	102	140	339	40	40	3
2— {	M	51	30	2	17	27	22	9	14	17	32	45	153	13	9	4
	F	50	38	3	17	32	25	5	13	20	35	49	144	19	5	3
3— {	M	25	16	3	18	21	13	4	11	4	15	28	89	6	7	1
	F	29	20	2	9	17	12	6	6	11	22	28	88	6	7	3
4— {	M	19	11	6	11	21	14	3	3	5	13	24	40	3	5	4
	F	20	8	1	6	20	11	3	6	8	10	28	43	8	7	1
Total under 5 years {	M	789	477	82	304	569	348	118	213	221	442	759	1708	213	292	61
	F	699	371	64	266	451	314	111	172	214	402	671	1330	205	219	54
5— {	M	44	25	9	23	56	31	12	14	23	38	57	86	24	18	10
	F	35	23	10	24	56	36	12	14	19	28	55	100	17	21	6
10— {	M	24	19	5	9	22	8	6	11	10	17	35	51	7	7	3
	F	22	16	5	8	30	20	8	17	5	19	22	43	12	17	1
15— {	M	37	20	4	15	32	17	5	8	16	16	42	55	5	14	1
	F	35	35	5	24	31	21	9	11	9	13	37	53	12	11	3
20— {	M	32	22	7	20	33	23	12	17	10	17	63	75	3	13	2
	F	52	32	7	21	40	24	7	21	9	32	29	67	13	7	4
25— {	M	46	23	7	23	42	23	11	16	19	20	48	84	11	28	6
	F	47	39	7	27	40	20	8	19	10	20	49	64	19	17	9
30— {	M	68	47	13	27	44	26	12	25	16	20	73	108	11	36	8
	F	48	44	6	26	35	33	14	17	13	19	57	99	11	25	8
35— {	M	73	52	9	49	76	34	18	21	23	26	96	153	23	42	11
	F	59	38	10	36	53	35	15	20	15	26	59	110	18	33	14
40— {	M	71	55	19	50	75	47	14	27	16	28	114	165	28	48	17
	F	65	43	14	31	60	36	19	38	16	21	74	121	26	26	7
45— {	M	96	70	10	52	79	46	23	36	13	36	106	204	28	61	18
	F	79	74	11	29	62	40	20	38	14	25	80	128	18	46	15
50— {	M	95	85	19	43	79	46	30	45	31	43	101	185	20	65	13
	F	100	76	22	46	65	42	20	34	10	35	88	152	25	37	18
55— {	M	131	104	17	51	95	58	28	58	22	36	141	222	16	53	28
	F	124	94	10	47	81	77	18	40	27	35	98	154	24	40	22
60— {	M	141	101	24	55	96	71	30	48	33	55	128	226	21	51	29
	F	104	92	22	58	88	69	19	70	23	42	116	190	22	43	31
65— {	M	142	98	28	72	122	59	37	42	30	45	123	244	31	76	33
	F	166	86	19	47	114	75	43	58	19	43	122	189	24	74	50
70— {	M	132	95	30	57	144	59	45	48	45	45	104	212	35	74	33
	F	163	95	33	82	116	81	40	58	23	33	138	190	38	73	55
75— {	M	96	35	31	55	67	44	28	30	21	23	56	142	17	50	29
	F	135	50	40	76	118	57	41	62	28	36	104	166	29	53	42
80— {	M	71	22	10	43	61	24	21	10	11	10	24	62	8	38	15
	F	91	31	31	68	94	31	26	31	13	16	48	131	11	53	28
85— {	M	42	7	18	31	37	2	8	4	8	3	13	24	—	30	4
	F	60	23	19	43	83	13	33	14	6	5	23	53	8	45	20

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGH, 1911—*continued.*

Age.	Sex.	South Shields.	Stockport.	Stoke on Trent.	Sunderland.	Swansea.	Tynemouth.	Walsall.	Warrington.	West Bromwich.	West Ham.	West Hartlepool.	Wigan.	Wolverhampton.	Worcester.	York.
All Ages {	M	1027	900	2453	1422	993	492	782	585	567	2389	502	839	803	367	586
	F	857	866	2228	1314	902	442	744	558	529	2180	516	810	716	367	536
Under 1 month {	M	99	70	192	126	92	52	82	49	49	191	34	62	54	18	57
	F	50	45	149	109	54	20	67	36	42	142	36	57	49	18	29
1-3 months {	M	56	57	180	71	45	27	51	35	25	144	27	47	37	11	26
	F	27	30	152	52	35	18	31	24	25	105	15	32	29	3	21
3-6 months {	M	61	55	189	64	58	21	38	31	26	137	28	43	39	17	32
	F	40	47	139	56	49	14	40	26	31	106	24	52	32	8	8
6-12 months {	M	72	63	251	109	63	29	70	48	41	217	40	94	48	21	20
	F	75	69	239	97	61	23	44	50	42	187	36	82	44	15	30
Total under 1 year {	M	288	245	812	370	258	129	241	163	141	689	129	246	178	67	135
	F	192	191	679	314	199	75	182	136	140	540	111	223	154	44	88
1— {	M	73	42	223	130	56	23	78	48	56	213	49	81	56	13	29
	F	82	45	164	117	70	32	66	60	53	229	44	97	52	19	31
2— {	M	27	19	72	53	18	15	25	18	17	86	14	36	26	9	12
	F	27	13	90	35	18	12	23	10	15	86	17	29	18	6	11
3— {	M	14	9	33	24	18	10	13	10	8	34	11	15	12	3	3
	F	11	11	36	29	17	9	11	13	9	32	12	9	11	6	8
4— {	M	1	6	30	22	5	5	3	1	6	34	11	6	6	5	3
	F	4	5	32	15	15	2	5	14	7	24	7	5	6	6	5
Total under 5 years {	M	403	321	1170	599	355	182	360	240	228	1056	214	384	278	97	182
	F	316	265	1001	510	319	130	287	233	224	911	191	363	241	81	143
5— {	M	21	21	71	35	27	14	26	21	11	56	12	22	22	14	10
	F	17	17	59	46	30	11	21	23	9	62	17	29	16	13	12
10— {	M	14	7	28	28	19	3	11	13	12	32	5	12	13	6	9
	F	15	14	36	18	13	7	10	11	8	43	13	9	8	3	5
15— {	M	16	12	39	22	22	10	15	13	10	53	14	14	9	7	11
	F	20	15	29	24	18	10	14	5	12	33	14	28	10	10	7
20— {	M	28	18	41	28	35	9	19	15	14	62	16	20	18	5	5
	F	16	14	42	22	26	10	21	15	10	35	10	15	10	5	11
25— {	M	27	21	49	36	36	16	16	11	9	41	17	21	15	5	16
	F	38	19	53	27	31	9	23	13	9	47	12	21	14	5	16
30— {	M	28	25	68	45	30	7	24	13	7	68	16	17	23	9	19
	F	30	22	66	38	24	17	16	8	12	53	8	22	18	9	15
35— {	M	40	36	69	50	41	18	26	26	15	72	13	21	29	11	22
	F	25	31	78	53	37	17	25	13	11	71	16	21	30	5	10
40— {	M	36	47	84	44	39	24	22	31	20	99	22	43	35	10	19
	F	37	43	73	38	29	21	14	17	14	59	12	21	25	12	23
45— {	M	52	53	95	58	44	13	21	27	22	94	26	29	31	21	31
	F	39	36	84	50	40	26	20	31	24	86	17	28	32	19	22
50— {	M	41	50	135	66	50	19	44	36	33	136	18	43	45	18	33
	F	29	39	94	50	40	28	35	27	18	102	26	40	33	15	26
55— {	M	53	58	130	61	44	26	29	35	28	111	18	51	52	14	42
	F	51	48	94	48	35	21	31	16	34	109	19	39	34	23	30
60— {	M	65	55	105	85	70	39	44	21	27	114	36	49	55	28	38
	F	33	72	100	79	51	24	39	23	28	101	27	43	43	18	26
65— {	M	74	63	137	84	44	24	26	28	41	133	22	32	49	31	41
	F	61	72	112	77	52	21	41	31	29	107	34	43	41	30	44
70— {	M	65	56	125	81	66	36	48	25	42	95	27	45	51	29	49
	F	62	66	145	89	74	44	60	38	31	132	34	40	61	41	48
75— {	M	35	37	73	59	45	28	27	18	29	76	14	20	40	35	28
	F	35	51	89	75	40	22	41	33	26	113	27	29	43	35	48
80— {	M	18	15	24	28	15	21	15	11	14	44	6	10	25	20	23
	F	22	30	56	53	25	18	27	14	23	60	23	15	42	24	33
85— {	M	11	5	10	13	11	3	9	1	5	47	6	6	13	7	8
	F	11	12	17	17	18	6	19	7	7	56	16	4	15	19	17

DEATHS AT DIFFERENT AGES IN METROPOLITAN BOROUGH, 1911.

Age.	Sex.	City of London.	Battersea.	Bermondsey.	Bethnal Green.	Camberwell.	Chelsea.	Deptford.	Finsbury.	Fulham.	Greenwich.	Hackney.	Hammer-smith.	Hampstead.	Holborn.
All Ages {	M	152	1238	1243	1217	1880	549	874	917	1147	759	1628	980	389	427
	F	138	1170	1082	1125	1873	482	841	810	1080	681	1584	930	458	344
Under 1 month {	M	6	102	79	83	115	15	67	65	79	39	111	67	26	16
	F	3	58	64	79	88	23	52	52	64	39	73	58	12	16
1-3 months {	M	1	46	64	67	61	14	40	48	68	34	65	52	8	10
	F	2	43	49	48	60	11	32	32	45	20	50	27	7	6
3-6 months {	M	3	61	78	73	86	15	62	45	61	32	56	58	10	16
	F	3	49	66	71	67	21	36	42	45	34	41	47	6	5
6-12 months {	M	4	112	119	107	128	25	75	75	80	53	110	52	17	17
	F	4	75	94	88	91	16	64	61	77	55	117	69	18	24
Total under 1 year {	M	14	321	340	330	390	69	244	233	288	158	342	229	61	59
	F	12	225	273	286	306	71	184	187	231	148	281	201	43	51
1— {	M	3	90	93	117	138	24	72	91	82	43	97	56	15	19
	F	2	92	77	144	127	18	57	72	70	43	93	53	12	19
2— {	M	2	31	36	42	40	11	19	26	23	13	37	22	2	4
	F	2	20	24	47	47	8	26	28	15	15	32	20	4	2
3— {	M	—	13	15	18	20	4	11	9	12	15	35	7	5	4
	F	2	19	15	19	18	7	18	12	13	7	22	6	4	4
4— {	M	—	16	9	15	20	5	8	8	7	13	16	14	1	—
	F	1	8	9	17	17	1	7	8	11	8	20	9	4	1
Total under 5 years {	M	19	471	493	522	608	113	354	367	412	242	527	328	84	86
	F	19	364	398	513	515	105	292	307	340	221	448	289	67	77
5— {	M	—	29	30	29	33	6	26	14	29	17	50	27	5	7
	F	2	36	27	18	36	12	20	18	29	22	38	22	9	3
10— {	M	2	19	17	16	19	9	14	14	15	13	27	14	6	7
	F	1	15	20	22	26	5	12	10	21	15	23	12	7	4
15— {	M	2	20	21	23	25	4	14	10	17	19	26	17	3	7
	F	3	19	17	11	27	2	11	13	17	10	35	10	11	12
20— {	M	1	42	23	20	40	4	16	13	28	19	46	22	5	4
	F	2	27	23	21	47	9	13	13	23	12	33	18	12	11
25— {	M	7	30	29	30	36	9	26	20	30	22	37	32	14	13
	F	2	25	25	27	49	12	23	12	24	16	48	23	13	9
30— {	M	8	29	55	41	66	14	21	32	41	32	43	17	13	22
	F	3	31	22	25	52	19	22	15	29	13	38	27	15	8
35— {	M	6	43	42	51	73	18	24	38	49	28	61	36	18	22
	F	4	43	44	22	67	20	29	22	32	23	45	35	12	17
40— {	M	10	48	56	59	91	20	25	37	59	34	72	43	14	20
	F	7	46	43	41	83	21	30	39	44	26	46	32	15	19
45— {	M	12	54	57	49	93	20	40	53	55	39	75	47	22	26
	F	6	41	42	40	90	28	37	36	45	26	71	24	18	21
50— {	M	13	58	70	62	87	43	41	39	69	43	105	57	24	32
	F	11	56	42	46	70	27	42	37	60	33	64	34	28	26
55— {	M	15	67	61	50	104	34	46	45	69	45	95	59	30	33
	F	7	66	63	53	98	23	34	50	67	35	92	53	19	27
60— {	M	10	68	68	65	131	62	49	54	67	43	87	66	28	35
	F	9	71	62	50	107	37	59	27	60	32	92	56	41	24
65— {	M	18	83	81	64	148	51	62	57	63	49	104	75	32	45
	F	17	76	52	45	138	26	39	45	80	36	105	67	46	16
70— {	M	11	69	64	50	139	57	39	44	52	51	107	54	30	30
	F	11	89	77	74	150	39	54	61	65	46	123	65	44	25
75— {	M	7	63	36	46	91	51	32	41	44	30	84	41	29	16
	F	16	70	61	46	128	38	51	47	53	38	108	68	43	25
80— {	M	4	24	27	24	59	22	28	21	27	14	50	28	15	14
	F	10	44	37	42	110	35	39	33	49	35	98	45	32	14
85— {	M	7	21	13	16	37	12	17	18	21	19	32	17	17	8
	F	8	51	27	29	80	24	34	25	42	42	77	50	26	6

DEATHS AT DIFFERENT AGES IN METROPOLITAN BOROUGH, 1911—continued.

Age.	Sex.	Islington.	Kensington.	Lambeth.	Lewisham.	Paddington.	Poplar.	St. Marylebone.	St. Pancras.	Shoreditch.	Southwark.	Stepney.	Stoke Newington.	Wandsworth.	Westminster.	Woolwich.
All Ages {	M	2492	1176	2314	930	963	1674	928	1783	1210	1919	2568	317	1857	1135	820
	F	2402	1215	2147	915	976	1409	867	1608	1026	1626	2290	344	1967	883	746
Under 1 month {	M	164	70	130	53	60	122	51	116	88	124	176	16	142	44	47
	F	124	52	125	51	43	81	23	74	62	102	137	14	96	33	45
1-3 months {	M	114	33	93	40	33	81	32	67	66	81	128	8	71	34	29
	F	96	38	75	28	42	56	39	75	42	74	111	13	56	19	15
3-6 months {	M	106	53	119	48	50	97	22	67	91	83	131	12	94	32	27
	F	93	40	78	31	31	57	7	51	59	90	130	8	89	15	23
6-12 months {	M	186	68	165	66	67	174	47	91	102	145	222	20	141	33	47
	F	153	80	117	38	63	118	36	91	95	121	230	16	140	32	39
Total under 1 year {	M	570	224	507	207	210	474	152	341	347	433	657	56	448	143	150
	F	466	210	395	148	179	312	105	291	258	387	608	51	381	99	122
1— {	M	148	69	146	43	47	162	46	105	126	160	261	11	105	37	40
	F	126	69	109	24	36	144	42	96	113	133	209	14	108	30	40
2— {	M	55	24	44	16	12	55	21	44	33	60	79	5	52	16	12
	F	56	26	61	14	17	55	14	36	40	51	79	7	55	18	7
3— {	M	34	14	17	6	13	30	12	26	28	31	33	2	23	5	13
	F	27	14	27	13	9	31	13	20	23	28	51	4	32	8	11
4— {	M	20	12	14	7	11	18	4	12	20	18	20	4	21	4	4
	F	13	8	21	8	4	24	6	14	12	13	30	—	16	3	8
Total under 5 years {	M	827	343	728	279	293	739	235	528	554	702	1050	78	649	205	219
	F	688	327	613	207	245	566	180	457	446	612	977	76	592	158	188
5— {	M	59	19	47	22	20	50	15	48	30	38	55	6	58	14	19
	F	41	25	53	27	18	49	13	48	19	32	52	8	47	7	21
10— {	M	29	13	26	13	15	17	10	14	12	22	26	3	28	6	15
	F	24	5	22	14	6	19	8	20	19	23	27	4	19	5	11
15— {	M	33	15	30	10	13	30	19	23	14	35	43	6	37	10	14
	F	39	19	25	16	25	20	11	23	18	26	35	2	31	12	12
20— {	M	46	18	41	26	12	35	9	40	15	31	55	8	33	26	16
	F	46	18	33	16	14	29	11	36	24	30	41	5	32	24	21
25— {	M	60	25	51	28	17	32	16	36	26	46	54	8	43	26	22
	F	53	25	52	17	23	20	20	46	25	31	49	12	42	28	22
30— {	M	61	33	86	26	36	44	39	53	27	49	80	11	51	32	27
	F	60	26	57	32	17	35	29	38	26	40	65	8	60	27	16
35— {	M	82	26	85	30	32	62	27	75	46	91	109	16	72	59	33
	F	81	30	76	25	36	39	31	59	35	47	85	8	52	36	23
40— {	M	136	61	98	30	49	61	45	98	59	80	109	20	65	62	48
	F	87	45	96	36	37	54	38	76	42	55	76	11	78	33	30
45— {	M	118	61	140	40	51	76	60	102	59	113	124	13	77	76	50
	F	110	53	83	36	52	59	48	76	39	68	106	19	82	57	32
50— {	M	147	67	126	46	54	82	67	121	56	104	137	16	113	95	42
	F	118	63	107	51	47	55	48	89	49	84	93	18	92	48	41
55— {	M	162	75	143	56	72	65	63	121	57	120	150	19	90	100	58
	F	132	73	101	40	54	59	60	88	45	93	103	15	83	53	51
60— {	M	168	101	156	65	70	92	82	120	65	120	169	19	96	102	59
	F	149	73	103	66	65	73	55	97	46	97	126	19	118	56	43
65— {	M	169	89	173	70	59	93	79	122	54	126	142	34	115	97	51
	F	168	86	148	69	69	90	72	104	53	98	112	31	132	60	57
70— {	M	161	93	156	72	64	82	67	118	70	106	114	25	118	89	58
	F	192	119	196	70	91	99	80	112	54	95	139	32	139	93	53
75— {	M	117	71	119	57	42	59	50	85	31	79	76	18	90	66	45
	F	168	85	181	77	74	54	63	118	39	87	88	33	150	62	59
80— {	M	77	47	70	40	46	43	24	43	20	43	47	12	70	44	29
	F	134	80	109	61	58	54	62	73	24	66	74	26	107	72	40
85— {	M	40	19	39	20	18	12	21	36	15	14	28	5	52	26	15
	F	112	63	92	55	45	35	38	48	23	42	42	17	111	52	26

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES—1911.

Age.	Sex.	Anglesey.		Bedford-shire.		Berkshire.		Brecknock-shire.		Buckinghamshire.		Cambridge-shire.		Cardigan-shire.		Carmarthenshire.		Carnarvon-shire.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages {	M	169	239	789	508	386	846	152	343	489	901	357	552	138	385	485	759	430	496
	F	171	261	763	512	396	759	131	282	478	832	315	462	145	427	452	720	476	502
Under 1 month {	M	15	11	74	23	24	44	9	34	24	57	20	32	8	29	27	65	21	25
	F	7	12	49	33	17	36	4	21	26	35	13	21	5	13	21	44	23	18
1-3 months {	M	7	10	31	13	8	29	8	19	17	31	16	12	3	13	24	44	16	18
	F	6	7	23	18	4	7	2	9	12	29	5	12	4	9	17	29	22	11
3-6 months {	M	7	12	35	14	11	24	8	19	16	21	14	13	9	8	23	45	14	14
	F	8	3	27	10	10	13	7	10	19	12	12	11	2	8	21	40	13	11
6-12 months {	M	9	13	56	12	15	33	9	15	27	35	15	20	5	11	29	42	13	16
	F	5	10	41	16	16	17	11	14	24	25	16	21	4	6	28	35	12	19
Total under 1 year {	M	38	46	196	62	58	130	34	87	84	144	65	77	25	61	103	196	64	73
	F	26	32	140	77	47	73	24	54	81	101	46	65	15	36	87	148	70	59
1— {	M	5	6	30	20	19	23	8	11	29	20	22	17	3	3	15	28	11	12
	F	4	5	37	8	21	12	6	12	19	19	14	14	4	6	17	19	15	19
2— {	M	1	5	11	—	5	5	2	6	8	10	7	8	—	2	5	11	6	5
	F	—	1	11	2	7	7	—	3	9	9	7	7	4	4	5	8	11	3
3— {	M	1	2	7	4	2	4	—	5	8	11	7	2	1	2	3	5	2	4
	F	—	1	13	5	1	9	2	2	7	6	3	—	1	4	3	4	4	4
4— {	M	1	1	6	2	4	9	2	1	2	3	2	2	—	1	4	6	7	1
	F	1	—	7	3	2	2	—	1	3	6	3	2	—	1	3	5	7	2
Total under 5 years {	M	46	60	250	88	88	171	46	110	131	188	103	106	29	69	130	246	90	95
	F	31	39	208	95	78	103	32	72	119	141	73	88	24	51	115	184	107	87
5— {	M	1	5	19	5	9	8	4	10	10	18	14	9	—	12	15	18	11	12
	F	6	7	23	9	10	17	4	9	15	14	15	10	—	1	7	14	13	19
10— {	M	3	5	11	6	4	11	2	3	10	11	5	4	3	4	7	10	7	11
	F	4	8	6	3	5	10	2	3	7	5	5	8	3	6	9	15	6	8
15— {	M	1	4	13	7	5	20	3	8	10	17	2	11	2	8	15	27	10	13
	F	6	6	18	12	3	9	—	9	7	17	8	4	4	12	8	15	12	11
20— {	M	2	4	16	8	3	21	3	4	11	14	12	12	2	14	13	18	8	13
	F	5	9	11	11	9	13	5	10	8	19	7	10	4	12	12	24	9	13
25— {	M	1	—	25	9	10	22	4	10	7	20	5	12	4	12	14	20	14	10
	F	6	7	23	9	7	23	3	12	3	18	2	6	3	13	14	24	9	19
30— {	M	4	12	16	17	10	32	2	8	20	20	12	14	5	13	13	20	17	14
	F	3	8	21	9	16	13	1	10	11	18	10	9	4	15	14	27	13	22
35— {	M	4	4	23	13	7	20	5	8	19	25	9	13	1	9	22	24	14	12
	F	6	12	16	21	7	13	6	5	8	19	4	9	4	11	21	29	17	12
40— {	M	7	8	34	8	10	20	3	15	17	23	13	15	3	13	21	26	17	20
	F	4	9	22	10	11	34	6	12	10	23	10	9	6	17	18	21	13	20
45— {	M	6	7	38	18	18	36	8	15	13	35	16	15	6	11	22	23	17	18
	F	7	13	19	15	19	32	5	9	15	26	10	11	7	9	22	17	21	14
50— {	M	11	10	35	14	26	41	8	16	12	44	13	22	8	14	30	24	25	28
	F	10	11	27	18	20	30	6	6	15	30	12	19	11	16	20	21	19	20
55— {	M	14	14	44	17	16	49	10	14	18	44	22	24	9	13	27	31	27	26
	F	9	10	28	27	21	43	8	14	34	39	22	16	5	16	24	38	17	22
60— {	M	15	13	37	43	34	59	10	25	40	57	27	33	7	34	30	35	39	33
	F	9	12	43	43	13	51	10	10	32	54	24	29	12	22	32	48	48	34
65— {	M	12	18	58	48	39	54	15	23	48	96	25	59	18	32	30	39	32	52
	F	12	13	72	38	31	67	12	25	40	81	25	49	10	43	36	50	36	30
70— {	M	14	25	57	58	33	87	10	33	44	87	29	71	22	48	43	69	41	54
	F	20	24	79	68	29	86	13	27	55	90	20	56	19	55	34	63	46	56
75— {	M	11	22	59	67	33	84	13	18	39	96	23	53	12	45	26	64	32	42
	F	11	30	62	54	39	83	8	24	50	98	23	49	11	61	32	59	44	50
80— {	M	12	21	35	50	26	66	5	10	20	65	15	45	5	19	21	37	20	23
	F	14	16	46	37	51	80	6	17	25	73	24	35	11	33	21	45	34	37
85— {	M	5	7	19	32	15	45	1	13	20	41	12	34	2	15	6	28	9	20
	F	8	27	39	33	27	52	4	8	24	67	21	45	7	34	13	26	12	28

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES—1911—*continued.*

Age.	Sex.	Cheshire.		Cornwall.		Cumber-land.		Donbigh-shire.		Derby-shire.		Devon-shire.		Dorset-shire.		Durham.		Ely, Isle of	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages	M	3701	1158	1143	1398	1293	695	366	685	2134	1920	1618	1504	770	673	4680	3387	290	238
	F	3531	1030	1245	1338	1231	658	384	707	1981	1656	1751	1497	762	641	4187	3067	292	203
Under 1 month	M	271	76	79	87	108	54	15	74	197	185	76	96	51	40	460	439	22	27
	F	199	56	46	61	78	45	18	55	136	142	64	61	50	38	349	300	19	15
1-3 months	M	182	48	57	55	54	25	20	26	110	109	51	37	33	13	259	213	8	8
	F	143	29	49	34	49	22	15	21	116	68	50	36	17	9	189	159	10	3
3-6 months	M	194	42	48	39	61	27	18	36	133	127	41	44	26	10	275	234	11	12
	F	155	24	60	47	43	10	16	30	120	87	29	26	15	10	256	184	8	9
6-12 months	M	245	54	57	55	78	25	19	48	183	152	76	46	41	14	371	329	17	6
	F	215	41	64	40	75	25	17	38	152	101	47	49	22	16	375	315	16	10
Total under 1 year	M	892	220	241	236	301	131	72	184	623	573	244	223	151	77	1365	1215	58	53
	F	712	150	219	182	245	102	66	144	524	398	190	172	104	73	1169	958	53	37
1—	M	214	44	39	44	59	9	20	23	155	98	61	30	23	13	392	295	21	12
	F	193	38	30	48	58	13	16	27	122	96	64	28	14	8	410	273	15	6
2—	M	65	16	11	22	28	7	4	8	52	35	23	21	4	4	142	77	6	2
	F	73	11	15	14	27	7	6	13	55	30	25	14	14	7	143	110	3	4
3—	M	43	17	5	14	12	5	6	4	37	31	22	16	10	5	86	48	1	4
	F	32	7	13	14	7	5	5	6	39	21	19	6	7	—	67	58	1	3
4—	M	35	4	10	8	11	7	4	4	16	9	14	12	7	5	42	35	2	1
	F	30	13	15	12	15	4	1	6	22	19	11	3	7	1	51	36	2	3
Total under 5 years	M	1249	301	306	324	411	159	106	223	883	746	364	302	195	104	2027	1670	88	72
	F	1040	219	292	270	352	131	94	196	762	564	309	223	146	89	1840	1435	74	53
5—	M	87	38	26	40	35	13	13	17	61	64	36	28	25	9	124	80	1	9
	F	87	19	24	27	26	19	8	15	67	39	27	31	19	10	123	91	6	5
10—	M	56	17	17	28	22	7	4	5	30	23	17	22	8	11	75	47	7	3
	F	43	21	16	15	15	7	3	11	32	24	30	31	10	5	90	59	1	3
15—	M	72	18	27	36	28	9	5	18	45	37	38	25	7	14	94	66	3	3
	F	54	21	22	28	32	9	3	13	33	38	33	30	14	15	71	63	6	8
20—	M	76	22	30	33	36	12	9	24	27	33	34	36	15	11	100	80	5	2
	F	60	21	23	34	32	9	6	19	33	28	49	27	14	10	93	61	4	6
25—	M	91	24	27	28	29	16	7	12	44	52	54	42	21	14	108	66	10	3
	F	81	19	26	22	39	20	8	16	39	46	37	43	22	14	100	76	7	3
30—	M	111	22	21	27	35	15	9	14	43	42	43	43	25	14	121	74	9	7
	F	91	30	22	27	41	18	18	19	48	48	37	37	18	14	113	81	5	10
35—	M	115	31	43	31	31	17	13	24	61	44	65	34	33	17	148	65	7	8
	F	124	38	32	29	36	15	16	23	58	41	43	44	24	14	112	85	9	9
40—	M	116	35	42	47	50	35	14	22	65	53	54	51	26	15	134	84	5	4
	F	107	26	29	32	37	14	9	16	62	42	59	43	22	19	110	77	6	6
45—	M	156	52	50	54	51	22	14	27	80	66	71	54	29	22	168	105	7	6
	F	142	42	51	42	35	25	20	32	57	66	72	34	38	19	132	95	3	3
50—	M	161	53	50	58	71	26	18	25	81	82	78	71	37	47	182	117	12	11
	F	190	56	45	55	68	23	15	37	70	57	63	68	28	21	157	93	15	7
55—	M	204	74	62	72	76	48	19	28	103	112	79	72	42	29	224	141	15	19
	F	188	50	48	69	59	34	19	41	83	65	88	90	40	26	172	119	8	11
60—	M	258	70	65	78	100	47	19	53	118	99	116	105	47	58	250	144	14	8
	F	238	64	70	75	84	43	23	34	121	82	125	100	44	41	201	128	22	9
65—	M	273	83	82	125	85	61	30	44	149	136	137	121	58	49	301	179	23	15
	F	267	93	90	94	95	63	29	51	121	121	138	141	54	60	244	165	23	17
70—	M	274	100	111	144	99	66	35	57	132	119	146	147	72	69	296	189	29	20
	F	326	110	135	153	110	85	39	69	140	119	177	152	69	74	265	171	40	16
75—	M	224	119	87	128	73	61	24	48	109	115	116	153	57	76	185	152	26	22
	F	262	86	129	142	79	67	36	58	130	130	191	163	79	77	171	146	24	15
80—	M	120	74	51	77	38	55	18	31	62	68	93	110	44	64	94	78	13	13
	F	153	64	99	117	58	37	27	29	90	83	136	123	66	69	118	73	24	14
85—	M	58	25	46	68	23	26	9	13	41	29	77	88	29	50	49	50	16	13
	F	78	51	92	107	33	39	11	28	35	63	137	117	55	64	75	49	15	8

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES—1911—*continued.*

Age.	Sex.	Essex.		Flintshire.		Glamorgan-shire.		Gloucester-shire.		Hereford-shire.		Hertford-shire.		Hunting-donshire.		Kent.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages	M	4911	1703	276	420	4311	1499	667	1568	313	548	1119	725	159	233	4634	2002
	F	4574	1593	261	412	3650	1269	733	1423	323	488	1093	604	152	181	4513	1734
Under 1 month	M	381	105	18	33	468	145	44	113	24	30	85	52	11	16	297	116
	F	273	74	9	17	309	97	37	87	14	15	65	26	9	10	225	102
1-3 months	M	198	56	18	17	300	86	28	49	5	14	35	21	5	6	177	74
	F	156	39	8	21	216	67	14	29	5	3	30	10	5	7	139	54
3-6 months	M	228	48	10	8	316	97	25	38	10	7	40	15	7	4	190	77
	F	181	46	11	9	280	65	17	30	8	12	28	11	4	2	143	60
6-12 months	M	340	76	16	24	463	124	30	36	9	13	55	30	3	10	272	109
	F	281	60	19	12	391	87	22	40	6	12	51	20	4	3	227	74
Total under 1 year	M	1147	285	62	82	1547	452	127	236	48	64	215	118	26	36	936	376
	F	891	219	47	59	1196	316	90	186	33	42	174	67	22	22	734	290
1—	M	295	46	16	12	341	86	24	42	15	14	41	20	6	7	219	73
	F	270	48	11	9	277	72	26	31	6	14	37	20	3	4	204	77
2—	M	100	11	8	8	90	26	7	15	5	3	14	9	3	4	89	26
	F	74	20	5	3	103	32	8	21	6	3	21	5	2	2	82	19
3—	M	70	8	3	4	67	19	3	12	1	6	12	4	—	2	48	15
	F	50	16	2	5	63	15	6	12	3	1	9	7	1	2	57	20
4—	M	47	8	3	1	37	14	2	6	2	—	5	3	1	2	47	18
	F	34	7	2	3	40	17	4	3	1	4	8	6	1	—	38	8
Total under 5 years	M	1659	358	92	107	2082	597	163	311	71	87	287	154	36	51	1339	508
	F	1319	310	67	79	1679	452	134	253	49	64	249	105	29	30	1115	414
5—	M	147	21	8	6	104	37	9	28	4	8	19	10	3	3	106	32
	F	122	20	6	9	98	24	13	23	7	12	12	15	2	3	116	30
10—	M	77	18	4	7	63	21	8	22	—	8	12	7	2	3	58	31
	F	71	15	2	8	51	23	6	24	5	6	10	10	—	—	65	26
15—	M	121	21	4	8	86	26	16	24	3	8	22	17	2	3	88	37
	F	86	29	7	12	85	23	10	21	7	4	18	9	5	2	76	31
20—	M	128	40	7	13	104	46	14	36	7	10	20	15	3	2	106	38
	F	85	33	4	8	95	41	13	31	8	11	26	10	8	2	91	44
25—	M	111	35	7	11	95	32	12	32	4	12	26	9	7	3	129	39
	F	103	39	5	10	109	46	18	33	7	13	23	15	2	2	98	39
30—	M	152	40	7	12	110	35	15	39	9	7	20	25	2	2	140	46
	F	125	44	9	14	115	46	14	38	7	16	28	11	4	1	116	51
35—	M	174	58	10	10	144	60	24	41	4	11	39	21	5	5	147	53
	F	151	46	5	11	139	49	10	33	8	18	38	18	3	6	136	55
40—	M	186	58	9	15	161	51	27	41	15	17	37	33	3	3	159	68
	F	187	42	12	9	110	37	24	45	5	16	35	22	2	3	146	47
45—	M	229	67	10	19	176	51	19	72	13	16	47	27	6	9	196	54
	F	167	50	14	13	114	48	36	44	15	12	40	25	1	6	172	61
50—	M	214	55	15	8	190	61	32	75	18	18	49	25	6	6	216	96
	F	202	55	5	18	113	52	26	58	20	21	50	29	8	9	193	71
55—	M	257	86	16	24	202	60	49	79	14	24	62	34	12	7	243	85
	F	229	66	13	23	145	38	39	76	19	23	57	31	8	7	243	89
60—	M	290	101	24	32	191	105	49	105	23	45	74	43	9	8	286	116
	F	278	96	14	30	157	75	44	89	16	33	78	34	6	11	250	93
65—	M	319	159	21	43	194	100	65	147	36	57	116	68	12	36	330	188
	F	286	120	26	37	169	74	68	116	21	39	84	49	12	13	325	142
70—	M	306	173	16	42	201	92	69	185	36	69	97	66	11	27	384	183
	F	384	157	20	41	215	94	89	145	39	65	113	60	17	20	407	155
75—	M	255	175	13	33	112	64	47	137	24	72	83	71	21	27	317	191
	F	332	172	25	36	140	75	76	170	36	59	80	64	21	23	394	168
80—	M	175	146	9	17	52	39	29	109	15	50	64	59	11	18	219	122
	F	255	172	18	30	82	45	56	118	27	46	86	52	13	25	319	124
85—	M	111	92	4	13	44	22	20	85	17	29	45	41	8	20	171	115
	F	192	127	9	24	34	27	57	106	27	30	66	45	11	18	251	94

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES—1911—*continued.*

Age.		Sex.	Lancashire.		Leicester-shire.		Lincoln-shire, (Parts of Holland).		Lincoln-shire, (Parts of Kesteven).		Lincoln-shire, (Parts of Lindsey).		Merioneth-shire.		Middlesex.		Monmouth-shire.		Montgomeryshire.	
			Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages	M		11818	16017	700	1045	313	318	282	496	684	937	181	211	6457	260	2192	332	152	238
	F		11307	1470	647	879	310	302	247	449	649	948	170	191	6304	245	1839	329	149	233
Under 1 month	M		809	116	54	67	23	19	19	37	63	63	6	10	539	22	212	17	9	15
	F		661	90	40	52	17	14	9	23	42	64	8	5	374	23	148	16	7	14
1-3 months	M		547	45	48	34	19	13	16	15	26	23	6	6	323	14	139	8	4	8
	F		441	42	26	32	16	9	6	7	30	36	5	5	247	15	102	6	3	1
3-6 months	M		616	62	37	31	16	8	8	25	32	48	8	5	365	13	182	9	5	6
	F		511	38	21	28	9	12	11	15	50	28	5	5	282	11	140	9	5	10
6-12 months	M		803	90	49	48	26	20	13	25	47	54	2	5	530	15	230	8	4	7
	F		736	62	45	37	22	17	8	13	40	50	5	6	459	15	198	13	3	5
Total under 1 year	M		2775	313	188	180	84	60	56	102	168	188	22	26	1757	64	763	42	22	36
	F		2349	232	132	149	64	52	34	58	162	178	23	21	1362	64	588	44	18	30
1—	M		719	68	40	44	14	16	5	13	33	33	5	1	427	11	157	4	2	4
	F		646	58	29	26	15	10	14	22	33	28	8	3	404	6	163	8	3	3
2—	M		274	35	13	6	6	2	5	6	16	11	3	2	148	10	40	4	1	—
	F		246	25	15	12	6	5	6	4	22	17	2	—	151	7	40	5	—	2
3—	M		160	26	5	10	3	1	4	3	7	6	1	1	91	1	17	5	1	2
	F		152	19	12	8	2	3	—	5	10	6	—	—	82	1	29	2	3	—
4—	M		100	10	7	8	—	4	3	—	6	5	3	2	66	5	20	2	1	—
	F		104	14	8	8	1	3	2	5	4	7	3	1	60	—	14	1	—	—
Total under 5 years	M		4028	452	253	248	107	83	73	124	230	243	34	32	2489	91	997	57	27	42
	F		3497	348	196	203	88	73	56	94	231	236	36	25	2059	78	834	60	24	35
5—	M		268	44	23	22	6	11	3	4	23	20	3	6	182	9	48	5	4	4
	F		305	42	22	22	5	3	3	2	17	19	4	5	154	8	44	5	2	1
10—	M		164	32	3	17	5	3	7	13	5	14	1	2	78	3	31	7	—	2
	F		153	27	15	16	6	5	5	9	5	21	—	2	76	3	26	4	—	4
15—	M		275	37	14	27	4	5	5	12	14	13	4	6	98	1	49	3	1	4
	F		237	26	14	21	6	4	8	8	11	12	6	2	94	3	26	7	2	7
20—	M		330	26	14	14	5	8	6	6	20	14	9	6	118	2	45	8	2	5
	F		258	33	11	23	3	3	3	6	15	20	3	4	135	4	41	7	4	5
25—	M		317	43	15	24	4	5	9	9	19	25	1	4	128	5	68	6	4	6
	F		314	39	17	26	4	5	9	12	14	30	4	6	148	3	50	14	1	8
30—	M		354	39	20	27	12	2	6	7	19	27	4	7	207	12	54	10	2	8
	F		293	41	14	19	6	7	5	14	7	27	5	11	194	10	63	11	3	11
35—	M		391	52	15	29	10	7	14	9	13	16	4	5	222	9	65	9	2	4
	F		334	61	17	19	8	8	8	4	23	24	12	6	192	10	67	11	6	9
40—	M		413	53	25	21	12	4	14	13	17	17	8	4	228	6	87	10	4	5
	F		429	46	17	24	13	16	9	12	13	25	6	6	224	10	60	13	4	5
45—	M		544	59	26	33	7	11	7	15	32	25	8	8	274	8	69	14	6	7
	F		489	62	19	26	12	10	6	11	23	21	2	4	232	7	68	9	7	8
50—	M		681	79	33	48	13	10	10	16	32	40	8	7	316	10	110	27	9	8
	F		564	74	35	32	12	9	9	17	27	33	9	7	230	9	60	13	12	9
55—	M		748	104	29	40	15	11	15	20	32	50	14	13	312	14	85	28	6	9
	F		658	93	28	47	13	10	5	26	26	44	7	11	287	16	75	15	6	11
60—	M		816	118	35	63	14	22	24	31	44	58	21	22	386	9	113	25	13	14
	F		781	98	40	55	14	9	15	28	34	53	10	9	361	9	96	15	10	22
65—	M		810	127	42	95	17	30	30	47	45	78	25	14	407	17	104	28	10	18
	F		807	116	41	62	15	21	28	30	41	70	8	10	359	12	76	31	7	17
70—	M		773	138	50	93	24	31	19	52	39	81	15	26	379	23	126	27	14	30
	F		925	130	51	90	26	36	18	52	45	83	26	27	500	17	122	37	18	18
75—	M		526	102	56	120	30	36	25	49	40	102	12	24	297	18	73	25	20	38
	F		680	126	48	74	36	37	36	51	49	89	15	23	437	14	73	35	20	26
80—	M		286	54	30	73	16	20	8	47	36	65	8	14	187	15	46	23	15	30
	F		384	70	35	72	26	24	9	43	34	88	8	17	357	13	38	27	12	21
85—	M		94	42	17	51	12	19	7	22	24	49	2	11	149	8	22	20	13	4
	F		199	38	27	48	17	22	15	30	34	53	9	16	265	19	20	15	11	16

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES—1911—continued.

Age.	Sex.	Norfolk.		Northamptonshire.		Northumberland.		Nottinghamshire.		Oxfordshire.		Pembroke-shire.		Peterborough & Soke of.		Radnorshire.		Rutlandshire.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages	M	425	1833	601	829	1878	864	1505	886	283	681	321	365	206	65	30	128	14	122
	F	407	1613	509	758	1652	831	1426	767	272	645	272	416	233	49	21	105	15	119
Under 1 month	M	19	160	45	55	170	69	173	65	16	48	28	34	13	2	4	6	—	7
	F	17	117	35	36	152	61	116	37	11	38	9	27	14	2	1	4	—	7
1-3 months	M	16	54	25	19	107	38	95	29	3	20	10	14	6	3	1	6	1	2
	F	20	32	15	20	72	28	64	26	7	17	8	15	11	—	—	—	—	—
3-6 months	M	10	46	18	19	120	36	96	39	11	16	10	12	3	5	—	2	—	7
	F	13	49	18	15	95	34	91	37	7	12	10	3	5	—	—	1	—	4
6-12 months	M	17	66	32	27	183	41	142	49	13	25	17	13	8	2	1	1	2	3
	F	17	46	23	23	140	47	105	38	9	13	10	9	11	—	—	2	4	3
Total under 1 year	M	62	326	120	120	580	184	506	182	43	109	65	73	30	12	6	15	3	19
	F	67	244	91	94	459	170	376	138	34	80	37	54	41	2	1	7	4	14
1—	M	13	46	27	23	130	37	110	34	9	17	8	10	10	2	—	4	—	4
	F	14	42	24	16	138	43	120	24	7	23	7	10	9	1	1	1	—	3
2—	M	—	18	19	5	46	14	55	16	4	10	6	6	6	2	2	1	—	1
	F	4	23	6	6	47	9	43	10	2	6	6	3	5	—	—	1	—	—
3—	M	3	11	13	5	22	7	27	9	4	2	4	1	2	—	—	1	—	1
	F	1	9	7	5	27	6	23	2	4	5	1	4	1	—	—	1	—	—
4—	M	1	7	3	2	12	7	16	7	—	4	2	2	1	1	—	—	—	—
	F	1	4	3	9	21	5	18	2	5	6	—	4	3	—	1	2	—	—
Total under 5 years	M	79	408	182	155	790	249	714	248	60	142	85	92	49	17	8	21	3	25
	F	87	322	131	130	692	233	580	176	52	120	51	75	59	3	3	12	4	17
5—	M	5	38	17	22	52	10	29	20	5	11	11	6	5	1	—	2	—	4
	F	4	15	12	20	37	19	46	17	2	12	8	10	4	3	1	3	—	3
10—	M	5	13	17	5	32	14	18	13	2	13	2	3	1	—	1	—	—	4
	F	6	20	9	18	21	5	21	12	5	9	6	3	2	2	—	2	—	2
15—	M	10	26	14	12	41	22	30	16	5	7	6	13	3	1	—	1	1	1
	F	2	30	12	11	28	14	23	23	7	6	11	4	7	2	—	5	1	1
20—	M	9	41	17	12	38	21	24	17	6	14	5	9	—	2	1	5	—	1
	F	6	28	22	15	40	23	39	13	13	7	6	4	3	—	—	6	2	1
25—	M	3	44	12	16	47	24	44	16	8	13	13	9	5	—	—	5	1	3
	F	8	31	17	18	38	22	26	21	8	9	12	4	6	—	—	3	—	2
30—	M	8	34	13	26	65	39	30	26	5	11	11	14	5	—	2	7	1	1
	F	7	34	11	24	54	20	36	16	3	16	10	11	6	2	1	4	—	5
35—	M	10	35	23	15	45	18	46	16	7	15	15	14	4	—	1	11	—	2
	F	9	32	13	27	35	24	28	20	8	16	2	15	6	—	1	4	—	4
40—	M	11	45	19	19	52	23	37	31	6	24	16	15	11	1	1	1	—	3
	F	13	46	16	27	52	28	44	21	7	14	8	9	4	—	1	5	—	7
45—	M	15	53	19	29	65	30	37	27	11	23	10	17	9	1	—	3	—	4
	F	11	41	14	22	49	28	55	22	9	17	8	12	7	1	2	2	—	2
50—	M	19	64	26	39	75	24	68	38	16	27	18	13	19	3	—	5	1	7
	F	22	58	16	29	66	33	43	41	12	26	14	25	9	2	1	6	2	5
55—	M	36	79	28	33	92	44	56	40	14	39	18	11	12	5	3	7	2	7
	F	19	76	33	32	55	50	66	28	9	35	12	24	15	6	1	5	—	7
60—	M	27	115	42	63	109	50	76	43	24	42	20	25	16	4	6	9	1	5
	F	22	86	35	44	95	55	71	43	16	37	17	25	11	3	2	6	1	7
65—	M	40	135	43	82	113	82	79	71	21	67	26	23	19	5	2	4	—	9
	F	35	120	36	61	92	61	89	78	16	54	20	29	18	4	2	8	1	10
70—	M	50	187	32	101	106	65	75	87	31	73	16	36	18	4	1	18	2	19
	F	38	162	36	73	115	74	89	79	31	78	26	59	24	4	3	11	3	17
75—	M	33	214	44	85	88	73	82	72	36	70	20	26	12	12	2	11	1	13
	F	45	185	39	82	95	58	78	59	27	72	22	49	19	6	1	10	—	13
80—	M	33	157	27	71	42	44	36	56	12	57	14	27	8	6	—	12	—	9
	F	43	165	34	72	49	46	49	57	21	54	16	26	22	7	2	5	1	8
85—	M	32	145	26	44	26	32	24	49	14	33	15	12	10	3	2	6	1	5
	F	30	162	23	53	39	38	43	41	26	66	23	32	11	4	—	8	—	8

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES—1911—*continued.*

Age.	Sex.	Shropshire.		Somerset-shire.		South-ampton.		Stafford-shire.		Suffolk, East.		Suffolk, West.		Surrey.		Sussex, East.		Sussex, West.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages	M	821	937	1026	1573	1320	1419	4271	1376	512	816	293	477	2534	1221	747	685	572	578
	F	765	892	1062	1605	1143	1263	3838	1243	515	788	300	475	2476	1110	771	648	545	518
Under 1 month	M	73	78	70	98	98	92	397	125	40	56	14	24	167	74	41	43	40	29
	F	33	53	62	70	75	79	299	83	48	54	15	23	143	63	27	34	17	25
1-3 months	M	33	29	38	35	54	40	236	58	19	27	6	6	105	45	13	14	18	19
	F	16	21	21	30	43	29	160	34	19	13	9	13	64	47	18	9	14	12
3-6 months	M	27	21	25	39	61	44	248	46	21	14	9	20	96	35	19	16	13	10
	F	21	17	20	29	37	31	161	48	15	14	11	9	77	35	19	8	12	10
6-12 months	M	23	25	49	50	70	55	298	56	17	30	15	18	146	53	34	22	25	13
	F	23	22	32	41	65	46	291	56	22	20	14	15	125	56	25	18	18	13
Total under 1 year	M	156	153	182	222	283	231	1179	285	97	127	44	68	514	207	107	95	96	71
	F	93	113	135	170	220	185	911	221	104	101	49	60	409	201	89	69	61	60
1—	M	32	21	29	44	57	50	318	59	26	21	8	15	120	59	24	19	19	20
	F	36	29	16	27	58	38	265	52	16	25	17	8	107	56	20	14	22	12
2—	M	12	15	11	9	29	11	128	22	3	7	5	4	44	30	13	8	8	3
	F	9	10	10	10	18	23	126	13	3	12	3	6	49	18	13	9	6	8
3—	M	5	7	6	14	19	15	70	14	4	2	3	2	22	16	5	4	5	5
	F	9	9	4	13	11	5	69	18	3	3	2	3	28	11	6	6	5	2
4—	M	6	5	5	7	11	8	48	16	4	5	1	2	19	14	4	4	4	2
	F	7	6	6	5	5	7	41	14	2	8	1	3	15	6	4	1	5	5
Total under 5 years	M	211	201	233	296	399	315	1743	396	134	162	61	91	719	326	153	130	132	101
	F	154	167	171	225	312	258	1412	318	128	149	72	80	608	292	132	99	99	87
5—	M	15	18	11	25	27	29	104	37	8	12	5	6	57	40	6	11	11	12
	F	22	18	28	33	20	23	108	36	9	16	6	3	50	28	13	11	8	8
10—	M	13	11	17	17	15	18	46	16	5	8	2	11	23	9	9	6	4	4
	F	10	6	12	22	12	20	61	18	5	12	1	3	29	12	5	4	6	9
15—	M	14	19	25	28	27	24	75	31	8	17	4	11	54	22	17	17	14	11
	F	10	12	17	29	11	19	78	20	9	10	9	2	52	20	8	14	5	9
20—	M	13	13	22	31	56	35	75	32	11	19	11	9	56	26	11	16	11	12
	F	11	17	15	33	15	26	82	31	7	16	5	5	28	20	11	10	6	13
25—	M	20	20	26	34	57	33	82	46	20	26	8	8	72	24	21	14	15	9
	F	21	22	16	25	29	34	90	29	13	21	7	12	51	21	14	21	7	12
30—	M	22	22	26	28	42	42	92	36	17	18	6	10	55	33	23	10	18	9
	F	22	19	27	39	44	27	94	33	9	20	8	11	70	38	18	13	8	13
35—	M	29	22	33	37	45	37	141	42	14	19	9	13	93	45	25	15	16	19
	F	23	18	29	33	37	39	121	47	18	18	11	15	83	33	20	18	9	12
40—	M	25	33	34	47	58	42	139	42	12	24	13	10	106	39	19	27	24	18
	F	26	24	35	43	36	26	123	33	19	9	5	10	78	37	27	19	16	14
45—	M	31	42	35	57	50	53	164	36	18	21	14	14	98	47	43	28	20	26
	F	20	24	52	55	47	41	142	44	14	27	7	18	98	50	40	27	25	21
50—	M	31	44	51	85	54	66	183	74	31	32	14	21	132	77	36	29	25	35
	F	28	30	43	82	54	47	126	47	20	20	15	20	109	44	33	30	27	20
55—	M	46	53	46	97	53	63	208	61	28	39	16	30	148	55	48	26	38	27
	F	35	50	41	65	55	58	177	63	24	40	13	25	116	43	55	40	29	22
60—	M	65	58	78	125	81	94	266	83	26	49	22	33	167	90	44	50	27	34
	F	56	57	68	118	57	82	215	73	33	52	13	23	150	66	53	33	30	25
65—	M	80	73	85	130	81	133	280	111	39	55	27	37	201	83	77	66	65	61
	F	65	82	101	123	84	107	198	92	39	73	29	38	174	87	73	64	53	40
70—	M	72	106	111	177	94	122	277	93	46	84	32	44	197	111	58	72	46	48
	F	78	105	114	178	98	121	302	124	46	67	25	61	235	96	83	75	64	57
75—	M	68	94	87	142	83	121	206	108	38	97	24	45	156	84	64	78	48	63
	F	80	91	126	182	96	113	268	105	43	86	30	55	211	88	73	70	66	50
80—	M	37	68	67	124	57	107	140	89	31	80	13	47	121	58	54	44	31	43
	F	68	94	88	158	73	119	164	83	35	83	21	44	178	71	66	51	45	59
85—	M	29	40	39	93	41	85	50	43	26	54	12	37	79	52	39	46	27	46
	F	36	56	79	162	63	103	77	47	44	69	23	50	156	64	47	49	42	47

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES—1911—*continued*.

Age.	Sex.	Warwick-shire.		Westmor-land.		Wight, Isle of.		Wiltshire.		Worcester-shire.		Yorkshire, East Riding.		Yorkshire, North Riding.		Yorkshire, West Riding.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages	M	1490	1122	180	242	391	188	805	1084	1483	1239	429	665	1595	927	9743	2913
	F	1499	983	177	228	405	178	736	967	1483	1072	425	581	1437	813	9332	2574
Under 1 month	M	118	87	15	17	21	8	59	80	119	83	21	43	131	49	775	243
	F	92	50	5	12	10	7	50	44	93	63	22	46	93	37	581	174
1-3 months	M	82	49	3	10	10	5	25	31	74	45	17	30	74	30	430	145
	F	60	24	2	4	7	1	16	20	46	27	18	15	47	22	371	121
3-6 months	M	70	43	6	4	8	2	22	20	70	35	20	21	76	26	464	151
	F	61	32	2	4	5	1	19	13	70	28	17	18	59	19	408	111
6-12 months	M	119	60	5	6	14	2	27	34	101	58	20	31	127	36	724	237
	F	88	41	5	4	13	2	24	23	83	29	22	32	98	20	603	176
Total under 1 year	M	389	239	29	37	53	17	133	165	364	221	78	125	408	141	2393	776
	F	301	147	14	24	35	11	109	100	292	147	79	111	297	98	1963	582
1—	M	70	66	3	9	17	6	26	25	87	58	12	19	139	20	692	224
	F	74	48	2	1	8	2	15	26	104	61	9	17	134	25	646	187
2—	M	26	24	5	2	8	1	11	8	35	27	4	10	55	12	227	82
	F	27	22	—	4	4	—	10	7	28	20	—	4	41	5	234	61
3—	M	19	18	2	—	7	3	5	10	22	6	1	7	32	13	136	33
	F	25	15	2	1	2	2	5	2	19	7	5	7	22	5	143	43
4—	M	17	4	2	5	2	—	7	7	18	10	2	4	9	8	88	28
	F	16	8	—	—	2	1	2	9	12	9	1	5	16	1	101	25
Total under 5 years	M	521	351	41	53	87	27	182	215	526	322	97	165	643	194	3536	1143
	F	443	240	18	30	51	16	141	144	455	244	94	144	510	134	3087	898
5—	M	29	32	5	8	7	4	15	23	30	34	7	14	39	18	233	61
	F	30	28	4	6	5	4	15	17	40	22	16	17	60	15	236	66
10—	M	14	16	1	1	1	2	8	12	19	20	5	5	14	13	138	36
	F	15	18	2	3	2	5	4	15	29	16	5	8	14	14	150	40
15—	M	24	18	1	2	4	3	17	18	24	26	4	17	33	19	201	58
	F	21	14	5	3	3	3	19	15	28	21	10	12	26	17	158	36
20—	M	36	22	7	4	7	3	19	18	24	22	7	11	32	20	200	63
	F	32	19	2	1	5	2	12	20	23	21	7	13	31	20	189	57
25—	M	29	25	5	6	10	5	19	31	34	26	9	20	35	21	226	72
	F	32	17	6	8	7	4	14	26	36	22	8	17	29	27	209	61
30—	M	47	23	5	3	9	7	26	28	23	32	10	12	49	18	256	81
	F	43	23	2	9	10	6	15	17	35	32	13	11	44	26	263	76
35—	M	46	31	8	4	13	7	33	26	36	31	4	15	37	26	277	98
	F	41	35	1	7	10	7	18	24	40	33	15	14	45	18	278	89
40—	M	58	37	7	6	14	11	24	23	46	38	18	18	44	24	304	95
	F	43	26	7	6	18	7	27	28	50	35	10	21	49	28	285	82
45—	M	48	30	5	7	20	5	47	38	59	50	17	22	64	43	397	87
	F	56	32	6	8	17	8	38	24	57	35	15	18	48	30	346	82
50—	M	82	46	9	11	18	8	41	32	90	49	21	18	53	35	493	95
	F	61	34	6	12	18	5	30	36	54	51	18	22	45	39	371	79
55—	M	75	47	7	12	21	12	45	56	73	60	30	25	86	44	562	136
	F	90	39	16	11	32	6	29	52	75	60	21	35	67	46	518	113
60—	M	93	46	20	13	30	10	60	75	83	80	35	40	88	49	692	140
	F	91	56	10	17	29	15	51	64	93	63	31	36	73	50	591	152
65—	M	98	78	15	23	38	14	82	98	95	94	34	59	98	80	696	210
	F	111	63	22	16	37	18	59	92	89	87	28	42	71	69	668	169
70—	M	96	113	14	27	29	28	58	108	118	126	40	52	97	105	665	176
	F	128	89	24	25	48	18	84	93	121	102	42	40	115	75	779	190
75—	M	97	93	8	34	39	15	69	131	92	129	35	78	88	98	495	165
	F	110	102	21	19	47	29	69	132	123	91	38	44	91	87	602	178
80—	M	61	72	13	14	26	18	37	91	65	53	32	53	55	81	262	126
	F	86	74	17	32	40	14	68	92	81	72	30	49	66	65	401	132
85—	M	36	42	9	14	18	9	23	61	46	47	24	41	40	39	110	71
	F	66	74	8	15	26	11	43	76	54	65	24	38	53	53	201	74

International List Nos.	Causes of Death.		AGES AT DEATH.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
	All Causes	... { M F	272,512 255,298	20,525 15,292	12,382 9,434	12,728 10,287	18,239 15,713	63,874 50,726	16,326 15,069	5,822 5,733	3,449 3,370	2,386 2,315
1	Enteric fever	... { M F	1,419 997	— —	1 1	— —	2 1	3 2	5 2	8 7	10 11	8 11
2	Typhus	... { M F	4 6	— —	— —	— —	— —	— —	— —	— —	— —	— —
3	Relapsing fever	... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Relapsing fever	... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Mediterranean fever	... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
4	Malaria	... { M F	52 6	— —	— —	— —	— —	— —	— —	— —	— —	— —
5	Small-pox	... { M F	13 10	— —	1 —	— —	— —	1 —	— —	— 1	— 1	1 1
6	Measles	... { M F	6,861 6,267	14 8	25 26	98 73	1,390 1,151	1,527 1,258	2,809 2,501	1,122 1,067	546 607	321 310
7	Scarlet fever	... { M F	940 952	— —	2 2	11 5	29 23	42 30	86 89	137 135	137 148	116 131
8	Whooping cough	... { M F	3,412 4,432	38 55	299 355	407 451	932 1,113	1,676 1,974	1,023 1,378	331 528	173 261	104 137
9	Diphtheria, Croup	... { M F	2,482 2,510	4 5	12 8	12 6	100 85	128 104	320 229	308 280	349 352	349 375
	A. Diphtheria	... { M F	2,429 2,469	4 5	12 7	11 5	92 82	119 99	309 223	297 272	345 344	341 373
	B. Membranous laryngitis.	... { M F	10 9	— —	— 1	1 1	2 1	3 3	— 2	— 1	1 —	2 —
	C. Croup	... { M F	43 32	— —	— —	— —	6 2	6 2	11 4	11 7	3 8	6 2
10	Influenza	... { M F	2,231 2,112	20 10	35 11	26 22	39 35	120 78	50 34	24 15	20 12	19 9
11	Miliary fever	... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
12	Asiatic cholera	... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
13	Cholera nostras	... { M F	81 40	1 —	4 —	5 1	9 8	19 9	3 5	— —	— —	— —
14	Dysentery	... { M F	136 164	— —	— 1	9 3	3 10	12 14	4 3	1 —	2 1	— 2
15	Plague	... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
16	Yellow fever	... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
17	Leprosy	... { M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
18	Erysipelas	... { M F	486 493	17 13	28 27	10 16	8 17	63 73	6 7	1 4	6 4	— 1

AT DIFFERENT AGE-PERIODS, 1911.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
91,857 77,213	6,411 6,257	3,574 3,636	5,038 4,594	5,802 5,382	6,504 6,078	7,623 6,868	8,994 8,001	9,989 8,608	11,596 9,878	13,407 11,072	14,971 12,832	17,255 15,091	19,106 17,444	19,209 21,179	15,287 18,203	9,724 13,334	6,165 9,633	
34 33	52 70	85 95	162 134	188 129	221 109	178 89	147 87	100 63	84 55	71 46	37 35	38 20	12 19	7 8	— 3	3 1	— 1	1
— —	— —	— —	1 —	— —	— 2	1 2	— 1	— —	1 —	— —	1 —	— 1	— —	— —	— —	— —	— —	2
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	3
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	A
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	B
— —	— —	— —	— 1	6 —	7 —	9 —	6 —	5 1	4 —	2 —	3 —	3 1	2 —	2 2	3 1	— —	— —	4
2 3	3 —	— —	— —	— 1	1 1	2 —	1 —	— 2	— 1	2 2	1 —	— —	1 —	— —	— —	— —	— —	5
6,325 5,743	479 447	24 27	16 8	2 9	5 10	4 9	— 1	4 3	1 4	— 1	— 2	— 1	— 1	1 —	— —	— 1	— —	6
518 533	292 272	67 79	29 15	8 14	9 15	9 9	5 8	1 6	1 1	1 —	— —	— —	— —	— —	— —	— —	— —	7
3,307 4,278	99 147	2 3	1 2	1 —	— —	— —	— —	— —	— —	1 —	— —	1 —	— 2	— —	— —	— —	— —	8
1,454 1,340 1,411 1,311	806 958 796 946	139 122 139 122	31 28 31 28	9 13 9 13	6 10 6 10	8 9 8 9	8 5 8 5	8 4 8 4	4 5 4 5	1 2 1 2	1 6 1 6	1 6 1 6	3 1 3 1	2 1 2 1	— — — —	— — — —	1 — 1 —	9
6 6 37 23	4 3 6 9	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	A
— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	B
— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	C
233 148	37 33	31 30	52 33	75 35	75 55	99 79	107 97	134 86	145 110	164 126	179 157	181 209	202 213	210 259	160 212	83 138	64 92	10
— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	11
— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	12
22 14	— —	— 1	— —	— —	1 1	1 2	4 2	1 1	7 —	9 2	7 1	7 3	6 4	10 2	4 3	2 2	— 2	13
19 20	1 1	— —	1 2	5 4	8 6	6 10	10 10	9 10	12 8	7 11	14 22	12 12	13 15	6 12	8 11	3 9	2 1	14
— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	15
— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	16
— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	17
76 89	4 4	8 4	11 7	13 6	12 10	8 11	24 23	24 22	42 25	37 33	40 38	35 38	53 52	41 57	32 28	20 28	6 18	18

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
19	Other epidemic diseases {	M 77	1	6	8	15	30	16	8	5	1
		F 73	—	3	7	16	26	15	7	5	2
	A. Mumps ... {	M 23	—	1	—	—	1	2	4	2	1
		F 26	—	1	1	1	3	6	3	1	2
	B. German measles ... {	M 11	—	—	1	2	3	2	3	2	—
		F 10	—	—	—	2	2	2	1	1	—
	C. Varicella ... {	M 43	1	5	7	13	26	12	1	1	—
		F 37	—	2	6	13	21	7	3	3	—
	D. Other diseases included under 19. {	M —	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—
20	Pyæmia, Septicæmia ... {	M 413	17	14	10	13	54	12	4	3	3
		F 205	6	10	7	6	29	4	3	3	3
	A. Pyæmia ... {	M 82	2	5	3	4	14	4	1	2	—
		F 34	1	4	3	2	10	—	—	—	1
	B. Septicæmia ... {	M 326	15	8	5	8	36	7	3	1	3
		F 170	5	5	4	4	18	4	3	3	2
	C. Vaccinia ... {	M 5	—	1	2	1	4	1	—	—	—
		F 1	—	1	—	—	1	—	—	—	—
	Glanders ... {	M 3	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—
22	Anthrax (Splenic fever) {	M 12	—	—	—	—	—	—	—	—	—
		F 3	—	—	—	—	—	—	—	—	—
23	Rabies ... {	M 1	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—
24	Tetanus ... {	M 158	20	1	—	—	21	1	2	2	—
		F 45	10	1	—	—	11	—	—	3	1
25	Mycoses ... {	M 29	—	—	—	—	—	—	—	—	—
		F 12	—	—	—	—	—	—	—	—	—
	A. Actinomycosis ... {	M 23	—	—	—	—	—	—	—	—	—
		F 10	—	—	—	—	—	—	—	—	—
	B. Other mycoses ... {	M 6	—	—	—	—	—	—	—	—	—
		F 2	—	—	—	—	—	—	—	—	—
26	Pellagra ... {	M —	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—
27	Beri-beri ... {	M 5	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—
28	Pulmonary tuberculosis (not acute). {	M 20,269	4	8	36	92	140	153	94	54	42
		F 15,593	3	6	20	103	132	150	78	53	65
	A. Pulmonary tuberculosis. {	M 12,023	3	6	26	78	113	120	84	43	27
		F 8,707	1	3	13	89	106	122	58	44	50
	B. Phthisis (not defined as tuberculous). {	M 8,246	1	2	10	14	27	33	10	11	15
		F 6,886	2	3	7	14	26	28	20	9	15
	Acute phthisis, Acute miliary tuberculosis. {	M 1,716	1	10	16	49	76	78	47	31	21
		F 1,654	—	2	16	46	64	77	34	38	21
29	A. Acute phthisis ... {	M 1,325	1	2	3	14	20	24	18	17	6
		F 1,235	—	—	4	10	14	29	8	14	10
	B. Acute miliary tuberculosis. {	M 391	—	8	13	35	56	54	29	14	15
		F 419	—	2	12	36	50	48	26	24	11
30	Tuberculous meningitis {	M 2,705	6	42	160	392	600	529	308	201	164
		F 2,540	4	34	121	332	491	462	274	181	137

AT DIFFERENT AGE-PERIODS, 1911—continued.

AGES AT DEATH:																		International List Nos.
Total under 5 years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
60 55	11 12	1 1	1 —	1 —	— —	1 —	— 1	— 2	— 1	— —	1 1	— —	— —	— —	— —	1 —	— —	19
10 15	9 6	1 1	— —	— —	— —	1 —	— 1	— 2	— 1	— —	1 —	— —	— —	— —	— —	1 —	— —	
10 6	— 3	— —	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	A
40 34	2 3	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	B
76 42	25 9	19 8	19 10	12 8	22 12	23 14	24 19	32 14	24 14	37 10	31 13	29 9	21 9	10 6	7 4	2 3	— 1	
21 11	8 2	3 2	4 3	2 1	6 3	2 2	5 2	7 2	2 1	7 1	7 1	5 2	1 —	2 —	— —	— —	— 1	20
50 30	17 7	16 6	15 7	10 7	16 9	21 12	19 17	25 12	22 13	30 9	24 12	24 7	20 9	8 6	7 4	2 3	— —	
5 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	C
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	1 —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	21
— —	— —	— —	1 —	1 1	1 1	1 1	— —	2 —	1 —	2 —	2 —	— —	1 —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	22
26 15	8 5	11 1	9 2	7 3	9 1	19 5	11 3	16 2	8 —	10 2	7 2	8 1	5 1	2 —	1 2	1 —	— —	
— —	— —	— 2	1 1	— —	6 1	2 —	2 3	3 1	2 —	5 —	— 1	2 1	2 —	2 1	2 1	— —	— —	23
— —	— —	— 2	1 1	— —	5 1	2 —	2 3	3 1	2 —	4 —	— 1	1 —	2 —	— —	1 1	— —	— —	
— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	1 —	— —	1 1	— —	2 1	1 —	— —	— —	24
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	1 —	1 —	2 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	25
483 478	213 277	266 633	1133 1505	1948 1867	2,173 2,001	2,439 1,907	2,443 1,794	2,243 1,453	1,952 1,135	1,768 805	1,302 617	965 500	578 356	261 173	70 68	27 21	5 3	
387 380	146 173	174 372	656 836	1116 1001	1,263 1,090	1,415 1,037	1,479 975	1,350 823	1,143 596	1,009 447	762 336	574 274	329 211	158 103	43 36	15 16	4 1	26
96 98	67 104	92 261	477 669	332 866	910 911	1,024 870	964 819	893 630	809 539	759 358	540 281	391 226	249 145	103 70	27 32	12 5	1 2	
253 234	79 119	64 126	170 214	169 205	172 191	164 151	175 147	152 90	114 74	81 43	58 24	40 21	14 9	6 6	3 —	1 —	1 —	27
85 75	41 59	32 83	140 176	152 179	146 169	148 129	154 130	139 83	104 65	77 36	50 21	34 18	13 6	5 6	3 —	1 —	1 —	
168 159	38 60	32 43	30 38	17 26	26 22	16 22	21 17	13 7	10 9	4 7	8 3	6 3	1 3	1 —	— —	— —	— —	28
1,802 1,545	426 463	174 198	111 136	56 72	29 32	31 30	21 13	20 13	13 19	10 3	8 11	3 1	1 4	— —	— —	— —	— —	

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
31	Tuberculosis of peri- toneum and intestines. {	M 2,139	11	125	252	350	738	423	179	96	54
		F 2,014	4	92	197	282	575	344	148	83	58
	A. Tabes mesenterica {	M 421	1	46	75	100	222	109	31	12	13
		F 368	—	29	63	93	185	83	30	13	9
	B. Other peritoneal and intestinal tubercle {	M 1,718	10	79	177	250	516	314	148	84	41
		F 1,646	4	63	134	189	390	261	118	72	49
32	Tuberculosis of spinal column. {	M 355	—	—	1	3	4	8	7	4	4
		F 310	—	2	—	—	2	2	9	8	4
33	Tuberculosis of joints ... {	M 223	1	2	1	4	8	2	2	3	3
		F 173	—	1	1	—	2	5	4	—	2
34	Tuberculosis of other organs. {	M 337	1	8	7	16	32	20	3	5	4
		F 342	—	2	8	13	23	15	5	5	2
	A. Lupus ... {	M 13	—	—	—	—	—	—	—	—	—
		F 43	—	—	—	—	—	—	—	—	—
	B. Scrofula ... {	M 5	—	—	—	—	—	3	—	—	—
		F 8	—	—	4	1	5	1	—	1	—
	C. Other tuberculosis included under 34. {	M 319	1	8	7	16	32	17	3	5	4
		F 291	—	2	4	12	18	14	5	4	2
35	Disseminated tuberculosis {	M 1,483	3	32	80	150	265	209	102	58	34
		F 1,267	3	24	63	111	201	163	87	37	29
28-35	Tuberculosis (all forms) {	M 29,227	27	227	553	1,056	1,863	1,422	742	452	326
		F 23,893	14	163	426	887	1,490	1,218	639	407	318
36	Rickets, Softening of bones. {	M 559	2	9	42	156	209	233	62	22	6
		F 474	2	8	21	106	137	195	56	30	6
	A. Rickets ... {	M 543	2	9	42	156	209	233	62	21	6
		F 439	2	8	21	106	137	194	56	30	6
	B. Other forms of bone softening. {	M 16	—	—	—	—	—	—	—	1	—
		F 35	—	—	—	—	—	1	—	—	—
37	Syphilis ... {	M 1,057	195	249	115	70	629	37	8	3	1
		F 799	148	176	117	70	511	37	8	2	3
38	Other venereal diseases... {	M 27	8	5	3	2	18	—	—	—	—
		F 39	6	7	3	1	17	—	1	—	—
	A. Soft chancre ... {	M 1	—	—	—	—	—	—	—	—	—
		F 1	—	—	—	—	—	—	—	—	—
	B. Gonococcus infec- tion. {	M 8	—	—	—	—	—	—	—	—	—
		F 22	2	—	—	—	2	—	—	—	—
	C. Purulent ophthal- mia. {	M 18	8	5	3	2	18	—	—	—	—
		F 16	4	7	3	1	15	—	1	—	—
39	Cancer of the buccal cavity. {	M 1,970	—	—	—	—	—	—	2	—	—
		F 319	—	—	—	1	1	—	—	—	—
40	Cancer of the stomach, liver, &c. {	M 6,301	—	—	—	2	2	—	—	—	4
		F 5,941	—	—	1	1	2	—	—	—	1
41	Cancer of the peritoneum, intestines and rectum. {	M 3,166	—	—	—	—	—	2	—	2	1
		F 3,655	—	—	—	—	—	—	1	—	—
42	Cancer of the female genital organs. {	M —	—	—	—	—	—	—	—	—	—
		F 4,534	—	—	—	—	—	—	—	—	—
43	Cancer of the breast ... {	M 22	—	—	—	—	—	—	—	—	—
		F 3,427	—	—	—	—	—	—	—	—	—
44	Cancer of the skin ... {	M 603	—	—	1	—	1	—	—	—	—
		F 328	—	—	—	—	—	—	—	1	—
45	Cancer of other or un- specified organs. {	M 3,527	—	3	4	3	10	8	14	10	8
		F 2,109	1	—	3	2	6	12	9	11	6

AT DIFFERENT AGE-PERIODS, 1911—continued.

Total under 5 years.	AGES AT DEATH.																	International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
1,490	185	91	70	52	36	38	35	34	34	27	20	11	11	4	1	—	—	31
1,210	184	119	100	74	48	79	40	37	30	31	26	14	13	7	—	1	1	
387	16	5	4	3	—	2	1	—	1	—	2	—	—	—	—	—	—	A
320	29	8	3	4	—	2	—	1	1	—	—	—	—	—	—	—	—	
1,103	169	86	66	49	36	36	34	34	33	27	18	11	11	4	1	—	—	B
890	155	111	97	70	48	77	40	36	29	31	26	14	13	7	—	1	1	
27	42	35	46	33	34	24	21	24	14	21	12	9	9	2	2	—	—	32
25	24	26	35	23	28	17	20	15	13	20	20	15	13	10	5	1	—	
18	19	24	30	28	14	8	7	16	11	9	7	7	11	8	5	1	—	33
13	13	26	16	11	15	6	7	6	10	8	10	9	8	8	—	3	4	
64	15	14	18	19	17	23	27	17	20	20	19	25	18	12	5	3	1	34
50	13	13	17	13	35	22	32	23	15	15	21	21	16	16	8	10	2	
—	—	1	—	—	1	1	—	1	1	—	1	3	1	1	1	1	—	A
—	—	1	—	1	1	4	2	2	2	5	5	3	5	4	3	4	1	
3	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	B
7	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
61	15	13	17	19	16	22	27	16	19	19	18	22	17	11	4	2	1	C
43	13	12	17	12	34	18	30	21	13	10	16	17	11	12	5	6	1	
668	144	112	94	76	75	56	52	44	46	37	30	21	18	7	2	1	—	35
517	145	112	89	60	68	62	47	34	32	31	22	23	11	7	4	3	—	
4,805	1,123	780	1672	2381	2,550	2,783	2,781	2,550	2,204	1,973	1,456	1,081	660	300	88	33	7	28-35
4,072	1,238	1253	2112	2325	2,418	2,274	2,100	1,671	1,328	956	751	604	430	227	85	39	10	
532	10	—	5	1	1	1	2	3	—	1	1	1	1	—	—	—	—	36
424	11	3	2	4	1	2	1	4	3	2	4	2	3	2	5	1	—	
531	10	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
423	11	2	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	3	1	1	1	2	3	—	1	1	1	1	—	—	—	—	B
1	—	1	2	3	—	1	1	4	3	2	4	2	3	2	5	1	—	
678	3	3	4	13	32	39	36	56	46	42	41	21	24	11	5	3	—	37
561	4	5	8	9	18	20	27	24	38	25	29	13	9	6	3	—	—	
18	—	—	—	—	—	2	3	—	2	1	1	—	—	—	—	—	—	38
18	1	—	—	4	4	3	6	1	1	1	—	—	—	—	—	—	—	
—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	A
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
—	—	—	—	—	—	1	3	—	2	1	1	—	—	—	—	—	—	B
2	1	—	—	4	4	3	6	1	1	—	—	—	—	—	—	—	—	
18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	2	2	2	5	3	13	27	75	166	248	321	319	296	247	149	64	29	39
1	3	1	—	3	3	10	16	18	27	20	35	40	49	41	33	8	11	
6	4	4	4	13	23	51	119	247	508	736	910	1,065	1,086	849	453	174	49	40
3	5	—	1	6	18	75	140	225	398	560	775	926	992	929	558	238	92	
5	3	1	7	18	26	45	68	108	186	299	402	531	553	475	293	112	34	41
1	4	—	6	17	27	64	99	161	240	331	448	503	560	583	370	173	68	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	42
—	2	1	7	12	38	122	249	471	606	665	611	581	501	342	191	100	35	
—	—	—	—	—	—	—	—	—	1	4	3	3	3	2	3	1	2	43
—	—	—	1	3	8	50	173	295	452	406	459	394	366	365	254	129	72	
1	—	3	—	2	3	5	13	23	34	52	71	77	73	84	83	52	27	44
1	—	—	—	3	2	1	4	7	19	13	36	28	31	62	56	42	23	
50	42	29	47	57	69	79	119	179	283	384	421	504	534	400	226	77	27	45
44	20	20	31	29	34	53	87	135	175	209	247	281	246	237	160	68	33	

ENGLAND AND WALES.—CAUSES OF DEATH

[illegible]

International List Nos.	Causes of Death,		AGES AT DEATH.									
			All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-	2-	3-	4-
58	Other chronic occupa- tional poisonings.	{ M F	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
59	Other chronic poisonings	{ M F	6 7	— —	— —	— —	— —	— —	— —	— —	— —	— —
60	Encephalitis	{ M F	200 164	2 1	4 3	1 2	10 1	17 7	4 6	2 7	— 6	2 5
61	Meningitis	{ M F	2,814 2,373	37 20	111 68	250 185	460 387	858 660	494 391	192 190	161 123	92 106
	A. Cerebro-spinal fever	{ M F	81 53	— 1	1 1	4 3	4 2	9 7	12 2	4 2	4 4	1 3
	B. Posterior basal men- ingitis.	{ M F	149 119	1 1	10 4	18 19	44 32	73 56	34 23	7 10	7 5	1 2
	C. Meningitis — other forms.	{ M F	2,584 2,201	36 18	100 63	228 163	412 353	776 597	448 366	181 178	150 114	90 101
62	Locomotor ataxy... ..	{ M F	530 105	— —	— —	— —	— —	— —	— —	— —	— —	— —
63	Other diseases of the spinal cord.	{ M F	1,526 1,187	2 3	3 —	1 3	10 7	16 13	14 17	20 13	12 11	7 12
	A. Diseases formerly classified to "Other nervous affectns."	{ M F	501 401	— —	— —	— 1	— 1	— 2	— 1	— 1	— —	1 —
	B. Other diseases in- cluded under 63.	{ M F	1,025 786	2 3	3 —	1 2	10 6	16 11	14 16	20 12	12 11	6 12
64	Cerebral hæmorrhage, Apoplexy.	{ M F	10,144 12,276	4 8	3 1	4 5	12 4	23 18	9 9	7 7	1 4	3 3
	A. Apoplexy	{ M F	2,586 3,106	— 2	— —	— 1	1 —	1 3	— —	— —	— 1	— —
	B. Serous apoplexy and Edema of brain.	{ M F	50 92	2 1	— —	— 1	1 1	3 3	— —	— —	1 1	— —
	C. Cerebral congestion	{ M F	71 77	2 5	3 1	1 3	8 2	14 11	5 5	3 5	— 2	1 —
	D. Cerebral atheroma	{ M F	111 112	— —	— —	— —	— —	— —	— —	— —	— —	— —
	E. Cerebral hæmorr- hage.	{ M F	7,326 8,889	— —	— —	3 —	2 1	5 1	4 4	4 2	— —	2 3
65	Softening of brain ...	{ M F	954 971	— —	— —	— —	— —	— —	1 —	— —	— —	— —
66	Paralysis without speci- fied cause.	{ M F	1,381 1,744	— 1	1 —	1 —	1 1	3 2	2 2	3 1	1 —	3 1
	A. Hemiplegia	{ M F	1,095 1,490	— —	— —	— —	1 1	1 1	1 2	3 1	1 —	2 1
	B. Paraplegia	{ M F	99 83	— —	— —	— —	— —	— —	1 —	— —	— —	— —
	C. Other forms of par- alysis.	{ M F	187 171	— 1	1 —	1 —	— —	2 1	— —	— —	— —	1 —
67	General paralysis of the insane.	{ M F	1,763 438	— —	— —	— —	— —	— —	— —	— —	— —	— —
68	Other forms of mental alienation.	{ M F	580 809	— —	— —	— —	— —	— —	— —	— —	— —	— —

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
69	Epilepsy ... { M F	1,394 1,217	7 6	4 3	9 3	9 7	29 19	12 16	6 11	10 13	6 1
70	Convulsions (non-puer- peral; 5 years and over). { M F	62 56	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Epileptiform con- vulsions. { M F	23 14	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Others included under 70. { M F	39 42	— —	— —	— —	— —	— —	— —	— —	— —	— —
71	Infantile convulsions (under 5 years of age). { M F	5,772 4,376	1,867 1,162	1,133 846	925 704	1,026 867	4,951 3,579	629 558	117 170	52 44	23 25
	A. Convulsions with teething. { M F	730 648	1 —	6 2	74 57	372 327	453 386	259 233	17 27	1 2	— —
	B. Other infantile con- vulsions. { M F	5,042 3,728	1,866 1,162	1,127 844	851 647	654 540	4,498 3,193	370 325	100 143	51 42	23 25
72	Chorea ... { M F	37 92	— —	— —	— —	1 —	1 —	— —	— —	1 1	1 —
73	Hysteria, Neuralgia, Neuritis. { M F	160 398	— —	— —	1 —	— —	1 —	— 1	— —	1 —	— —
	A. Hysteria, Neuralgia, Sciatica. { M F	19 38	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Neuritis ... { M F	141 360	— —	— —	1 —	— —	1 —	— 1	— —	1 —	— —
74	Other diseases of the nervous system. { M F	960 1,018	6 4	4 3	4 6	13 13	27 26	19 21	12 16	11 10	4 12
	A. Idiocy, Imbecility { M F	113 132	— 2	— —	1 —	2 3	3 5	5 6	3 8	4 2	3 5
	B. Cretinism ... { M F	17 39	1 —	— 1	1 2	2 2	4 5	2 3	2 2	1 2	— 2
	C. Cerebral tumour ... { M F	360 318	— —	— 1	— —	3 2	3 3	3 —	1 1	2 4	1 3
	D. Other diseases in- cluded under 74. { M F	470 529	5 2	4 1	2 4	6 6	17 13	9 12	6 5	4 2	— 2
75	Diseases of the eyes and annexa. { M F	30 31	— —	1 2	— 1	— —	1 3	3 1	3 1	1 —	— —
76	Diseases of the ears ... { M F	601 519	1 1	5 12	21 22	57 45	84 80	51 44	22 24	25 19	23 12
	A. Mastoid disease ... { M F	169 138	1 —	1 1	8 5	20 12	30 18	14 9	5 8	9 4	9 3
	B. Other diseases of the ears. { M F	432 381	— 1	4 11	13 17	37 33	54 62	37 35	17 16	16 15	14 9
77	Pericarditis ... { M F	309 235	4 2	2 2	1 2	2 3	9 9	16 11	11 4	3 3	5 2
78	Acute endocarditis ... { M F	696 823	— —	1 2	5 1	1 1	7 4	4 1	4 4	3 5	4 13
	A. Acute myocarditis { M F	80 82	— —	— —	— —	— —	— —	— —	— —	— 1	— 1
	B. Infective endocar- ditis. { M F	267 323	— —	— —	2 —	— —	2 —	1 —	— —	1 2	2 5
	C. Other acute endo- carditis. { M F	349 418	— —	1 2	3 1	1 1	5 4	3 1	4 4	2 2	2 7

AT DIFFERENT AGE-PERIODS, 1911—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
63 60	52 32	71 62	106 64	112 86	123 94	107 100	122 113	84 92	88 100	88 71	89 71	74 79	85 67	60 59	44 43	22 15	4 9	}	69
— —	28 33	11 3	2 —	2 —	1 3	1 1	2 —	2 —	3 2	1 1	1 1	1 3	1 —	1 2	1 5	2 2	2 —		
— — —	3 — 25 33	— 1 11 2	1 — 1 —	2 — — —	1 1 — 2	1 — — 1	2 — — —	1 — 1 —	3 1 — 1	— 1 1 —	1 1 2 —	1 2 — 1	1 — — —	1 1 — 1	1 4 — 1	2 2 — —	2 — — —	}	A B
5,772 4,376	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
730 648 5,042 3,728	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	}	A B
3 1	13 21	10 18	3 21	— 9	— 3	1 1	— 1	— 4	— 1	2 —	— —	2 1	— 4	1 3	1 2	— 2	1 —		
2 1	— —	1 1	— 5	2 4	1 6	5 24	13 35	16 68	23 59	28 45	11 44	27 36	14 24	8 22	5 13	3 9	1 2	}	73
— — 2 1	— — — —	— — 1 1	— — — 3	— 2 2 1	— 2 1 4	— 1 5 23	— 1 13 34	— 1 16 67	2 5 21 54	2 1 26 44	1 2 10 42	5 3 22 33	2 4 12 20	2 5 6 17	1 4 3 9	3 3 4 6	1 1 — 1		
73 85	53 45	34 29	31 36	32 34	46 36	53 38	61 59	67 76	80 86	68 76	83 76	81 70	75 104	61 65	37 59	21 29	4 15	}	74
18 26 9 14 10 11 36 34	10 16 2 8 30 18 11 3	16 12 — 2 13 9 5 6	10 12 — 1 14 14 7 9	14 6 — 4 12 16 6 8	4 4 2 1 26 14 6	5 5 1 — 36 26 11 7	8 6 — 1 36 32 17 20	6 7 — 2 39 36 22 31	6 6 1 1 44 39 29 40	3 4 1 — 32 35 32 37	8 8 1 2 26 13 48 53	2 5 — 1 15 17 64 47	2 7 — 1 15 17 58 79	— 1 — — 7 6 54 58	1 6 — — 3 3 33 50	— 1 — 1 2 3 19 26	— — — — — — 4 15		
8 5	3 1	1 4	1 1	2 —	1 1	— 2	— 1	1 1	2 —	1 1	2 3	3 1	1 2	1 2	1 3	1 1	1 2	}	75
205 179	71 84	58 60	76 47	46 37	26 20	24 17	18 17	20 8	16 13	12 8	8 10	7 6	4 6	7 4	3 3	— —	— —		
67 42 138 137	20 34 51 50	17 18 41 42	16 14 60 33	12 7 34 30	5 7 21 13	10 5 14 12	3 2 15 15	6 2 14 6	3 1 13 12	1 2 11 6	4 2 4 8	1 1 6 5	— 1 4 5	3 — 4 4	1 — 2 3	— — — —	— — — —	}	A B
44 29	25 29	24 26	28 17	15 6	13 9	17 9	15 13	16 11	20 14	17 15	30 17	21 8	9 13	9 11	6 4	— 4	— —		
22 27	40 56	57 62	66 90	45 90	44 68	61 62	64 67	58 45	69 65	70 58	58 83	23 17	13 15	2 8	2 7	2 —	— 3	}	78
— 2 6 7 16 18	1 1 5 14 34 41	— — — 20 37 42	3 3 24 47 39 40	— — 27 53 18 37	2 5 24 39 18 24	1 7 37 35 23 20	9 6 34 30 21 31	12 8 19 20 11 26	14 8 20 18 35 39	13 10 15 13 42 39	19 21 15 10 24 49	3 3 12 10 8 4	3 3 5 9 5 3	— 1 1 6 1 1	— 2 2 2 1 3	— — 1 — — —	}		

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
79	Organic disease of the heart.	M 20,864	—	—	—	8	8	9	9	11	14
		F 23,975	—	—	—	11	11	10	10	18	19
	A. Valvular disease ...	M 7,971	—	—	—	3	3	1	2	4	3
		F 9,538	—	—	—	3	3	3	2	6	8
	B. Fatty degeneration of the heart.	M 1,230	—	—	—	1	1	—	—	—	—
		F 1,484	—	—	—	—	—	—	—	1	—
	C. Other organic disease of the heart.	M 11,663	—	—	—	4	4	8	7	7	11
		F 12,953	—	—	—	8	8	7	8	11	11
80	Angina pectoris ...	M 711	—	—	—	—	—	—	—	—	—
		F 349	—	—	—	—	—	—	—	—	—
81	Dis. of the arteries, Atheroma, Aneurysm, &c.	M 3,295	—	—	—	—	—	—	1	—	—
		F 1,665	—	—	—	—	—	—	—	—	—
	A. Aneurysm ...	M 935	—	—	—	—	—	—	1	—	—
		F 225	—	—	—	—	—	—	—	—	—
	B. Arterial sclerosis ...	M 2,278	—	—	—	—	—	—	—	—	—
		F 1,397	—	—	—	—	—	—	—	—	—
	C. Other diseases of arteries.	M 82	—	—	—	—	—	—	—	—	—
		F 43	—	—	—	—	—	—	—	—	—
82	Embolism and thrombosis	M 1,049	—	2	—	1	3	5	2	2	2
		F 1,675	2	—	1	1	4	2	—	—	—
	A. Cerebral embolism and thrombosis.	M 914	—	1	—	1	2	2	2	1	2
		F 1,462	—	—	1	1	2	2	—	—	—
	B. Other embolism and thrombosis.	M 135	—	1	—	—	1	3	—	1	—
		F 213	2	—	—	—	2	—	—	—	—
83	Dis. of the veins (Varices, Hæmorrhoids, Phlebitis, &c.).	M 96	—	—	—	—	—	—	—	—	—
		F 171	—	—	—	—	—	1	—	—	—
	A. Phlebitis ...	M 54	—	—	—	—	—	—	—	—	—
		F 78	—	—	—	—	—	1	—	—	—
	B. Varix ...	M 39	—	—	—	—	—	—	—	—	—
		F 89	—	—	—	—	—	—	—	—	—
	C. Pylephlebitis ...	M 3	—	—	—	—	—	—	—	—	—
		F 4	—	—	—	—	—	—	—	—	—
	D. Varicocele ...	M —	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—
84	Dis. of the lymphatic system (Lymphangitis, &c.)	M 113	2	11	20	27	60	6	5	3	1
		F 105	10	14	11	11	46	9	4	5	1
	A. Status lymphaticus	M 65	2	9	17	14	42	4	2	2	1
		F 56	9	11	10	7	37	4	—	5	—
	B. Other diseases of the lymphatic system.	M 48	—	2	3	13	18	2	3	1	—
		F 49	1	3	1	4	9	5	4	—	1
85	Hæmorrhage, other dis. of the circulatory system.	M 97	2	2	1	—	5	2	1	—	—
		F 86	2	1	—	—	3	—	—	—	1
	A. Functional disease of the heart.	M 42	—	—	—	—	—	—	—	—	—
		F 43	—	—	—	—	—	—	—	—	—
	B. Epistaxis ...	M 16	2	2	1	—	5	1	—	—	—
		F 19	2	1	—	—	3	—	—	—	—
	C. Other diseases included under 85.	M 39	—	—	—	—	—	1	1	—	—
		F 24	—	—	—	—	—	—	—	—	1
86	Diseases of the nasal fossæ.	M 35	—	2	3	3	8	2	1	—	2
		F 48	3	7	2	4	16	3	2	2	—

AT DIFFERENT AGE-PERIODS, 1911—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
51 68	162 181	245 371	367 414	278 424	342 440	454 588	746 791	946 1,094	1,205 1,364	1,619 1,780	2,050 2,165	2,868 2,821	3,278 3,314	3,015 3,627	1,977 2,567	898 1,389	363 577	} 79	
13 22	95 107	139 238	248 271	166 258	201 251	233 334	359 409	459 548	535 607	659 769	805 822	1,040 1,099	1,078 1,160	980 1,252	591 814	269 396	101 181		
1	—	—	1	1	10	11	33	51	70	120	151	195	249	169	106	45	17	} B	
1	—	1	1	7	6	18	35	58	93	149	181	250	233	214	155	60	22		
37 45	67 74	106 132	118 142	111 159	131 183	210 236	354 347	436 488	600 664	840 862	1,094 1,162	1,633 1,472	1,951 1,921	1,866 2,161	1,280 1,598	584 933	245 374	} 80	
—	—	—	—	2	1	4	12	15	51	62	109	138	133	92	66	15	11		
—	—	—	—	1	6	3	4	8	23	32	38	46	57	65	33	23	10	} 81	
1	—	—	6	4	20	52	108	142	202	250	335	403	531	491	413	215	122		
—	—	1	3	—	3	6	22	27	46	69	105	178	225	290	299	231	160	} A	
1	—	—	5	2	18	48	93	123	149	130	128	97	66	43	22	9	1		
—	—	1	2	—	2	6	17	13	22	23	24	33	35	20	13	13	1	} B	
—	—	—	—	1	1	3	11	16	48	109	198	293	455	441	379	203	120		
—	—	—	—	—	—	—	3	13	21	41	80	142	184	265	276	215	157	} C	
—	—	—	1	1	1	1	4	3	5	11	9	13	10	7	12	3	1		
—	—	—	1	—	1	—	2	1	3	5	1	3	6	5	10	3	2	} 82	
14 6	3 4	2 5	9 7	6 24	11 23	19 36	23 43	24 55	39 67	63 99	82 120	109 183	163 205	186 258	149 242	90 180	57 118		
9 4 5 2	2 3 1 1	1 5 1 —	5 4 4 3	4 18 2 6	7 13 4 10	14 21 5 15	18 31 5 12	20 38 4 17	23 51 16 16	45 78 18 21	65 105 17 15	99 160 10 23	146 182 17 23	173 239 13 19	142 235 7 7	88 165 2 15	53 110 4 8	} A	
—	—	1	—	1	4	7	6	5	11	7	7	11	18	3	6	8	1		
1	—	—	1	2	5	6	15	8	28	14	26	13	18	19	7	4	4	} 83	
—	—	1	—	—	3	5	1	4	7	4	3	8	9	2	3	4	—		
1	—	—	1	—	3	1	8	4	13	5	9	7	11	8	4	2	1	} A	
—	—	—	—	—	1	1	5	1	4	3	3	3	9	1	3	4	1		
—	—	—	—	1	2	5	7	4	15	9	16	5	7	10	3	2	3	} B	
—	—	—	—	1	—	1	—	—	—	—	1	—	—	—	—	—	—		
—	—	—	—	1	—	—	—	—	—	—	1	1	—	1	—	—	—	} C	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
75 65	6 8	6 4	3 2	2 3	— 2	4 1	3 1	2 2	2 —	4 3	2 2	1 2	1 2	1 1	— 2	1 3	— 2	} 84	
51 46 24 19	2 5 4 3	5 1 1 3	3 1 — 1	1 2 1 1	— 1 — 1	1 — 3 1	2 — 1 1	— — 2 2	— — 4 3	— — 2 —	— — 2 2	— — 1 2	— — 1 2	— — 1 1	— — — 2	— — 1 3	— — — 2		
8 4	1 2	— 3	1 2	3 1	2 3	4 3	4 3	10 4	3 9	11 2	6 5	7 5	15 16	7 9	8 8	3 5	4 2	} 85	
—	1	—	—	1	1	—	—	1	2	4	4	3	9	4	8	2	2		
—	1	1	1	—	2	1	1	3	1	1	4	3	13	1	6	2	2	} A	
6 3	— 1	— 2	1 —	1 1	— —	2 —	1 —	1 —	1 2	— —	— —	— 1	1 2	— 5	— 1	— 1	2 —		
2 1	— —	— —	— 1	1 —	1 1	2 2	3 2	8 1	— 6	7 1	2 1	4 1	5 1	3 3	— 1	1 2	— —	} C	
13 23	5 7	3 2	2 1	— 3	2 2	— 2	1 1	— —	2 —	1 4	1 1	3 —	1 —	— 1	— 1	1 —	— —		

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
87	Diseases of the larynx ... {	M 704	20	19	34	83	156	104	81	82	67
		F 536	23	20	23	74	140	72	68	60	42
	A. Laryngismus strid- ulus. {	M 140	12	7	14	29	62	26	13	12	13
		F 103	13	7	10	23	53	16	12	14	2
	B. Laryngitis ... {	M 539	8	12	19	54	93	76	64	70	53
		F 422	10	13	13	50	86	56	55	46	39
	C. Other diseases of larynx. {	M 25	—	—	1	—	1	2	4	—	1
		F 11	—	—	—	1	1	—	1	—	1
88	Diseases of the thyroid body. {	M 31	—	—	—	—	—	—	—	—	—
		F 212	—	—	—	—	—	—	—	—	1
89 & 90.	Bronchitis ... {	M 17,982	449	1,175	1,006	1,453	4,083	979	277	109	50
		F 18,673	335	866	760	1,256	3,217	966	266	101	54
	A. Bronchiectasis, Bron- chial catarrh, &c. {	M 343	9	22	21	13	65	14	3	4	—
		F 261	8	12	14	10	44	4	7	—	2
	B. Other bronchitis ... {	M 17,639	440	1,153	985	1,440	4,018	965	274	105	50
		F 18,412	327	854	746	1,246	3,173	962	259	101	52
91	Broncho-pneumonia ... {	M 8,914	172	638	880	2,058	3,748	2,261	719	267	132
		F 7,856	114	423	596	1,653	2,786	1,938	744	296	137
92	Pneumonia, lobar and undefined. {	M 12,668	81	203	279	683	1,246	881	340	194	149
		F 8,204	54	158	190	532	934	731	281	167	120
	A. Lobar pneumonia... {	M 4,761	12	28	46	143	229	183	75	53	42
		F 2,826	8	29	30	108	175	164	69	50	41
	B. Pneumonia (type not stated). {	M 7,907	69	175	233	540	1,017	698	265	141	107
		F 5,378	46	129	160	424	759	567	212	117	79
93	Pleurisy ... {	M 838	—	6	5	23	34	43	32	18	10
		F 595	2	3	6	12	23	33	15	9	5
	A. Empyema ... {	M 295	—	—	2	13	15	39	27	14	9
		F 143	—	2	5	9	16	26	8	7	4
	B. Other pleurisy ... {	M 543	—	6	3	10	19	4	5	4	1
		F 452	2	1	1	3	7	7	7	2	1
94	Pulmonary congestion, Pulmonary apoplexy. {	M 917	34	36	35	33	138	34	21	12	10
		F 878	14	36	23	31	104	34	13	9	4
	A. Pulmonary apop- lexy & infarction. {	M 11	—	—	—	—	—	—	—	—	—
		F 10	—	—	—	—	—	—	—	—	—
	B. Pulmonary œdema and congestion. {	M 797	32	35	34	31	132	33	21	12	10
		F 748	14	36	21	30	101	33	13	9	4
	C. Hypostatic pneu- monia. {	M 107	2	1	1	1	5	1	—	—	—
		F 118	—	—	1	—	1	1	—	—	—
	D. Collapse of lung (3 months & over). {	M 2	—	—	—	1	1	—	—	—	—
		F 2	—	—	1	1	2	—	—	—	—
95	Gangrene of the lung ... {	M 59	—	—	—	—	—	—	—	—	—
		F 31	—	—	—	—	—	—	2	—	—
96	Asthma ... {	M 825	—	—	—	1	1	3	2	2	2
		F 654	—	—	—	1	1	1	—	—	—
97	Pulmonary emphysema {	M 284	—	—	—	—	—	—	—	1	—
		F 113	—	—	—	—	—	2	1	—	—
98	Other diseases of the respiratory system. {	M 462	1	2	12	1	16	4	3	3	2
		F 222	—	3	8	3	14	5	2	5	3
	A. Fibroid disease of lung. {	M 256	—	—	—	1	1	—	—	1	—
		F 75	—	—	—	—	—	—	—	—	—
	B. Other diseases in- cluded under 98. {	M 206	1	2	12	—	15	4	3	2	2
		F 147	—	3	8	3	14	5	2	5	3

AT DIFFERENT AGE-PERIODS, 1911—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
490 382	107 79	7 7	5 5	3 2	6 5	3 9	6 6	8 6	10 4	8 1	12 11	8 5	8 1	11 6	7 3	4 2	1 2	}	87
126 97	14 6	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
356 282	92 73	7 7	5 5	2 2	5 4	3 9	5 5	7 5	8 2	6 1	8 9	7 5	7 1	9 6	7 2	4 2	1 2	}	B
8 3	1 —	— —	— —	1 —	1 1	— —	1 1	1 1	2 2	2 —	4 2	1 —	1 —	2 —	— 1	— —	— —		
— 1	— —	1 4	3 13	3 5	1 5	— 4	— 6	1 9	2 18	5 20	5 31	3 31	1 27	5 16	1 11	— 7	— 4	}	88
5,498 4,604	97 95	25 24	32 33	31 43	62 53	110 76	146 159	268 218	426 343	700 606	1,066 958	1,541 1,440	1,973 1,967	2,318 2,833	1,850 2,428	1,144 1,691	695 1,102		
86 57	9 3	4 3	7 1	5 4	7 8	7 6	10 4	16 6	18 10	22 14	20 6	27 11	23 10	29 31	18 26	19 30	16 31	}	A
5,412 4,547	88 92	21 21	25 32	26 39	55 45	103 70	136 155	252 212	408 333	678 592	1,046 952	1,514 1,429	1,950 1,957	2,289 2,802	1,832 2,402	1,125 1,661	679 1,071		
7,127 5,901	210 248	38 45	22 30	28 29	40 34	49 45	53 56	88 68	113 84	127 96	159 148	191 167	215 212	198 269	149 225	72 130	35 69	}	91
2,810 2,233	366 302	140 148	328 196	488 242	543 261	732 352	826 442	889 424	941 436	876 399	922 477	870 533	806 528	562 550	331 356	157 226	81 99		
582 499	131 91	58 63	156 86	238 112	273 116	335 153	375 191	431 184	426 191	359 189	425 197	356 218	296 174	176 185	95 94	37 60	12 23	}	A
2,228 1,734	235 211	82 85	172 110	250 130	270 145	397 199	451 251	458 240	515 245	517 210	497 280	514 315	510 354	386 365	236 262	120 166	69 76		
137 85	25 24	13 8	21 18	27 19	34 26	42 31	55 23	49 31	45 30	65 30	75 40	66 48	71 50	48 56	33 33	26 31	6 12	}	93
104 61	17 11	7 5	8 6	10 7	14 7	18 8	17 6	17 7	11 5	19 4	19 6	12 1	11 4	8 4	1 1	2 —	— —		
33 24	8 13	6 3	13 12	17 12	20 19	24 23	38 17	32 24	34 25	46 26	56 34	54 47	60 46	40 52	32 32	24 31	6 12	}	B
215 164	8 8	5 2	2 5	4 7	8 12	17 6	16 13	26 13	25 12	26 16	49 20	60 55	82 82	116 118	105 135	86 118	67 92		
— —	— —	— —	1 1	— —	— 1	1 2	— 1	— 1	— —	— 1	2 —	2 1	1 —	1 1	3 —	— 1	— —	}	A
208 160	8 8	5 2	1 4	3 6	7 11	16 4	16 12	23 11	23 10	26 13	42 17	53 46	72 70	94 102	81 107	68 90	51 75		
6 2	— —	— —	— —	1 1	1 —	— —	— —	3 —	2 2	— 2	5 3	4 8	9 12	21 15	21 28	18 27	16 17	}	C
1 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —		
— 2	2 —	— —	1 —	3 4	— 1	5 4	7 1	3 1	7 3	7 5	8 4	5 4	4 1	3 1	1 —	2 —	1 —	}	95
10 2	7 1	2 3	5 6	7 9	13 16	15 24	31 30	43 52	46 44	73 51	98 59	136 87	150 97	94 80	64 59	24 26	7 8		
1 3	— —	— —	1 —	4 1	5 1	4 2	9 5	9 4	18 3	24 6	27 11	44 13	48 17	44 18	23 16	17 5	6 8	}	97
28 29	6 4	1 5	6 6	9 4	14 9	18 12	30 8	46 19	49 10	67 17	60 23	38 18	46 25	24 17	11 10	7 5	2 1		
2 —	2 2	— 1	3 —	2 —	2 —	5 2	13 —	24 10	29 5	48 7	43 15	30 7	26 9	16 9	8 6	3 2	— —	}	A
26 29	4 2	1 4	3 6	7 4	12 9	13 10	17 8	22 9	20 5	19 10	17 8	8 11	20 16	8 8	3 4	4 3	2 1		

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—		
99	Diseases of the mouth and annexe.	M	279	74	47	12	16	149	17	3	3	2	
		F	246	40	43	15	11	109	25	8	7	2	
	A. Diseases of the teeth and gums.	M	138	13	9	3	10	35	14	2	3	2	
		F	114	6	10	7	4	27	13	5	5	1	
	B. Thrush, Aphthous stomatitis.	M	111	54	37	8	5	104	2	1	—	—	
		F	86	33	30	7	6	76	9	1	—	—	
	C. Parotitis ...	M	21	5	1	—	1	7	—	—	—	—	
		F	21	—	1	—	—	1	1	—	1	—	
	D. Other diseases of mouth and annexe.	M	9	2	—	1	—	3	1	—	—	—	
		F	25	1	2	1	1	5	2	2	1	1	
100	Diseases of the pharynx, Tonsillitis.	M	311	3	5	4	25	37	25	19	22	17	
		F	262	2	1	4	10	17	17	14	17	18	
	A. Tonsillitis ...	M	227	—	2	1	13	16	18	15	21	15	
		F	204	1	1	3	5	10	12	10	12	15	
	B. Ludwig's angina ...	M	14	—	—	—	—	—	2	—	1	1	
		F	5	—	—	1	—	1	—	—	—	1	
	C. Other diseases of the pharynx.	M	70	3	3	3	12	21	5	4	—	1	
		F	53	1	—	—	5	6	5	4	5	2	
	101	Diseases of the œsophagus	M	42	—	—	—	—	—	—	—	—	—
			F	16	—	—	—	—	—	—	—	—	—
102	Perforating ulcer of stomach.	M	763	1	—	1	—	2	—	—	—	—	
		F	1,010	1	—	—	—	1	1	1	—	—	
103	Other diseases of the stomach.	M	1,945	152	297	263	196	908	105	32	22	16	
		F	1,918	85	195	194	195	669	108	37	19	12	
	A. Inflammation of stomach.	M	1,616	130	271	237	188	826	100	32	22	12	
		F	1,640	79	181	183	178	621	101	30	18	11	
	B. Other diseases included under 103.	M	329	22	26	26	8	82	5	—	—	4	
		F	278	6	14	11	17	48	7	7	1	1	
104 & 105	Diarrhœa and enteritis ...	M	24,915	971	3,904	5,788	6,889	17,552	3,532	508	195	101	
		F	21,791	639	2,943	4,872	5,894	14,348	3,369	589	185	84	
	A. Infective enteritis...	M	11,263	318	1,752	2,904	3,564	8,538	1,857	245	74	40	
		F	9,839	219	1,368	2,477	3,074	7,138	1,748	273	81	28	
	B. Diarrhœa—not returned as infective.	M	6,306	268	987	1,432	1,736	4,423	841	108	46	16	
		F	5,641	181	770	1,216	1,436	3,603	835	138	37	18	
	C. Enteritis—not returned as infective.	M	3,079	171	492	648	670	1,981	368	72	35	22	
		F	2,788	97	363	521	580	1,561	356	86	27	17	
	D. Gastro-enteritis—not returned as infective.	M	3,497	181	611	750	891	2,433	452	81	40	22	
		F	3,063	114	408	621	769	1,912	421	89	38	21	
	E. Dyspepsia—under 2 years.	M	149	22	54	41	21	138	11	—	—	—	
		F	119	20	31	33	30	114	5	—	—	—	
	F. Colic ...	M	57	11	6	8	4	29	—	1	—	—	
		F	45	7	3	1	2	13	—	1	1	—	
	G. Ulceration of intestines.	M	180	—	2	5	2	9	3	1	—	1	
		F	186	1	—	3	3	7	4	2	1	—	
	H. Duodenal ulcer ...	M	384	—	—	—	1	1	—	—	—	—	
		F	110	—	—	—	—	—	—	—	—	—	
	106	Ankylostomiasis...	M	1	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—
107	Other intestinal parasites	M	10	—	—	—	—	—	3	2	—	3	
		F	22	—	—	—	—	—	1	8	2	1	
108	Appendicitis ...	M	1,597	—	—	1	1	2	6	13	19	30	
		F	1,133	—	—	2	2	4	1	9	17	22	

AT DIFFERENT AGE-PERIODS, 1911—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
174	8	2	7	2	3	10	5	6	8	15	9	9	6	3	4	4	4	} 99	
151	2	2	3	6	9	10	8	8	7	5	5	6	4	6	3	7	4		
56	7	2	7	1	3	9	5	6	6	12	7	7	3	2	3	1	1	} A	
51	2	1	2	5	4	8	7	8	5	4	3	5	3	3	—	2	1		
107	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	1	} B	
86	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
7	—	—	—	—	—	1	—	—	1	2	1	2	1	1	1	2	2	} C	
3	—	—	1	—	1	1	—	—	—	1	2	1	1	2	2	4	2		
4	1	—	—	—	—	—	—	—	—	1	1	—	1	—	—	1	—	} D	
11	—	1	—	1	4	1	1	—	2	—	—	—	—	1	1	1	1		
120	57	25	13	8	9	7	6	16	7	10	6	8	8	5	4	2	—	} 100	
83	75	19	12	6	10	6	5	2	7	7	5	8	3	7	2	2	3		
85	50	22	12	4	6	4	5	9	6	5	3	6	3	4	2	1	—	} A	
59	64	18	10	4	7	6	4	—	3	6	3	6	2	6	2	1	3		
4	—	—	—	1	3	—	1	3	—	—	—	1	1	—	—	—	—	} B	
2	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
31	7	3	1	3	—	3	—	4	1	5	3	1	4	1	2	1	—	} C	
22	9	1	2	2	3	—	1	2	3	1	2	2	1	1	—	1	—		
—	—	—	—	—	—	—	4	2	1	4	8	7	6	5	2	2	1	} 101	
—	—	—	—	—	—	1	3	—	—	2	1	1	2	2	3	1	—		
2	3	2	21	43	52	53	75	78	89	92	74	59	62	33	11	9	5	} 102	
3	3	14	64	115	90	100	122	109	94	77	64	48	41	41	17	7	1		
1,083	38	9	9	10	20	20	28	46	65	78	72	88	117	100	83	54	25	} 103	
845	34	13	14	7	16	31	37	48	58	52	84	95	120	163	156	90	55		
992	32	4	9	9	16	12	15	29	48	51	49	56	89	74	66	46	19	} A	
781	30	11	7	3	14	20	29	37	48	42	72	75	99	125	132	73	42		
91	6	5	—	1	4	8	13	17	17	27	23	32	28	26	17	8	6	} B	
64	4	2	7	4	2	11	8	11	10	10	12	20	21	38	24	17	13		
21,888	137	45	48	62	68	90	111	128	180	192	241	271	366	403	337	225	123	} 104 & 105	
18,575	186	58	42	49	63	81	92	107	136	172	225	266	341	486	408	310	194		
10,754	42	11	11	3	7	8	14	16	31	26	53	48	64	83	45	35	12	} A	
9,268	67	15	12	7	11	10	16	15	21	32	39	36	59	81	75	51	24		
5,434	29	5	6	10	6	9	10	16	23	34	60	58	128	144	150	115	69	} B	
4,631	36	14	3	1	3	9	8	21	22	34	42	77	110	195	167	155	113		
2,478	29	14	14	13	10	13	15	20	28	36	38	71	73	78	88	44	17	} C	
2,047	39	9	6	14	18	27	26	23	41	47	59	67	80	112	94	57	22		
3,028	34	12	6	11	12	10	19	12	28	26	40	48	52	65	46	26	22	} D	
2,481	39	18	10	11	11	13	17	18	23	36	50	63	69	74	57	40	33		
149	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} E	
119	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
30	—	—	—	1	—	—	1	1	2	1	2	4	3	5	2	4	1	} F	
15	1	—	1	—	—	—	1	—	—	2	5	2	4	5	4	5	—		
14	3	2	8	8	7	11	16	16	11	14	14	13	24	14	4	—	1	} G	
14	4	2	3	9	16	18	13	20	12	11	16	5	16	15	8	2	2		
1	—	1	3	16	26	39	36	47	57	55	34	29	22	14	2	1	1	} H	
—	—	—	7	7	4	4	11	10	17	10	14	16	3	4	3	—	—		
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	} 106	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
8	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 107	
12	6	1	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—		
70	240	252	189	153	125	100	68	65	79	73	54	49	32	27	16	4	1	} 108	
53	182	171	111	91	72	70	58	57	51	55	36	43	30	29	12	9	3		

International List Nos.	Causes of Death.		AGES AT DEATH.										
			All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-	2-	3-	4-	
109	Hernia, Intestinal ob- struction.	M	2,011	50	38	95	100	283	59	22	16	19	
		F	2,182	25	20	52	68	165	23	13	10	8	
	A. Hernia	M	708	21	17	18	8	64	13	4	2	2	
		F	861	7	2	3	3	15	1	—	—	1	
	B. Intestinal obstruc- tion.	M	1,303	29	21	77	92	219	46	18	14	17	
		F	1,321	18	18	49	65	150	22	13	10	7	
110	Other diseases of the intes- tines.	M	239	3	13	5	8	29	7	3	2	2	
		F	205	2	4	3	6	15	8	2	2	2	
111	Acute yellow atrophy of the liver.	M	17	—	—	—	—	—	—	—	1	—	
		F	26	—	—	—	—	—	1	—	1	1	
112	Hydatid of liver	M	13	—	—	—	—	—	—	—	—	—	
		F	12	—	—	—	—	—	—	—	—	—	
113	Cirrhosis of the liver ...	M	2,013	—	—	3	1	4	1	—	1	—	
		F	1,627	—	—	—	—	—	—	2	1	—	
	A. Cirrhosis of the liver not ret'd alcoholic.	M	1,832	—	—	2	1	3	—	—	1	—	
		F	1,457	—	—	—	—	—	—	2	—	—	
	B. Cirrhosis of the liver ret'd as alcoholic.	M	126	—	—	—	—	—	—	—	—	—	
		F	111	—	—	—	—	—	—	—	—	—	
	C. Dis. formerly classed to "Other dis. of liver and gall bladder."	M	55	—	—	1	—	1	1	—	—	—	
		F	59	—	—	—	—	—	—	—	1	—	
	114	Biliary calculi	M	222	—	—	—	—	—	—	—	—	—
			F	591	—	—	—	—	—	—	—	—	—
115	Other diseases of the liver	M	453	—	—	2	4	6	7	6	5	5	
		F	548	—	—	4	7	11	7	7	5	4	
116	Diseases of the spleen ...	M	17	—	—	—	—	—	—	—	—	—	
		F	12	—	—	—	—	—	1	—	—	—	
	A. Infarction of spleen	M	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	
	B. Other diseases of the spleen.	M	17	—	—	—	—	—	—	—	—	—	
		F	12	—	—	—	—	—	1	—	—	—	
117	Peritonitis (cause un- stated).	M	240	5	5	9	8	27	6	7	2	2	
		F	375	3	2	4	4	13	3	8	8	12	
118	Other diseases of the digestive system.	M	94	—	—	—	—	—	1	—	—	—	
		F	95	1	—	1	—	2	—	—	1	—	
	A. Abdominal abscess, Sub-phrenic absces.	M	11	—	—	—	—	—	—	—	—	—	
		F	14	—	—	1	—	1	—	—	1	—	
	B. Other diseases in- cluded under 118	M	83	—	—	—	—	—	1	—	—	—	
		F	81	1	—	—	—	1	—	—	—	—	
119	Acute nephritis	M	996	7	15	19	26	67	52	30	27	28	
		F	922	2	16	12	39	69	63	35	20	25	
120	Bright's disease	M	6,623	—	3	—	4	7	5	3	5	8	
		F	5,756	—	—	1	4	5	5	10	3	3	
	A. Bright's disease as in 1901 list.	M	5,720	—	2	—	1	3	4	2	5	6	
		F	4,932	—	—	1	—	1	4	7	3	3	
	B. Nephritis (unquali- fied) 10 yrs. and over, and Uræmia.	M	903	—	1	—	3	4	1	1	—	2	
		F	824	—	—	—	4	4	1	3	—	—	
121	Chyluria	M	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	

AT DIFFERENT AGE-PERIODS, 1911—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
399 219	38 28	32 14	51 20	47 19	47 32	36 49	57 67	70 91	87 125	105 154	147 200	183 229	215 269	204 276	169 209	78 118	46 63	} 109
85 17	2 1	1 —	5 4	11 1	9 4	12 10	15 23	23 41	40 59	42 88	65 127	78 113	94 126	90 110	90 72	25 41	21 24	
314 202	36 27	31 14	46 16	36 18	38 28	24 39	42 44	47 50	47 66	63 66	82 73	105 116	121 143	114 166	79 137	53 77	25 39	} B
43 29	5 —	5 2	3 4	1 2	3 6	11 7	9 12	13 12	15 11	11 21	13 15	30 12	21 13	25 18	19 23	10 13	2 5	} 110
1 3	— 1	— 1	1 3	— 1	1 2	3 4	— 5	2 —	2 1	2 2	1 —	— 2	2 —	2 —	— 1	— —	— —	
— —	1 —	1 —	1 —	2 1	1 2	— 1	2 1	— 1	— 1	— 1	3 1	— 1	2 2	— —	— —	— —	— —	} 111
6 3	5 6	5 5	— 4	4 2	12 18	51 37	115 95	180 152	247 227	301 276	306 239	316 202	245 159	146 120	57 60	13 18	4 4	} 112
4 2	2 6	5 5	— 3	4 2	9 15	46 34	100 83	165 134	228 205	271 249	283 213	292 184	223 142	136 107	49 52	12 17	3 4	
— —	— —	— —	— —	— —	2 2	3 2	12 9	13 16	15 18	24 22	18 19	15 9	13 7	8 5	3 2	— —	— —	} A
2 1	3 —	— —	— 1	— —	1 1	2 1	3 3	2 2	4 4	6 5	5 7	9 9	9 10	2 8	5 6	1 1	1 —	
— —	— —	1 1	— 1	2 1	— 3	6 1	4 12	8 25	14 40	22 57	34 67	22 101	31 97	30 89	25 54	15 29	8 13	} 113
29 34	7 5	8 5	7 4	11 8	8 9	18 12	20 16	32 21	32 40	27 41	41 57	53 56	44 75	61 65	23 58	20 25	12 17	
— 1	— —	1 —	— —	3 —	1 2	— 1	2 —	1 1	1 2	3 1	2 1	— 2	2 1	— —	1 —	— —	— —	} 114
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— 1	— —	1 —	— —	3 —	1 2	— 1	2 —	1 1	1 2	3 1	2 1	— 2	2 1	— —	1 —	— —	— —	} B
44 44	15 61	9 18	15 16	10 5	15 24	10 25	12 25	16 27	18 22	9 27	19 22	16 12	16 18	11 13	3 7	2 6	— 3	
1 3	1 1	1 —	1 4	4 2	8 3	7 7	9 5	8 4	5 8	12 9	14 10	9 15	4 7	8 9	2 6	— 2	— —	} 115
— 2	1 —	1 —	— 1	1 1	2 —	— 1	1 1	— 1	— 3	1 —	1 1	1 1	1 —	1 1	— 1	— —	— —	
1 1	— 1	— —	1 3	3 1	6 3	7 6	8 4	8 3	5 5	11 9	13 9	8 14	3 7	7 8	2 5	— 2	— —	} 116
204 212	70 77	39 27	42 35	46 42	55 51	49 37	59 62	56 57	64 57	81 61	78 58	46 38	46 46	35 29	17 18	6 9	3 6	
28 26	31 34	56 54	71 67	76 116	141 142	209 183	258 266	393 393	521 529	740 581	791 658	913 690	951 717	755 638	453 408	161 186	75 68	} 117
20 18	29 31	43 34	49 54	57 90	120 106	165 143	208 212	332 334	448 446	647 494	697 578	810 623	850 627	656 570	393 365	139 155	57 52	
8 8	2 3	13 20	22 13	19 26	21 36	44 40	50 54	61 59	73 83	93 87	94 80	103 67	101 90	99 68	60 43	22 31	18 16	} A
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} B
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 120
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 121
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
122	Other diseases of the kidney and annexa. { M 242 F 229	242 229	1 1	2 —	2 2	3 3	8 6	2 3	3 —	2 1	1 —
	A. Abscess of kidney... { M 17 F 29	17 29	— —	1 —	— —	— 2	1 2	— 1	— —	— —	— —
	B. Cystic disease ... { M 15 F 26	15 26	— —	— —	— —	— —	— —	— —	1 —	— —	— —
	C. Suppression of urine { M 21 F 8	21 8	1 1	1 —	— —	1 —	3 1	— —	— —	1 —	— —
	D. Other diseases in- cluded under 122 { M 189 F 166	189 166	— —	— —	2 2	2 1	4 3	2 2	2 —	1 1	1 —
123	Calculi of the urinary passages. { M 196 F 73	196 73	— —	— —	— —	— —	— —	— —	1 —	1 —	— —
124	Diseases of the bladder... { M 1,050 F 257	1,050 257	— —	1 —	— 1	— —	1 1	— 2	— —	1 1	— —
125	Diseases of the urethra, Urinary abscess, &c. { M 397 F 4	397 4	— —	— —	3 —	— —	3 —	— —	— —	— —	— —
	A. Perineal abscess ... { M 17 F —	17 —	— —	— —	3 —	— —	3 —	— —	— —	— —	— —
	B. Other diseases of urethra, &c. { M 380 F 4	380 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
126	Diseases of the prostate... { M 1,464 F —	1,464 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
127	Non-venereal diseases of male genital organs. { M 26 F —	26 —	3 —	5 —	— —	— —	8 —	1 —	— —	— —	— —
128	Uterine hæmorrhage (non-puerperal). { M — F 26	— 26	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Menorrhagia ... { M — F 15	— 15	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Other uterine hæmorrhage. { M — F 11	— 11	— —	— —	— —	— —	— —	— —	— —	— —	— —
129	Uterine tumour (non-cancerous). { M — F 324	— 324	— —	— —	— —	— —	— —	— —	— —	— —	— —
130	Other diseases of the uterus. { M — F 146	— 146	— —	— —	— —	— —	— —	1 —	— —	— —	— —
	A. Disorders of menstruation (except menorrhagia). { M — F 16	— 16	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Other diseases in- cluded under 130. { M — F 130	— 130	— —	— —	— —	— —	— —	1 —	— —	— —	— —
131	Ovarian cyst, tumour (non-cancerous). { M — F 314	— 314	— —	— —	— —	— —	— —	— —	— —	— —	— —
132	Other diseases of the female genital organs. { M — F 230	— 230	— 1	— —	— —	— —	— 1	— —	1 —	1 —	— —
	A. Diseases of ovary (excluding ovarian tumour). { M — F 24	— 24	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Other diseases in- cluded under 132. { M — F 206	— 206	— 1	— —	— —	— —	— 1	— —	1 —	1 —	— —
133	Non-puerperal diseases of the breast (non-cancerous). { M 7 F 20	7 20	5 5	1 3	1 —	— 1	7 9	— —	— —	— —	— —

AT DIFFERENT AGE-PERIODS, 1911—continued.

Total under 5 Years.	AGES AT DEATH.																	International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
16 10	— 1	2 2	7 1	5 10	4 12	14 17	13 20	16 18	16 18	18 22	30 25	21 19	27 13	27 14	15 15	8 8	3 4	122
1 2 1	— 1 —	— — —	— — —	— 1 —	— 2 —	2 3 2	2 3 1	3 3 4	2 4 1	1 1 —	3 2 3	2 3 —	1 — 1	— 2 1	— 1 —	— — —	— — —	A
— 4 1	— — —	1 — —	— — —	1 — —	1 — —	— — —	2 — —	4 — —	5 — —	5 — —	1 — —	2 3 2	1 — —	2 2 1	1 4 1	— 2 —	— 2 —	B
10 6	— —	2 1	5 —	5 8	4 9	10 14	10 15	9 11	12 8	17 16	22 21	16 12	25 12	24 9	11 12	6 8	1 4	D
2 —	3 2	3 3	2 2	9 —	5 1	10 4	10 4	11 6	11 6	14 9	22 11	15 2	24 6	23 10	20 4	6 3	6 —	123
2 4	— 2	— —	3 —	5 2	6 5	12 7	15 6	18 5	23 10	43 16	75 18	103 25	139 32	226 51	200 35	111 22	69 17	124
3 —	— —	1 —	1 —	3 —	9 —	5 —	17 1	29 1	44 1	64 —	53 —	53 —	52 —	30 —	21 —	9 —	3 1	125
3 — — —	— — —	— — —	1 — —	— — —	3 — —	1 — —	— — —	— — —	2 — —	2 — —	1 — —	1 — —	1 — —	2 — —	— — —	— — —	— — —	A
— —	— —	1 —	— —	3 —	6 —	4 —	17 —	29 1	42 1	62 —	52 —	52 —	51 —	28 —	21 —	9 —	3 1	B
— —	— —	— —	— —	1 —	1 —	1 —	— —	1 —	4 —	15 —	48 —	143 —	253 —	340 —	350 —	212 —	95 —	126
9 —	— —	— —	— —	1 —	— —	1 —	— —	1 —	2 —	1 —	3 —	— —	2 —	3 —	3 —	— —	— —	127
— —	— —	2 —	— —	2 —	4 —	3 —	2 —	7 —	2 —	3 —	— —	1 —	— —	— —	— —	— —	— —	128
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	A
— —	— —	1 —	— —	1 —	1 —	2 —	2 —	4 —	2 —	2 —	— —	— —	— —	— —	— —	— —	— —	B
— —	— —	1 —	— —	1 —	3 —	1 —	— —	3 —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	129
— —	— —	— —	— —	— —	3 —	16 —	31 —	64 —	73 —	38 —	23 —	23 —	19 —	15 —	9 —	7 —	3 —	130
1 —	— —	1 —	5 —	10 —	12 —	18 —	19 —	21 —	21 —	7 —	5 —	4 —	9 —	3 —	5 —	3 —	2 —	131
— —	— —	1 —	1 —	— —	1 —	1 —	2 —	5 —	5 —	— —	— —	— —	— —	— —	— —	— —	— —	A
1 —	— —	— —	4 —	10 —	11 —	17 —	17 —	16 —	16 —	7 —	5 —	4 —	9 —	3 —	5 —	3 —	2 —	B
— —	— —	2 —	6 —	4 —	12 —	18 —	17 —	24 —	30 —	26 —	29 —	39 —	40 —	24 —	24 —	16 —	3 —	131
3 —	3 —	— —	8 —	17 —	37 —	43 —	46 —	38 —	16 —	4 —	5 —	2 —	5 —	2 —	— —	— —	1 —	132
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	A
— —	— —	— —	2 —	2 —	4 —	1 —	9 —	1 —	2 —	— —	2 —	1 —	— —	— —	— —	— —	— —	B
3 —	3 —	— —	6 —	15 —	33 —	42 —	37 —	37 —	14 —	4 —	3 —	1 —	5 —	2 —	— —	— —	1 —	133
7 9	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	133

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
134	Accidents of pregnancy { M F	— 286	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Abortion ... { M F	— 89	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Hæmorrhage of pregnancy. { M F	— 67	— —	— —	— —	— —	— —	— —	— —	— —	— —
	C. Uncontrollable vomiting. { M F	— 28	— —	— —	— —	— —	— —	— —	— —	— —	— —
	D. Ectopic gestation ... { M F	— 69	— —	— —	— —	— —	— —	— —	— —	— —	— —
	E. Other accidents of pregnancy. { M F	— 33	— —	— —	— —	— —	— —	— —	— —	— —	— —
135	Puerperal hæmorrhage ... { M F	— 490	— —	— —	— —	— —	— —	— —	— —	— —	— —
136	Other accidents of child-birth. { M F	— 332	— —	— —	— —	— —	— —	— —	— —	— —	— —
137	Puerperal fever... { M F	— 1,262	— —	— —	— —	— —	— —	— —	— —	— —	— —
138	Puerperal albuminuria and convulsions. { M F	— 632	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Puerperal nephritis and uræmia. { M F	— 124	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Puerperal albuminuria and Bright's disease. { M F	— 51	— —	— —	— —	— —	— —	— —	— —	— —	— —
	C. Puerperal convulsions. { M F	— 457	— —	— —	— —	— —	— —	— —	— —	— —	— —
139	Puerperal phlegmasia alba dolens, embolism and sudden death. { M F	— 360	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Puerperal phlegmasia alba dolens and phlebitis. { M F	— 72	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Puerperal embolism and sudden death. { M F	— 288	— —	— —	— —	— —	— —	— —	— —	— —	— —
140	Puerperal insanity ... { M F	— 46	— —	— —	— —	— —	— —	— —	— —	— —	— —
141	Puerperal diseases of the breast. { M F	— 5	— —	— —	— —	— —	— —	— —	— —	— —	— —
142	Gangrene ... { M F	840 755	5 4	7 —	— —	5 4	17 8	6 8	4 7	4 8	3 2
	A. Senile gangrene ... { M F	740 654	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Noma, Gangrene of mouth. { M F	49 42	2 1	3 —	— —	3 2	8 3	6 5	4 4	4 6	3 2
	C. Noma pudendi ... { M F	15 13	1 1	1 —	— —	1 1	3 2	— 2	— 2	— 2	— —
	D. Other gangrene ... { M F	36 46	2 2	3 —	— —	1 1	6 3	— 1	— 1	— —	— —
143	Carbuncle, Boil ... { M F	162 80	— —	1 1	3 1	3 3	7 5	— 2	— —	— 1	— —

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-	2-	3-	4-		
144	Phlegmon, Acute abscess {	M	357	18	28	11	18	75	16	4	3	2	
		F	282	14	20	14	16	64	16	2	2	3	
	A. Phlegmon ... {	M	266	7	16	6	8	37	14	1	1	2	
		F	195	8	10	7	8	33	9	1	1	3	
	B. Acute Abscess ... {	M	91	11	12	5	10	38	2	3	2	—	
		F	87	6	10	7	8	31	7	1	1	—	
145	Diseases of the integu- mentary system. {	M	483	93	65	31	37	226	21	3	2	—	
		F	566	61	38	17	27	143	15	6	4	4	
	A. Ulcer, Bedsore ... {	M	145	1	—	—	1	2	1	—	—	—	
		F	269	1	2	—	—	3	4	—	—	2	
	B. Eczema ... {	M	168	32	35	28	27	122	17	2	1	—	
		F	101	16	20	13	15	64	8	2	1	—	
	C. Pemphigus... {	M	66	39	8	1	1	49	—	—	—	—	
		F	66	29	5	2	2	38	1	1	1	—	
	D. Other dis. of the in- tegumentary sys. {	M	104	21	22	2	8	53	3	1	1	—	
		F	130	15	11	2	10	38	2	3	2	2	
	146	Diseases of the bones ... {	M	280	—	3	5	6	14	11	4	7	8
			F	186	3	7	1	4	15	5	7	10	7
147	Diseases of the joints ... {	M	84	5	5	1	6	17	2	1	4	—	
		F	52	1	1	1	1	4	2	1	1	—	
148	Amputations ... {	M	1	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	
149	Other diseases of loco- motor system. {	M	20	—	2	1	—	3	—	—	—	—	
		F	14	—	—	—	—	—	—	1	—	—	
150	Congenital malformations {	M	2,040	1,130	371	184	128	1,813	75	28	23	15	
		F	1,641	908	259	143	118	1,428	69	21	15	9	
	A. Congenital Hydro- cephalus. {	M	182	23	15	24	51	113	29	13	8	2	
		F	146	27	13	25	29	94	19	6	4	4	
	B. Phimosi ... {	M	21	5	6	7	2	20	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	
	C. Congenital malfor- mation of heart. {	M	811	487	114	60	45	706	25	12	10	9	
		F	625	347	77	51	42	517	25	6	10	3	
	D. Other congenital malformations. {	M	1,026	615	236	93	30	974	21	3	5	4	
		F	870	534	169	67	47	817	25	9	1	2	
151	Premature birth, Infantile debility, Icterus and Sclerema. {	M	17,878	12,995	2,863	1,281	739	17,878	—	—	—	—	
		F	13,842	9,898	2,258	1,031	655	13,842	—	—	—	—	
	A. Premature birth ... {	M	9,939	9,076	753	84	26	9,939	—	—	—	—	
		F	7,770	6,971	705	71	23	7,770	—	—	—	—	
	B. Infant. atrophy, debi- lity and marasmus. {	M	7,313	3,497	1,971	1,156	689	7,313	—	—	—	—	
		F	5,613	2,627	1,441	924	621	5,613	—	—	—	—	
	C. Icterus neonatorum {	M	445	369	62	9	5	445	—	—	—	—	
		F	312	253	49	7	3	312	—	—	—	—	
	D. Sclerema and œdema neonatorum. {	M	14	9	5	—	—	14	—	—	—	—	
		F	13	9	4	—	—	13	—	—	—	—	
	E. Want of breast milk {	M	167	44	72	32	19	167	—	—	—	—	
		F	134	38	59	29	8	134	—	—	—	—	
152	Other diseases peculiar to early infancy. {	M	1,560	1,463	96	1	—	1,560	—	—	—	—	
		F	1,187	1,122	64	1	—	1,187	—	—	—	—	
	A. Diseases of um- bilicus, &c. {	M	169	142	27	—	—	169	—	—	—	—	
		F	154	133	21	—	—	154	—	—	—	—	
	B. Atelectasis ... {	M	854	796	58	—	—	854	—	—	—	—	
		F	637	599	38	—	—	637	—	—	—	—	
	C. Injuries at birth ... {	M	519	510	8	1	—	519	—	—	—	—	
		F	385	379	5	1	—	385	—	—	—	—	
	D. Cyanosis neona- torum. {	M	18	15	3	—	—	18	—	—	—	—	
		F	11	11	—	—	—	11	—	—	—	—	

ENGLAND AND WALES.—CAUSES OF DEATH

[illegible]

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
174	Injury by machines ... { M F	287 13	— —	— —	— —	— —	— —	— —	— —	3 —	1 —
175	Injury by other crushing (vehicles, railways, landslides, &c.) { M F	2,504 483	— —	2 1	4 2	4 2	10 5	18 29	35 20	40 23	39 21
176	Injury by animals ... { M F	86 8	— —	— 1	— —	— —	— 1	1 1	1 1	1 1	2 —
177	Starvation ... { M F	14 5	1 —	— —	— —	1 —	2 —	— —	1 —	— —	— —
178	Excessive cold ... { M F	77 16	— —	— 1	1 —	— —	1 1	— —	— —	— —	— —
179	Effects of heat ... { M F	354 187	3 1	1 —	2 5	10 1	16 7	10 15	17 12	4 3	10 7
180	Lightning... { M F	22 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
181	Electricity (lightning ex- cepted). { M F	17 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
182	Homicide by firearms ... { M F	18 9	— —	— —	— —	— —	— —	— —	— —	— —	— —
183	Homicide by cutting or piercing instruments. { M F	12 28	— 1	— —	1 —	1 —	2 1	— 1	2 —	— 1	— 1
184	Homicide by other means { M F	123 91	23 11	4 2	6 3	5 4	38 20	2 3	1 3	2 —	2 1
185	Fractures (cause not specified). { M F	75 62	1 2	— 3	— —	— —	1 5	1 1	— —	— 1	2 —
186	Other violence ... { M F	480 155	7 7	10 11	22 11	11 9	50 38	21 16	25 6	9 7	6 5
187	Dropsy ... { M F	24 38	— —	— —	1 —	— —	1 —	1 1	— —	— —	— —
188	Syncope, Sudden death... { M F	268 187	— —	— —	— —	1 —	1 —	2 3	— —	— —	2 —
	A. Syncope (aged 1 year and under 70 yrs.) { M F	261 185	— —	— —	— —	— —	— —	1 3	— —	— —	2 —
	B. Sudden death (not otherwise defined.) { M F	7 2	— —	— —	— —	1 —	1 —	1 —	— —	— —	— —
189	Ill-defined causes ... { M F	1,927 1,472	68 44	15 9	18 17	32 29	133 99	395 371	62 69	32 17	5 10
	A. Heart failure (aged 1 yr. and under 70). { M F	996 704	— —	— —	— —	— —	— —	7 4	— 2	4 1	— 2
	B. Atrophy, debility, marasmus (aged 1 yr. and under 70). { M F	505 485	— —	— —	— —	— —	— —	373 344	56 60	25 14	3 5
	C. Teething ... { M F	44 33	— —	1 —	6 1	23 19	30 20	11 11	3 2	— —	— —
	D. Pyrexia ... { M F	8 6	2 —	— —	— 1	— —	2 1	— —	— —	— —	1 1
	E. Other ill-defined deaths. { M F	278 187	40 26	10 8	10 13	7 7	67 54	3 11	1 5	3 2	— 2
	F. Cause not specified { M F	96 57	26 18	4 1	2 2	2 3	34 24	1 1	2 —	— —	1 —

AT DIFFERENT AGE-PERIODS, 1911—*continued.*

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
4 1	4 1	21 5	35 1	34 3	24 1	21 —	30 —	18 —	26 1	21 —	19 —	14 —	14 —	2 —	— —	— —	— —	} 174	
142 98	228 70	114 29	160 19	150 7	209 22	177 16	235 14	185 19	188 21	153 36	171 27	126 24	123 25	61 24	53 23	14 6	15 3		} 175
5 4	6 1	10 —	5 1	6 —	7 —	3 —	7 —	8 1	3 —	4 1	6 —	8 —	2 —	3 —	2 —	1 —	— —	} 176	
3 —	— 1	— —	1 —	— —	— 1	— —	— —	— 1	1 —	4 —	3 —	— —	1 1	1 —	— —	— 1	— —		} 177
1 1	— —	— —	— —	— —	3 1	4 1	5 —	4 4	8 1	8 2	11 —	12 2	8 2	6 1	4 —	3 —	— 1	} 178	
57 44	31 22	11 8	12 2	11 5	6 2	10 3	21 5	18 9	30 10	24 11	18 6	28 8	29 6	18 17	15 12	7 7	8 10		} 179
— —	— —	1 —	6 —	5 —	1 —	2 1	1 —	3 —	— —	1 —	2 —	— —	— —	— —	— —	— —	— —	} 180	
— —	— —	— —	1 —	1 —	3 —	4 —	5 —	— —	2 —	1 —	— —	— —	— —	— —	— —	— —	— —		} 181
— —	— —	— —	— 2	1 2	3 —	5 1	3 1	1 1	2 1	— 1	1 —	1 —	— —	1 —	— —	— —	— —	} 182	
4 4	1 2	— 1	— 3	2 2	1 3	2 2	— 4	— 3	— 2	— —	1 —	— 1	— —	1 1	— —	— —	— —		} 183
45 27	1 —	2 1	2 2	6 15	12 13	5 10	16 6	12 6	10 6	4 —	1 —	4 1	1 2	1 1	— —	— —	1 1	} 184	
4 7	1 1	— 2	— —	3 —	5 —	3 —	11 1	7 1	8 4	7 1	2 3	5 4	6 8	3 5	1 9	6 8	3 8		} 185
111 72	18 9	29 5	20 3	30 —	28 1	25 5	39 6	29 5	39 3	31 6	17 11	20 9	16 3	12 6	8 7	6 1	2 3	} 186	
2 1	— —	— —	— —	— —	— 1	1 1	— 2	— 3	3 1	3 3	1 5	2 5	5 2	2 6	3 5	— 2	2 1		} 187
5 3	3 3	1 2	3 1	1 5	5 8	6 8	16 21	16 16	23 12	31 22	41 25	58 27	57 34	2 —	— —	— —	— —	} 188	
3 3 2	3 3 —	1 2 —	3 1 —	1 5 —	5 8 —	6 8 —	15 21 —	16 15 —	22 12 —	31 21 —	40 25 —	58 27 —	57 34 —	— — 2	— — —	— — —	— — —		} A B
627 566	14 27	14 9	14 13	20 17	18 15	41 30	51 43	86 51	112 90	134 103	214 129	243 137	279 202	35 17	15 12	6 6	4 5	} 189	
11 9	5 7	5 6	10 11	12 13	14 13	31 19	42 31	64 39	86 72	105 85	176 110	200 122	235 167	— —	— —	— —	— —		} A B
457 423	6 15	2 1	1 —	3 —	1 —	1 —	— —	4 3	4 6	4 7	7 11	8 5	7 14	— —	— —	— —	— —	} B C	
44 33 3 2	— — — —	— — 1 1 —	— — — —	— — — —	— — — —	— — — —	— — 1 1 —	— — 1 1 —	— — 1 1 —	— — 1 1 —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —		} C D
74 74 38 25	— 5 2 —	4 1 2 —	2 1 1 1	1 3 4 1	3 1 — 1	5 7 4 4	7 8 1 3	12 6 5 2	16 7 5 5	16 8 8 2	25 7 6 1	30 7 5 3	30 18 7 3	33 14 2 3	12 10 3 2	5 6 1 —	2 4 2 1	} E F	

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

[illegible]

AT DIFFERENT AGE-PERIODS, 1911.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
12,055 10,287	802 752	441 419	540 512	694 644	825 773	1,089 855	1,354 1,078	1,609 1,286	1,802 1,445	2,016 1,579	2,104 1,737	2,317 1,913	2,405 2,137	2,190 2,487	1,616 2,130	1,012 1,663	615 1,322	
1 3	2 7	6 6	6 7	12 11	16 7	8 5	3 9	9 2	5 2	6 4	1 2	1 1	1 —	— 1	— 1	— —	— —	1
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	3
— —	— —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	4
2 3	1 —	— —	— —	— —	— 1	— —	— —	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	5
1,253 1,160	79 69	3 2	1 2	— —	— 3	1 1	— —	— —	1 1	— —	— —	— 1	— —	— —	— —	— —	— —	6
57 47	27 19	7 9	1 —	1 —	2 2	— —	— 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	7
468 536	16 20	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	8
199 203	75 113	6 11	3 3	— 2	2 —	— 2	1 2	1 —	1 —	— —	— —	— 2	— —	— —	— —	— —	— —	9 A
4 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	9 B, C
27 8	— 3	6 4	9 3	7 1	6 2	9 13	10 9	16 14	19 12	27 16	27 19	18 24	20 29	17 28	16 32	11 23	9 8	10
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	11
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	12
— —	— —	— —	— —	— —	— —	— —	— —	— —	2 —	— —	— —	— —	— —	1 —	— —	— —	— —	13
2 1	— —	— —	— 1	2 4	2 5	— 4	5 5	4 5	1 5	2 4	5 6	2 6	3 6	— 5	1 3	— 1	1 —	14
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	15
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	16
— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	17
16 14	— —	— —	1 4	2 3	2 —	1 6	7 7	5 5	8 5	10 10	7 7	8 8	6 11	11 12	7 7	3 7	1 3	18
13 8	— 2	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	19
18 7	3 1	3 —	3 2	1 —	4 1	3 4	4 —	2 3	2 1	7 1	1 2	3 1	1 1	1 2	— 1	— —	— —	20
— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	21

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

[illegible]

AT DIFFERENT AGE-PERIODS, 1911—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 22
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 23
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6	—	1	2	1	1	2	1	1	—	1	—	—	1	—	—	—	—	} 24
4	—	—	—	—	—	1	—	1	—	—	1	—	—	—	—	—	—	
—	—	—	—	—	2	—	—	—	—	1	—	1	—	1	1	—	—	} 25
—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	} 27
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
98	30	33	144	277	324	399	457	498	381	346	241	214	122	65	20	8	2	} 28
77	29	69	158	226	260	267	281	264	206	147	101	85	70	32	20	6	1	
3	—	—	12	8	8	18	8	10	6	5	5	—	2	—	—	—	—	} 29A
3	3	2	11	14	17	8	7	8	1	—	1	—	1	1	—	—	—	
38	7	2	3	2	—	2	1	3	2	1	1	1	—	—	—	—	—	} 29B
34	7	9	3	3	2	1	2	1	1	3	—	—	—	—	—	—	—	
292	78	21	12	5	4	3	2	3	—	1	1	1	—	—	—	—	—	} 30
279	74	11	8	9	4	3	1	1	2	—	—	—	—	—	—	—	—	
135	13	10	7	6	4	2	1	6	7	6	—	1	1	1	—	—	—	} 31
91	18	9	6	4	3	4	5	2	1	2	1	—	3	1	—	—	—	
4	4	8	3	3	3	4	—	2	—	2	2	2	1	1	—	—	—	} 32
4	3	5	7	3	—	2	—	—	1	3	1	1	1	—	1	—	—	
2	1	5	6	4	2	1	2	—	—	2	2	1	2	1	—	—	—	} 33
—	3	8	3	2	3	2	—	1	1	—	2	2	2	2	—	1	1	
8	3	2	3	2	1	2	1	2	—	2	2	7	4	—	3	—	—	} 34
6	3	2	2	—	5	2	6	2	—	1	4	2	2	5	4	1	1	
119	19	20	12	7	8	8	14	4	3	2	6	3	—	—	1	—	—	} 35
65	26	10	12	6	4	6	5	3	4	1	1	—	2	1	—	—	—	
699	155	101	202	314	354	439	486	528	399	367	260	230	132	68	24	8	2	} 28-35
559	166	125	210	267	298	295	307	282	217	157	111	89	81	42	25	8	3	
79	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	} 36
49	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	
115	—	1	—	4	7	8	7	10	8	11	10	5	2	1	—	2	—	} 37
110	1	2	3	2	—	1	5	4	8	2	5	2	2	2	—	—	—	
1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	} 38
1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	—	—	1	3	12	19	44	51	66	52	30	25	11	3	} 39
—	1	—	—	—	—	—	2	3	2	6	3	5	3	5	6	—	1	
1	—	1	1	2	5	4	17	43	90	111	142	159	135	110	55	13	3	} 40
—	1	—	—	—	4	3	26	22	49	57	81	85	107	99	57	34	11	
1	—	—	2	2	3	7	11	10	24	42	63	72	78	69	31	16	2	} 41
—	—	—	2	3	5	16	13	28	30	42	65	77	62	80	49	22	11	
—	—	—	—	1	—	14	36	69	69	106	81	77	61	36	24	19	7	} 42
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	1	} 43
—	—	—	—	—	—	5	20	46	51	50	55	55	53	36	40	19	16	

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
44	Cancer of the skin ... { M F	56 25	— —	— —	— —	— —	— —	— —	— —	— —	— —
45	Cancer of other or un- { M specified organs. { F	563 338	— —	— —	1 —	1 —	2 —	2 2	— 1	1 2	2 1
39-45	Cancer (all sites)... { M F	2,265 2,593	— —	— —	1 —	1 —	2 —	3 2	— 1	1 2	3 1
46	Other tumours (situation { M undefined). { F	3 10	— —	— —	— —	— —	— —	— —	— —	— —	— —
47	Rheumatic fever... { M F	113 121	— —	— —	1 —	— —	1 —	1 —	1 —	4 2	2 2
48 A, B	Chronic rheumatism, { M Osteo-arthritis. { F	59 134	— —	— —	— —	— —	— —	— —	— —	— —	— —
48C	Gout ... { M F	68 11	— —	— —	— —	— —	— —	— —	— —	— —	— —
49	Scurvy ... { M F	2 3	— —	1 —	— —	— —	1 —	— 1	1 2	— —	— —
50	Diabetes... { M F	227 229	— —	— —	— —	— —	— —	1 —	— —	— —	— —
51	Exophthalmic goitre ... { M F	1 42	— —	— —	— —	— —	— —	— —	— —	— —	— —
52	Addison's disease ... { M F	10 11	— —	— —	— —	— —	— —	— —	— —	— —	— —
53	Leucocythæmia, Lymphadenoma. { M F	65 32	— —	— —	— —	— —	— —	2 —	1 2	1 —	3 1
54	Anæmia, Chlorosis ... { M F	79 84	— —	— —	1 1	— 1	1 2	2 2	2 —	— —	2 1
55	Other general diseases... { M F	34 34	3 7	2 2	1 —	3 3	9 12	1 2	1 2	1 3	1 —
56	Alcoholism (acute or { M chronic). { F	93 69	— —	— —	— —	— —	— —	— —	— —	— —	— —
57	Chronic lead poisoning... { M F	7 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
58	Other chronic occupa- { M tional poisonings. { F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
59	Other chronic poisonings { M F	1 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
60	Encephalitis ... { M F	34 22	— —	1 1	— —	1 —	2 1	2 1	— 1	— —	— —
61A	Cerebro-spinal fever ... { M F	20 6	— —	— —	1 —	1 1	2 1	7 1	— 2	1 —	— —
61B	Posterior basal meningitis { M F	37 35	1 —	3 1	5 4	13 13	22 18	3 7	2 3	5 1	— —
61C	Meningitis, other forms { M F	208 189	6 3	9 4	20 16	44 47	79 70	37 33	8 13	9 8	6 4
62	Locomotor ataxy... { M F	84 16	— —	— —	— —	— —	— —	— —	— —	— —	— —
63	Other diseases of the { M spinal cord. { F	168 126	— —	— —	— 1	2 1	2 2	1 3	1 2	2 1	— —

AT DIFFERENT AGE-PERIODS, 1911—continued.

AGES AT DEATH.																		International List Nos.
Total under 15 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
— —	— —	— —	— —	— —	1 —	— —	1 —	— 1	3 —	9 —	6 3	8 4	8 3	8 6	7 4	5 1	— 3	} 44
7 6	9 6	4 1	3 8	10 2	10 8	12 9	16 11	22 28	56 24	65 31	63 46	77 45	88 30	77 34	28 32	11 11	5 6	
9 6	9 8	5 1	7 11	14 6	19 22	24 47	48 108	87 197	193 225	271 292	325 334	383 348	361 319	294 296	146 212	56 106	14 55	} 39-45
— —	— 1	— 1	1 —	— —	— —	— 1	— —	— —	— —	— 1	1 —	— 1	1 1	— 2	— 1	— —	— 1	
9 4	15 16	21 25	9 13	8 9	10 8	8 7	12 5	3 7	4 8	6 9	5 3	3 2	— 2	— 2	— 1	— —	— —	} 47
— —	— —	— —	— —	— —	— —	3 —	2 1	— 2	3 4	8 13	2 8	5 26	10 19	8 24	13 21	5 11	— 5	
— —	— —	— —	— —	— —	— —	— —	1 —	— —	4 1	7 —	9 —	6 1	11 1	16 5	5 2	8 1	1 —	} 48C
2 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
1 —	5 3	1 5	2 5	7 3	10 11	8 6	9 19	12 7	18 13	17 22	28 20	30 40	38 29	21 24	14 15	5 6	1 1	} 50
— —	— —	— —	1 —	3 —	3 —	8 —	6 —	5 —	6 —	1 —	2 —	3 —	3 —	1 —	— —	— —	— —	
— —	— —	— 1	1 —	1 —	1 —	2 —	— 1	— 1	— 1	— 2	2 3	2 —	1 —	— 1	— —	— 1	— —	} 52
7 3	6 3	7 1	4 2	5 3	4 2	3 1	2 3	7 3	1 1	7 3	2 1	4 4	2 —	2 1	2 —	— 1	— —	
7 5	2 —	— —	— 5	2 3	4 1	3 3	— 6	6 3	8 7	8 10	11 14	11 5	8 11	7 7	2 3	— 1	— —	} 54
13 19	4 3	1 1	2 —	2 1	2 —	3 —	2 —	2 1	— 1	— 1	— —	2 2	1 1	— 2	— 1	— 1	— —	
— —	— —	— —	— —	1 —	— 4	8 3	12 8	14 11	10 11	22 12	8 6	11 7	5 6	— 1	2 —	— —	— —	} 56
— —	— —	— —	— —	— —	— —	— —	1 —	1 —	— —	2 —	2 —	1 —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 58
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	} 59
4 3	3 —	1 2	1 4	1 2	5 1	3 —	2 2	3 1	6 2	1 2	— —	2 —	1 1	1 1	— —	— 1	— —	
10 4	3 2	1 —	2 —	2 —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 61A
32 29	— 1	2 1	— 2	2 —	— —	1 —	— —	— 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —	
139 128	24 17	6 12	4 7	9 4	3 4	3 4	6 —	4 2	4 3	— 2	1 2	2 2	1 —	2 1	— —	— —	— 1	} 61C
— —	— —	— —	— —	— —	— —	2 —	7 2	9 1	8 —	20 4	18 5	8 2	5 2	3 —	2 —	2 —	— —	
6 8	3 1	3 2	7 3	3 4	2 3	5 1	10 3	16 5	6 13	15 11	6 8	15 16	22 11	23 16	18 12	7 8	1 1	} 63

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

[illegible]

AT DIFFERENT AGE-PERIODS, 1911—*continued*.

Total under 5 Years.	AGES AT DEATH.																	International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
4 2	1 1	1 1	— —	3 4	7 5	9 10	12 9	42 29	46 68	93 117	95 117	120 145	166 169	161 203	110 162	56 113	26 59	64
— —	— —	— —	— —	1 —	— —	— 1	— —	1 2	1 7	3 5	8 6	14 11	15 25	11 17	9 18	3 12	3 5	65
2 1	— —	— —	1 1	3 —	1 1	1 1	— 1	1 2	6 3	5 6	7 8	16 19	22 25	28 30	19 26	14 14	7 9	66
— —	— —	— —	1 1	1 2	11 3	30 6	57 11	64 6	68 18	48 13	26 5	15 3	7 1	4 —	2 1	— 1	— —	67
— —	— —	— —	— 1	1 5	5 6	— 4	5 6	5 5	7 15	5 16	6 12	13 12	9 16	5 11	3 7	1 5	— 2	68
4 5	3 3	3 4	9 2	13 15	10 10	12 12	15 13	7 17	11 12	13 7	15 12	9 10	11 8	10 8	5 3	2 3	— 3	69
— —	— 1	— 1	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— 1	— —	— —	— 1	1 1	1 —	70
375 293	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	71
— 1	— 4	5 3	— 3	— 2	— —	— —	— —	— —	— —	1 —	— —	— —	— 1	— —	— —	— —	— —	72
1 —	— —	— —	— —	2 —	— —	1 3	— 5	1 14	3 10	6 8	— 5	3 7	3 3	— 2	1 2	— 2	— 1	73
9 9	7 3	1 3	6 3	2 10	4 8	7 6	8 12	10 11	13 12	11 11	18 7	12 7	8 21	19 8	4 7	2 4	1 4	74
2 —	1 —	1 1	— —	1 —	— —	— —	— —	— —	1 —	— —	— 1	— —	— —	— —	— 1	— 1	1 1	75
9 5	4 7	5 3	4 2	1 3	1 1	3 —	1 —	2 1	2 1	1 1	— 1	— —	— 1	1 —	— —	— —	— —	76A
14 20	8 2	3 5	8 4	4 5	3 3	2 2	4 1	3 —	— —	1 —	— 1	— 1	— 2	— —	1 —	— —	— —	76B
22 19	6 8	4 6	6 6	1 2	2 3	2 1	7 2	9 3	4 4	5 5	7 5	5 4	1 3	4 4	2 1	— 1	— —	77
1 5	7 9	17 12	10 18	12 18	10 12	15 10	14 11	14 3	14 12	9 4	9 17	7 8	5 3	— 2	1 2	— —	— 2	78
2 4	14 16	25 42	40 41	23 39	35 31	44 54	59 77	66 79	87 94	93 120	108 132	128 121	125 148	106 163	52 119	36 56	16 34	79A
1 1	— —	— 1	— —	1 1	4 1	3 7	8 8	9 13	16 20	22 29	36 41	36 39	43 41	25 35	22 23	10 9	3 6	79B
4 6	5 16	19 18	21 20	13 24	15 28	26 32	54 45	58 79	67 96	78 92	117 138	174 153	193 187	173 228	95 151	53 110	21 36	79C
— —	— —	— —	— —	— —	— 1	1 —	2 1	1 —	5 4	7 4	11 1	12 6	9 5	11 9	3 6	3 4	— 1	80
1 —	— —	— 1	1 —	— —	6 2	7 1	13 1	23 5	30 7	28 6	26 6	15 8	16 9	6 1	5 1	— 5	— —	81A
— —	— —	— —	— —	— —	— —	1 —	1 —	2 2	10 3	17 5	33 13	33 28	56 22	52 36	46 55	28 29	17 31	81B
— —	— —	— —	— —	1 —	— 1	— —	— 1	— —	2 1	3 3	2 —	7 1	5 1	2 2	3 2	— 1	1 1	81C

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
82A	Cerebral embolism and thrombosis. {	M 133 F 192	— —	— —	— —	— —	— —	— —	— —	1 —	— —
82B	Other embolism and thrombosis. {	M 21 F 29	— —	— —	— —	— —	— —	— —	— —	— —	— —
83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis, &c.). {	M 9 F 21	— —	— —	— —	— —	— —	— —	— —	— —	— —
84A	Status lymphaticus ... {	M 18 F 20	— 2	1 5	3 2	8 6	12 15	— 2	1 —	— 2	— —
84B	Other diseases of the lymphatic system. {	M 5 F 10	— —	1 1	1 —	1 1	3 2	1 2	— 2	— —	— 1
85	Hæmorrhage; other diseases of the circulatory system. {	M 7 F 10	— —	— —	— —	— —	— —	1 —	— —	— —	— 1
86	Diseases of the nasal fossæ. {	M 9 F 5	— —	— —	2 1	1 —	3 1	— —	— —	— —	— —
87	Diseases of the larynx ... {	M 54 F 52	3 2	— 4	4 2	9 8	16 16	13 7	4 4	5 7	2 3
88	Diseases of the thyroid body. {	M 4 F 22	— —	— —	— —	— —	— —	— —	— —	— —	— —
89 & 90	Bronchitis ... {	M 2,536 F 2,699	66 32	119 107	136 80	142 127	463 346	110 118	24 22	14 12	8 4
91	Broncho-pneumonia ... {	M 1,377 F 1,233	35 26	116 82	102 90	320 253	573 451	365 285	93 125	35 43	27 20
92A	Lobar-pneumonia ... {	M 680 F 436	5 —	5 6	3 6	24 14	37 26	27 21	12 9	8 7	3 4
92B	Pneumonia (type not stated). {	M 1,138 F 799	15 11	35 30	35 27	75 65	160 133	132 93	34 37	20 19	16 11
93	Pleurisy ... {	M 146 F 93	— —	3 1	3 2	5 3	11 6	11 10	6 1	4 —	1 —
94	Pulmonary congestion, Pulmonary apoplexy. {	M 111 F 115	2 2	6 6	5 2	7 2	20 12	3 5	3 2	1 —	1 —
95	Gangrene of the lung ... {	M 15 F 10	— —	— —	— —	— —	— —	— —	— 1	— —	— —
96	Asthma ... {	M 83 F 79	— —	— —	— —	— —	— —	— —	1 —	— —	— —
97	Pulmonary emphysema {	M 60 F 27	— —	— —	— —	— —	— —	— —	— 1	— —	— —
98A	Fibroid disease of lung ... {	M 15 F 10	— —	— —	— —	— —	— —	— —	— —	1 —	— —
98B	Other diseases of the respiratory system. {	M 21 F 20	— —	— 1	— 2	— 2	— 5	1 2	— —	— 1	— 1
99A	Diseases of the teeth and gums. {	M 20 F 22	1 —	— 1	— —	1 1	2 2	4 1	1 1	— —	— —
99 B, C, D.	Other diseases of the mouth and annexa. {	M 13 F 19	5 2	2 3	2 1	1 —	10 6	— 1	— 2	— 1	— 1
100	Diseases of pharynx, Tonsillitis. {	M 47 F 34	1 —	— —	2 —	3 3	6 3	6 4	5 —	6 1	1 3

AT DIFFERENT AGE-PERIODS, 1911—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
1 —	1 —	— —	— 1	— —	1 2	3 —	3 4	3 8	3 7	8 11	10 16	15 21	24 21	33 30	13 30	11 20	4 21	} 82A	
— —	— —	1 —	— —	— 1	2 1	1 2	1 —	1 1	4 1	3 1	2 5	2 4	2 1	1 3	1 3	— 4	— 2		} 82B
— —	— —	— —	— —	— —	— 1	1 1	1 3	1 4	1 1	1 4	— 2	— 2	2 1	1 2	1 —	— —	— —	} 83	
13 19	— —	3 1	— —	— —	— —	— —	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		} 84A
4 7	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— 1	— —	— —	— —	— —	— 1	— —	— 1	} 84B	
1 1	— —	— —	— 1	— —	— —	1 1	— —	— —	1 —	1 —	1 1	1 —	1 4	— 2	— —	— —	— —		} 85
3 1	3 —	— —	1 1	— 1	1 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	} 86	
40 37	4 8	— —	— —	— —	1 1	— —	— 2	1 —	1 —	2 —	2 2	— 2	— —	1 —	1 —	1 —	— —		} 87
— —	— —	— —	— 1	1 —	— —	— —	— 1	— —	1 —	— 4	— 2	1 3	— 3	1 5	— 1	— 1	— 1	} 88	
619 502	11 12	4 2	3 2	5 9	11 6	24 9	23 23	56 38	83 56	119 106	169 144	235 223	295 297	324 421	254 383	188 264	113 202		} 89 & 90
1,093 925	32 26	6 6	4 2	5 2	2 7	7 7	11 10	17 10	20 13	20 24	18 29	24 32	39 31	31 35	31 36	11 22	6 16	} 91	
87 67	13 14	4 8	16 11	21 12	32 22	51 26	55 26	78 28	65 33	55 33	83 29	51 38	34 25	19 36	10 13	6 12	— 3		} 92A
362 293	34 28	16 7	10 12	23 12	25 16	48 22	61 33	70 38	88 52	74 26	64 39	71 40	68 53	55 51	39 35	13 26	17 16	} 92B	
33 17	5 3	2 1	5 1	4 3	5 2	5 6	12 3	3 4	10 9	12 6	8 8	11 8	8 5	12 5	4 6	6 4	1 2		} 93
28 19	1 —	1 —	— 1	— 1	— 2	3 1	4 1	1 —	5 3	2 —	5 1	4 6	10 14	17 18	11 19	9 15	10 14	} 94	
— 1	1 —	— —	— —	1 1	— —	1 1	3 1	1 —	3 2	— —	1 1	1 2	2 1	1 —	— —	— —	— —		} 95
1 —	— —	— —	— —	1 1	— 2	3 1	8 3	4 6	1 8	7 7	13 12	17 10	11 11	2 4	9 9	5 4	1 1	} 96	
— 1	— —	— —	— —	1 —	1 —	— —	3 2	3 2	5 1	7 1	3 2	9 2	10 3	11 5	5 6	1 —	1 2		} 97
1 —	1 —	— —	— —	— —	— —	— —	— —	1 1	— —	1 1	5 3	2 —	2 —	— 3	1 1	1 1	— —	} 98A	
1 9	1 —	— —	— 1	2 —	1 —	2 1	3 —	1 1	2 1	1 —	— 1	2 1	3 2	1 2	— 1	1 —	— —		} 98B
7 4	— 1	— —	1 —	— 1	— —	1 2	2 —	2 4	2 3	1 2	1 —	2 1	— 1	— —	1 —	— 2	— 1	} 99A	
10 11	— —	— —	— —	— —	— 2	— 1	— —	— —	— —	— 1	— —	1 —	1 —	— —	— 1	1 3	— —		} 99 B, C, D.
24 11	3 8	3 2	2 5	— —	1 —	1 1	2 1	2 1	2 2	2 —	2 1	2 —	— —	1 1	— —	— —	— 1	} 100	

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

International List Nos.	Causes of Death,	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
101	Diseases of œsophagus ... {	M 5	—	—	—	—	—	—	—	—	—
	F 3	—	—	—	—	—	—	—	—	—	—
102	Perforating ulcer of {	M 143	1	—	—	—	1	—	—	—	—
	F 122	—	—	—	—	—	—	—	—	—	—
103A	Inflammation of stomach {	M 116	15	18	14	11	58	1	1	1	—
	F 121	—	2	11	10	6	29	3	3	1	—
103B	Other diseases of the {	M 35	7	5	5	2	19	2	—	—	—
	F 22	—	1	2	1	1	5	1	—	—	1
104 & 105.	Diarrhœa and enteritis ... {	M 3,309	112	466	831	1,014	2,423	463	77	17	14
	F 2,916	—	77	373	693	881	2,024	447	72	17	9
106	Ankylostomiasis ... {	M —	—	—	—	—	—	—	—	—	—
	F —	—	—	—	—	—	—	—	—	—	—
107	Other intestinal parasites {	M —	—	—	—	—	—	—	—	—	—
	F —	—	—	—	—	—	—	—	—	—	—
108	Appendicitis ... {	M 228	—	—	1	—	1	3	4	5	4
	F 159	—	—	—	—	1	1	—	1	4	2
109A	Hernia ... {	M 100	3	3	2	2	10	2	—	—	—
	F 128	—	—	1	—	1	2	1	—	—	1
109B	Intestinal obstruction ... {	M 157	—	3	11	15	29	8	1	2	1
	F 150	—	1	3	7	6	17	3	2	2	1
110	Other diseases of the {	M 36	1	1	—	—	2	1	—	1	—
	F 39	—	1	—	1	1	3	2	—	—	1
111	Acute yellow atrophy of {	M 1	—	—	—	—	—	—	—	—	—
	F 9	—	—	—	—	—	—	1	—	—	—
112	Hydatid of liver ... {	M 3	—	—	—	—	—	—	—	—	—
	F 3	—	—	—	—	—	—	—	—	—	—
113	Cirrhosis of the liver ... {	M 313	—	—	1	1	2	—	—	—	—
	F 333	—	—	—	—	—	—	—	—	—	—
114	Biliary calculi ... {	M 25	—	—	—	—	—	—	—	—	—
	F 55	—	—	—	—	—	—	—	—	—	—
115	Other diseases of the liver {	M 56	—	—	1	—	1	—	—	1	—
	F 65	—	—	—	—	1	1	2	2	—	—
116	Diseases of the spleen ... {	M 3	—	—	—	—	—	—	—	—	—
	F 2	—	—	—	—	—	—	—	—	—	—
117	Peritonitis (cause un- {	M 23	—	—	2	—	2	1	1	1	—
	F 44	—	1	1	—	—	2	—	2	1	4
118	Other diseases of the {	M 14	—	—	—	—	—	—	—	—	—
	F 17	—	—	—	—	—	—	—	—	—	—
119	Acute nephritis ... {	M 97	1	3	—	1	5	7	1	—	1
	F 91	—	—	1	1	5	7	—	3	1	4
120	Bright's disease ... {	M 1,025	—	—	—	—	—	—	1	—	1
	F 936	—	—	—	—	1	1	1	3	—	1
121	Chyluria ... {	M —	—	—	—	—	—	—	—	—	—
	F —	—	—	—	—	—	—	—	—	—	—
122	Other diseases of the {	M 45	1	1	—	2	4	1	2	1	—
	F 37	—	—	—	1	1	2	2	—	—	—

AT DIFFERENT AGE-PERIODS, 1911—continued.

Total under 5 Years.	AGES AT DEATH.																	International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	—	—	—	—	1	1	—	—	—	—	1	1	1	—	—	} 101
—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	1	—	
1	—	—	1	9	11	9	11	16	21	19	13	12	10	5	1	3	1	} 102
—	—	—	4	7	9	12	12	14	13	13	12	11	5	5	2	3	—	
61	1	—	1	—	3	1	—	4	6	6	1	4	11	3	10	5	1	} 103A
36	2	1	—	1	3	3	2	4	6	2	5	11	5	14	13	6	7	
21	—	—	—	—	—	—	1	—	—	1	2	2	5	1	2	—	—	} 103B
7	—	—	—	—	—	2	—	—	—	—	2	1	1	4	—	4	1	
2,994	13	—	6	5	9	11	15	17	19	28	27	31	38	35	26	17	18	} 104 & 105.
2,569	21	3	5	10	5	13	12	12	17	20	22	27	30	52	46	30	22	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 106
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 107
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
17	31	37	19	17	12	16	9	10	19	8	11	9	5	5	2	1	—	} 108
8	19	24	13	15	15	7	9	7	9	12	4	5	7	1	3	—	1	
12	1	1	—	—	—	1	1	4	7	3	15	8	14	9	16	6	2	} 109A
4	—	—	2	—	1	—	3	5	12	9	17	11	13	18	17	8	8	
41	3	4	4	4	5	3	4	7	2	11	12	17	21	8	5	2	4	} 109B
25	3	2	4	1	6	2	7	7	4	4	7	10	18	19	17	9	5	
4	1	1	—	—	2	1	1	1	5	1	3	9	3	3	1	—	—	} 110
6	—	—	1	—	1	1	2	2	2	3	3	2	5	5	4	2	—	
—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	} 111
1	—	—	—	1	1	2	—	—	1	1	—	1	—	—	1	—	—	
—	—	—	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	} 112
—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—	—	
2	—	3	—	1	1	3	17	29	37	66	55	41	41	9	7	1	—	} 113
—	1	—	2	—	1	9	22	35	56	48	55	44	33	18	4	3	2	
—	—	—	—	1	—	—	—	2	1	2	4	3	7	2	2	1	—	} 114
—	—	—	—	—	1	—	2	4	4	3	6	8	13	9	2	2	1	
2	—	—	—	—	2	1	5	4	5	5	8	8	6	8	1	1	—	} 115
5	1	1	—	—	1	1	2	2	6	3	9	5	10	8	9	1	1	
—	—	—	—	—	—	—	—	—	—	1	1	—	1	—	—	—	—	} 116
—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	
5	2	1	—	—	2	—	2	3	1	1	1	3	—	2	—	—	—	} 117
9	8	5	2	—	1	4	—	4	4	2	1	1	1	—	—	1	1	
—	—	—	—	1	1	2	—	—	—	5	2	1	1	1	—	—	—	} 118
—	—	—	—	2	—	1	—	1	—	1	5	1	3	2	1	—	—	
14	6	3	8	9	6	6	8	7	5	6	9	4	2	3	1	—	—	} 119
15	7	2	1	2	10	7	7	9	8	8	4	3	6	1	—	—	1	
2	3	9	5	11	15	40	42	52	85	120	142	143	150	101	70	27	8	} 120
6	4	8	7	22	23	27	36	82	95	101	109	111	125	87	56	24	13	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 121
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8	—	—	3	2	1	3	1	1	4	5	2	4	3	8	—	—	—	} 122
4	—	1	—	1	—	3	5	1	4	4	2	2	3	2	2	3	—	

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
123	Calculi of the urinary passages. { M F	29 11	— —	— —	— —	— —	— —	— —	— —	— —	— —
124	Diseases of the bladder... { M F	126 36	— —	— —	— 1	— —	— 1	— 1	— —	1 1	— —
125	Diseases of the urethra, { M Urinary abscess, &c. { F	76 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
126	Diseases of the prostate... { M F	159 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
127	Non-venereal diseases of { M male genital organs. { F	3 —	— —	1 —	— —	— —	1 —	— —	— —	— —	— —
128	Uterine hæmorrhage { M (non-puerperal). { F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
129	Uterine tumour (non- { M cancerous). { F	— 47	— —	— —	— —	— —	— —	— —	— —	— —	— —
130	Other diseases of the { M uterus. { F	— 14	— —	— —	— —	— —	— —	— —	— —	— —	— —
131	Ovarian cyst, tumour { M (non-cancerous). { F	— 34	— —	— —	— —	— —	— —	— —	— —	— —	— —
132	Other diseases of the { M female genital organs. { F	— 50	— —	— —	— —	— —	— —	— —	— —	— —	— —
133	Non-puerperal dis. of the { M breast (non-cancerous). { F	1 —	— —	— —	1 —	— —	1 —	— —	— —	— —	— —
134	Accidents of pregnancy... { M F	— 31	— —	— —	— —	— —	— —	— —	— —	— —	— —
135	Puerperal hæmorrhage ... { M F	— 30	— —	— —	— —	— —	— —	— —	— —	— —	— —
136	Other accidents of child- { M birth. { F	— 20	— —	— —	— —	— —	— —	— —	— —	— —	— —
137	Puerperal fever ... { M F	— 155	— —	— —	— —	— —	— —	— —	— —	— —	— —
138	Puerperal albuminuria { M and convulsions. { F	— 41	— —	— —	— —	— —	— —	— —	— —	— —	— —
139	Puerperal phlegmasia { M alba dolens, embolism { F and sudden death.	— 27	— —	— —	— —	— —	— —	— —	— —	— —	— —
140	Puerperal insanity ... { M F	— 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
141	Puerperal diseases of the { M breast. { F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
142A	Senile gangrene ... { M F	65 85	— —	— —	— —	— —	— —	— —	— —	— —	— —
142B, C, D.	Gangrene, other types ... { M F	12 17	— 1	— —	— —	— 1	— 2	1 1	2 2	2 1	— —
143	Carbuncle, Boil ... { M F	23 14	— —	— 1	1 —	— 1	1 2	— 1	— —	— —	— —
144	Phlegmon, Acute abscess { M F	62 60	4 3	2 3	3 1	3 4	12 11	2 1	— 1	1 1	— —
145	Diseases of the integu- { M mentary system. { F	58 65	11 7	3 6	1 1	8 1	23 15	2 1	2 —	— —	— 1

AT DIFFERENT AGE-PERIODS, 1911—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	1	3	—	3	1	3	3	1	1	2	2	4	2	1	2	} 123
—	—	—	—	—	—	1	—	1	3	2	2	1	—	—	—	1	—	
1	—	—	—	1	—	1	4	2	3	4	12	16	19	27	15	10	11	} 124
3	—	—	—	—	—	—	2	2	1	3	3	3	3	7	3	5	1	
—	—	1	—	—	2	1	6	5	8	14	8	11	10	3	3	3	1	} 125
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	1	1	—	—	—	3	4	19	20	41	41	19	10	} 126
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	} 127
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 128
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	1	1	4	11	9	10	2	1	3	1	2	1	1	} 129
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	1	4	2	2	—	1	—	1	1	—	—	1	1	—	} 130
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	3	3	2	3	1	6	4	2	1	4	1	1	3	—	} 131
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	8	6	12	6	12	3	2	—	—	—	—	—	—	—	} 132
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 133
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	4	4	4	12	7	—	—	—	—	—	—	—	—	—	} 134
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	2	5	5	10	7	1	—	—	—	—	—	—	—	—	} 135
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	3	5	4	6	1	—	—	—	—	—	—	—	—	—	} 136
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	4	21	51	33	24	22	—	—	—	—	—	—	—	—	—	} 137
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	6	9	13	8	5	—	—	—	—	—	—	—	—	—	—	} 138
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	—	8	7	6	5	—	—	—	—	—	—	—	—	—	} 139
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	1	1	1	1	—	—	—	—	—	—	—	—	—	—	} 140
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 141
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	1	4	5	16	20	11	8	} 142A
—	—	—	—	—	—	—	—	—	—	—	1	1	16	23	13	13	18	
5	1	—	1	—	—	—	—	1	—	2	—	1	—	—	1	—	—	} 142B, C, D.
6	—	—	—	—	1	—	2	—	—	2	1	1	1	2	—	—	1	
1	—	—	—	1	2	1	2	—	—	2	3	4	3	2	1	1	—	} 143
3	—	—	—	—	—	—	1	2	—	2	1	—	1	2	2	—	—	
15	—	1	1	—	1	—	3	5	2	5	8	9	3	5	2	2	—	} 144
14	1	—	—	—	2	1	5	1	3	2	8	2	3	11	3	3	1	
27	1	—	—	—	—	1	2	2	2	—	1	3	9	2	6	2	—	} 145
17	—	1	—	2	—	1	—	2	2	—	6	3	3	5	8	7	8	

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
146	Diseases of the bones ... { M F	42 29	— —	— 2	1 1	3 —	4 3	1 1	1 2	1 2	2 —
147	Diseases of the joints ... { M F	8 4	1 —	1 —	1 —	— —	3 —	— —	— —	— —	— —
148	Amputations ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
149	Other diseases of loco- motor system. { M F	6 5	— —	1 —	— —	— —	1 —	— —	— —	— —	— —
150	Congenital malformations { M F	291 221	152 136	69 31	33 14	16 20	270 201	7 8	4 3	— 3	4 1
151A	Premature birth ... { M F	1,142 917	1,031 806	102 98	7 11	2 2	1,142 917	— —	— —	— —	— —
151B, C, D, E.	Infantile debility, Icterus and Sclerema. { M F	819 643	333 253	236 179	164 134	86 77	819 643	— —	— —	— —	— —
152	Other diseases peculiar to early infancy. { M F	210 183	198 168	12 14	— 1	— —	210 183	— —	— —	— —	— —
153	Lack of care ... { M F	12 16	12 16	— —	— —	— —	12 16	— —	— —	— —	— —
154	Old age ... { M F	1,226 2,007	— —	— —	— —	— —	— —	— —	— —	— —	— —
155	Suicide by poison ... { M F	72 49	— —	— —	— —	— —	— —	— —	— —	— —	— —
156	Suicide by asphyxia ... { M F	16 6	— —	— —	— —	— —	— —	— —	— —	— —	— —
157	Suicide by hanging or strangulation. { M F	69 16	— —	— —	— —	— —	— —	— —	— —	— —	— —
158	Suicide by drowning ... { M F	35 25	— —	— —	— —	— —	— —	— —	— —	— —	— —
159	Suicide by firearms ... { M F	43 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
160	Suicide by cutting or piercing instruments. { M F	90 12	— —	— —	— —	— —	— —	— —	— —	— —	— —
161	Suicide by jumping from high place. { M F	10 14	— —	— —	— —	— —	— —	— —	— —	— —	— —
162	Suicide by crushing ... { M F	13 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
163	Other suicides ... { M F	3 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
164	Poisoning by food ... { M F	11 10	— —	— —	— —	— —	— —	— —	1 —	1 —	— —
165	Other acute poisonings ... { M F	33 19	— 1	1 —	— —	1 —	2 1	1 —	— —	— 1	— —
166	Conflagration ... { M F	13 7	— —	— —	1 —	— —	1 —	— 1	— —	1 —	— 1
167	Burns (conflagration ex- cepted). { M F	93 156	— 2	— 1	1 1	5 8	6 12	19 27	15 14	14 11	8 11
168	Absorption of deleterious gases (conflagration ex- cepted). { M F	137 155	38 37	53 61	28 33	7 14	126 145	— 3	— —	1 —	— —

AT DIFFERENT AGE-PERIODS, 1911—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
9 8	9 3	8 9	3 1	1 —	2 1	1 2	1 —	2 —	2 —	1 2	— —	2 —	— —	1 1	— 2	— —	— —	} 146	
3 —	1 —	— —	1 1	— —	— —	— —	— —	— 1	— 1	1 1	1 —	— —	— —	— —	1 —	— —	— —		} 147
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 148	
1 —	— —	2 1	— —	— —	— —	— —	— 1	— —	— —	— 1	— —	3 1	— —	— —	— —	— —	— 1		} 149
285 216	3 1	— —	— —	2 1	— —	1 1	— 1	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	} 150	
1,142 917	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		} 151A
819 643	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 151B, C,D,E.	
210 183	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		} 152
12 16	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 153	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 —	2 7	29 30	98 85	221 281	314 405	309 557	251 642		} 154
— —	— —	— —	2 5	3 3	4 5	6 5	7 5	9 7	9 6	7 7	15 4	2 1	3 —	1 1	4 —	— —	— —	} 155	
— —	— —	— —	1 —	1 —	1 1	— 1	2 1	2 —	2 1	— 1	— 1	3 —	2 —	1 —	1 —	— —	— —		} 156
— —	— —	— —	1 —	4 —	— —	8 3	2 3	11 —	9 2	8 2	5 3	7 2	6 1	5 —	2 —	1 —	— —	} 157	
— —	— —	— —	— 3	3 5	2 4	5 2	3 1	5 3	3 3	6 3	4 —	2 —	1 1	— —	1 —	— —	— —		} 158
— —	— —	2 —	3 —	5 —	7 —	4 —	3 —	3 —	1 1	3 —	4 —	5 —	1 —	2 —	— —	— —	— —	} 159	
— —	— —	— —	— 1	1 —	5 2	11 1	11 —	12 —	16 1	9 2	10 3	5 1	6 —	1 —	3 —	— 1	— —		} 160
— —	— —	— —	— —	— —	— —	2 3	1 4	2 2	2 2	— —	— 2	2 —	1 —	— —	— 1	— —	— —	} 161	
— —	— —	— —	2 —	3 —	1 —	1 —	— 2	3 —	2 —	— —	— 2	— —	1 —	— —	— —	— —	— —		} 162
— —	— —	— —	— —	— —	1 —	1 —	— 1	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	} 163	
1 1	1 1	1 1	1 —	— —	2 1	— 1	1 —	1 1	1 —	— 2	— —	1 1	— 1	— —	— —	— —	1 —		} 164
3 2	— —	2 —	— —	3 —	— 2	2 1	4 2	2 2	6 2	5 2	2 2	1 3	— —	1 —	2 1	— —	— —	} 165	
2 2	2 1	1 —	— —	1 1	2 —	1 —	— 1	— 1	1 —	— —	— —	— —	1 1	1 —	— —	— —	1 —		} 166
62 75	11 21	1 7	2 6	3 4	2 —	2 3	— 1	— 5	2 3	1 1	— 3	1 7	1 4	2 4	1 4	— 5	2 3	} 167	
127 148	— —	1 —	— 1	— —	— —	1 1	— 1	1 1	2 —	1 —	1 —	— —	1 2	2 —	— —	— 1	— —		} 168

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
169	Accidental drowning ... { M F	199 26	— 1	—	1 —	— 2	1 3	6 1	1 1	5 —	3 —
170	Injury by firearms ... { M F	6 —	— —	—	—	—	—	—	—	—	—
171	Injury by cutting or { M piercing instruments. { F	3 —	— —	—	—	—	—	—	—	—	—
172	Injury by fall ... { M F	342 223	— —	—	1 2	8 3	9 5	11 5	9 1	5 4	3 1
173	Injury in mines and { M quarries. { F	— —	— —	—	—	—	—	—	—	—	—
174	Injury by machines ... { M F	25 2	— —	—	—	—	—	—	1 —	—	—
175	Injury by other crushing { M (vehicles, railways, { F landslides, &c.).	401 115	— —	—	1 —	1 1	2 1	4 4	2 3	5 3	10 3
176	Injury by animals ... { M F	1 —	— —	—	—	—	—	—	—	—	—
177	Starvation ... { M F	2 —	— —	—	—	—	—	—	—	—	—
178	Excessive cold ... { M F	1 —	— —	—	—	—	—	—	—	—	—
179	Effects of heat ... { M F	33 11	1 —	—	—	3 1	4 1	1 2	—	—	4 —
180	Lightning... { M F	3 —	— —	—	—	—	—	—	—	—	—
181	Electricity (lightning ex- { M cepted). { F	1 —	— —	—	—	—	—	—	—	—	—
182	Homicide by firearms ... { M F	4 3	— —	—	—	—	—	—	—	—	—
183	Homicide by cutting or { M piercing instruments. { F	4 3	— —	—	—	—	—	—	—	—	—
184	Homicide by other means { M F	17 13	4 4	—	—	1 1	5 5	—	—	—	—
185	Fractures (cause not { M specified). { F	19 17	— 1	— 2	—	—	— 3	—	—	—	—
186	Other violence ... { M F	57 37	1 2	— 7	6 —	2 2	9 11	6 2	— 2	1 2	2 2
187	Dropsy ... { M F	2 1	— —	—	—	—	—	—	—	—	—
188A	Syncope (aged 1 year and { M under 70). { F	7 3	— —	—	—	—	—	—	—	—	—
188B	Sudden death (not other- { M wise defined) { F	— —	— —	—	—	—	—	—	—	—	—
189A	Heart failure (aged 1 year { M and under 70). { F	13 16	— —	—	—	—	—	—	—	—	—
189B, C, D, E.	Other ill-defined causes... { M F	61 53	— —	—	—	1 —	1 —	46 46	5 1	1 1	— —
189F	Cause not specified ... { M F	5 4	3 2	—	—	1 —	4 2	— 1	—	—	—

AT DIFFERENT AGE-PERIODS, 1911—*continued.*

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
16 5	33 2	18 1	15 2	14 3	15 —	15 3	13 —	14 2	21 2	7 3	9 2	7 —	1 1	—	—	1 —	—	169	
—	—	—	3	—	—	1	—	1	—	—	1	—	—	—	—	—	—	170	
—	1 —	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	171	
37 16	9 5	9 1	6 1	14 3	9 3	19 2	21 6	22 3	31 8	27 7	25 15	23 9	18 18	28 36	21 27	15 40	8 23	172	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	173	
1 —	1 1	2 —	3 —	1 —	3 —	2 —	2 —	3 —	1 1	3 —	2 —	1 —	—	—	—	—	—	174	
23 14	66 19	24 10	22 5	15 2	26 7	20 2	37 3	23 6	35 5	23 14	23 7	20 5	19 5	9 6	11 3	— 1	5 1	175	
—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	176	
—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	177	
—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	178	
9 3	2 1	1 1	1 —	1 1	—	1 —	3 —	1 —	6 2	1 —	1 —	2 1	2 —	1 —	— 1	—	1 1	179	
—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	180	
—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	181	
—	—	—	1	—	1	1	1	—	1	—	—	—	—	—	—	—	—	182	
—	—	—	1	1	1	1	—	1	—	—	1	—	—	—	—	—	—	183	
5 5	—	—	—	—	4 2	1 1	2 —	1 —	1 2	2 —	—	1 —	—	—	—	—	—	184	
— 3	—	—	—	1	2	—	1	2	2 1	2 1	1 1	2 2	2 —	1 —	1 5	2 2	— 2	185	
18 19	2 2	1 —	3 —	—	3 —	6 —	7 2	7 2	2 —	2 3	2 4	— 2	1 1	1 1	1 1	—	1 —	186	
—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	187	
—	—	—	—	—	—	1	—	—	2	—	—	1	3	—	—	—	—	188A	
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	188B	
—	—	—	—	—	—	2	1	—	1	2 5	2 —	4 4	1 3	—	—	—	—	189A	
53 48	—	1 —	—	—	—	—	—	—	2	1 —	1 2	1 1	2 1	—	—	—	—	189B, C,D,E.	
4 3	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	189F	

AGGREGATE OF COUNTY BOROUGHs.—CAUSES OF DEATH

[illegible]

AT DIFFERENT AGE-PERIODS, 1911.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
33,481 28,510	2,262 2,257	1207 1259	1623 1597	1942 1897	2,205 2,027	2,696 2,334	3,316 2,903	3,637 3,068	4,185 3,546	4,706 3,937	5,331 4,374	5,766 4,983	5,900 5,542	5,629 6,536	3,756 5,084	2,126 3,447	1,166 2,105	} 1 } 2 } 3 } 4 } 5 } 6 } 7 } 8 } 9A } B, C. } 10 } 11 } 12 } 13 } 14 } 15 } 16 } 17 } 18 } 19 } 20 } 21
14 9	17 25	26 29	44 45	63 48	84 37	70 40	59 27	34 21	31 19	21 21	14 15	8 8	4 8	— 3	—	— 1	—	
—	—	—	1	—	—	1	—	—	1	—	1	—	—	—	—	—	—	
—	—	—	—	—	2	2	1	—	—	—	—	1	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	4	3	6	1	—	3	1	3	2	—	—	1	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	1	1	—	—	—	1	1	—	—	—	—	—	—	
2,274 2,048	130 140	3 5	3 2	—	2 1	—	—	1	—	—	—	—	—	—	—	—	—	
244 241	120 101	23 24	16 9	3 7	3 5	5 5	1 2	—	1 3	1 —	—	—	—	—	—	—	—	
1,098 1,469	28 63	— 2	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	
534 508	281 322	41 44	9 8	2 3	— 4	3 5	2 1	3 1	1 1	— 1	— 2	1 2	1 —	—	—	—	—	
12 14	4 4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
54 38	11 9	6 9	14 9	28 8	16 14	31 24	34 24	44 29	45 35	51 46	50 46	52 71	62 48	56 64	42 41	19 28	10 21	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9 8	—	—	—	—	1 1	1 1	1 —	1 1	1 —	4 1	4 —	5 —	2 —	5 1	1 —	— 1	— 1	
8 9	— 1	—	1 1	1 —	1 —	2 5	1 1	2 4	4 1	1 3	3 5	5 1	3 2	1 1	3 2	— 2	— 1	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
28 33	1 2	3 2	4 1	5 —	4 3	6 1	9 6	13 6	19 11	12 10	11 13	10 10	12 20	8 28	11 9	5 7	— 7	
20 19	5 4	— 1	—	—	—	1 —	— 1	—	—	—	—	—	—	—	—	1 —	—	
22 16	7 2	5 2	4 2	3 3	9 8	5 3	5 5	16 4	13 5	9 3	15 4	9 5	4 2	3 2	3 1	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

AGGREGATE OF COUNTY BOROUGHs.—CAUSES OF DEATH

[illegible]

AT DIFFERENT AGE-PERIODS, 1911—continued.

Total under 5 years.	AGES AT DEATH.																	International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	—	—	1	1	—	1	—	1	1	—	1	—	—	—	—	} 22
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 23
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	3	2	1	4	1	4	1	5	2	2	3	—	—	—	—	1	—	} 24
2	1	1	1	1	—	1	—	—	—	2	—	1	1	—	—	—	—	
—	—	—	—	—	2	1	—	1	1	1	—	—	1	1	—	—	—	} 25
—	—	—	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	
—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	} 27
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
175	82	96	411	657	751	897	943	825	772	710	515	335	195	82	16	6	—	} 28
185	113	249	535	685	653	617	665	540	407	288	185	159	107	51	16	6	1	
27	18	14	50	65	68	72	70	68	47	41	25	15	7	3	1	—	—	} 29A
36	22	37	56	70	62	60	57	52	32	15	9	7	1	—	—	—	—	
43	15	12	8	5	11	7	11	6	4	—	1	2	1	1	—	—	—	} 29B
57	15	13	14	6	7	5	3	2	1	1	1	—	1	—	—	—	—	
640	152	43	40	19	8	12	7	6	5	4	3	1	1	—	—	—	—	} 30
524	157	71	42	19	11	7	1	2	8	1	2	—	1	—	—	—	—	
571	76	31	26	24	10	12	12	10	13	10	7	5	3	2	—	—	—	} 31
481	69	40	33	19	14	18	11	13	12	11	8	5	4	1	—	—	—	
11	15	12	17	16	7	8	10	4	—	8	4	2	3	—	1	—	—	} 32
11	11	10	8	8	7	5	7	4	3	1	9	5	4	3	1	—	—	
9	9	5	12	9	6	1	2	4	3	4	2	1	9	2	—	—	—	} 33
7	6	9	4	3	6	1	2	1	4	2	4	3	4	1	—	1	1	
23	8	5	5	10	3	9	7	4	9	7	5	1	5	4	1	—	—	} 34
17	3	5	5	4	13	9	12	8	5	7	8	5	6	3	1	1	1	
239	56	39	32	19	12	11	11	10	17	12	8	5	7	4	—	—	—	} 35
203	52	35	27	14	18	17	12	12	7	6	6	10	2	—	1	3	—	
1,738	431	257	601	824	876	1,029	1,073	937	870	796	570	367	231	98	19	6	—	} 28-35
1,521	448	469	724	828	791	739	770	634	479	332	232	194	130	59	19	11	3	
186	3	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	} 36
149	6	1	—	2	—	2	—	1	2	1	1	—	1	—	—	—	—	
317	1	1	2	7	9	18	19	25	15	8	18	6	9	4	1	1	—	} 37
254	3	1	2	4	9	5	9	8	13	14	11	6	1	2	1	—	—	
8	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	} 38
11	—	—	—	—	2	2	3	—	1	1	—	—	—	—	—	—	—	
—	1	1	—	3	3	4	10	31	77	105	114	106	81	74	35	6	5	} 39
1	1	—	—	1	2	3	6	5	11	8	13	10	16	14	7	—	1	
2	2	—	3	3	10	13	39	86	170	214	273	310	291	223	80	32	4	} 40
1	1	—	1	3	7	34	45	75	129	181	229	264	290	242	131	67	21	
2	2	—	2	6	12	13	20	48	66	102	110	153	149	122	68	26	4	} 41
1	1	—	4	4	7	20	33	46	71	99	146	132	174	156	95	38	17	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 42
—	1	—	2	5	13	55	91	181	237	229	206	202	156	96	52	25	7	
—	—	—	—	—	—	—	—	—	—	2	2	—	1	2	1	—	—	} 43
—	—	—	—	1	6	11	58	86	150	121	153	112	96	108	68	28	15	

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
44	Cancer of the skin ... { M F	185 97	— —	— —	1 —	— —	1 —	— —	— —	— —	— —
45	Cancer of other or un- specified organs. { M F	1,035 589	— —	— —	— 1	1 2	1 3	1 3	6 4	4 5	1 3
39-45	Cancer (all sites) ... { M F	4,544 6,121	— —	— —	1 1	2 3	3 4	2 3	6 5	4 5	3 4
46	Other tumours (situation undefined). { M F	22 21	— —	— —	— —	— —	— —	1 —	1 —	— —	— —
47	Rheumatic fever ... { M F	292 363	— —	— —	— 1	— 1	— 2	2 2	— —	4 2	2 4
48 A, B.	Chronic rheumatism, { M Osteo-arthritis. { F	125 275	— —	— —	— —	— —	— —	— —	— —	— —	— —
48C	Gout ... { M F	69 19	— —	— —	— —	— —	— —	— —	— —	— —	— —
49	Scurvy ... { M F	13 7	1 —	— —	1 —	3 2	5 2	2 1	1 —	1 1	1 —
50	Diabetes ... { M F	552 541	— —	— —	— —	— —	— —	— 1	1 1	— —	— —
51	Exophthalmic goitre ... { M F	8 89	— —	— —	— —	— —	— —	— —	— —	— —	— —
52	Addison's disease ... { M F	38 42	— —	— —	— —	— —	— —	1 —	— —	— —	— —
53	Leucocythæmia, Lympha- denoma. { M F	119 89	— 1	— 1	1 —	— 1	1 3	5 3	3 1	3 2	1 1
54	Anæmia, Chlorosis ... { M F	253 350	1 2	2 1	— —	4 —	7 3	7 10	2 2	1 1	1 1
55	Other general diseases ... { M F	81 69	14 14	2 1	— 1	4 4	20 20	3 3	— 1	4 2	3 —
56	Alcoholism (acute or chronic). { M F	126 78	— —	— —	— —	— —	— —	— —	— —	— —	— —
57	Chronic lead poisoning ... { M F	53 6	— —	— —	— —	— —	— —	— —	— —	— —	— —
58	Other chronic occu- pational poisonings. { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
59	Other chronic poisonings { M F	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
60	Encephalitis ... { M F	63 53	— —	1 1	— 1	4 —	5 2	1 3	— 3	— 1	— 1
61A	Cerebro-spinal fever ... { M F	20 17	— 1	1 —	1 2	1 1	3 4	1 —	1 —	1 1	— 1
61B	Posterior basal meningitis { M F	49 30	— 1	4 1	6 4	12 9	22 15	14 6	4 2	1 2	— —
61C	Meningitis, other forms { M F	1,016 904	16 5	35 27	98 67	160 144	309 243	189 157	79 70	48 46	35 47
62	Locomotor ataxy... { M F	176 37	— —	— —	— —	— —	— —	— —	— —	— —	— —
63	Other diseases of the spinal cord. { M F	388 323	1 —	— —	— —	— —	1 —	6 3	7 —	4 7	3 —

AT DIFFERENT AGE-PERIODS, 1911—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
1 —	— —	1 —	— —	1 —	2 1	2 1	8 1	12 3	10 8	18 5	33 12	25 5	23 11	13 20	19 13	13 9	4 8	} 44	
13 18	11 4	10 8	16 10	14 6	18 9	24 16	37 32	67 46	86 52	121 59	146 68	151 65	142 67	96 66	63 38	17 18	3 7		
18 21	16 8	12 8	21 17	27 20	45 45	56 140	114 266	244 442	409 658	562 702	678 827	745 790	687 810	530 702	266 404	94 185	20 76	} 39-45	
2 —	— —	1 —	— —	— 1	— —	2 2	2 —	2 1	1 2	3 2	4 2	1 4	3 2	1 3	— 1	— 1	— —		
8 10	35 34	59 58	36 53	14 29	23 30	25 25	18 22	21 23	16 18	14 17	8 17	4 11	7 12	2 2	1 2	1 —	— —	} 47	
— —	— —	— —	— 1	1 —	2 1	1 5	1 6	2 4	3 11	14 17	17 30	34 41	18 48	16 35	4 17	1 4			
— —	— —	— —	— —	— —	— —	— —	2 1	2 —	3 —	3 —	11 1	8 5	12 5	14 3	6 1	6 1	2 2	} 48C	
10 4	— —	— 1	— —	— 1	— —	— —	— —	— —	— 1	2 —	— —	— —	1 —	— —	— —	— —	— —		
1 2	3 7	13 8	14 21	22 11	20 32	27 25	33 18	23 23	30 38	44 44	66 49	67 80	93 75	52 59	31 29	11 15	2 5	} 50	
— —	— —	— 1	— 2	2 8	1 8	1 7	— 12	1 15	— 12	1 6	1 7	— 5	— 4	— 1	1 1	— —	— —		
1 —	— 2	1 —	3 —	3 2	— 4	1 2	2 5	2 6	2 4	7 2	7 5	4 5	4 3	1 2	— —	— —	— —	} 52	
13 10	12 5	9 3	6 5	8 4	9 4	3 10	10 8	7 7	8 5	10 8	9 5	3 11	6 2	5 2	1 —	— —	— —		
18 17	1 3	5 7	2 11	3 19	3 12	10 17	9 29	19 22	24 25	25 31	39 41	37 44	39 34	10 22	8 12	1 4	— —	} 54	
30 26	5 5	6 3	6 2	9 4	— 2	1 5	4 3	1 1	2 2	3 2	3 3	3 5	1 4	4 1	3 —	— 1	— —		
— —	— —	— —	— —	2 1	7 —	6 8	24 9	19 10	19 12	25 14	12 10	5 5	4 5	1 3	1 1	— —	1 —	} 56	
— —	— —	— —	— —	1 1	1 —	4 —	7 1	11 1	11 1	8 1	5 —	4 —	1 —	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 58	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 59	
6 10	7 2	4 6	7 5	6 3	4 3	7 3	3 5	6 4	— 2	3 4	4 1	6 1	— 3	— —	— 1	— —	— —		
6 6	6 2	2 1	3 4	1 2	1 1	— 1	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 61A	
41 25	2 1	1 —	1 —	— 3	— —	1 —	— 1	1 —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —		
660 563	114 110	54 41	35 32	15 17	15 20	20 15	18 15	10 22	12 15	18 13	15 12	8 11	7 6	10 5	3 6	2 1	— —	} 61C	
— —	— —	— —	— —	— 1	2 —	6 1	9 5	24 6	25 11	30 3	27 4	26 3	16 2	5 1	4 —	2 —	— —		
21 10	9 7	9 6	7 8	9 5	7 7	17 14	10 14	28 28	27 21	40 26	40 25	52 46	52 32	31 33	16 25	10 13	3 3	} 63	

AGGREGATE OF COUNTY BOROUGHs.—CAUSES OF DEATH

[illegible]

AT DIFFERENT AGE-PERIODS, 1911—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
14 11	2 3	3 3	1 3	8 14	16 15	18 24	52 49	104 133	169 242	268 362	360 383	506 543	511 580	545 688	328 484	142 239	76 111	}	64
— —	2 —	— —	1 —	— 3	3 1	3 1	6 3	9 6	4 14	21 18	34 28	60 41	57 42	57 52	38 49	16 18	7 15		
3 4	— —	— —	2 —	1 2	— —	5 2	2 2	14 12	25 24	23 40	58 60	82 75	95 102	79 108	42 70	30 39	11 20	}	66
— —	1 —	1 1	— 1	5 5	19 9	61 18	110 24	135 31	115 25	83 20	50 16	35 3	10 9	4 2	1 1	1 —	— —		
— —	— —	— —	— 2	4 8	4 4	5 12	15 17	12 22	17 30	25 36	41 22	37 34	32 29	21 18	6 14	7 6	3 3	}	68
17 22	15 8	21 20	28 25	33 31	27 31	33 36	38 32	35 33	25 27	22 26	26 25	28 29	32 29	14 21	4 8	8 2	2 3		
— —	15 12	6 1	1 —	1 —	1 2	1 1	— —	— —	1 —	1 —	— 1	1 1	— —	1 1	1 2	— 1	1 —	}	70
2,195 1,649	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
3 —	5 3	2 6	2 13	— 3	— —	— —	— 1	— 3	— 1	1 —	— —	1 1	— 3	— —	— 1	— —	— —	}	72
— —	— —	1 —	— 1	— 1	— 1	2 14	5 13	9 37	12 28	4 17	3 17	8 14	2 9	3 9	— 4	— 2	— —		
21 28	20 22	14 13	10 11	15 8	16 8	14 15	17 20	20 26	24 24	15 26	28 25	29 22	29 39	17 22	14 22	8 8	— 3	}	74
2 —	1 —	— 2	— 1	1 —	— —	— —	— 1	1 1	— —	1 —	— 2	— —	— 2	— 1	— 1	— —	— 1		
25 18	8 17	6 5	6 4	2 4	2 —	3 2	2 1	2 —	1 —	— —	2 —	1 —	— —	— —	— —	— —	— —	}	76A
52 52	15 13	18 17	19 13	10 12	7 6	6 5	5 4	5 3	7 5	3 2	2 1	4 —	3 2	— 2	— —	— —	— —		
11 1	9 8	11 14	6 8	5 1	4 2	4 1	5 7	4 5	9 5	5 5	11 7	6 —	2 3	2 3	2 1	— —	— —	}	77
6 10	14 18	17 21	25 33	18 28	15 21	23 23	19 22	19 17	30 28	27 23	26 25	6 3	2 1	— 1	— 4	— —	— 1		
5 8	43 52	61 79	94 97	67 100	72 99	75 131	139 153	159 185	197 209	243 256	288 240	318 342	250 338	260 307	115 189	43 79	16 40	}	79A
— —	— —	— —	— 1	— 4	2 1	2 1	9 14	10 16	19 34	41 49	38 59	49 58	60 49	45 55	16 34	6 14	4 1		
17 21	27 22	43 43	47 47	47 64	45 65	86 83	118 133	166 170	211 243	312 341	392 395	501 459	564 585	495 610	248 385	102 220	29 79	}	79C
— —	— —	— —	— —	2 —	1 —	— 2	4 1	7 2	19 8	27 10	38 11	47 13	41 11	24 24	19 7	4 5	2 3		
— —	— —	— —	— —	1 —	5 —	19 1	36 8	42 4	49 10	49 10	39 9	40 12	19 7	16 8	4 4	4 1	1 —	}	81A
— —	— —	— —	— —	1 —	— —	— —	5 1	7 6	19 6	39 14	68 27	99 54	135 63	149 93	126 73	40 67	20 42		
— —	— —	— —	— —	— —	1 —	1 —	— 1	1 1	2 1	4 1	4 —	2 2	3 1	2 2	4 5	— 1	— —	}	81C

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
82A	Cerebral embolism and thrombosis. {	M 261 F 414	— —	— —	— —	— 1	— 1	— —	1 —	— —	1 —
82B	Other embolism and thrombosis. {	M 36 F 56	— 1	— —	— —	— —	— 1	1 —	— —	1 —	— —
83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis, &c.). {	M 33 F 41	— —	— —	— —	— —	— —	— —	— —	— —	— —
84A	Status lymphaticus ... {	M 21 F 15	— 1	4 3	6 4	4 1	14 9	1 1	— —	2 1	— —
84B	Other diseases of the lymphatic system. {	M 21 F 17	— —	1 —	— 1	5 3	6 4	— 2	2 1	1 —	— —
85	Hæmorrhage; other diseases of the circulatory system. {	M 39 F 23	2 —	1 —	1 —	— —	4 —	— —	— —	— —	— —
86	Diseases of the nasal fossæ. {	M 6 F 11	— 1	— 3	— 1	1 1	1 6	2 —	— —	— —	— —
87	Diseases of the larynx ... {	M 233 F 169	4 5	10 4	9 7	30 29	53 45	38 30	26 24	24 20	29 7
88	Diseases of the thyroid body. {	M 8 F 52	— —	— —	— —	— —	— —	— —	— —	— —	— —
89 & 90.	Bronchitis ... {	M 6,660 F 7,169	170 143	441 334	357 279	541 529	1,509 1,285	383 404	111 135	38 31	15 25
91	Broncho-pneumonia ... {	M 3,386 F 3,086	54 33	218 147	306 228	762 615	1,340 1,023	874 801	337 317	115 124	58 53
92A	Lobar pneumonia ... {	M 1,928 F 1,082	3 2	13 8	15 11	53 45	84 66	83 60	30 35	19 23	23 15
92B	Pneumonia (type not stated). {	M 2,814 F 1,869	18 17	55 37	63 46	186 144	322 244	241 201	96 63	63 48	46 27
93	Pleurisy ... {	M 283 F 197	— 1	1 —	1 3	7 3	9 7	18 11	15 8	5 4	3 1
94	Pulmonary congestion, Pulmonary apoplexy. {	M 293 F 284	12 5	12 16	11 7	13 13	48 41	13 15	6 5	6 4	8 2
95	Gangrene of the lung ... {	M 18 F 7	— —	— —	— —	— —	— —	— —	— —	— —	— —
96	Asthma ... {	M 235 F 221	— —	— —	— —	— —	— —	1 —	1 —	1 —	— —
97	Pulmonary emphysema {	M 76 F 24	— —	— —	— —	— —	— —	— —	— —	— —	— —
98A	Fibroid disease of lung ... {	M 75 F 23	— —	— —	— —	1 —	1 —	— —	— —	— —	— —
98B	Other diseases of the respiratory system. {	M 79 F 78	— —	— 2	2 3	— 1	2 6	1 2	3 1	1 3	1 2
99A	Diseases of the teeth and gums. {	M 49 F 29	7 2	4 3	2 1	6 2	19 8	5 1	— 3	1 4	1 —
99B, C, D.	Other diseases of the mouth and annexa. {	M 48 F 47	20 10	14 16	2 2	1 2	37 30	1 5	— 1	— —	— —
100	Diseases of pharynx, Tonsillitis. {	M 81 F 66	— 2	— —	1 3	11 3	12 8	8 5	4 6	4 5	4 6

AT DIFFERENT AGE-PERIODS, 1911—*continued.*

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
2 1	1 1	— 1	1 1	1 9	3 4	8 6	6 14	2 9	7 17	14 28	18 38	30 49	42 51	57 65	36 68	23 27	10 25	}	82A
2 1	— —	— —	1 1	1 —	1 3	3 4	2 6	2 5	6 5	4 9	3 4	— 4	6 5	3 5	1 1	— —	1 3		}
— —	— —	1 —	— —	1 1	1 1	3 2	2 3	1 2	5 7	2 3	1 11	4 2	4 4	1 4	1 1	5 —	1 —	}	
17 11	1 2	1 —	1 1	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		}
9 7	2 1	1 —	— —	1 1	— 1	2 1	1 —	2 —	1 —	1 1	1 1	— 1	— —	— 1	— 1	— —	— 1	}	
4 —	1 —	— —	— —	1 —	— 1	1 1	3 2	6 1	— 5	6 —	3 3	1 2	6 2	3 —	1 3	2 3	1 —		}
3 6	— —	2 —	— —	— —	— 1	— 1	— 1	— —	1 —	— 2	— —	— —	— —	— —	— —	— —	— —	}	
170 126	30 20	— 1	1 1	1 —	3 3	— 2	4 2	3 2	6 4	1 —	2 3	2 —	3 —	3 2	3 —	1 1	— 2		}
— —	— —	— 2	1 5	2 2	— 1	— 1	— 4	— —	— 2	1 5	1 13	1 3	— 6	1 4	1 2	— 1	— 1	}	
2,056 1,880	36 44	12 9	9 17	15 20	26 25	38 39	77 81	131 122	187 182	321 286	466 426	671 630	794 815	835 1,033	554 778	278 515	154 267		}
2,724 2,318	94 98	19 19	2 13	10 17	16 17	21 21	19 26	33 27	48 34	46 42	63 68	76 67	76 89	74 100	37 73	19 38	9 19	}	
239 199	55 37	23 25	58 39	106 43	124 49	146 53	160 81	184 81	172 87	136 73	164 73	136 74	122 63	57 58	34 23	10 16	2 8		}
768 583	86 91	39 35	67 48	99 52	122 56	162 83	194 94	158 85	196 93	196 81	176 106	187 108	149 105	122 117	51 66	30 46	12 20	}	
50 31	10 10	6 3	6 8	12 7	9 8	16 10	18 11	22 10	17 15	21 8	25 17	23 18	24 17	11 12	8 3	4 8	1 1		}
81 67	3 5	4 —	1 1	1 3	3 5	4 3	4 3	13 5	6 3	12 8	20 11	28 24	23 25	39 30	22 37	21 31	8 23	}	
— —	— —	— —	— —	— 1	— —	3 —	3 —	1 1	3 —	4 3	1 1	2 1	1 —	— —	— —	— —	— —		}
3 —	2 1	1 1	1 2	1 4	6 5	3 8	9 13	19 20	21 17	20 17	29 18	33 32	47 26	23 29	13 19	3 7	1 2	}	
— —	— —	— —	— —	2 —	4 1	3 2	1 2	1 1	6 1	5 3	12 2	10 —	13 3	5 4	8 3	3 1	3 1		}
1 —	1 1	— —	1 —	— —	1 —	— 1	4 —	8 3	10 4	15 3	13 3	8 2	8 4	3 1	2 1	— —	— —	}	
8 14	2 2	— 2	2 2	1 3	4 5	5 8	8 6	8 7	12 3	4 6	9 3	2 5	8 5	4 2	— 3	1 1	1 1		}
26 16	4 —	— —	3 1	— 2	2 1	3 1	1 3	1 1	— 1	5 2	1 —	1 1	1 —	1 —	— —	— —	— —	}	
38 36	1 —	— —	— —	— 1	— 3	— —	— 1	— —	2 1	2 —	— 1	— 1	1 —	1 1	1 1	1 —	1 1		}
32 30	14 15	5 3	2 1	3 2	4 2	3 —	1 2	4 —	3 1	2 3	3 1	2 2	2 2	1 2	— —	— —	— —	}	

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
101	Diseases of œsophagus ... { M F	15 5	— —	— —	— —	— —	— —	— —	— —	— —	— —
102	Perforating ulcer of { M F	239 319	— —	— —	1 —	— —	1 —	— —	— —	— —	— —
103A	Inflammation of stomach { M F	526 561	43 33	104 62	83 68	63 72	293 235	37 42	14 13	7 4	6 3
103B	Other diseases of the { M F	100 81	6 3	8 2	13 4	2 10	29 19	1 5	— 4	— —	1 —
104 & 105.	Diarrhœa and enteritis ... { M F	9,326 8,113	351 229	1,500 1,093	2,067 1,748	2,573 2,199	6,491 5,269	1,467 1,438	228 247	84 74	45 37
106	Ankylostomiasis ... { M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
107	Other intestinal parasites { M F	4 6	— —	— —	— —	— —	— —	1 —	— 3	— 1	1 —
108	Appendicitis ... { M F	463 349	— —	— —	— —	— 1	— 1	1 —	1 —	3 3	5 4
109A	Hernia ... { M F	199 270	7 2	5 —	3 —	2 —	17 2	8 —	2 —	2 —	— —
109B	Intestinal obstruction ... { M F	364 405	13 5	7 6	20 20	25 20	65 51	16 3	5 4	5 5	10 —
110	Other diseases of the { M F	75 56	2 1	6 2	4 1	3 2	15 6	1 2	— 1	1 1	— —
111	Acute yellow atrophy of { M F	5 8	— —	— —	— —	— —	— —	— —	— —	1 —	— —
112	Hydatid of liver ... { M F	5 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
113	Cirrhosis of the liver ... { M F	607 541	— —	— —	— —	— —	— —	— —	2 —	1 —	— —
114	Biliary calculi ... { M F	64 182	— —	— —	— —	— —	— —	— —	— —	— —	— —
115	Other diseases of the liver { M F	135 161	— —	— —	— 1	— 2	— 3	3 1	3 2	2 —	2 2
116	Diseases of the spleen ... { M F	5 3	— —	— —	— —	— —	— —	— 1	— —	— —	— —
117	Peritonitis (cause un- stated). { M F	61 123	2 1	2 —	1 —	1 —	6 1	3 1	1 2	— 4	— 2
118	Other diseases of the { M F	30 24	— —	— —	— —	— —	— —	1 —	— —	— —	— —
119	Acute nephritis ... { M F	381 351	1 —	6 9	5 4	11 12	23 25	23 28	15 21	12 8	10 11
120	Bright's disease ... { M F	2,075 1,755	— —	— —	— —	— 2	— 2	— 2	2 3	1 1	2 1
121	Chyluria ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
122	Other diseases of the { M F	57 60	— —	— —	— 1	— —	— 1	— —	1 —	— —	— —

AT DIFFERENT AGE-PERIODS, 1911—*continued.*

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	—	—	—	—	—	—	2	1	1	1	4	3	1	—	1	—	1	} 101	
—	—	—	—	—	—	1	1	—	—	1	—	—	1	—	1	—	—		
1	—	—	8	17	14	20	32	32	27	32	24	13	13	4	2	—	—	} 102	
—	2	4	20	50	27	35	41	35	28	25	18	7	9	12	4	2	—		
357	9	2	4	2	5	5	8	7	14	17	18	12	23	18	9	13	3	} 103A	
297	6	5	1	2	3	8	13	12	15	17	34	20	27	40	34	16	11		
31	—	4	—	1	2	—	6	4	7	8	4	11	5	10	5	1	1	} 103B	
28	1	—	4	1	—	1	3	4	2	5	2	9	7	3	7	3	1		
8,315	54	14	16	26	19	35	40	46	72	55	105	102	132	129	94	53	19	} 104 & 105	
7,065	69	15	12	11	20	26	23	36	40	72	76	99	114	174	120	95	46		
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	} 106	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 107	
4	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—		
10	79	75	50	52	40	21	26	19	18	19	23	10	6	8	5	2	—	} 108	
8	66	56	40	24	20	25	22	18	12	15	11	14	7	4	3	3	1		
29	1	—	1	5	5	3	2	7	8	14	20	33	27	22	15	2	5	} 109A	
2	—	—	1	—	—	4	8	13	18	30	52	41	41	29	20	6	5		
101	10	7	16	8	11	6	17	13	16	18	22	24	43	21	16	9	6	} 109B	
63	10	7	5	2	9	17	11	12	26	18	22	48	44	55	39	14	3		
17	1	—	1	—	—	5	3	5	5	6	3	7	8	5	6	3	—	} 110	
10	—	2	2	1	1	4	7	3	1	4	4	3	3	3	6	2	—		
1	—	—	—	—	—	—	—	1	1	—	1	—	1	—	—	—	—	} 111	
—	—	1	1	—	—	2	3	—	—	—	—	1	—	—	—	—	—		
—	—	1	1	1	—	—	1	—	—	—	1	—	—	—	—	—	—	} 112	
—	—	—	—	—	1	1	—	—	1	—	1	—	—	—	—	—	—		
—	3	1	—	1	3	20	51	58	83	79	93	87	70	45	11	2	—	} 113	
3	4	2	1	—	5	12	44	50	85	104	84	56	40	33	15	3	—		
—	—	1	—	—	—	1	1	4	3	4	14	9	10	7	6	2	2	} 114	
—	—	—	—	—	—	—	3	7	10	21	21	31	31	23	21	11	3		
10	1	3	1	4	3	7	7	13	8	6	11	14	18	14	4	5	6	} 115	
8	3	1	—	—	5	5	6	7	12	19	14	16	19	22	15	4	5		
—	—	1	—	1	1	—	—	—	1	—	1	—	—	—	—	—	—	} 116	
1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
10	5	—	4	5	5	1	3	3	8	3	6	3	3	1	1	—	—	} 117	
10	18	7	4	—	11	10	13	11	8	8	5	4	5	4	4	—	1		
1	—	1	1	1	5	1	3	1	2	2	6	3	—	2	1	—	—	} 118	
—	—	—	—	—	—	1	4	—	4	2	4	3	—	3	2	1	—		
83	32	19	12	17	25	23	23	24	23	20	32	18	12	12	3	2	1	} 119	
93	33	9	19	19	17	4	24	21	20	24	16	15	16	13	5	2	1		
5	11	22	19	17	58	82	107	134	182	241	270	313	287	174	106	36	11	} 120	
9	9	19	19	36	42	55	109	129	189	207	218	200	195	159	102	43	15		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 121	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
1	—	1	2	1	—	3	5	3	6	4	9	6	8	5	3	—	—	} 122	
1	—	1	1	5	6	2	7	4	3	5	11	3	4	4	2	1	—		

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
123	Calculi of the urinary passages. { M F	59 20	— —	— —	— —	— —	— —	— —	— —	— —	— —
124	Diseases of the bladder { M F	272 73	— —	1 —	— —	— —	1 —	— 1	— —	— —	— —
125	Diseases of the urethra, { M Urinary abscess, &c. { F	158 2	— —	— —	1 —	— —	1 —	— —	— —	— —	— —
126	Diseases of the prostate { M F	380 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
127	Non-venereal diseases of male genital organs. { M F	7 —	2 —	— —	— —	— —	2 —	— —	— —	— —	— —
128	Uterine hæmorrhage (non-puerperal). { M F	— 11	— —	— —	— —	— —	— —	— —	— —	— —	— —
129	Uterine tumour (non-cancerous). { M F	— 93	— —	— —	— —	— —	— —	— —	— —	— —	— —
130	Other diseases of the uterus. { M F	— 45	— —	— —	— —	— —	— —	— —	— —	— —	— —
131	Ovarian cyst, tumour (non-cancerous). { M F	— 100	— —	— —	— —	— —	— —	— —	— —	— —	— —
132	Other diseases of the female genital organs. { M F	— 73	— 1	— —	— —	— —	— 1	— —	— 1	— 1	— —
133	Non-puerperal dis. of the breast (non-cancerous). { M F	2 6	1 2	1 2	— —	— —	2 4	— —	— —	— —	— —
134	Accidents of pregnancy... { M F	— 95	— —	— —	— —	— —	— —	— —	— —	— —	— —
135	Puerperal hæmorrhage ... { M F	— 140	— —	— —	— —	— —	— —	— —	— —	— —	— —
136	Other accidents of child-birth. { M F	— 122	— —	— —	— —	— —	— —	— —	— —	— —	— —
137	Puerperal fever ... { M F	— 432	— —	— —	— —	— —	— —	— —	— —	— —	— —
138	Puerperal albuminuria and convulsions. { M F	— 188	— —	— —	— —	— —	— —	— —	— —	— —	— —
139	Puerperal phlegmasia alba dolens, embolism and sudden death. { M F	— 95	— —	— —	— —	— —	— —	— —	— —	— —	— —
140	Puerperal insanity ... { M F	— 12	— —	— —	— —	— —	— —	— —	— —	— —	— —
141	Puerperal diseases of the breast. { M F	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
142A	Senile gangrene ... { M F	203 181	— —	— —	— —	— —	— —	— —	— —	— —	— —
142B, C, D.	Gangrene, other types ... { M F	32 42	2 1	4 —	— —	1 2	7 3	3 4	1 4	— 4	1 2
143	Carbuncle, Boil ... { M F	53 33	— —	1 —	1 —	1 1	3 1	— 1	— —	— —	— —
144	Phlegmon, Acute abscess { M F	118 94	4 4	12 8	2 9	10 5	28 26	9 5	3 1	— 1	1 —
145	Diseases of the integumentary system. { M F	148 176	32 26	21 10	12 4	8 8	73 48	6 8	1 3	1 —	— 1

AT DIFFERENT AGE-PERIODS, 1911—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	—	1	—	4	2	4	3	1	4	6	8	3	8	6	6	1	2	} 123	
—	—	1	1	—	—	2	3	1	2	2	3	—	1	2	1	1	—		
1	—	—	2	2	4	3	8	7	8	19	23	41	32	63	36	14	9	} 124	
1	1	—	—	—	3	4	—	2	2	3	7	3	4	15	12	8	8		
—	—	—	—	2	4	—	9	12	22	18	30	16	23	11	6	3	1	} 125	
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1		
—	—	—	—	1	—	—	—	—	3	5	20	49	63	96	75	46	22	} 126	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2	—	—	—	—	—	—	—	—	1	—	1	—	1	—	2	—	—	} 127	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	1	—	—	2	1	—	5	1	—	—	1	—	—	—	—	—	} 128	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	7	12	15	27	6	9	8	3	3	2	—	1	} 129	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	3	5	6	6	7	8	2	2	—	4	1	—	1	—	} 130	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	2	3	—	4	6	5	5	13	7	7	15	12	6	10	5	—	} 131	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	1	—	4	4	14	17	12	8	6	—	3	—	1	—	—	—	—	} 132	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	} 133	
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	1	5	17	24	29	16	1	2	—	—	—	—	—	—	—	} 134	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	2	7	22	24	56	26	3	—	—	—	—	—	—	—	—	} 135	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	1	14	24	32	33	17	1	—	—	—	—	—	—	—	—	} 136	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	9	92	109	122	67	31	2	—	—	—	—	—	—	—	—	} 137	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	1	14	39	52	31	40	9	2	—	—	—	—	—	—	—	—	} 138	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	2	9	18	23	25	17	1	—	—	—	—	—	—	—	—	} 139	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	2	2	4	3	1	—	—	—	—	—	—	—	—	—	} 140	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	} 141	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	2	4	23	30	51	54	28	11	} 142A	
—	—	—	—	—	—	—	—	—	—	1	4	19	27	45	39	32	14		
12	4	2	1	—	—	—	1	—	—	1	4	3	2	—	1	1	—	} 142B, C, D.	
17	4	—	1	—	1	—	1	1	3	2	6	3	3	—	—	—	—		
3	—	—	2	2	1	6	—	3	3	8	4	6	3	8	3	1	—	} 143	
2	—	—	1	—	1	—	1	4	—	3	7	1	4	5	2	1	1		
41	3	3	5	1	5	4	3	4	3	10	8	6	7	5	4	4	2	} 144	
33	1	1	2	2	4	4	—	6	4	2	5	8	3	11	3	4	1		
81	—	—	—	—	1	1	1	2	5	2	7	3	16	10	7	8	4	} 145	
60	—	—	—	1	—	1	6	3	8	9	3	12	14	20	23	11	5		

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
146	Diseases of the bones ... { M F	99 69	— 2	2 1	4 —	— 1	6 4	5 3	2 4	1 3	1 6
147	Diseases of the joints ... { M F	34 19	1 1	3 1	— 1	5 1	9 4	— 2	1 1	2 1	— —
148	Amputations ... { M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
149	Other diseases of loco- motor system. { M F	3 2	— —	1 —	— —	— —	1 —	— —	— —	— —	— —
150	Congenital malformations { M F	628 467	347 268	120 89	59 32	32 25	558 414	25 13	5 7	8 6	3 3
151A	Premature birth ... { M F	3,364 2,677	3,071 2,397	257 250	29 21	7 9	3,364 2,677	— —	— —	— —	— —
151B, C,D, E.	Infantile debility, Icterus and Sclerema. { M F	2,755 2,086	1,264 954	743 556	445 319	303 257	2,755 2,086	— —	— —	— —	— —
152	Other diseases peculiar to early infancy. { M F	510 363	474 341	35 22	1 —	— —	510 363	— —	— —	— —	— —
153	Lack of care ... { M F	55 47	52 47	3 —	— —	— —	55 47	— —	— —	— —	— —
154	Old age ... { M F	3,821 5,625	— —	— —	— —	— —	— —	— —	— —	— —	— —
155	Suicide by poison ... { M F	99 64	— —	— —	— —	— —	— —	— —	— —	— —	— —
156	Suicide by asphyxia ... { M F	36 13	— —	— —	— —	— —	— —	— —	— —	— —	— —
157	Suicide by hanging or strangulation. { M F	241 59	— —	— —	— —	— —	— —	— —	— —	— —	— —
158	Suicide by drowning ... { M F	150 83	— —	— —	— —	— —	— —	— —	— —	— —	— —
159	Suicide by firearms ... { M F	49 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
160	Suicide by cutting or piercing instruments. { M F	155 45	— —	— —	— —	— —	— —	— —	— —	— —	— —
161	Suicide by jumping from high place. { M F	20 10	— —	— —	— —	— —	— —	— —	— —	— —	— —
162	Suicide by crushing ... { M F	47 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
163	Other suicides ... { M F	5 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
164	Poisoning by food ... { M F	21 13	— —	— —	— —	— —	— —	1 —	— 1	1 1	1 —
165	Other acute poisonings ... { M F	51 31	— —	— —	— —	2 —	2 —	1 1	1 —	1 1	1 1
166	Conflagration ... { M F	13 9	— —	— 1	— 1	— —	— 2	— —	— 1	1 1	— 1
167	Burns (conflagration ex- cepted). { M F	428 534	2 2	1 2	2 3	25 14	30 21	72 58	76 53	57 72	28 53
168	Absorption of deleterious gases (conflagration excepted). { M F	320 292	89 82	129 112	48 56	14 22	280 272	3 2	1 —	— —	1 —

AT DIFFERENT AGE-PERIODS, 1911—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
15 20	19 9	21 9	12 4	— —	2 5	3 3	2 1	2 —	3 1	3 2	4 4	4 4	5 3	3 1	1 1	— 1	— 1	} 146
12 8	1 1	1 2	2 1	1 —	— —	1 —	2 —	2 —	— 2	1 —	3 1	3 1	1 1	2 2	2 —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	} 148
1 —	— —	1 —	— —	— —	— —	— —	— 1	— —	— —	— 1	— —	— —	— —	1 —	— —	— —	— —	
599 443	10 9	5 6	4 3	2 1	3 2	2 1	2 —	— —	1 1	— —	— —	— 1	— —	— —	— —	— —	— —	} 150
3,364 2,677	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
2,755 2,086	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 151B, C, D, E.
510 363	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
55 47	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 153
— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	4 10	13 30	103 103	300 312	923 1,179	1,003 1,456	857 1,421	618 1,113	
— —	— —	— —	3 3	6 8	8 5	7 4	17 11	14 7	11 8	13 2	6 3	6 4	5 5	3 3	— 1	— —	— —	} 155
— —	— —	— —	— —	1 —	5 —	1 1	3 3	5 2	5 1	7 3	5 2	2 1	2 —	— —	— —	— —	— —	
— —	— —	1 —	6 1	4 —	12 5	12 7	22 5	22 2	32 8	21 10	50 5	26 4	17 7	10 3	3 2	2 —	1 —	} 157
— —	— —	2 —	8 —	5 —	9 —	17 3	14 7	18 11	25 7	13 8	17 4	16 8	8 5	5 1	1 1	— —	— —	
— —	— —	— —	2 —	9 —	7 —	4 —	5 —	6 —	6 —	3 —	1 —	3 —	2 —	1 —	— —	— —	— —	} 159
— —	— —	— —	— —	4 —	8 2	16 8	14 7	20 2	22 6	16 8	18 6	8 1	11 2	7 2	10 1	1 —	— —	
— —	— —	— —	— —	— 1	2 —	2 1	2 3	3 —	1 1	3 1	1 1	2 1	2 —	— 1	— —	1 —	1 —	} 161
— —	— —	— —	3 —	4 —	5 1	6 —	1 1	7 —	3 —	12 —	3 —	1 —	1 —	— —	1 —	— —	— —	
— —	— —	— —	— —	1 —	— —	— 1	2 1	— —	— —	2 —	1 —	— —	— —	— 1	— —	— —	— —	} 163
3 2	4 5	1 —	1 —	1 —	1 —	— 1	1 1	3 2	2 —	2 —	— —	1 1	1 —	— 1	— —	— —	— —	
6 2	— —	1 —	1 —	1 3	3 2	4 2	6 6	7 3	5 2	5 1	4 5	2 3	2 2	1 —	2 —	1 —	— —	} 165
1 5	2 2	— —	1 —	3 —	— —	1 —	1 —	1 —	— —	— —	— —	— —	2 1	— —	1 —	— —	— —	
263 257	37 110	6 23	15 9	13 9	18 15	12 6	13 11	14 6	5 14	4 12	7 8	4 10	4 10	4 16	4 8	5 8	— 2	} 167
285 274	2 1	1 —	2 2	2 1	4 1	1 —	6 2	1 1	3 1	— 2	2 1	3 1	4 1	1 3	3 —	— 1	— —	

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
169	Accidental drowning ... { M F	612 135	1 2	— 1	1 —	1 —	3 3	5 2	11 9	7 3	11 —
170	Injury by firearms ... { M F	5 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
171	Injury by cutting or { piercing instruments. { M F	6 2	— —	— —	— —	— —	— —	1 1	— —	— —	— 1
172	Injury by fall ... { M F	723 468	— —	— —	— 1	5 4	5 5	10 9	7 5	9 4	7 1
173	Injury in mines and { quarries. { M F	208 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
174	Injury by machines ... { M F	127 6	— —	— —	— —	— —	— —	— —	— —	— 1	— —
175	Injury by other crushing { (vehicles, railways, { landslides, &c.). { M F	650 143	— —	— —	1 1	3 1	4 2	5 16	15 5	15 5	11 9
176	Injury by animals ... { M F	12 4	— —	— —	— —	— —	— —	— 1	— 1	— —	— —
177	Starvation ... { M F	5 1	— —	— —	— —	1 —	1 —	— —	— —	— —	— —
178	Excessive cold ... { M F	9 4	— —	— 1	— —	— —	— 1	— —	— —	— —	— —
179	Effects of heat ... { M F	85 35	1 —	— —	— 1	— —	1 1	2 1	7 5	2 —	1 1
180	Lightning... { M F	3 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
181	Electricity (lightning ex- { cepted). { M F	4 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
182	Homicide by firearms ... { M F	4 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
183	Homicide by cutting or { piercing instruments. { M F	4 15	— —	— —	— —	— —	— —	— 1	2 —	— 1	— —
184	Homicide by other means { M F	38 30	3 1	— 1	1 —	3 2	7 4	1 —	— 1	1 —	— 1
185	Fractures (cause not { specified). { M F	18 14	— 1	— —	— —	— —	— 1	— —	— —	— —	1 —
186	Other violence ... { M F	175 58	5 1	5 3	11 9	6 4	27 17	9 8	7 1	1 3	1 —
187	Dropsy ... { M F	11 18	— —	— —	1 —	— —	1 —	1 —	— —	— —	— —
188A	Syncope (aged 1 year and { under 70). { M F	117 97	— —	— —	— —	— —	— —	1 2	— —	— —	2 —
188B	Sudden death (not other- { wise defined). { M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
189A	Heart failure (aged 1 year { and under 70). { M F	312 253	— —	— —	— —	— —	— —	1 3	— —	— —	— 1
189B, C, D, E.	Other ill-defined causes... { M F	376 328	14 10	5 5	3 7	12 9	34 31	198 177	29 41	16 12	— 1
189F	Cause not specified ... { M F	11 8	4 3	2 —	— —	— —	6 3	1 —	— —	— —	— —

AT DIFFERENT AGE-PERIODS, 1911—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
37 17	73 11	73 4	46 10	37 13	33 3	44 6	45 14	40 10	45 12	40 9	31 10	29 6	20 8	14 1	5 —	— 1	— —	169	
— —	— —	— —	2 1	— —	— —	— —	2 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —		
1 2	— —	— —	3 —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	171	
38 24	37 6	16 1	25 4	24 4	33 6	47 5	51 16	50 17	58 21	53 24	64 38	49 29	35 48	51 66	40 68	35 50	17 41		172
— —	— —	9 —	33 —	21 —	25 —	20 —	21 —	22 —	21 —	19 —	8 —	7 —	1 —	— —	1 —	— —	— —	173	
— 1	2 —	8 2	15 1	17 2	13 —	12 —	16 —	8 —	7 —	6 —	8 —	7 —	8 —	— —	— —	— —	— —		174
50 37	63 23	26 6	41 5	40 2	56 4	48 1	70 3	60 7	42 4	27 9	39 6	32 9	23 7	10 7	13 9	5 3	5 1	175	
— 2	1 1	— —	2 1	— —	2 —	1 —	1 —	2 —	1 —	— —	— —	1 —	— —	1 —	— —	— —	— —		176
1 —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	2 —	— —	— —	— —	— —	1 —	— —	177	
— 1	— —	— —	— —	— —	— —	1 1	1 —	2 —	2 —	— —	— —	2 —	— 1	— 1	— —	1 —	— —		178
13 8	13 11	4 3	2 —	1 1	2 —	1 1	7 —	5 2	7 —	6 —	5 1	5 1	5 —	5 4	3 1	— 1	1 1	179	
— —	— —	1 —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		180
— —	— —	— —	— —	— —	1 —	— —	2 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	181	
— —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —		182
2 2	— 2	— 1	— —	1 1	— 1	1 2	— 2	— 1	— 2	— —	— —	— —	— —	— 1	— —	— —	— —	183	
9 6	1 —	— —	1 —	2 6	5 6	1 3	8 3	5 2	4 1	1 —	— —	— —	1 2	— —	— —	— —	— 1		184
1 1	— —	— —	— —	1 —	1 —	1 —	4 1	2 1	3 2	— —	— 1	2 —	2 2	— 2	— 1	1 2	— 1	185	
45 29	6 2	11 1	4 2	13 —	7 —	7 2	14 3	6 1	15 3	16 2	8 2	8 2	4 1	5 1	— 5	5 1	1 1		186
2 —	— —	— —	— —	— —	1 —	1 —	1 —	2 —	2 —	2 2	1 3	1 3	1 1	2 2	— 1	1 —	— —	187	
3 2	1 1	— 2	3 —	1 3	— 4	1 7	7 11	7 8	11 4	19 11	20 12	22 13	22 19	— —	— —	— —	— —		188A
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	188B	
1 4	— 4	2 2	2 3	5 7	2 6	6 6	11 12	17 16	36 26	41 29	66 49	52 32	71 57	— —	— —	— —	— —		189A
277 262	3 8	— 1	2 —	2 2	2 —	5 4	2 2	13 4	8 6	10 6	11 8	13 4	12 10	14 5	2 4	— 2	— —	189B, C, D, E.	
7 3	— —	— —	— —	— —	— —	— —	— —	1 —	— —	1 1	— 1	1 1	1 2	— —	— —	— —	— —		189F

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1911.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
31,897 26,904	2,184 2,196	1218 1215	1842 1592	2038 1799	2,252 2,059	2,515 2,347	2,913 2,601	3,134 2,836	3,735 3,275	4,416 3,609	4,913 4,334	5,836 5,269	6,432 5,918	6,427 7,382	5,115 6,299	3,172 4,526	1,995 3,167		
13 18	24 31	40 41	72 55	77 47	79 46	75 27	67 35	45 27	31 21	31 13	20 11	17 9	3 8	3 4	— 1	2 —	— 1	}	1
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	2
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— —	1 —	3 —	3 —	4 —	4 1	1 —	1 —	— —	1 —	— —	1 1	1 1	— —	— —	}	4
— —	2 —	— —	— 1	— —	— —	— —	— —	— —	1 1	— —	— —	— —	1 —	— —	— —	— —	— —		
2,183 2,023	194 185	8 9	7 3	2 2	1 3	1 4	— 1	2 1	— 1	— —	— 2	— —	— —	— —	— —	— 1	— —	}	6
158 192	109 116	26 29	5 4	3 5	2 2	3 2	2 2	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —		
1,124 1,516	35 47	1 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	}	8
459 416	254 315	43 29	7 7	3 6	2 1	1 2	1 1	2 —	1 3	— —	1 3	— 1	1 1	— —	— —	— —	— —		
14 8	2 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	9 B, C
82 60	12 13	8 6	21 14	22 20	31 19	33 25	42 35	51 23	51 34	50 42	61 51	67 66	63 76	66 92	56 67	28 41	24 36		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	11
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
8 3	— —	— —	— —	— —	— —	— 1	2 1	— —	2 —	3 —	3 —	2 2	3 3	1 —	2 —	2 —	— 1	}	13
7 5	— —	— —	— —	— —	1 1	3 1	2 4	1 —	4 2	1 3	3 6	1 3	2 2	1 3	1 4	1 6	1 —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	15
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	16
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	17
19 34	2 1	3 1	6 2	3 2	4 5	1 3	7 7	5 8	10 6	9 10	17 11	10 16	24 7	15 12	8 6	6 7	4 4		
19 19	5 4	— —	— —	— —	— —	— —	— —	— 1	— 1	— —	1 1	— —	— —	— —	— —	— —	— —	}	19
25 12	10 6	9 4	7 3	4 5	8 2	11 4	9 6	9 5	6 1	12 5	9 6	11 1	7 5	3 2	4 1	1 —	— —		
— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	21

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

[illegible]

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1911—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	}	22
—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	23
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 4	2 1	4 —	3 1	2 1	3 1	5 3	6 2	5 —	2 —	3 —	2 1	4 —	2 —	1 —	1 1	— —	— —	}	24
—	—	—	1 1	—	—	—	2 1	1 —	1 —	2 —	—	1 —	—	—	1 —	— —	— —		
—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	}	25 26
—	—	1	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—		
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	}	27
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
152 161	68 94	83 193	398 532	653 594	672 668	737 627	709 548	630 418	541 356	512 228	363 227	282 146	153 103	53 48	20 18	5 4	2 —	}	28
44 23	17 22	12 26	53 72	48 66	47 57	39 34	53 42	42 18	35 21	20 13	11 6	10 9	1 2	2 2	1 —	— —	— —		
68 55	12 30	9 16	13 12	9 10	11 8	4 10	8 9	3 4	3 4	1 1	3 1	3 2	— 2	—	—	—	—	}	29B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
620 497	125 162	67 75	37 54	19 25	10 6	10 13	5 8	7 5	6 6	4 2	3 5	1 —	—	—	—	—	—	}	30
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
562 443	64 72	28 41	26 39	13 32	15 19	14 31	14 14	14 17	12 8	6 10	8 10	2 4	5 4	1 2	1 —	—	—	}	31
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 8	17 8	11 9	17 9	10 9	17 9	7 6	6 8	10 7	9 5	10 11	4 7	3 5	3 4	1 3	— 2	—	—	}	32
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6 3	5 2	7 6	9 6	8 3	3 4	3 2	— 2	8 3	3 5	1 3	3 3	5 2	— 1	2 4	3 —	— 1	— 2	}	33
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
24 18	1 3	5 3	6 8	5 7	7 11	7 6	10 9	6 10	8 7	8 4	9 6	11 8	3 6	4 6	1 1	1 5	1 —	}	34
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
218 187	49 50	43 43	33 28	33 22	34 18	20 24	14 18	14 9	15 13	20 12	10 9	5 5	5 2	— 3	1 2	1 —	—	}	35
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
1,699 1,395	358 443	265 412	592 760	798 768	816 800	841 753	819 658	734 491	632 425	582 284	414 274	322 181	170 124	63 68	27 23	7 10	3 2	}	28-35
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
167 158	3 3	— 1	3 1	— 2	1 1	1 —	1 1	2 2	— —	1 —	1 —	1 1	— 1	— —	— 4	— —	— —	}	36
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
200 155	2 —	1 1	1 1	2 —	11 5	10 13	8 11	13 10	16 11	17 5	9 6	9 3	12 4	3 1	3 1	— —	— —	}	37
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
8 4	—	—	—	—	—	1 1	— 3	— 1	2 —	— —	1 —	— —	— —	— —	— —	— —	— —	}	38
—	—	—	—	3	1	1	3	1	—	—	—	—	—	—	—	—	—		
2 —	1 1	1 1	— —	2 1	— 1	6 5	9 4	24 4	48 9	60 4	107 10	97 18	98 19	81 13	42 12	18 4	6 4	}	39
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 1	2 —	1 —	— —	8 2	5 4	26 23	44 43	86 75	156 148	253 198	315 287	360 348	373 333	273 347	171 186	63 75	20 35	}	40
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 —	1 2	— —	1 —	9 6	8 10	19 21	29 35	29 49	63 86	99 124	137 143	188 187	190 206	136 196	90 120	35 54	16 25	}	41
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	42
—	—	—	4	1	12	42	81	157	208	220	203	198	170	130	67	38	14		
—	—	—	—	—	—	—	—	—	—	1	—	1	1	—	1	—	—	}	43
—	—	—	—	2	1	25	58	113	156	153	153	136	127	148	91	47	18		

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
44	Cancer of the skin ... { M F	201 113	— —	— —	— —	— —	— —	— —	— —	— —	— —
45	Cancer of other or un- specified organs. { M F	1,180 742	— 1	1 —	2 2	1 —	4 3	2 4	6 1	5 3	2 2
39-45	Cancer (all sites) ... { M F	5,198 7,107	— 1	1 —	2 3	2 —	5 4	2 4	8 1	7 3	4 2
46	Other tumours (situation undefined). { M F	15 24	— —	— —	— —	— —	— —	— 2	— —	— —	— 1
47	Rheumatic fever... { M F	342 379	1 —	— —	1 —	1 2	3 2	— 2	— 1	9 1	6 3
48 A,B	Chronic rheumatism, Osteo-arthritis. { M F	150 374	— —	— —	— —	— —	— —	— —	— —	— —	— —
48C	Gout ... { M F	110 19	— —	— —	— —	— —	— —	— —	— 1	— —	— —
49	Scurvy ... { M F	5 8	— —	— —	— 1	3 2	3 3	— —	1 2	1 1	— 1
50	Diabetes ... { M F	679 679	1 —	— —	— —	— —	1 —	— —	1 2	4 2	— 2
51	Exophthalmic goitre ... { M F	19 130	— —	— —	— —	— —	— —	— —	— —	— —	— —
52	Addison's disease ... { M F	31 45	— —	— —	— —	— —	— —	1 —	— —	— —	— —
53	Leucocythæmia, Lympha- denoma. { M F	113 105	— —	— —	— 2	1 1	1 3	— 1	2 1	3 —	— 1
54	Anæmia, Chlorosis ... { M F	319 412	— —	1 1	2 1	1 3	4 5	1 4	1 1	1 1	3 —
55	Other general diseases ... { M F	93 64	11 6	1 —	3 2	6 5	21 13	3 3	1 —	2 —	3 2
56	Alcoholism (acute or chronic). { M F	150 66	— —	— —	— —	— —	— —	— —	— —	— —	— —
57	Chronic lead poisoning... { M F	39 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
58	Other chronic occupa- tional poisonings. { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
59	Other chronic poisonings { M F	3 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
60	Encephalitis ... { M F	76 57	— —	1 1	1 1	2 —	4 2	1 1	2 3	— 3	1 2
61A	Cerebro-spinal fever ... { M F	19 15	— —	— —	1 1	1 —	2 1	2 —	— —	1 3	1 1
61B	Posterior basal meningitis { M F	44 34	— —	3 1	6 9	12 4	21 14	15 7	— 3	1 2	1 1
61C	Meningitis, other forms { M F	911 749	7 5	33 22	64 64	143 119	247 210	160 126	67 68	65 44	34 29
62	Locomotor ataxy ... { M F	177 36	— —	— —	— —	— —	— —	— —	— —	— —	— —
63	Other diseases of the spinal cord. { M F	576 447	1 2	1 —	1 1	3 4	6 7	3 8	7 3	3 3	— 6

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1911—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
— —	— —	2 —	— —	— 2	— 1	1 —	3 2	8 2	14 7	16 4	21 11	29 11	24 9	32 22	28 22	13 17	10 3	} 44	
19 13	15 6	8 7	14 8	21 13	26 11	25 19	44 30	58 44	88 66	137 83	140 90	168 104	180 90	138 74	68 51	21 23	10 10		
26 14	19 9	12 8	15 12	40 27	39 40	77 135	129 253	205 444	369 680	566 786	720 897	843 1002	866 954	660 930	400 549	150 258	62 109	{ 39-45	
— 3	— —	1 —	— —	— —	1 —	1 —	1 1	2 —	1 —	6 2	— 2	— 2	— 2	1 6	1 5	— 1	— —		
18 9	33 51	56 73	41 49	26 27	21 24	21 23	21 27	28 20	16 16	22 13	17 15	13 17	4 6	2 2	2 5	1 1	— 1	} 47	
— —	— 1	— —	— —	— 2	2 2	— 3	3 1	1 11	7 10	12 36	14 40	25 48	31 64	30 78	17 52	4 21	4 5		
— 1	— —	— —	— —	— —	— —	— —	2 1	1 1	7 1	12 —	12 1	18 2	23 2	18 4	7 4	10 —	— 2	} 48C	
5 7	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
6 6	6 7	17 11	28 10	22 13	32 17	20 22	31 31	28 32	46 37	39 54	79 75	86 98	103 107	87 78	36 58	10 21	3 2	} 50	
— —	— —	— 2	— 2	2 14	2 11	2 15	— 12	2 19	4 21	1 11	3 11	2 4	1 3	— 2	— 1	— 2	— —		
1 —	— —	— 1	1 2	3 1	1 5	3 3	5 5	2 2	2 12	1 4	5 5	2 1	5 3	— 1	— —	— —	— —	} 52	
6 6	10 3	7 4	4 4	8 4	11 7	5 7	9 7	6 16	10 9	8 9	6 8	11 9	7 6	2 3	2 —	1 2	— 1		
10 11	4 3	2 3	6 7	3 13	10 17	14 31	16 29	16 27	33 41	32 42	37 54	55 47	41 41	25 34	10 9	4 2	1 1	} 54	
30 18	6 5	5 3	7 4	4 7	5 4	1 3	— —	3 1	3 1	7 3	4 4	1 1	7 2	2 5	4 1	2 1	2 1		
— —	— —	— —	— —	— —	3 —	12 5	23 10	28 10	29 11	24 13	11 8	8 5	8 2	1 1	2 1	1 —	— —	} 56	
— —	— —	— —	1 —	— —	1 3	2 —	1 —	4 —	9 1	4 —	8 —	5 —	2 —	2 —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 58	
— —	— —	— —	— —	— —	— —	— —	— —	— —	2 —	— —	1 —	— —	— 2	— —	— —	— —	— —		
8 11	13 2	7 5	5 1	7 4	4 3	4 2	5 7	2 2	5 3	7 5	5 3	— 4	2 —	1 2	— 2	1 —	— 1	} 60	
6 5	5 1	4 3	2 1	1 1	— 2	— —	1 1	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —		
38 27	4 3	1 2	— 1	— —	— —	— 1	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	} 61B	
573 477	121 90	46 45	32 23	27 13	16 19	20 12	13 12	13 15	13 13	9 5	11 9	7 8	5 5	4 2	1 —	— 1	— —		
— —	— —	— —	— —	— —	— 1	5 —	8 2	19 —	24 11	33 4	22 4	29 7	22 3	9 4	5 —	1 —	— —	} 62	
19 27	19 10	11 11	18 2	12 8	9 11	24 15	27 23	34 30	25 26	49 32	45 34	85 35	87 65	63 57	33 40	12 14	4 7		

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1911—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
15 20	3 4	3 1	4 6	7 11	14 7	21 25	62 61	71 107	166 203	263 330	368 383	499 544	611 678	672 853	509 615	231 370	98 207	} 64	
1 —	— —	— 1	— —	— —	1 —	2 3	2 2	2 4	10 12	20 17	27 26	47 39	66 60	71 71	54 65	28 33	15 16		
6 —	1 —	2 —	1 —	1 —	— —	4 5	6 6	3 14	10 9	21 26	30 51	58 73	78 96	90 120	69 96	39 65	8 36	} 66	
— —	1 —	3 —	1 —	5 —	14 3	37 14	92 15	96 15	98 21	70 9	42 15	37 10	21 10	10 5	6 2	2 1	— —		
— —	— —	— —	2 4	2 4	7 7	15 10	2 18	6 25	15 30	17 28	17 28	21 36	22 34	13 14	6 10	8 10	1 5	} 68	
27 22	21 16	30 20	37 21	37 23	51 34	27 36	43 43	24 23	33 35	30 27	28 24	18 30	26 21	18 18	18 14	6 8	1 1		
— —	8 11	3 1	1 —	1 —	— 1	— —	1 —	1 —	2 2	— —	1 —	— 1	1 —	— 1	— 1	1 —	— —	} 70	
2,029 1,574	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	7 10	2 7	— 5	— 3	— 1	— 1	— —	— —	— —	— —	— —	— —	— —	— 1	1 —	— 1	1 —	} 72	
1 —	— —	— —	— 2	— 2	— 4	1 5	6 16	6 13	4 16	10 16	6 10	6 10	4 8	4 6	2 5	1 4	1 1		
29 31	15 10	12 8	13 17	8 11	17 13	19 11	23 16	23 28	29 32	29 24	22 21	22 30	28 26	13 21	9 15	7 10	2 7	} 74	
3 5	— 1	— 1	1 —	— —	1 1	— 2	— —	— —	— —	— 1	2 —	2 1	1 —	— 1	— —	1 —	— —		
25 14	8 8	5 6	2 5	5 —	— 6	3 2	— 1	2 1	— —	— —	2 1	— 1	— —	— —	— —	— —	— —	} 76A	
58 47	19 22	13 12	22 11	11 9	8 3	4 4	4 3	3 2	4 6	3 2	1 3	1 3	— 1	— 2	— 1	— —	— —		
7 7	7 10	9 6	10 2	8 3	6 3	9 5	2 3	1 2	5 2	4 4	7 5	6 3	2 4	2 3	1 2	— 1	— —	} 77	
12 6	12 20	17 21	19 24	13 33	15 24	15 26	23 22	20 22	17 17	19 22	17 24	7 5	6 7	1 3	1 —	2 —	— —		
4 8	25 30	40 82	81 103	54 84	74 87	81 105	108 113	152 199	159 212	209 232	264 296	377 373	406 387	315 427	204 268	79 131	27 53	} 79A	
— —	— —	— —	— —	— —	2 3	5 6	9 11	24 21	23 24	32 42	50 53	67 90	84 80	59 69	32 58	16 24	6 6		
10 9	26 27	34 57	34 59	35 45	50 62	67 76	124 110	144 163	220 227	301 267	362 406	579 541	680 662	649 741	411 537	201 293	88 111	} 79C	
— —	— —	— —	— —	— 1	— 4	2 1	4 2	4 3	20 6	20 12	35 16	55 18	57 25	38 26	20 13	5 8	5 4		
— —	— —	— —	2 2	1 —	7 —	16 2	26 5	35 3	52 4	33 5	43 4	26 12	19 13	14 9	6 3	4 7	— —	} 81A	
— —	— —	— —	— —	— —	1 —	1 —	3 2	4 2	15 8	38 18	69 23	116 42	160 59	138 88	107 95	60 72	33 48		
— —	— —	— —	1 —	— —	— —	— —	3 —	2 —	1 —	1 —	3 1	4 —	2 2	1 1	3 2	1 1	— 1	} 81C	

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
82A	Cerebral embolism and thrombosis. { M F	311 526	— —	— —	— 1	1 —	1 1	— 1	— —	— —	1 —
82B	Other embolism and thrombosis. { M F	50 79	— 1	1 —	— —	— —	1 1	2 —	— —	— —	— —
83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis, &c.). { M F	36 66	— —	— —	— —	— —	— —	— —	— —	— —	— —
84A	Status lymphaticus ... { M F	17 13	1 3	4 3	5 4	1 —	11 10	2 1	— —	— —	1 —
84B	Other diseases of the lymphatic system. { M F	16 12	— 1	— —	2 —	5 —	7 1	1 —	— 1	— —	— —
85	Hæmorrhage; other diseases of the circulatory system. { M F	31 30	— 1	1 —	— —	— —	1 1	1 —	— —	— —	— —
86	Diseases of the nasal fossæ. { M F	16 20	— 1	2 4	1 —	1 2	4 7	— 2	1 2	— —	2 —
87	Diseases of the larynx ... { M F	276 197	8 6	5 9	15 9	30 26	58 50	36 24	38 25	36 24	30 17
88	Diseases of the thyroid body. { M F	14 84	— —	— —	— —	— —	— —	— —	— —	— —	— 1
89 & 90	Bronchitis ... { M F	5,675 5,752	139 112	407 280	335 282	526 422	1,407 1,096	348 301	102 72	43 38	19 21
91	Broncho-pneumonia ... { M F	2,853 2,471	46 39	206 138	313 186	689 546	1,254 909	716 606	211 230	79 90	37 42
92A	Lobar-pneumonia ... { M F	1,461 863	— 4	8 8	21 7	48 31	77 50	50 60	23 16	17 15	9 17
92B	Pneumonia (type not stated). { M F	2,584 1,766	27 15	58 34	88 53	183 143	356 245	222 203	102 79	42 31	34 29
93	Pleurisy ... { M F	248 193	— 1	1 1	— —	8 2	9 4	11 11	7 4	4 3	5 4
94	Pulmonary congestion, Pulmonary apoplexy. { M F	308 325	14 5	8 9	12 11	8 13	42 38	11 12	11 4	4 3	1 2
95	Gangrene of the lung ... { M F	14 9	— —	— —	— —	— —	— —	— —	— —	— —	— —
96	Asthma ... { M F	315 226	— —	— —	— —	— —	— —	— 1	— —	— —	2 —
97	Pulmonary emphysema { M F	90 40	— —	— —	— —	— —	— —	— 1	— —	1 —	— —
98A	Fibroid disease of lung... { M F	93 29	— —	— —	— —	— —	— —	— —	— —	— —	— —
98B	Other diseases of the respiratory system. { M F	62 35	1 —	2 —	5 2	— —	8 2	2 1	— 1	— 1	— —
99A	Diseases of the teeth and gums. { M F	47 39	2 1	3 2	— 4	2 1	7 8	4 7	1 1	2 1	1 1
99B, C,D.	Other diseases of the mouth and annæa. { M F	49 38	19 11	15 7	4 1	2 2	40 21	2 5	— —	— 1	— —
100	Diseases of pharynx, Tonsillitis. { M F	120 108	1 —	4 —	— 1	7 4	12 5	8 5	9 6	6 6	8 4

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1911—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
2 2	— 2	1 2	4 2	3 8	2 1	3 12	6 8	10 15	10 19	13 24	30 35	36 59	53 71	46 82	44 86	28 61	20 37	} 82A	
3 1	1 1	— —	3 2	— 3	1 2	1 4	2 3	— 7	5 6	8 5	7 3	5 11	3 10	8 8	2 3	— 9	1 1		
— —	— —	— —	— —	— 1	2 2	2 2	1 5	2 2	3 15	4 4	4 5	4 7	7 7	1 8	4 4	2 2	— 2	} 83	
14 11	— —	— —	2 —	— 1	— 1	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
8 2	1 1	— 1	— 1	— —	— —	1 —	— 1	— —	— —	3 —	— —	1 1	1 2	— —	— —	1 3	— —	} 84B	
2 1	— —	— 2	— —	2 1	1 1	1 —	1 —	3 2	1 4	2 1	2 1	2 1	7 5	2 7	4 2	— 1	1 1		
7 11	2 4	1 1	— —	— 1	1 —	— —	1 —	— —	1 —	— 1	1 1	1 —	1 —	— 1	— —	— —	— —	} 86	
198 140	37 33	7 3	1 2	2 1	1 —	2 3	2 1	2 3	1 —	5 1	7 4	3 3	4 —	2 2	1 1	1 —	— —		
— 1	— —	— —	2 4	— 2	1 3	— 3	— 1	1 5	1 9	3 7	3 8	— 13	1 11	2 5	— 7	— 4	— 1	} 88	
1,919 1,528	38 24	7 7	11 7	7 9	18 15	35 20	38 43	59 47	122 72	195 171	319 286	454 429	584 581	735 884	582 765	341 521	211 343		
2,297 1,877	56 86	8 15	12 10	9 6	17 8	11 11	14 17	26 26	39 31	43 19	59 33	58 50	62 59	59 86	47 65	24 48	12 24	} 91	
176 158	48 27	18 15	61 23	74 38	80 36	102 52	119 53	115 46	127 56	121 60	120 67	104 67	85 48	62 58	26 34	17 18	6 7		
756 587	73 58	19 27	64 29	91 46	84 50	138 53	138 83	169 75	151 65	175 67	164 87	170 111	164 125	112 123	70 99	29 54	17 27	} 92B	
36 26	9 9	2 2	6 4	5 4	11 9	15 9	20 7	13 11	12 4	19 6	28 9	24 15	24 19	11 26	6 13	6 13	1 7		
69 59	1 3	— 1	1 1	1 3	3 4	7 1	6 5	5 6	9 3	6 6	20 7	14 17	32 25	42 44	37 57	31 46	24 37	} 94	
— —	1 —	— —	— —	— —	— 1	— 3	1 —	— —	1 —	2 2	5 2	1 1	— —	1 —	1 —	— —	1 —		
2 1	4 —	1 1	2 2	5 3	5 6	5 12	9 8	12 20	18 13	27 16	36 22	54 30	59 39	44 28	27 17	3 7	2 1	} 96	
1 1	— —	— —	— —	1 1	— —	1 —	4 —	3 1	4 1	10 2	11 4	14 8	15 7	17 7	3 4	5 2	1 2		
— —	— 1	— 1	1 —	1 —	1 —	2 1	7 —	6 3	13 1	18 1	15 7	14 5	7 4	5 3	2 2	1 —	— —	} 98A	
10 5	1 —	— 1	— 2	1 1	5 3	2 1	5 2	9 1	2 1	8 1	5 4	3 2	5 7	3 2	2 —	— 2	1 —		
15 18	3 1	1 —	1 1	1 2	1 1	4 4	2 2	3 1	2 1	3 —	4 3	2 1	2 2	1 2	1 —	1 —	— —	} 99A	
42 27	— —	— 1	— 1	1 —	— —	1 1	— —	— —	— 1	1 —	1 1	1 —	1 1	— 2	— 1	— 1	1 1		
43 26	29 39	10 7	5 4	3 3	3 4	— 2	3 1	8 1	1 2	2 4	1 3	1 4	5 1	2 2	2 2	2 2	— 1	} 100	

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
101	Diseases of œsophagus ... { M F	14 6	— —	— —	— —	— —	— —	— —	— —	— —	— —
102	Perforating ulcer of { M F	237 330	— 1	— —	— —	— —	— 1	— —	— 1	— —	— —
103A	Inflammation of stomach { M F	647 658	55 30	93 82	99 71	79 78	326 261	47 43	11 12	9 11	5 8
103B	Other diseases of the { M F	120 114	9 2	5 8	6 4	— 6	20 20	1 1	— 2	— —	3 —
104 & 105.	Diarrhoea and enteritis ... { M F	8,979 7,930	385 241	1,433 1,100	2,148 1,815	2,484 2,152	6,450 5,308	1,223 1,127	153 203	66 62	25 27
106	Ankylostomiasis... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
107	Other intestinal parasites { M F	3 10	— —	— —	— —	— —	— —	1 1	1 3	— 1	1 —
108	Appendicitis ... { M F	572 399	— —	— —	— 2	1 —	1 2	2 1	5 8	7 8	12 7
109A	Hernia ... { M F	251 301	6 4	7 1	11 3	2 2	26 10	2 —	1 —	— —	— —
109B	Intestinal obstruction ... { M F	474 469	10 6	7 5	26 12	36 29	79 52	14 14	6 5	5 3	6 5
110	Other diseases of the { M F	67 61	— —	3 1	1 —	3 1	7 2	4 3	2 1	— —	— 1
111	Acute yellow atrophy of { M F	5 5	— —	— —	— —	— —	— —	— —	— —	— —	— 1
112	Hydatid of liver... { M F	5 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
113	Cirrhosis of the liver ... { M F	690 535	— —	— —	2 —	— —	2 —	1 —	— —	1 —	— —
114	Biliary calculi ... { M F	81 216	— —	— —	— —	— —	— —	— —	— —	— —	— —
115	Other diseases of the liver { M F	156 188	— —	— —	1 —	3 3	4 3	1 2	3 3	2 3	2 2
116	Diseases of the spleen ... { M F	5 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
117	Peritonitis (cause un- stated). { M F	91 140	2 1	2 1	5 3	3 2	12 7	1 2	4 4	— 2	1 5
118	Other diseases of the { M F	27 39	— 1	— —	— 1	— —	— 2	— —	— —	— —	— —
119	Acute nephritis ... { M F	343 332	2 2	4 4	10 5	7 14	23 25	16 25	12 8	10 7	11 5
120	Bright's disease ... { M F	2,209 1,965	— —	2 —	— —	4 —	6 —	5 2	— 3	3 2	1 1
121	Chyluria ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
122	Other diseases of the { M F	90 76	— —	1 —	— —	— 2	1 2	— —	— —	1 1	1 —

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
123	Calculi of the urinary passages. { M F	60 17	— —	— —	— —	— —	— —	— —	— —	— —	— —
124	Diseases of the bladder... { M F	359 92	— —	— —	— —	— —	— —	— —	— —	— —	— —
125	Diseases of the urethra, { M Urinary abscess, &c. { F	123 1	— —	— —	2 —	— —	2 —	— —	— —	— —	— —
126	Diseases of the prostate... { M F	492 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
127	Non-venereal diseases of male genital organs. { M F	12 —	1 —	1 —	— —	— —	2 —	1 —	— —	— —	— —
128	Uterine hæmorrhage (non-puerperal). { M F	— 10	— —	— —	— —	— —	— —	— —	— —	— —	— —
129	Uterine tumour (non-cancerous). { M F	— 116	— —	— —	— —	— —	— —	— —	— —	— —	— —
130	Other diseases of the uterus. { M F	— 55	— —	— —	— —	— —	— —	— —	— —	— —	— —
131	Ovarian cyst, tumour (non-cancerous) { M F	— 111	— —	— —	— —	— —	— —	— —	— —	— —	— —
132	Other diseases of the female genital organs. { M F	— 82	— —	— —	— —	— —	— —	— —	— —	— —	— —
133	Non-puerperal dis. of the breast (non-cancerous). { M F	2 7	2 2	— 1	— —	— 1	2 4	— —	— —	— —	— —
134	Accidents of pregnancy... { M F	— 105	— —	— —	— —	— —	— —	— —	— —	— —	— —
135	Puerperal hæmorrhage ... { M F	— 209	— —	— —	— —	— —	— —	— —	— —	— —	— —
136	Other accidents of child-birth. { M F	— 124	— —	— —	— —	— —	— —	— —	— —	— —	— —
137	Puerperal fever ... { M F	— 439	— —	— —	— —	— —	— —	— —	— —	— —	— —
138	Puerperal albuminuria and convulsions. { M F	— 249	— —	— —	— —	— —	— —	— —	— —	— —	— —
139	Puerperal phlegmasia alba dolens, embolism and sudden death. { M F	— 154	— —	— —	— —	— —	— —	— —	— —	— —	— —
140	Puerperal insanity ... { M F	— 12	— —	— —	— —	— —	— —	— —	— —	— —	— —
141	Puerperal diseases of the breast. { M F	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
142A	Senile gangrene ... { M F	241 230	— —	— —	— —	— —	— —	— —	— —	— —	— —
142B, C, D.	Gangrene, other types ... { M F	41 33	2 1	2 —	— —	2 1	6 2	2 2	1 1	2 3	2 —
143	Carbuncle, Boil .. { M F	57 27	— —	— —	— 1	1 1	1 2	— —	— —	— 1	— —
144	Phlegmon, Acute abscess { M F	120 81	8 5	8 7	4 3	4 3	24 18	5 8	1 —	2 —	1 2
145	Diseases of the integumentary system. { M F	139 182	26 14	20 13	9 6	13 13	68 46	9 5	— 1	— 4	— 1

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1911—*continued.*

Total under 5 Years.	AGES AT DEATH.																	International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	2	2	—	2	1	—	4	4	3	6	6	8	8	6	6	1	1	} 123
—	—	—	—	—	1	—	1	1	—	5	1	1	1	4	1	1	—	
—	—	—	1	2	2	7	2	5	4	17	22	29	51	75	68	42	32	} 124
—	1	—	—	1	2	1	2	1	4	8	5	11	19	18	8	5	6	
2	—	—	1	1	3	4	1	8	12	25	11	22	14	12	5	1	1	} 125
—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	1	1	6	17	46	95	97	117	81	31	} 126
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	—	—	—	—	—	1	—	1	—	1	2	—	1	2	1	—	—	} 127
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	1	—	1	1	2	2	1	—	2	—	—	—	—	—	—	—	} 128
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	1	3	7	28	23	14	9	11	6	5	5	4	—	} 129
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	1	1	5	2	10	5	8	10	2	2	2	2	1	3	1	—	} 130
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	2	—	5	6	7	16	6	9	13	14	14	7	6	5	1	} 131
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	1	—	2	2	14	11	22	16	6	2	—	2	3	1	—	—	—	} 132
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 133
4	—	—	—	—	—	—	1	—	—	—	—	—	—	2	—	—	—	
—	—	—	2	8	22	22	30	18	3	—	—	—	—	—	—	—	—	} 134
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	21	45	53	58	28	3	—	—	—	—	—	—	—	—	} 135
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	3	17	27	29	31	16	1	—	—	—	—	—	—	—	—	} 136
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	9	68	118	124	80	35	5	—	—	—	—	—	—	—	—	} 137
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	14	47	57	68	40	22	1	—	—	—	—	—	—	—	—	} 138
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	6	19	29	44	41	12	3	—	—	—	—	—	—	—	—	} 139
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	2	3	1	4	—	1	—	—	—	—	—	—	—	—	} 140
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	} 141
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	1	1	24	31	53	59	40	34	} 142A
—	—	—	—	—	—	—	—	—	—	—	—	16	31	53	56	39	33	
13	2	1	—	—	—	1	—	1	4	3	5	1	4	2	1	1	2	} 142B, C, D.
8	5	—	1	—	—	—	2	1	2	5	5	1	2	—	1	—	—	
1	—	—	3	—	2	3	2	3	3	5	5	4	7	14	2	2	1	} 143
3	—	1	—	2	—	1	3	1	—	4	2	5	1	3	—	—	1	
33	2	—	6	—	1	3	6	7	10	9	7	11	6	7	8	2	2	} 144
28	—	1	1	—	—	1	2	6	6	6	6	7	6	4	3	4	—	
77	2	—	1	—	2	2	1	1	2	7	3	4	8	8	9	8	4	} 145
57	—	2	4	1	1	—	1	2	8	9	9	8	22	21	20	11	6	

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
146	Diseases of the bones ... { M F	92 57	— 1	— 3	— —	3 3	3 7	5 1	— 1	4 2	2 —
147	Diseases of the joints ... { M F	26 14	1 —	1 —	— —	— —	2 —	1 —	— —	2 —	— —
148	Amputations ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
149	Other diseases of loco- motor system. { M F	6 7	— —	— —	1 —	— —	1 —	— —	— 1	— —	— —
150	Congenital malformations { M F	712 614	410 340	111 91	58 57	48 47	627 535	29 34	10 7	11 4	3 3
151A	Premature birth ... { M F	3,490 2,745	3,179 2,465	265 248	29 24	17 8	3,490 2,745	— —	— —	— —	— —
151B, C, D, E.	Infantile debility, Icterus and Sclerema. { M F	2,829 2,189	1,449 1,053	759 543	404 370	217 223	2,829 2,189	— —	— —	— —	— —
152	Other diseases peculiar to early infancy. { M F	514 396	489 378	25 18	— —	— —	514 396	— —	— —	— —	— —
153	Lack of care ... { M F	36 38	35 35	1 3	— —	— —	36 38	— —	— —	— —	— —
154	Old age ... { M F	5,036 6,863	— —	— —	— —	— —	— —	— —	— —	— —	— —
155	Suicide by poison ... { M F	97 80	— —	— —	— —	— —	— —	— —	— —	— —	— —
156	Suicide by asphyxia ... { M F	25 8	— —	— —	— —	— —	— —	— —	— —	— —	— —
157	Suicide by hanging or strangulation. { M F	252 53	— —	— —	— —	— —	— —	— —	— —	— —	— —
158	Suicide by drowning ... { M F	173 123	— —	— —	— —	— —	— —	— —	— —	— —	— —
159	Suicide by firearms ... { M F	69 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
160	Suicide by cutting or piercing instruments. { M F	178 48	— —	— —	— —	— —	— —	— —	— —	— —	— —
161	Suicide by jumping from high place. { M F	14 12	— —	— —	— —	— —	— —	— —	— —	— —	— —
162	Suicide by crushing ... { M F	49 11	— —	— —	— —	— —	— —	— —	— —	— —	— —
163	Other suicides ... { M F	21 13	— —	— —	— —	— —	— —	— —	— —	— —	— —
164	Poisoning by food ... { M F	28 13	1 —	— —	— —	— —	1 —	— —	— 1	1 —	— —
165	Other acute poisonings ... { M F	45 40	1 —	1 1	— —	— 1	2 2	1 3	2 2	1 1	— —
166	Conflagration ... { M F	21 8	— —	1 —	— —	1 —	2 —	1 —	1 —	1 1	— —
167	Burns (conflagration ex- cepted). { M F	319 441	1 —	1 2	— 4	16 14	18 20	54 49	74 44	52 44	31 36
168	Absorption of deleterious gases (conflagration ex- cepted). { M F	186 163	61 54	60 48	26 32	8 9	155 143	— 3	1 —	— 2	— —

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1911—continued.

AGES AT DEATH,																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
14 11	12 8	13 8	18 4	4 1	2 1	2 2	6 2	1 3	4 2	3 —	3 2	— 2	5 6	2 2	2 —	1 2	— 1	} 146
5 —	— —	1 —	1 —	— —	— —	1 —	1 —	2 1	3 1	2 —	2 2	— 3	5 1	2 4	1 2	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 148
1 1	— —	— —	— —	— —	— —	— —	— —	— —	2 —	1 —	1 3	— —	— 1	— 1	1 1	— —	— —	
680 583	12 13	2 4	8 5	4 —	2 3	2 2	1 —	— 1	1 3	— —	— —	— —	— —	— —	— —	— —	— —	} 150
3,490 2,745	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
2,829 2,189	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 151B, C,D,E.
514 396	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
36 38	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 153
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	10 11	54 72	255 273	995 1,175	1,380 1,765	1,285 1,836	1,056 1,731	
— —	— —	— —	2 10	7 9	10 7	12 8	11 10	13 9	12 7	9 11	10 6	5 2	4 1	2 —	— —	— —	— —	} 155
— —	— —	— —	— —	1 1	2 —	2 4	4 —	3 1	2 1	2 —	3 1	2 —	2 —	1 —	1 —	— —	— —	
— —	— —	1 —	3 1	16 1	12 5	8 6	17 2	27 4	27 7	27 8	36 6	35 6	23 3	13 3	5 —	— 1	2 —	} 157
— —	— —	— 2	5 21	22 17	11 10	16 11	14 11	11 9	19 13	22 13	19 8	9 3	13 2	6 3	4 —	2 —	— —	
— —	— —	— —	3 —	8 —	6 —	9 —	12 —	6 —	4 —	8 —	4 —	4 —	1 —	2 —	1 —	1 —	— —	} 159
— —	— —	— —	2 1	3 2	7 5	16 5	27 3	14 7	31 4	25 3	9 4	14 6	10 1	9 3	8 3	3 —	— 1	
— —	— —	— —	— 1	1 1	3 —	3 2	— 2	1 1	— 3	1 2	2 —	1 —	— —	1 —	1 —	— —	— —	} 161
— —	— —	— —	2 —	1 1	8 2	7 3	10 —	5 2	2 1	5 1	4 1	1 —	1 —	3 —	— —	— —	— —	
— —	— —	— —	— 1	3 —	3 —	1 1	— 2	2 2	6 2	1 4	3 1	1 —	1 —	— —	— —	— —	— —	} 163
2 1	3 1	1 1	1 —	2 —	1 1	2 —	2 —	1 2	2 —	1 3	3 1	3 2	— 1	2 —	1 —	1 —	— —	
6 8	— 2	1 —	— —	1 2	1 3	7 1	3 2	7 3	4 6	6 1	4 1	2 2	2 4	1 3	— —	— 1	— 1	} 165
5 1	4 3	— 1	1 —	— —	2 —	— —	3 —	1 —	— —	— —	1 —	— —	— —	1 1	2 —	1 1	— 1	
229 193	31 73	1 16	3 19	5 18	1 7	6 9	9 9	2 9	4 7	2 9	1 7	— 12	3 11	9 16	4 12	7 6	2 8	} 167
156 148	1 2	1 1	— —	2 —	5 1	2 1	1 —	— 1	2 1	3 1	3 2	2 3	1 1	4 1	1 —	2 —	— —	

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
169	Accidental drowning ... { M F	783 138	6 4	— —	— —	2 —	8 4	11 4	18 13	10 2	15 —
170	Injury by firearms ... { M F	12 2	— —	— —	— —	— —	— —	— —	— —	— —	1 —
171	Injury by cutting or piercing instruments. { M F	6 1	— —	— —	— 1	— —	— 1	— —	— —	— —	— —
172	Injury by fall ... { M F	554 416	— —	— 1	— 2	1 2	1 5	6 2	9 7	6 2	4 1
173	Injury in mines and quarries. { M F	893 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
174	Injury by machines ... { M F	90 5	— —	— —	— —	— —	— —	— —	— —	— —	— —
175	Injury by other crushing (vehicles, railways, land-slides, &c.). { M F	818 133	— —	2 —	— 1	— —	2 1	6 6	9 5	14 9	14 6
176	Injury by animals ... { M F	22 1	— —	— 1	— —	— —	— 1	— —	— —	— —	— —
177	Starvation ... { M F	3 2	— —	— —	— —	— —	— —	— —	1 —	— —	— —
178	Excessive cold ... { M F	35 10	— —	— —	— —	— —	— —	— —	— —	— —	— —
179	Effects of heat ... { M F	99 75	— 1	1 —	1 1	2 —	4 2	4 8	6 7	2 2	3 4
180	Lightning... { M F	4 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
181	Electricity (lightning excepted). { M F	12 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
182	Homicide by firearms ... { M F	6 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
183	Homicide by cutting or piercing instruments. { M F	3 8	— 1	— —	1 —	1 —	2 1	— —	— —	— —	— 1
184	Homicide by other means { M F	44 34	10 4	3 1	3 1	— —	16 6	1 3	— —	— —	2 —
185	Fractures (cause not specified). { M F	20 19	— —	— 1	— —	— —	— 1	— 1	— —	— —	— —
186	Other violence ... { M F	159 41	1 1	3 1	5 2	2 2	11 6	5 3	12 3	6 1	2 3
187	Dropsy ... { M F	7 9	— —	— —	— —	— —	— —	— —	— —	— —	— —
188A	Syncope (aged 1 year and under 70). { M F	67 49	— —	— —	— —	— —	— —	— 1	— —	— —	— —
188B	Sudden death (not otherwise defined). { M F	7 —	— —	— —	— —	1 —	1 —	1 —	— —	— —	— —
189A	Heart failure (aged 1 year and under 70). { M F	391 245	— —	— —	— —	— —	— —	3 1	— 2	1 —	— —
189B, C, D, E.	Other ill-defined causes... { M F	229 208	14 8	1 2	8 6	10 10	33 26	97 106	18 18	6 3	3 5
189F	Cause not specified ... { M F	36 15	9 4	2 1	— —	1 1	12 6	— —	1 —	— —	1 —

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1911—*continued.*

Total under 5 Years.	AGES AT DEATH.																	International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
62 23	84 12	85 6	75 10	67 10	49 4	55 4	41 10	55 7	37 13	42 11	40 11	30 8	27 6	19 2	6 1	8 —	1 —	169
1 —	— —	2 —	2 1	2 —	1 —	1 —	1 1	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —	170
— 1	1 —	1 —	— —	1 —	— —	— —	1 —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —	— —	171
26 17	21 5	15 1	21 —	17 1	23 1	33 4	38 5	28 12	47 18	38 23	42 18	52 37	30 36	38 51	39 58	30 71	16 58	172
— —	— —	38 —	115 —	136 —	135 —	101 —	96 —	78 —	58 —	50 —	44 —	27 —	11 —	3 —	1 —	— —	— —	173
— —	— —	6 3	13 —	10 1	4 1	4 —	8 —	4 —	18 —	9 —	3 —	5 —	5 —	1 —	— —	— —	— —	174
45 27	62 23	35 8	61 5	46 1	78 9	73 8	75 5	56 3	61 4	53 9	58 6	37 7	37 6	20 4	14 7	5 —	2 1	175
— 1	— —	5 —	1 —	2 —	— —	1 —	3 —	2 —	— —	1 —	3 —	3 —	— —	— —	— —	1 —	— —	176
1 —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	1 —	— —	— —	— —	177
— —	— —	— —	— —	— —	2 —	1 —	3 —	1 4	3 1	6 1	3 —	4 2	5 1	3 —	2 —	2 —	— 1	178
19 23	10 3	3 2	3 1	2 2	— 1	4 1	7 5	2 1	4 5	9 3	2 3	6 5	11 2	8 9	5 5	2 2	2 2	179
— —	— —	— —	2 —	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	180
— —	— —	— —	1 —	1 —	2 —	3 —	3 —	— —	2 —	— —	— —	— —	— —	— —	— —	— —	— —	181
— —	— —	— —	— —	1 1	1 —	2 1	— —	— —	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	182
2 2	— —	— —	— 2	— 1	— 1	— —	— 1	— 1	— —	— —	— —	— —	— —	1 —	— —	— —	— —	183
19 9	— —	— 1	— 1	3 7	3 4	3 5	4 3	5 3	4 1	— —	1 —	— —	— —	1 —	— —	— —	— —	184
— 2	— —	— 2	— —	1 —	2 —	— —	4 —	2 —	2 1	3 —	— 1	1 1	1 3	1 2	— 1	2 3	1 3	185
36 16	4 5	15 2	8 1	14 —	12 1	7 3	9 1	8 —	15 —	8 1	4 3	7 4	5 —	3 3	4 —	— —	— 1	186
— —	— —	— —	— —	— —	— —	1 —	— 1	— 1	1 1	1 1	— 1	— 2	2 —	— 1	1 —	— 1	— —	187
— 1	2 —	— —	— 1	— —	2 1	2 —	7 6	3 4	3 6	6 4	10 9	16 9	16 8	— —	— —	— —	— —	188A
2 —	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	— —	1 —	— —	— —	2 —	— —	— —	— —	188B
4 3	3 2	1 3	4 5	4 3	11 4	11 9	21 8	27 12	31 22	42 33	63 37	78 46	91 58	— —	— —	— —	— —	189A
157 158	2 7	1 1	— 1	2 1	1 1	— 2	5 3	2 5	5 3	7 5	11 4	15 1	13 9	5 2	2 1	1 2	— 2	189B, C,D,E.
14 6	2 —	2 —	— 1	1 —	— 1	2 2	1 —	2 1	1 2	3 1	4 —	2 —	— —	1 —	— —	1 —	— —	189F

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

[illegible]

AT DIFFERENT AGE-PERIODS, 1911.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
14,424 11,512	1,163 1,052	708 743	1033 893	1128 1042	1,222 1,219	1,323 1,332	1,411 1,419	1,609 1,413	1,874 1,612	2,269 1,947	2,622 2,387	3,336 2,926	4,369 3,847	4,963 4,774	4,800 4,690	3,414 3,698	2,389 3,039	
6 3	9 7	13 19	40 27	36 23	42 19	25 17	18 16	12 13	17 13	13 8	2 7	12 2	4 3	4 —	— 1	1 —	— —	} 1
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 2
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 3
— —	— —	— —	— 1	1 —	1 —	— —	— —	— —	— —	— —	— —	— 1	1 —	— 1	1 —	— —	— —	} 4
— —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 5
615 512	76 53	10 11	5 1	— 7	2 3	2 2	— —	1 2	— 2	— 1	— —	— —	— —	1 —	— —	— —	— —	} 6
59 53	36 36	11 17	7 2	1 2	2 6	1 2	2 3	1 —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	} 7
617 757	20 17	1 —	— 1	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	} 8
219 184	186 196	49 38	12 10	4 2	2 5	4 —	4 1	2 3	1 1	1 1	— 1	— 1	1 —	2 1	— —	— —	1 —	} 9 A
13 6	4 4	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 9 B, C.
70 42	14 8	11 11	8 7	18 6	22 20	26 17	21 29	23 20	30 29	36 22	41 41	44 48	57 60	71 75	46 72	25 46	21 27	} 10
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 11
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 12
5 3	— —	— 1	— —	— —	— —	— —	1 1	— —	2 —	2 1	— —	— —	1 1	3 1	1 3	— 1	— —	} 13
2 5	1 —	— —	— —	2 —	4 —	1 —	2 —	2 1	3 —	3 1	3 5	4 2	5 5	4 3	3 2	2 —	— —	} 14
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 15
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 16
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 17
13 8	1 1	2 1	— —	3 1	2 2	— 1	1 3	1 3	5 3	6 3	5 7	7 4	11 14	7 5	6 6	6 7	1 4	} 18
8 9	1 2	1 —	— —	1 —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 19
11 7	5 —	2 2	5 3	4 —	1 1	4 3	6 8	5 2	3 7	9 1	6 1	6 2	9 1	3 —	— 1	1 3	— 1	} 20
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 21

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

[illegible]

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
44	Cancer of the skin ... { M F	161 93	— —	— —	— —	— —	— —	— —	— —	— 1	— —
45	Cancer of other or un- specified organs. { M F	749 440	— —	2 —	1 —	— —	3 —	3 3	2 3	— 1	3 —
39-45	Cancer (all sites) ... { M F	3,582 4,492	— —	2 —	1 —	— 1	3 1	3 3	2 3	— 2	3 —
46	Other tumours (situation undefined). { M F	14 13	— —	— —	— 1	— —	— 1	— —	— —	— —	— —
47	Rheumatic fever... { M F	160 197	1 —	— —	— —	— 1	1 1	2 1	— 1	1 5	3 1
48 A, B	Chronic rheumatism, Osteo-arthritis. { M F	127 251	— —	— —	— —	— —	— —	— —	— —	— —	— —
48C	Gout ... { M F	78 13	— —	— —	— —	— —	— —	— —	— —	— —	— —
49	Scurvy ... { M F	2 5	— —	— —	— —	— 1	— 1	1 2	— 1	1 —	— —
50	Diabetes ... { M F	478 468	— —	— —	— —	— —	— —	— —	1 —	1 1	1 —
51	Exophthalmic goitre ... { M F	12 110	— —	— —	— —	— —	— —	— —	— —	— —	— —
52	Addison's disease ... { M F	25 47	— —	— —	— —	— —	— —	— —	— —	— —	— —
53	Leucocythæmia, Lympha- denoma. { M F	85 63	— —	— —	— —	2 —	2 —	— —	3 —	1 —	4 1
54	Anæmia, Chlorosis ... { M F	187 284	— 1	2 2	1 2	2 2	5 7	4 1	2 —	3 1	2 —
55	Other general diseases ... { M F	64 48	5 7	— 3	4 1	4 3	13 14	4 3	1 —	1 1	2 2
56	Alcoholism (acute or chronic). { M F	70 27	— —	— —	— —	— —	— —	— —	— —	— —	— —
57	Chronic lead poisoning... { M F	9 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
58	Other chronic occupa- tional poisonings. { M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
59	Other chronic poisonings { M F	2 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
60	Encephalitis ... { M F	27 32	2 1	1 —	— —	3 1	6 2	— 1	— —	— 2	1 2
61A	Cerebro-spinal fever ... { M F	22 15	— —	— 1	1 —	1 —	2 1	2 1	3 —	1 —	— 1
61B	Posterior basal meningitis { M F	19 20	— —	— 1	1 2	7 6	8 9	2 3	1 2	— —	— 1
61C	Meningitis, other forms { M F	449 359	7 5	23 10	46 16	65 43	141 74	62 50	27 27	28 16	15 21
62	Locomotor ataxy ... { M F	93 16	— —	— —	— —	— —	— —	— —	— —	— —	— —
63	Other diseases of the spinal cord. { M F	394 291	— 1	2 —	— 1	5 2	7 4	4 3	5 8	3 —	4 6

AT DIFFERENT AGE-PERIODS, 1911—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
1	—	—	—	1	—	2	1	3	7	9	11	15	18	31	29	21	13	} 44
11	—	—	—	1	—	—	1	1	4	4	10	8	8	14	17	15	9	
7	7	7	14	12	15	18	22	32	53	61	72	108	124	89	67	28	9	} 45
11	4	4	5	8	6	9	14	17	33	36	43	67	59	63	39	16	10	
11	7	10	17	14	21	36	55	96	207	324	405	528	631	573	395	180	72	} 39-45
9	9	5	6	20	23	53	141	229	354	424	553	613	662	631	457	209	94	
1	—	—	—	1	2	—	—	2	1	1	2	2	2	1	—	—	—	} 46
1	—	—	—	—	—	1	2	—	—	1	1	—	4	1	2	—	—	
7	22	21	22	16	8	10	12	5	12	3	10	3	3	3	2	—	—	} 47
9	23	34	20	19	17	13	9	11	6	7	6	7	6	5	2	3	—	
1	—	—	—	—	1	—	2	—	3	9	6	14	22	28	25	10	7	} 48
1	—	1	—	—	1	2	5	7	9	22	25	32	38	59	29	14	7	
1	—	—	—	—	—	—	—	1	1	5	9	11	18	15	8	5	5	} 48C
1	—	—	—	—	—	—	1	—	—	1	1	1	1	2	1	4	1	
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 49
4	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
3	8	5	23	20	20	20	25	22	29	29	45	60	58	60	35	13	3	} 50
1	7	17	13	13	20	22	14	18	21	32	51	57	77	63	30	11	1	
1	—	—	—	—	—	—	2	3	3	—	—	1	2	1	—	—	—	} 51
1	—	—	4	8	12	9	4	7	14	15	16	10	7	3	1	—	—	
1	—	—	—	2	1	2	2	2	3	4	5	2	1	1	—	—	—	} 52
1	—	—	2	1	2	9	7	4	5	—	6	7	3	1	—	—	—	
10	7	4	4	2	5	4	7	3	10	9	4	3	4	5	4	—	—	} 53
1	5	1	1	2	5	5	4	7	5	3	9	5	4	5	—	1	—	
16	1	—	—	1	7	5	12	12	15	19	16	25	39	10	8	1	—	} 54
9	3	1	8	8	13	14	24	20	28	26	34	33	38	14	9	1	1	
21	8	5	4	3	—	2	2	2	5	4	—	2	—	2	4	—	—	} 55
20	2	1	3	3	3	1	2	1	1	3	2	3	1	—	1	1	—	
1	—	—	—	1	3	4	9	11	10	10	7	9	3	2	1	—	—	} 56
1	—	—	—	—	1	2	3	2	2	4	7	2	2	2	—	—	—	
1	—	—	—	—	—	—	2	6	—	—	—	1	—	—	—	—	—	} 57
1	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—	—	
1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	} 58
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	} 59
1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
7	1	3	1	2	1	—	3	2	2	—	1	2	1	—	1	—	—	} 60
7	1	2	3	2	3	1	1	4	1	4	—	1	—	1	1	—	—	
8	7	4	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 61A
3	7	3	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
11	3	2	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	} 61B
15	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
273	44	27	19	11	7	6	6	11	9	7	7	8	7	4	2	1	—	} 61C
188	44	29	9	22	8	14	10	7	7	2	6	4	3	4	2	—	—	
1	—	1	—	—	1	2	8	6	10	8	18	13	8	8	8	1	1	} 62
1	—	—	—	—	—	—	1	—	2	3	3	1	3	2	1	—	—	
23	21	12	10	11	9	10	13	16	16	20	37	44	51	39	36	21	5	} 63
21	11	8	10	8	7	16	13	11	12	23	22	22	40	31	24	8	4	

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
64	Cerebral hæmorrhage, { M 2452 — Apoplexy. F 2750 1 1 1 1 4 4 3 2 — 1										
65	Softening of brain ... { M 221 — F 222 —										
66	Paralysis without speci- { M 349 — fied cause. F 440 —								1		1
67	General paralysis of the { M 263 — insane. F 82 —										
68	Other forms of mental { M 132 — alienation. F 166 —										
69	Epilepsy ... { M 359 — 1 1 1 3 5 2 3 2 2 F 246 — 1 1 2 3 1 4 1										
70	Convulsions (non-puer- { M 9 — peral; 5 yrs. and over) F 10 —										
71	Infantile convulsions { M 1,173 369 214 193 224 1,000 127 23 17 6 (under 5 years). F 860 256 166 129 157 708 109 35 5 3										
72	Chorea ... { M 6 — F 14 —										
73	Hysteria, Neuralgia, Neu- { M 39 — ritis. F 50 —									1	
74	Other diseases of the { M 187 1 — nervous system. F 199 3 — 1 3 4 6 1 3 3										
75	Diseases of the eyes and { M 6 — annexa. F 1 —							1			
76A	Mastoid disease ... { M 23 — 2 1 3 1 1 2 1 F 16 — — 2 2 1 1 — 1										
76B	Other diseases of the ears { M 74 — 2 2 4 4 2 3 1 F 67 — 3 7 6 16 — 1 1 —										
77	Pericarditis ... { M 40 — 2 — 2 1 1 — F 22 — 1 1 — 2 — —										
78	Acute endocarditis ... { M 88 — 1 1 — 2 — 1 — F 120 — 1 — — 1 — 2 3										
79A	Valvular disease ... { M 1,808 — — 1 1 — 1 — 1 — F 2,074 — — — — — — — 2										
79B	Fatty degeneration of the { M 281 — heart. F 332 —										
79C	Other organic disease of { M 3,012 — 1 1 2 — 3 1 — the heart. F 3,136 — 3 3 1 2 1 2										
80	Angina pectoris ... { M 146 — F 71 —										
81A	Aneurysm ... { M 150 — F 29 —										
81B	Arterial sclerosis... { M 529 — F 270 —										
81C	Other diseases of arteries { M 11 — F 5 —										

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

International List Nos	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
82A	Cerebral embolism and thrombosis. { M F	209 330	— —	1 —	— —	— —	1 —	2 1	1 —	— —	— —
82B	Other embolism and thrombosis. { M F	28 49	— —	— —	— —	— —	— —	— —	— —	— —	— —
83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis, &c.). { M F	18 43	— —	— —	— —	— —	— —	— 1	— —	— —	— —
84A	Status lymphaticus ... { M F	9 8	1 3	— —	3 —	1 —	5 3	1 —	1 —	— 2	— —
84B	Other diseases of the lymphatic system. { M F	6 10	— —	— 2	— —	2 —	2 2	— 1	1 —	— —	— —
85	Hæmorrhage; other diseases of the circulatory system. { M F	20 23	— 1	— 1	— —	— —	— 2	— —	1 —	— —	— —
86	Diseases of the nasal fossæ. { M F	4 12	— 1	— —	— —	— 1	— 2	— 1	— —	— 2	— —
87	Diseases of the larynx ... { M F	141 118	5 10	4 3	6 5	14 11	29 29	17 11	13 15	17 9	6 15
88	Diseases of the thyroid body. { M F	5 54	— —	— —	— —	— —	— —	— —	— —	— —	— —
89 & 90	Bronchitis ... { M F	3,111 3,053	74 48	208 145	178 119	244 178	704 490	138 143	40 37	14 20	8 4
91	Broncho-pneumonia ... { M F	1,298 1,066	37 16	98 56	159 92	287 239	581 403	306 245	78 72	38 39	10 22
92A	Lobar-pneumonia ... { M F	692 445	4 2	2 7	7 6	18 18	31 33	23 23	10 9	9 5	7 5
92B	Pneumonia (type not stated). { M F	1,371 944	9 3	27 28	47 34	96 72	179 137	103 70	33 33	16 19	11 12
93	Pleurisy ... { M F	161 112	— —	1 1	1 1	3 4	5 6	3 1	4 2	5 2	1 —
94	Pulmonary congestion, Pulmonary apoplexy. { M F	205 154	6 2	10 5	7 3	5 3	28 13	7 2	1 2	1 2	— —
95	Gangrene of the lung ... { M F	12 5	— —	— —	— —	— —	— —	— —	— 1	— —	— —
96	Asthma ... { M F	192 128	— —	— —	— —	1 1	1 1	2 —	— —	1 —	— —
97	Pulmonary emphysema { M F	58 22	— —	— —	— —	— —	— —	— 1	— —	— —	— —
98A	Fibroid disease of lung ... { M F	73 13	— —	— —	— —	— —	— —	— —	— —	— —	— —
98B	Other diseases of the respiratory system. { M F	44 14	— —	— —	5 1	— —	5 1	— —	— —	1 —	1 —
99A	Diseases of the teeth and gums. { M F	22 24	3 3	2 4	1 2	1 —	7 9	1 4	— —	— —	— —
99B. C,D	Other diseases of the mouth and annexa. { M F	31 28	17 11	7 7	1 4	2 3	27 25	— 1	1 —	— —	— —
100	Diseases of pharynx, Tonsillitis. { M F	63 54	1 —	1 1	1 —	4 —	7 1	3 3	1 2	6 5	4 5

AT DIFFERENT AGE-PERIODS, 1911—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
4 1	—	—	—	—	1 6	—	3 5	5 6	3 8	10 15	7 16	18 31	27 39	37 62	49 51	26 57	19 27	} 82A
— —	—	—	—	1 2	—	—	—	1 4	1 4	3 6	5 3	3 4	6 7	1 3	3 —	2 2	2 2	
— 1	—	—	—	—	1 1	1 1	2 4	1 —	2 5	— 3	2 8	3 2	5 6	— 5	— 2	1 2	— 2	} 83
7 5	1 3	1 —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 3	1 1	—	—	—	—	—	—	—	—	—	1 1	—	—	1 —	—	—	—	} 84A
— —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1 2	—	—	1 1	—	1 1	1 1	—	1 1	1 —	2 1	—	3 2	1 5	2 —	3 3	1 1	2 1	} 84B
— 5	—	—	1 —	—	—	—	—	—	—	1 1	—	2 —	—	—	—	—	—	
82 79	36 18	—	3 2	—	1 1	1 4	—	2 1	2 —	—	1 2	3 —	1 1	5 2	2 2	1 1	1 —	} 85
— —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
— —	—	1 2	—	—	—	—	—	—	—	1 4	1 8	1 12	—	1 2	—	—	—	} 86
904 694	12 15	2 6	9 7	4 5	7 7	13 8	8 12	22 11	34 33	65 43	112 102	181 158	300 274	424 495	460 502	337 391	217 290	
1,013 781	28 38	5 5	4 5	4 4	5 2	10 6	9 3	12 5	6 6	18 11	19 18	33 18	38 33	34 48	34 51	18 22	8 10	} 87
80 75	15 13	13 15	21 13	37 19	37 9	36 22	41 31	54 29	62 15	46 23	59 28	65 39	55 38	38 33	25 24	4 14	4 5	
342 271	42 34	8 16	31 21	37 20	39 23	49 41	58 41	61 42	80 35	73 36	92 48	86 56	129 71	97 74	76 62	48 40	23 13	} 88
18 11	1 2	3 2	4 5	6 5	9 7	6 6	5 2	11 6	6 2	13 10	14 6	8 7	15 9	14 13	15 11	10 6	3 2	
37 19	3 —	—	—	2 —	2 1	3 1	2 4	7 2	5 3	6 2	4 1	14 8	17 18	18 26	35 22	25 26	25 18	} 89 & 90
— 1	—	—	1 —	2 2	—	1 —	—	1 —	—	1 —	1 —	1 —	1 —	1 1	—	2 —	—	
4 1	1 —	—	2 2	—	2 3	4 3	5 6	8 6	6 6	19 11	20 7	32 15	33 21	25 19	15 14	13 8	3 4	} 91
— 1	—	—	1 —	—	—	—	1 —	2 —	3 —	2 —	1 3	11 3	10 4	11 2	7 3	8 2	1 3	
— —	—	—	1 —	1 —	—	3 —	2 —	9 3	6 —	14 2	10 2	6 —	9 1	8 2	3 2	1 1	—	} 92A
7 1	—	1 1	1 1	3 —	2 1	4 —	1 —	4 —	4 —	6 3	3 —	1 3	4 2	—	1 —	2 —	—	
8 13	—	1 1	2 —	—	—	1 1	—	—	2 —	3 —	1 —	2 2	—	—	1 —	—	1 —	} 92B
— —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
28 26	—	—	—	—	—	—	—	—	—	—	1 —	—	—	—	—	1 1	1 1	} 93
21 16	11 13	7 7	4 2	2 1	1 4	3 3	—	2 —	1 2	4 —	—	3 2	1 —	1 2	2 —	—	—	

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
101	Diseases of cesophagus ... { M F	8 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
102	Perforating ulcer of { M F	144 239	— —	— —	— —	— —	— —	— 1	— —	— —	— —
103A	Inflammation of stomach { M F	327 300	17 14	56 26	41 34	35 22	149 96	15 13	6 2	5 2	1 —
103B	Other diseases of the { M F	74 61	— —	8 2	2 2	4 —	14 4	1 —	— 1	— 1	— —
104 & 105.	Diarrhoea and enteritis ... { M F	3,301 2,832	123 92	505 377	742 616	818 662	2,188 1,747	379 357	50 67	28 32	17 11
106	Ankylostomiasis... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
107	Other intestinal parasites { M F	3 6	— —	— —	— —	— —	— —	1 —	1 2	— —	1 1
108	Appendicitis ... { M F	334 226	— —	— —	— —	— —	— —	— —	3 —	4 2	9 9
109A	Hernia ... { M F	158 162	5 1	2 —	2 —	2 —	11 1	1 —	1 —	— —	2 —
109B	Intestinal obstruction ... { M F	308 297	6 6	4 4	20 10	16 10	46 30	8 2	6 2	2 —	— 1
110	Other diseases of the { M F	61 49	— —	3 1	— 1	2 2	5 4	1 1	1 —	— 1	2 —
111	Acute yellow atrophy of { M F	6 4	— —	— —	— —	— —	— —	— —	— —	— 1	— —
112	Hydatid of liver ... { M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
113	Cirrhosis of the liver ... { M F	403 218	— —	— —	— —	— —	— —	— —	— —	— —	— —
114	Biliary calculi ... { M F	52 138	— —	— —	— —	— —	— —	— —	— —	— —	— —
115	Other diseases of the liver { M F	106 134	— —	— —	— 3	1 1	1 4	3 2	— —	— 2	1 —
116	Diseases of the spleen ... { M F	4 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
117	Peritonitis (cause un- { M F	65 68	1 —	1 —	1 1	4 2	7 3	1 —	1 —	1 1	1 1
118	Other diseases of the { M F	23 15	— —	— —	— —	— —	— —	— —	— —	— 1	— —
119	Acute nephritis ... { M F	175 148	3 —	2 2	4 2	7 8	16 12	6 10	2 3	5 4	6 5
120	Bright's disease ... { M F	1,314 1,100	— —	1 —	— 1	— 1	1 2	— —	— 1	1 —	4 —
121	Chyluria ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
122	Other diseases of the { M F	50 56	— 1	— —	2 —	1 —	3 1	1 1	— —	— —	— —

AT DIFFERENT AGE-PERIODS, 1911—*continued.*

Total under 5 Years.	AGES AT DEATH.																	International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	—	—	—	—	—	—	—	1	—	2	1	3	—	1	—	101
—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	
—	3	—	1	7	8	6	12	11	14	15	13	12	22	12	4	2	2	102
1	1	4	21	21	21	21	29	22	25	19	14	10	13	11	5	1	—	
176	3	1	—	3	3	2	3	3	8	10	10	12	19	24	30	15	5	103A
113	10	1	3	—	1	3	2	8	5	7	13	13	27	27	36	20	11	
15	3	1	—	—	—	3	3	3	2	5	4	9	8	9	3	4	2	103B
6	—	—	1	2	—	3	2	2	4	4	4	1	6	12	5	4	5	
2,662	23	11	10	14	12	15	19	23	21	35	28	48	80	87	87	78	48	104 & 105.
2,214	32	9	12	8	17	13	20	18	23	26	42	45	63	88	79	74	49	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	106
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	107
3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
16	46	52	43	22	24	22	7	12	19	23	7	12	15	8	5	—	1	108
11	35	46	21	18	14	15	8	9	9	7	5	10	6	7	2	2	1	
15	—	—	—	2	—	3	3	4	5	15	9	8	22	26	30	9	7	109A
1	1	—	—	—	2	2	5	6	11	18	19	15	27	24	12	12	7	
62	10	7	13	9	5	5	6	8	8	19	15	21	20	38	32	21	9	109B
35	4	1	3	2	4	8	7	11	12	16	18	21	40	41	33	21	20	
9	3	3	—	1	—	3	5	2	3	—	1	5	6	9	6	4	1	110
6	—	—	—	1	1	1	2	5	3	5	4	2	3	4	6	3	3	
—	—	—	1	—	—	—	—	1	1	1	—	—	1	1	—	—	—	111
1	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	112
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
—	1	—	—	1	4	11	12	30	45	58	44	70	54	47	22	3	1	113
—	—	—	1	1	4	5	10	13	14	39	26	30	30	23	15	6	1	
—	—	—	—	1	—	1	3	—	4	4	5	6	4	8	8	7	1	114
—	—	1	—	1	—	—	3	5	10	13	11	24	24	22	10	7	7	
5	—	2	1	2	1	5	3	1	8	8	12	10	8	16	12	8	4	115
8	1	2	2	3	1	1	3	6	7	5	9	15	24	14	19	10	4	
—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	1	—	—	116
—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	
11	4	3	5	2	4	4	2	3	1	2	3	6	8	5	—	2	—	117
5	9	3	6	1	5	4	3	4	4	3	5	3	5	3	1	3	1	
—	—	—	—	—	—	4	3	2	1	—	3	3	3	3	1	—	—	118
1	—	—	1	—	—	1	—	1	1	1	1	4	2	1	1	—	—	
35	10	5	5	6	6	2	8	13	11	17	14	9	17	9	5	1	2	119
34	15	3	4	7	6	11	3	9	11	6	13	4	9	6	3	4	—	
6	7	11	19	12	15	26	40	66	71	135	133	161	183	218	139	47	25	120
3	8	9	18	26	27	37	42	55	71	93	112	117	146	156	106	50	24	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	121
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	—	1	1	1	—	4	2	6	5	2	5	3	3	4	6	2	1	122
2	1	—	—	2	4	4	2	6	5	5	4	7	3	3	4	3	1	

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
123	Calculi of the urinary passages. { M F	48 25	— —	— —	— —	— —	— —	— —	— 1	1 —	— —
124	Diseases of the bladder... { M F	293 56	— —	— —	— —	— —	— —	— —	— —	— —	— —
125	Diseases of the urethra, { M Urinary abscess, &c. { F	40 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
126	Diseases of the prostate... { M F	433 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
127	Non-venereal diseases of { M male genital organs. { F	4 —	— —	3 —	— —	— —	3 —	— —	— —	— —	— —
128	Uterine hæmorrhage { M (non-puerperal). { F	— 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
129	Uterine tumour (non- { M cancerous). { F	— 68	— —	— —	— —	— —	— —	— —	— —	— —	— —
130	Other diseases of the { M uterus. { F	— 32	— —	— —	— —	— —	— —	— 1	— —	— —	— —
131	Ovarian cyst, tumour { M (non-cancerous). { F	— 69	— —	— —	— —	— —	— —	— —	— —	— —	— —
132	Other diseases of the { M female genital organs. { F	— 25	— —	— —	— —	— —	— —	— —	— —	— —	— —
133	Non-puerperal dis. of the { M breast (non-cancerous). { F	2 7	2 1	— —	— —	— —	2 1	— —	— —	— —	— —
134	Accidents of pregnancy... { M F	— 55	— —	— —	— —	— —	— —	— —	— —	— —	— —
135	Puerperal hæmorrhage ... { M F	— 111	— —	— —	— —	— —	— —	— —	— —	— —	— —
136	Other accidents of child- { M birth. { F	— 66	— —	— —	— —	— —	— —	— —	— —	— —	— —
137	Puerperal fever ... { M F	— 236	— —	— —	— —	— —	— —	— —	— —	— —	— —
138	Puerperal albuminuria { M and convulsions. { F	— 154	— —	— —	— —	— —	— —	— —	— —	— —	— —
139	Puerperal phlegmasia { M alba dolens, embolism { F and sudden death.	— 84	— —	— —	— —	— —	— —	— —	— —	— —	— —
140	Puerperal insanity ... { M F	— 18	— —	— —	— —	— —	— —	— —	— —	— —	— —
141	Puerperal diseases of the { M breast. { F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
142A	Senile gangrene ... { M F	231 158	— —	— —	— —	— —	— —	— —	— —	— —	— —
142B, C, D.	Gangrene, other types ... { M F	15 9	1 1	1 —	— —	2 —	4 1	— 1	— —	— —	— —
143	Carbuncle, Boil ... { M F	29 6	— —	— —	1 —	1 —	2 —	— —	— —	— —	— —
144	Phlegmon, Acute abscess { M F	57 47	2 2	6 2	2 1	1 4	11 9	— 2	— —	— —	— 1
145	Diseases of the integu- { M mentary system. { F	138 143	24 14	21 9	9 6	8 5	62 34	4 1	— 2	1 —	— 1

AT DIFFERENT AGE-PERIODS, 1911—continued.

Total under 5 Years.	AGES AT DEATH.																	International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
2	1	—	1	—	2	3	2	3	1	1	7	2	6	7	6	3	1	} 123
—	2	2	1	—	—	1	—	3	1	—	5	—	4	4	2	—	—	
—	—	—	—	—	—	1	1	4	8	3	18	17	37	61	81	45	17	} 124
—	—	—	—	1	—	2	2	—	3	2	3	8	6	11	12	4	2	
—	—	—	—	—	—	—	1	4	2	7	4	4	5	4	7	2	—	} 125
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	1	7	29	75	106	117	66	32	} 126
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	} 127
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	} 128
—	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—	—	—	
—	—	—	—	—	1	5	8	10	14	8	3	3	7	6	—	2	1	} 129
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	4	1	1	—	6	6	2	3	—	1	3	1	1	—	2	} 130
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	1	—	4	2	2	5	6	7	9	10	10	7	3	2	} 131
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	1	—	1	3	3	3	6	2	1	—	2	—	1	1	—	—	1	} 132
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	—	—	—	—	—	—	2	—	—	1	—	2	1	—	—	} 133
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	2	4	9	12	20	7	—	1	—	—	—	—	—	—	—	} 134
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	3	2	16	25	40	22	3	—	—	—	—	—	—	—	—	} 135
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	11	7	20	12	13	2	—	—	—	—	—	—	—	—	} 136
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	4	40	68	61	45	13	5	—	—	—	—	—	—	—	—	} 137
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	15	34	33	35	23	12	2	—	—	—	—	—	—	—	—	} 138
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	10	14	20	21	14	3	1	—	—	—	—	—	—	—	} 139
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	7	2	6	3	—	—	—	—	—	—	—	—	—	—	} 140
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	} 141
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	3	8	24	39	64	56	37	} 142A
—	—	—	—	—	—	—	—	—	—	1	2	8	22	34	34	28	29	
4	—	1	—	—	—	—	1	—	1	1	2	—	1	1	2	—	1	} 142B, C, D.
2	—	1	—	—	—	—	—	—	—	2	3	1	—	—	—	—	—	
2	—	—	—	—	1	—	—	2	4	—	3	2	1	6	2	4	2	} 143
—	—	1	1	—	—	—	—	—	—	—	1	—	1	1	1	—	—	
11	2	2	2	2	1	1	4	1	4	2	4	2	8	2	4	4	1	} 144
12	1	1	2	1	2	1	2	1	1	2	3	3	2	6	2	2	3	
67	—	—	—	—	2	2	—	1	2	4	1	6	12	16	17	5	3	} 145
38	1	1	—	1	—	3	—	3	1	2	9	12	11	14	19	16	12	

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
146	Diseases of the bones ... { M F	47 31	— —	1 1	— —	— —	1 1	— —	1 —	1 3	3 1
147	Diseases of the joints ... { M F	16 15	2 —	— —	— —	1 —	3 —	1 —	— —	— —	— —
148	Amputations ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
149	Other diseases of the loco- motor system. { M F	5 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
150	Congenital malformations { M F	409 339	221 164	71 48	34 40	32 26	358 278	14 14	9 4	4 2	5 2
151A	Premature birth ... { M F	1,943 1,431	1,795 1,303	129 109	19 15	— 4	1,943 1,431	— —	— —	— —	— —
151B, C, D, E.	Infantile debility, Icterus and Sclerema. { M F	1,536 1,154	873 667	372 275	184 137	107 75	1,536 1,154	— —	— —	— —	— —
152	Other diseases peculiar to early infancy. { M F	326 245	302 235	24 10	— —	— —	326 245	— —	— —	— —	— —
153	Lack of care ... { M F	19 14	19 14	— —	— —	— —	19 14	— —	— —	— —	— —
154	Old age ... { M F	4,767 5,373	— —	— —	— —	— —	— —	— —	— —	— —	— —
155	Suicide by poison ... { M F	37 17	— —	— —	— —	— —	— —	— —	— —	— —	— —
156	Suicide by asphyxia ... { M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
157	Suicide by hanging or strangulation. { M F	177 47	— —	— —	— —	— —	— —	— —	— —	— —	— —
158	Suicide by drowning ... { M F	148 78	— —	— —	— —	— —	— —	— —	— —	— —	— —
159	Suicide by firearms ... { M F	79 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
160	Suicide by cutting or piercing instruments. { M F	115 22	— —	— —	— —	— —	— —	— —	— —	— —	— —
161	Suicide by jumping from high place. { M F	4 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
162	Suicide by crushing ... { M F	49 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
163	Other suicides ... { M F	15 5	— —	— —	— —	— —	— —	— —	— —	— —	— —
164	Poisoning by food ... { M F	11 10	— —	1 —	— —	— —	1 —	— 1	1 1	1 —	— —
165	Other acute poisonings ... { M F	25 15	— —	— —	1 —	1 —	2 —	— —	1 —	1 1	— —
166	Conflagration ... { M F	10 9	— —	— —	— —	— 1	— 1	— 1	— 1	1 —	1 1
167	Burns (conflagration ex- cepted). { M F	148 229	1 —	— 1	1 —	9 4	11 5	25 27	32 28	27 24	7 21
168	Absorption of deleterious gases (conflagration ex- cepted). { M F	81 53	24 24	20 14	8 8	5 6	57 52	2 —	— —	— —	— —

AT DIFFERENT AGE-PERIODS, 1911—*continued.*

Total under 5 Years.	AGES AT DEATH.																	International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
6 5	14 5	3 6	2 3	2 1	1 —	— 1	2 1	1 —	4 —	2 —	3 —	1 3	2 —	1 1	1 4	1 —	1 1	} 146
4 —	2 —	1 —	1 2	— —	— 1	1 —	— —	— —	— —	1 2	1 1	1 1	1 3	2 3	1 1	— 1	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 148
— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	2 —	— —	— —	— —	1 —	— —	1 —	— —	
390 300	7 9	4 8	4 6	1 5	1 2	— 5	2 3	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	} 150
1,943 1,431	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 151A
1,536 1,154	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{ 151 B, C, D, E.
326 245	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
19 14	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 153
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 1	3 5	26 23	126 129	721 652	1,132 1,235	1,405 1,543	1,353 1,785	
— —	— —	— —	2 1	2 2	1 4	3 2	3 —	5 1	6 2	6 1	4 1	3 1	1 1	— —	1 1	— —	— —	} 155
— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	7 2	8 5	11 3	9 2	10 2	13 2	21 4	19 1	21 12	22 3	18 7	7 3	10 —	1 1	— —	} 157
— —	— —	— —	9 5	3 9	6 6	19 8	9 14	11 9	14 6	12 6	18 5	17 4	11 3	13 2	5 1	1 —	— —	
— —	— —	— —	2 —	7 —	9 —	6 —	7 —	10 —	11 1	9 —	4 —	6 —	4 1	2 —	— —	1 —	1 —	} 159
— —	— —	— —	1 —	4 2	7 2	16 4	10 1	14 1	10 1	15 2	12 3	8 3	7 2	5 —	3 —	2 —	1 1	
— —	— —	— —	— —	— —	— —	2 —	— —	— —	— —	— —	— —	— 1	1 —	— —	1 —	— —	— —	} 161
— —	— —	— —	— —	4 1	8 1	4 —	10 —	5 —	5 2	3 —	2 —	3 —	2 —	2 —	1 —	— —	— —	
— —	— —	— —	— —	2 —	1 1	1 1	5 —	2 —	— —	— 1	1 1	— —	1 1	— —	1 —	— —	1 —	} 163
3 2	1 1	— —	2 —	— 1	— 1	— 1	2 1	— —	— 1	— —	1 1	1 —	— —	1 —	— 1	— —	— —	
4 1	3 —	— 1	1 3	— —	— —	1 —	2 —	1 1	3 —	1 2	3 1	3 3	2 2	— 1	1 —	— —	— —	} 165
2 4	— —	— —	— —	1 —	— —	— —	— —	— —	— —	1 —	1 2	2 —	1 1	— —	2 1	— 1	— —	
102 105	9 37	2 10	4 5	2 3	2 4	1 2	3 4	1 1	2 1	— 3	3 2	1 7	2 7	4 13	6 8	4 12	— 5	} 167
59 52	— —	— —	— —	— —	1 —	4 1	— —	2 —	5 —	4 —	3 —	1 —	1 —	— —	1 —	— —	— —	

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
169	Accidental drowning ... { M F	639 106	2 3	— —	— —	— 1	2 4	10 10	19 9	11 4	10 1
170	Injury by firearms ... { M F	39 5	— —	— —	— —	— —	— —	— —	— 1	— —	1 —
171	Injury by cutting or piercing instruments. { M F	4 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
172	Injury by fall ... { M F	278 207	— 1	1 —	— —	1 1	2 2	3 4	6 2	4 —	— 1
173	Injury in mines and quarries. { M F	375 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
174	Injury by machines ... { M F	45 —	— —	— —	— —	— —	— —	— —	2 —	— —	1 —
175	Injury by other crushing (vehicles, railways, landslides, &c.) { M F	635 92	— —	— 1	2 —	— —	2 1	3 3	9 7	6 6	4 3
176	Injury by animals ... { M F	51 3	— —	— —	— —	— —	— —	1 —	1 —	1 1	2 —
177	Starvation ... { M F	4 2	1 —	— —	— —	— —	1 —	— —	— —	— —	— —
178	Excessive cold ... { M F	32 2	— —	— —	1 —	— —	1 —	— —	— —	— —	— —
179	Effects of heat ... { M F	137 66	1 —	— —	1 3	5 —	7 3	3 4	4 —	— 1	2 2
180	Lightning... { M F	12 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
181	Electricity (lightning ex- cepted). { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
182	Homicide by firearms ... { M F	4 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
183	Homicide by cutting or piercing instruments. { M F	1 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
184	Homicide by other means { M F	24 14	6 2	1 —	2 2	1 1	10 5	— —	1 2	1 —	— —
185	Fractures (cause not specified). { M F	18 12	1 —	— —	— —	— —	1 —	1 —	— —	— 1	1 —
186	Other violence ... { M F	89 19	— 3	2 —	— —	1 1	3 4	1 3	6 —	1 1	1 —
187	Dropsy ... { M F	4 10	— —	— —	— —	— —	— —	— 1	— —	— —	— —
188A	Syncope (aged 1 year and under 70). { M F	70 36	— —	— —	— —	— —	— —	— —	— —	— —	— —
188B	Sudden death (not other- wise defined). { M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
189A	Heart failure (aged 1 year and under 70). { M F	280 190	— —	— —	— —	— —	— —	3 —	— —	3 1	— 1
189B, C, D, E.	Other ill-defined causes... { M F	169 122	14 8	5 1	5 2	7 7	31 18	46 37	8 7	5 —	1 2
189F.	Cause not specified ... { M F	44 30	10 9	— —	2 2	— 2	12 13	— —	1 —	— —	— —

AT DIFFERENT AGE-PERIODS, 1911—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
52 28	54 9	54 2	87 5	67 6	56 6	25 5	37 7	37 8	27 5	35 6	30 4	27 5	22 2	16 5	11 2	2 1	—	169
1 1	1 —	2 1	8 —	2 —	4 —	3 —	1 —	7 1	7 —	1 —	— 2	1 —	1 —	— —	— —	— —	— —	170
— —	— 1	— —	2 —	— —	— —	— —	— —	— —	— —	2 —	— —	— —	— —	— —	— —	— —	— —	171
15 9	2 2	8 2	9 —	9 —	9 3	10 1	9 3	18 4	17 8	18 8	19 6	14 9	27 15	21 25	33 36	22 37	18 39	172
— —	— —	19 —	49 —	48 —	42 —	53 —	42 —	31 —	23 —	27 —	19 —	5 —	11 —	5 —	1 —	— —	— —	173
3 —	1 —	5 —	4 —	6 —	4 —	3 —	4 —	3 —	— —	3 —	6 —	1 —	1 —	1 —	— —	— —	— —	174
24 20	37 5	29 5	36 4	49 2	49 2	36 5	53 3	46 3	50 8	50 4	51 8	37 3	44 7	22 7	15 4	4 2	3 —	175
5 1	5 —	5 —	2 —	4 —	5 —	1 —	3 —	4 1	1 —	3 1	3 —	4 —	2 —	2 —	2 —	— —	— —	176
1 —	— —	— —	1 —	— —	— 1	— —	— —	— —	— —	1 —	1 —	— —	— 1	— —	— —	— —	— —	177
1 —	— —	— —	— —	— —	1 1	2 —	1 —	1 —	3 —	2 1	7 —	6 —	3 —	3 —	2 —	— —	— —	178
16 10	6 7	3 2	6 1	7 1	4 1	4 1	4 —	10 6	13 3	8 8	10 2	15 1	11 4	4 4	7 5	5 4	4 6	179
— —	— —	— —	2 —	3 —	— —	2 —	— —	3 —	— —	— —	2 —	— —	— —	— —	— —	— —	— —	180
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	181
— —	— —	— —	— 1	— 1	1 —	1 —	1 —	1 1	— —	— 1	— —	— —	— —	— —	— —	— —	— —	182
— —	1 —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	183
12 7	— —	2 —	1 —	1 —	— 1	— 1	2 —	1 1	1 2	1 —	— —	3 1	— —	— 1	— —	— —	— —	184
3 1	1 1	— —	— —	— —	— —	2 —	2 —	1 —	1 —	2 —	1 —	— 1	1 3	1 1	— 2	1 1	2 2	185
12 8	6 —	2 2	5 —	3 —	6 —	5 —	9 —	8 2	7 —	5 —	3 2	5 1	6 1	3 1	3 1	1 —	— 1	186
— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	1 1	— 3	2 4	— —	— 1	187
— —	— 2	1 —	— —	— 2	3 3	2 1	1 3	6 3	6 2	6 5	10 4	19 4	16 7	— —	— —	— —	— —	188A
— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	188B
6 2	2 1	2 1	4 3	3 2	1 3	12 4	9 11	20 9	18 23	20 18	45 24	66 40	72 49	— —	— —	— —	— —	189A
91 64	2 5	5 1	1 —	— —	1 —	1 1	1 3	2 1	6 4	3 5	9 4	9 6	10 12	14 7	8 5	4 2	2 2	189B, C, D, E.
13 13	— —	— —	1 —	3 1	— —	2 2	— 2	2 1	4 3	3 —	2 —	2 2	6 1	1 2	3 2	— —	2 1	189F.

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE.

Cause of Death.*	Place of Occurrence.	Males.					Females.				
		London.	County Boroughs.	Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Urban Districts.	Rural Districts.	England and Wales.
1	Poor Law Institutions	21	50	18	6	95	14	29	7	6	56
	Lunatic Asylums ...	2	1	8	3	14	8	3	4	5	20
	Hospls., Nursing Homes	40	285	288	94	707	35	198	187	65	485
	Elsewhere than Instns.	14	153	285	151	603	11	126	197	102	436
2	Poor Law Institutions	—	1	—	—	1	—	2	—	—	2
	Hospls., Nursing Homes	—	2	—	—	2	—	4	—	—	4
	Elsewhere than Instns.	—	1	—	—	1	—	—	—	—	—
4	Poor Law Institutions	1	—	—	—	1	—	—	—	—	—
	Hospls., Nursing Homes	1	6	1	—	8	—	—	—	—	—
	Elsewhere than Instns.	2	18	19	4	43	—	—	3	3	6
5	Hospls., Nursing Homes	3	4	3	2	12	6	1	3	—	10
	Elsewhere than Instns.	—	—	1	—	1	—	—	—	—	—
6	Poor Law Institutions	127	118	61	12	318	89	103	63	9	264
	Hospls., Nursing Homes	267	74	31	10	382	276	63	34	3	376
	Elsewhere than Instns.	944	2,221	2,306	690	6,161	874	2,033	2,138	582	5,627
7	Poor Law Institutions	—	2	—	—	2	—	4	—	1	5
	Hospls., Nursing Homes	89	318	157	55	619	78	310	185	46	619
	Elsewhere than Instns.	6	97	151	65	319	1	83	169	75	328
8	Poor Law Institutions	36	32	15	3	86	27	50	19	3	99
	Hospls., Nursing Homes	114	4	11	—	129	112	13	8	—	133
	Elsewhere than Instns.	335	1,092	1,134	636	3,197	417	1,471	1,539	773	4,200
9A	Poor Law Institutions	9	4	3	1	17	5	6	—	1	12
	Lunatic Asylums ...	—	—	1	—	1	1	—	—	—	1
	Hospls., Nursing Homes	231	504	287	105	1,127	280	509	261	92	1,142
	Elsewhere than Instns.	48	370	484	382	1,284	52	387	524	351	1,314
9B	Hospls., Nursing Homes	—	—	—	1	1	—	—	—	—	—
	Elsewhere than Instns.	—	4	3	2	9	1	2	2	4	9
9C	Hospls., Nursing Homes	—	1	—	—	1	—	1	—	—	1
	Elsewhere than Instns.	4	11	13	14	42	1	15	9	6	31
10	Poor Law Institutions	12	57	37	16	122	7	19	15	4	45
	Lunatic Asylums ...	1	3	5	3	12	—	8	2	9	19
	Hospls., Nursing Homes	7	6	6	5	24	2	5	5	2	14
	Elsewhere than Instns.	234	559	720	560	2,073	239	532	698	565	2,034
13	Poor Law Institutions	—	2	1	1	4	—	—	—	—	—
	Elsewhere than Instns.	3	33	27	14	77	2	15	11	12	40
14	Poor Law Institutions	1	4	5	3	13	—	—	1	—	1
	Lunatic Asylums ...	20	7	7	14	48	57	15	27	15	114
	Hospls., Nursing Homes	3	3	1	3	10	—	—	—	—	—
	Elsewhere than Instns.	6	22	16	21	65	4	24	12	9	49
17	Elsewhere than Instns.	1	—	—	—	1	—	—	—	—	—
18	Poor Law Institutions	40	29	27	6	102	66	47	14	14	141
	Lunatic Asylums ...	—	1	1	1	3	4	2	4	4	14
	Hospls., Nursing Homes	11	29	4	9	53	5	19	5	6	35
	Elsewhere than Instns.	44	102	121	61	328	34	101	119	49	303
19A	Poor Law Institutions	2	1	—	—	3	—	—	—	—	—
	Hospls., Nursing Homes	—	—	—	—	—	—	1	—	—	1
	Elsewhere than Instns.	1	6	8	5	20	3	4	11	7	25
19B	Poor Law Institutions	—	—	—	—	—	—	—	—	1	1
	Hospls., Nursing Homes	1	—	—	—	1	—	—	—	—	—
	Elsewhere than Instns.	2	3	3	2	10	3	3	3	—	9
19C	Poor Law Institutions	5	6	5	—	16	1	2	—	—	3
	Hospls., Nursing Homes	—	2	1	—	3	1	1	1	—	3
	Elsewhere than Instns.	3	9	8	4	24	2	14	11	4	31

* For list of Causes of Death, see pages 194-223.

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE—*continued.*

Cause of Death.	Place of Occurrence.	Males.					Females.				
		London.	County Boroughs.	Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Urban Districts.	Rural Districts.	England and Wales.
20A & B.	Poor Law Institutions	10	26	17	7	60	6	11	12	3	32
	Lunatic Asylums ...	1	1	—	1	3	—	1	1	3	5
	Hospls., Nursing Homes	35	48	57	18	158	7	22	10	8	47
	Elsewhere than Instns.	10	56	68	53	187	14	33	44	29	120
20C	Poor Law Institutions	—	—	—	—	—	—	—	—	—	—
	Elsewhere than Instns.	—	1	3	1	5	—	—	1	—	1
22	Hospls., Nursing Homes	—	1	2	—	3	—	—	—	—	—
	Elsewhere than Instns.	—	5	1	3	9	—	1	1	1	3
24	Poor Law Institutions	2	5	5	6	18	3	1	1	1	6
	Hospls., Nursing Homes	11	21	22	23	77	3	4	7	3	17
	Elsewhere than Instns.	4	6	27	26	63	1	6	7	8	22
25A & B.	Poor Law Institutions	4	—	1	1	6	—	—	—	—	—
	Hospls., Nursing Homes	2	4	4	3	13	2	1	2	—	5
	Elsewhere than Instns.	—	4	4	2	10	—	2	3	2	7
27	Hospls., Nursing Homes	1	2	—	—	3	—	—	—	—	—
	Elsewhere than Instns.	—	—	2	—	2	—	—	—	—	—
28A	Poor Law Institutions	1,490	1,764	512	121	3,887	642	719	214	52	1,627
	Lunatic Asylums ...	131	117	129	98	475	125	109	125	115	474
	Hospls., Nursing Homes	253	200	190	79	722	145	127	75	48	395
	Elsewhere than Instns.	907	2,296	2,426	1,310	6,939	715	2,019	2,239	1,238	6,211
28B	Poor Law Institutions	169	735	436	91	1,431	123	320	136	41	620
	Lunatic Asylums ...	46	82	71	75	274	34	91	78	68	271
	Hospls., Nursing Homes	63	81	40	22	206	48	41	35	8	132
	Elsewhere than Instns.	600	2,193	2,229	1,313	6,335	467	2,036	2,063	1,297	5,863
29A	Poor Law Institutions	18	66	31	8	123	8	40	19	4	71
	Lunatic Asylums ...	10	10	6	12	38	5	9	10	9	33
	Hospls., Nursing Homes	9	39	18	14	80	8	23	14	5	50
	Elsewhere than Instns.	48	476	380	180	1,084	56	444	370	211	1,081
29B	Poor Law Institutions	13	12	7	2	34	6	10	6	3	25
	Lunatic Asylums ...	3	3	—	2	8	2	1	5	10	18
	Hospls., Nursing Homes	30	22	29	11	92	35	26	25	8	94
	Elsewhere than Instns.	17	90	111	39	257	23	89	128	42	282
30	Poor Law Institutions	48	43	31	6	128	42	37	24	8	111
	Lunatic Asylums ...	4	1	3	1	9	—	1	2	2	5
	Hospls., Nursing Homes	156	151	93	30	430	125	114	59	28	326
	Elsewhere than Instns.	215	746	787	390	2,138	225	694	773	406	2,098
31A	Poor Law Institutions	4	10	6	2	22	1	2	6	1	10
	Lunatic Asylums ...	—	—	—	—	—	—	—	—	—	—
	Hospls., Nursing Homes	2	8	1	—	11	1	6	5	2	14
	Elsewhere than Instns.	30	141	159	58	388	24	117	137	66	344
31B	Poor Law Institutions	38	53	22	14	127	18	39	29	9	95
	Lunatic Asylums ...	2	4	10	9	25	4	9	10	16	39
	Hospls., Nursing Homes	39	93	75	18	225	29	70	59	30	188
	Elsewhere than Instns.	85	503	512	241	1,341	73	496	500	255	1,324
32	Poor Law Institutions	18	25	11	4	58	12	18	12	6	48
	Lunatic Asylums ...	—	—	—	—	—	1	2	1	1	5
	Hospls., Nursing Homes	14	22	26	8	70	5	6	17	9	37
	Elsewhere than Instns.	7	71	93	56	227	14	71	80	55	220
33	Poor Law Institutions	13	20	7	7	47	17	22	11	2	52
	Lunatic Asylums ...	—	2	1	1	4	1	2	—	1	4
	Hospls., Nursing Homes	11	15	14	6	46	4	12	8	8	32
	Elsewhere than Instns.	7	41	44	34	126	10	23	33	19	85

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE—*continued.*

Cause of Death.	Place of Occurrence.	Males.					Females.				
		London.	County Boroughs.	Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Urban Districts.	Rural Districts.	England and Wales.
34A	Poor Law Institutions	—	2	2	1	5	2	2	2	1	7
	Lunatic Asylums ...	—	—	—	1	1	—	2	1	—	3
	Hosppls., Nursing Homes	—	—	—	—	—	1	1	—	—	2
	Elsewhere than Instns.	1	1	3	2	7	6	8	10	7	31
34B	Poor Law Institutions	—	1	1	—	2	—	—	—	—	—
	Lunatic Asylums ...	—	—	—	—	—	—	—	—	—	—
	Hosppls., Nursing Homes	—	—	—	—	—	—	—	—	—	—
	Elsewhere than Instns.	—	2	1	—	3	—	1	3	4	8
34C	Poor Law Institutions	14	20	16	6	56	12	21	6	4	43
	Lunatic Asylums ...	1	2	2	6	11	2	3	—	2	7
	Hosppls., Nursing Homes	8	27	21	9	65	5	12	27	5	49
	Elsewhere than Instns.	18	51	71	47	187	20	63	69	40	192
35	Poor Law Institutions	56	58	45	18	177	27	60	39	10	136
	Lunatic Asylums ...	15	11	17	19	62	14	16	17	19	66
	Hosppls., Nursing Homes	68	67	58	23	216	57	44	33	14	148
	Elsewhere than Instns.	87	346	395	200	1,028	48	305	356	208	917
36A & B.	Poor Law Institutions	15	12	10	5	42	12	15	9	2	38
	Lunatic Asylums ...	—	—	—	—	—	2	2	—	—	4
	Hosppls., Nursing Homes	15	19	9	4	47	8	7	5	—	20
	Elsewhere than Instns.	50	160	162	98	470	30	142	161	79	412
37	Poor Law Institutions	58	156	82	12	308	44	107	52	15	218
	Lunatic Asylums ...	13	4	1	3	21	7	1	2	1	11
	Hosppls., Nursing Homes	48	30	26	5	109	36	26	18	4	84
	Elsewhere than Instns.	72	271	208	68	619	62	209	155	60	486
38A	Poor Law Institutions	—	—	—	—	—	—	1	—	—	1
	Elsewhere than Instns.	—	—	1	—	1	—	—	—	—	—
38B	Poor Law Institutions	1	—	1	—	2	2	2	3	—	7
	Hosppls., Nursing Homes	—	—	—	—	—	1	2	2	—	5
	Elsewhere than Instns.	1	2	2	1	6	—	4	4	2	10
38C	Poor Law Institutions	1	1	—	—	2	—	3	—	—	3
	Hosppls., Nursing Homes	—	3	2	—	5	—	3	1	—	4
	Elsewhere than Instns.	—	4	6	1	11	—	5	3	1	9
39	Poor Law Institutions	154	214	133	71	572	15	22	18	4	59
	Lunatic Asylums ...	7	4	3	2	16	—	2	1	—	3
	Hosppls., Nursing Homes	50	64	55	19	188	8	12	8	5	33
	Elsewhere than Instns.	107	374	411	302	1,194	14	63	83	64	224
40	Poor Law Institutions	266	278	254	100	898	123	137	103	33	396
	Lunatic Asylums ...	19	9	12	15	55	16	26	18	18	78
	Hosppls., Nursing Homes	168	230	179	83	660	80	124	110	72	386
	Elsewhere than Instns.	439	1,238	1,714	1,297	4,688	417	1,434	1,874	1,356	5,081
41	Poor Law Institutions	106	148	69	37	360	106	93	65	37	301
	Lunatic Asylums ...	2	3	7	3	15	4	9	5	6	24
	Hosppls., Nursing Homes	96	150	170	76	492	93	140	170	84	487
	Elsewhere than Instns.	229	604	806	660	2,299	302	802	1,024	715	2,843
42	Poor Law Institutions	—	—	—	—	—	176	267	129	52	624
	Lunatic Asylums ...	—	—	—	—	—	10	14	4	6	34
	Hosppls., Nursing Homes	—	—	—	—	—	94	135	138	63	430
	Elsewhere than Instns.	—	—	—	—	—	325	1,142	1,274	705	3,446
43	Poor Law Institutions	—	—	—	1	1	97	94	67	41	299
	Lunatic Asylums ...	—	1	—	—	1	10	6	14	4	34
	Hosppls., Nursing Homes	—	—	—	—	—	49	47	47	18	161
	Elsewhere than Instns.	3	7	4	6	20	291	866	1,100	676	2,933
44	Poor Law Institutions	32	67	53	26	178	7	24	11	8	50
	Lunatic Asylums ...	—	1	—	—	1	—	—	1	1	2
	Hosppls., Nursing Homes	8	13	5	7	33	3	7	1	3	14
	Elsewhere than Instns.	16	104	143	128	391	15	66	100	81	262

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE—*continued.*

Cause of Death.	Place of Occurrence.	Males.					Females.				
		London.	County Boroughs.	Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Urban Districts.	Rural Districts.	England and Wales.
45	Poor Law Institutions	182	188	119	46	535	66	53	38	23	180
	Lunatic Asylums ...	14	6	16	12	48	7	8	10	7	32
	Hospls., Nursing Homes	119	148	177	90	534	69	85	72	33	259
	Elsewhere than Instns.	248	693	868	601	2,410	196	443	622	377	1,638
46A-C	Poor Law Institutions	—	3	2	3	8	1	—	4	—	5
	Lunatic Asylums ...	—	—	1	—	1	—	—	—	—	—
	Hospls., Nursing Homes	—	6	2	4	12	2	2	3	2	9
	Elsewhere than Instns.	3	13	10	7	33	7	19	17	11	54
47	Poor Law Institutions	14	17	13	2	46	12	26	10	6	54
	Lunatic Asylums ...	—	—	1	—	1	2	—	1	1	4
	Hospls., Nursing Homes	20	19	22	11	72	20	23	17	15	75
	Elsewhere than Instns.	79	256	306	147	788	87	314	351	175	927
48A	Poor Law Institutions	3	12	15	6	36	7	18	20	10	55
	Hospls., Nursing Homes	—	—	—	—	—	—	2	—	—	2
	Elsewhere than Instns.	11	28	38	39	116	17	55	74	40	186
48B	Poor Law Institutions	21	23	11	14	69	31	41	27	14	113
	Lunatic Asylums ...	—	—	—	—	—	—	—	1	—	1
	Hospls., Nursing Homes	—	—	2	1	3	8	6	5	3	22
	Elsewhere than Instns.	24	62	84	67	237	71	153	247	184	655
48C	Poor Law Institutions	21	7	9	3	40	—	1	1	—	2
	Hospls., Nursing Homes	1	3	1	1	6	—	—	—	—	—
	Elsewhere than Instns.	46	59	100	74	279	11	18	18	13	60
49	Poor Law Institutions	—	1	—	—	1	2	1	—	—	3
	Hospls., Nursing Homes	1	4	1	—	6	—	3	1	1	5
	Elsewhere than Instns.	1	8	4	2	15	1	3	7	4	15
50	Poor Law Institutions	45	33	37	19	134	46	39	26	11	122
	Lunatic Asylums ...	2	3	3	—	8	2	2	9	2	15
	Hospls., Nursing Homes	35	56	51	22	164	31	50	37	29	147
	Elsewhere than Instns.	145	460	588	437	1,630	150	450	607	426	1,633
51	Poor Law Institutions	—	—	2	1	3	2	2	—	1	5
	Lunatic Asylums ...	—	—	—	—	—	4	1	3	1	9
	Hospls., Nursing Homes	1	3	1	1	6	9	18	18	16	61
	Elsewhere than Instns.	—	5	16	10	31	27	68	109	92	296
52	Poor Law Institutions	3	6	5	—	14	2	6	2	3	13
	Lunatic Asylums ...	—	—	—	3	3	1	—	—	3	4
	Hospls., Nursing Homes	1	6	7	2	16	1	5	5	2	13
	Elsewhere than Instns.	6	26	19	20	71	7	31	38	39	115
53A & B.	Poor Law Institutions	10	10	5	3	28	6	3	6	—	15
	Lunatic Asylums ...	—	—	—	—	—	—	1	—	1	2
	Hospls., Nursing Homes	31	31	17	14	93	10	13	10	3	36
	Elsewhere than Instns.	24	78	91	68	261	16	72	89	59	236
54	Poor Law Institutions	11	26	25	10	72	19	25	21	9	74
	Lunatic Asylums ...	2	2	2	2	8	1	7	8	1	17
	Hospls., Nursing Homes	14	36	20	14	84	14	20	26	21	81
	Elsewhere than Instns.	52	189	272	161	674	50	298	357	253	958
55A-D	Poor Law Institutions	6	10	6	4	26	8	8	6	4	26
	Lunatic Asylums ...	—	—	—	—	—	—	1	2	—	3
	Hospls., Nursing Homes	11	19	11	5	46	8	17	5	3	33
	Elsewhere than Instns.	17	52	76	55	200	18	43	51	41	153
56	Poor Law Institutions	41	19	23	7	90	26	16	4	1	47
	Lunatic Asylums ...	—	1	—	—	1	—	1	—	—	1
	Hospls., Nursing Homes	8	9	1	4	22	2	4	5	—	11
	Elsewhere than Instns.	44	97	126	59	326	41	57	57	26	181
57A & B.	Poor Law Institutions	1	4	3	1	9	—	—	—	—	—
	Hospls., Nursing Homes	—	4	1	—	5	—	1	1	—	2
	Elsewhere than Instns.	6	45	35	8	94	—	5	3	3	11

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE—*continued.*

Cause of Death.	Place of Occurrence.	Males.					Females.				
		London.	County Boroughs.	Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Urban Districts.	Rural Districts.	England and Wales.
58 & 59.	Poor Law Institutions	—	—	—	—	—	2	2	—	—	4
	Hosppls., Nursing Homes	1	—	—	1	2	—	—	—	—	—
	Elsewhere than Instns.	1	—	3	2	6	—	—	2	1	3
60	Poor Law Institutions	10	7	5	—	22	5	2	3	—	10
	Lunatic Asylums ...	1	1	2	2	6	—	3	1	—	4
	Hosppls., Nursing Homes	14	21	23	6	64	5	14	13	3	35
	Elsewhere than Instns.	9	34	46	19	108	12	34	40	29	115
61A	Poor Law Institutions	1	—	—	—	1	—	—	—	—	—
	Hosppls., Nursing Homes	11	7	5	1	24	3	6	2	2	13
	Elsewhere than Instns.	8	13	14	21	56	3	11	13	13	40
61B	Poor Law Institutions	6	3	—	1	10	1	—	—	—	1
	Hosppls., Nursing Homes	18	13	8	1	40	22	5	7	3	37
	Elsewhere than Instns.	13	33	36	17	99	12	25	27	17	81
61C	Poor Law Institutions	20	68	24	8	120	12	53	14	7	86
	Lunatic Asylums ...	2	6	—	6	14	2	11	2	1	16
	Hosppls., Nursing Homes	59	79	52	21	211	50	70	31	20	171
	Elsewhere than Instns.	127	863	835	414	2,239	125	770	702	331	1,928
62	Poor Law Institutions	46	56	46	9	157	6	8	10	3	27
	Lunatic Asylums ...	2	2	2	2	8	1	1	—	1	3
	Hosppls., Nursing Homes	5	9	4	3	21	2	2	1	—	5
	Elsewhere than Instns.	31	109	125	79	344	7	26	25	12	70
63A & B	Poor Law Institutions	58	103	102	47	310	38	66	42	23	169
	Lunatic Asylums ...	—	3	2	—	5	3	5	—	2	10
	Hosppls., Nursing Homes	19	26	25	14	84	9	8	16	10	43
	Elsewhere than Instns.	91	256	447	333	1,127	76	244	389	256	963
64A-E	Poor Law Institutions	277	508	424	203	1,412	260	452	329	158	1,199
	Lunatic Asylums ...	14	26	30	22	92	18	36	34	30	118
	Hosppls., Nursing Homes	53	123	91	24	291	26	56	43	17	142
	Elsewhere than Instns.	608	2,466	3,072	2,203	8,349	910	3,343	4,019	2,545	10,817
65	Poor Law Institutions	19	143	90	53	305	28	98	77	28	231
	Lunatic Asylums ...	21	23	24	20	88	27	20	16	20	83
	Hosppls., Nursing Homes	—	4	1	1	6	3	2	4	1	10
	Elsewhere than Instns.	29	148	231	147	555	51	171	252	173	647
66A-C	Poor Law Institutions	47	181	120	71	419	44	150	116	45	355
	Lunatic Asylums ...	1	2	1	2	6	1	1	1	—	3
	Hosppls., Nursing Homes	8	7	3	2	20	8	11	4	1	24
	Elsewhere than Instns.	77	282	303	274	936	94	398	476	394	1,362
67	Poor Law Institutions	19	110	37	20	186	2	15	12	11	40
	Lunatic Asylums ...	289	449	377	190	1,305	60	127	77	46	310
	Hosppls., Nursing Homes	6	4	4	—	14	—	1	—	—	1
	Elsewhere than Instns.	20	68	117	53	258	9	22	31	25	87
68	Poor Law Institutions	23	109	26	10	168	27	88	42	16	173
	Lunatic Asylums ...	39	86	102	92	319	82	118	139	90	429
	Hosppls., Nursing Homes	—	4	1	2	7	1	3	2	3	9
	Elsewhere than Instns.	3	30	25	28	86	13	48	80	57	198
69	Poor Law Institutions	43	102	85	40	270	27	103	59	39	223
	Lunatic Asylums ...	43	79	98	65	285	53	52	58	38	201
	Hosppls., Nursing Homes	9	11	8	3	31	4	9	9	1	23
	Elsewhere than Instns.	57	216	284	251	808	63	244	290	168	765
70 & 71	Poor Law Institutions	13	18	27	13	71	10	15	21	10	56
	Lunatic Asylums ...	—	1	—	2	3	1	—	—	—	1
	Hosppls., Nursing Homes	16	16	11	1	44	8	14	6	4	32
	Elsewhere than Instns.	348	2,191	2,011	1,166	5,716	280	1,642	1,565	856	4,343

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE—*continued.*

Cause of Death.	Place of Occurrence.	Males					Females.				
		London.	County Boroughs.	Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Urban Districts.	Rural Districts.	England and Wales.
72	Poor Law Institutions	1	2	1	—	4	3	9	4	—	16
	Lunatic Asylums ...	1	—	—	—	1	—	—	—	2	2
	Hosppls., Nursing Homes	2	3	1	1	7	6	10	2	3	21
	Elsewhere than Instns.	2	9	9	5	25	5	16	23	9	53
73A	Poor Law Institutions	—	—	1	—	1	—	1	—	—	1
	Hosppls., Nursing Homes	1	—	—	—	1	—	2	1	—	3
	Elsewhere than Instns.	—	6	4	7	17	4	7	17	6	34
73B	Poor Law Institutions	4	11	9	1	25	20	38	9	4	71
	Lunatic Asylums ...	1	—	—	—	1	—	3	2	—	5
	Hosppls., Nursing Homes	3	1	2	—	6	3	6	3	2	14
	Elsewhere than Instns.	12	31	35	31	109	35	110	87	38	270
74A	Poor Law Institutions	3	15	15	5	38	6	20	11	6	43
	Lunatic Asylums ...	—	7	9	3	19	4	2	10	5	21
	Hosppls., Nursing Homes	1	—	—	—	1	—	2	1	—	3
	Elsewhere than Instns.	2	16	18	19	55	3	18	15	29	65
74B	Poor Law Institutions	—	—	—	1	1	—	2	1	—	3
	Lunatic Asylums ...	1	—	—	—	1	—	—	1	—	1
	Hosppls., Nursing Homes	1	—	2	—	3	—	2	1	—	3
	Elsewhere than Instns.	1	2	5	4	12	5	14	8	5	32
74C	Poor Law Institutions	9	19	12	4	44	1	10	9	4	24
	Lunatic Asylums ...	—	1	4	1	6	1	3	3	—	7
	Hosppls., Nursing Homes	11	30	35	11	87	11	24	19	9	63
	Elsewhere than Instns.	15	68	80	60	223	23	76	85	40	224
74D	Poor Law Institutions	7	36	17	10	70	12	40	8	5	65
	Lunatic Asylums ...	68	41	24	19	152	59	47	39	29	174
	Hosppls., Nursing Homes	5	4	4	3	16	2	4	2	—	8
	Elsewhere than Instns.	18	72	95	47	232	19	78	118	67	282
75	Poor Law Institutions	1	—	1	—	2	1	2	1	—	4
	Hosppls., Nursing Homes	4	2	4	1	11	—	5	2	—	7
	Elsewhere than Instns.	2	4	6	5	17	4	5	10	1	20
76A & B	Poor Law Institutions	19	19	6	3	47	13	15	6	1	35
	Lunatic Asylums ...	—	1	—	—	1	—	2	—	2	4
	Hosppls., Nursing Homes	53	120	88	34	295	45	90	71	31	237
	Elsewhere than Instns.	13	76	109	60	258	14	81	99	49	243
77	Poor Law Institutions	20	14	5	—	39	5	6	3	—	14
	Lunatic Asylums ...	2	2	3	3	10	5	4	6	2	17
	Hosppls., Nursing Homes	32	25	20	4	81	32	11	12	1	56
	Elsewhere than Instns.	33	55	58	33	179	35	50	44	19	148
78A	Poor Law Institutions	2	6	3	—	11	4	3	—	1	8
	Lunatic Asylums ...	—	—	—	—	—	—	—	—	1	1
	Hosppls., Nursing Homes	4	6	5	2	17	3	2	2	—	7
	Elsewhere than Instns.	6	23	20	3	52	9	24	20	13	66
78B	Poor Law Institutions	21	8	7	—	36	20	9	3	1	33
	Lunatic Asylums ...	1	—	3	—	4	4	1	2	3	10
	Hosppls., Nursing Homes	55	27	23	3	108	35	31	27	8	101
	Elsewhere than Instns.	17	27	45	30	119	21	46	77	35	179
78C	Poor Law Institutions	6	25	10	1	42	7	16	13	1	37
	Lunatic Asylums ...	1	1	—	—	2	2	—	—	—	2
	Hosppls., Nursing Homes	13	35	13	7	68	14	24	10	2	50
	Elsewhere than Instns.	19	89	87	42	237	29	123	122	55	329
79A	Poor Law Institutions	266	448	304	126	1,144	308	334	202	78	922
	Lunatic Asylums ...	28	66	72	57	223	59	69	97	58	283
	Hosppls., Nursing Homes	111	167	120	44	442	102	135	103	24	364
	Elsewhere than Instns.	654	1,764	2,163	1,581	6,162	901	2,366	2,788	1,914	7,969

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE—*continued.*

Cause of Death.	Place of Occurrence.	Males.					Females.				
		London.	County Boroughs.	Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Urban Districts.	Rural Districts.	England and Wales.
79B	Poor Law Institutions	24	25	21	16	86	27	16	15	12	70
	Lunatic Asylums ...	18	16	24	21	79	23	25	37	31	116
	Hospls., Nursing Homes	18	6	6	3	33	7	9	9	7	32
	Elsewhere than Instns.	179	254	358	241	1,032	218	340	426	282	1,266
79C	Poor Law Institutions	330	676	559	319	1,884	348	539	347	168	1,402
	Lunatic Asylums ...	35	58	56	41	190	40	67	47	38	192
	Hospls., Nursing Homes	91	106	84	39	320	92	69	62	48	271
	Elsewhere than Instns.	730	2,610	3,316	2,613	9,269	979	3,290	3,937	2,882	11,088
80	Poor Law Institutions	3	9	4	3	19	1	—	1	1	3
	Lunatic Asylums ...	2	—	—	2	4	—	—	—	—	—
	Hospls., Nursing Homes	1	4	8	1	14	—	—	—	1	1
	Elsewhere than Instns.	59	222	253	140	674	41	97	138	69	345
81A	Poor Law Institutions	23	53	16	9	101	6	8	1	1	16
	Lunatic Asylums ...	7	3	3	2	15	5	—	1	1	7
	Hospls., Nursing Homes	51	42	41	17	151	8	3	6	2	19
	Elsewhere than Instns.	96	226	224	122	668	34	63	61	25	183
81B	Poor Law Institutions	94	208	98	45	445	77	131	33	15	256
	Lunatic Asylums ...	38	15	20	16	89	24	10	24	14	72
	Hospls., Nursing Homes	26	40	22	3	91	11	14	8	1	34
	Elsewhere than Instns.	138	445	605	465	1,653	112	291	392	240	1,035
81C	Poor Law Institutions	8	—	2	1	11	2	—	1	—	3
	Lunatic Asylums ...	—	1	—	—	1	—	1	—	—	1
	Hospls., Nursing Homes	4	3	3	—	10	2	1	—	2	5
	Elsewhere than Instns.	14	20	16	10	60	10	13	8	3	34
82A	Poor Law Institutions	52	29	27	17	125	75	33	28	9	145
	Lunatic Asylums ...	1	3	1	1	6	1	2	4	1	8
	Hospls., Nursing Homes	13	11	9	3	36	12	12	15	5	44
	Elsewhere than Instns.	67	218	274	188	747	104	367	479	315	1,265
82B	Poor Law Institutions	3	4	4	2	13	5	1	3	—	9
	Lunatic Asylums ...	—	—	—	—	—	1	2	1	2	6
	Hospls., Nursing Homes	4	10	6	5	25	2	7	9	5	23
	Elsewhere than Instns.	14	22	40	21	97	21	46	66	42	175
83A-D	Poor Law Institutions	3	3	2	2	10	2	—	2	—	4
	Lunatic Asylums ...	—	—	2	1	3	—	—	1	—	1
	Hospls., Nursing Homes	—	4	2	2	8	1	6	9	2	18
	Elsewhere than Instns.	6	26	30	13	75	18	35	54	41	148
84A	Poor Law Institutions	1	—	—	—	1	1	1	—	—	2
	Lunatic Asylums ...	1	—	—	—	1	—	—	1	—	1
	Hospls., Nursing Homes	5	2	1	2	10	5	1	—	1	7
	Elsewhere than Instns.	11	19	16	7	53	14	13	12	7	46
84B	Poor Law Institutions	1	—	2	1	4	3	3	1	—	7
	Lunatic Asylums ...	—	—	1	1	2	—	—	—	—	—
	Hospls., Nursing Homes	4	9	5	1	19	3	3	2	—	8
	Elsewhere than Instns.	—	12	8	3	23	4	11	9	10	34
85A	Poor Law Institutions	—	—	—	1	1	1	3	—	—	4
	Lunatic Asylums ...	—	1	—	—	1	—	1	—	—	1
	Hospls., Nursing Homes	1	2	1	—	4	—	2	1	—	3
	Elsewhere than Instns.	1	14	14	7	36	2	8	13	12	35
85B & C	Poor Law Institutions	2	1	—	1	4	2	1	—	—	3
	Lunatic Asylums ...	—	—	—	—	—	—	—	1	—	1
	Hospls., Nursing Homes	2	1	1	1	5	1	1	—	—	2
	Elsewhere than Instns.	1	20	15	10	46	4	7	15	11	37
86	Poor Law Institutions	—	—	—	—	—	—	—	1	—	1
	Hospls., Nursing Homes	4	2	4	—	10	1	2	5	—	8
	Elsewhere than Instns.	5	4	12	4	25	4	9	14	12	39

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE—*continued.*

Cause of Death.	Place of Occurrence.	Males.					Females.				
		London.	County Boroughs.	Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Urban Districts.	Rural Districts.	England and Wales.
87A	Poor Law Institutions	1	3	1	1	6	3	—	—	—	3
	Hospls., Nursing Homes	4	3	2	—	9	—	3	—	—	3
	Elsewhere than Instns.	10	45	49	21	125	10	40	26	21	97
87B	Poor Law Institutions	1	4	6	—	11	3	2	3	1	9
	Lunatic Asylums ...	—	—	1	—	1	—	—	—	—	—
	Hospls., Nursing Homes	6	12	13	7	38	7	5	4	1	17
	Elsewhere than Instns.	26	156	196	111	489	26	116	161	93	396
87C	Poor Law Institutions	2	—	—	—	2	1	—	—	—	1
	Hospls., Nursing Homes	2	3	1	1	7	—	—	2	—	2
	Elsewhere than Instns.	2	7	7	—	16	2	3	1	2	8
88	Poor Law Institutions	1	1	2	—	4	4	7	2	4	17
	Lunatic Asylums ...	—	—	1	—	1	3	1	—	—	4
	Hospls., Nursing Homes	1	3	3	1	8	3	9	9	9	30
	Elsewhere than Instns.	2	4	8	4	18	12	35	73	41	161
89, 90A & B	Poor Law Institutions	830	1,165	545	240	2,780	660	702	238	105	1,705
	Lunatic Asylums ...	7	17	25	20	69	19	45	19	13	96
	Hospls., Nursing Homes	110	103	62	20	295	86	71	38	15	210
	Elsewhere than Instns.	1,589	5,375	5,043	2,831	14,838	1,934	6,351	5,457	2,920	16,662
91	Poor Law Institutions	190	223	91	33	537	148	156	52	13	369
	Lunatic Asylums ...	21	17	18	22	78	55	15	27	14	111
	Hospls., Nursing Homes	330	191	99	21	641	232	183	65	21	501
	Elsewhere than Instns.	836	2,955	2,645	1,222	7,658	798	2,732	2,327	1,018	6,875
92A	Poor Law Institutions	212	440	124	41	817	105	147	34	11	297
	Lunatic Asylums ...	46	30	44	31	151	76	31	30	33	170
	Hospls., Nursing Homes	131	232	84	39	486	52	90	48	14	204
	Elsewhere than Instns.	291	1,226	1,209	581	3,307	203	814	751	387	2,155
92B	Poor Law Institutions	227	361	209	75	872	124	138	74	29	365
	Lunatic Asylums ...	18	28	28	19	93	12	33	39	26	110
	Hospls., Nursing Homes	153	164	131	46	494	72	79	56	18	225
	Elsewhere than Instns.	740	2,261	2,216	1,231	6,448	591	1,619	1,597	871	4,678
93A	Poor Law Institutions	8	16	12	1	37	1	4	1	—	6
	Lunatic Asylums ...	3	1	—	3	7	2	3	1	2	8
	Hospls., Nursing Homes	39	62	42	14	157	19	32	18	10	79
	Elsewhere than Instns.	8	33	30	23	94	4	12	19	15	50
93B	Poor Law Institutions	13	23	16	4	56	9	12	2	—	23
	Lunatic Asylums ...	2	3	4	1	10	2	3	—	—	5
	Hospls., Nursing Homes	7	16	10	4	37	4	10	9	3	26
	Elsewhere than Instns.	66	129	134	111	440	52	121	143	82	398
94A	Poor Law Institutions	1	—	—	—	1	1	—	—	—	1
	Lunatic Asylums ...	—	—	—	—	—	—	—	2	—	2
	Hospls., Nursing Homes	—	—	1	—	1	—	—	—	—	—
	Elsewhere than Instns.	—	1	6	2	9	1	1	4	1	7
94B	Poor Law Institutions	19	29	34	13	95	15	21	20	2	58
	Lunatic Asylums ...	3	13	12	17	45	1	9	9	7	26
	Hospls., Nursing Homes	1	3	4	5	13	1	3	—	—	4
	Elsewhere than Instns.	68	216	210	150	644	72	214	255	119	660
94C	Poor Law Institutions	13	11	3	1	28	13	8	5	1	27
	Lunatic Asylums ...	—	2	1	2	5	1	—	—	—	1
	Hospls., Nursing Homes	—	7	4	—	11	—	1	—	1	2
	Elsewhere than Instns.	6	10	32	15	63	9	26	30	23	88
94D	Poor Law Institutions	—	1	—	—	1	—	—	—	—	—
	Elsewhere than Instns.	—	—	1	—	1	1	1	—	—	2
95	Poor Law Institutions	3	8	1	1	13	1	2	—	—	3
	Lunatic Asylums ...	8	2	5	4	19	6	2	5	3	16
	Hospls., Nursing Homes	3	1	—	—	4	1	—	1	1	3
	Elsewhere than Instns.	1	7	8	7	23	2	3	3	1	9

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE—*continued*.

Cause of Death.	Place of Occurrence.	Males.					Females.				
		London.	County Boroughs.	Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Urban Districts.	Rural Districts.	England and Wales.
96	Poor Law Institutions	9	22	28	19	78	4	6	12	—	22
	Lunatic Asylums ...	1	—	1	—	2	1	—	—	1	2
	Hosppls., Nursing Homes	—	4	4	2	10	—	—	1	—	1
	Elsewhere than Instns.	73	209	282	171	735	74	215	213	127	629
97	Poor Law Institutions	33	22	12	5	72	6	2	1	—	9
	Lunatic Asylums ...	—	1	2	—	3	—	1	—	—	1
	Hosppls., Nursing Homes	7	6	3	2	18	2	1	—	—	3
	Elsewhere than Instns.	20	47	73	51	191	19	20	39	22	100
98A	Poor Law Institutions	—	6	9	4	19	1	—	2	1	4
	Lunatic Asylums ...	—	2	1	—	3	—	1	—	—	1
	Hosppls., Nursing Homes	4	3	1	—	8	1	—	3	—	4
	Elsewhere than Instns.	11	64	82	69	226	8	22	24	12	66
98B	Poor Law Institutions	4	7	6	1	18	1	1	—	1	3
	Lunatic Asylums ...	—	2	1	1	4	—	—	—	1	1
	Hosppls., Nursing Homes	3	6	2	4	15	7	12	—	—	19
	Elsewhere than Instns.	14	64	53	38	169	12	65	35	12	124
99A	Poor Law Institutions	7	6	3	1	17	3	3	2	1	9
	Lunatic Asylums ...	—	1	1	—	2	—	—	—	—	—
	Hosppls., Nursing Homes	7	9	4	2	22	11	5	4	2	22
	Elsewhere than Instns.	6	33	39	19	97	8	21	33	21	83
99B	Poor Law Institutions	—	—	—	—	—	—	2	—	1	3
	Hosppls., Nursing Homes	—	—	1	—	1	—	1	—	—	1
	Elsewhere than Instns.	5	37	40	28	110	4	30	25	23	82
99C	Poor Law Institutions	2	2	—	1	5	3	1	2	—	6
	Lunatic Asylums ...	—	1	1	—	2	—	1	3	—	4
	Hosppls., Nursing Homes	—	—	1	—	1	1	1	1	—	3
	Elsewhere than Instns.	2	4	5	2	13	—	4	3	1	8
99D	Poor Law Institutions	1	—	—	—	1	2	1	—	1	4
	Hosppls., Nursing Homes	1	—	—	—	1	3	2	2	—	7
	Elsewhere than Instns.	2	4	1	—	7	6	4	2	2	14
100A	Poor Law Institutions	1	2	—	—	3	1	1	3	—	5
	Hosppls., Nursing Homes	12	7	11	5	35	8	3	6	1	18
	Elsewhere than Instns.	17	54	77	41	189	13	44	79	45	181
100B	Poor Law Institutions	1	—	—	—	1	1	—	—	—	1
	Hosppls., Nursing Homes	3	1	3	1	8	—	1	1	—	2
	Elsewhere than Instns.	1	1	2	1	5	—	1	1	—	2
100C	Poor Law Institutions	1	—	1	—	2	2	—	—	—	2
	Hosppls., Nursing Homes	4	5	3	3	15	5	2	—	1	8
	Elsewhere than Instns.	7	11	23	12	53	4	14	18	7	43
101	Poor Law Institutions	—	2	1	1	4	—	—	—	—	—
	Hosppls., Nursing Homes	3	2	3	2	10	1	—	1	—	2
	Elsewhere than Instns.	2	11	10	5	28	2	5	5	2	14
102	Poor Law Institutions	27	17	16	3	63	12	15	15	5	47
	Lunatic Asylums ...	—	—	—	4	4	2	1	—	4	7
	Hosppls., Nursing Homes	64	113	73	32	282	38	109	91	44	282
	Elsewhere than Instns.	52	109	148	105	414	70	194	224	186	674
103A	Poor Law Institutions	11	23	17	15	66	8	14	7	16	45
	Lunatic Asylums ...	—	—	—	1	1	1	—	1	1	3
	Hosppls., Nursing Homes	1	6	7	2	16	3	5	5	1	14
	Elsewhere than Instns.	104	497	623	309	1,533	109	542	645	282	1,578
103B	Poor Law Institutions	5	2	9	3	19	2	3	2	—	7
	Lunatic Asylums ...	—	—	—	—	—	—	1	—	—	1
	Hosppls., Nursing Homes	5	9	4	3	21	1	9	9	2	21
	Elsewhere than Instns.	25	89	107	68	289	19	68	103	59	249

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE—*continued.*

Cause of Death.	Place of Occurrence.	Males.					Females.				
		London.	County Boroughs.	Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Urban Districts.	Rural Districts.	England and Wales.
104A	Poor Law Institutions	283	75	58	6	422	244	44	47	9	344
	Lunatic Asylums ...	2	1	—	—	3	2	—	2	2	6
	Hosppls., Nursing Homes	225	158	66	10	459	201	110	53	5	369
	Elsewhere than Instns.	935	4,470	3,903	1,071	10379	877	3,876	3,440	927	9,120
104 & 105 B-G	Poor Law Institutions	223	256	130	66	675	182	234	82	31	529
	Lunatic Asylums ...	6	17	16	10	49	16	25	21	26	88
	Hosppls., Nursing Homes	392	205	134	39	770	290	201	96	25	612
	Elsewhere than Instns.	1,185	4,004	4,534	2,051	11774	1,090	3,590	4,148	1,785	10613
104 & 105H	Poor Law Institutions	6	5	1	1	13	2	—	—	2	4
	Lunatic Asylums ...	—	—	1	1	2	—	1	—	—	1
	Hosppls., Nursing Homes	41	82	65	19	207	5	7	13	4	29
	Elsewhere than Instns.	11	53	71	27	162	7	25	28	16	76
106 & 107	Poor Law Institutions	—	—	—	—	—	—	2	—	—	2
	Hosppls., Nursing Homes	—	1	—	—	1	—	1	—	—	1
	Elsewhere than Instns.	—	4	3	3	10	—	3	10	6	19
108	Poor Law Institutions	25	15	5	4	49	11	12	10	1	34
	Lunatic Asylums ...	2	1	2	2	7	1	1	2	3	7
	Hosppls., Nursing Homes	157	313	382	193	1,045	111	225	218	120	674
	Elsewhere than Instns.	44	134	183	135	496	36	111	169	102	418
109A	Poor Law Institutions	18	19	12	11	60	27	23	14	2	66
	Lunatic Asylums ...	1	—	1	1	3	—	2	—	—	2
	Hosppls., Nursing Homes	42	110	128	70	350	61	127	134	60	382
	Elsewhere than Instns.	39	70	110	76	295	40	118	153	100	411
109B	Poor Law Institutions	23	28	21	8	80	20	21	19	2	62
	Lunatic Asylums ...	3	11	2	3	19	3	5	3	3	14
	Hosppls., Nursing Homes	71	169	162	84	486	54	130	123	46	353
	Elsewhere than Instns.	60	156	289	213	718	73	249	324	246	892
110	Poor Law Institutions	7	16	7	3	33	12	4	2	1	19
	Lunatic Asylums ...	—	—	1	2	3	—	1	—	2	3
	Hosppls., Nursing Homes	18	15	13	13	59	11	14	11	6	42
	Elsewhere than Instns.	11	44	46	43	144	16	37	48	40	141
111	Poor Law Institutions	—	—	—	—	—	2	1	—	—	3
	Hosppls., Nursing Homes	—	—	—	—	—	—	—	1	—	1
	Elsewhere than Instns.	1	5	5	6	17	7	7	4	4	22
112	Poor Law Institutions	—	—	—	—	—	1	1	—	—	2
	Lunatic Asylums ...	—	—	—	—	—	—	1	—	—	1
	Hosppls., Nursing Homes	—	1	4	—	5	1	1	2	—	4
	Elsewhere than Instns.	3	4	1	—	8	1	1	2	1	5
113A-C	Poor Law Institutions	87	69	61	30	247	70	47	28	4	149
	Lunatic Asylums ...	3	5	2	—	10	2	3	3	1	9
	Hosppls., Nursing Homes	34	65	37	8	144	29	35	21	8	93
	Elsewhere than Instns.	189	468	590	365	1,612	232	456	483	205	1,376
114	Poor Law Institutions	3	3	2	1	9	3	7	2	—	12
	Lunatic Asylums ...	—	1	—	—	1	3	1	3	—	7
	Hosppls., Nursing Homes	7	19	24	8	58	19	40	49	24	132
	Elsewhere than Instns.	15	41	55	43	154	30	134	162	114	440
115	Poor Law Institutions	13	11	10	4	38	11	6	8	6	31
	Lunatic Asylums ...	—	3	—	—	3	2	1	2	1	6
	Hosppls., Nursing Homes	15	26	8	9	58	10	10	17	12	49
	Elsewhere than Instns.	28	95	138	93	354	42	144	161	115	462
116A & B	Lunatic Asylums ...	—	—	1	—	1	—	—	—	—	—
	Hosppls., Nursing Homes	—	—	1	1	2	—	1	—	—	1
	Elsewhere than Instns.	3	5	3	3	14	2	2	4	3	11

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE—*continued*.

Cause of Death.	Place of Occurrence.	Males.					Females.				
		London.	County Boroughs.	Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Urban Districts.	Rural Districts.	England and Wales.
117	Poor Law Institutions	3	2	3	3	11	2	3	6	1	12
	Lunatic Asylums ...	2	1	1	1	5	1	1	1	1	4
	Hosppls., Nursing Homes	9	10	12	10	41	29	32	45	24	130
	Elsewhere than Instns.	9	48	75	51	183	12	87	88	42	229
118A	Poor Law Institutions	1	—	1	—	2	—	—	—	—	—
	Hosppls., Nursing Homes	—	2	1	1	4	2	—	3	1	6
	Elsewhere than Instns.	—	1	3	1	5	3	1	4	—	8
118B	Poor Law Institutions	2	1	—	—	3	1	2	1	1	5
	Lunatic Asylums ...	—	—	—	—	—	—	1	1	—	2
	Hosppls., Nursing Homes	7	16	11	7	41	4	3	10	5	22
	Elsewhere than Instns.	4	10	11	14	39	7	17	20	8	52
119	Poor Law Institutions	27	31	14	13	85	19	27	15	1	62
	Lunatic Asylums ...	—	2	4	1	7	—	3	4	2	9
	Hosppls., Nursing Homes	27	63	37	14	141	21	30	16	7	74
	Elsewhere than Instns.	43	285	288	147	763	51	291	297	138	777
120A & B	Poor Law Institutions	348	383	234	98	1,063	294	222	130	31	677
	Lunatic Asylums ...	42	64	54	36	196	41	90	119	66	316
	Hosppls., Nursing Homes	123	222	148	56	549	95	94	75	29	293
	Elsewhere than Instns.	512	1,406	1,773	1,124	4,815	506	1,349	1,641	974	4,470
122A	Poor Law Institutions	1	1	—	—	2	1	—	—	—	1
	Lunatic Asylums ...	—	1	—	2	3	—	—	—	—	—
	Hosppls., Nursing Homes	1	—	3	—	4	3	1	1	6	11
	Elsewhere than Instns.	1	1	3	3	8	—	3	8	6	17
122B	Poor Law Institutions	—	—	—	—	—	1	1	—	—	2
	Lunatic Asylums ...	1	—	—	1	2	1	—	—	—	1
	Hosppls., Nursing Homes	1	4	1	—	6	3	2	1	2	8
	Elsewhere than Instns.	—	2	3	2	7	2	2	4	7	15
122C	Poor Law Institutions	—	1	1	—	2	—	—	—	—	—
	Hosppls., Nursing Homes	—	1	—	—	1	—	—	—	—	—
	Elsewhere than Instns.	2	4	9	3	18	—	1	4	3	8
122D	Poor Law Institutions	6	12	5	1	24	7	5	2	—	14
	Lunatic Asylums ...	1	2	5	5	13	—	2	3	1	6
	Hosppls., Nursing Homes	23	12	16	4	55	7	21	12	6	46
	Elsewhere than Instns.	8	16	44	29	97	12	22	41	25	100
123	Poor Law Institutions	1	4	2	2	9	3	2	—	—	5
	Lunatic Asylums ...	2	1	1	—	4	—	—	—	—	—
	Hosppls., Nursing Homes	15	22	25	12	74	5	7	4	8	24
	Elsewhere than Instns.	11	32	32	34	109	3	11	13	17	44
124	Poor Law Institutions	50	70	44	23	187	14	10	11	3	38
	Lunatic Asylums ...	5	2	4	4	15	3	—	—	—	3
	Hosppls., Nursing Homes	22	45	44	21	132	3	6	8	5	22
	Elsewhere than Instns.	49	155	267	245	716	16	57	73	48	194
125A & B.	Poor Law Institutions	36	52	34	11	133	—	—	1	—	1
	Lunatic Asylums ...	3	—	—	—	3	—	—	—	—	—
	Hosppls., Nursing Homes	25	74	51	13	163	1	—	—	—	1
	Elsewhere than Instns.	12	32	38	16	98	—	2	—	—	2
126	Poor Law Institutions	54	49	44	40	187	—	—	—	—	—
	Lunatic Asylums ...	2	—	1	1	4	—	—	—	—	—
	Hosppls., Nursing Homes	35	117	98	81	331	—	—	—	—	—
	Elsewhere than Instns.	68	214	349	311	942	—	—	—	—	—
127	Poor Law Institutions	2	1	1	—	4	—	—	—	—	—
	Hosppls., Nursing Homes	1	1	3	—	5	—	—	—	—	—
	Elsewhere than Instns.	—	5	8	4	17	—	—	—	—	—
128A & B.	Poor Law Institutions	—	—	—	—	—	—	2	—	—	2
	Hosppls., Nursing Homes	—	—	—	—	—	—	1	—	—	1
	Elsewhere than Instns.	—	—	—	—	—	1	8	10	4	23

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE—*continued.*

Cause of Death.	Place of Occurrence.	Males.					Females.				
		London.	County Boroughs.	Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Urban Districts.	Rural Districts.	England and Wales.
129	Poor Law Institutions	—	—	—	—	—	3	2	5	—	10
	Lunatic Asylums ...	—	—	—	—	—	1	—	—	—	1
	Hosppls., Nursing Homes	—	—	—	—	—	18	38	48	25	129
	Elsewhere than Instns.	—	—	—	—	—	25	53	63	43	184
130A & B.	Poor Law Institutions	—	—	—	—	—	4	1	2	—	7
	Lunatic Asylums ...	—	—	—	—	—	—	1	—	—	1
	Hosppls., Nursing Homes	—	—	—	—	—	6	16	21	10	53
	Elsewhere than Instns.	—	—	—	—	—	4	27	32	22	85
131	Poor Law Institutions	—	—	—	—	—	6	13	4	5	28
	Lunatic Asylums ...	—	—	—	—	—	1	1	2	3	7
	Hosppls., Nursing Homes	—	—	—	—	—	12	30	33	18	93
	Elsewhere than Instns.	—	—	—	—	—	15	56	72	43	186
132A	Poor Law Institutions	—	—	—	—	—	—	1	—	—	1
	Hosppls., Nursing Homes	—	—	—	—	—	4	2	4	2	12
	Elsewhere than Instns.	—	—	—	—	—	—	4	6	1	11
132B	Poor Law Institutions	—	—	—	—	—	5	5	—	1	11
	Lunatic Asylums ...	—	—	—	—	—	1	—	3	—	4
	Hosppls., Nursing Homes	—	—	—	—	—	36	41	45	14	136
	Elsewhere than Instns.	—	—	—	—	—	4	20	24	7	55
133	Poor Law Institutions	—	—	—	—	—	—	—	1	—	1
	Hosppls., Nursing Homes	—	1	—	—	1	—	1	—	—	1
	Elsewhere than Instns.	1	1	2	2	6	—	5	6	7	18
134A	Poor Law Institutions	—	—	—	—	—	2	2	—	—	4
	Lunatic Asylums ...	—	—	—	—	—	—	1	—	—	1
	Hosppls., Nursing Homes	—	—	—	—	—	1	2	2	—	5
	Elsewhere than Instns.	—	—	—	—	—	5	21	34	19	79
134B	Poor Law Institutions	—	—	—	—	—	—	1	—	—	1
	Hosppls., Nursing Homes	—	—	—	—	—	1	3	—	—	4
	Elsewhere than Instns.	—	—	—	—	—	9	18	22	13	62
134C	Hosppls., Nursing Homes	—	—	—	—	—	—	3	3	—	6
	Elsewhere than Instns.	—	—	—	—	—	—	6	9	7	22
134D	Poor Law Institutions	—	—	—	—	—	1	—	—	—	1
	Hosppls., Nursing Homes	—	—	—	—	—	7	11	10	4	32
	Elsewhere than Instns.	—	—	—	—	—	4	8	19	5	36
134E	Poor Law Institutions	—	—	—	—	—	—	3	—	—	3
	Hosppls., Nursing Homes	—	—	—	—	—	—	6	—	2	8
	Elsewhere than Instns.	—	—	—	—	—	1	10	6	5	22
135	Poor Law Institutions	—	—	—	—	—	1	5	2	3	11
	Hosppls., Nursing Homes	—	—	—	—	—	3	12	8	1	27
	Elsewhere than Instns.	—	—	—	—	—	23	123	199	107	452
136	Poor Law Institutions	—	—	—	—	—	—	5	3	1	9
	Hosppls., Nursing Homes	—	—	—	—	—	5	15	16	3	39
	Elsewhere than Instns.	—	—	—	—	—	15	102	105	62	284
137	Poor Law Institutions	—	—	—	—	—	51	48	34	11	144
	Lunatic Asylums ...	—	—	—	—	—	—	1	5	3	9
	Hosppls., Nursing Homes	—	—	—	—	—	55	123	55	26	259
	Elsewhere than Instns.	—	—	—	—	—	49	260	345	196	850
138A-C	Poor Law Institutions	—	—	—	—	—	9	20	8	6	43
	Hosppls., Nursing Homes	—	—	—	—	—	14	47	17	3	81
	Elsewhere than Instns.	—	—	—	—	—	18	121	224	145	508
139A	Poor Law Institutions	—	—	—	—	—	3	1	1	—	5
	Lunatic Asylums ...	—	—	—	—	—	—	—	2	—	2
	Hosppls., Nursing Homes	—	—	—	—	—	—	1	3	1	5
	Elsewhere than Instns.	—	—	—	—	—	3	11	33	13	60

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE—*continued.*

Cause of Death.	Place of Occurrence.	Males.					Females.				
		London.	County Boroughs.	Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Urban Districts.	Rural Districts.	England and Wales.
139B	Poor Law Institutions	—	—	—	—	—	1	1	1	1	4
	Lunatic Asylums ...	—	—	—	—	—	—	1	—	—	1
	Hosppls., Nursing Homes	—	—	—	—	—	1	5	3	1	10
	Elsewhere than Instns.	—	—	—	—	—	19	75	111	68	273
140	Poor Law Institutions	—	—	—	—	—	2	5	—	4	11
	Lunatic Asylums ...	—	—	—	—	—	—	—	1	—	1
	Hosppls., Nursing Homes	—	—	—	—	—	—	—	—	1	1
	Elsewhere than Instns.	—	—	—	—	—	2	7	11	13	33
142A	Poor Law Institutions	39	89	83	56	267	40	48	56	26	170
	Lunatic Asylums ...	3	2	3	—	8	5	2	1	4	12
	Hosppls., Nursing Homes	2	15	14	9	40	6	13	5	5	29
	Elsewhere than Instns.	21	97	141	166	425	34	118	168	123	443
142B-D	Poor Law Institutions	8	9	6	2	25	7	11	5	2	25
	Lunatic Asylums ...	—	1	—	—	1	2	—	—	—	2
	Hosppls., Nursing Homes	1	9	13	3	26	6	14	6	3	29
	Elsewhere than Instns.	3	13	22	10	48	2	17	22	4	45
143	Poor Law Institutions	7	16	10	5	38	5	9	3	—	17
	Lunatic Asylums ...	1	1	3	—	5	3	—	—	—	3
	Hosppls., Nursing Homes	3	12	6	2	23	1	7	1	—	9
	Elsewhere than Instns.	12	24	38	22	96	5	17	23	6	51
144A & B	Poor Law Institutions	31	30	30	6	97	26	17	9	5	57
	Lunatic Asylums ...	1	2	8	1	12	3	3	9	3	18
	Hosppls., Nursing Homes	15	42	17	16	90	13	23	15	9	60
	Elsewhere than Instns.	15	44	65	34	158	18	51	48	30	147
145A	Poor Law Institutions	13	22	8	13	56	16	25	22	11	74
	Lunatic Asylums ...	—	—	1	1	2	—	—	—	—	—
	Hosppls., Nursing Homes	1	1	2	—	4	—	4	1	—	5
	Elsewhere than Instns.	8	23	26	26	83	18	61	54	57	190
145B	Poor Law Institutions	—	6	3	3	12	3	4	2	1	10
	Lunatic Asylums ...	1	—	—	—	1	—	—	—	—	—
	Hosppls., Nursing Homes	4	2	5	2	13	—	3	—	1	4
	Elsewhere than Instns.	11	40	44	47	142	2	24	36	25	87
145C & D	Poor Law Institutions	3	6	3	1	13	5	2	3	2	12
	Lunatic Asylums ...	—	—	—	—	—	—	1	1	—	2
	Hosppls., Nursing Homes	5	8	5	5	23	5	9	11	5	30
	Elsewhere than Instns.	12	40	42	40	134	16	43	52	41	152
146	Poor Law Institutions	12	9	12	3	36	6	8	7	3	24
	Hosppls., Nursing Homes	27	66	44	26	163	19	38	22	11	90
	Elsewhere than Instns.	3	24	36	18	81	4	23	28	17	72
147	Poor Law Institutions	—	8	6	—	14	2	3	6	2	13
	Hosppls., Nursing Homes	6	12	8	9	35	1	6	2	3	12
	Elsewhere than Instns.	2	14	12	7	35	1	10	6	10	27
149	Poor Law Institutions	1	—	—	—	1	3	1	—	—	4
	Lunatic Asylums ...	—	—	—	1	1	—	—	—	—	—
	Hosppls., Nursing Homes	4	1	1	1	7	1	—	1	—	2
	Elsewhere than Instns.	1	2	5	3	11	1	1	6	—	8
150A-D	Poor Law Institutions	18	25	24	8	75	13	16	12	1	42
	Lunatic Asylums ...	—	—	1	—	1	—	—	—	1	1
	Hosppls., Nursing Homes	87	84	64	27	262	66	52	44	21	183
	Elsewhere than Instns.	186	519	623	374	1,702	142	399	558	316	1,415
151A	Poor Law Institutions	65	89	53	24	231	67	71	57	22	217
	Lunatic Asylums ...	—	—	1	1	2	—	1	—	—	1
	Hosppls., Nursing Homes	90	94	39	5	228	67	85	40	11	203
	Elsewhere than Instns.	287	3,181	3,397	1,913	9,478	783	2,520	2,648	1,398	7,349

DEATHS TABULATED by CAUSE and PLACE of OCCURRENCE—*continued.*

Cause of Death.	Place of Occurrence.	Males.					Females.				
		London.	County Boroughs.	Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Urban Districts.	Rural Districts.	England and Wales.
151B	Poor Law Institutions	141	255	108	36	540	124	186	71	24	405
	Lunatic Asylums ...	—	—	—	1	1	—	—	1	—	1
	Hospls., Nursing Homes	142	141	52	18	353	77	81	27	7	192
	Elsewhere than Instns.	465	2,165	2,436	1,353	6,419	373	1,685	1,922	1,035	5,015
151C-E	Poor Law Institutions	15	5	4	—	24	13	6	5	3	27
	Hospls., Nursing Homes	3	10	4	1	18	5	1	4	—	10
	Elsewhere than Instns.	53	179	225	127	584	51	127	159	85	422
152A-D	Poor Law Institutions	9	8	10	7	34	9	13	4	3	29
	Hospls., Nursing Homes	25	23	13	2	63	26	12	5	—	43
	Elsewhere than Instns.	176	479	491	317	1,463	148	338	387	242	1,115
153	Poor Law Institutions	—	—	—	—	—	—	1	—	—	1
	Hospls., Nursing Homes	—	—	—	—	—	—	—	1	—	1
	Elsewhere than Instns.	12	55	36	19	122	16	46	37	14	113
154A	Poor Law Institutions	29	118	29	15	191	47	111	62	13	233
	Lunatic Asylums ...	8	15	28	22	73	9	18	28	32	87
	Hospls., Nursing Homes	1	—	—	—	1	1	2	1	1	5
	Elsewhere than Instns.	5	16	39	42	102	12	44	59	40	155
154B	Poor Law Institutions	485	980	1,066	772	3,303	661	1,148	992	575	3,376
	Lunatic Asylums ...	113	62	85	89	349	156	78	101	101	436
	Hospls., Nursing Homes	14	12	14	7	47	40	19	18	7	84
	Elsewhere than Instns.	571	2,618	3,775	3,820	10,784	1,081	4,205	5,602	4,604	15,492
155-186	Poor Law Institutions	223	235	147	70	675	175	128	103	39	445
	Lunatic Asylums ...	5	10	10	14	39	7	11	7	8	33
	Hospls., Nursing Homes	486	1,305	962	389	3,142	239	671	359	111	1,380
	Elsewhere than Instns.	1,042	2,773	3,921	2,813	10,549	504	1,265	1,432	870	4,071
187-189	Poor Law Institutions	18	89	36	8	151	21	72	26	4	123
	Lunatic Asylums ...	1	4	2	1	8	1	1	2	3	7
	Hospls., Nursing Homes	11	32	22	2	67	19	38	14	4	75
	Elsewhere than Instns.	58	702	677	556	1,993	36	594	484	378	1,492
	Poor Law Institutions	8,586	12899	7,785	3,573	32,843	6,742	8,778	5,047	2,160	22,727
	Lunatic Asylums ...	1,229	1,502	1,551	1,183	5,465	1,245	1,373	1,434	1,119	5,171
	Hospitals ...	5,873	8,417	6,205	2,554	23,049	4,542	6,155	4,335	1,818	16,850
	Nursing Homes ...	82	56	76	37	251	94	80	87	25	286
	Total in Institutions ...	15,770	22,874	15,617	7,347	61,608	12,623	16,386	10,903	5,122	45,034
	Elsewhere than Instns.	19,716	68,060	76,417	46,711	210,904	20,396	69,020	76,425	44,423	210,264
	Total ...	35,486	90,934	92,034	54,058	272,512	33,019	85,406	87,328	49,545	255,298

DEATHS from the CHIEF INFECTIOUS DISEASES TABULATED by AGE and PLACE of OCCURRENCE.

1. ENTERIC FEVER.

Place of Death.		All Ages.		0-		15-		20-		25-		30-		35-		45-		55-	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
London	Poor Law Institutions...	21	14	3	1	4	1	1	1	1	2	4	3	3	2	3	4	2	—
	Lunatic Asylums ...	2	8	—	—	—	1	—	—	—	—	—	2	2	2	—	1	—	2
	Hospls., Nursing Homes	40	35	3	12	2	3	11	8	12	4	4	—	4	5	4	1	—	2
	Elsewhere ...	14	11	3	3	—	2	—	2	3	1	—	—	3	2	4	—	1	1
County Boroughs.	Poor Law Institutions ..	50	29	3	5	5	5	6	2	5	3	9	3	10	4	6	3	6	4
	Lunatic Asylums ...	1	3	—	—	—	—	—	—	1	—	—	—	—	3	—	—	—	—
	Hospls., Nursing Homes	285	198	34	37	28	29	42	33	61	21	44	21	49	27	21	17	6	13
	Elsewhere ...	153	126	20	21	11	11	15	13	17	13	17	16	34	14	25	20	14	18
Other Urban Districts.	Poor Law Institutions...	18	7	—	2	—	2	1	1	2	2	2	—	9	—	3	—	1	—
	Lunatic Asylums ...	8	4	—	—	—	—	1	1	1	1	1	2	4	1	—	—	1	—
	Hospls., Nursing Homes	288	187	32	42	34	21	43	28	39	26	40	16	56	26	30	19	14	9
	Elsewhere ...	285	197	45	46	38	32	32	18	37	17	32	9	43	35	29	15	29	25
Rural Districts.	Poor Law Institutions...	6	6	1	—	—	2	—	—	1	2	—	1	3	—	1	1	—	—
	Lunatic Asylums ...	3	5	—	—	—	1	1	2	—	1	—	—	2	—	—	—	1	—
	Hospls., Nursing Homes	94	65	11	12	16	6	17	8	17	6	10	9	11	12	11	7	1	5
	Elsewhere ...	151	102	16	17	24	18	18	13	24	11	14	7	16	15	18	13	21	8
England and Wales.	Poor Law Institutions...	95	56	7	8	9	10	8	4	9	9	15	7	25	6	13	8	9	4
	Lunatic Asylums ...	14	20	—	—	—	2	2	2	2	1	2	4	6	8	—	1	2	2
	Hospls., Nursing Homes	707	485	80	103	80	59	113	77	129	57	98	46	120	70	66	44	21	29
	Elsewhere ...	603	486	84	87	73	63	65	46	81	42	63	32	96	66	76	48	65	52

6. MEASLES.

Place of Death.		All Ages.		Under 1 Year.		1-		2-		3-		4-		5-		10-		20-	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
London	Poor Law Institutions...	127	89	27	22	63	42	19	14	10	4	4	3	3	4	—	—	1	—
	Lunatic Asylums ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hospls., Nursing Homes	267	276	53	49	121	105	43	55	25	34	11	21	13	10	1	1	—	1
	Elsewhere ...	944	874	216	164	366	359	160	144	82	102	53	42	63	55	3	3	1	5
County Boroughs.	Poor Law Institutions...	118	103	30	19	45	43	23	25	6	8	6	5	7	3	1	—	—	—
	Lunatic Asylums ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hospls., Nursing Homes	74	63	10	8	20	18	16	19	12	9	4	4	10	5	1	—	1	—
	Elsewhere ...	2221	2033	503	404	957	840	364	364	182	191	96	91	113	132	4	7	2	4
Other Urban Districts.	Poor Law Institutions...	61	63	13	15	21	22	6	11	13	12	4	1	4	2	—	—	—	—
	Lunatic Asylums ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hospls., Nursing Homes	31	34	4	6	14	7	3	7	3	8	—	3	4	3	3	—	—	—
	Elsewhere ...	2306	2138	492	445	940	838	383	342	170	192	117	114	186	180	12	12	6	15
Rural Districts.	Poor Law Institutions...	12	9	2	1	6	3	3	3	1	1	—	—	—	—	—	—	—	1
	Lunatic Asylums ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hospls., Nursing Homes	10	3	4	1	—	—	2	1	—	1	—	—	3	—	1	—	—	—
	Elsewhere ...	690	582	173	124	256	224	100	82	42	45	26	26	73	53	14	12	6	16
England and Wales.	Poor Law Institutions...	318	264	72	57	135	110	51	53	30	25	14	9	14	9	1	—	1	1
	Lunatic Asylums ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hospls., Nursing Homes	382	376	71	64	155	130	64	82	40	52	15	28	30	18	6	1	1	1
	Elsewhere ...	6161	5627	1384	1137	2519	2261	1007	932	476	530	292	273	435	420	33	34	15	40

7. SCARLET FEVER.

Place of Death.		All Ages.		Under 1 Year.		1-		2-		3-		4-		5-		10-		20-	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
London	Poor Law Institutions...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Lunatic Asylums ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hospls., Nursing Homes	89	78	4	2	7	15	22	10	12	10	9	10	26	19	6	8	3	4
	Elsewhere ...	6	1	—	—	2	—	—	—	1	—	—	—	1	—	2	1	—	—
County Boroughs.	Poor Law Institutions...	2	4	1	—	—	1	—	2	1	1	—	—	—	—	—	—	—	—
	Lunatic Asylums ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hospls., Nursing Homes	318	310	14	9	27	23	44	46	53	58	49	57	98	84	26	20	7	13
	Elsewhere ...	97	83	6	9	13	10	8	7	16	11	12	7	22	17	13	13	7	9
Other Urban Districts.	Poor Law Institutions...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Lunatic Asylums ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hospls., Nursing Homes	157	185	2	2	13	12	22	29	22	33	20	23	56	63	18	17	4	6
	Elsewhere ...	151	169	8	5	14	20	22	27	18	16	17	25	53	53	13	16	6	7
Rural Districts.	Poor Law Institutions...	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	Lunatic Asylums ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hospls., Nursing Homes	55	46	2	1	3	2	11	3	8	9	4	3	18	16	7	5	2	7
	Elsewhere ...	65	75	5	2	7	6	8	11	6	10	5	6	18	19	11	14	5	7
England and Wales.	Poor Law Institutions...	2	5	1	—	—	1	—	2	1	1	—	—	—	1	—	—	—	—
	Lunatic Asylums ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hospls., Nursing Homes	619	619	22	14	50	52	99	88	95	110	82	93	198	182	57	50	16	30
	Elsewhere ...	319	328	19	16	36	36	38	45	41	37	34	38	94	89	39	44	18	23

DEATHS from the CHIEF INFECTIOUS DISEASES TABULATED by AGE and PLACE of OCCURRENCE—continued.

8. WHOOPING-COUGH.

Place of Death.		All Ages.		Under 6 Mos.		6 Mos.		1-		2-		3-		4-		5-		10-	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
London	Poor Law Institutions...	36	27	1	—	12	7	14	9	3	2	2	3	3	4	1	2	—	—
	Lunatic Asylums ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hospis., Nursing Homes	114	112	17	15	28	26	43	39	12	16	6	6	6	7	2	3	—	—
	Elsewhere ...	335	417	53	56	97	121	111	126	36	59	14	27	10	13	13	15	1	—
County Boroughs.	Poor Law Institutions...	32	50	3	2	7	6	13	27	5	7	1	5	1	1	2	2	—	—
	Lunatic Asylums ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hospis., Nursing Homes	4	13	—	3	1	2	2	3	—	—	—	2	—	1	1	2	—	—
	Elsewhere ...	1092	1471	223	230	277	376	334	465	125	187	67	105	39	47	25	59	2	2
Other Urban Districts.	Poor Law Institutions...	15	19	2	1	2	6	8	5	1	1	2	3	—	—	—	3	—	—
	Lunatic Asylums ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hospis., Nursing Homes	11	8	1	1	—	1	4	3	2	1	1	—	1	—	2	2	—	—
	Elsewhere ...	1134	1539	256	338	336	369	315	487	101	182	63	78	29	40	33	42	1	3
Rural Districts.	Poor Law Institutions...	3	3	2	1	—	—	—	2	—	—	1	—	—	—	—	—	—	—
	Lunatic Asylums ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hospis., Nursing Homes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Elsewhere ...	636	773	186	214	172	199	179	212	46	73	16	32	15	24	20	17	2	2
England and Wales.	Poor Law Institutions...	86	99	8	4	21	19	35	43	9	10	6	11	4	5	3	7	—	—
	Lunatic Asylums ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hospis., Nursing Homes	129	133	18	19	29	29	49	45	14	17	7	8	7	8	5	7	—	—
	Elsewhere ...	3197	4200	718	838	882	1063	939	1290	308	501	160	242	93	124	91	133	6	7

9A. DIPHTHERIA.

Place of Death.		All Ages.		Under 1 Year.		1-		2-		3-		4-		5-		10-		25-	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
London	Poor Law Institutions...	9	5	1	1	3	1	—	2	—	1	2	—	1	—	1	—	1	—
	Lunatic Asylums ...	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
	Hospis., Nursing Homes	231	280	21	25	61	42	33	30	26	41	23	30	58	96	6	12	3	4
	Elsewhere ...	48	52	2	1	4	7	9	7	7	7	7	8	16	17	2	3	1	2
County Boroughs.	Poor Law Institutions...	4	6	—	1	3	1	—	—	—	1	—	—	1	3	—	—	—	—
	Lunatic Asylums ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hospis., Nursing Homes	504	509	21	11	66	59	70	50	70	79	75	86	167	186	30	30	5	8
	Elsewhere ...	370	387	28	18	54	36	52	56	51	48	44	62	113	133	22	25	6	9
Other Urban Districts.	Poor Law Institutions...	3	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—
	Lunatic Asylums ...	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	Hospis., Nursing Homes	287	261	10	8	31	21	24	19	40	27	51	41	108	124	19	18	4	3
	Elsewhere ...	484	524	26	20	66	41	67	70	79	84	63	85	145	191	34	24	4	9
Rural Districts.	Poor Law Institutions...	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—
	Lunatic Asylums ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hospis., Nursing Homes	105	92	—	2	4	1	7	5	12	10	17	8	45	48	15	17	5	1
	Elsewhere ...	382	351	10	12	17	14	35	32	59	46	58	53	141	148	50	33	12	13
England and Wales.	Poor Law Institutions...	17	12	1	2	6	2	—	3	1	2	2	—	3	3	1	—	3	—
	Lunatic Asylums ...	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—
	Hospis., Nursing Homes	1127	1142	52	46	162	123	134	104	148	157	166	165	378	454	70	77	17	16
	Elsewhere ...	1284	1314	66	51	141	98	163	165	196	185	172	208	415	489	108	85	23	33

10. INFLUENZA.

Place of Death.		All Ages.		Under 5 Years.		5-		25-		35-		45-		55-		65-		75-	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
London	Poor Law Institutions...	12	7	—	—	3	—	—	1	1	1	3	1	5	3	—	—	—	1
	Lunatic Asylums ...	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hospis., Nursing Homes	7	2	1	—	—	—	1	—	2	2	2	—	1	—	—	—	—	—
	Elsewhere ...	234	239	26	8	18	11	14	14	23	20	41	27	39	40	37	57	36	62
County Boroughs.	Poor Law Institutions...	57	19	—	1	—	1	—	1	5	1	5	1	15	4	21	5	11	5
	Lunatic Asylums ...	3	8	—	—	—	1	1	1	—	1	—	3	—	2	1	—	1	—
	Hospis., Nursing Homes	6	5	1	—	—	—	—	2	3	—	2	—	—	2	—	1	—	—
	Elsewhere ...	559	532	53	37	59	33	46	34	70	51	89	77	87	109	96	106	59	85
Other Urban Districts.	Poor Law Institutions...	37	15	1	1	2	1	1	—	3	2	5	2	8	1	10	5	7	3
	Lunatic Asylums ...	5	2	—	—	—	—	—	—	3	1	1	—	1	—	—	1	—	—
	Hospis., Nursing Homes	6	5	4	—	—	2	2	3	—	—	—	—	—	—	—	—	—	—
	Elsewhere ...	720	698	77	59	61	50	61	41	87	55	95	74	119	116	119	162	101	141
Rural Districts.	Poor Law Institutions...	16	4	2	—	1	2	—	1	1	—	2	—	2	—	3	1	5	—
	Lunatic Asylums ...	3	9	—	—	—	1	1	—	—	4	—	—	—	2	2	—	—	2
	Hospis., Nursing Homes	5	2	—	—	1	1	—	—	2	—	—	—	1	1	—	—	1	—
	Elsewhere ...	560	565	68	42	49	28	47	36	41	45	64	51	82	86	123	134	86	143
England and Wales.	Poor Law Institutions...	122	45	3	2	6	4	1	3	10	4	15	4	30	8	34	11	23	9
	Lunatic Asylums ...	12	19	—	—	1	2	2	1	3	6	1	3	1	4	3	1	1	2
	Hospis., Nursing Homes	24	14	6	—	1	3	3	5	7	2	4	—	2	3	—	1	1	—
	Elsewhere ...	2073	2034	224	146	187	122	168	125	221	171	239	229	327	351	375	459	282	431

DEATHS from the CHIEF INFECTIOUS DISEASES TABULATED by AGE and PLACE of OCCURRENCE—*continued*.

18. ERYSIPELAS.

Place of Death.		All Ages.		0-		1-		15-		35-		45-		55-		65-		75-	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
London.	Poor Law Institutions...	40	66	3	5	—	1	5	7	6	9	5	9	9	9	7	16	5	10
	Lunatic Asylums ...	—	4	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	1
	Hospls., Nursing Homes	11	5	3	3	1	—	—	—	3	1	2	1	1	—	1	—	—	—
	Elsewhere ...	44	34	8	4	1	1	1	6	3	2	11	5	5	5	9	5	6	6
County Boroughs.	Poor Law Institutions...	29	47	1	5	—	—	2	1	2	5	12	4	3	9	8	16	1	7
	Lunatic Asylums ...	1	2	—	—	—	—	—	—	—	—	1	—	—	—	—	2	—	—
	Hospls., Nursing Homes	29	19	3	5	2	2	8	3	3	1	5	4	5	1	1	2	2	1
	Elsewhere ...	102	101	20	17	6	8	9	1	17	6	13	13	13	13	11	28	13	15
Other Urban Districts.	Poor Law Institutions...	27	14	—	—	1	—	4	2	—	3	3	2	4	2	13	3	2	2
	Lunatic Asylums ...	1	4	—	—	—	—	1	—	—	1	—	1	—	1	—	1	—	—
	Hospls., Nursing Homes	4	5	—	—	1	—	—	3	2	—	—	1	—	—	1	—	—	1
	Elsewhere ...	121	119	15	28	7	8	9	7	10	11	16	12	23	24	25	15	16	14
Rural Districts.	Poor Law Institutions...	6	14	—	—	—	—	—	—	1	—	—	1	1	2	2	2	2	9
	Lunatic Asylums ...	1	4	—	—	—	—	—	—	—	—	—	1	—	1	1	1	—	1
	Hospls., Nursing Homes	9	6	2	—	2	1	2	2	—	—	1	2	1	1	1	—	—	—
	Elsewhere ...	61	49	8	6	4	3	3	2	1	6	10	2	10	7	14	16	11	7
England and Wales.	Poor Law Institutions...	102	141	4	10	1	1	11	10	9	17	20	16	17	22	30	37	10	28
	Lunatic Asylums ...	3	14	—	—	—	—	1	—	—	1	1	2	—	3	1	6	—	2
	Hospls., Nursing Homes	53	35	8	8	6	3	10	8	8	2	8	8	7	2	4	2	2	2
	Elsewhere ...	328	303	51	55	18	20	22	16	31	25	50	32	51	49	59	64	46	42

CAUSES OF DEATH (see page liii) AT DIFFERENT PERIODS OF LIFE—1911.

ALL AREAS.—ENGLAND AND WALES.

Causes of Death.				Sex.	ENGLAND AND WALES.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	
ALL CAUSES	{	M	272,512	63,874	16,326	11,657	9,985	10,840	33,110	57,229	69,491	
				F	255,298	50,726	15,069	11,418	9,893	9,976	29,550	48,873	79,793	
1	Enteric fever	...	{	M	1,419	3	5	26	137	350	646	230	22	
				F	997	2	2	29	165	263	348	156	32	
2	Small-pox	...	{	M	13	1	—	1	3	—	4	3	1	
				F	10	—	—	3	—	1	3	3	—	
3	Measles	...	{	M	6,861	1,527	2,809	1,989	503	18	13	1	1	
				F	6,267	1,258	2,501	1,984	474	17	23	8	2	
4	Scarlet fever	...	{	M	940	42	86	390	359	37	24	2	—	
				F	952	30	89	414	351	29	38	1	—	
5	Whooping cough	...	{	M	3,412	1,676	1,023	608	101	2	—	2	—	
				F	4,432	1,974	1,378	926	150	2	—	—	2	
6	Diphtheria and croup	...	{	M	2,482	128	320	1,006	945	40	30	7	6	
				F	2,510	104	229	1,007	1,080	41	28	19	2	
7	Influenza	...	{	M	2,231	120	50	63	68	127	415	669	719	
				F	2,112	78	34	36	63	68	317	602	914	
8	Erysipelas	...	{	M	486	63	6	7	12	24	68	154	152	
				F	493	73	7	9	8	13	66	134	183	
9	Pulmonary tuberculosis		{	M	21,985	216	231	289	622	3,420	9,961	6,280	966	
				F	17,247	196	227	289	1,155	3,791	7,734	3,219	636	
10	Tuberculous meningitis		{	M	2,705	600	529	673	600	167	101	34	1	
				F	2,540	491	462	592	661	208	88	34	4	
11	Other tuberculous diseases.		{	M	4,537	1,047	662	558	681	466	602	400	121	
				F	4,106	803	529	483	675	438	641	386	151	
12	Cancer, malignant disease		{	M	15,589	13	10	41	90	155	1,295	7,528	6,457	
				F	20,313	9	12	29	56	119	2,585	9,485	8,018	
13	Rheumatic fever	...	{	M	907	5	5	32	262	173	246	156	28	
				F	1,060	5	5	22	314	219	271	172	52	
14	Meningitis	...	{	M	2,814	858	494	445	483	171	179	135	49	
				F	2,373	660	391	419	419	143	187	117	37	
15	Organic heart disease	...	{	M	20,864	8	9	34	407	645	2,488	7,742	9,531	
				F	23,975	11	10	47	552	838	2,913	8,130	11,474	
16	Bronchitis	...	{	M	17,982	4,083	979	436	122	63	586	3,733	7,980	
				F	18,673	3,217	966	421	119	76	506	3,347	10,021	
17	Pneumonia (all forms)...		{	M	21,582	4,994	3,142	1,801	754	866	3,220	4,199	2,606	
				F	16,060	3,720	2,669	1,745	743	497	1,682	2,340	2,664	
18	Other respiratory diseases		{	M	4,155	353	190	351	192	106	527	1,178	1,258	
				F	3,289	298	150	243	154	108	399	735	1,202	
19	Diarrhoea, &c.	...	{	M	24,915	17,552	3,532	804	182	110	397	884	1,454	
				F	21,791	14,348	3,369	858	244	91	343	799	1,739	
20	Appendicitis and typhlitis		{	M	1,597	2	6	62	492	342	358	255	80	
				F	1,153	4	1	48	353	202	257	185	83	
21	Cirrhosis of liver	...	{	M	2,013	4	1	1	10	4	358	1,170	465	
				F	1,627	—	—	3	11	6	302	944	361	
21A	Alcoholism	...	{	M	439	—	—	—	—	4	183	220	32	
				F	240	—	—	—	—	1	86	129	24	
22	Nephritis and Bright's disease.		{	M	7,619	74	57	101	196	235	1,220	3,234	2,502	
				F	6,678	74	68	96	192	260	1,191	2,672	2,125	
23	Puerperal fever	...	{	M	—	—	—	—	—	—	—	—	—	
				F	1,262	—	—	—	—	247	1,003	12	—	
24	Parturition, apart from puerperal fever.		{	M	—	—	—	—	—	—	—	—	—	
				F	2,151	—	—	—	1	354	1,761	35	—	
25	Congenital debility, &c.		{	M	19,918	19,691	75	66	43	25	16	2	—	
				F	15,483	15,270	69	45	50	21	21	7	—	
26	Violence, apart from suicide.		{	M	11,750	847	296	840	1,275	1,528	3,099	2,556	1,309	
				F	4,996	786	280	618	551	228	500	758	1,275	
27	Suicide	...	{	M	2,655	—	—	—	4	208	961	1,120	362	
				F	933	—	—	—	4	142	364	338	85	
28	Other defined diseases	...	{	M	68,423	9,832	1,411	932	1,410	1,516	5,873	14,470	32,979	
				F	69,898	7,216	1,246	956	1,307	1,517	5,694	13,547	38,415	
29	Causes ill-defined or unknown.		{	M	2,219	135	398	101	32	38	240	865	410	
				F	1,697	99	375	96	41	36	199	559	292	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1911.
LONDON AND COUNTY BOROUGH.

Causes of Death.		Sex.	LONDON.										AGGREGATE OF COUNTY BOROUGH.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M F	35,486 33,019	7997 6511	2446 2172	1612 1604	1243 1171	1234 1156	4877 3992	8239 6674	7838 9739	90,934 85,406	22732 18114	6295 5939	4454 4457	3469 3516	3565 3494	11854 10332	19988 16840	18577 22714	
1	Enteric fever	M F	77 68	— —	— —	1 3	8 13	18 18	36 23	13 9	1 2	489 356	2 —	2 1	10 8	43 54	107 93	247 125	74 63	4 12
2	Small-pox	M F	3 6	1 —	— —	1 3	— —	— 3	— —	— —	4 1	— —	— —	— —	— —	— —	2 —	2 1	— —	
3	Measles	M F	1,338 1,239	296 235	550 506	407 419	82 71	1 2	1 4	1 2	— —	2,413 2,199	543 431	1022 901	709 716	133 145	3 2	3 3	— —	— 1
4	Scarlet fever	M F	95 79	4 2	9 15	44 30	34 28	2 —	2 4	— —	— —	417 397	21 18	40 34	183 189	143 125	19 16	9 15	2 —	— —
5	Whooping cough	M F	485 556	208 225	168 174	92 137	20 20	1 —	— —	— —	— —	1,128 1,534	511 619	349 495	238 355	28 65	— —	— —	2 —	— —
6	Diphtheria and croup	M F	292 340	24 28	70 50	109 126	81 125	3 5	4 4	1 2	— —	894 920	53 33	126 99	367 390	326 370	11 11	8 11	2 6	1 —
7	Influenza	M F	254 248	14 5	7 3	6 —	6 7	16 4	41 38	91 71	73 120	625 564	18 17	16 10	20 11	17 18	42 17	125 91	198 198	189 202
8	Erysipelas	M F	95 109	14 12	2 2	— —	— —	3 7	15 18	33 30	28 40	161 169	24 27	2 2	2 4	4 4	9 1	32 16	52 44	36 71
9	Pulmonary tuberculosis	{	M F	3,807 2,442	39 31	47 29	53 54	72 119	446 415	1728 1118	1203 545	219 131	8,186 6,104	69 73	71 94	105 111	237 449	1196 1366	3729 2723	2467 1105	312 183	
10	Tuberculous meningitis		M F	423 392	90 102	93 84	109 93	99 85	17 17	12 9	2 2	— —	— —	941 846	205 152	184 166	251 206	195 228	59 61	33 21	13 11	1 1
11	Other tuberculous diseases.	{	M F	538 408	122 71	69 40	77 55	85 87	53 45	67 55	50 27	15 28	1,596 1,433	385 307	252 212	216 200	256 240	170 125	153 190	123 121	41 38	
12	Cancer, malignant disease		M F	2,265 2,593	2 —	3 2	4 4	14 9	21 17	178 374	1172 1199	871 988	4,544 6,121	3 4	2 3	13 14	28 16	48 37	459 893	2394 2977	1597 2177	
13	Rheumatic fever	M F	113 121	1 —	1 —	7 4	36 41	17 22	33 27	18 22	— 5	292 363	— 2	2 2	6 6	94 92	50 82	87 100	42 63	11 16
14	Meningitis	M F	265 230	103 89	47 41	31 31	36 33	19 13	7 11	3 10	1,085 951	334 262	204 163	169 169	179 155	55 58	67 75	55 51	22 18	
15	Organic heart disease	M F	2,484 3,104	2 —	1 3	4 8	63 93	98 125	381 454	962 1075	973 1346	6,196 7,259	2 3	4 3	16 23	174 196	255 313	883 1051	2609 2685	2253 2985
16	Bronchitis	M F	2,536 2,699	463 346	110 118	46 38	15 14	8 11	114 76	606 529	1174 1567	6,660 7,169	1509 1285	383 404	164 191	48 53	24 37	272 267	1645 1524	2615 3408
17	Pneumonia (all forms)...	{	M F	3,195 2,468	770 610	524 400	248 275	105 89	79 51	457 245	633 388	379 410	8,128 6,037	1746 1333	1198 1062	787 705	316 305	342 212	1339 673	1596 906	804 841	
18	Other respiratory diseases		M F	518 433	50 40	28 24	29 21	19 12	16 12	71 46	144 109	161 169	1,306 1,066	114 105	73 58	129 81	61 48	33 39	190 156	386 260	320 319	
19	Diarrhoea, &c.	M F	3,309 2,916	2423 2024	463 447	108 98	13 24	15 15	52 42	105 86	134 180	9,326 8,113	6491 5269	1467 1438	357 358	68 84	42 23	140 105	334 287	427 549
20	Appendicitis and typhlitis	{	M F	228 159	1 1	3 —	13 7	68 43	36 28	47 38	47 30	13 12	463 349	— 1	1 —	9 7	154 122	102 64	106 85	70 52	21 18	
21	Cirrhosis of liver		M F	313 333	2 —	— —	— —	3 1	1 2	50 67	199 203	58 60	607 541	— —	— —	— 3	4 6	1 1	132 111	342 329	128 91	
21A	Alcoholism	M F	93 69	— —	— —	— —	1 —	34 26	51 36	7 7	126 78	— —	— —	— —	— —	2 1	56 27	61 41	7 9	
22	Nephritis and Bright's disease.	{	M F	1,122 1,027	5 8	7 1	4 12	21 21	33 32	176 201	514 439	362 313	2,456 2,106	23 27	23 30	42 45	84 70	65 93	476 401	1099 889	644 551	
23	Puerperal fever...		M F	— 155	— —	— —	— —	— —	— 25	— 130	— —	— —	— —	432 —	— —	— —	— —	— 101	— 329	— 2	— —	
24	Parturition, apart from puerperal fever.	{	M F	— 153	— —	— —	— —	— —	— 27	— 125	— 1	— —	— 654	— —	— —	— —	— 1	— 96	— 547	— 10	— —	
25	Congenital debility, &c.		M F	2,252 1,781	2231 1761	7 8	8 7	3 1	2 1	1 2	— 1	— —	— —	6,747 5,230	6677 5177	25 13	16 16	15 15	6 4	7 3	1 2	— —
26	Violence, apart from suicide.	{	M F	1,405 797	165 187	48 45	91 61	189 74	114 34	314 71	317 124	167 201	3,521 1,795	360 329	110 100	285 241	398 215	373 77	907 183	734 255	354 395	
27	Suicide		M F	351 128	— —	— —	— —	2 17	135 56	142 50	43 5	802 280	— —	— —	— —	1 2	49 31	296 109	361 103	95 35
28	Other defined diseases	M F	7,542 7,889	962 732	143 133	114 116	171 161	189 210	905 720	1909 1668	3149 4149	20,994 21,634	3601 2606	537 467	313 353	457 420	487 518	2022 1937	5007 4643	8570 10690
29	Causes ill-defined or unknown.	{	M F	88 77	5 2	46 47	6 2	1 —	— 1	4 5	18 16	8 4	827 705	41 34	202 182	47 55	6 18	15 15	74 85	317 212	125 104	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1911.

URBAN AND RURAL DISTRICTS.—ENGLAND AND WALES.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	92034	22477	5471	3949	3402	3880	10814	18900	23141	54058	10668	2114	1642	1871	2161	5565	10102	19935		
	F	87328	18008	5077	3819	3411	3391	9843	16487	27292	49545	8093	1881	1538	1795	1935	5383	8872	20048		
1 Enteric fever ...	M	599	1	2	10	64	149	266	99	8	254	—	1	5	22	76	97	44	9		
	F	395	2	1	15	72	102	135	54	14	178	—	—	3	26	50	65	30	4		
2 Small-pox ...	M	4	—	—	—	2	—	—	1	1	2	—	—	—	—	—	2	—	—		
	F	3	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	2398	509	975	699	202	9	4	—	—	712	179	262	174	86	5	5	—	1		
	F	2235	466	867	690	194	5	9	3	1	594	126	227	159	64	8	7	3	—		
4 Scarlet fever ...	M	308	10	27	121	135	8	7	—	—	120	7	10	42	47	8	6	—	—		
	F	354	7	32	153	145	9	8	—	—	122	3	8	42	53	4	11	1	—		
5 Whooping cough ...	M	1160	597	327	200	36	—	—	—	—	639	360	179	78	21	1	—	—	—		
	F	1566	716	495	305	48	1	—	—	1	776	414	214	129	17	1	—	—	1		
6 Diphtheria and croup ...	M	791	38	101	334	299	10	6	2	1	505	13	23	196	239	16	12	2	4		
	F	796	29	64	331	347	13	4	7	1	454	14	16	160	238	12	9	4	1		
7 Influenza ...	M	768	46	11	25	20	43	157	229	237	584	42	16	12	25	26	92	151	220		
	F	720	36	8	16	19	34	102	193	312	580	20	13	9	19	13	86	140	280		
8 Erysipelas ...	M	153	15	1	3	5	9	17	46	57	77	10	1	2	3	3	4	23	31		
	F	142	28	3	3	2	4	23	43	36	73	6	—	2	2	1	9	17	36		
9 Pulmonary tuberculosis	M	6615	79	86	99	201	1174	2955	1784	237	3377	29	27	32	112	604	1549	826	198		
	F	5542	63	81	95	381	1286	2443	1014	179	3159	29	23	29	206	724	1450	555	143		
10 Tuberculous meningitis	M	914	223	179	218	192	56	32	14	—	427	82	73	95	114	35	24	4	—		
	F	858	158	142	197	237	79	32	13	—	444	79	70	96	111	51	26	8	3		
11 Other tuberculous diseases.	M	1613	384	240	191	230	160	223	152	33	790	156	101	74	110	83	159	75	32		
	F	1471	297	200	162	237	163	227	137	48	794	128	77	66	111	105	169	101	37		
12 Cancer, malignant disease	M	5198	5	2	19	31	55	450	2498	213	3582	3	3	5	17	31	208	1464	1851		
	F	7107	4	4	6	17	39	872	3365	2800	4492	1	3	5	14	26	446	1944	2053		
13 Rheumatic fever ...	M	342	3	—	15	89	67	91	68	9	160	1	2	4	43	39	35	28	8		
	F	379	2	2	5	124	76	94	61	15	197	1	1	7	57	39	50	26	16		
14 Meningitis ...	M	974	270	177	170	181	62	63	41	10	490	151	66	75	87	35	30	52	14		
	F	798	225	133	151	144	39	62	36	8	394	84	54	68	87	33	39	20	9		
15 Organic heart disease ...	M	7083	2	2	10	125	204	840	2643	3257	5101	2	2	4	45	88	384	1528	3048		
	F	8070	5	3	9	196	291	956	2763	3847	5542	3	1	7	67	109	452	1607	3296		
16 Bronchitis ...	M	5675	1407	348	164	45	18	150	1090	2452	3111	704	138	62	14	13	50	392	1738		
	F	5752	1096	301	131	31	16	125	958	3094	3053	490	143	61	21	12	38	336	1952		
17 Pneumonia (all forms)	M	6898	1687	988	554	222	311	1013	1331	792	3361	791	432	212	111	134	411	639	631		
	F	5100	1204	869	549	228	152	510	713	875	2455	573	338	216	121	82	254	333	538		
18 Other respiratory diseases	M	1436	121	60	142	66	29	168	419	431	895	68	29	51	46	28	98	229	346		
	F	1158	101	52	91	60	31	133	237	453	632	52	16	50	34	26	64	129	261		
19 Diarrhoea, &c. ...	M	8979	6450	1223	244	67	33	136	313	513	3301	2188	379	95	34	24	69	132	380		
	F	7930	5308	1127	292	95	33	128	290	657	2832	1747	357	110	41	20	68	136	353		
20 Appendicitis and typhlitis	M	572	1	2	24	172	139	140	77	17	334	—	—	16	98	65	65	61	29		
	F	399	2	1	23	107	71	88	72	35	226	—	—	11	81	39	46	31	18		
21 Cirrhosis of liver ...	M	690	2	1	1	2	1	119	412	152	403	—	—	—	1	1	57	217	127		
	F	535	—	—	—	4	1	92	303	135	218	—	—	—	—	2	32	109	75		
21A Alcoholism ...	M	150	—	—	—	—	—	66	72	12	70	—	—	—	—	1	27	36	6		
	F	66	—	—	—	—	—	25	37	4	27	—	—	—	—	—	8	15	4		
22 Nephritis and Bright's disease.	M	2552	29	21	37	58	95	392	1070	850	1489	17	6	18	33	42	176	551	646		
	F	2297	25	27	26	66	80	399	917	757	1248	14	10	13	35	55	190	427	504		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	439	—	—	—	—	77	357	5	—	236	—	—	—	—	44	187	5	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	855	—	—	—	—	141	702	12	—	489	—	—	—	—	90	387	12	—		
25 Congenital debility, &c.	M	7031	6946	29	24	14	12	5	1	—	3888	3837	14	18	11	5	3	—	—		
	F	5548	5469	34	14	17	5	6	3	—	2924	2863	14	8	17	11	10	1	—		
26 Violence, apart from suicide.	M	4162	222	89	298	430	620	1191	892	420	2662	100	49	166	258	421	687	613	368		
	F	1553	193	82	197	174	84	161	255	407	851	77	53	119	88	33	85	124	272		
27 Suicide ...	M	878	—	—	—	1	79	313	365	120	624	—	—	—	—	51	217	252	104		
	F	348	—	—	—	2	67	134	124	21	177	—	—	—	—	27	65	61	24		
28 Other defined diseases ...	M	23354	3384	479	317	500	526	1911	4980	11257	16533	1885	252	188	282	314	1035	2574	10003		
	F	24386	2540	441	330	451	479	1955	4683	13507	15989	1338	205	157	275	310	1082	2553	10069		
29 Causes ill-defined or unknown.	M	737	46	101	30	13	11	99	301	136	567	43	49	18	12	12	63	229	141		
	F	526	32	108	28	13	12	61	187	85	389	31	38	11	10	8	48	144	99		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1911.
ALL AREAS.—NORTH AND MIDLAND.

Causes of Death.		Sex.	AGGREGATE OF NORTHERN COUNTIES.										AGGREGATE OF MIDLAND COUNTIES.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M F	100926 93476	25188 20196	6999 6598	4937 4853	3905 3925	4180 3778	12443 11117	21893 18639	21381 24370	79436 74767	18743 14674	4409 4098	3226 3174	2891 2819	3024 2882	8835 8249	15490 13490	22818 25381	
1	Enteric fever	M F	765 528	1 2	2 —	16 16	65 86	175 138	366 180	128 89	12 17	310 240	— —	2 1	9 4	37 40	87 63	123 83	46 41	6 8
2	Small-pox	M F	2 1	— —	— —	— —	— 1	— —	1 —	— —	— —	1 1	— —	— —	— —	— —	1 —	— —	— 1	— —
3	Measles	M F	2539 2391	608 500	1076 990	711 756	138 138	3 3	— 4	— —	— —	1913 1687	396 313	767 651	570 541	169 169	5 4	6 5	— 3	— 1
4	Scarlet fever	M F	423 439	23 12	39 37	169 198	160 168	23 10	8 14	1 —	— —	282 309	7 11	27 22	118 138	114 109	7 13	8 15	1 1	— —
5	Whooping cough	M F	1415 1919	674 860	438 607	266 387	36 64	— —	— —	1 —	— 1	915 1218	458 516	254 383	172 271	31 45	— 2	— —	— —	— 1
6	Diphtheria and croup	M F	948 931	48 40	121 95	417 405	340 364	8 14	8 6	2 5	4 2	723 655	44 21	86 50	270 257	293 307	16 8	10 6	3 6	1 —
7	Influenza	M F	688 641	41 28	11 9	17 15	22 23	43 28	147 89	200 201	207 248	702 605	37 24	20 16	19 14	18 17	32 18	129 94	221 175	226 247
8	Erysipelas	M F	176 164	26 34	2 1	1 3	7 3	11 2	28 16	59 45	42 60	139 142	19 19	2 4	4 4	3 4	7 1	23 22	36 40	45 48
9	Pulmonary tuberculosis	{	M F	7737 6102	63 64	89 92	124 119	259 491	1237 1362	3375 2713	2294 1087	296 174	6016 4805	78 58	66 65	66 78	161 319	1002 1142	2799 2141	1616 846	228 156	
10	Tuberculous meningitis		M F	1012 953	222 168	211 190	271 225	214 251	54 78	33 29	7 12	— —	— —	774 697	172 128	149 128	197 172	165 172	47 62	29 24	15 9	— 2
11	Other tuberculous diseases.	{	M F	1919 1742	440 359	326 286	251 239	302 291	169 143	230 247	158 136	43 41	1241 1142	317 250	171 139	157 124	162 175	140 126	149 176	114 116	31 36	
12	Cancer, malignant disease		M F	4827 6480	3 4	— 4	10 10	30 12	46 37	458 896	2543 3258	1737 2259	4815 6350	4 3	5 6	16 11	25 22	58 38	368 748	2158 2872	2181 2650	
13	Rheumatic fever	M F	345 420	2 2	2 3	12 3	93 112	72 84	97 119	56 75	11 22	251 289	1 1	1 7	9 95	70 61	63 70	51 44	10 10	
14	Meningitis	M F	1267 1043	383 296	236 173	221 197	222 167	59 57	66 81	57 55	23 17	785 655	244 157	136 120	125 116	132 122	46 44	52 57	35 28	15 11
15	Organic heart disease	M F	7116 8202	1 6	4 5	15 24	157 204	239 347	897 1193	2959 3091	2844 3332	6277 6973	3 1	4 2	7 9	127 157	189 209	649 752	2160 2217	3138 3626
16	Bronchitis	M F	7202 7322	1904 1501	421 460	198 206	55 61	21 29	253 241	1685 1536	2665 3288	5056 5221	1102 904	277 253	119 114	32 25	20 19	137 126	935 826	2434 2954
17	Pneumonia (all forms)...	{	M F	9328 6780	2050 1544	1362 1162	840 768	383 354	434 237	1483 749	1837 1058	939 908	5396 4011	1297 942	814 726	464 452	173 192	210 107	749 417	991 484	698 691	
18	Other respiratory diseases		M F	1527 1200	146 120	87 66	160 121	86 72	40 32	198 186	449 265	361 338	1137 912	95 78	43 39	101 61	41 41	28 37	141 97	315 210	373 349	
19	Diarrhoea, &c.	M F	10053 8838	6833 5602	1625 1572	396 411	83 105	39 45	160 116	369 344	548 643	7168 6234	5136 4116	925 887	201 237	53 73	34 21	100 109	249 212	470 579
20	Appendicitis and typhlitis	{	M F	526 372	— 3	1 —	13 10	176 125	127 75	115 88	71 49	23 22	490 333	1 —	2 1	20 17	151 99	94 52	114 83	85 58	23 23	
21	Cirrhosis of liver		M F	667 478	1 —	— —	— 3	3 4	1 4	131 86	395 290	136 91	586 493	1 —	1 —	1 —	2 4	1 —	109 98	324 272	147 119	
21A	Alcoholism	M F	159 80	— —	— —	— —	2 —	60 28	86 42	11 10	86 51	— —	— —	— —	— —	1 —	42 17	37 30	6 4	
22	Nephritis and Bright's disease.	{	M F	2699 2421	34 29	27 38	52 37	87 79	105 100	485 487	1210 1036	699 615	2064 1811	23 24	16 20	23 31	48 62	48 78	313 288	839 677	754 631	
23	Puerperal fever		M F	— 464	— —	— —	— —	— 99	— 364	— 1	— —	— 378	— —	— —	— —	— —	— 75	— 300	— 3	— —
24	Parturition, apart from puerperal fever.	{	M F	— 895	— —	— —	— —	— 1	— 161	— 725	— 8	— —	— 600	— —	— —	— —	— —	— 93	— 493	— 14	— —	
25	Congenital debility, &c.		M F	7418 5771	7333 5718	24 13	23 12	18 18	12 3	7 5	1 2	— —	— —	6404 4953	6330 4864	30 32	22 19	12 18	5 11	4 7	1 2	— —
26	Violence, apart from suicide.	{	M F	4582 1750	280 238	117 92	364 251	466 221	629 82	1342 201	999 290	385 375	3147 1482	277 233	83 83	216 190	375 159	372 72	712 143	681 201	431 401	
27	Suicide		M F	929 335	— —	— —	— —	69 2	338 55	403 136	119 32	820 303	— —	— —	— —	2 2	57 48	280 111	361 112	120 30
28	Other defined diseases	M F	23736 24080	4025 3022	607 544	353 387	493 487	544 541	2060 2028	5534 5304	10120 11767	21173 21627	2654 1985	400 338	277 277	483 382	459 462	1642 1696	3927 3793	11331 12694
29	Causes ill-defined or unknown.	{	M F	921 734	47 44	171 159	37 50	10 22	18 11	94 90	388 250	156 108	765 590	47 26	128 131	43 30	12 9	13 16	83 71	289 197	150 110	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1911.

ALL AREAS.—SOUTH AND WALES.

Causes of Death.		Sex.	AGGREGATE OF SOUTHERN COUNTIES.										AGGREGATE OF WALES AND MONMOUTH.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	...	M	73,229	14794	3930	2837	2491	2759	9460	16101	20857	18,921	5149	988	657	698	877	2372	3745	4435		
	...	F	69,758	11847	3452	2698	2446	2509	7907	13693	25206	17,297	4009	921	693	703	807	2277	3051	4836		
1 Enteric fever	...	M	242	1	—	1	19	60	117	40	4	102	1	1	—	16	28	40	16	—		
	...	F	165	—	1	3	29	45	61	20	6	64	—	—	6	10	17	24	6	1		
2 Small-pox	...	M	9	1	—	1	3	—	2	1	1	1	—	—	—	—	—	—	1	—		
	...	F	7	—	—	3	—	—	3	1	—	1	—	—	—	—	—	—	1	—		
3 Measles	...	M	2,120	445	840	640	183	9	2	1	—	289	78	126	68	13	1	2	—	1		
	...	F	1,944	381	769	618	152	8	11	4	1	245	64	91	69	15	2	3	1	—		
4 Scarlet fever	...	M	168	6	15	73	62	7	5	—	—	67	6	5	30	23	—	3	—	—		
	...	F	136	2	19	52	57	2	4	—	—	68	5	11	26	17	4	5	—	—		
5 Whooping cough	...	M	838	396	269	140	31	1	—	1	—	244	148	62	30	3	1	—	—	—		
	...	F	1,009	448	307	223	31	—	—	—	—	286	150	81	45	10	—	—	—	—		
6 Diphtheria and croup	...	M	637	26	95	252	239	13	10	1	1	174	10	18	67	73	3	2	1	—		
	...	F	703	36	67	244	323	14	12	7	—	221	7	17	101	86	5	4	1	—		
7 Influenza	...	M	650	39	14	23	19	37	94	192	232	191	3	5	4	9	15	45	56	54		
	...	F	691	21	6	2	18	13	101	177	353	175	5	3	5	5	9	33	49	66		
8 Erysipelas	...	M	145	16	2	2	2	4	16	47	56	26	2	—	—	—	2	1	12	9		
	...	F	166	18	2	—	1	9	24	44	68	21	2	—	2	—	1	4	5	7		
9 Pulmonary tuberculosis	{	M	6,891	58	61	85	161	935	3203	2009	379	1,341	17	15	14	41	246	584	361	63		
		F	4,966	53	54	82	248	956	2244	1062	267	1,374	21	16	10	97	331	636	224	39		
10 Tuberculous meningitis	{	M	746	158	141	174	181	53	28	10	1	173	48	28	31	40	13	11	2	—		
		F	729	167	127	170	188	48	21	7	1	161	28	17	25	50	20	14	6	1		
11 Other tuberculous diseases.	{	M	1,064	214	135	129	171	111	164	107	33	313	76	30	21	46	46	59	21	14		
		F	921	141	76	91	164	128	155	104	62	301	53	28	29	45	41	63	30	12		
12 Cancer, malignant disease	{	M	5,029	5	4	14	29	39	382	2358	2198	918	1	1	1	6	12	87	469	341		
		F	6,317	—	2	6	16	38	773	2789	2693	1,166	2	—	2	6	6	168	566	416		
13 Rheumatic fever	{	M	221	2	2	10	71	40	57	34	5	90	—	—	1	28	15	29	15	2		
		F	252	1	1	8	80	45	57	45	15	99	1	—	4	27	29	25	8	5		
14 Meningitis	{	M	561	170	91	71	96	49	46	28	10	201	61	31	28	33	17	15	15	1		
		F	477	144	64	75	97	32	32	26	7	198	63	34	31	33	10	17	8	2		
15 Organic heart disease	{	M	6,090	3	1	9	101	173	761	2114	2928	1,381	1	—	3	22	44	181	509	621		
		F	7,230	3	3	12	146	229	778	2288	3771	1,570	1	—	2	45	53	190	534	745		
16 Bronchitis	{	M	4,625	826	212	95	30	16	164	893	2389	1,099	251	69	24	5	6	32	220	492		
		F	5,035	604	190	76	24	18	104	803	3216	1,095	208	63	25	9	10	35	182	563		
17 Pneumonia (all forms)...	{	M	5,305	1244	768	381	162	159	754	1063	774	1,553	403	198	116	36	63	234	308	195		
		F	4,170	950	599	419	153	106	402	652	889	1,099	284	182	106	44	47	114	146	176		
18 Other respiratory diseases	{	M	1,169	87	48	60	46	28	157	316	427	322	25	12	30	19	10	31	98	97		
		F	971	76	35	45	30	33	92	214	446	206	24	10	16	11	6	24	46	69		
19 Diarrhoea, &c.	{	M	5,874	4246	751	173	34	29	98	197	346	1,820	1337	231	34	12	8	39	69	90		
		F	5,101	3501	700	164	51	19	82	181	403	1,618	1129	210	46	15	6	36	62	114		
20 Appendicitis and typhlitis	{	M	473	1	3	26	125	98	102	87	31	108	—	—	3	40	23	27	12	3		
		F	359	1	—	16	105	62	74	65	36	69	—	—	5	24	13	12	13	2		
21 Cirrhosis of liver	{	M	641	2	—	—	4	2	97	380	156	119	—	—	—	1	—	21	71	26		
		F	599	—	—	—	3	2	106	349	139	57	—	—	—	—	—	12	33	12		
21A Alcoholism	{	M	163	—	—	—	—	1	68	83	11	31	—	—	—	—	—	13	14	4		
		F	90	—	—	—	—	—	35	46	9	19	—	—	—	—	1	6	11	1		
22 Nephritis and Bright's disease.	{	M	2,342	12	9	16	46	70	325	989	875	514	5	5	10	15	12	97	196	174		
		F	2,037	14	4	21	37	63	342	801	755	409	7	6	7	14	19	74	158	124		
23 Puerperal fever...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	298	—	—	—	—	50	242	6	—	122	—	—	—	—	23	97	2	—		
24 Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	424	—	—	—	—	65	350	9	—	232	—	—	—	—	35	193	4	—		
25 Congenital debility, &c.	{	M	4,622	4570	15	16	11	6	4	—	—	1,474	1458	6	5	2	2	1	—	—		
		F	3,627	3567	20	12	10	7	8	3	—	1,132	1121	4	2	4	—	1	—	—		
26 Violence, apart from suicide.	{	M	2,878	274	76	180	315	323	674	644	392	1,143	16	20	80	119	204	371	232	101		
		F	1,450	289	71	119	123	65	129	226	433	314	26	34	58	48	14	27	41	66		
27 Suicide	{	M	795	—	—	—	2	72	306	303	112	111	—	—	—	—	10	37	53	11		
		F	259	—	—	—	—	30	103	105	21	36	—	—	—	—	9	14	11	2		
28 Other defined diseases	{	M	18,556	1971	293	248	342	420	1781	4080	9421	4,958	1182	111	54	92	93	390	929	2107		
		F	19,349	1410	262	225	356	423	1536	3575	11562	4,842	799	102	67	82	91	434	875	2392		
29 Causes ill-defined or unknown.	{	M	375	21	85	18	6	4	43	123	75	158	20	14	3	4	3	20	65	29		
		F	276	20	73	12	4	4	26	84	53	97	9	12	4	6	5	12	28	21		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1911.

COUNTY BOROUGH.—SOUTH AND WALES.

Causes of Death.	Sex.	AGGREGATE OF COUNTY BOROUGH (SOUTH).									AGGREGATE OF COUNTY BOROUGH (WALES AND MONMOUTH).								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	8,626	1,749	425	316	299	297	1198	1,889	2,453	3,618	953	193	125	128	173	539	816	691
	F	8,676	1,398	353	285	331	338	985	1,661	3,325	3,322	807	195	157	171	155	468	637	732
1 Enteric fever ...	M	47	1	—	—	2	11	22	11	—	16	—	—	—	1	5	8	2	—
	F	32	—	1	—	5	8	13	3	2	11	—	—	—	3	2	4	1	1
2 Small-pox ...	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	199	42	83	60	13	1	—	—	—	36	10	18	7	2	—	—	—	—
	F	178	44	66	55	11	—	1	—	1	29	6	11	10	1	—	—	—	—
4 Scarlet fever ...	M	38	—	4	17	13	3	1	—	—	11	1	2	6	1	—	1	—	—
	F	19	—	1	6	10	2	—	—	—	19	3	1	8	5	2	—	—	—
5 Whooping cough ...	M	66	34	24	6	1	—	—	1	—	41	23	12	5	1	—	—	—	—
	F	90	42	32	13	3	—	—	—	—	47	25	16	4	2	—	—	—	—
6 Diphtheria and croup ...	M	97	2	9	38	41	4	3	—	—	36	2	5	17	11	—	1	—	—
	F	119	1	8	36	68	1	4	1	—	66	1	7	33	23	1	—	1	—
7 Influenza ...	M	98	1	2	3	4	4	13	26	45	33	2	2	—	2	2	10	6	9
	F	92	2	—	1	2	1	16	29	41	24	—	1	1	3	1	4	7	7
8 Erysipelas ...	M	10	1	—	—	—	—	1	3	5	2	—	—	—	—	—	—	1	1
	F	16	1	—	—	1	—	1	2	11	5	—	—	1	—	—	2	1	1
9 Pulmonary tuberculosis	M	808	5	3	6	29	97	395	236	37	351	5	4	2	9	52	165	101	13
	F	697	8	8	11	32	145	328	136	29	324	9	5	3	26	74	145	54	8
10 Tuberculous meningitis	M	92	19	15	26	16	9	5	1	1	30	9	5	4	8	1	2	1	—
	F	94	23	19	17	28	6	—	1	—	39	5	4	8	14	2	4	1	1
11 Other tuberculous dis- eases.	M	125	24	20	16	21	14	13	12	5	64	19	6	5	7	8	14	1	4
	F	133	25	10	11	22	16	22	19	8	45	11	5	4	7	8	5	3	2
12 Cancer, malignant disease	M	597	—	—	3	5	3	57	260	269	171	—	—	—	3	2	22	87	57
	F	821	—	—	1	1	1	104	340	374	234	—	—	1	2	2	46	111	72
13 Rheumatic fever ...	M	25	—	—	1	8	3	8	4	1	16	—	—	—	6	3	5	2	—
	F	35	1	—	3	10	8	5	5	3	18	—	—	—	7	5	5	—	1
14 Meningitis ...	M	93	24	14	12	18	10	7	8	—	52	20	8	6	9	2	4	3	—
	F	63	12	9	17	12	2	4	6	1	51	15	9	9	11	3	4	—	—
15 Organic heart disease ...	M	745	—	—	2	15	21	98	282	327	260	—	—	—	8	10	45	105	92
	F	878	—	—	2	13	26	76	279	482	240	—	—	1	8	9	37	105	80
16 Bronchitis ...	M	473	84	33	11	5	2	20	63	255	189	36	15	5	1	1	4	46	81
	F	646	82	25	11	4	1	10	83	430	217	41	16	4	3	—	9	52	92
17 Pneumonia (all forms)...	M	558	136	69	41	14	14	78	106	100	312	66	33	32	5	12	59	70	35
	F	470	109	56	35	18	14	39	74	125	234	61	40	21	10	12	24	33	33
18 Other respiratory diseases	M	139	10	5	7	9	3	21	33	51	45	4	1	6	—	1	4	20	9
	F	135	9	—	8	4	7	11	25	71	34	3	3	1	2	2	5	11	7
19 Diarrhoea, &c. ...	M	713	533	76	19	5	3	12	25	40	405	289	54	6	—	3	8	26	19
	F	594	411	74	18	5	—	8	24	54	347	241	44	7	6	1	6	13	29
20 Appendicitis and typhlitis	M	54	—	—	—	10	15	13	13	3	20	—	—	—	11	4	4	1	—
	F	44	—	—	1	14	4	15	7	3	15	—	—	1	6	3	2	3	—
21 Cirrhosis of liver ...	M	64	—	—	—	—	—	13	37	14	23	—	—	—	1	—	2	16	4
	F	78	—	—	—	2	—	13	44	19	18	—	—	—	—	—	4	12	2
21A Alcoholism ...	M	11	—	—	—	—	—	7	4	—	5	—	—	—	—	—	3	2	—
	F	7	—	—	—	—	—	3	4	—	6	—	—	—	—	1	2	2	1
22 Nephritis and Bright's disease.	M	268	1	—	2	6	4	46	112	97	101	—	1	4	1	3	26	44	22
	F	222	3	—	1	5	6	26	88	93	79	1	2	2	4	4	17	34	15
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	35	—	—	—	—	7	28	—	—	14	—	—	—	—	3	10	1	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	43	—	—	—	—	7	33	3	—	33	—	—	—	—	2	29	2	—
25 Congenital debility, &c.	M	569	560	4	1	4	—	—	—	—	230	229	—	1	—	—	—	—	—
	F	440	434	1	—	3	1	1	—	—	231	229	—	—	2	—	—	—	—
26 Violence, apart from suicide.	M	272	27	12	18	21	27	72	54	41	194	3	4	10	26	43	55	38	15
	F	163	26	8	13	11	8	16	25	56	62	3	10	14	9	—	8	8	10
27 Suicide ...	M	99	—	—	—	—	9	43	35	12	23	—	—	—	—	3	6	13	1
	F	30	—	—	—	—	2	13	12	3	9	—	—	—	—	3	4	2	—
28 Other defined diseases ...	M	2,329	243	39	26	39	39	246	553	1,144	922	232	19	9	15	17	87	215	328
	F	2,471	161	28	23	46	65	191	440	1,517	849	152	17	21	16	13	89	175	366
29 Causes ill-defined or un- known.	M	36	2	13	1	—	1	3	10	6	29	3	4	—	1	1	4	15	1
	F	31	4	7	2	1	—	4	11	2	22	1	4	3	—	2	3	5	4

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1911.
URBAN DISTRICTS.—NORTH AND MIDLAND.

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS (NORTH).										AGGREGATE OF URBAN DISTRICTS (MIDLAND).									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M F	35,317 33,279	8821 7287	2360 2236	1641 1607	1357 1387	1575 1333	4067 3804	7610 6605	7886 9020	31,568 30,123	7835 6171	1867 1730	1404 1322	1178 1180	1216 1153	3602 3316	6213 5440	8253 9811	
1	Enteric fever	M F	337 235	— 2	— —	8 8	30 40	76 61	154 79	63 37	6 8	114 85	— —	1 1	2 2	17 18	35 22	43 25	14 12	2 5
2	Small-pox	M F	— 1	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
3	Measles	M F	869 851	208 194	381 340	234 265	44 49	2 1	— 2	— —	— —	923 828	173 161	360 314	294 259	91 86	3 2	2 3	— 2	— 1
4	Scarlet fever	M F	142 175	5 3	13 14	57 77	59 74	5 4	3 3	— —	— —	103 115	1 3	10 7	39 50	49 46	1 5	3 4	— —	— —
5	Whooping cough	M F	516 705	260 339	157 218	83 126	16 21	— —	— —	— —	1 1	361 501	177 206	94 178	78 99	12 17	— 1	— —	— —	— —
6	Diphtheria and croup	M F	292 306	15 12	44 31	133 138	94 115	2 6	3 1	— 2	1 1	284 273	19 9	35 22	110 106	113 130	5 1	1 2	1 3	— —
7	Influenza	M F	250 226	21 12	2 1	6 6	8 9	12 16	60 26	68 68	73 88	291 260	15 14	7 4	8 6	7 6	13 9	52 43	101 76	88 102
8	Erysipelas	M F	58 59	9 14	— 1	— —	3 1	3 1	7 9	17 13	19 20	64 53	5 8	1 2	2 3	1 1	5 —	9 11	20 18	21 10
9	Pulmonary tuberculosis	{	M F	2,352 2,093	21 25	44 38	51 42	86 163	442 471	950 927	678 371	80 56	2,355 1,881	41 24	30 25	21 36	65 126	400 466	1110 819	605 331	83 54	
10	Tuberculous meningitis		M F	366 371	92 72	74 67	92 82	75 103	18 30	12 12	3 5	— —	— —	325 294	74 50	74 57	81 73	65 73	14 27	11 10	6 4	— —
11	Other tuberculous dis- eases.	{	M F	742 642	184 139	118 106	89 77	109 108	55 54	103 92	72 49	12 17	506 477	125 102	75 64	69 52	61 76	57 54	65 72	44 42	10 15	
12	Cancer, malignant disease		M F	1,710 2,362	1 1	— 2	5 2	14 5	15 13	150 289	866 1186	659 864	1,946 2,610	2 1	1 2	8 3	8 7	30 13	168 328	923 1199	806 1057	
13	Rheumatic fever	M F	138 148	1 1	— 1	7 —	38 50	28 26	33 36	27 28	4 6	113 124	1 1	— 4	5 47	28 24	23 28	33 16	23 —	— —
14	Meningitis	M F	461 343	135 95	92 65	87 65	80 56	21 15	28 29	15 17	3 1	316 258	86 70	56 41	54 55	49 49	23 13	20 19	14 8	4 3
15	Organic heart disease	M F	2,629 3,100	— 2	1 2	1 5	43 76	78 123	297 416	1093 1174	1116 1302	2,387 2,634	1 —	1 1	4 2	58 71	69 94	274 307	849 874	1131 1285
16	Bronchitis	M F	2,384 2,306	682 536	151 162	78 59	21 17	6 2	59 49	490 432	897 1049	1,893 1,995	437 347	110 80	50 41	12 6	6 44	50 323	878 1147	
17	Pneumonia (all forms)...	{	M F	3,015 2,222	695 540	449 394	241 241	111 108	154 75	451 212	601 332	313 320	2,216 1,614	554 378	330 292	194 176	67 73	77 35	327 181	413 197	254 282	
18	Other respiratory diseases		M F	548 419	48 36	27 21	62 45	26 30	12 8	67 55	172 88	134 136	475 394	44 37	17 16	46 30	20 12	6 14	58 44	130 85	154 156	
19	Diarrhoea, &c.	M F	3,566 3,154	2462 2022	527 504	121 130	30 42	10 21	64 44	141 130	211 261	3,145 2,723	2316 1839	404 376	80 100	21 36	13 7	38 45	100 87	173 233
20	Appendicitis and typhlitis	{	M F	193 125	— 2	1 —	2 6	68 37	54 26	44 26	20 19	4 9	216 149	1 —	1 1	12 10	65 36	47 23	52 42	34 25	4 12	
21	Cirrhosis of liver		M F	229 159	1 —	— —	— —	— 2	1 1	39 31	147 90	41 35	254 216	1 —	1 —	1 —	2 2	— —	43 35	147 121	59 58	
21A	Alcoholism	M F	52 25	— —	— —	— —	— —	15 12	31 11	6 2	42 20	— —	— —	— —	— —	— —	25 6	16 13	1 1	
22	Nephritis and Bright's disease.	{	M F	970 879	16 11	10 11	17 7	22 27	45 35	160 172	425 393	275 223	826 779	9 10	6 10	10 14	18 27	22 22	127 126	341 285	293 291	
23	Puerperal fever...		M F	— 162	— —	— —	— —	— —	— 32	— 130	— —	— —	— —	— 157	— —	— —	— —	— —	— 22	— 134	— 1	— —
24	Parturition, apart from puerperal fever.	{	M F	— 365	— —	— —	— —	— —	— 63	— 297	— 5	— —	— 245	— —	— —	— —	— —	— 42	— 197	— 6	— —	
25	Congenital debility, &c.		M F	2,619 2,155	2590 2135	6 7	8 4	8 6	7 —	— —	— 2	— 1	— —	2,591 2,036	2556 1997	16 18	10 6	5 8	2 3	1 4	1 —	— —
26	Violence, apart from suicide.	{	M F	1,781 520	64 50	35 25	122 68	185 68	300 33	545 68	388 98	142 110	1,190 602	102 87	35 35	95 79	135 58	149 30	276 56	250 89	148 168	
27	Suicide		M F	359 137	— —	— —	— 1	34 34	127 56	154 35	44 11	294 132	— —	— —	— —	1 1	23 24	102 46	127 56	41 5
28	Other defined diseases	M F	8,456 8,808	1299 1032	187 183	131 141	182 173	188 176	659 698	2016 1937	3794 4468	8,069 8,482	1078 815	164 138	116 107	192 164	190 189	678 673	1594 1503	4057 4893
29	Causes ill-defined or un- known.	{	M F	283 226	12 12	41 43	6 13	5 6	7 5	37 31	123 84	52 32	269 186	17 12	38 46	15 9	6 4	3 4	34 18	110 64	46 29	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1911.

URBAN DISTRICTS.—SOUTH AND WALES.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS (SOUTH).									AGGREGATE OF URBAN DISTRICTS (WALES AND MONMOUTH.)								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	15946	2998	653	546	517	693	2022	3317	5200	9203	2823	591	358	350	396	1123	1760	1802
	F	15805	2352	579	523	531	541	1681	3069	6529	8121	2198	532	367	313	364	1042	1373	1932
1 Enteric fever ...	M	81	—	—	—	5	21	43	12	—	67	1	1	—	12	17	26	10	—
	F	42	—	—	—	8	11	18	4	1	33	—	—	5	6	8	13	1	—
2 Small-pox ...	M	4	—	—	—	2	—	—	1	1	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—
3 Measles ...	M	425	81	154	127	58	4	1	—	—	181	47	80	44	9	—	1	—	—
	F	398	71	149	121	52	1	3	1	—	158	40	64	45	7	1	1	—	—
4 Scarlet fever ...	M	23	1	1	7	11	2	1	—	—	40	3	3	18	16	—	—	—	—
	F	30	—	2	11	17	—	—	—	—	34	1	9	15	8	—	1	—	—
5 Whooping cough ...	M	153	85	42	20	6	—	—	—	—	130	75	34	19	2	—	—	—	—
	F	200	93	54	46	7	—	—	—	—	160	78	45	34	3	—	—	—	—
6 Diphtheria and croup ...	M	148	—	11	69	64	2	2	—	—	67	4	11	22	28	1	—	1	—
	F	141	4	5	52	73	4	1	2	—	76	4	6	35	29	2	—	—	—
7 Influenza ...	M	144	10	1	8	4	11	24	28	58	83	—	1	3	1	7	21	32	18
	F	167	8	2	1	4	5	20	31	96	67	2	1	3	—	4	13	18	26
8 Erysipelas ...	M	21	—	—	1	1	—	—	5	14	10	1	—	—	—	1	1	4	3
	F	22	4	—	—	—	2	2	10	4	8	2	—	—	—	1	1	2	2
9 Pulmonary tuberculosis	M	1366	8	5	19	32	233	663	351	55	542	9	7	8	18	99	232	150	19
	F	1021	8	12	12	49	214	437	234	55	547	6	6	5	43	135	260	78	14
10 Tuberculous meningitis	M	145	32	22	28	32	19	7	5	—	78	25	9	17	20	5	2	—	—
	F	126	23	12	34	37	12	7	1	—	67	13	6	8	24	10	3	3	—
11 Other tuberculous diseases.	M	230	41	27	21	42	29	37	27	6	135	34	20	12	18	19	18	9	5
	F	210	22	15	14	33	39	42	33	12	142	34	15	19	20	16	21	13	4
12 Cancer, malignant disease	M	1151	1	—	5	7	4	91	498	545	391	1	1	1	2	6	41	211	128
	F	1656	—	—	—	4	11	180	720	741	479	2	—	1	1	2	75	260	138
13 Rheumatic fever ...	M	40	1	—	2	9	9	7	8	4	51	—	—	1	14	7	18	10	1
	F	58	—	1	—	15	10	17	11	4	49	—	—	1	12	16	13	6	1
14 Meningitis ...	M	110	26	14	16	27	11	8	6	2	87	23	15	13	15	7	7	6	1
	F	100	26	9	18	24	6	8	5	4	97	34	18	13	15	5	6	6	—
15 Organic heart disease ...	M	1471	—	—	3	15	31	177	465	780	596	1	—	2	9	26	92	236	230
	F	1661	3	—	2	24	44	144	479	965	675	—	—	—	25	30	89	236	295
16 Bronchitis ...	M	828	140	47	19	8	4	22	129	459	570	148	40	17	4	2	19	121	219
	F	943	99	27	16	2	3	12	119	665	508	114	32	15	6	4	20	84	233
17 Pneumonia (all forms)	M	877	203	92	55	23	43	128	184	149	790	235	117	64	21	37	107	133	76
	F	733	127	84	74	25	21	67	121	214	531	159	99	58	22	21	50	63	59
18 Other respiratory diseases	M	260	16	7	14	10	5	29	74	105	153	13	9	20	10	6	14	43	38
	F	241	14	9	7	11	5	24	45	126	104	14	6	9	7	4	10	19	35
19 Diarrhoea, &c. ...	M	1185	864	138	26	7	6	18	40	86	1083	808	154	17	9	4	16	32	43
	F	1079	756	113	31	13	1	19	41	105	974	691	134	31	4	4	20	32	58
20 Appendicitis and typhlitis	M	110	—	—	8	21	28	28	16	9	53	—	—	2	18	10	16	7	—
	F	90	—	—	5	27	15	11	20	12	35	—	—	2	7	7	9	8	2
21 Cirrhosis of liver ...	M	147	—	—	—	—	—	24	84	39	60	—	—	—	—	—	13	34	13
	F	130	—	—	—	—	—	20	74	36	30	—	—	—	—	—	6	18	6
21A Alcoholism ...	M	36	—	—	—	—	—	17	15	4	20	—	—	—	—	—	9	10	1
	F	11	—	—	—	—	—	4	6	1	10	—	—	—	—	—	3	7	—
22 Nephritis and Bright's disease.	M	532	2	1	4	7	22	62	212	222	224	2	4	6	11	6	43	92	60
	F	459	—	2	2	8	14	72	166	195	180	4	4	3	4	9	35	73	48
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	54	—	—	—	—	11	39	4	—	66	—	—	—	—	12	54	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	128	—	—	—	—	15	112	1	—	117	—	—	—	—	21	96	—	—
25 Congenital debility, &c.	M	1030	1019	2	4	—	2	3	—	—	791	781	5	2	1	1	1	—	—
	F	779	763	7	3	2	2	—	2	—	578	574	2	1	1	—	—	—	—
26 Violence, apart from suicide ...	M	604	50	10	34	51	82	163	133	81	587	6	9	47	59	89	207	121	49
	F	273	38	6	23	22	10	23	52	99	158	18	16	27	26	11	14	16	30
27 Suicide ...	M	179	—	—	—	—	19	65	65	30	46	—	—	—	—	3	19	19	5
	F	67	—	—	—	—	7	25	31	4	12	—	—	—	—	2	7	2	1
28 Other defined diseases ...	M	4528	409	65	50	74	106	382	918	2524	2301	598	63	20	52	42	192	452	882
	F	4912	289	59	46	73	77	366	830	3172	2184	404	61	36	41	37	218	413	974
29 Causes ill-defined or unknown.	M	118	9	14	6	1	—	20	41	27	67	8	8	3	1	8	27	11	—
	F	73	4	11	5	1	1	8	25	18	41	4	8	1	2	2	4	14	6

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1911.
RURAL DISTRICTS.—NORTH AND MIDLAND.

Causes of Death.		Sex.	AGGREGATE OF RURAL DISTRICTS (NORTH).										AGGREGATE OF RURAL DISTRICTS (MIDLAND).									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M F	12452 11252	3142 2427	725 655	519 490	458 478	507 439	1294 1280	2184 2015	3623 3468	22335 20181	4103 3076	779 684	586 593	761 685	811 734	2198 2087	4093 3527	9004 8795	
1 Enteric fever	M F	122 82	— —	— —	4 2	10 16	35 19	49 28	21 15	3 2	76 53	+	1	1	5 6	25 16	26 23	15 7		
2 Small-pox	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	1 —	— —		
3 Measles	M F	252 214	72 44	97 92	64 62	19 16	— —	— —	— —	— —	230 193	60 33	84 71	47 60	34 24	1 2	4 2	— 1		
4 Scarlet fever	M F	31 37	2 2	3 3	9 13	12 17	4 —	1 2	— —	— —	61 62	2 —	6 3	22 21	25 30	4 2	2 5	— 1		
5 Whooping cough	M F	184 248	96 135	61 72	22 38	5 3	— —	— —	— —	— —	248 286	145 144	67 75	28 57	8 8	— 1	— —	— —		
6 Diphtheria and croup	M F	142 120	4 5	2 3	69 48	60 61	2 1	3 1	— —	2 1	192 152	5 4	14 5	63 49	92 86	8 5	7 1	2 2		
7 Influenza	M F	109 93	8 5	3 3	2 3	5 4	5 1	22 12	15 21	49 44	246 219	19 6	7 8	3 5	9 8	9 5	40 31	71 49		
8 Erysipelas	M F	14 16	3 4	— —	— 1	— —	— —	1 1	6 5	4 5	30 30	5 1	1 —	1 —	2 2	1 1	3 4	4 8		
9 Pulmonary tuberculosis	M F	652 649	8 3	5 5	11 12	26 40	116 153	292 309	163 107	31 20	1367 1201	12 14	12 8	10 10	44 90	234 267	653 549	334 209		
10 Tuberculous meningitis	M F	81 105	16 21	20 25	24 21	14 25	3 10	4 3	— —	— —	195 167	35 29	28 26	50 40	54 36	17 20	9 11	2 3		
11 Other tuberculous dis- eases.	M F	201 228	44 47	46 35	26 26	27 33	18 24	28 37	4 23	8 3	304 282	62 50	32 23	29 23	39 38	31 36	57 59	42 39		
12 Cancer, malignant disease	M F	612 865	— 1	— 1	— 1	7 3	5 5	40 98	267 416	293 340	1598 1927	1 —	2 2	3 3	6 6	11 10	88 186	598 803		
13 Rheumatic fever	M F	36 49	1 —	— —	2 —	7 14	8 10	9 16	8 4	1 5	58 78	— —	1 1	2 3	10 21	15 16	11 19	13 13		
14 Meningitis	M F	142 104	51 24	20 15	25 23	26 25	7 3	3 7	10 7	— —	193 156	65 29	22 27	29 27	37 17	11 17	11 16	9 6		
15 Organic heart disease	M F	1008 1040	— 1	— —	2 4	17 19	17 24	80 122	333 354	559 516	2178 2260	1 1	2 1	1 2	15 20	40 37	155 162	622 605		
16 Bronchitis	M F	711 691	242 167	50 48	15 23	7 11	2 1	12 12	101 78	282 351	1272 1245	256 193	52 60	26 21	5 6	6 2	21 14	143 140		
17 Pneumonia (all forms)...	M F	982 690	275 182	144 106	81 74	47 39	42 26	106 76	147 95	140 92	1253 932	279 223	157 130	74 80	34 49	55 22	146 87	247 119		
18 Other respiratory diseases	M F	211 164	21 15	12 6	14 19	12 13	11 4	18 22	59 25	64 60	308 238	28 17	7 7	23 16	17 16	10 13	31 22	70 53		
19 Diarrhoea, &c.	M F	1050 949	701 601	159 151	32 44	11 13	6 7	14 17	31 40	96 76	1252 1074	821 639	123 108	32 41	11 14	8 9	24 28	63 49		
20 Appendicitis and typhlitis	M F	82 50	— —	— —	4 —	23 17	21 8	13 17	15 6	6 2	136 91	— —	— —	6 6	38 32	16 13	31 18	31 15		
21 Cirrhosis of liver	M F	101 52	— —	— —	— —	— 2	— 8	20 28	58 14	23 14	149 99	— —	— —	— —	— —	— 16	21 50	78 33		
21A Alcoholism	M F	18 12	— —	— —	— —	— —	— —	8 2	9 8	1 2	23 9	— —	— —	— —	— —	1 —	8 3	12 5		
22 Nephritis and Bright's disease.	M F	301 277	3 4	2 6	8 —	6 11	13 11	51 56	115 95	103 94	579 492	7 5	3 3	4 5	12 15	15 27	56 69	225 173		
23 Puerperal fever	M F	— 56	— —	— —	— —	— —	— 12	— 44	— —	— —	— 84	— —	— —	— —	— —	— 17	— 65	— 2		
24 Parturition, apart from puerperal fever.	M F	— 131	— —	— —	— —	— —	— 30	— 99	— 2	— —	— 176	— —	— —	— —	— —	— 32	— 140	— 4		
25 Congenital debility, &c.	M F	1054 765	1038 756	5 1	6 1	3 4	1 2	1 —	— —	— —	1610 1209	1591 1180	6 7	7 4	3 8	1 6	2 3	— 1		
26 Violence, apart from suicide.	M F	653 187	9 6	13 18	52 33	62 21	110 7	210 22	137 29	60 51	1059 353	52 28	23 15	54 47	108 38	139 15	243 39	263 53		
27 Suicide	M F	132 38	— —	— —	— —	— —	10 6	49 15	49 14	24 3	284 90	— —	— —	— —	— —	22 13	93 38	121 28		
28 Other defined diseases	M F	3448 3266	540 396	67 55	41 39	51 72	69 72	246 244	584 614	1850 1774	7193 6837	636 471	110 84	64 68	148 102	125 126	430 452	1028 1015		
29 Causes ill-defined or un- known.	M F	123 74	8 8	16 10	6 3	1 1	2 1	14 9	52 29	24 13	249 186	21 9	19 20	7 5	5 3	6 4	25 25	100 74		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1911.

RURAL DISTRICTS.—SOUTH AND WALES.

Causes of Death.	Sex.	AGGREGATE OF RURAL DISTRICTS (SOUTH.)									AGGREGATE OF RURAL DISTRICTS (WALES AND MONMOUTH.)								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	13171	2050	406	363	432	535	1363	2656	5366	6100	1373	204	174	220	308	710	1169	1942
	F	12258	1586	348	286	413	474	1249	2289	5613	5854	1004	194	169	219	288	767	1041	2172
1 Enteric fever ...	M	37	—	—	—	4	10	16	4	3	19	—	—	—	3	6	6	4	—
	F	23	—	—	—	3	8	7	4	1	20	—	—	1	1	7	7	4	—
2 Small-pox ...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	158	26	53	46	30	3	—	—	—	72	21	28	17	3	1	1	—	1
	F	129	31	48	23	18	5	3	1	—	58	18	16	14	6	1	2	1	—
4 Scarlet fever ...	M	12	1	1	5	4	—	1	—	—	16	2	—	6	6	—	2	—	—
	F	8	—	1	5	2	—	—	—	—	15	1	1	3	4	2	4	—	—
5 Whooping cough ...	M	134	69	35	22	8	—	—	—	—	73	50	16	6	—	1	—	—	—
	F	163	88	47	27	1	—	—	—	—	79	47	20	7	5	—	—	—	—
6 Diphtheria and croup ...	M	100	—	5	36	53	4	1	—	1	71	4	2	28	34	2	1	—	—
	F	103	3	4	30	57	4	3	2	—	79	2	4	33	34	2	4	—	—
7 Influenza ...	M	154	14	4	6	5	6	16	47	56	75	1	2	1	6	6	14	18	27
	F	184	6	1	—	5	3	27	46	96	84	3	1	1	2	4	16	24	33
8 Erysipelas ...	M	19	1	—	1	1	1	—	6	9	14	1	—	—	—	1	—	7	5
	F	19	1	—	—	—	—	3	2	13	8	—	—	1	—	1	2	4	—
9 Pulmonary tuberculosis	M	910	6	6	7	28	159	417	219	68	448	3	4	4	14	95	187	110	31
	F	806	6	5	5	48	182	361	147	52	503	6	5	2	28	122	231	92	17
10 Tuberculous meningitis	M	86	17	11	11	34	8	4	1	—	65	14	14	10	12	7	7	1	—
	F	117	19	12	26	38	13	5	3	1	55	10	7	9	12	8	7	2	—
11 Other tuberculous diseases.	M	171	27	19	15	23	15	47	18	7	114	23	4	4	21	19	27	11	5
	F	170	23	11	11	22	28	36	25	14	114	8	8	6	18	17	37	14	6
12 Cancer, malignant disease	M	1016	2	1	2	3	11	56	428	513	356	—	—	—	1	4	24	171	156
	F	1247	—	—	1	2	9	115	530	590	453	—	—	—	3	2	47	195	206
13 Rheumatic fever ...	M	43	—	1	—	18	11	9	4	—	23	—	—	—	8	5	6	3	1
	F	38	—	—	1	14	5	8	7	3	32	1	—	3	8	8	7	2	3
14 Meningitis ...	M	93	17	16	12	15	9	12	7	5	62	18	8	9	9	8	4	6	—
	F	84	17	5	9	28	11	9	5	—	50	14	7	9	7	2	7	2	2
15 Organic heart disease ...	M	1390	1	—	—	8	23	105	405	848	525	—	—	1	5	8	44	168	299
	F	1587	—	—	—	16	34	104	455	978	655	1	—	1	12	14	64	193	370
16 Bronchitis ...	M	788	139	22	19	2	2	8	95	501	340	67	14	2	—	3	9	53	192
	F	747	77	20	11	4	3	6	72	554	370	53	15	6	—	6	6	46	238
17 Pneumonia (all forms)...	M	675	135	83	37	20	23	91	140	146	451	102	48	20	10	14	68	105	84
	F	499	104	59	35	21	20	51	69	140	334	64	43	27	12	14	40	50	84
18 Other respiratory diseases	M	252	11	8	10	8	4	36	65	110	124	8	2	4	9	3	13	35	50
	F	162	13	2	9	3	9	11	35	80	68	7	1	6	2	—	9	16	27
19 Diarrhoea, &c. ...	M	667	426	74	20	9	9	16	27	86	332	240	23	11	3	1	15	11	28
	F	512	310	66	17	9	3	13	30	64	297	197	32	8	5	1	10	17	27
20 Appendicitis and typhlitis	M	81	—	—	5	26	19	14	11	6	35	—	—	1	11	9	7	4	3
	F	66	—	—	3	21	15	10	8	9	19	—	—	2	11	3	1	2	—
21 Cirrhosis of liver ...	M	117	—	—	—	1	1	10	60	45	36	—	—	—	—	—	6	21	9
	F	58	—	—	—	—	—	6	28	24	9	—	—	—	—	—	2	3	4
21A Alcoholism ...	M	23	—	—	—	—	—	10	13	—	6	—	—	—	—	—	1	2	3
	F	3	—	—	—	—	—	2	—	1	3	—	—	—	—	—	1	2	—
22 Nephritis and Bright's disease.	M	420	4	1	6	12	11	41	151	194	189	3	—	—	3	3	28	60	92
	F	329	3	1	6	3	11	43	108	154	150	2	—	2	6	6	22	51	61
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	54	—	—	—	—	7	45	2	—	42	—	—	—	—	8	33	1	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	100	—	—	—	—	16	80	4	—	82	—	—	—	—	12	68	2	—
25 Congenital debility, &c.	M	771	760	2	3	4	2	—	—	—	453	448	1	2	1	1	—	—	—
	F	627	609	4	2	4	3	5	—	—	323	318	2	1	1	—	1	—	—
26 Violence, apart from suicide.	M	597	32	6	37	54	100	125	140	103	362	7	7	23	34	72	109	73	37
	F	217	38	12	22	16	8	19	25	77	94	5	8	17	13	3	5	17	26
27 Suicide ...	M	166	—	—	—	—	15	63	61	27	42	—	—	—	—	4	12	21	5
	F	34	—	—	—	—	4	9	12	9	15	—	—	—	—	4	3	7	1
28 Other defined diseases ...	M	4157	357	46	58	58	86	248	700	2604	1735	352	29	25	25	34	111	262	897
	F	4077	228	42	40	76	71	259	637	2724	1809	243	24	10	25	41	127	287	1052
29 Causes ill-defined or unknown.	M	133	5	12	5	4	3	16	54	34	62	9	2	—	2	1	8	23	17
	F	95	10	8	3	2	2	9	32	29	34	4	—	—	4	1	5	9	11

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN
BOROUGH—1911.

Causes of Death.		Sex.	CITY OF LONDON.										
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	{	M	152	14	3	2	2	3	31	50	47
			{	F	138	12	2	5	3	5	16	33	62
1	Enteric fever	{	M	—	—	—	—	—	—	—	—
			{	F	—	—	—	—	—	—	—	—	—
2	Small-pox	{	M	—	—	—	—	—	—	—	—
			{	F	—	—	—	—	—	—	—	—	—
3	Measles	{	M	—	—	—	—	—	—	—	—
			{	F	1	1	—	—	—	—	—	—	—
4	Scarlet fever	{	M	—	—	—	—	—	—	—	—
			{	F	1	—	—	—	1	—	—	—	—
5	Whooping cough	{	M	—	—	—	—	—	—	—	—
			{	F	1	—	1	—	—	—	—	—	—
6	Diphtheria and croup	{	M	—	—	—	—	—	—	—	—
			{	F	1	—	—	1	—	—	—	—	—
7	Influenza	{	M	1	—	—	—	—	—	1	—
			{	F	3	—	—	—	—	—	—	1	2
8	Erysipelas	{	M	—	—	—	—	—	—	—	—
			{	F	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis		{	M	24	1	—	—	—	1	11	8	3
			{	F	6	—	—	—	1	1	2	2	—
10	Tuberculous meningitis		{	M	1	—	—	—	—	—	—	1	—
			{	F	2	—	—	—	—	1	1	—	—
11	Other tuberculous dis- eases.		{	M	3	—	—	1	—	—	—	1	1
			{	F	3	—	—	1	—	—	1	—	1
12	Cancer, malignant disease		{	M	18	—	—	—	—	—	2	8	8
			{	F	6	—	—	—	—	—	—	3	3
13	Rheumatic fever	{	M	—	—	—	—	—	—	—	—
			{	F	—	—	—	—	—	—	—	—	—
14	Meningitis	{	M	—	—	—	—	—	—	—	—
			{	F	—	—	—	—	—	—	—	—	—
15	Organic heart disease	{	M	19	—	—	—	—	1	9	9
			{	F	21	—	—	—	—	—	2	9	10
16	Bronchitis	{	M	7	1	—	—	—	—	1	5
			{	F	20	1	—	1	—	—	1	2	15
17	Pneumonia (all forms)		{	M	8	1	1	—	—	—	—	4	2
			{	F	11	1	—	—	—	—	2	3	5
18	Other respiratory diseases		{	M	2	—	—	—	—	—	—	1	1
			{	F	1	1	—	—	—	—	—	—	—
19	Diarrhoea, &c.	{	M	6	5	1	—	—	—	—	—
			{	F	6	3	—	—	—	—	—	1	2
20	Appendicitis and typhlitis		{	M	1	—	—	—	1	—	—	—	—
			{	F	2	—	—	—	—	1	—	1	—
21	Cirrhosis of liver	{	M	2	—	—	—	—	—	2	—
			{	F	2	—	—	—	—	—	—	—	2
21A	Alcoholism	{	M	1	—	—	—	—	1	—	—
			{	F	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.		{	M	5	—	—	—	—	—	2	1	2
			{	F	6	—	—	—	—	—	—	1	5
23	Puerperal fever	{	M	—	—	—	—	—	—	—	—
			{	F	1	—	—	—	—	—	1	—	—
24	Parturition, apart from puerperal fever.		{	M	—	—	—	—	—	—	—	—	—
			{	F	2	—	—	—	—	1	1	—	—
25	Congenital debility, &c.		{	M	4	4	—	—	—	—	—	—	—
			{	F	4	4	—	—	—	—	—	—	—
26	Violence, apart from suicide.		{	M	12	—	1	—	1	—	6	3	1
			{	F	6	—	—	—	1	—	2	—	3
27	Suicide	{	M	3	—	—	—	—	3	—	—
			{	F	—	—	—	—	—	—	—	—	—
28	Other defined diseases	{	M	35	2	—	—	2	5	10	15
			{	F	31	1	1	2	—	1	3	10	13
29	Causes ill-defined or un- known.		{	M	—	—	—	—	—	—	—	—	—
			{	F	1	—	—	—	—	—	—	—	1

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1911—*cont.*

Causes of Death.	Sex.	BATTERSEA.										BERMONDSEY.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,238	321	90	60	48	62	150	247	260	1,243	340	93	60	47	44	182	256	221		
	F	1,170	225	92	47	51	46	145	234	330	1,082	273	77	48	47	40	134	209	254		
1 Enteric fever ...	M	3	—	—	—	1	1	1	—	—	3	—	—	—	—	—	2	1	—		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	2	1	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	55	8	25	20	2	—	—	—	—	39	11	17	11	—	—	—	—	—		
	F	57	10	29	14	4	—	—	—	—	17	6	3	7	1	—	—	—	—		
4 Scarlet fever ...	M	3	—	—	1	2	—	—	—	—	5	1	—	4	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	1	—	1	—	—	—	—	—	—		
5 Whooping cough ...	M	16	14	1	1	—	—	—	—	—	22	8	9	3	1	1	—	—	—		
	F	19	9	5	3	2	—	—	—	—	29	18	8	3	—	—	—	—	—		
6 Diphtheria and croup ...	M	12	1	2	7	2	—	—	—	—	8	3	2	1	2	—	—	—	—		
	F	9	—	—	4	5	—	—	—	—	7	3	2	1	1	—	—	—	—		
7 Influenza ...	M	5	1	—	—	—	1	1	1	1	6	—	—	1	—	—	3	1	1		
	F	9	—	—	—	1	1	3	3	1	5	—	—	—	—	—	1	3	1		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	2	—	—	—	—	—	1	—	1	5	1	—	—	—	—	1	1	2		
9 Pulmonary tuberculosis	M	139	2	1	—	2	31	58	41	4	137	5	3	1	7	14	62	39	6		
	F	90	2	2	3	2	19	44	15	3	89	3	2	—	4	13	46	19	2		
10 Tuberculous meningitis	M	15	2	7	—	5	1	—	—	—	14	5	1	5	2	—	1	—	—		
	F	14	2	3	2	5	2	—	—	—	11	3	4	—	3	1	—	—	—		
11 Other tuberculous diseases.	M	20	6	2	1	6	—	2	2	1	24	10	1	3	4	2	3	1	—		
	F	12	3	1	1	4	—	3	—	—	30	5	4	4	10	3	3	1	—		
12 Cancer, malignant disease	M	76	—	—	—	—	2	3	39	32	63	1	—	—	—	1	7	31	23		
	F	91	—	—	—	1	1	11	40	38	56	—	1	—	—	—	16	24	15		
13 Rheumatic fever ...	M	7	—	—	—	3	1	1	2	—	5	—	—	—	1	1	2	1	—		
	F	6	—	—	—	1	1	2	1	1	3	—	—	—	3	—	—	—	—		
14 Meningitis ...	M	13	7	2	1	2	—	1	—	—	2	—	—	1	1	—	—	—	—		
	F	11	1	3	3	2	1	1	—	—	6	3	1	1	1	—	—	—	—		
15 Organic heart disease ...	M	95	—	—	—	4	4	13	32	42	78	—	—	—	2	7	17	28	24		
	F	129	—	—	1	5	6	14	45	58	100	—	1	—	7	6	16	33	37		
16 Bronchitis ...	M	100	27	8	4	—	1	4	16	40	110	23	1	2	—	—	7	30	47		
	F	95	17	9	—	—	—	1	13	55	124	24	4	2	1	1	2	30	60		
17 Pneumonia (all forms)	M	92	30	11	9	4	2	9	16	11	155	50	24	13	5	7	17	26	13		
	F	82	21	15	6	5	2	7	17	9	107	27	17	19	6	2	9	21	6		
18 Other respiratory diseases	M	22	1	2	1	1	—	3	4	10	8	1	—	—	2	—	—	1	4		
	F	24	1	—	—	1	—	1	8	13	8	—	—	—	—	1	2	4	1		
19 Diarrhoea, &c. ...	M	138	102	21	5	—	—	—	6	4	131	89	23	7	—	1	1	7	3		
	F	120	85	17	4	1	1	1	2	9	114	80	22	5	3	—	—	—	4		
20 Appendicitis and typhlitis	M	3	—	—	—	2	—	1	—	—	6	—	—	—	1	2	2	1	—		
	F	4	—	—	—	1	—	2	—	1	3	—	—	—	1	1	1	—	—		
21 Cirrhosis of liver ...	M	12	1	—	—	—	—	2	7	2	6	—	—	—	—	—	2	4	—		
	F	15	—	—	—	—	—	2	9	4	9	—	—	—	—	—	3	6	—		
21A Alcoholism ...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—		
	F	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	1	2	—		
22 Nephritis and Bright's disease.	M	36	—	—	—	1	1	7	12	15	23	—	—	—	1	1	5	12	4		
	F	43	—	—	—	—	2	12	22	7	27	—	—	—	1	1	9	14	2		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	2	—	—	4	—	—	—	—	1	3	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	1	4	—	—	3	—	—	—	—	1	2	—	—		
25 Congenital debility, &c.	M	86	85	1	—	—	—	—	—	—	91	89	1	—	1	—	—	—	—		
	F	62	61	—	1	—	—	—	—	—	64	63	—	1	—	—	—	—	—		
26 Violence, apart from suicide.	M	59	5	—	3	7	9	18	14	3	58	7	5	4	9	4	19	8	2		
	F	18	2	2	4	3	2	—	5	—	33	11	1	3	2	2	2	5	7		
27 Suicide ...	M	6	—	—	—	—	—	4	2	—	4	—	—	—	—	—	3	1	—		
	F	3	—	—	—	—	—	2	1	—	2	—	—	—	—	—	—	2	—		
28 Other defined diseases ...	M	222	29	5	7	4	8	22	52	95	239	37	2	4	8	3	29	62	94		
	F	242	11	3	1	7	6	32	52	130	217	26	4	2	3	7	15	43	117		
29 Causes ill-defined or unknown.	M	2	—	2	—	—	—	—	—	—	4	—	4	—	—	—	—	—	—		
	F	3	—	3	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH--1911--cont.

Causes of Death.		Sex.	BETHNAL GREEN.										CAMBERWELL.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	1217	330	117	75	45	43	181	226	200	1880	390	138	80	52	65	266	415	474	
			F	1125	286	144	83	40	32	115	189	236	1873	306	127	82	62	74	251	365	606	
1 Enteric fever	M	2	—	—	—	—	1	1	—	—	3	—	—	—	—	—	3	—	—	
			F	1	—	—	—	1	—	—	—	—	2	—	—	—	—	1	—	1	—	
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles	M	67	14	26	24	3	—	—	—	—	59	16	18	20	5	—	—	—	—	
			F	64	8	29	25	2	—	—	—	—	53	11	24	15	3	—	—	—	—	
4 Scarlet fever	M	2	—	—	1	1	—	—	—	—	1	—	1	—	—	—	—	—	—	
			F	3	—	2	—	1	—	—	—	—	5	—	2	—	2	—	1	—	—	
5 Whooping cough	M	23	9	8	6	—	—	—	—	—	23	8	10	4	1	—	—	—	—	
			F	25	7	13	5	—	—	—	—	—	22	11	4	7	—	—	—	—	—	
6 Diphtheria and croup	M	8	2	4	2	—	—	—	—	—	10	—	3	3	4	—	—	—	—	
			F	13	2	3	5	3	—	—	—	—	16	—	3	7	6	—	—	—	—	
7 Influenza	M	6	1	—	1	—	1	2	1	—	14	—	1	—	—	3	3	3	4	
			F	5	—	1	—	—	—	1	2	1	17	—	1	—	1	—	2	3	10	
8 Erysipelas	M	3	—	—	—	—	1	1	—	1	5	2	—	—	—	—	—	1	2	
			F	3	—	—	—	—	1	—	1	1	3	1	—	—	—	—	2	—	—	
9 Pulmonary tuberculosis			M	143	1	2	3	2	14	75	41	5	206	1	2	3	4	34	88	57	17	
			F	69	1	—	4	5	9	34	14	2	153	—	—	—	7	28	72	37	9	
10 Tuberculous meningitis			M	19	8	6	2	3	—	—	—	—	15	4	4	4	2	—	1	—	—	
			F	16	2	8	3	2	—	1	—	—	26	6	6	6	5	2	1	—	—	
11 Other tuberculous diseases.			M	22	5	5	4	2	2	2	2	—	28	5	5	3	4	3	5	3	—	
			F	18	3	4	4	2	2	2	1	—	16	2	1	1	2	2	3	2	3	
12 Cancer, malignant disease			M	57	—	—	—	1	—	6	27	23	124	—	—	—	2	—	11	65	46	
			F	64	—	—	—	2	1	11	32	18	145	—	—	—	1	2	18	63	61	
13 Rheumatic fever	M	2	—	—	—	—	1	1	—	—	8	—	—	—	3	2	3	—	—	
			F	2	—	—	—	—	1	1	—	—	4	—	—	—	1	1	1	1	—	
14 Meningitis	M	11	6	—	1	2	1	1	—	—	12	3	5	2	—	—	1	1	—	
			F	10	5	2	2	1	—	—	—	—	6	3	—	1	1	—	1	—	—	
15 Organic heart disease	M	80	—	—	2	1	5	16	24	32	136	—	—	—	—	4	18	45	69	
			F	98	—	1	—	7	4	16	34	36	191	—	—	—	2	11	26	64	88	
16 Bronchitis	M	98	16	5	1	—	—	10	30	36	129	23	16	3	—	—	3	23	61	
			F	115	22	8	5	—	—	2	26	52	179	20	17	5	1	1	4	29	102	
17 Pneumonia (all forms)			M	115	25	23	7	5	4	20	20	11	166	41	33	17	5	2	24	29	15	
			F	113	27	30	14	2	3	6	14	17	142	25	23	19	5	3	21	18	28	
18 Other respiratory diseases			M	16	3	2	1	1	—	1	5	3	28	4	1	1	1	—	4	7	10	
			F	13	3	—	2	1	—	2	1	4	25	4	—	1	2	1	1	6	10	
19 Diarrhoea, &c.	M	161	112	28	7	—	1	1	8	4	163	118	23	3	—	—	3	7	9	
			F	134	86	31	7	1	1	—	1	7	156	96	37	8	1	—	—	2	12	
20 Appendicitis and typhlitis			M	1	—	—	—	1	—	—	—	—	13	—	1	1	3	1	5	2	—	
			F	4	—	—	—	3	—	—	—	1	8	—	—	—	4	2	1	1	—	
21 Cirrhosis of liver	M	5	—	—	—	—	—	1	2	2	13	—	—	—	—	—	—	11	2	
			F	7	—	—	—	—	—	2	5	—	20	—	—	—	—	—	7	10	3	
21A Alcoholism	M	2	—	—	—	—	—	1	1	—	9	—	—	—	—	—	4	4	1	
			F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	2	—	
22 Nephritis and Bright's disease.			M	35	—	—	—	1	2	6	18	8	74	—	1	—	1	1	9	28	34	
			F	39	1	—	1	2	—	7	15	13	72	—	—	1	3	1	13	31	23	
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	7	—	—	—	—	2	5	—	—	9	—	—	—	—	—	9	—	—	
24 Parturition, apart from puerperal fever.			M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	6	—	—	—	—	—	6	—	—	8	—	—	—	—	—	8	—	—	
25 Congenital debility, &c.			M	72	72	—	—	—	—	—	—	—	108	107	—	1	—	—	—	—	—	
			F	69	67	1	—	—	1	—	—	—	92	90	—	1	—	—	—	1	—	
26 Violence, apart from suicide.			M	54	11	2	3	10	2	9	8	9	56	7	2	6	6	6	13	11	5	
			F	32	12	—	2	4	2	—	1	11	33	7	3	2	2	1	4	3	11	
27 Suicide.			M	11	—	—	—	—	3	6	2	—	20	—	—	—	1	—	9	8	2	
			F	3	—	—	—	—	—	1	2	—	7	—	—	—	—	1	3	3	—	
28 Other defined diseases	M	202	45	6	10	12	5	21	37	66	451	51	7	9	10	9	59	109	197	
			F	188	40	8	4	1	5	17	40	73	456	30	6	6	13	17	52	87	245	
29 Causes ill-defined or unknown.			M	—	—	—	—	—	—	—	—	—	6	—	5	—	—	—	—	1	—	
			F	4	—	3	—	—	—	1	—	—	4	—	—	2	—	—	—	1	1	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1911—*cont.*

Causes of Death.	Sex.	CHELSEA.										DEPTFORD.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	549	69	24	20	15	8	61	159	193	874	244	72	38	40	30	96	176	178		
	F	482	71	18	16	17	11	72	115	162	841	184	57	51	32	24	104	172	217		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	1	—	1	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	13	1	4	8	—	—	—	—	—	35	6	19	7	3	—	—	—	—		
	F	17	3	3	9	1	—	1	—	—	35	4	18	11	2	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	6	1	1	2	2	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	3	—	—	3	—	—	—	—	—		
5 Whooping cough ...	M	4	1	1	2	—	—	—	—	—	16	5	6	5	—	—	—	—	—		
	F	6	2	2	2	—	—	—	—	—	21	11	5	2	3	—	—	—	—		
6 Diphtheria and croup ...	M	3	1	—	—	1	—	1	—	—	6	—	3	—	3	—	—	—	—		
	F	3	1	—	1	1	—	—	—	—	9	1	2	5	—	1	—	—	—		
7 Influenza ...	M	7	—	1	—	—	2	—	1	3	7	1	—	1	—	—	2	3	—		
	F	4	—	—	—	—	—	1	2	1	10	—	—	—	—	—	3	6	1		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	2	—	—	—	—	—	1	1	—	2	—	—	—	—	1	—	—	1		
9 Pulmonary tuberculosis	M	56	—	—	—	—	3	24	19	10	83	—	1	3	1	14	37	26	1		
	F	38	—	1	2	3	1	18	9	4	54	1	—	1	5	6	27	14	—		
10 Tuberculous meningitis	M	9	2	1	3	2	—	1	—	—	8	3	—	2	2	—	1	—	—		
	F	4	1	—	2	1	—	—	—	—	10	3	1	4	2	—	—	—	—		
11 Other tuberculous diseases.	M	6	—	—	1	3	—	—	1	1	16	5	—	—	4	2	4	1	—		
	F	8	1	—	—	2	—	2	—	3	15	3	—	2	4	1	4	—	1		
12 Cancer, malignant disease	M	37	—	—	—	—	—	—	21	16	52	—	—	—	—	1	5	26	20		
	F	55	—	—	—	1	2	6	21	25	75	—	—	—	—	2	7	31	35		
13 Rheumatic fever ...	M	1	—	—	—	—	—	1	—	—	4	—	1	—	—	—	—	3	—		
	F	4	—	—	—	—	—	3	1	—	3	—	—	—	1	—	1	1	—		
14 Meningitis ...	M	2	1	—	—	—	1	—	—	—	9	3	1	2	3	—	—	—	—		
	F	2	1	—	—	—	1	—	—	—	8	5	2	—	—	—	—	1	—		
15 Organic heart disease ...	M	58	—	—	—	2	—	3	26	27	48	—	—	—	2	2	5	17	22		
	F	48	—	—	—	1	1	9	20	17	61	—	—	—	1	1	14	22	23		
16 Bronchitis ...	M	36	4	1	—	—	—	2	8	21	63	19	5	2	1	—	2	7	27		
	F	41	4	1	—	—	—	2	10	24	75	15	5	2	1	1	2	14	35		
17 Pneumonia (all forms)	M	48	7	6	3	—	—	6	14	12	71	13	20	4	4	1	9	13	7		
	F	25	5	5	—	1	1	4	3	6	59	12	6	10	4	1	5	13	8		
18 Other respiratory diseases	M	4	—	1	—	—	—	—	1	2	6	—	—	1	1	—	2	—	2		
	F	9	—	1	—	—	—	—	1	7	8	—	1	1	—	1	—	4	1		
19 Diarrhoea, &c. ...	M	43	30	6	—	—	—	—	1	6	116	92	12	4	1	1	1	2	3		
	F	22	18	3	—	—	—	—	—	1	74	53	14	4	—	—	1	1	1		
20 Appendicitis and typhlitis	M	7	—	—	—	3	—	1	2	1	4	—	—	—	2	—	2	—	—		
	F	1	—	—	—	—	1	—	—	—	8	1	—	—	3	—	3	1	—		
21 Cirrhosis of liver ...	M	8	—	—	—	—	—	—	7	1	9	—	—	—	—	—	—	7	2		
	F	8	—	—	—	—	—	1	5	2	6	—	—	—	—	—	1	5	—		
21A Alcoholism ...	M	1	—	—	—	—	—	—	—	1	3	—	—	—	—	—	2	1	—		
	F	2	—	—	—	—	—	—	1	1	1	—	—	—	—	—	1	—	—		
22 Nephritis and Bright's disease.	M	15	—	—	—	—	1	—	9	5	14	—	—	—	—	—	1	11	2		
	F	12	—	—	—	1	—	3	6	2	30	—	—	—	—	1	4	15	10		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	2	—	—	4	—	—	—	—	—	4	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	7	—	—	—	—	2	5	—	—		
25 Congenital debility, &c.	M	20	20	—	—	—	—	—	—	—	70	69	—	—	—	1	—	—	—		
	F	20	20	—	—	—	—	—	—	—	42	42	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	22	—	—	2	2	—	9	6	3	32	1	—	3	2	5	4	13	4		
	F	18	5	—	—	3	1	4	3	2	19	6	—	3	1	1	3	1	4		
27 Suicide ...	M	9	—	—	—	—	1	2	4	2	9	—	—	—	—	1	2	5	1		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	3	—	—		
28 Other defined diseases ...	M	140	2	3	1	2	—	11	39	82	185	26	3	2	9	2	17	40	86		
	F	127	10	2	—	1	2	13	32	67	197	27	3	2	5	4	16	43	97		
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1911—*cont.*

Causes of Death.	Sex.	FINSBURY.										FULHAM.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	917	233	91	43	28	23	127	191	181	1,147	288	82	42	44	45	179	260	207		
	F	810	187	72	48	28	26	88	150	211	1,080	231	70	39	50	40	129	232	289		
1 Enteric Fever ...	M	4	—	—	—	2	2	—	—	—	2	—	—	—	—	—	1	1	—		
	F	4	—	—	—	2	2	—	—	—	6	—	—	—	—	2	3	1	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	40	8	19	10	3	—	—	—	—	35	10	16	8	1	—	—	—	—		
	F	39	11	16	11	1	—	—	—	—	29	6	14	7	2	—	—	—	—		
4 Scarlet fever ...	M	3	—	1	2	—	—	—	—	—	3	—	—	1	2	—	—	—	—		
	F	3	—	—	1	2	—	—	—	—	3	—	—	1	2	—	—	—	—		
5 Whooping cough ...	M	10	6	1	2	1	—	—	—	—	11	5	4	2	—	—	—	—	—		
	F	15	3	7	5	—	—	—	—	—	17	7	5	3	2	—	—	—	—		
6 Diphtheria and croup ...	M	9	—	6	2	1	—	—	—	—	14	—	2	11	1	—	—	—	—		
	F	8	1	3	1	3	—	—	—	—	14	3	2	5	3	—	1	—	—		
7 Influenza ...	M	6	—	—	—	—	—	4	2	—	9	1	1	—	—	—	1	4	2		
	F	4	—	—	—	—	—	3	1	—	11	—	—	—	1	1	1	1	7		
8 Erysipelas ...	M	3	—	—	—	—	—	—	2	1	3	1	—	—	—	—	—	2	—		
	F	3	—	—	—	—	—	—	2	1	2	—	—	—	—	—	—	2	—		
9 Pulmonary tuberculosis	M	110	2	4	4	4	8	47	36	5	139	3	3	1	1	23	64	40	4		
	F	53	1	—	—	1	7	26	13	5	96	—	3	1	9	16	38	19	10		
10 Tuberculous meningitis	M	12	2	3	3	4	—	—	—	—	15	4	3	4	2	1	—	1	—		
	F	17	6	3	3	4	1	—	—	—	10	5	1	2	2	—	—	—	—		
11 Other tuberculous diseases.	M	11	3	3	2	3	—	—	—	—	19	6	5	1	3	—	2	2	—		
	F	5	—	1	2	—	1	1	—	—	12	2	—	3	5	1	—	1	—		
12 Cancer, malignant disease	M	44	—	—	1	—	—	5	26	12	80	—	—	—	—	—	8	50	22		
	F	38	—	—	—	—	—	4	20	14	94	—	—	—	—	—	12	52	30		
13 Rheumatic fever ...	M	4	—	—	1	—	2	1	—	—	3	—	—	—	1	—	2	—	—		
	F	2	—	—	—	1	—	—	1	—	4	—	—	—	1	1	1	—	1		
14 Meningitis ...	M	11	6	2	1	1	1	—	—	—	5	2	2	—	1	—	—	—	—		
	F	4	2	—	1	—	—	—	—	1	9	2	—	3	2	—	1	1	—		
15 Organic heart disease ...	M	49	—	—	—	2	1	12	17	17	74	—	—	—	2	3	12	30	27		
	F	59	—	—	—	1	1	14	20	23	107	—	—	—	7	4	13	27	56		
16 Bronchitis ...	M	94	15	3	1	—	1	7	21	46	64	14	2	2	—	—	2	10	34		
	F	72	14	2	—	—	1	2	16	37	79	3	4	—	—	—	2	19	51		
17 Pneumonia (all forms)	M	86	19	26	6	2	2	16	9	6	98	27	17	4	3	2	20	16	9		
	F	81	14	19	14	4	1	7	10	12	66	17	13	4	2	3	11	10	6		
18 Other respiratory diseases	M	11	1	—	1	—	1	1	2	5	16	3	3	—	—	—	2	4	4		
	F	9	1	1	—	—	1	1	2	3	18	1	—	—	1	—	5	3	8		
19 Diarrhoea, &c. ...	M	78	58	13	2	—	—	2	2	1	127	94	17	4	—	—	5	4	3		
	F	83	61	11	2	—	—	2	3	4	115	87	15	3	—	—	1	4	5		
20 Appendicitis and typhlitis	M	4	—	1	—	1	—	—	2	—	7	—	—	1	1	—	3	2	—		
	F	3	—	—	1	2	—	—	—	—	4	—	—	—	—	1	1	1	1		
21 Cirrhosis of liver ...	M	8	—	—	—	—	—	—	6	2	12	—	—	—	—	—	4	4	4		
	F	9	—	—	—	—	—	—	7	2	10	—	—	—	—	—	—	10	—		
21A Alcoholism ...	M	3	—	—	—	—	—	2	1	—	5	—	—	—	—	—	1	3	1		
	F	1	—	—	—	—	—	1	—	—	4	—	—	—	—	—	1	3	—		
22 Nephritis and Bright's disease.	M	22	—	—	—	—	1	5	12	4	32	1	—	—	1	2	6	12	10		
	F	28	—	—	1	—	1	7	11	8	42	—	—	1	—	—	11	16	14		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	—	3	—	—	7	—	—	—	—	1	6	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	—	4	—	—	7	—	—	—	—	2	5	—	—		
25 Congenital debility, &c.	M	70	69	—	1	—	—	—	—	—	82	81	1	—	—	—	—	—	—		
	F	54	52	1	1	—	—	—	—	—	61	61	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	34	10	3	3	1	1	3	9	4	48	3	—	2	14	7	11	8	3		
	F	35	10	1	2	4	3	2	5	8	23	7	2	2	2	2	2	5	1		
27 Suicide ...	M	9	—	—	—	—	—	5	2	2	9	—	—	—	—	—	2	7	—		
	F	6	—	—	—	—	1	2	2	1	3	—	—	—	—	—	—	3	—		
28 Other defined diseases ...	M	181	34	5	1	3	3	17	42	76	235	33	6	1	11	7	33	60	84		
	F	165	11	4	3	3	6	9	37	92	224	30	8	4	9	6	14	54	99		
29 Causes ill-defined or unknown.	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	3	—	—	—	—	—	—	3	—	3	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1911—*cont.*

Causes of Death.		Sex.	GREENWICH.										HACKNEY.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...		M	759	158	43	41	30	38	116	170	163	1,628	342	97	88	77	72	213	362	377		
		F	681	148	43	30	37	22	78	126	197	1,584	281	93	74	61	68	177	319	511		
1	Enteric fever ...	M	3	—	—	—	—	2	1	—	—	6	—	—	—	—	2	3	1	—		
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	2	—	—	—		
2	Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles ...	M	22	6	4	11	1	—	—	—	—	87	16	30	33	8	—	—	—	—		
		F	19	5	5	7	2	—	—	—	—	64	14	16	27	7	—	—	—	—		
4	Scarlet fever ...	M	2	—	1	1	—	—	—	—	—	4	—	—	2	1	—	1	—	—		
		F	1	—	—	—	1	—	—	—	—	8	—	1	5	2	—	—	—	—		
5	Whooping cough ...	M	4	1	1	2	—	—	—	—	—	30	12	10	7	1	—	—	—	—		
		F	9	4	3	2	—	—	—	—	—	28	15	6	6	1	—	—	—	—		
6	Diphtheria and croup ...	M	7	—	1	4	2	—	—	—	—	7	—	3	2	2	—	—	—	—		
		F	9	—	—	4	5	—	—	—	—	13	1	3	3	6	—	—	—	—		
7	Influenza ...	M	6	—	—	—	1	—	—	3	2	13	—	—	—	1	—	2	7	3		
		F	5	—	—	—	—	—	—	4	1	16	1	—	—	—	3	4	8	—		
8	Erysipelas ...	M	2	1	—	—	—	—	—	1	—	10	1	—	—	—	1	1	7	—		
		F	2	1	—	—	—	—	—	—	1	8	2	—	—	—	1	2	3	—		
9	Pulmonary tuberculosis	M	73	—	—	—	3	9	38	21	2	186	—	1	4	8	31	80	51	11		
		F	50	—	—	3	5	11	21	9	1	127	1	1	3	8	28	61	22	3		
10	Tuberculous meningitis	M	11	4	1	1	4	1	—	—	—	23	4	3	6	8	2	—	—	—		
		F	9	2	2	—	3	2	—	—	—	19	7	6	—	5	—	1	—	—		
11	Other tuberculous diseases.	M	11	1	1	2	2	2	1	2	—	32	10	2	4	5	3	7	1	—		
		F	10	—	2	1	3	—	2	1	1	26	3	3	3	3	6	3	3	2		
12	Cancer, malignant disease	M	41	—	—	—	—	—	5	23	13	94	—	2	—	1	2	8	51	30		
		F	40	—	—	—	—	—	9	18	13	133	—	—	—	—	14	71	48	—		
13	Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	2	—	1	—	—		
		F	1	—	—	—	—	—	1	—	—	7	—	—	—	2	4	—	—	1		
14	Meningitis ...	M	8	2	—	1	4	1	—	—	—	11	4	2	1	—	1	3	—	—		
		F	3	—	—	—	3	—	—	—	—	18	7	5	1	2	1	2	—	—		
15	Organic heart disease ...	M	57	—	—	—	1	2	14	18	22	114	—	—	1	2	2	13	55	41		
		F	62	—	—	—	2	2	9	23	26	157	—	—	1	3	7	23	62	61		
16	Bronchitis ...	M	45	7	1	2	—	—	2	14	19	113	20	4	2	2	—	3	25	57		
		F	43	4	1	—	—	—	2	9	27	114	6	2	1	1	2	2	19	81		
17	Pneumonia (all forms)	M	78	15	16	5	3	5	15	14	5	150	33	19	12	8	5	25	28	20		
		F	39	10	9	3	1	—	2	7	7	115	36	20	11	6	2	10	9	21		
18	Other respiratory diseases	M	4	—	—	—	—	—	1	—	3	20	3	—	—	2	—	4	4	7		
		F	6	—	—	—	1	—	2	1	2	19	1	1	2	—	1	—	6	8		
19	Diarrhoea, &c. ...	M	77	55	12	3	—	1	1	2	3	121	94	13	5	1	—	—	3	5		
		F	97	66	19	2	1	1	1	3	4	109	76	16	2	2	1	3	4	5		
20	Appendicitis and typhlitis	M	4	—	—	—	—	2	2	—	—	15	—	—	2	4	6	1	2	—		
		F	8	—	—	1	2	3	—	2	—	7	—	—	1	2	2	—	2	—		
21	Cirrhosis of liver ...	M	6	—	—	—	—	—	—	5	1	13	—	—	—	1	—	3	6	3		
		F	3	—	—	—	—	—	1	1	1	16	—	—	—	—	—	4	8	4		
21A	Alcoholism ...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—		
		F	2	—	—	—	—	—	—	1	1	2	—	—	—	—	—	—	2	—		
22	Nephritis and Bright's disease.	M	25	1	—	1	2	1	4	10	6	39	—	—	—	1	1	3	22	12		
		F	20	—	—	—	2	1	6	7	4	28	—	—	—	—	—	8	14	6		
23	Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	6	—	—	—	—	—	6	—	—	5	—	—	—	—	1	4	—	—		
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	1	—	—	—	—	—	1	—	—	7	—	—	—	—	2	5	—	—		
25	Congenital debility, &c.	M	44	43	—	1	—	—	—	—	—	105	105	—	—	—	—	—	—	—		
		F	34	33	—	1	—	—	—	—	—	71	70	—	—	1	—	—	—	—		
26	Violence, apart from suicide.	M	35	2	—	5	3	4	8	10	3	50	6	2	1	8	6	10	10	7		
		F	24	8	1	3	4	—	2	1	5	39	6	2	5	2	1	1	6	16		
27	Suicide ...	M	5	—	—	—	—	—	2	—	3	13	—	—	—	—	2	6	3	2		
		F	2	—	—	—	—	—	—	2	—	6	—	—	—	—	1	3	2	—		
28	Other defined diseases ...	M	188	20	5	2	4	8	22	46	81	365	34	4	6	11	9	38	91	172		
		F	176	15	1	3	2	2	13	37	103	413	35	6	3	8	9	28	80	244		
29	Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	3	—	2	—	—	—	1	—	—		
		F	—	—	—	—	—	—	—	—	—	7	—	5	—	—	—	—	2	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1911—*cont.*

Causes of Death.	Sex.	HAMMERSMITH.										HAMPSTEAD.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES. ...	M	980	229	56	43	41	39	128	229	215	389	61	15	8	11	8	59	104	123		
	F	930	201	53	35	34	28	117	167	295	458	43	12	12	16	23	55	106	191		
1 Enteric fever. ...	M	4	—	—	—	—	1	3	—	—	1	—	—	—	—	—	—	1	—		
	F	3	—	—	—	2	—	1	—	—	1	—	—	—	—	1	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	21	7	7	6	—	1	—	—	—	8	2	3	2	1	—	—	—	—		
	F	15	3	7	4	1	—	—	—	—	7	2	2	1	1	1	—	—	—		
4 Scarlet fever ...	M	4	—	—	1	3	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	16	8	3	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	19	8	6	5	—	—	—	—	—	3	1	2	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	14	1	1	7	5	—	—	—	—	4	—	—	—	3	1	—	—	—		
	F	14	1	2	4	6	—	—	1	—	13	—	—	8	4	—	1	—	—		
7 Influenza ...	M	5	—	—	—	—	—	1	1	3	5	—	—	—	—	—	1	2	2		
	F	8	—	—	—	1	—	4	—	3	4	1	—	—	—	—	1	1	1		
8 Erysipelas ...	M	4	1	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—		
	F	6	1	—	—	—	—	1	1	3	2	—	—	—	—	1	—	1	—		
9 Pulmonary tuberculosis	M	98	—	1	—	1	12	47	34	3	31	—	—	—	—	1	17	9	4		
	F	59	2	—	1	3	15	27	7	4	24	1	—	—	1	4	10	7	1		
10 Tuberculous-meningitis	M	10	2	3	1	3	—	1	—	—	4	1	2	1	—	—	—	—	—		
	F	4	—	1	1	—	2	—	—	—	3	1	1	1	—	—	—	—	—		
11 Other tuberculous diseases.	M	14	3	3	1	4	1	1	1	—	6	1	—	1	1	2	1	—	—		
	F	14	1	1	1	3	—	5	2	1	—	—	—	—	—	—	—	—	—		
12 Cancer, malignant disease	M	66	—	—	—	—	1	4	42	19	26	—	—	—	—	—	1	19	6		
	F	64	—	—	—	—	—	6	32	26	65	—	—	—	—	—	9	26	30		
13 Rheumatic fever ...	M	7	—	—	1	3	—	3	—	—	2	—	—	—	1	1	—	—	—		
	F	2	—	—	—	1	—	—	1	—	4	—	—	—	1	1	—	2	—		
14 Meningitis ...	M	6	3	1	—	—	1	1	—	—	4	2	1	—	—	—	—	—	1		
	F	5	1	—	1	2	—	—	1	—	3	—	1	1	1	—	—	—	—		
15 Organic heart disease ...	M	74	—	—	—	4	3	12	26	29	29	—	—	—	—	1	3	11	14		
	F	85	—	—	—	3	2	14	27	39	43	—	—	—	1	1	5	11	25		
16 Bronchitis ...	M	60	6	2	—	1	—	1	15	35	21	3	1	—	1	—	1	1	14		
	F	74	7	3	1	—	—	2	15	46	18	—	2	—	—	—	—	—	16		
17 Pneumonia (all forms)	M	100	22	17	7	2	1	14	20	17	27	10	3	2	—	—	3	6	3		
	F	77	23	10	9	2	1	9	11	12	17	3	3	1	1	1	—	1	7		
18 Other respiratory diseases	M	12	—	—	2	—	1	1	3	5	8	—	2	1	—	—	—	2	3		
	F	17	—	2	1	—	—	2	4	8	13	1	—	—	—	1	1	3	7		
19 Diarrhoea, &c. ...	M	107	86	10	4	—	—	—	3	4	19	11	2	—	—	—	2	—	4		
	F	92	69	13	1	—	1	2	1	5	15	9	—	—	1	—	2	2	1		
20 Appendicitis and typhlitis	M	9	—	—	1	3	—	1	3	1	3	—	—	—	1	1	1	—	—		
	F	4	—	—	—	2	—	—	2	—	5	—	—	—	—	1	3	1	—		
21 Cirrhosis of liver ...	M	12	—	—	—	—	—	—	8	4	4	—	—	—	—	—	—	4	—		
	F	5	—	—	—	—	—	1	2	2	5	—	—	—	—	—	—	4	1		
21A Alcoholism ...	M	2	—	—	—	—	—	1	1	—	1	—	—	—	—	—	1	—	—		
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	1	1	1		
22 Nephritis and Bright's disease.	M	26	—	—	—	—	2	5	8	11	22	—	—	—	—	—	3	9	10		
	F	25	—	—	—	—	1	6	10	8	20	—	—	—	1	1	2	6	10		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	4	—	—	—	—	1	3	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	9	—	—	—	—	3	6	—	—	2	—	—	—	—	—	2	—	—		
25 Congenital debility, &c.	M	65	64	—	1	—	—	—	—	—	18	18	—	—	—	—	—	—	—		
	F	63	63	—	—	—	—	—	—	—	13	13	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	44	7	3	2	8	2	9	9	4	10	—	—	—	1	1	5	1	2		
	F	19	5	1	2	1	1	1	3	5	13	2	1	—	2	3	1	1	3		
27 Suicide ...	M	10	—	—	—	—	2	3	5	—	12	—	—	—	—	4	5	3	—		
	F	2	—	—	—	—	—	1	1	—	2	—	—	—	2	—	—	—	—		
28 Other defined diseases ...	M	188	19	4	5	3	11	19	48	79	120	12	—	1	2	—	15	34	56		
	F	240	17	6	3	7	2	26	46	133	156	9	—	—	2	4	14	39	88		
29 Causes ill-defined or unknown.	M	2	—	1	—	—	—	—	1	—	3	1	1	—	—	—	—	—	1		
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1911—cont.

Causes of Death.		Sex.	HOLBORN.										ISLINGTON.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...		M	427	59	19	8	14	11	77	126	113	2,492	570	148	109	88	79	339	595	564		
		F	344	51	19	7	7	23	53	98	86	2,402	466	126	96	65	85	281	509	774		
1	Enteric fever ...	M	2	—	—	—	—	—	1	1	—	6	—	—	—	—	1	3	2	—		
		F	1	—	—	—	—	1	—	—	—	6	—	—	—	1	2	2	1	—		
2	Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles ...	M	7	2	5	—	—	—	—	—	—	70	16	31	20	2	—	1	—	—		
		F	8	—	2	6	—	—	—	—	—	60	11	25	22	1	—	—	1	—		
4	Scarlet fever ...	M	1	—	—	—	1	—	—	—	—	18	—	2	9	6	1	—	—	—		
		F	1	—	—	—	1	—	—	—	—	3	—	—	1	2	—	—	—	—		
5	Whooping cough ...	M	1	1	—	—	—	—	—	—	—	35	20	12	3	—	—	—	—	—		
		F	2	—	2	—	—	—	—	—	—	36	11	9	15	1	—	—	—	—		
6	Diphtheria and croup	M	2	—	—	2	—	—	—	—	—	28	1	6	7	11	—	2	1	—		
		F	1	—	1	—	—	—	—	—	—	24	1	2	10	11	—	—	—	—		
7	Influenza ...	M	2	—	—	—	—	—	1	—	1	22	—	—	2	—	2	3	6	9		
		F	—	—	—	—	—	—	—	—	—	17	1	—	—	—	2	3	11	—		
8	Erysipelas ...	M	1	—	—	—	—	—	—	—	1	6	—	—	—	—	—	1	3	2		
		F	—	—	—	—	—	—	—	—	—	7	—	—	—	—	2	—	1	4		
9	Pulmonary tuberculosis	M	74	—	—	1	1	2	34	29	7	236	1	3	1	5	20	114	80	12		
		F	31	—	1	—	—	5	18	6	1	175	5	—	4	7	26	82	44	7		
10	Tuberculous meningitis	M	5	1	1	1	2	—	—	—	—	29	5	6	10	6	1	1	—	—		
		F	4	1	2	—	—	1	—	—	—	22	12	4	4	2	—	—	—	—		
11	Other tuberculous diseases.	M	5	—	—	1	2	—	1	1	—	43	10	4	5	5	6	6	4	3		
		F	3	—	—	—	1	1	—	1	—	33	9	3	2	9	6	2	1	1		
12	Cancer, malignant disease	M	27	—	—	—	—	—	3	11	13	152	1	—	—	2	—	16	73	60		
		F	30	—	—	—	—	—	2	18	10	184	—	1	—	1	2	21	87	72		
13	Rheumatic fever ...	M	1	—	—	—	—	—	—	1	—	9	—	—	1	1	3	3	1	—		
		F	2	—	—	—	1	1	—	—	—	8	—	—	2	2	2	2	—	—		
14	Meningitis ...	M	2	2	—	—	—	—	—	—	—	23	9	5	3	4	1	1	—	—		
		F	1	1	—	—	—	—	—	—	—	11	7	2	—	1	1	—	—	—		
15	Organic heart disease ...	M	32	—	—	—	1	2	2	16	11	215	1	—	—	4	7	29	88	86		
		F	39	—	—	—	2	3	6	20	8	242	—	—	—	4	11	42	72	113		
16	Bronchitis ...	M	32	5	—	—	—	—	1	9	17	156	27	2	5	1	2	5	37	77		
		F	27	2	1	1	—	—	2	10	11	208	29	8	1	1	1	6	34	128		
17	Pneumonia (all forms)	M	32	7	5	1	—	—	4	9	6	211	58	29	22	7	3	32	37	23		
		F	32	6	7	—	—	1	5	9	4	176	44	31	17	2	2	11	41	28		
18	Other respiratory diseases	M	6	—	—	—	—	—	—	4	2	35	7	2	2	—	1	3	9	11		
		F	3	—	—	—	—	1	—	1	1	33	4	4	1	2	—	4	4	14		
19	Diarrhoea, &c. ...	M	24	16	5	—	—	—	—	1	2	255	184	33	10	2	—	5	7	14		
		F	16	11	1	—	—	—	1	1	2	192	124	27	5	—	1	7	6	22		
20	Appendicitis and typhlitis	M	1	—	—	—	1	—	—	—	—	18	—	—	1	4	3	5	3	2		
		F	—	—	—	—	—	—	—	—	—	9	—	—	—	1	3	3	2	—		
21	Cirrhosis of liver ...	M	4	—	—	—	—	—	—	3	1	23	—	—	—	—	—	4	15	4		
		F	9	—	—	—	—	—	5	3	1	31	—	—	—	—	1	1	23	6		
21A	Alcoholism ...	M	3	—	—	—	—	—	2	1	—	1	—	—	—	—	—	1	—	—		
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—		
22	Nephritis and Bright's disease.	M	15	—	—	—	—	1	3	5	6	101	—	—	—	1	5	19	49	27		
		F	8	1	—	—	—	1	2	2	2	89	—	—	—	2	2	15	42	28		
23	Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	1	—	—	—	—	1	—	—	—	8	—	—	—	—	1	7	—	—		
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	11	—	—	—	—	2	9	—	—		
25	Congenital debility, &c.	M	13	13	—	—	—	—	—	—	—	163	163	—	—	—	—	—	—	—		
		F	18	18	—	—	—	—	—	—	—	145	143	—	1	—	—	1	—	—		
26	Violence, apart from suicide.	M	17	2	—	1	4	1	4	3	2	80	14	4	2	14	5	10	19	12		
		F	16	2	1	—	—	1	2	6	4	57	23	1	6	4	—	2	5	16		
27	Suicide ...	M	7	—	—	—	1	3	3	—	—	29	—	—	—	—	1	9	14	5		
		F	2	—	—	—	—	1	1	—	—	14	—	—	—	—	—	6	8	—		
28	Other defined diseases ...	M	109	9	2	1	1	2	18	32	44	522	53	7	6	12	17	66	145	216		
		F	88	8	1	—	2	5	9	21	42	593	42	9	5	11	19	56	132	324		
29	Causes ill-defined or unknown.	M	2	1	1	—	—	—	—	—	—	6	—	2	—	1	—	—	2	1		
		F	1	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1911—*cont.*

Causes of Death.	Sex.	KENSINGTON.										LAMBETH.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,176	224	69	50	32	33	145	304	319	2,314	507	146	75	73	71	320	565	557		
	F	1,215	210	69	48	30	37	126	262	433	2,147	395	109	109	75	58	281	394	726		
1 Enteric fever ...	M	3	—	—	—	—	—	2	1	—	4	—	—	1	—	—	3	—	—		
	F	1	—	—	—	—	1	—	—	—	8	—	—	1	—	2	4	1	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	39	8	16	14	1	—	—	—	—	58	12	24	18	4	—	—	—	—		
	F	54	13	23	14	4	—	—	—	—	54	7	22	22	3	—	—	—	—		
4 Scarlet fever ...	M	1	—	—	—	1	—	—	—	—	2	—	—	1	1	—	—	—	—		
	F	2	—	1	—	—	—	1	—	—	5	—	—	2	3	—	—	—	—		
5 Whooping cough ...	M	24	9	13	2	—	—	—	—	—	28	13	9	6	—	—	—	—	—		
	F	30	16	8	5	1	—	—	—	—	39	12	10	16	1	—	—	—	—		
6 Diphtheria and croup ...	M	5	1	—	2	2	—	—	—	—	17	3	3	3	8	—	—	—	—		
	F	14	—	1	6	6	—	1	—	—	27	1	5	11	10	—	—	—	—		
7 Influenza ...	M	15	1	—	—	—	—	2	3	9	24	1	—	—	1	3	2	10	7		
	F	11	—	—	—	—	—	—	2	9	18	1	1	—	—	—	2	6	8		
8 Erysipelas ...	M	3	1	—	—	—	—	—	1	1	6	—	—	—	—	—	1	3	2		
	F	6	1	1	—	—	—	—	1	3	8	1	—	—	—	—	—	3	4		
9 Pulmonary tuberculosis	M	94	4	1	1	4	10	39	27	8	273	2	6	3	3	31	117	93	18		
	F	75	—	—	—	3	12	33	20	7	157	2	—	3	12	25	72	29	14		
10 Tuberculous meningitis	M	9	3	2	2	1	—	—	1	—	30	4	5	10	7	2	2	—	—		
	F	9	3	1	3	2	—	—	—	—	33	11	3	12	6	1	—	—	—		
11 Other tuberculous diseases.	M	12	3	2	2	1	2	1	1	—	34	9	4	2	5	3	5	2	4		
	F	13	2	1	4	—	3	2	1	—	18	5	1	2	4	2	3	—	1		
12 Cancer, malignant disease	M	91	—	—	1	1	—	6	43	40	162	—	—	—	1	1	11	79	70		
	F	116	—	—	—	—	1	12	53	50	175	—	—	—	—	1	38	72	64		
13 Rheumatic fever ...	M	2	1	—	—	—	—	—	1	—	10	—	—	—	4	1	4	1	—		
	F	1	—	—	—	1	—	—	—	—	7	—	—	—	2	1	2	1	—		
14 Meningitis ...	M	4	1	—	1	1	—	1	—	—	20	9	4	1	1	2	3	—	—		
	F	2	—	—	—	—	—	1	1	—	15	10	2	1	—	1	—	1	—		
15 Organic heart disease ...	M	116	—	—	1	1	3	19	35	57	140	—	—	—	6	4	21	59	50		
	F	117	—	—	—	3	2	16	33	63	223	—	—	—	4	6	24	73	116		
16 Bronchitis ...	M	76	13	4	2	1	—	1	18	37	148	29	7	2	—	—	3	33	74		
	F	104	18	2	—	1	—	—	24	59	163	21	2	6	—	1	7	24	102		
17 Pneumonia (all forms)	M	92	21	13	8	5	1	13	18	13	208	51	31	17	4	2	29	51	23		
	F	81	13	8	10	3	4	5	16	22	164	36	19	8	8	2	22	29	40		
18 Other respiratory diseases	M	16	1	1	—	1	—	2	7	4	41	5	2	2	—	4	5	16	7		
	F	17	2	—	—	—	—	2	4	9	28	2	1	2	—	1	7	4	11		
19 Diarrhoea, &c. ...	M	92	60	11	5	—	—	3	6	7	218	169	30	2	—	1	4	2	10		
	F	95	61	16	2	—	—	—	9	7	166	117	28	7	2	—	2	2	8		
20 Appendicitis and typhlitis	M	16	—	—	1	5	2	2	4	2	7	—	—	—	2	—	3	1	1		
	F	8	—	—	1	1	—	2	3	1	9	—	—	1	3	1	3	—	1		
21 Cirrhosis of liver ...	M	15	1	—	—	—	—	2	9	3	25	—	—	—	—	1	4	15	5		
	F	10	—	—	—	—	1	—	6	3	22	—	—	—	—	—	6	10	6		
21A Alcoholism ...	M	2	—	—	—	—	—	1	1	—	6	—	—	—	—	1	1	4	—		
	F	1	—	—	—	—	—	—	1	—	7	—	—	—	—	—	4	2	1		
22 Nephritis and Bright's disease.	M	37	—	—	—	—	1	5	17	14	73	—	1	—	1	3	10	39	19		
	F	28	—	—	—	—	1	4	11	12	56	1	—	1	2	2	9	23	18		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	1	4	—	—	13	—	—	—	—	—	13	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	—	5	—	—	8	—	—	—	—	1	7	—	—		
25 Congenital debility, &c.	M	62	62	—	—	—	—	—	—	—	142	141	—	—	1	—	—	—	—		
	F	48	48	—	—	—	—	—	—	—	121	118	3	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	45	3	—	4	3	5	6	16	8	81	3	4	2	11	2	25	23	11		
	F	26	4	2	—	1	2	6	4	7	43	1	3	3	7	3	3	7	16		
27 Suicide ...	M	13	—	—	—	—	—	5	7	1	21	—	—	—	—	—	2	17	2		
	F	7	—	—	—	—	3	1	3	—	7	—	—	—	—	—	3	4	—		
28 Other defined diseases ...	M	287	31	3	4	4	9	35	86	115	528	56	12	4	13	10	64	116	253		
	F	328	29	4	3	4	6	31	70	181	548	48	6	11	8	8	49	103	315		
29 Causes ill-defined or unknown.	M	5	—	3	—	—	—	—	2	—	8	—	4	1	—	—	1	1	1		
	F	1	—	1	—	—	—	—	—	—	5	1	3	—	—	—	1	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1911—cont.

Causes of Death.	Sex.	LEWISHAM.										PADDINGTON.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	930	207	43	29	35	36	114	207	259	963	210	47	36	35	25	134	247	229		
	F	915	148	24	35	41	32	110	193	332	976	179	36	30	24	39	113	218	337		
1 Enteric fever ...	M	1	—	—	—	—	1	—	—	—	4	—	—	—	1	1	1	1	—		
	F	4	—	—	—	—	—	2	1	1	1	—	—	—	—	1	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	8	1	4	3	—	—	—	—	—	26	8	10	6	2	—	—	—	—		
	F	13	2	4	5	1	—	—	1	—	23	9	6	7	1	—	—	—	—		
4 Scarlet fever ...	M	4	—	—	1	3	—	—	—	—	2	—	—	1	1	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
5 Whooping cough ...	M	9	4	3	2	—	—	—	—	—	22	11	5	3	3	—	—	—	—		
	F	9	1	3	4	1	—	—	—	—	24	12	5	7	—	—	—	—	—		
6 Diphtheria and croup ...	M	13	1	2	3	7	—	—	—	—	3	—	—	1	2	—	—	—	—		
	F	15	—	2	5	8	—	—	—	—	8	—	—	2	4	2	—	—	—		
7 Influenza ...	M	7	1	—	—	1	—	1	1	3	14	—	3	—	—	—	3	2	6		
	F	3	1	—	—	1	—	—	—	1	10	—	—	—	—	—	—	1	9		
8 Erysipelas ...	M	1	1	—	—	—	—	—	—	—	3	—	—	—	—	—	1	1	1		
	F	1	—	—	—	—	—	—	—	1	6	1	—	—	—	—	3	2	—		
9 Pulmonary tuberculosis	M	63	—	—	—	—	11	31	16	5	97	1	2	2	2	9	45	32	4		
	F	43	—	—	1	3	10	18	9	2	79	—	1	2	1	17	36	17	5		
10 Tuberculous meningitis	M	13	3	4	2	2	—	2	—	—	10	4	3	2	1	—	—	—	—		
	F	9	1	2	4	1	—	1	—	—	6	3	—	2	1	—	—	—	—		
11 Other tuberculous diseases.	M	4	—	—	2	—	—	2	—	—	16	—	2	3	4	2	3	2	—		
	F	11	2	1	—	4	2	2	—	—	9	2	1	1	2	1	1	—	1		
12 Cancer, malignant disease	M	77	—	—	1	2	1	3	37	33	71	—	—	1	—	—	5	37	28		
	F	104	—	—	1	1	—	14	46	42	96	—	—	1	—	—	10	45	40		
13 Rheumatic fever ...	M	2	—	—	—	1	—	—	1	—	1	—	—	—	—	—	—	1	—		
	F	4	—	—	—	4	—	—	—	—	6	—	—	—	4	1	1	—	—		
14 Meningitis ...	M	9	2	2	2	1	1	—	1	—	8	3	1	2	—	—	1	—	1		
	F	4	1	—	—	1	2	—	—	—	7	2	1	—	—	1	2	1	—		
15 Organic heart disease ...	M	69	1	—	—	—	2	11	22	33	93	—	—	—	4	2	16	37	34		
	F	91	—	—	—	5	5	13	28	40	96	—	—	—	—	1	10	40	45		
16 Bronchitis ...	M	74	19	5	1	1	—	1	10	37	78	10	4	1	—	—	2	23	38		
	F	67	6	—	—	—	—	3	11	47	74	8	1	—	2	—	1	15	47		
17 Pneumonia (all forms)	M	62	12	9	3	2	2	12	14	8	61	18	7	6	2	2	5	14	7		
	F	50	15	5	3	3	2	7	4	11	52	9	5	3	2	1	6	13	13		
18 Other respiratory diseases	M	10	1	—	—	1	—	3	3	2	24	2	—	—	—	—	4	4	14		
	F	12	2	—	—	—	—	3	4	3	12	1	1	1	—	1	—	3	5		
19 Diarrhoea, &c. ...	M	80	69	7	1	1	—	—	—	2	70	60	3	1	1	—	—	4	1		
	F	72	48	4	3	—	1	1	5	10	80	65	8	2	—	1	—	1	3		
20 Appendicitis and typhlitis	M	15	—	—	1	5	5	1	3	—	7	—	—	1	3	—	3	—	—		
	F	6	—	—	—	1	2	1	1	1	3	—	—	—	1	—	1	—	1		
21 Cirrhosis of liver ...	M	7	—	—	—	—	—	—	5	2	11	—	—	—	—	—	2	8	1		
	F	10	—	—	—	—	—	1	5	4	9	—	—	—	—	—	1	6	2		
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	1	—		
	F	1	—	—	—	—	—	—	1	—	4	—	—	—	—	—	1	3	—		
22 Nephritis and Bright's disease.	M	29	—	—	—	1	1	6	14	7	30	—	1	—	—	1	5	16	7		
	F	21	—	—	—	—	1	5	8	7	31	—	—	—	—	1	5	13	12		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	1	5	—	—	4	—	—	—	—	1	3	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	5	—	—	—	—	1	4	—	—		
25 Congenital debility, &c.	M	60	59	—	1	—	—	—	—	—	56	55	—	1	—	—	—	—	—		
	F	50	50	—	—	—	—	—	—	—	44	43	1	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	35	4	—	—	2	4	10	9	6	31	5	2	1	7	3	4	3	6		
	F	19	6	—	1	1	1	2	1	7	22	2	—	—	1	2	2	8	7		
27 Suicide ...	M	13	—	—	—	—	1	7	4	1	8	—	—	—	—	1	4	3	—		
	F	4	—	—	—	—	—	2	2	—	3	—	—	—	—	1	2	—	—		
28 Other defined diseases ...	M	259	29	4	5	5	7	23	66	120	214	33	4	4	2	4	29	57	81		
	F	277	13	1	7	6	5	27	63	155	260	22	5	2	4	7	23	50	147		
29 Causes ill-defined or unknown.	M	5	—	3	1	—	—	—	1	—	1	—	—	—	—	—	—	1	—		
	F	6	—	2	—	—	—	1	3	—	1	—	1	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1911—cont.

Causes of Death.	Sex.	POPLAR.										ST. MARYLEBONE.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,674	474	162	103	67	65	199	315	289	928	152	46	37	25	28	127	272	241		
	F	1,409	312	144	110	68	49	148	246	332	867	105	42	33	21	22	118	211	315		
1 Enteric fever ...	M	7	—	—	—	2	2	2	1	—	3	—	—	—	—	2	1	—	—		
	F	6	—	—	1	3	1	—	1	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	122	26	53	36	7	—	—	—	—	31	5	15	9	2	—	—	—	—		
	F	103	13	40	46	4	—	—	—	—	35	8	18	9	—	—	—	—	—		
4 Scarlet fever ...	M	6	—	1	5	—	—	—	—	—	3	1	—	1	1	—	—	—	—		
	F	4	—	1	1	2	—	—	—	—	4	1	1	2	—	—	—	—	—		
5 Whooping cough ...	M	20	7	10	3	—	—	—	—	—	15	6	4	4	1	—	—	—	—		
	F	24	9	7	7	1	—	—	—	—	13	6	3	2	2	—	—	—	—		
6 Diphtheria and croup ...	M	29	2	7	14	4	2	—	—	—	2	—	—	1	1	—	—	—	—		
	F	18	3	3	5	7	—	—	—	—	4	—	—	2	1	1	—	—	—		
7 Influenza ...	M	2	—	—	—	—	—	1	1	—	11	1	—	—	1	—	2	4	3		
	F	4	—	—	—	—	—	2	1	1	15	—	—	—	—	—	1	6	8		
8 Erysipelas ...	M	2	—	1	—	—	—	—	1	—	2	—	—	—	—	—	1	1	—		
	F	3	—	—	—	—	—	1	—	2	5	—	—	—	—	—	1	3	1		
9 Pulmonary tuberculosis	M	130	2	1	2	3	23	50	41	8	114	1	—	4	1	7	45	47	9		
	F	90	—	3	3	5	18	41	19	1	64	2	2	2	3	5	30	15	5		
10 Tuberculous meningitis	M	11	4	3	2	2	—	—	—	—	5	3	—	2	—	—	—	—	—		
	F	25	4	7	5	8	1	—	—	—	13	2	3	2	5	1	—	—	—		
11 Other tuberculous diseases.	M	20	2	4	5	5	—	1	3	—	15	3	3	2	—	4	1	1	1		
	F	18	2	1	2	9	—	2	1	1	2	—	—	—	1	—	1	—	—		
12 Cancer, malignant disease	M	86	—	—	—	—	—	10	45	31	90	—	—	—	—	1	4	49	36		
	F	65	—	—	—	—	—	15	32	18	77	—	—	—	—	—	14	32	31		
13 Rheumatic fever ...	M	3	—	—	—	—	—	3	—	—	2	—	—	—	1	—	1	—	—		
	F	3	—	—	—	—	1	2	—	—	6	—	—	—	2	1	—	2	1		
14 Meningitis ...	M	16	6	3	1	2	2	2	—	—	8	5	—	—	3	—	—	—	—		
	F	10	3	3	—	2	—	1	1	—	8	2	1	1	1	1	—	2	—		
15 Organic heart disease ...	M	86	—	1	—	4	6	12	35	28	70	—	—	—	3	1	14	31	21		
	F	138	—	—	2	5	8	21	54	48	83	—	—	1	1	4	10	29	38		
16 Bronchitis ...	M	135	35	4	4	2	—	5	38	47	74	1	2	1	1	1	4	16	48		
	F	117	17	8	4	—	—	3	29	56	88	3	2	2	—	—	1	15	65		
17 Pneumonia (all forms)	M	138	33	26	10	10	3	20	24	12	59	11	10	7	—	1	10	14	6		
	F	110	25	23	19	7	4	9	10	13	55	11	3	2	1	1	12	11	14		
18 Other respiratory diseases	M	25	2	1	2	4	2	5	7	2	21	—	1	—	—	—	4	6	10		
	F	14	2	—	—	—	—	1	6	5	11	—	—	1	—	—	2	4	4		
19 Diarrhoea, &c. ...	M	208	149	37	6	—	2	1	7	6	57	42	4	3	1	—	4	—	3		
	F	150	97	33	4	3	—	4	4	5	42	27	6	1	—	1	2	3	2		
20 Appendicitis and typhlitis	M	7	—	—	—	—	3	1	3	—	7	—	1	—	3	1	—	2	—		
	F	4	—	—	—	2	1	1	—	—	9	—	—	—	1	—	3	3	2		
21 Cirrhosis of liver ...	M	6	—	—	—	1	—	1	3	1	12	—	—	—	—	—	3	7	2		
	F	12	—	—	—	—	—	5	4	3	6	—	—	—	—	—	1	5	—		
21A Alcoholism ...	M	5	—	—	—	—	—	1	3	1	3	—	—	—	—	—	—	3	—		
	F	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	1	—		
22 Nephritis and Bright's disease.	M	45	—	1	1	1	—	10	19	13	35	—	—	—	1	1	5	19	9		
	F	37	1	—	1	1	2	8	16	8	26	—	—	1	—	—	6	11	8		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	2	5	—	—	4	—	—	—	—	1	3	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	1	6	—	—	—	—	—	—	—	—	—	—	—		
25 Congenital debility, &c.	M	129	128	—	—	1	—	—	—	—	49	48	—	—	—	1	—	—	—		
	F	83	83	—	—	—	—	—	—	—	24	24	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	93	11	—	6	11	14	23	18	10	28	5	—	3	4	—	5	5	6		
	F	19	5	3	3	2	—	1	2	3	29	3	3	—	1	—	2	10	10		
27 Suicide ...	M	14	—	—	—	—	—	6	4	4	14	—	—	—	—	3	4	5	2		
	F	4	—	—	—	—	—	2	1	1	5	—	—	—	—	2	2	1	—		
28 Other defined diseases ...	M	322	67	5	6	7	6	44	61	126	191	19	5	—	1	5	18	59	84		
	F	327	48	8	6	7	10	18	63	167	236	16	—	5	2	4	26	7	126		
29 Causes ill-defined or unknown.	M	6	—	4	—	—	—	1	1	—	7	1	1	—	—	—	1	3	1		
	F	5	—	4	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1911—cont.

Causes of Death.	Sex.	ST. PANCRAS.										SHOREDITCH.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,783	341	105	82	62	63	262	464	404	1,210	347	126	81	42	29	158	237	190		
	F	1,608	291	96	70	68	59	219	350	455	1,026	258	113	75	38	42	128	179	193		
1 Enteric fever ...	M	3	—	—	—	—	—	2	1	—	1	—	—	—	—	—	1	—	—		
	F	4	—	—	—	1	1	1	1	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	60	10	26	19	5	—	—	—	—	68	20	19	28	1	—	—	—	—		
	F	48	6	20	18	4	—	—	—	—	60	8	30	18	4	—	—	—	—		
4 Scarlet fever ...	M	6	—	—	2	4	—	—	—	—	4	1	1	2	—	—	—	—	—		
	F	5	—	1	2	2	—	—	—	—	2	—	1	1	—	—	—	—	—		
5 Whooping cough ...	M	22	9	9	4	—	—	—	—	—	14	6	7	1	—	—	—	—	—		
	F	32	8	13	9	2	—	—	—	—	18	8	5	5	—	—	—	—	—		
6 Diphtheria and croup ...	M	21	1	4	6	9	—	1	—	—	13	1	5	6	1	—	—	—	—		
	F	17	2	—	4	11	—	—	—	—	12	1	4	4	2	—	1	—	—		
7 Influenza ...	M	7	1	—	—	1	—	1	4	—	6	2	—	—	—	—	—	4	—		
	F	10	—	—	—	—	—	2	4	4	7	—	—	—	1	—	—	4	2		
8 Erysipelas ...	M	5	1	1	—	—	—	—	2	1	3	—	—	—	—	—	2	1	—		
	F	4	—	—	—	—	—	1	1	2	2	—	—	—	—	—	—	—	2		
9 Pulmonary tuberculosis	M	226	—	—	3	2	30	99	79	13	117	4	4	3	1	9	50	44	2		
	F	124	1	3	3	5	20	58	25	9	89	1	—	5	5	19	42	16	1		
10 Tuberculous meningitis	M	21	2	5	8	5	1	—	—	—	17	4	3	2	7	1	—	—	—		
	F	23	7	3	4	8	1	—	—	—	17	4	5	8	—	—	—	—	—		
11 Other tuberculous diseases.	M	32	3	3	3	7	3	6	5	2	21	9	2	6	1	—	2	1	—		
	F	13	—	2	2	1	2	2	1	3	13	2	2	4	3	1	—	—	1		
12 Cancer, malignant disease	M	122	—	—	—	—	2	9	56	55	51	—	—	—	—	—	6	29	16		
	F	153	—	—	1	—	—	31	64	57	40	—	—	—	—	1	5	17	17		
13 Rheumatic fever ...	M	7	—	—	—	2	1	3	1	—	3	—	—	—	1	1	—	1	—		
	F	4	—	—	—	1	—	2	1	—	2	—	—	1	—	—	1	—	—		
14 Meningitis ...	M	12	3	3	3	2	—	1	—	—	6	2	—	—	2	1	—	1	—		
	F	18	7	4	2	2	1	1	—	1	5	3	—	1	1	—	—	—	—		
15 Organic heart disease ...	M	128	—	—	—	—	2	18	52	56	47	—	—	—	1	2	13	18	13		
	F	162	—	—	1	4	8	22	65	62	71	—	—	—	3	6	21	28	13		
16 Bronchitis ...	M	115	25	2	—	2	—	9	33	44	118	27	7	2	—	1	10	29	42		
	F	111	11	4	1	2	—	2	22	69	97	15	6	1	1	8	22	43	43		
17 Pneumonia (all forms)	M	156	35	16	11	3	3	18	38	32	142	33	31	12	9	4	19	21	13		
	F	132	35	20	12	5	4	14	21	21	91	25	16	11	3	1	8	13	14		
18 Other respiratory diseases	M	22	1	1	2	1	—	4	8	5	12	2	2	—	—	—	2	4	2		
	F	21	2	1	1	2	—	3	8	4	18	5	2	3	—	—	3	4	1		
19 Diarrhoea, &c. ...	M	131	87	23	3	1	—	3	5	9	138	90	28	12	1	—	1	2	4		
	F	116	82	14	4	—	—	1	5	10	117	78	28	4	1	—	—	2	4		
20 Appendicitis and typhlitis	M	12	—	—	—	3	3	—	4	2	5	—	—	—	2	—	2	1	—		
	F	5	—	—	1	1	—	1	2	—	1	—	—	—	—	1	—	—	—		
21 Cirrhosis of liver ...	M	20	—	—	—	—	—	3	14	3	17	—	—	—	—	—	8	8	1		
	F	22	—	—	—	—	—	5	13	4	13	—	—	—	—	—	4	9	—		
21A Alcoholism ...	M	8	—	—	—	—	—	4	4	—	3	—	—	—	—	—	—	2	1		
	F	4	—	—	—	—	—	1	2	1	1	—	—	—	—	—	1	—	—		
22 Nephritis and Bright's disease.	M	58	—	—	—	1	1	8	28	20	23	—	1	—	1	—	5	6	10		
	F	51	—	—	—	1	1	7	26	16	36	—	—	—	1	3	5	17	10		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	13	—	—	—	—	4	9	—	—	3	—	—	—	—	2	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	1	6	—	—	3	—	—	—	—	—	3	—	—		
25 Congenital debility, &c.	M	117	116	1	—	—	—	—	—	—	91	90	—	1	—	—	—	—	—		
	F	81	80	1	—	—	—	—	—	—	64	64	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	73	16	1	9	12	7	12	12	4	66	15	4	4	8	4	11	10	10		
	F	35	11	2	2	6	2	2	6	4	43	14	2	3	6	—	2	6	10		
27 Suicide ...	M	25	—	—	—	—	1	12	9	3	6	—	—	—	—	—	1	5	—		
	F	10	—	—	—	—	1	4	3	2	1	—	—	—	—	—	—	1	—		
28 Other defined diseases ...	M	370	31	8	9	2	9	49	108	154	215	41	11	2	6	6	25	49	75		
	F	378	39	5	3	10	13	43	79	186	197	30	9	6	7	7	23	40	75		
29 Causes ill-defined or unknown.	M	4	—	2	—	—	—	—	1	1	3	—	1	—	—	—	—	1	1		
	F	5	—	3	—	—	—	1	1	—	3	—	3	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1911—cont.

Causes of Death.				Sex.	SOUTHWARK.										STEPNEY.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...				M	1,919	433	160	109	60	66	266	457	368	2,568	657	261	132	81	98	352	580	407		
				F	1,626	387	133	92	55	56	173	342	388	2,290	608	209	160	79	76	275	428	455		
1	Enteric fever ...	M	3	—	—	—	—	—	—	2	1	—	2	—	—	—	—	—	1	—	1			
		F	2	—	—	—	—	1	—	—	1	—	4	—	—	—	1	—	2	1	—			
2	Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—			
		F	—	—	—	—	—	—	—	—	—	—	5	—	—	2	—	—	3	—	—			
3	Measles ...	M	64	20	28	12	4	—	—	—	—	—	145	29	79	31	6	—	—	—	—			
		F	56	11	25	19	1	—	—	—	—	—	158	42	64	45	7	—	—	—	—			
4	Scarlet fever ...	M	1	—	—	1	—	—	—	—	—	—	4	—	1	3	—	—	—	—	—			
		F	5	—	1	3	—	—	—	1	—	—	3	1	1	—	1	—	—	—	—			
5	Whooping cough ...	M	30	9	10	9	2	—	—	—	—	—	27	10	9	7	1	—	—	—	—			
		F	34	13	12	9	—	—	—	—	—	—	22	6	8	6	2	—	—	—	—			
6	Diphtheria and croup	M	13	—	6	7	—	—	—	—	—	—	20	4	9	5	2	—	—	—	—			
		F	17	—	5	8	4	—	—	—	—	—	15	3	4	7	1	—	—	—	—			
7	Influenza ...	M	4	—	—	—	—	2	—	2	—	—	15	1	—	—	—	1	1	9	3			
		F	8	—	—	—	1	—	—	—	7	—	11	—	—	—	—	1	1	3	6			
8	Erysipelas ...	M	6	2	—	—	—	—	1	1	2	—	7	2	—	—	—	1	—	4	—			
		F	6	—	—	—	—	1	—	2	3	—	11	2	—	—	—	1	4	2	2			
9	Pulmonary tuberculosis	M	213	2	1	6	4	22	94	78	6	—	312	2	7	8	7	27	158	87	16			
		F	128	2	2	3	5	21	59	31	5	—	188	3	6	6	8	26	77	50	12			
10	Tuberculous meningitis	M	21	1	9	6	4	—	1	—	—	—	38	5	5	13	12	2	1	—	—			
		F	16	4	3	3	6	—	—	—	—	—	26	5	4	11	6	—	—	—	—			
11	Other tuberculous diseases.	M	28	10	4	6	2	3	1	2	—	—	40	7	9	11	5	4	1	3	—			
		F	17	7	1	3	3	2	—	—	1	—	45	11	9	8	4	5	2	4	2			
12	Cancer, malignant disease	M	98	—	—	—	1	1	7	45	44	—	137	—	—	—	3	4	12	73	45			
		F	113	—	—	—	1	1	14	62	35	—	108	—	—	1	—	—	22	52	33			
13	Rheumatic fever ...	M	9	—	—	2	3	—	1	3	—	—	4	—	—	—	2	2	—	—	—			
		F	5	—	—	—	2	2	1	—	—	—	8	—	—	—	4	—	1	3	—			
14	Meningitis ...	M	13	6	3	2	—	—	2	—	—	—	20	6	6	3	1	2	—	2	—			
		F	16	8	4	—	3	1	—	—	—	—	20	6	4	6	3	—	—	1	—			
15	Organic heart disease ...	M	114	—	—	—	6	8	16	47	37	—	149	—	—	—	4	12	28	62	43			
		F	117	—	—	—	4	5	15	59	34	—	157	—	—	1	7	12	30	51	56			
16	Bronchitis ...	M	184	33	8	4	1	—	14	44	80	—	201	35	11	2	—	1	11	71	70			
		F	155	18	7	—	2	1	4	28	95	—	179	16	10	2	1	1	8	57	84			
17	Pneumonia (all forms)	M	213	47	40	19	3	6	28	46	24	—	294	78	53	21	8	10	33	63	28			
		F	160	50	34	22	6	2	15	18	13	—	203	64	37	31	3	3	21	30	14			
18	Other respiratory diseases	M	47	3	1	6	1	1	7	18	10	—	38	2	3	6	2	2	5	10	8			
		F	22	2	4	2	—	1	1	4	8	—	17	2	2	1	1	2	2	4	3			
19	Diarrhoea, &c. ...	M	173	124	26	8	1	2	3	3	6	—	274	194	52	8	1	—	3	9	7			
		F	180	124	26	9	1	2	3	8	7	—	255	195	30	10	2	—	—	7	11			
20	Appendicitis and typhlitis	M	12	1	—	1	5	2	1	2	—	—	13	—	—	1	6	2	1	2	1			
		F	10	—	—	1	3	1	1	3	1	—	8	—	—	—	4	1	2	1	—			
21	Cirrhosis of liver ...	M	11	—	—	—	1	—	2	7	1	—	12	—	—	—	—	—	3	8	1			
		F	14	—	—	—	—	—	2	11	1	—	11	—	—	—	1	—	2	6	2			
21a	Alcoholism ...	M	7	—	—	—	—	—	3	3	1	—	4	—	—	—	—	—	1	2	1			
		F	5	—	—	—	—	—	3	1	1	—	5	—	—	—	—	—	3	1	1			
22	Nephritis and Bright's disease.	M	92	—	1	1	1	1	16	38	34	—	72	2	—	1	2	1	8	38	20			
		F	56	1	—	1	1	1	9	22	21	—	79	2	1	2	2	3	19	39	11			
23	Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
		F	2	—	—	—	—	—	2	—	—	—	11	—	—	—	—	2	9	—	—			
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
		F	7	—	—	—	—	3	4	—	—	—	13	—	—	—	—	2	11	—	—			
25	Congenital debility, &c.	M	121	120	1	—	—	—	—	—	—	—	179	179	—	—	—	—	—	—	—			
		F	99	99	—	—	—	—	—	—	—	—	157	156	1	—	—	—	—	—	—			
26	Violence, apart from suicide.	M	98	11	6	12	13	6	17	24	9	—	99	8	5	4	10	5	22	29	16			
		F	41	8	2	3	3	—	6	9	10	—	70	22	8	6	6	—	5	9	14			
27	Suicide ...	M	16	—	—	—	—	4	5	7	—	—	24	—	—	—	—	2	12	7	3			
		F	7	—	—	—	—	1	5	1	—	—	11	—	—	—	—	1	5	4	1			
28	Other defined diseases	M	322	44	14	4	8	8	45	85	114	—	431	92	8	7	9	20	51	101	143			
		F	325	40	6	6	8	11	27	81	146	—	481	72	13	15	15	16	46	101	203			
29	Causes ill-defined or unknown.	M	6	—	2	3	—	—	—	1	—	—	5	—	4	—	—	—	—	—	1			
		F	3	—	1	—	—	—	—	2	—	—	9	—	7	—	—	—	—	2	—			

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1911—cont.

Causes of Death.		Sex.	STOKE NEWINGTON.										WANDSWORTH.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...		M	317	56	11	11	9	14	55	67	94	1,857	448	105	96	86	70	231	376	445		
		F	344	51	14	11	12	7	39	71	139	1,967	381	108	103	66	63	232	375	639		
1	Enteric fever ...	M	—	—	—	—	—	—	—	—	—	5	—	—	—	2	1	2	—	—		
		F	1	—	—	—	1	—	—	—	—	4	—	—	—	—	1	2	—	1		
2	Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles ...	M	15	6	4	4	1	—	—	—	—	122	24	39	41	18	—	—	—	—		
		F	12	2	5	3	1	—	1	—	—	109	18	41	35	13	1	1	—	—		
4	Scarlet fever ...	M	2	—	—	—	1	1	—	—	—	4	—	—	1	3	—	—	—	—		
		F	1	—	—	1	—	—	—	—	—	7	—	1	3	2	—	1	—	—		
5	Whooping cough ...	M	9	4	2	2	1	—	—	—	—	36	13	15	6	2	—	—	—	—		
		F	9	2	5	2	—	—	—	—	—	35	17	13	4	1	—	—	—	—		
6	Diphtheria and croup ...	M	2	1	—	1	—	—	—	—	—	11	—	—	7	4	—	—	—	—		
		F	1	—	—	—	1	—	—	—	—	23	3	—	8	11	—	—	1	—		
7	Influenza ...	M	2	—	—	—	—	—	1	1	—	13	—	1	1	—	1	2	6	2		
		F	1	—	—	—	—	—	—	1	—	14	—	—	—	—	1	2	2	9		
8	Erysipelas ...	M	6	—	—	—	—	—	1	3	2	6	1	—	—	—	—	2	—	3		
		F	1	1	—	—	—	—	—	—	—	4	—	—	—	—	—	1	1	2		
9	Pulmonary tuberculosis	M	34	—	—	—	1	4	16	11	2	163	3	3	—	2	22	76	46	11		
		F	25	—	—	—	1	2	15	6	1	131	2	1	2	4	22	56	34	10		
10	Tuberculous meningitis	M	5	—	—	2	2	1	—	—	—	28	8	4	7	8	1	—	—	—		
		F	1	1	—	—	—	—	—	—	—	21	4	4	8	4	—	1	—	—		
11	Other tuberculous diseases.	M	3	1	—	—	—	—	1	1	—	29	3	2	1	5	8	5	4	1		
		F	4	—	—	—	2	—	—	—	2	20	3	—	4	2	2	4	3	2		
12	Cancer, malignant disease	M	30	—	—	—	—	2	—	12	16	121	—	—	—	—	2	7	59	53		
		F	34	—	—	—	—	—	4	15	15	204	—	—	—	1	1	28	99	75		
13	Rheumatic fever ...	M	1	—	—	—	—	—	1	—	—	6	—	—	1	3	1	—	1	—		
		F	1	—	—	—	1	—	—	—	—	14	—	—	—	4	4	3	3	—		
14	Meningitis ...	M	1	—	1	—	—	—	—	—	—	13	3	—	1	4	3	1	1	—		
		F	2	1	—	1	—	—	—	—	—	11	3	3	2	2	—	1	—	—		
15	Organic heart disease ...	M	22	—	—	—	1	2	4	5	10	122	—	—	—	4	4	18	40	56		
		F	32	—	—	—	1	1	4	8	18	179	—	—	—	5	5	26	50	93		
16	Bronchitis ...	M	22	3	1	—	—	—	1	3	14	73	12	2	3	—	—	1	11	44		
		F	35	6	—	—	—	—	2	6	21	120	23	7	1	—	—	3	13	73		
17	Pneumonia ...	M	22	3	2	2	—	—	6	3	6	148	41	16	12	8	7	19	26	19		
		F	17	5	1	1	1	1	1	4	3	114	37	14	15	2	—	7	19	20		
18	Other respiratory diseases	M	5	—	—	—	—	1	—	1	3	37	6	1	1	—	1	4	6	18		
		F	8	1	—	—	—	—	—	3	4	29	1	2	2	1	—	1	5	17		
19	Diarrhoea, &c. ...	M	20	16	1	—	—	—	1	1	1	167	136	13	2	2	1	3	4	6		
		F	17	9	3	1	—	—	—	1	3	180	136	11	4	1	2	5	4	17		
20	Appendicitis and typhlitis	M	2	—	—	—	—	—	1	—	1	17	—	—	2	3	2	5	4	1		
		F	2	—	—	—	—	1	1	—	—	11	—	—	—	3	3	2	2	1		
21	Cirrhosis of liver ...	M	3	—	—	—	—	—	2	—	1	16	—	—	—	—	—	2	8	6		
		F	5	—	—	—	—	—	—	3	2	17	—	—	—	—	—	4	11	2		
21A	Alcoholism ...	M	2	—	—	—	—	—	2	—	—	4	—	—	—	—	—	—	4	—		
		F	2	—	—	—	—	—	—	2	—	6	—	—	—	—	—	2	4	—		
22	Nephritis and Bright's disease.	M	13	—	—	—	—	—	4	4	5	58	1	1	—	1	2	7	26	20		
		F	10	1	—	—	—	—	2	2	5	54	—	—	2	1	3	8	14	26		
23	Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	10	—	—	—	—	—	10	—	—		
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	15	—	—	—	—	2	12	1	—		
25	Congenital debility, &c.	M	14	14	—	—	—	—	—	—	—	131	129	1	—	—	—	1	—	—		
		F	14	14	—	—	—	—	—	—	—	101	100	—	1	—	—	—	—	—		
26	Violence, apart from suicide.	M	10	—	—	—	—	2	5	3	—	64	4	1	5	10	2	21	15	6		
		F	3	1	—	1	—	—	1	—	—	32	2	2	4	1	2	6	6	9		
27	Suicide ...	M	3	—	—	—	—	1	2	—	—	14	—	—	—	—	2	3	4	5		
		F	1	—	—	—	—	—	1	—	—	7	—	—	—	—	1	4	2	—		
28	Other defined diseases ...	M	68	7	—	—	2	—	7	19	33	446	64	4	5	7	10	52	110	194		
		F	104	7	—	1	3	2	7	19	65	491	32	8	8	8	13	42	99	281		
29	Causes ill-defined or unknown.	M	1	1	—	—	—	—	—	—	—	3	—	2	—	—	—	—	1	—		
		F	1	—	—	—	—	—	—	1	—	4	—	1	—	—	—	—	2	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1911—*cont.*

Causes of Death.	Sex.	WESTMINSTER.										WOOLWICH.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,135	143	37	25	20	36	179	373	322	820	150	40	29	34	30	130	209	198		
	F	883	99	30	29	12	36	124	214	339	746	122	40	26	32	33	91	167	235		
1 Enteric fever ...	M	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	9	2	3	2	1	—	—	1	—	13	2	6	4	1	—	—	—	—		
	F	14	1	6	6	—	—	1	—	—	15	—	9	6	—	—	—	—	—		
4 Scarlet fever ...	M	2	—	—	1	1	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	2	—	1	—	1	—	—	—	—	2	—	—	2	—	—	—	—	—		
5 Whooping cough ...	M	17	9	5	2	1	—	—	—	—	1	—	1	—	—	—	—	—	—		
	F	10	6	2	2	—	—	—	—	—	5	2	2	1	—	—	—	—	—		
6 Diphtheria and croup ...	M	5	1	1	2	1	—	—	—	—	6	—	—	3	3	—	—	—	—		
	F	9	1	2	3	2	1	—	—	—	6	—	1	2	3	—	—	—	—		
7 Influenza ...	M	9	—	—	—	—	—	—	4	5	11	2	—	—	—	—	1	4	4		
	F	6	—	—	—	—	—	1	1	4	12	—	—	—	—	—	2	6	4		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	6	—	—	—	—	1	2	2	1		
	F	3	—	—	—	—	—	—	2	1	2	—	1	—	—	—	1	—	—		
9 Pulmonary tuberculosis	M	139	1	1	—	—	12	68	41	16	97	1	—	—	3	12	44	30	7		
	F	65	1	1	1	1	11	29	16	5	70	—	—	1	2	18	26	21	2		
10 Tuberculous meningitis	M	14	1	5	4	2	2	—	—	—	11	1	4	4	1	1	—	—	—		
	F	12	—	4	2	1	1	3	1	—	10	2	3	1	3	—	1	—	—		
11 Other tuberculous diseases.	M	10	3	—	1	1	—	3	2	—	14	4	3	3	1	1	—	1	1		
	F	7	1	1	—	—	—	3	1	1	13	2	—	—	4	2	2	3	—		
12 Cancer, malignant disease	M	107	—	—	—	—	—	9	62	36	65	—	1	—	—	—	5	34	25		
	F	104	—	—	—	—	1	13	44	46	64	—	—	—	—	1	8	28	27		
13 Rheumatic fever ...	M	5	—	—	1	2	—	2	—	—	2	—	—	—	2	—	—	—	—		
	F	4	—	—	—	1	—	1	2	—	4	—	—	1	—	—	1	2	—		
14 Meningitis ...	M	8	3	1	1	—	1	—	1	1	8	4	2	1	1	—	—	—	—		
	F	7	2	1	2	—	2	—	—	—	8	3	2	1	2	—	—	—	—		
15 Organic heart disease ...	M	102	—	—	—	—	4	13	43	42	68	—	—	—	2	3	8	34	21		
	F	114	—	1	—	—	1	12	35	65	82	—	—	1	5	1	7	33	35		
16 Bronchitis ...	M	71	6	1	—	—	—	2	22	40	39	5	1	—	1	1	—	8	23		
	F	59	9	1	2	—	—	1	10	36	46	7	1	—	—	—	1	7	30		
17 Pneumonia (all forms)	M	101	20	11	4	2	2	16	25	21	62	9	9	4	1	2	15	15	7		
	F	64	10	2	6	—	3	6	12	25	33	4	5	5	4	—	3	1	11		
18 Other respiratory diseases	M	14	1	—	—	1	1	1	6	4	8	1	2	—	—	1	3	1	—		
	F	12	—	—	—	—	—	—	5	7	6	1	1	—	—	—	—	3	1		
19 Diarrhoea, &c. ...	M	48	33	2	1	—	—	5	6	1	67	48	7	2	—	1	—	3	6		
	F	35	21	6	—	1	1	1	1	4	66	40	8	4	3	1	2	3	5		
20 Appendicitis and typhlitis	M	7	—	—	—	2	—	1	4	—	5	—	—	—	1	1	2	—	1		
	F	9	—	—	—	1	2	3	2	1	4	—	—	—	1	—	3	—	—		
21 Cirrhosis of liver ...	M	15	—	—	—	—	—	—	12	2	6	—	—	—	—	—	1	4	1		
	F	17	—	—	—	—	—	5	10	2	10	—	—	—	—	—	3	6	1		
21A Alcoholism ...	M	7	—	—	—	—	—	3	4	—	4	—	—	—	—	—	—	4	—		
	F	3	—	—	—	—	—	1	2	—	2	—	—	—	—	—	2	—	—		
22 Nephritis and Bright's disease.	M	53	—	—	—	—	1	6	27	19	20	—	—	—	2	1	3	5	9		
	F	34	—	—	—	—	1	5	17	11	19	—	—	—	—	1	4	8	6		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	—	5	—	—	5	—	—	—	—	1	4	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	2	—	—	4	—	—	—	—	—	—	—	—		
25 Congenital debility, &c.	M	48	48	—	—	—	—	—	—	—	42	40	1	1	—	—	—	—	—		
	F	35	34	—	—	—	—	1	—	—	48	48	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	38	1	1	1	1	5	9	15	5	33	4	2	3	7	2	6	3	6		
	F	18	—	1	1	2	2	4	4	4	12	2	1	—	2	—	1	2	4		
27 Suicide ...	M	13	—	—	—	—	1	3	7	2	11	—	—	—	—	—	6	5	—		
	F	6	—	—	—	—	1	3	2	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	288	13	6	4	5	6	37	89	128	219	29	—	3	8	3	34	56	86		
	F	223	13	1	4	2	6	23	47	127	196	11	5	1	3	7	18	43	108		
29 Causes ill-defined or unknown.	M	3	1	—	1	—	—	—	1	—	1	—	1	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	2	—	1	—	—	—	—	—	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1911.

Causes of Death.		Sex.	BARROW IN FURNESS.										BATH.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	458	117	22	30	25	16	54	100	94	321	50	7	7	7	12	38	77	123	
			F	348	70	15	18	21	18	46	70	90	402	39	5	7	11	16	40	79	205	
1	Enteric fever	...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
			F	3	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	
2	Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles	...	M	3	—	—	2	—	1	—	—	—	—	1	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	Scarlet fever	...	M	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	2	—	—	1	1	—	—	—	—	1	—	—	1	—	—	—	—	—	
5	Whooping cough	...	M	6	3	—	3	—	—	—	—	—	4	1	—	2	—	—	—	1	—	
			F	4	2	1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
6	Diphtheria and croup	...	M	7	2	—	4	1	—	—	—	—	2	—	1	—	—	—	1	—	—	
			F	12	—	—	5	6	—	—	1	—	—	—	—	—	—	—	—	—	—	
7	Influenza	...	M	1	—	—	—	—	—	—	—	1	4	—	—	—	—	—	—	—	4	
			F	—	—	—	—	—	—	—	—	—	6	—	—	—	—	1	1	—	4	
8	Erysipelas	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9	Pulmonary tuberculosis	{	M	41	—	2	2	1	5	14	16	1	25	1	—	—	1	3	9	11	—	
			F	21	—	—	—	1	8	6	5	1	26	—	—	—	2	5	12	5	2	
10	Tuberculous meningitis	{	M	3	1	—	—	1	1	—	—	—	3	—	—	1	—	1	—	—	—	
			F	3	1	1	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	
11	Other tuberculous diseases.	{	M	10	5	2	—	2	—	—	—	1	1	—	—	1	—	—	—	—	—	
			F	6	2	2	—	1	1	—	—	—	4	1	1	2	—	—	—	—	—	
12	Cancer, malignant disease	{	M	15	—	—	—	1	—	—	10	4	21	—	—	—	—	1	7	13	18	
			F	25	—	—	—	—	—	—	2	14	9	49	—	—	1	—	7	16	25	
13	Rheumatic fever	...	M	1	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	
			F	1	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	
14	Meningitis	...	M	13	5	1	2	4	—	1	—	—	6	2	—	1	—	—	2	1	—	
			F	6	1	1	1	2	1	—	—	—	2	—	—	—	1	1	—	—	—	
15	Organic heart disease	...	M	33	—	—	—	3	2	4	14	10	40	—	—	—	—	2	3	16	19	
			F	34	—	—	—	1	4	7	9	13	50	—	—	—	1	3	3	15	28	
16	Bronchitis	...	M	29	7	4	3	—	—	—	5	10	20	2	—	—	—	—	—	3	15	
			F	30	7	—	—	1	—	1	7	14	36	1	—	—	—	—	1	4	30	
17	Pneumonia (all forms)	{	M	31	4	2	3	1	2	8	5	6	18	4	3	—	—	1	3	4	3	
			F	17	3	3	2	2	2	3	—	2	17	6	1	1	—	2	1	—	6	
18	Other respiratory diseases	{	M	6	—	—	1	—	—	1	2	2	10	1	—	—	—	—	1	1	7	
			F	2	—	—	—	—	—	—	1	—	1	14	—	—	—	1	1	1	10	
19	Diarrhoea, &c.	...	M	31	21	6	—	2	—	1	1	—	22	11	3	—	—	—	4	3	1	
			F	19	9	4	1	—	—	2	1	2	14	8	3	1	—	—	—	1	1	
20	Appendicitis and typhlitis	{	M	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	1	—	
			F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	—	1	
21	Cirrhosis of liver	...	M	3	—	—	—	—	—	1	1	1	4	—	—	—	—	—	1	3	—	
			F	4	—	—	—	—	—	2	2	—	11	—	—	—	—	—	1	7	3	
21A	Alcoholism	...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	
22	Nephritis and Bright's disease.	{	M	10	1	—	1	2	1	1	3	1	11	—	—	—	1	—	1	4	5	
			F	8	—	—	1	—	—	—	2	3	2	17	—	—	—	—	1	2	5	9
23	Puerperal fever...	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	4	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	
24	Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	3	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—
25	Congenital debility, &c.	{	M	42	40	2	—	—	—	—	—	—	16	16	—	—	—	—	—	—	—	
			F	27	27	—	—	—	—	—	—	—	—	14	14	—	—	—	—	—	—	—
26	Violence, apart from suicide.	{	M	22	1	—	5	3	1	7	3	2	12	1	—	1	1	—	2	5	2	
			F	4	—	—	1	1	—	—	1	—	1	7	—	—	1	—	—	2	4	4
27	Suicide	...	M	4	—	—	—	—	—	3	—	1	8	—	—	—	—	1	4	3	—	
			F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	
28	Other defined diseases	...	M	138	24	3	2	3	3	11	39	53	90	11	—	2	3	2	4	14	54	
			F	104	15	2	2	3	1	11	25	45	122	7	—	1	3	2	8	20	81	
29	Causes ill-defined or unknown.	{	M	4	3	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	
			F	9	3	1	2	1	1	—	—	1	—	2	—	—	—	—	—	1	—	1

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1911—*cont.*

Causes of Death.	Sex.	BIRKENHEAD.										BIRMINGHAM.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	1,119	268	69	57	42	51	157	257	218	4,879	1392	366	245	161	162	634	1029	890		
	F	988	241	77	65	49	29	121	182	224	4,663	1154	354	243	187	158	527	935	1105		
1 Enteric fever	M	6	—	—	—	—	—	2	4	—	14	—	—	—	1	6	6	1	—		
	F	3	—	—	—	—	1	1	1	—	15	—	—	—	3	4	5	3	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
3 Measles	M	14	4	4	3	3	—	—	—	—	172	38	74	53	7	—	—	—	—		
	F	9	1	4	4	—	—	—	—	—	138	24	55	49	10	—	—	—	—		
4 Scarlet fever	M	1	—	—	—	—	—	1	—	—	23	1	—	13	7	—	1	1	—		
	F	4	1	—	—	1	1	1	—	—	44	3	4	22	13	—	2	—	—		
5 Whooping cough	M	14	8	3	3	—	—	—	—	—	52	24	19	6	3	—	—	—	—		
	F	17	5	7	5	—	—	—	—	—	61	18	24	14	5	—	—	—	—		
6 Diphtheria and croup	M	16	—	2	7	6	1	—	—	—	48	5	8	14	21	—	—	—	—		
	F	14	1	2	5	6	—	—	—	—	29	—	4	12	12	—	1	—	—		
7 Influenza	M	1	—	—	—	—	1	—	—	—	32	1	2	—	1	3	5	10	10		
	F	2	—	—	—	—	—	—	—	2	30	1	1	1	1	1	5	10	10		
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	9	3	—	—	—	—	1	4	1		
	F	—	—	—	—	—	—	—	—	—	13	—	1	—	—	—	2	4	6		
9 Pulmonary tuberculosis {	M	96	1	1	3	2	17	37	32	3	506	6	5	4	5	66	245	153	22		
	F	67	—	—	5	10	9	31	12	—	295	1	3	6	15	60	122	75	13		
10 Tuberculous meningitis {	M	8	4	1	1	1	—	1	—	—	32	5	8	10	4	3	2	—	—		
	F	6	2	—	3	1	—	—	—	—	29	8	4	8	8	1	—	—	—		
11 Other tuberculous diseases.	M	26	6	4	4	5	3	2	2	—	60	23	9	6	7	5	5	4	1		
	F	19	7	—	5	4	—	2	1	—	52	14	6	13	5	2	5	6	1		
12 Cancer, malignant disease {	M	59	—	—	—	—	2	4	34	19	206	—	—	1	3	3	21	114	64		
	F	64	—	—	—	—	—	10	28	26	314	—	—	—	1	5	48	142	118		
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	10	—	—	—	4	1	2	2	1		
	F	1	—	—	—	—	—	—	1	—	16	—	—	—	5	3	4	4	—		
14 Meningitis	M	16	3	3	2	4	1	1	2	—	67	28	12	12	5	3	5	1	1		
	F	20	3	6	3	4	1	1	—	2	68	16	16	11	10	2	9	4	—		
15 Organic heart disease	M	81	—	—	—	1	3	17	36	24	255	—	1	1	16	11	40	106	80		
	F	90	1	—	1	1	3	15	35	34	350	—	—	—	20	15	54	140	121		
16 Bronchitis	M	82	23	6	2	—	1	6	17	27	412	94	19	9	1	2	28	116	143		
	F	75	21	5	2	—	—	5	13	29	412	75	30	10	5	2	22	92	176		
17 Pneumonia (all forms) {	M	128	21	17	13	6	8	26	21	16	418	90	85	44	16	17	68	62	36		
	F	80	23	10	13	6	4	9	7	8	306	76	66	34	19	8	28	45	30		
18 Other respiratory diseases {	M	18	1	2	2	1	2	2	5	3	56	5	1	4	—	3	8	22	13		
	F	19	—	2	2	1	—	3	9	2	51	6	5	4	—	—	7	12	17		
19 Diarrhoea, &c.	M	135	97	20	4	1	—	3	6	4	518	374	65	20	5	1	8	20	25		
	F	120	73	28	6	1	—	2	4	6	507	348	76	24	4	1	6	21	27		
20 Appendicitis and typhlitis {	M	2	—	—	1	—	—	1	—	—	28	—	—	1	11	4	5	4	3		
	F	3	—	—	—	1	1	1	—	—	20	—	—	1	5	1	6	7	—		
21 Cirrhosis of liver	M	9	—	—	—	—	—	3	3	3	28	—	—	—	—	—	5	19	4		
	F	6	—	—	—	—	—	—	6	—	30	—	—	—	—	—	7	20	3		
21A Alcoholism	M	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	1	—		
	F	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	1	4	—		
22 Nephritis and Bright's disease.	M	24	—	—	2	1	1	5	9	6	118	2	1	3	3	—	34	45	30		
	F	23	—	—	1	1	—	2	14	5	106	1	3	1	4	6	15	46	30		
23 Puerperal fever... ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	1	4	—	—	31	—	—	—	—	5	26	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	8	—	—	—	—	1	7	—	—	28	—	—	—	—	—	28	—	—		
25 Congenital debility, &c. {	M	66	65	1	—	—	—	—	—	—	476	474	1	—	1	—	—	—	—		
	F	53	53	—	—	—	—	—	—	—	373	372	—	—	—	1	—	—	—		
26 Violence, apart from suicide.	M	48	3	1	3	5	6	16	9	5	172	45	6	14	15	13	27	31	21		
	F	22	3	5	3	3	—	4	—	4	127	40	10	14	14	6	6	17	20		
27 Suicide	M	12	—	—	—	—	—	5	6	1	51	—	—	—	1	3	22	21	4		
	F	2	—	—	—	—	1	1	—	—	19	—	—	—	—	1	9	5	4		
28 Other defined diseases	M	254	32	4	6	6	5	24	70	107	1,032	174	26	19	23	18	90	262	420		
	F	250	47	7	6	8	6	21	49	106	1,120	150	25	12	27	31	96	258	521		
29 Causes ill-defined or unknown.	M	2	—	—	1	—	—	—	1	—	82	—	24	11	1	—	5	30	11		
	F	6	—	1	1	1	—	1	2	—	73	1	21	7	1	3	13	19	8		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1911—*cont.*

Causes of Death.		Sex.	BLACKBURN										BLACKPOOL.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	...	M	1,065	284	70	48	39	44	123	243	214	434	66	12	10	10	18	64	143	111		
	...	F	1,098	253	50	52	46	53	137	238	269	463	64	21	13	11	19	61	120	154		
1 Enteric fever	...	M	5	—	—	—	—	1	3	1	—	4	—	—	—	—	—	4	—	—		
	...	F	4	—	—	—	—	1	1	2	—	3	—	—	—	—	—	1	1	1		
2 Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	...	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	...	M	13	2	6	5	—	—	—	—	—	7	2	1	2	2	—	—	—	—		
	...	F	17	3	8	6	—	—	—	—	—	7	3	4	—	—	—	—	—	—		
4 Scarlet fever	...	M	6	1	—	2	1	2	—	—	—	2	—	1	1	—	—	—	—	—		
	...	F	5	—	1	2	2	—	—	—	—	1	—	—	—	—	—	—	—	—		
5 Whooping cough	...	M	25	13	7	5	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
	...	F	29	17	7	4	1	—	—	—	—	6	2	3	1	—	—	—	—	—		
6 Diphtheria and croup	...	M	14	—	3	3	8	—	—	—	—	2	—	—	2	—	—	—	—	—		
	...	F	17	2	—	5	10	—	—	—	—	6	—	—	3	3	—	—	—	—		
7 Influenza	...	M	7	2	—	—	1	—	—	2	2	1	—	—	—	—	1	—	—	—		
	...	F	7	1	—	—	—	—	1	4	1	2	—	—	—	—	—	1	1	1		
8 Erysipelas	...	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—		
	...	F	1	—	—	—	—	—	—	—	1	3	—	—	—	—	—	2	1	1		
9 Pulmonary tuberculosis	{	M	67	—	—	2	2	11	33	19	—	29	—	—	—	—	4	9	13	3		
		F	60	—	—	—	2	21	24	12	1	32	—	—	—	4	11	11	4	2		
10 Tuberculous meningitis	{	M	7	1	2	4	—	—	—	—	—	3	1	1	1	—	—	—	—	—		
		F	7	2	—	1	2	1	—	1	—	3	—	1	1	1	—	—	—	—		
11 Other tuberculous diseases.	{	M	12	4	1	2	3	1	1	—	—	4	—	1	—	1	1	—	—	1		
		F	15	4	1	4	1	1	4	—	—	5	1	2	—	—	—	—	1	1		
12 Cancer, malignant disease	{	M	40	—	—	1	—	—	4	24	11	34	—	—	—	—	—	4	18	12		
		F	77	—	—	—	—	—	—	8	47	22	47	—	—	—	—	8	19	20		
13 Rheumatic fever	...	M	2	—	—	—	1	—	1	—	—	2	—	—	—	—	—	—	—	—		
	...	F	7	—	—	—	—	4	3	—	—	4	—	—	—	2	—	2	—	—		
14 Meningitis	...	M	11	7	—	—	3	—	1	—	—	2	1	1	—	—	—	—	—	—		
	...	F	8	2	1	2	2	—	—	—	1	8	1	—	5	—	—	1	1	—		
15 Organic heart disease	...	M	71	—	—	1	—	9	10	30	21	42	—	—	—	1	2	3	18	18		
	...	F	109	—	—	—	4	9	18	43	35	54	—	—	—	1	—	8	22	23		
16 Bronchitis	...	M	110	30	7	3	1	—	4	25	40	25	2	2	1	—	—	1	10	9		
	...	F	116	22	9	4	2	1	5	25	48	23	—	4	—	—	—	3	3	13		
17 Pneumonia (all forms)	{	M	98	19	17	7	3	7	14	18	13	23	2	2	1	1	2	5	7	3		
		F	74	15	7	9	5	1	14	13	10	16	3	1	—	1	—	1	6	4		
18 Other respiratory diseases	{	M	15	2	1	2	1	1	3	4	1	3	1	—	—	—	—	—	1	1		
		F	13	1	—	—	2	—	3	3	4	4	—	—	—	—	2	1	1	—		
19 Diarrhoea, &c.	...	M	110	83	14	1	—	—	—	4	8	34	23	—	2	—	—	1	6	2		
	...	F	110	85	10	4	1	—	—	6	4	41	27	4	1	—	—	1	—	8		
20 Appendicitis and typhlitis	{	M	6	—	—	—	3	—	3	—	—	8	—	—	—	2	3	2	1	—		
		F	4	—	—	—	1	1	2	—	—	4	—	—	—	1	—	2	—	1		
21 Cirrhosis of liver	...	M	5	—	—	—	—	—	—	4	1	6	—	—	—	—	—	4	2	—		
	...	F	2	—	—	1	—	—	—	1	—	3	—	—	—	—	—	1	2	—		
21A Alcoholism	...	M	3	—	—	—	—	—	1	1	1	4	—	—	—	—	2	2	—	—		
	...	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
22 Nephritis and Bright's disease.	{	M	29	1	—	—	1	1	3	14	9	31	—	—	—	—	—	8	17	6		
		F	27	1	—	—	—	2	6	10	8	23	1	1	—	—	1	5	11	4		
23 Puerperal fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	...	F	8	—	—	—	—	1	7	—	—	2	—	—	—	—	—	2	—	—		
24 Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	15	—	—	—	—	1	14	—	—	—	2	—	—	—	1	1	—	—		
25 Congenital debility, &c.	{	M	88	87	1	—	—	—	—	—	—	13	12	—	—	—	1	—	—	—		
		F	70	69	—	—	1	—	—	—	—	—	18	18	—	—	—	—	—	—		
26 Violence, apart from suicide.	{	M	26	2	—	4	7	—	9	2	2	11	—	—	—	2	—	6	2	1		
		F	21	—	1	5	4	—	2	5	4	3	—	—	1	—	—	—	1	1		
27 Suicide	...	M	13	—	—	—	—	1	5	6	1	6	—	—	—	—	—	3	3	—		
	...	F	6	—	—	—	—	—	3	1	2	—	—	—	—	—	—	—	—	—		
28 Other defined diseases	...	M	265	30	11	4	4	10	27	75	104	127	21	2	—	1	3	15	34	51		
	...	F	258	29	3	5	6	9	22	60	124	136	8	1	—	—	2	14	40	71		
29 Causes ill-defined or unknown.	{	M	15	—	—	2	—	—	—	13	—	10	1	—	—	—	—	—	7	2		
		F	11	—	2	—	—	—	—	—	5	4	6	—	—	—	—	2	3	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1911—*cont.*

Causes of Death.		Sex.	BOLTON.										BOOTLE.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	...	M	1,509	359	95	70	67	71	197	367	283	691	176	58	34	22	21	85	168	127		
	...	F	1,463	314	91	59	52	60	187	323	377	600	135	41	36	33	26	79	134	116		
1	Enteric fever	M	15	—	—	—	—	3	8	4	—	2	—	—	—	—	—	2	—	—		
	...	F	9	—	—	—	2	3	2	2	—	1	—	—	—	—	1	—	—	—		
2	Small-pox	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	...	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles	M	42	12	16	11	3	—	—	—	—	13	1	7	4	1	—	—	—	—		
	...	F	22	3	12	6	1	—	—	—	—	8	2	4	1	1	—	—	—	—		
4	Scarlet fever	M	10	1	—	5	4	—	—	—	—	2	—	—	1	1	—	—	—	—		
	...	F	12	—	—	2	9	—	1	—	—	2	—	1	1	—	—	—	—	—		
5	Whooping cough	M	3	2	—	1	—	—	—	—	—	11	2	5	4	—	—	—	—	—		
	...	F	13	5	5	3	—	—	—	—	—	14	7	2	4	1	—	—	—	—		
6	Diphtheria and croup	M	26	1	3	8	13	—	—	1	—	6	—	1	4	1	—	—	—	—		
	...	F	19	1	1	7	10	—	—	—	—	5	—	—	2	2	1	—	—	—		
7	Influenza	M	6	—	—	—	—	1	1	4	—	5	—	—	—	—	1	1	2	1		
	...	F	5	—	—	—	—	—	1	2	2	2	—	—	—	—	1	—	—	1		
8	Erysipelas	M	1	—	—	—	—	—	—	—	1	3	—	—	—	1	—	—	—	2		
	...	F	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
9	Pulmonary tuberculosis	M	121	1	1	3	3	14	46	47	6	51	1	—	2	3	8	19	16	2		
	...	F	86	—	1	1	5	18	38	20	3	51	1	1	1	10	6	25	6	1		
10	Tuberculous meningitis	M	7	2	1	1	1	2	—	—	—	3	1	—	—	2	—	—	—	—		
	...	F	17	5	2	4	4	1	—	1	—	6	1	1	2	1	1	—	—	—		
11	Other tuberculous diseases.	M	15	3	1	5	—	2	1	3	—	7	1	3	—	1	2	—	—	—		
	...	F	23	5	2	3	3	3	4	3	—	11	—	—	1	2	2	4	2	—		
12	Cancer, malignant disease	M	69	—	—	—	—	—	7	32	30	32	—	—	—	—	—	5	16	11		
	...	F	86	—	—	—	—	—	16	47	23	42	—	—	—	—	—	9	26	7		
13	Rheumatic fever	M	7	—	—	—	2	2	3	—	—	—	—	—	—	—	—	—	—	—		
	...	F	9	—	—	—	2	2	2	3	—	4	1	—	—	1	1	1	—	—		
14	Meningitis	M	25	13	4	2	3	1	1	1	—	7	1	2	1	2	—	—	1	—		
	...	F	22	6	3	—	4	1	4	4	—	9	6	—	—	1	1	—	1	—		
15	Organic heart disease	M	71	—	—	1	6	3	8	33	20	32	—	—	—	—	—	5	13	14		
	...	F	118	—	—	1	3	7	23	54	30	34	—	—	—	—	2	7	14	11		
16	Bronchitis	M	111	19	4	3	2	1	6	35	41	56	19	4	—	—	—	4	13	16		
	...	F	141	19	4	4	—	2	6	41	65	53	13	1	1	—	—	5	15	18		
17	Pneumonia (all forms)	M	111	28	18	8	3	5	17	22	10	86	12	11	8	1	2	17	26	9		
	...	F	86	17	13	8	3	3	17	15	10	60	5	12	7	4	2	6	13	11		
18	Other respiratory diseases	M	35	6	3	5	2	1	4	10	4	10	1	—	3	1	1	1	2	1		
	...	F	19	3	2	2	1	1	3	2	5	10	—	1	2	1	1	2	1	2		
19	Diarrhoea, &c.	M	200	133	37	5	—	1	2	7	15	74	49	17	1	—	—	—	5	2		
	...	F	188	125	36	8	—	2	3	5	9	70	41	12	5	2	—	1	4	5		
20	Appendicitis and typhlitis	M	9	—	—	—	3	3	—	2	1	4	—	—	—	—	1	—	1	2		
	...	F	3	—	—	1	—	1	—	—	1	3	—	—	—	1	1	1	—	—		
21	Cirrhosis of liver	M	8	—	—	—	—	—	2	4	2	2	—	—	—	—	—	1	—	1		
	...	F	7	—	—	—	—	—	4	3	—	4	—	—	—	—	—	—	4	—		
21A	Alcoholism	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—		
	...	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
22	Nephritis and Bright's disease.	M	36	1	—	—	—	2	5	20	8	13	—	—	—	1	—	2	7	3		
	...	F	48	2	1	2	—	1	13	19	10	10	1	—	1	1	—	1	3	3		
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	...	F	7	—	—	—	—	1	6	—	—	2	—	—	—	—	—	2	—	—		
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	...	F	5	—	—	—	—	1	4	—	—	3	—	—	—	—	1	2	—	—		
25	Congenital debility, &c.	M	80	80	—	—	—	—	—	—	—	64	64	—	—	—	—	—	—	—		
	...	F	73	73	—	—	—	—	—	—	—	36	34	—	2	—	—	—	—	—		
26	Violence, apart from suicide.	M	123	2	—	5	12	22	48	25	9	31	1	—	3	2	2	11	10	2		
	...	F	19	1	2	4	—	—	2	2	8	15	1	1	3	1	3	—	4	2		
27	Suicide	M	19	—	—	—	—	2	6	9	2	2	—	—	—	—	—	1	1	—		
	...	F	7	—	—	—	—	1	2	3	1	2	—	—	—	—	—	—	1	1		
28	Other defined diseases	M	341	55	5	6	8	5	31	99	132	159	23	6	3	5	3	14	47	58		
	...	F	400	48	6	3	5	12	32	85	209	132	22	3	1	4	2	11	36	53		
29	Causes ill-defined or unknown.	M	17	—	2	1	2	1	1	8	2	14	—	2	—	—	1	1	7	3		
	...	F	17	—	1	—	—	—	3	12	1	10	—	2	2	—	—	2	3	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1911—cont.

Causes of Death.	Sex.	BOURNEMOUTH.										BRADFORD.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	471	63	20	12	14	19	63	124	156	2,212	442	90	69	81	76	325	619	510		
	F	496	64	8	13	11	21	57	97	225	2,140	320	73	78	65	108	307	538	651		
1 Enteric fever ...	M	1	—	—	—	—	—	—	1	—	25	—	—	—	3	2	17	3	—		
	F	—	—	—	—	—	—	—	—	—	20	—	—	—	3	7	5	4	1		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	12	1	5	3	3	—	—	—	—	9	2	3	3	1	—	—	—	—		
	F	8	3	3	2	—	—	—	—	—	2	1	—	1	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	7	—	—	3	3	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	3	—	—	3	—	—	—	—	—		
5 Whooping cough ...	M	1	—	1	—	—	—	—	—	—	48	19	16	11	2	—	—	—	—		
	F	2	2	—	—	—	—	—	—	—	52	25	15	10	2	—	—	—	—		
6 Diphtheria and croup ...	M	2	—	—	—	2	—	—	—	—	19	1	4	5	9	—	—	—	—		
	F	4	—	—	2	2	—	—	—	—	31	1	3	12	10	3	1	1	—		
7 Influenza ...	M	11	—	—	—	—	—	4	2	5	16	—	1	—	2	1	2	5	5		
	F	6	—	—	—	—	—	2	1	3	20	1	—	—	—	1	2	7	9		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	10	2	—	—	—	—	4	2	2		
	F	1	—	—	—	—	—	—	—	1	7	—	—	—	—	—	2	2	5		
9 Pulmonary tuberculosis	M	62	—	—	—	1	7	30	18	6	193	2	—	5	2	27	91	61	5		
	F	56	1	—	2	2	12	24	12	3	150	—	1	5	8	44	64	22	6		
10 Tuberculous meningitis	M	5	—	1	2	1	1	—	—	—	15	1	3	6	2	3	—	—	—		
	F	1	1	—	—	—	—	—	—	—	26	5	4	7	5	2	1	2	—		
11 Other tuberculous diseases.	M	10	3	1	1	1	1	1	1	1	32	3	3	1	4	7	9	4	1		
	F	5	1	1	—	—	1	—	2	—	20	1	4	1	5	2	5	—	2		
12 Cancer, malignant disease	M	39	—	—	1	—	—	—	20	18	141	—	—	—	—	1	13	83	44		
	F	61	—	—	—	—	—	8	22	31	212	—	—	—	—	1	29	117	65		
13 Rheumatic fever ...	M	1	—	—	—	—	1	—	—	—	8	—	—	—	1	2	4	—	1		
	F	1	—	—	—	—	1	—	—	—	17	—	—	1	3	3	6	4	—		
14 Meningitis ...	M	1	—	—	—	1	—	—	—	—	25	4	3	5	6	1	2	3	1		
	F	1	—	—	1	—	—	—	—	—	13	4	1	2	2	3	—	1	—		
15 Organic heart disease ...	M	42	—	—	—	—	2	2	21	17	164	—	—	—	—	2	24	76	62		
	F	61	—	—	—	1	2	6	13	39	247	—	1	—	5	10	36	94	101		
16 Bronchitis ...	M	10	—	2	—	—	—	—	—	8	137	21	2	4	1	—	4	40	65		
	F	24	—	1	—	—	—	—	2	21	165	20	7	4	—	2	4	33	95		
17 Pneumonia (all forms)	M	24	4	3	—	2	1	3	2	9	169	30	20	14	14	8	29	39	15		
	F	18	3	—	1	—	—	3	11	126	24	17	11	5	2	20	29	18	18		
18 Other respiratory diseases	M	8	—	—	1	—	—	2	3	2	42	3	3	—	4	—	8	13	11		
	F	11	—	—	—	—	1	—	1	9	28	1	—	4	—	—	7	6	10		
19 Diarrhoea, &c. ...	M	37	25	5	2	—	—	—	1	4	138	91	12	5	1	1	2	12	14		
	F	33	21	2	1	2	—	1	2	4	116	82	9	4	2	—	1	10	8		
20 Appendicitis and typhlitis	M	5	—	—	—	—	3	1	1	—	24	—	—	—	6	2	8	6	2		
	F	3	—	—	—	2	1	—	—	—	10	—	—	—	3	3	2	2	—		
21 Cirrhosis of liver ...	M	6	—	—	—	—	—	—	4	2	21	—	—	—	—	—	5	12	4		
	F	5	—	—	—	—	—	—	1	4	10	—	—	—	—	—	1	7	2		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	7	—	—	—	—	—	2	4	1		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	2	—		
22 Nephritis and Bright's disease.	M	14	—	—	—	—	—	2	6	6	68	—	—	1	1	2	15	36	13		
	F	8	—	—	—	—	1	—	2	5	63	—	—	—	2	4	13	28	16		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	13	—	—	—	—	2	11	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	—	3	1	—	17	—	—	—	—	2	15	—	—		
25 Congenital debility, &c.	M	19	19	—	—	—	—	—	—	—	162	161	—	—	—	—	1	—	—		
	F	26	26	—	—	—	—	—	—	—	92	92	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	10	1	—	2	1	2	1	2	1	65	6	2	3	7	5	17	19	6		
	F	4	—	—	—	—	—	1	2	1	34	3	2	3	3	5	3	1	14		
27 Suicide ...	M	2	—	—	—	—	—	2	—	—	18	—	—	—	—	2	6	9	1		
	F	—	—	—	—	—	—	—	—	—	18	—	—	—	—	2	7	7	2		
28 Other defined diseases ...	M	149	10	2	—	2	1	15	42	77	614	96	14	3	12	9	56	171	253		
	F	151	6	1	3	2	2	11	33	93	603	60	8	10	6	10	69	147	293		
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	35	—	4	—	—	—	6	21	4		
	F	1	—	—	1	—	—	—	—	—	22	—	1	—	1	—	4	12	4		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1911—*cont.*

Causes of Death.		Sex.	BRIGHTON.										BRISTOL.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	...	M	889	139	37	23	21	24	131	222	292	2,704	621	156	124	87	114	334	530	738		
	...	F	973	118	38	21	19	42	121	220	394	2,720	465	154	121	90	119	346	494	931		
1	Enteric fever	M	1	—	—	—	—	—	1	—	—	11	—	—	—	—	1	9	1	—		
	...	F	2	—	—	—	—	—	1	—	1	6	—	—	—	1	1	3	1	—		
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	...	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles	M	5	2	2	1	—	—	—	—	—	87	13	39	28	6	1	—	—	—		
	...	F	4	1	3	—	—	—	—	—	—	79	14	34	25	6	—	—	—	—		
4	Scarlet fever	M	5	—	—	3	2	—	—	—	—	10	—	1	6	3	—	—	—	—		
	...	F	4	—	1	2	—	1	—	—	—	6	—	—	4	2	—	—	—	—		
5	Whooping cough	M	7	—	5	2	—	—	—	—	—	64	25	20	17	2	—	—	—	—		
	...	F	9	5	4	—	—	—	—	—	—	78	36	22	16	4	—	—	—	—		
6	Diphtheria and croup	M	1	—	—	—	1	—	—	—	—	18	1	1	10	6	—	—	—	—		
	...	F	10	—	1	3	5	—	1	—	—	23	—	2	12	9	—	—	—	—		
7	Influenza...	M	24	—	—	—	1	—	—	9	14	21	1	—	—	—	—	7	3	10		
	...	F	11	1	—	—	—	1	—	2	7	12	—	—	—	—	—	3	5	4		
8	Erysipelas	M	1	—	—	—	—	—	—	1	—	4	—	—	—	—	1	—	2	1		
	...	F	3	—	—	—	—	—	—	1	2	6	—	—	—	—	—	4	2	—		
9	Pulmonary tuberculosis	M	89	—	—	3	2	7	53	24	—	217	2	4	3	5	38	101	61	3		
	...	F	94	—	1	1	2	16	45	27	2	224	3	3	3	12	52	118	30	3		
10	Tuberculous meningitis	M	6	1	3	2	—	—	—	—	—	30	16	4	7	2	1	—	—	—		
	...	F	14	3	7	1	3	—	—	—	—	20	7	3	6	2	2	—	—	—		
11	Other tuberculous diseases.	M	14	1	3	1	3	1	2	—	3	29	6	3	2	5	7	—	4	2		
	...	F	11	—	—	—	3	5	3	—	—	20	3	5	1	5	3	1	2	—		
12	Cancer, malignant disease	M	76	—	—	—	1	—	8	34	33	149	1	—	—	1	4	13	61	69		
	...	F	113	—	—	—	—	—	17	46	50	233	1	—	2	—	—	28	98	104		
13	Rheumatic fever	M	1	—	—	—	1	—	—	—	—	11	—	—	—	5	1	3	2	—		
	...	F	2	—	—	—	2	—	—	—	—	13	—	—	—	5	2	5	1	—		
14	Meningitis	M	12	4	2	—	—	3	1	2	—	19	4	2	3	3	2	3	1	1		
	...	F	9	2	—	2	—	—	—	5	—	12	3	4	2	2	1	—	—	—		
15	Organic heart disease	M	78	—	—	—	1	3	7	30	37	235	1	—	1	7	6	31	82	107		
	...	F	97	—	—	1	—	2	9	31	54	270	—	—	2	10	10	26	79	143		
16	Bronchitis	M	47	5	3	—	—	—	4	7	28	189	32	13	4	1	1	2	35	101		
	...	F	75	6	3	2	—	1	—	13	50	214	33	8	6	2	—	3	29	133		
17	Pneumonia (all forms)	M	64	16	8	2	1	2	6	11	18	173	49	28	18	6	9	23	22	18		
	...	F	65	13	7	4	2	4	5	11	19	147	27	35	23	3	7	17	15	20		
18	Other respiratory diseases	M	19	1	—	1	2	—	4	5	6	52	3	—	4	—	1	11	17	16		
	...	F	21	2	—	1	—	2	1	8	7	35	—	—	1	2	1	6	10	15		
19	Diarrhoea, &c.	M	55	40	4	2	1	—	1	3	4	224	162	27	7	1	1	5	4	17		
	...	F	52	36	7	—	—	—	—	3	6	211	149	22	4	1	—	8	8	19		
20	Appendicitis and typhlitis	M	7	—	—	—	1	2	3	1	—	15	—	—	—	6	1	5	3	—		
	...	F	4	—	—	—	—	—	2	2	—	10	—	—	—	4	3	1	1	1		
21	Cirrhosis of liver	M	13	—	—	—	—	—	2	9	2	13	—	—	—	—	—	1	10	2		
	...	F	11	—	—	—	—	—	3	5	3	16	—	—	—	—	—	5	8	3		
21A	Alcoholism	M	3	—	—	—	—	—	2	1	—	3	—	—	—	—	—	2	—	1		
	...	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	2	1	1		
22	Nephritis and Bright's disease	M	24	—	—	—	—	—	3	14	7	124	1	1	—	1	3	18	56	44		
	...	F	23	—	—	—	—	1	4	5	13	91	—	—	1	1	5	14	44	26		
23	Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	...	F	6	—	—	—	—	2	4	—	—	11	—	—	—	—	4	7	—	—		
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	...	F	1	—	—	—	—	—	1	—	—	20	—	—	—	—	3	16	1	—		
25	Congenital debility, &c.	M	51	51	—	—	—	—	—	—	—	209	205	1	1	1	1	—	—	—		
	...	F	31	31	—	—	—	—	—	—	—	124	120	2	1	1	—	—	—	—		
26	Violence, apart from suicide.	M	30	6	—	2	2	1	6	5	8	83	6	2	3	11	12	22	14	13		
	...	F	20	4	—	1	—	—	5	2	8	44	5	2	4	6	2	7	4	14		
27	Suicide	M	14	—	—	—	—	1	3	5	5	14	—	—	—	—	1	4	6	3		
	...	F	4	—	—	—	—	1	2	1	1	5	—	—	—	—	1	3	1	—		
28	Other defined diseases	M	237	12	5	4	2	4	25	58	127	687	93	8	10	15	22	73	140	326		
	...	F	276	13	4	3	2	7	19	57	171	777	64	11	8	11	22	74	148	439		
29	Causes ill-defined or unknown.	M	5	—	2	—	—	—	—	3	—	13	—	2	—	—	—	1	6	4		
	...	F	1	1	—	—	—	—	—	—	—	10	—	1	—	1	—	1	3	4		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1911—*cont.*

Causes of Death.	Sex.	BURNLEY.										BURTON UPON TRENT.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	989	289	70	53	37	31	100	215	194	336	65	19	8	13	15	50	79	87		
	F	941	232	69	47	33	45	106	196	212	310	51	14	14	7	14	49	52	109		
1 Enteric fever ...	M	4	—	—	1	1	—	2	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	—	2	2	1	1	—	—	—	1	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	27	7	11	8	1	—	—	—	—	1	—	1	—	—	—	—	—	—		
	F	41	9	12	16	3	—	1	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever ...	M	3	1	2	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	2	—	—	2	—	—	—	—	—		
5 Whooping cough ...	M	11	5	2	4	—	—	—	—	—	5	2	1	1	1	—	—	—	—		
	F	20	8	9	3	—	—	—	—	—	3	1	1	—	1	—	—	—	—		
6 Diphtheria and croup ...	M	11	—	1	4	6	—	—	—	—	1	1	—	—	—	—	—	—	—		
	F	11	1	1	3	6	—	—	—	—	—	—	—	—	—	—	—	—	—		
7 Influenza ...	M	3	—	—	—	—	1	2	—	—	4	—	—	—	—	—	1	2	1		
	F	3	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—		
8 Erysipelas ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	66	4	—	—	1	10	25	23	3	53	—	—	1	2	7	26	16	1		
	F	50	1	—	1	1	10	25	9	3	26	—	2	—	2	3	14	4	1		
10 Tuberculous meningitis	M	5	1	1	—	—	2	1	—	—	3	1	1	—	1	—	—	—	—		
	F	4	—	1	1	1	1	—	—	—	4	—	1	2	—	—	—	1	—		
11 Other tuberculous diseases.	M	18	4	3	2	3	2	2	2	—	5	1	1	—	1	2	—	—	—		
	F	20	5	2	5	2	1	3	1	1	4	2	—	—	2	—	—	—	—		
12 Cancer, malignant disease	M	35	—	—	—	—	1	3	17	14	15	—	—	—	—	—	4	8	7		
	F	50	—	—	—	—	—	5	26	19	24	—	—	—	—	—	—	5	15		
13 Rheumatic fever ...	M	12	—	—	—	3	2	5	2	—	1	—	—	—	—	—	1	—	—		
	F	6	—	—	—	1	2	2	1	—	—	—	—	—	—	—	—	—	—		
14 Meningitis ...	M	9	1	3	2	2	—	—	—	1	1	1	—	—	—	—	—	—	—		
	F	14	7	2	2	1	1	—	1	—	5	2	2	1	—	—	—	—	—		
15 Organic heart disease ...	M	80	—	—	—	2	1	5	39	33	29	—	—	—	—	1	1	12	15		
	F	85	—	—	—	2	4	13	46	20	43	—	—	—	—	1	6	11	25		
16 Bronchitis ...	M	68	17	2	—	2	—	—	21	26	23	6	—	—	—	1	—	2	14		
	F	72	11	6	3	—	—	—	20	32	14	4	—	—	—	—	—	4	6		
17 Pneumonia (all forms)...	M	104	17	18	13	5	2	12	27	10	18	2	6	1	—	1	1	2	5		
	F	73	16	16	3	3	7	5	13	10	16	2	2	3	1	2	2	1	3		
18 Other respiratory diseases	M	13	1	1	4	2	—	1	3	1	7	1	1	1	—	—	1	1	2		
	F	9	—	1	2	—	1	2	1	2	4	1	—	—	1	—	—	1	1		
19 Diarrhoea, &c. ...	M	152	123	17	6	—	—	1	1	4	35	21	5	1	2	—	1	3	2		
	F	111	83	16	2	4	—	1	1	4	30	11	4	2	—	1	1	2	9		
20 Appendicitis and typhlitis	M	5	—	—	—	2	2	1	—	—	1	—	—	—	—	—	—	1	—		
	F	8	1	—	—	2	2	2	1	—	—	—	—	—	—	—	—	—	—		
21 Cirrhosis of liver ...	M	9	—	—	—	—	—	2	4	3	4	—	—	—	—	—	—	4	—		
	F	—	—	—	—	—	—	—	—	—	7	—	—	—	—	—	3	2	2		
21A Alcoholism ...	M	3	—	—	—	—	—	1	1	1	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	19	1	—	2	—	1	6	8	1	8	—	—	—	1	—	1	2	4		
	F	27	—	1	1	1	2	5	12	5	11	—	—	—	—	—	1	5	5		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	8	—	—	—	—	3	5	—	—	1	—	—	—	—	—	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	9	—	—	—	—	3	6	—	—	5	—	—	—	—	1	4	—	—		
25 Congenital debility, &c.	M	49	49	—	—	—	—	—	—	—	24	23	1	—	—	—	—	—	—		
	F	43	43	—	—	—	—	—	—	—	22	21	—	—	—	1	—	—	—		
26 Violence, apart from suicide.	M	36	2	—	5	3	3	8	10	5	7	—	—	—	—	2	2	2	1		
	F	16	4	—	1	—	—	6	3	2	6	—	—	1	1	—	1	1	2		
27 Suicide ...	M	17	—	—	—	—	—	5	11	1	8	—	—	—	—	1	6	1	—		
	F	4	—	—	—	—	—	1	2	1	2	—	—	—	—	—	1	—	1		
28 Other defined diseases ...	M	221	55	9	2	4	4	18	40	89	78	5	2	2	5	—	8	21	35		
	F	246	42	2	3	6	8	20	53	112	76	7	1	3	1	1	10	15	38		
29 Causes ill-defined or unknown.	M	8	1	—	—	—	—	—	5	2	3	1	—	—	—	—	—	2	—		
	F	4	1	—	—	—	—	1	2	—	4	—	1	—	—	1	—	—	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1911—*cont.*

Causes of Death.		Sex.	BURY.										CANTERBURY.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	...	M	475	114	27	27	15	19	56	110	107	160	29	5	4	4	6	25	25	62		
		F	479	85	31	21	14	18	51	114	145	181	25	6	6	6	7	10	39	82		
1 Enteric fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	...	M	11	2	5	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	14	1	9	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever	...	M	5	—	—	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	5	1	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough	...	M	6	2	4	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—		
		F	6	2	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6 Diphtheria and croup	...	M	2	—	—	2	—	—	—	—	—	2	—	—	1	—	—	—	—	—		
		F	3	—	—	3	—	—	—	—	—	4	—	—	2	2	—	—	—	—		
7 Influenza	...	M	6	1	—	—	—	1	—	3	1	2	—	—	—	—	1	—	—	1		
		F	2	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	1	—		
8 Erysipelas	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	{	M	32	—	—	—	2	6	10	13	1	16	—	—	—	—	3	11	—	2		
		F	28	—	1	—	2	4	15	5	1	9	—	—	—	—	4	4	1	—		
10 Tuberculous meningitis	{	M	6	1	1	1	2	—	—	1	—	1	—	—	1	—	—	—	—	—		
		F	4	3	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
11 Other tuberculous diseases.	{	M	6	2	1	1	2	—	—	—	—	6	5	1	—	—	—	—	—	—		
		F	10	1	1	2	1	1	—	3	1	9	4	—	1	1	1	—	1	1		
12 Cancer, malignant disease	{	M	16	—	—	—	—	—	2	8	6	23	—	—	—	—	—	1	7	15		
		F	30	—	—	—	—	1	3	18	8	20	—	—	—	—	—	2	11	7		
13 Rheumatic fever	...	M	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—		
		F	3	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—		
14 Meningitis	...	M	6	3	1	1	1	—	—	—	—	1	1	—	—	—	—	—	—	—		
		F	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
15 Organic heart disease	...	M	47	—	—	—	—	3	8	20	16	15	—	—	—	1	—	2	4	8		
		F	60	—	—	—	—	1	4	28	27	21	—	—	1	1	1	—	4	14		
16 Bronchitis	...	M	38	6	4	2	—	1	—	13	12	12	1	—	1	—	—	—	2	8		
		F	45	10	2	—	—	1	1	10	21	11	—	—	1	—	—	—	2	8		
17 Pneumonia (all forms)	{	M	43	11	6	5	1	3	7	7	3	9	2	—	1	1	—	2	—	3		
		F	31	8	7	4	1	1	2	6	2	9	2	3	—	—	—	—	—	4		
18 Other respiratory diseases	{	M	5	—	—	—	1	—	—	1	3	3	—	—	—	—	—	—	1	2		
		F	6	—	—	—	1	—	4	1	—	5	—	—	—	—	—	—	—	5		
19 Diarrhoea, &c.	...	M	36	24	2	4	—	1	2	1	2	15	11	1	—	—	—	—	—	3		
		F	35	23	5	2	—	1	—	—	4	11	7	2	1	—	—	—	—	1		
20 Appendicitis and typhlitis	{	M	4	—	—	1	—	2	1	—	—	1	—	—	—	—	—	1	—	—		
		F	5	—	—	—	2	—	2	1	—	2	—	—	—	—	1	—	—	1		
21 Cirrhosis of liver	...	M	3	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—		
		F	3	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—		
21A Alcoholism	...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	{	M	10	—	—	—	—	—	—	5	5	4	—	—	—	—	—	1	2	1		
		F	6	—	—	—	—	1	2	2	1	1	—	—	—	—	—	—	1	—		
23 Puerperal fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	4	—	—	—	—	2	2	—	—	1	—	—	—	—	—	1	—	—		
24 Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	4	—	—	—	—	—	3	1	—	1	—	—	—	—	—	1	—	—		
25 Congenital debility, &c.	{	M	37	37	—	—	—	—	—	—	—	5	4	—	—	1	—	—	—	—		
		F	20	20	—	—	—	—	—	—	—	9	9	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	{	M	23	—	—	4	—	—	8	5	6	2	—	—	—	—	—	1	—	1		
		F	12	—	—	—	3	—	2	4	3	6	—	1	—	—	—	—	2	3		
27 Suicide	...	M	5	—	—	—	—	—	1	3	1	2	—	—	—	—	—	2	—	—		
		F	3	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—		
28 Other defined diseases	...	M	122	25	3	—	2	2	14	26	50	38	5	1	—	1	1	3	9	18		
		F	136	15	3	2	1	3	9	29	74	60	3	—	—	2	2	15	38	38		
29 Causes ill-defined or unknown.	{	M	3	—	—	—	—	—	—	3	—	1	—	—	—	—	—	1	—	—		
		F	2	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1911—*cont.*

Causes of Death.	Sex.	CARDIFF.										CHESTER.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,373	337	60	40	40	50	207	342	297	306	59	16	8	13	14	40	75	81		
	F	1,250	296	56	46	70	60	180	242	300	269	43	9	16	6	11	40	54	90		
1 Enteric fever ...	M	4	—	—	—	—	1	2	1	—	1	—	—	—	1	—	—	—	—		
	F	4	—	—	—	1	1	2	—	—	4	—	—	—	1	—	2	1	—		
2 Small-pox ...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	5	—	1	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever ...	M	7	1	1	4	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	9	1	—	4	3	1	—	—	—	1	1	—	—	—	—	—	—	—		
5 Whooping cough ...	M	25	16	6	3	—	—	—	—	—	8	3	—	—	—	—	—	—	—		
	F	28	15	9	2	—	—	—	—	—	12	1	5	6	—	—	—	—	—		
6 Diphtheria and croup ...	M	12	—	2	4	5	—	1	—	—	2	—	—	1	1	—	—	—	—		
	F	26	—	2	12	12	—	—	—	—	2	—	—	1	1	—	—	—	—		
7 Influenza ...	M	12	—	1	—	—	1	2	4	4	—	—	—	—	—	—	—	1	1		
	F	7	—	1	—	1	—	1	—	4	2	—	—	—	—	—	—	—	—		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	136	5	—	2	3	14	62	42	8	27	—	1	—	2	2	12	8	2		
	F	130	5	2	—	10	31	57	21	4	21	—	—	—	3	13	2	—	3		
10 Tuberculous meningitis	M	14	4	3	—	6	—	1	—	—	8	2	2	1	2	—	1	—	—		
	F	15	2	2	3	4	1	2	—	1	2	1	1	—	—	—	—	—	—		
11 Other tuberculous diseases.	M	23	6	2	2	1	1	8	—	3	1	—	—	—	1	—	—	—	—		
	F	15	3	2	2	3	3	1	1	—	2	—	1	1	—	—	—	—	—		
12 Cancer, malignant disease	M	74	—	—	—	—	—	10	36	28	16	—	—	—	—	—	10	6	6		
	F	102	—	—	1	2	—	24	43	32	24	—	—	—	—	2	12	10	10		
13 Rheumatic fever ...	M	7	—	—	—	3	1	2	1	—	2	—	—	—	1	—	1	—	—		
	F	6	—	—	—	3	2	1	—	—	—	—	—	—	—	—	—	—	—		
14 Meningitis ...	M	21	9	1	4	5	—	—	2	—	1	1	—	—	—	—	—	—	—		
	F	17	7	1	3	4	1	1	—	—	3	—	—	2	—	1	—	—	—		
15 Organic heart disease ...	M	109	—	—	—	2	6	21	42	38	45	—	—	—	1	2	10	16	16		
	F	101	—	—	1	4	3	13	47	33	32	—	—	1	—	3	6	12	10		
16 Bronchitis ...	M	74	10	4	2	—	—	2	11	45	19	4	1	—	—	—	—	5	9		
	F	71	13	4	1	—	—	3	17	33	21	4	1	1	—	—	—	3	12		
17 Pneumonia (all forms)	M	113	21	7	5	1	4	22	38	15	18	6	3	3	—	2	1	1	2		
	F	77	23	10	3	2	5	9	14	11	9	6	1	1	—	—	1	—	—		
18 Other respiratory diseases	M	20	2	—	2	—	—	1	12	3	5	1	—	—	1	—	—	2	1		
	F	18	—	1	—	2	1	3	6	5	2	—	—	—	1	—	1	—	—		
19 Diarrhoea, &c. ...	M	171	122	19	3	—	1	2	12	12	16	13	2	—	—	—	—	—	1		
	F	123	86	10	3	4	—	3	5	12	14	10	—	—	—	—	1	—	3		
20 Appendicitis and typhlitis	M	8	—	—	—	4	3	1	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	1	1	2	2	—	2	—	—	—	1	—	1	—	—		
21 Cirrhosis of liver ...	M	11	—	—	—	—	—	1	8	2	2	—	—	—	—	—	—	2	—		
	F	5	—	—	—	—	—	1	3	1	2	—	—	—	—	—	—	—	2		
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	36	—	—	1	—	1	10	17	7	11	—	—	—	1	1	2	5	2		
	F	33	1	—	—	2	2	3	15	10	12	—	—	—	1	—	—	3	8		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	2	2	—	—	1	—	—	—	1	—	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	8	—	—	—	—	—	8	—	—	2	—	—	—	—	—	2	—	—		
25 Congenital debility, &c.	M	75	—	—	—	—	—	—	—	—	19	19	—	—	—	—	—	—	—		
	F	91	89	—	—	2	—	—	—	—	14	14	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	62	—	2	2	5	10	19	20	4	16	2	1	1	2	2	4	3	1		
	F	27	3	3	5	4	—	5	1	6	5	—	—	—	1	—	2	—	2		
27 Suicide ...	M	9	—	—	—	—	1	2	5	1	4	—	—	—	—	—	2	2	—		
	F	3	—	—	—	—	2	—	1	—	2	—	—	—	—	—	1	1	—		
28 Other defined diseases ...	M	336	64	9	2	5	6	36	87	127	83	8	3	—	2	3	7	19	41		
	F	311	47	5	5	4	4	37	65	144	77	6	—	2	3	8	19	39	39		
29 Causes ill-defined or unknown.	M	7	2	2	—	—	—	—	3	—	1	—	—	—	—	—	—	—	—		
	F	5	—	1	1	—	—	—	—	3	1	—	—	1	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1911—*cont.*

Causes of Death.		Sex.	COVENTRY.										CROYDON.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	...	M	723	178	48	45	42	30	90	153	137	1011	214	49	46	38	36	139	208	281		
	...	F	684	136	53	40	35	34	79	110	197	1031	185	48	35	50	36	98	199	380		
1 Enteric fever	...	M	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	3	2	—		
	...	F	1	—	—	—	—	1	—	—	—	2	—	—	—	—	1	1	—	—		
2 Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	...	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	...	M	35	3	16	13	3	—	—	—	—	14	6	4	3	1	—	—	—	—		
	...	F	29	2	17	9	1	—	—	—	—	16	3	5	6	2	—	—	—	—		
4 Scarlet fever	...	M	16	—	1	7	8	—	—	—	—	5	—	2	1	—	2	—	—	—		
	...	F	14	—	2	4	4	3	1	—	—	2	—	—	—	2	—	—	—	—		
5 Whooping cough	...	M	13	7	2	2	2	—	—	—	—	17	8	7	2	—	—	—	—	—		
	...	F	18	6	7	4	1	—	—	—	—	22	10	8	3	1	—	—	—	—		
6 Diphtheria and croup	...	M	8	—	1	4	3	—	—	—	—	15	—	1	4	8	2	—	—	—		
	...	F	11	—	1	7	3	—	—	—	—	20	—	1	7	12	—	—	—	—		
7 Influenza	...	M	1	—	—	—	—	1	—	—	—	8	—	—	—	—	1	2	4	1		
	...	F	3	—	—	—	—	—	—	2	1	8	—	—	—	—	—	6	—	2		
8 Erysipelas	...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	...	F	2	1	—	—	—	—	—	—	1	3	1	—	—	1	—	—	—	1		
9 Pulmonary tuberculosis	{	M	57	1	—	—	—	6	30	19	1	94	—	—	2	5	16	42	27	2		
		F	34	—	1	1	2	8	15	7	—	73	1	1	—	3	15	33	16	4		
10 Tuberculous meningitis	{	M	9	1	1	1	3	1	—	2	—	13	2	1	6	4	—	—	—	—		
		F	10	2	1	1	4	2	—	—	—	19	6	3	6	4	—	—	—	—		
11 Other tuberculous diseases.	{	M	9	1	1	2	1	3	1	—	—	19	4	4	2	2	2	2	3	—		
		F	8	—	1	—	1	1	2	3	—	15	2	1	3	2	1	2	1	3		
12 Cancer, malignant disease	{	M	30	—	—	—	—	—	4	15	11	78	—	—	—	—	—	15	30	33		
		F	42	—	—	—	—	—	2	23	17	109	—	—	—	—	—	10	47	52		
13 Rheumatic fever	{	M	3	—	—	—	2	1	—	—	—	5	—	—	—	2	—	1	1	1		
		F	2	—	—	—	—	1	—	1	—	7	—	—	1	1	1	1	2	1		
14 Meningitis	{	M	8	2	2	1	2	1	—	—	—	11	5	1	3	—	—	—	2	—		
		F	6	—	—	1	3	1	1	—	—	3	—	1	—	2	—	—	—	—		
15 Organic heart disease	{	M	60	—	—	—	—	4	10	27	19	54	—	—	1	1	2	4	20	26		
		F	54	—	—	1	1	3	11	18	20	99	—	—	—	1	4	3	36	55		
16 Bronchitis	{	M	28	12	—	—	—	—	2	4	10	54	7	1	2	—	—	1	3	40		
		F	59	13	3	1	—	—	4	7	31	89	10	5	1	1	—	1	9	62		
17 Pneumonia (all forms)	{	M	60	19	10	4	4	3	6	10	4	82	19	12	7	1	1	17	14	11		
		F	39	8	9	3	4	1	2	3	9	60	13	9	2	1	1	8	15	11		
18 Other respiratory diseases	{	M	9	1	1	—	—	—	2	1	4	13	1	—	—	1	—	2	5	4		
		F	9	—	—	1	—	1	1	1	5	15	—	—	2	—	—	2	4	7		
19 Diarrhoea, &c.	{	M	55	42	9	1	1	1	—	1	—	86	71	7	3	—	—	2	—	3		
		F	38	30	4	—	—	—	1	—	3	63	46	7	1	—	—	—	2	7		
20 Appendicitis and typhlitis	{	M	6	—	—	—	1	3	1	1	—	6	—	—	—	1	2	1	2	—		
		F	6	—	—	—	2	1	2	1	—	6	—	—	—	4	—	1	1	—		
21 Cirrhosis of liver	{	M	13	—	—	—	—	—	4	5	4	9	—	—	—	—	—	1	4	4		
		F	10	—	—	—	—	—	2	4	4	5	—	—	—	1	—	1	2	1		
21A Alcoholism	{	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—		
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	{	M	13	1	—	—	1	—	2	8	1	42	—	—	1	2	1	5	18	15		
		F	11	—	1	—	1	—	2	3	4	31	—	—	—	2	1	1	15	12		
23 Puerperal fever	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	2	—	—	—	—	1	1	—	—	6	—	—	—	—	1	5	—	—		
24 Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	9	—	—	—	—	1	7	1	—	5	—	—	—	—	1	4	—	—		
25 Congenital debility, &c.	{	M	63	62	—	—	1	—	—	—	—	66	63	1	1	1	—	—	—	—		
		F	54	53	—	1	—	—	—	—	—	61	61	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	{	M	25	7	—	4	2	—	6	2	4	33	3	2	2	3	1	10	6	6		
		F	24	10	2	3	2	2	4	—	1	19	2	2	1	2	1	1	2	8		
27 Suicide	{	M	6	—	—	—	—	2	1	3	—	8	—	—	—	—	—	1	3	4		
		F	1	—	—	—	—	—	1	—	—	5	—	—	—	—	1	1	3	—		
28 Other defined diseases	{	M	186	19	4	6	8	3	17	52	79	270	25	5	6	6	6	29	63	130		
		F	181	11	3	2	6	7	18	34	100	267	30	4	2	8	8	23	38	154		
29 Causes ill-defined or unknown.	{	M	8	—	—	—	—	1	4	3	—	1	—	1	—	—	—	—	—	—		
		F	6	—	1	1	—	—	1	2	1	1	—	1	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1911—*cont.*

Causes of Death.	Sex.	DERBY.										DEVONPORT.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	888	219	64	33	32	46	94	195	205	588	142	49	45	27	20	74	118	113		
	F	861	144	46	36	41	41	115	155	283	557	99	47	40	33	23	73	79	163		
1 Enteric fever ...	M	7	—	—	—	—	4	2	1	—	9	—	—	—	1	2	6	—	—		
	F	5	—	—	—	—	1	3	—	1	5	—	—	—	1	1	2	1	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	33	12	11	9	1	—	—	—	—	51	7	25	15	4	—	—	—	—		
	F	23	7	3	8	5	—	—	—	—	56	14	21	17	4	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	2	—	—	—	1	1	—	—	—	1	—	—	—	1	—	—	—	—		
5 Whooping cough ...	M	13	4	7	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	10	3	6	1	—	—	—	—	—	3	2	—	1	—	—	—	—	—		
6 Diphtheria and croup ...	M	9	—	2	2	4	—	1	—	—	9	1	1	6	1	—	—	—	—		
	F	16	1	—	5	10	—	—	—	—	10	—	1	5	3	1	—	—	—		
7 Influenza ...	M	9	—	1	1	—	—	3	1	3	4	1	—	1	—	—	—	1	1		
	F	7	—	1	—	—	—	2	2	2	2	—	—	—	—	—	—	2	—		
8 Erysipelas ...	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	76	1	2	2	3	9	34	24	1	35	—	1	—	3	7	13	11	—		
	F	67	1	1	—	5	20	32	5	3	56	1	—	1	6	11	25	10	2		
10 Tuberculous meningitis	M	6	1	1	2	2	—	—	—	—	6	—	—	6	—	—	—	—	—		
	F	12	2	4	1	4	1	—	—	—	7	—	2	2	3	—	—	—	—		
11 Other tuberculous diseases.	M	26	6	6	3	3	7	—	1	—	8	1	1	—	4	1	1	—	—		
	F	14	1	3	3	2	1	3	—	1	11	1	1	—	3	2	3	—	1		
12 Cancer, malignant disease	M	52	—	1	—	—	—	3	23	20	33	—	—	1	—	—	1	21	10		
	F	77	—	—	2	—	—	8	41	26	37	—	—	1	—	—	7	18	11		
13 Rheumatic fever ...	M	4	—	—	—	2	1	—	1	—	2	—	—	—	—	—	2	—	—		
	F	5	—	—	—	2	2	1	—	—	2	—	—	—	1	1	—	—	—		
14 Meningitis ...	M	6	—	2	1	3	—	—	—	—	12	2	3	3	3	—	—	1	—		
	F	9	1	4	—	2	1	—	1	—	7	1	2	2	1	—	1	—	—		
15 Organic heart disease ...	M	57	—	—	—	1	9	7	26	14	49	—	—	—	2	1	11	18	17		
	F	51	—	—	1	3	3	11	16	17	47	—	—	—	2	2	6	11	26		
16 Bronchitis ...	M	70	20	6	2	1	1	—	15	25	35	8	1	2	—	—	—	10	14		
	F	89	10	4	—	1	1	2	18	53	24	3	3	1	—	—	1	—	16		
17 Pneumonia (all forms)	M	50	13	7	1	1	2	11	9	6	41	19	4	5	2	2	3	5	1		
	F	29	7	4	3	1	—	3	6	5	27	6	4	5	2	1	1	4	4		
18 Other respiratory diseases	M	14	1	1	2	—	1	—	4	5	6	—	1	—	1	—	3	1	—		
	F	10	—	1	1	—	—	—	3	5	6	—	—	2	1	—	1	—	2		
19 Diarrhoea, &c. ...	M	60	40	7	1	—	—	3	3	6	53	35	7	2	—	1	2	3	3		
	F	57	29	11	1	1	—	1	2	12	37	25	5	—	—	—	2	5	—		
20 Appendicitis and typhlitis	M	5	—	—	—	1	1	2	1	—	2	—	—	—	—	1	—	1	—		
	F	2	—	—	—	—	—	1	—	1	3	—	—	—	1	—	2	—	—		
21 Cirrhosis of liver ...	M	7	—	—	—	—	—	1	4	2	2	—	—	—	—	—	1	1	—		
	F	6	—	—	—	—	—	3	3	—	7	—	—	—	—	—	3	4	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—		
22 Nephritis and Bright's disease.	M	25	—	—	—	2	—	2	11	10	15	—	—	—	—	—	3	10	2		
	F	22	—	—	—	1	—	10	4	7	8	—	—	—	—	—	2	2	4		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	—	5	—	—	2	—	—	—	—	—	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	2	5	—	—	5	—	—	—	—	1	3	1	—		
25 Congenital debility, &c.	M	87	86	1	—	—	—	—	—	—	42	42	—	—	—	—	—	—	—		
	F	63	63	—	—	—	—	—	—	—	32	32	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	24	1	2	2	3	2	5	5	4	21	—	1	2	3	3	10	2	—		
	F	18	—	1	5	1	1	1	2	7	8	1	4	—	—	—	—	1	2		
27 Suicide ...	M	5	—	—	—	—	—	2	2	1	5	—	—	—	—	1	4	—	—		
	F	3	—	—	—	—	—	—	2	1	1	—	—	—	—	—	1	—	—		
28 Other defined diseases ...	M	229	34	6	2	5	9	16	55	102	146	26	3	1	3	1	14	33	65		
	F	240	19	3	5	2	7	22	45	137	151	13	3	3	4	3	13	22	90		
29 Causes ill-defined or unknown.	M	13	—	1	1	—	—	2	4	5	1	—	1	—	—	—	—	—	—		
	F	10	—	—	—	—	—	1	4	5	1	—	1	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1911—*cont.*

Causes of Death.	Sex.	DUDLEY.									EASTBOURNE.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	418	114	33	20	15	11	35	90	100	268	52	8	4	5	9	40	60	90
	F	405	100	34	26	12	20	35	61	117	283	40	3	3	6	9	34	64	124
1 Enteric fever ...	M	2	—	—	—	—	—	2	—	—	1	—	—	—	—	—	1	—	—
	F	3	—	—	—	—	1	—	2	—	2	—	—	—	—	1	1	—	—
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	14	2	5	5	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	28	8	8	9	3	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ...	M	1	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ...	M	4	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—
7 Influenza ...	M	6	—	—	—	—	—	—	4	2	6	—	—	—	—	—	1	—	4
	F	2	—	—	—	1	—	—	1	—	8	—	—	—	—	—	1	4	3
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	14	—	—	—	1	3	7	3	—	37	—	1	—	1	2	18	12	3
	F	10	—	1	1	—	2	4	2	—	18	—	—	1	—	4	9	1	3
10 Tuberculous meningitis	M	2	—	—	—	1	—	—	1	—	1	—	—	—	—	—	1	—	—
	F	5	1	—	2	1	—	1	—	—	1	1	—	—	—	—	—	—	—
11 Other tuberculous diseases.	M	6	4	—	—	1	1	—	—	—	2	—	—	—	—	1	—	1	—
	F	10	2	1	4	2	1	—	—	—	4	—	1	—	—	—	—	2	1
12 Cancer, malignant disease	M	17	—	—	—	—	—	—	10	7	20	—	—	—	—	—	1	8	11
	F	17	—	—	—	1	—	4	8	4	38	—	—	—	—	—	4	13	21
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
	F	2	—	—	—	—	1	1	—	—	2	—	—	—	—	—	1	—	1
14 Meningitis ...	M	5	2	1	2	—	—	—	—	—	3	—	1	—	1	1	—	—	—
	F	1	—	1	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—
15 Organic heart disease ...	M	25	—	—	—	—	1	2	10	12	20	—	—	—	—	—	1	5	14
	F	32	—	—	—	1	3	3	12	13	35	—	—	—	—	—	3	13	19
16 Bronchitis ...	M	29	3	2	1	—	—	2	8	13	15	4	1	—	2	1	—	—	7
	F	37	4	6	—	—	1	3	6	17	13	3	—	—	1	—	1	1	7
17 Pneumonia (all forms)	M	40	4	10	1	2	2	5	13	3	10	—	—	2	—	1	3	2	2
	F	23	6	6	—	1	3	—	3	4	8	2	1	—	—	—	—	2	3
18 Other respiratory diseases	M	4	—	—	—	—	—	—	4	—	3	—	—	—	—	—	1	1	1
	F	5	—	—	1	—	—	—	3	1	2	—	—	—	—	—	1	—	1
19 Diarrhoea, &c. ...	M	51	31	14	2	1	—	—	—	3	25	23	1	—	—	—	—	—	1
	F	32	23	5	3	—	—	—	—	1	24	21	—	—	—	—	1	—	2
20 Appendicitis and typhlitis	M	3	—	—	—	1	1	1	—	—	2	—	—	—	—	—	1	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21 Cirrhosis of liver ...	M	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	2	—
	F	2	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	1	1
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
22 Nephritis and Bright's disease.	M	10	1	—	2	—	—	3	1	3	5	—	—	—	—	—	1	1	3
	F	6	—	1	1	—	—	2	1	1	10	—	—	1	—	—	2	4	3
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	1	—	—	—	—	1	—	—	—
25 Congenital debility, &c.	M	41	41	—	—	—	—	—	—	—	20	19	1	—	—	—	—	—	—
	F	38	38	—	—	—	—	—	—	—	9	8	—	—	1	—	—	—	—
26 Violence, apart from suicide.	M	19	—	—	2	2	1	6	8	—	6	1	—	—	—	1	—	2	2
	F	12	2	—	4	1	1	3	—	1	3	—	—	1	—	1	—	—	1
27 Suicide ...	M	4	—	—	—	—	—	—	2	2	5	—	—	—	—	—	3	2	—
	F	2	—	—	—	—	1	1	—	—	4	—	—	—	—	—	2	2	—
28 Other defined diseases ...	M	116	21	1	2	4	2	6	25	55	79	5	2	—	—	1	8	21	42
	F	125	14	2	1	—	5	8	21	74	92	4	1	—	2	2	6	19	58
29 Causes ill-defined or unknown.	M	4	1	—	2	—	—	—	1	—	2	—	—	1	—	—	—	1	—
	F	6	2	2	—	—	—	1	—	1	1	—	—	—	—	—	—	1	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1911.—cont.

Causes of Death.	Sex.	EXETER.									GATESHEAD.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	359	69	26	17	20	17	43	79	88	1,028	272	94	61	54	38	113	209	187
	F	413	51	18	14	14	19	34	66	197	908	214	93	54	31	33	109	164	210
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	2	—	—
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	30	9	11	8	1	1	—	—	—	47	8	25	12	2	—	—	—	—
	F	27	7	8	9	3	—	—	—	—	32	9	14	7	2	—	—	—	—
4 Scarlet fever ...	M	3	—	—	1	1	—	1	—	—	1	—	—	—	1	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	3	—	—	2	1	—	—	—	—
5 Whooping cough ...	M	—	—	—	—	—	—	—	—	—	10	6	3	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	18	6	5	6	1	—	—	—	—
6 Diphtheria and croup ...	M	2	—	1	—	—	—	1	—	—	16	2	4	7	3	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	15	2	4	8	1	—	—	—	—
7 Influenza ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1
	F	3	1	—	—	—	—	1	—	1	1	—	—	—	—	—	—	1	—
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	45	—	—	—	3	7	17	13	5	79	—	1	1	3	11	38	22	3
	F	27	—	1	—	1	12	8	4	1	73	2	—	1	6	13	39	10	2
10 Tuberculous meningitis	M	7	2	1	—	1	1	—	1	1	12	2	1	4	4	—	1	—	—
	F	3	—	—	—	3	—	—	—	—	8	—	—	5	2	—	1	—	—
11 Other tuberculous diseases.	M	6	—	1	1	2	1	1	—	—	30	5	4	5	8	1	4	2	1
	F	8	3	—	—	3	1	1	—	—	15	2	3	2	3	2	—	2	1
12 Cancer, malignant disease	M	18	—	—	—	—	—	2	7	9	47	—	—	—	—	1	5	28	13
	F	46	—	—	—	—	—	5	20	21	42	—	—	1	—	—	8	17	16
13 Rheumatic fever ...	M	1	—	—	—	—	—	1	—	—	5	—	—	—	—	1	4	—	—
	F	—	—	—	—	—	—	—	—	—	3	—	1	—	1	1	—	—	—
14 Meningitis ...	M	7	1	1	—	2	2	1	—	—	22	4	2	5	5	2	4	—	—
	F	1	—	—	—	—	—	—	—	1	15	6	4	3	2	—	—	—	—
15 Organic heart disease ...	M	26	—	—	—	—	—	3	9	14	72	—	—	—	3	3	4	39	23
	F	42	—	—	—	—	—	4	11	27	89	—	—	1	2	1	19	38	28
16 Bronchitis ...	M	14	3	2	—	1	—	1	3	4	77	26	6	2	2	1	2	13	25
	F	38	2	3	—	—	—	—	4	29	90	16	13	9	1	—	3	13	35
17 Pneumonia (all forms)	M	21	1	5	6	—	—	3	5	1	85	16	17	11	4	3	8	17	9
	F	27	10	4	1	1	—	—	1	10	40	7	10	1	3	1	7	7	4
18 Other respiratory diseases	M	10	1	1	—	1	1	1	3	2	8	—	—	1	—	—	3	2	2
	F	6	1	—	—	—	—	—	1	4	7	1	—	—	1	—	—	3	2
19 Diarrhoea, &c. ...	M	16	14	—	—	—	—	—	—	2	82	45	17	5	4	—	2	4	5
	F	15	7	2	—	—	—	—	1	5	83	53	19	3	1	—	1	2	4
20 Appendicitis and typhlitis	M	4	—	—	—	2	—	1	—	1	4	—	—	—	3	—	1	—	—
	F	1	—	—	—	1	—	—	—	—	2	—	—	—	—	—	—	2	—
21 Cirrhosis of liver ...	M	3	—	—	—	—	—	1	2	—	5	—	—	—	—	—	1	2	2
	F	2	—	—	—	—	—	—	2	—	2	—	—	1	—	—	—	1	—
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	1	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	12	—	—	—	—	—	—	7	5	18	—	1	2	1	—	—	10	4
	F	19	—	—	—	1	1	1	2	14	13	—	1	1	1	—	1	1	8
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	2	—	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	11	—	—	—	—	6	5	—	—
25 Congenital debility, &c.	M	29	28	—	—	1	—	—	—	—	100	98	—	—	—	1	1	—	—
	F	10	10	—	—	—	—	—	—	—	72	71	1	—	—	—	—	—	—
26 Violence, apart from suicide.	M	7	—	1	—	2	1	1	1	1	39	3	2	2	4	8	6	7	7
	F	6	—	—	1	—	—	—	1	4	12	2	1	1	1	—	2	2	3
27 Suicide ...	M	7	—	—	—	—	1	1	5	—	6	—	—	—	—	—	3	3	—
	F	2	—	—	—	—	—	—	1	1	3	—	—	—	—	—	1	1	1
28 Other defined diseases ...	M	90	10	2	1	3	2	6	23	43	245	56	11	3	7	6	22	52	88
	F	124	10	—	1	1	5	11	17	79	248	37	13	2	2	7	20	61	106
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	11	—	—	—	—	—	2	5	4
	F	1	—	—	1	—	—	—	—	—	7	—	4	—	—	—	—	3	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1911—*cont.*

Causes of Death.		Sex.	GLOUCESTER.										GREAT YARMOUTH.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...		M	354	72	20	11	22	17	37	79	96	395	87	21	12	14	13	46	68	134		
		F	310	61	13	18	12	20	33	59	94	426	83	24	15	7	22	45	74	156		
1	Enteric fever ...	M	4	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—		
		F	1	—	—	—	—	—	—	1	—	2	—	—	—	1	—	1	—	—		
2	Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles ...	M	3	1	2	—	—	—	—	—	—	10	2	7	—	1	—	—	—	—		
		F	5	1	1	3	—	—	—	—	—	14	5	3	3	3	—	—	—	—		
4	Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5	Whooping cough ...	M	—	—	—	—	—	—	—	—	—	4	3	—	1	—	—	—	—	—		
		F	3	1	1	1	—	—	—	—	—	12	8	1	3	—	—	—	—	—		
6	Diphtheria and croup ...	M	6	1	2	1	2	—	—	—	—	1	—	—	1	—	—	—	—	—		
		F	5	—	—	2	2	—	—	1	—	1	—	—	1	—	—	—	—	—		
7	Influenza ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
		F	2	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	1		
8	Erysipelas ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
9	Pulmonary tuberculosis	M	28	—	3	—	2	10	8	5	—	41	1	—	—	2	4	19	10	5		
		F	29	—	—	—	4	10	13	2	—	32	1	1	2	1	10	11	5	1		
10	Tuberculous meningitis	M	9	2	—	2	3	2	—	—	—	5	—	1	—	1	—	2	1	—		
		F	4	1	—	—	2	1	—	—	—	1	—	—	—	1	—	—	—	—		
11	Other tuberculous diseases.	M	7	1	—	2	2	1	—	1	—	8	5	—	2	—	—	—	1	—		
		F	3	1	—	—	—	—	—	1	1	9	2	4	—	—	1	1	1	—		
12	Cancer, malignant disease	M	21	—	1	—	1	—	3	7	9	18	—	—	—	—	—	1	5	12		
		F	19	—	—	—	—	—	1	15	3	42	—	—	—	—	—	3	16	23		
13	Rheumatic fever ...	M	1	—	—	—	—	—	1	—	—	3	—	—	—	1	1	1	—	—		
		F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—		
14	Meningitis ...	M	3	1	1	—	1	—	—	—	—	4	3	—	1	—	—	—	—	—		
		F	4	2	—	1	—	1	—	—	—	4	—	1	2	—	—	—	1	—		
15	Organic heart disease ...	M	31	—	—	—	1	—	2	13	15	26	—	—	—	—	—	2	9	15		
		F	34	—	—	—	—	1	4	8	21	39	—	—	—	—	1	4	14	20		
16	Bronchitis ...	M	29	2	3	1	1	—	7	15	18	18	2	3	1	—	—	—	—	12		
		F	23	4	2	—	—	—	1	3	13	35	8	—	—	—	—	1	6	20		
17	Pneumonia (all forms)	M	26	7	5	3	2	—	2	3	4	12	2	2	3	1	1	2	—	1		
		F	25	5	4	8	1	—	—	4	3	10	1	4	1	—	1	1	—	2		
18	Other respiratory diseases	M	6	—	—	—	—	—	2	3	1	8	1	1	1	—	—	1	2	2		
		F	6	—	—	1	—	—	2	1	2	10	3	—	1	—	1	—	1	4		
19	Diarrhoea, &c. ...	M	22	15	3	1	—	—	—	2	1	35	28	5	1	—	—	—	—	1		
		F	18	12	3	—	—	—	—	—	3	27	21	4	—	—	—	—	—	2		
20	Appendicitis and typhlitis	M	1	—	—	—	—	—	1	—	—	2	—	—	—	—	1	1	—	—		
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—		
21	Cirrhosis of liver ...	M	5	—	—	—	—	—	2	3	—	5	—	—	—	—	—	—	3	2		
		F	2	—	—	—	1	—	—	1	—	10	—	—	—	—	—	4	6	—		
21A	Alcoholism ...	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22	Nephritis and Bright's disease.	M	11	—	—	—	1	—	2	5	3	2	—	—	—	—	—	—	1	1		
		F	6	—	—	—	—	1	1	2	2	7	—	—	—	—	—	2	4	1		
23	Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	4	—	—		
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	3	—	—	—	—	1	2	—	—	5	—	—	—	—	—	5	—	—		
25	Congenital debility, &c.	M	29	29	—	—	—	—	—	—	—	22	22	—	—	—	—	—	—	—		
		F	29	29	—	—	—	—	—	—	—	19	19	—	—	—	—	—	—	—		
26	Violence, apart from suicide.	M	16	2	—	—	2	2	4	4	2	19	1	—	—	5	2	3	4	4		
		F	7	—	1	—	1	1	1	2	1	8	3	1	1	1	—	1	—	1		
27	Suicide ...	M	7	—	—	—	—	—	4	3	—	4	—	—	—	—	—	—	4	—		
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—		
28	Other defined diseases ...	M	85	10	—	1	4	2	2	22	44	145	17	1	1	3	4	13	27	79		
		F	78	5	1	1	1	4	6	18	42	123	12	5	1	—	6	5	15	79		
29	Causes ill-defined or unknown.	M	3	1	—	—	—	—	—	1	1	1	—	1	—	—	—	—	—	—		
		F	3	—	—	1	—	—	—	—	2	5	—	—	—	—	—	2	1	2		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1911—*cont.*

Causes of Death.	Sex.	GRIMSBY.										HALIFAX.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	584	185	36	25	17	27	74	103	117	769	132	20	29	24	32	91	247	194		
	F	524	140	45	25	30	25	70	73	116	786	98	27	28	31	34	97	189	282		
1 Enteric fever ...	M	12	—	—	3	1	1	4	2	1	6	—	—	—	1	1	3	1	—		
	F	5	—	—	—	—	1	3	1	—	4	—	—	—	1	2	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	21	7	8	5	1	—	—	—	—	4	1	2	1	—	—	—	—	—		
	F	14	3	7	3	1	—	—	—	—	3	1	2	—	—	—	—	—	—		
4 Scarlet fever ...	M	1	—	—	—	1	—	—	—	—	3	—	1	—	1	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	5	—	—	2	1	1	—	—	—		
5 Whooping cough ...	M	—	—	—	—	—	—	—	—	—	7	2	1	4	—	—	—	—	—		
	F	2	1	—	1	—	—	—	—	—	19	7	6	4	2	—	—	—	—		
6 Diphtheria and croup ...	M	5	—	—	3	2	—	—	—	—	12	—	—	5	6	1	—	—	—		
	F	3	—	—	1	2	—	—	—	—	10	—	1	3	5	—	—	1	—		
7 Influenza ...	M	1	—	—	—	—	—	—	1	—	9	—	1	1	—	—	1	4	2		
	F	—	—	—	—	—	—	—	—	—	4	1	—	—	—	—	2	1	—		
8 Erysipelas ...	M	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	1	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2		
9 Pulmonary tuberculosis	M	29	1	—	1	—	9	14	3	1	54	—	—	—	—	11	19	17	7		
	F	33	—	—	1	4	10	12	6	—	45	1	1	—	4	11	16	7	5		
10 Tuberculous meningitis	M	12	2	1	3	2	3	1	—	—	10	3	2	3	1	1	—	—	—		
	F	10	2	1	3	3	1	—	—	—	4	1	1	1	1	—	—	—	—		
11 Other tuberculous diseases.	M	12	1	3	1	—	4	1	1	1	10	3	—	—	3	2	1	1	—		
	F	11	2	3	—	3	1	2	—	—	12	2	1	2	1	1	3	1	1		
12 Cancer, malignant disease	M	28	—	—	—	—	—	2	15	11	60	—	—	—	—	—	6	35	19		
	F	32	—	—	1	—	—	6	12	13	58	—	—	—	—	—	5	30	23		
13 Rheumatic fever ...	M	2	—	—	—	1	—	1	—	—	2	—	—	—	—	2	—	—	—		
	F	1	—	—	—	1	—	—	—	—	5	—	—	—	1	2	1	1	—		
14 Meningitis ...	M	3	2	1	—	—	—	—	—	—	11	6	2	1	2	—	—	—	—		
	F	3	—	1	—	1	—	1	—	—	14	2	—	2	1	2	2	3	2		
15 Organic heart disease ...	M	37	—	—	—	1	2	3	15	16	60	—	—	1	1	1	8	30	19		
	F	29	—	—	—	—	1	4	11	13	85	—	—	—	1	3	14	32	35		
16 Bronchitis ...	M	34	10	4	—	—	1	—	8	11	73	9	2	3	—	—	4	23	32		
	F	51	12	6	3	1	—	—	7	22	44	4	1	—	1	—	2	9	27		
17 Pneumonia (all forms)	M	42	7	6	5	2	1	9	8	4	70	11	3	5	3	2	16	24	6		
	F	39	9	6	7	4	2	5	2	4	62	13	5	5	1	—	6	15	17		
18 Other respiratory diseases	M	6	1	—	1	—	—	2	2	—	13	1	—	1	—	—	1	9	1		
	F	8	—	1	—	—	2	—	3	2	14	1	1	1	1	1	3	3	3		
19 Diarrhoea, &c. ...	M	94	72	9	2	—	—	2	2	7	37	24	3	1	—	—	—	3	6		
	F	73	55	9	1	1	—	1	1	5	44	26	5	4	—	1	3	2	3		
20 Appendicitis and typhlitis	M	6	—	—	—	3	2	—	1	—	5	—	—	—	—	1	2	1	1		
	F	2	—	—	—	—	1	1	—	—	10	—	—	—	1	2	3	3	1		
21 Cirrhosis of liver ...	M	3	—	—	—	—	—	—	3	—	4	—	—	—	—	—	—	3	1		
	F	4	—	—	—	—	—	—	—	1	6	—	—	—	—	—	—	4	2		
21A Alcoholism ...	M	2	—	—	—	—	—	1	1	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	21	—	—	—	—	—	7	7	7	26	—	—	—	—	1	6	13	6		
	F	14	—	—	1	—	—	2	8	3	24	—	—	—	—	2	4	7	11		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	1	—	—	—	—	—	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	1	4	—	—	8	—	—	—	—	—	8	—	—		
25 Congenital debility, &c.	M	48	48	—	—	—	—	—	—	—	46	43	2	—	1	—	—	—	—		
	F	35	34	1	—	—	—	—	—	—	26	26	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	20	—	—	—	2	1	8	5	4	18	2	—	1	1	1	2	7	4		
	F	11	2	2	1	—	1	2	2	1	16	1	2	1	4	1	—	2	5		
27 Suicide ...	M	3	—	—	—	—	—	1	2	—	9	—	—	—	—	—	2	5	2		
	F	4	—	—	—	—	—	—	4	—	6	—	—	—	—	—	3	3	—		
28 Other defined diseases ...	M	139	34	3	1	1	3	16	27	54	212	26	1	2	4	6	20	67	86		
	F	129	20	4	2	9	4	22	16	52	252	12	1	3	5	5	20	63	143		
29 Causes ill-defined or unknown.	M	1	—	1	—	—	—	—	—	—	7	1	—	—	—	—	—	3	2		
	F	3	—	3	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1911—cont.

Causes of Death.		Sex.	HASTINGS.										HUDDERSFIELD.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	...	M	397	70	14	6	10	10	50	85	152	800	158	27	32	35	27	105	211	205		
		F	461	35	9	12	5	15	53	99	233	833	124	39	30	25	34	97	215	269		
1 Enteric fever	...	M	—	—	—	—	—	—	—	—	—	7	—	—	—	1	—	4	2	—		
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
2 Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	...	M	6	3	1	2	—	—	—	—	—	5	3	—	1	1	—	—	—	—		
		F	6	1	1	4	—	—	—	—	—	12	6	6	—	—	—	—	—	—		
4 Scarlet fever	...	M	1	—	—	—	1	—	—	—	—	10	1	—	5	4	—	—	—	—		
		F	2	—	—	—	2	—	—	—	—	6	—	—	5	1	—	—	—	—		
5 Whooping cough	...	M	2	1	1	—	—	—	—	—	—	7	4	3	—	—	—	—	—	—		
		F	2	1	1	—	—	—	—	—	—	4	3	1	—	—	—	—	—	—		
6 Diphtheria and croup	...	M	1	—	1	—	—	—	—	—	—	15	2	2	5	6	—	—	—	—		
		F	1	—	—	1	—	—	—	—	—	8	—	2	2	4	—	—	—	—		
7 Influenza	...	M	1	—	—	—	—	—	—	1	—	7	—	—	—	—	—	3	2	2		
		F	10	—	—	—	—	—	2	1	7	7	—	—	—	—	2	3	2	2		
8 Erysipelas	...	M	1	—	—	—	—	—	1	—	—	3	—	—	—	—	1	—	2	1		
		F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	{	M	36	1	—	—	3	5	18	6	3	53	1	—	—	1	12	21	15	3		
		F	42	1	1	3	—	10	17	10	—	41	1	—	—	4	11	18	6	1		
10 Tuberculous meningitis	{	M	3	1	—	1	1	—	—	—	—	10	2	3	3	1	—	1	—	—		
		F	2	1	—	—	1	—	—	—	—	8	—	1	2	3	1	1	—	—		
11 Other tuberculous diseases.	{	M	4	1	1	—	—	—	—	1	1	9	—	1	—	2	—	3	2	1		
		F	7	1	—	—	—	1	3	1	1	12	—	1	1	1	4	3	—	2		
12 Cancer, malignant disease	{	M	47	—	—	—	1	—	2	17	27	49	—	—	—	—	1	6	28	14		
		F	63	—	—	—	—	—	5	26	32	80	—	—	—	—	1	7	35	37		
13 Rheumatic fever	...	M	1	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—		
		F	1	—	—	—	1	—	—	—	—	3	—	—	—	1	1	—	—	—		
14 Meningitis	...	M	1	1	—	—	—	—	—	—	—	4	1	—	2	—	—	—	—	1		
		F	1	1	—	—	—	—	—	—	—	5	—	—	3	1	—	—	—	—		
15 Organic heart disease	...	M	46	—	—	—	—	1	3	19	23	64	—	—	—	4	2	6	28	24		
		F	52	—	—	—	—	2	2	14	34	79	1	—	—	1	—	15	34	28		
16 Bronchitis	...	M	15	—	—	—	—	—	—	5	10	72	15	4	—	—	—	3	16	34		
		F	27	1	—	—	1	—	—	6	19	82	12	5	1	—	—	2	20	42		
17 Pneumonia (all forms)	{	M	24	7	1	—	—	1	—	4	11	53	13	3	6	4	1	12	11	3		
		F	21	3	—	—	—	—	2	3	13	39	7	8	4	1	3	3	4	9		
18 Other respiratory diseases	{	M	5	—	1	—	—	—	—	2	2	14	1	—	3	—	—	2	6	2		
		F	3	—	—	1	—	—	—	—	2	9	—	—	1	1	—	1	5	1		
19 Diarrhoea, &c.	...	M	34	24	6	1	1	—	—	—	2	67	45	4	1	—	1	2	5	9		
		F	16	6	3	1	—	—	1	—	5	74	35	10	2	—	—	1	7	19		
20 Appendicitis and typhlitis	{	M	4	—	—	—	1	—	1	1	1	6	—	—	—	4	1	1	—	—		
		F	4	—	—	—	—	—	1	2	1	2	—	—	—	—	1	—	1	—		
21 Cirrhosis of liver	...	M	1	—	—	—	—	—	—	—	1	8	—	—	—	—	—	1	3	4		
		F	3	—	—	—	—	—	—	1	2	3	—	—	—	—	—	—	2	1		
21A Alcoholism	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
22 Nephritis and Bright's disease.	{	M	19	—	—	—	1	—	6	5	7	48	—	—	—	2	5	9	21	11		
		F	21	—	—	—	—	—	3	10	8	45	—	—	2	—	1	9	24	9		
23 Puerperal fever...	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	2	—	—		
24 Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	2	—	—	—	—	—	1	1	—	8	—	—	—	—	—	8	—	—		
25 Congenital debility, &c.	{	M	22	22	—	—	—	—	—	—	—	41	41	—	—	—	—	—	—	—		
		F	13	13	—	—	—	—	—	—	—	33	31	—	—	—	1	1	—	—		
26 Violence, apart from suicide.	{	M	10	—	—	1	—	1	4	1	3	24	2	1	2	1	1	8	6	3		
		F	12	3	1	—	—	1	2	1	4	20	2	—	2	2	3	2	5	4		
27 Suicide	...	M	8	—	—	—	—	2	3	1	2	12	—	—	—	—	—	6	5	1		
		F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	1	—	1	—		
28 Other defined diseases	...	M	105	9	2	1	1	—	11	22	59	207	27	4	4	3	3	16	60	90		
		F	146	3	2	2	—	1	12	22	104	243	26	4	5	4	5	19	67	113		
29 Causes ill-defined or unknown.	{	M	—	—	—	—	—	—	—	—	—	4	—	2	—	—	—	—	1	1		
		F	1	—	—	—	—	—	—	1	—	3	—	1	—	1	—	—	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1911—*cont.*

Causes of Death.		Sex.	IPSWICH.										KINGSTON UPON HULL.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...		M	463	98	19	12	10	18	58	101	147	2443	668	156	115	86	112	285	515	506		
		F	482	82	11	11	19	18	64	100	177	2219	568	183	104	88	86	259	354	577		
1	Enteric fever ...	M	1	—	—	—	—	—	1	—	—	45	—	—	—	6	12	20	6	1		
		F	1	—	—	—	—	—	1	—	—	22	—	—	1	3	4	9	4	1		
2	Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles ...	M	—	—	—	—	—	—	—	—	—	51	13	16	18	4	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	53	13	25	12	3	—	—	—	—		
4	Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	7	—	—	3	2	2	—	—	—		
		F	—	—	—	—	—	—	—	—	—	8	—	3	2	2	—	1	—	—		
5	Whooping cough ...	M	1	—	1	—	—	—	—	—	—	36	20	7	7	2	—	—	—	—		
		F	1	1	—	—	—	—	—	—	—	64	26	23	12	3	—	—	—	—		
6	Diphtheria and croup ...	M	4	—	—	1	3	—	—	—	—	12	—	1	9	2	—	—	—	—		
		F	7	—	—	3	4	—	—	—	—	10	1	—	6	3	—	—	—	—		
7	Influenza ...	M	6	—	—	2	—	—	—	3	1	19	—	1	—	1	1	5	7	4		
		F	5	—	—	—	—	—	—	2	3	20	—	—	—	1	—	4	5	10		
8	Erysipelas ...	M	2	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	1	—		
		F	1	—	—	—	—	—	—	—	1	4	1	—	1	—	—	—	1	1		
9	Pulmonary tuberculosis	M	55	—	—	3	—	12	20	18	2	191	1	2	3	9	33	77	62	4		
		F	43	—	—	—	1	11	20	11	—	136	3	2	2	14	33	57	22	3		
10	Tuberculous meningitis	M	3	2	1	—	—	—	—	—	—	20	4	3	9	4	—	—	—	—		
		F	1	—	—	—	1	—	—	—	—	17	1	5	1	9	—	—	1	—		
11	Other tuberculous diseases.	M	3	—	—	—	1	1	—	—	1	44	9	7	6	6	4	4	7	1		
		F	8	1	—	1	—	3	2	1	—	45	9	5	6	7	3	11	3	1		
12	Cancer, malignant disease	M	35	—	—	—	1	—	2	16	16	117	—	—	—	1	1	13	56	46		
		F	51	—	—	—	—	—	5	20	26	171	1	—	1	—	—	21	85	63		
13	Rheumatic fever ...	M	1	—	—	—	—	—	1	—	—	8	—	1	—	2	3	1	1	—		
		F	—	—	—	—	—	—	—	—	—	7	—	—	—	1	3	3	—	—		
14	Meningitis ...	M	2	1	—	—	—	—	—	1	—	23	4	4	8	4	—	—	3	—		
		F	4	—	1	—	2	—	—	1	—	23	7	4	6	2	1	2	1	—		
15	Organic heart disease ...	M	43	—	—	—	2	1	4	11	25	169	—	—	—	2	4	26	73	64		
		F	59	—	—	—	1	2	7	17	32	145	—	—	—	3	10	19	51	62		
16	Bronchitis ...	M	18	7	2	—	—	—	—	5	4	178	44	11	4	1	—	5	41	72		
		F	30	4	3	1	—	—	—	3	19	168	35	12	6	4	1	4	24	82		
17	Pneumonia (all forms)	M	27	3	4	1	—	—	4	6	9	197	64	21	22	7	11	26	34	12		
		F	16	2	—	—	2	—	3	2	7	149	47	31	19	10	2	14	18	8		
18	Other respiratory diseases	M	8	1	—	1	—	1	1	1	3	32	7	3	2	1	1	2	11	5		
		F	6	—	1	1	2	—	1	1	—	30	5	1	4	1	2	4	6	7		
19	Diarrhoea, &c. ...	M	39	28	8	1	—	—	—	1	1	339	230	54	13	2	—	5	12	23		
		F	37	27	5	1	2	—	—	1	1	306	201	58	15	1	1	1	4	25		
20	Appendicitis and typhlitis	M	1	—	—	—	1	—	—	—	—	7	—	—	1	3	—	2	1	—		
		F	1	—	—	—	1	—	—	—	—	4	—	—	—	3	—	1	—	—		
21	Cirrhosis of liver ...	M	3	—	—	—	—	—	1	—	2	18	—	—	—	2	—	2	11	3		
		F	5	—	—	—	—	—	2	2	1	23	—	—	—	—	1	5	10	7		
21A	Alcoholism ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22	Nephritis and Bright's disease.	M	11	—	—	—	—	—	1	7	3	48	—	—	—	3	1	6	23	15		
		F	11	1	—	1	—	1	1	2	5	39	1	—	—	—	1	10	17	10		
23	Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	3	—	—	—	—	—	3	—	—	12	—	—	—	—	3	9	—	—		
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	7	—	—	—	—	—	6	1	—	22	—	—	—	—	3	19	—	—		
25	Congenital debility, &c.	M	33	33	—	—	—	—	—	—	—	162	159	—	1	1	1	—	—	—		
		F	30	30	—	—	—	—	—	—	—	124	124	—	—	—	—	—	—	—		
26	Violence, apart from suicide.	M	22	3	1	—	—	—	9	6	3	110	11	4	4	9	17	33	20	12		
		F	11	—	1	2	—	1	1	2	4	44	7	3	4	5	2	8	6	9		
27	Suicide ...	M	9	—	—	—	—	—	3	4	2	21	—	—	—	—	3	11	6	1		
		F	1	—	—	—	—	—	1	—	—	12	—	—	—	—	1	7	2	2		
28	Other defined diseases ...	M	127	19	1	2	2	2	10	19	72	579	102	16	5	12	18	44	139	243		
		F	137	16	—	1	3	—	10	31	76	554	86	8	5	13	15	49	93	285		
29	Causes ill-defined or unknown.	M	9	1	1	1	—	1	—	3	2	7	—	5	—	—	—	1	1	—		
		F	6	—	—	—	—	—	1	3	2	7	—	3	1	—	—	1	1	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1911—*cont.*

Causes of Death.		Sex.	LEEDS.										LEICESTER.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	...	M	3,815	928	254	181	154	145	475	888	790	1,502	407	74	69	57	64	170	313	348		
		F	3,533	753	230	200	156	160	432	709	893	1,524	274	74	65	52	72	203	304	480		
1	Enteric fever	M	15	—	1	1	1	4	5	3	—	6	—	—	—	—	2	4	—	—		
		F	8	—	—	1	1	3	1	2	—	4	—	—	—	—	3	1	—	—		
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles	M	44	9	19	15	1	—	—	—	—	36	13	12	9	2	—	—	—	—		
		F	35	5	16	14	—	—	—	—	—	37	6	15	13	3	—	—	—	—		
4	Scarlet fever	M	24	1	3	9	9	2	—	—	—	6	—	1	4	1	—	—	—	—		
		F	21	—	—	8	8	2	3	—	—	3	—	2	1	—	—	—	—	—		
5	Whooping cough	M	61	28	24	9	—	—	—	—	—	19	9	5	4	1	—	—	—	—		
		F	87	41	21	21	4	—	—	—	—	24	11	4	7	2	—	—	—	—		
6	Diphtheria and croup	M	80	1	11	31	37	—	—	—	—	12	2	3	4	3	—	—	—	—		
		F	73	1	7	32	29	1	3	—	—	11	1	2	6	2	—	—	—	—		
7	Influenza	M	28	1	1	1	—	2	4	9	10	8	1	—	—	—	2	—	—	5		
		F	21	—	—	—	1	2	1	6	11	7	—	1	—	1	1	—	2	2		
8	Erysipelas	M	9	1	1	—	—	—	1	2	4	1	—	—	—	—	—	1	—	—		
		F	7	—	—	—	—	—	—	1	6	3	1	—	—	—	—	—	—	2		
9	Pulmonary tuberculosis	M	374	3	2	4	13	60	162	110	20	172	2	2	2	2	31	79	44	10		
		F	247	7	5	6	24	67	106	27	5	132	2	3	1	5	29	67	21	4		
10	Tuberculous meningitis	M	36	10	7	10	7	2	—	—	—	24	4	4	5	10	—	—	1	—		
		F	37	6	7	7	9	7	1	—	—	20	1	6	5	6	1	1	—	—		
11	Other tuberculous diseases.	M	99	25	15	11	18	10	10	10	—	30	11	3	4	4	2	3	1	2		
		F	82	20	13	17	12	2	11	2	5	23	5	—	4	5	3	5	1	—		
12	Cancer, malignant disease	M	191	—	—	—	2	1	15	94	79	81	—	—	1	—	—	6	45	29		
		F	251	—	—	1	—	—	39	129	82	154	1	—	—	—	3	16	79	55		
13	Rheumatic fever	M	7	—	—	—	2	2	1	2	—	4	—	—	—	—	—	—	1	—		
		F	10	—	—	1	3	3	1	2	—	7	—	—	—	3	2	1	1	—		
14	Meningitis	M	59	16	10	3	6	3	3	8	10	11	2	3	3	2	—	1	—	—		
		F	43	10	6	9	4	1	2	2	9	11	3	4	1	2	1	—	—	—		
15	Organic heart disease	M	299	—	—	—	6	13	33	145	102	109	—	—	—	3	7	8	46	45		
		F	346	—	—	1	6	15	66	123	135	151	—	—	—	4	5	23	52	67		
16	Bronchitis	M	295	75	20	10	1	1	21	63	104	102	21	4	7	—	1	2	15	52		
		F	246	43	15	9	2	4	8	48	117	124	14	5	5	—	1	1	15	83		
17	Pneumonia (all forms)	M	366	77	58	39	9	10	56	79	38	87	22	15	10	2	3	8	18	9		
		F	250	54	56	29	13	11	22	32	33	74	10	14	9	3	5	9	9	15		
18	Other respiratory diseases	M	53	2	—	5	3	—	10	18	15	20	1	2	2	—	—	1	6	8		
		F	53	8	1	4	1	1	10	16	12	18	4	1	1	1	1	—	2	8		
19	Diarrhoea, &c.	M	361	256	45	8	2	3	9	21	17	136	110	7	3	—	1	—	7	8		
		F	322	220	48	6	5	1	7	13	22	106	80	9	3	1	—	2	3	8		
20	Appendicitis and typhlitis	M	8	—	—	—	3	2	1	1	1	6	—	—	—	2	2	—	1	1		
		F	15	—	—	—	5	—	6	2	2	2	—	—	—	—	—	1	1	—		
21	Cirrhosis of liver	M	15	—	—	—	—	—	3	7	5	16	—	—	—	—	—	3	10	3		
		F	21	—	—	—	1	—	3	12	5	11	—	—	—	1	—	6	4	—		
21A	Alcoholism	M	4	—	—	—	—	—	1	3	—	1	—	—	—	—	—	—	1	—		
		F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—		
22	Nephritis and Bright's disease.	M	117	2	3	1	6	—	19	58	28	39	—	—	—	1	—	7	22	9		
		F	120	2	1	2	4	5	21	53	32	42	2	—	2	1	2	9	13	13		
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	16	—	—	—	—	4	12	—	—	10	—	—	—	—	2	8	—	—		
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	26	—	—	—	*1	3	22	—	—	14	—	—	—	—	2	12	—	—		
25	Congenital debility, &c.	M	216	215	1	—	—	—	—	—	—	131	131	—	—	—	—	—	—	—		
		F	194	193	—	1	—	—	—	—	—	82	81	—	1	—	—	—	—	—		
26	Violence, apart from suicide.	M	120	19	6	15	9	8	26	23	14	54	9	—	6	11	2	8	10	8		
		F	76	7	4	12	9	4	5	14	21	23	2	2	2	2	2	1	3	9		
27	Suicide	M	30	—	—	—	—	—	7	20	3	17	—	—	—	—	1	7	7	2		
		F	17	—	—	—	1	—	9	5	2	8	—	—	—	—	1	3	1	3		
28	Other defined diseases	M	886	187	22	9	19	21	88	202	338	358	69	9	5	10	10	31	72	152		
		F	899	136	28	19	13	24	72	215	392	402	50	4	4	10	6	38	84	206		
29	Causes ill-defined or unknown.	M	18	—	5	—	—	1	—	10	2	16	—	4	—	—	—	1	6	5		
		F	9	—	2	—	—	—	—	5	2	20	—	2	—	—	2	4	11	1		

* Aged 14 years. A domestic servant.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1911—*cont.*

Causes of Death.	Sex.	LINCOLN.									LIVERPOOL.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	435	100	21	12	12	24	56	93	117	7,880	1904	739	474	326	309	1108	1719	1301
	F	413	93	13	17	15	13	63	64	135	7,200	1585	647	466	319	270	895	1453	1565
1 Enteric fever ...	M	3	—	—	—	1	1	—	1	—	18	—	—	—	1	3	14	—	—
	F	2	—	—	—	—	—	1	1	—	18	—	—	—	4	6	5	2	1
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	1	—	1	—	—	—	—	—	—	165	37	68	47	11	—	2	—	—
	F	2	1	—	1	—	—	—	—	—	150	30	57	58	4	1	—	—	—
4 Scarlet fever ...	M	2	—	—	1	1	—	—	—	—	77	6	12	29	24	4	1	1	—
	F	2	1	—	1	—	—	—	—	—	51	2	1	28	17	1	2	—	—
5 Whooping cough ...	M	3	1	1	1	—	—	—	—	—	106	42	40	22	2	—	—	—	—
	F	12	4	4	3	1	—	—	—	—	131	45	53	31	2	—	—	—	—
6 Diphtheria and croup ...	M	5	1	1	2	1	—	—	—	—	68	1	8	29	28	—	2	—	—
	F	5	1	—	—	4	—	—	—	—	59	2	1	28	28	—	—	—	—
7 Influenza ...	M	7	—	—	—	—	1	1	4	1	39	—	—	—	1	2	5	19	12
	F	1	—	—	—	—	—	—	—	1	40	1	2	1	3	—	6	9	18
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	20	2	—	1	1	5	1	8	2
	F	—	—	—	—	—	—	—	—	—	16	2	—	1	—	3	6	4	4
9 Pulmonary tuberculosis	M	39	1	—	—	—	14	13	11	—	817	3	6	16	25	94	387	252	34
	F	26	—	1	—	2	2	14	6	1	594	5	6	12	49	118	264	119	21
10 Tuberculous meningitis	M	4	1	2	1	—	—	—	—	—	63	14	15	14	16	3	1	—	—
	F	5	2	—	2	1	—	—	—	—	57	9	11	14	17	5	1	—	—
11 Other tuberculous diseases.	M	9	5	1	1	—	1	1	—	—	127	24	24	23	23	9	12	8	4
	F	6	1	1	—	3	1	—	—	—	117	22	21	14	23	4	13	19	1
12 Cancer, malignant disease	M	36	—	—	—	—	—	5	17	14	311	—	—	—	3	2	37	187	82
	F	35	—	—	—	—	1	9	11	14	392	—	1	—	1	—	58	205	127
13 Rheumatic fever ...	M	1	—	—	—	—	—	—	1	—	20	—	1	—	4	7	2	5	1
	F	—	—	—	—	—	—	—	—	—	24	—	1	—	9	1	7	4	2
14 Meningitis ...	M	3	1	—	—	1	1	—	—	—	38	34	16	13	10	6	4	4	1
	F	2	1	—	—	—	—	1	—	—	71	28	13	14	8	1	4	3	—
15 Organic heart disease ...	M	43	—	—	—	—	—	9	11	23	393	—	1	1	19	14	63	157	138
	F	39	—	—	—	—	1	5	12	21	448	—	—	4	14	23	72	150	185
16 Bronchitis ...	M	19	7	2	1	—	—	1	2	6	689	128	36	16	4	4	35	204	262
	F	30	7	2	1	—	—	—	4	16	787	135	44	22	7	3	43	203	330
17 Pneumonia (all forms)	M	19	4	2	2	—	—	3	4	4	894	162	126	92	46	45	162	183	78
	F	13	5	1	2	—	1	2	1	1	683	124	103	83	43	28	88	128	86
18 Other respiratory diseases	M	7	1	2	1	1	—	1	1	—	94	10	10	9	7	1	17	23	17
	F	9	1	—	—	—	1	1	4	2	100	12	7	6	5	6	20	27	17
19 Diarrhoea, &c. ...	M	52	38	9	1	—	—	—	2	2	936	521	246	77	15	4	12	27	34
	F	39	30	2	2	—	—	1	3	1	840	460	219	68	8	3	7	30	45
20 Appendicitis and typhlitis	M	4	—	—	—	—	2	2	—	—	33	—	—	1	12	5	10	3	2
	F	4	—	—	—	2	—	1	—	1	12	—	—	—	6	2	3	1	—
21 Cirrhosis of liver ...	M	3	—	—	—	—	—	1	1	1	39	—	—	—	—	—	9	20	10
	F	4	—	—	—	—	—	—	4	—	31	—	—	—	—	—	9	19	3
21A Alcoholism ...	M	1	—	—	—	—	—	—	—	1	21	—	—	—	—	—	7	14	—
	F	—	—	—	—	—	—	—	—	—	12	—	—	—	—	—	3	6	3
22 Nephritis and Bright's disease.	M	13	—	—	—	2	1	1	6	3	180	—	3	3	8	6	29	94	37
	F	6	—	—	—	1	—	1	2	2	153	1	2	3	4	3	38	74	28
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	2	2	—	—	29	—	—	—	—	6	22	1	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	52	—	—	—	—	7	45	—	—
25 Congenital debility, &c.	M	24	—	—	—	—	—	—	—	—	536	529	2	2	1	—	2	—	—
	F	27	27	—	—	—	—	—	—	—	394	389	—	4	1	—	—	—	—
26 Violence, apart from suicide.	M	12	1	—	—	2	—	4	3	2	351	37	16	33	30	39	96	72	28
	F	6	2	—	—	1	1	—	—	2	195	47	2	30	23	5	16	35	37
27 Suicide ...	M	2	—	—	—	—	—	—	2	—	42	—	—	—	—	2	19	13	8
	F	2	—	—	—	—	—	2	—	—	13	—	—	—	—	1	6	5	1
28 Other defined diseases ...	M	121	15	—	1	3	3	14	25	60	1,663	353	64	36	35	51	177	406	541
	F	130	10	1	5	—	3	22	16	73	1,637	271	63	34	38	45	154	384	648
29 Causes ill-defined or unknown.	M	2	—	—	—	—	—	—	2	—	90	1	45	10	—	3	2	19	10
	F	1	—	1	—	—	—	—	—	—	94	—	40	11	5	1	6	23	8

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1911—*cont.*

Causes of Death.				Sex.	MANCHESTER.										MERTHYR TYDFIL.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	{	M	6,463	1649	458	321	222	276	970	1531	1036	682	203	40	29	18	35	102	163	92		
				F	5,818	1259	449	289	238	244	754	1254	1331	600	184	33	29	28	28	79	116	103		
1 Enteric fever	{	M	25	—	—	—	1	7	13	3	1	5	—	—	—	—	1	3	1	—		
				F	25	—	—	—	4	6	12	2	1	3	—	—	—	—	1	1	—	1		
2 Small-pox	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	{	M	174	41	79	53	1	—	—	—	—	5	3	1	1	—	—	—	—	—		
				F	163	40	73	41	9	—	—	—	—	2	—	2	—	—	—	—	—	—		
4 Scarlet fever	{	M	21	2	—	11	5	2	1	—	—	1	—	—	1	—	—	—	—	—		
				F	23	—	4	11	8	—	—	—	—	3	—	1	2	—	—	—	—	—		
5 Whooping cough	{	M	62	27	14	20	1	—	—	—	—	4	3	1	—	—	—	—	—	—		
				F	79	26	30	21	2	—	—	—	—	3	2	1	—	—	—	—	—	—		
6 Diphtheria and croup	{	M	44	3	8	23	10	—	—	—	—	3	2	—	1	—	—	—	—	—		
				F	45	2	14	17	12	—	—	—	—	4	—	—	4	—	—	—	—	—		
7 Influenza	{	M	39	2	—	1	—	6	10	12	8	11	1	—	—	2	1	5	—	2		
				F	48	3	1	3	2	1	2	23	13	9	—	—	1	2	1	1	2	2		
8 Erysipelas	{	M	14	2	1	—	1	—	5	3	2	—	—	—	—	—	—	—	—	—		
				F	18	5	—	—	—	—	2	4	7	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	{			M	725	5	5	5	25	95	336	233	21	48	—	1	—	—	7	26	13	1		
				F	418	4	9	3	30	92	183	89	8	52	1	—	1	5	9	24	12	—		
10 Tuberculous meningitis	{			M	78	18	18	14	17	7	3	1	—	—	—	—	—	—	—	—	—	—		
				F	68	13	15	18	17	4	1	—	—	6	1	—	1	4	—	—	—	—		
11 Other tuberculous diseases.	{			M	108	17	20	15	15	16	11	10	4	15	2	—	2	4	3	2	1	1		
				F	94	17	18	16	14	13	8	6	2	9	1	1	—	1	3	2	1	—		
12 Cancer, malignant disease	{			M	342	1	—	1	1	1	33	210	95	32	—	—	—	1	1	7	18	5		
				F	430	—	—	1	—	4	84	201	140	27	—	—	—	—	1	4	16	6		
13 Rheumatic fever	{	M	21	—	—	1	6	1	11	—	2	3	—	—	—	2	—	—	1	—		
				F	20	—	—	1	4	2	10	2	1	5	—	—	—	3	—	2	—	—		
14 Meningitis	{	M	77	24	13	12	13	3	6	4	2	9	2	4	2	—	1	—	—	—		
				F	70	17	12	8	12	8	8	4	1	9	3	—	2	2	1	1	—	—		
15 Organic heart disease	{	M	395	—	2	3	7	27	70	176	110	54	—	—	—	2	2	8	26	16		
				F	418	—	—	—	10	27	74	162	145	43	—	—	—	1	2	9	19	12		
16 Bronchitis	{	M	511	118	18	8	3	—	29	164	171	37	6	5	—	—	—	—	17	9		
				F	563	96	23	7	3	3	22	164	245	41	10	4	1	—	—	1	9	16		
17 Pneumonia (all forms)	{			M	730	129	91	64	31	33	155	158	69	73	14	9	13	1	4	10	13	9		
				F	548	104	90	62	25	14	74	103	76	51	16	10	6	2	3	5	5	4		
18 Other respiratory diseases	{			M	103	7	6	9	7	2	17	27	28	8	1	—	1	—	—	2	2	2		
				F	67	7	6	5	1	2	10	13	23	9	1	2	1	—	—	2	2	1		
19 Diarrhoea, &c.	{	M	698	493	123	29	3	1	15	22	12	90	64	14	—	—	1	3	5	3		
				F	583	381	103	28	8	1	4	27	31	86	68	4	2	1	1	1	4	5		
20 Appendicitis and typhlitis	{			M	36	—	—	1	13	10	6	6	—	—	—	—	—	—	—	—	—	—		
				F	27	—	—	1	14	5	4	2	1	1	—	—	—	1	—	—	—	—		
21 Cirrhosis of liver	{	M	51	—	—	—	—	—	9	32	10	6	—	—	—	—	—	1	5	—		
				F	42	—	—	1	—	—	9	28	4	3	—	—	—	—	—	1	2	—		
21A Alcoholism	{	M	6	—	—	—	—	—	4	2	—	2	—	—	—	—	—	1	1	—		
				F	7	—	—	—	—	—	1	6	—	2	—	—	—	—	1	1	—	—		
22 Nephritis and Bright's disease.	{			M	188	1	—	3	5	7	42	85	45	12	—	—	1	—	—	4	6	1		
				F	157	2	1	2	11	8	37	62	34	10	—	1	—	—	1	5	3	—		
23 Puerperal fever	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	28	—	—	—	—	8	20	—	—	5	—	—	—	—	—	4	1	—		
24 Parturition, apart from puerperal fever.	{			M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	44	—	—	—	—	7	37	—	—	5	—	—	—	—	2	2	1	—		
25 Congenital debility, &c.	{			M	452	451	—	—	1	—	—	—	—	50	50	—	—	—	—	—	—	—		
				F	346	343	1	—	1	—	1	—	—	49	49	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	{			M	237	55	8	24	21	20	47	49	13	43	—	—	3	6	12	14	7	1		
				F	162	55	4	19	25	4	15	16	24	12	—	3	2	1	—	—	4	2		
27 Suicide	{	M	56	—	—	—	—	3	17	23	13	3	—	—	—	—	—	—	3	—		
				F	10	—	—	—	—	3	2	5	—	3	—	—	—	—	—	3	—	—		
28 Other defined diseases	{	M	1,235	253	35	23	34	35	130	298	427	164	54	3	4	—	1	16	44	42		
				F	1,285	143	31	21	25	32	131	329	573	143	32	3	5	5	2	10	33	53		
29 Causes ill-defined or unknown.	{			M	35	—	17	1	1	—	—	13	3	4	1	2	—	—	1	—	—	—		
				F	30	1	14	3	1	—	3	6	2	5	—	1	1	—	—	—	2	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1911—*cont.*

Causes of Death.	Sex.	MIDDLESBROUGH.										NEWCASTLE UPON TYNE.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,199	306	170	99	61	43	156	200	164	2,255	529	171	106	92	100	304	517	436		
	F	911	246	104	95	43	37	93	140	153	2,109	440	162	140	111	85	256	410	505		
1 Enteric fever ...	M	5	—	—	—	—	—	2	3	—	4	—	—	—	—	—	3	—	—		
	F	2	—	—	1	—	—	1	—	—	7	—	—	2	1	3	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	47	13	21	10	3	—	—	—	—	51	14	24	8	5	—	—	—	—		
	F	32	3	10	17	2	—	—	—	—	74	20	26	21	7	—	—	—	—		
4 Scarlet fever ...	M	6	1	—	1	4	—	—	—	—	8	—	1	3	4	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	5	1	—	3	—	1	—	—	—		
5 Whooping cough ...	M	36	10	14	12	—	—	—	—	—	61	27	18	14	2	—	—	—	—		
	F	44	19	14	11	—	—	—	—	—	70	24	27	17	2	—	—	—	—		
6 Diphtheria and croup ...	M	15	—	2	9	3	1	—	—	—	17	5	2	7	3	—	—	—	—		
	F	13	1	1	6	4	1	—	—	—	22	1	8	11	2	—	—	—	—		
7 Influenza ...	M	5	—	—	—	—	—	2	3	—	15	—	—	—	—	—	2	5	8		
	F	4	—	—	—	—	—	2	—	2	6	—	—	—	—	—	2	2	2		
8 Erysipelas ...	M	1	1	—	—	—	—	—	—	—	3	—	—	—	—	—	1	1	1		
	F	1	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	70	1	—	2	7	6	34	19	1	199	—	2	1	9	41	89	49	8		
	F	55	—	2	1	8	11	21	10	2	160	2	—	3	19	37	75	21	3		
10 Tuberculous meningitis	M	10	—	4	3	2	—	1	—	—	38	6	7	10	10	3	1	1	—		
	F	10	2	4	2	2	—	—	—	—	31	—	4	16	7	2	—	2	—		
11 Other tuberculous diseases.	M	31	6	3	8	8	2	3	1	—	37	6	9	5	9	3	3	2	—		
	F	18	5	3	4	5	—	—	—	1	49	4	6	3	15	3	9	8	1		
12 Cancer, malignant disease	M	36	—	—	—	—	2	4	16	14	116	1	—	—	—	3	14	57	41		
	F	43	—	—	—	—	1	9	22	11	145	—	—	—	—	2	23	71	49		
13 Rheumatic fever ...	M	2	—	—	—	—	—	1	—	1	13	—	—	—	4	1	6	2	—		
	F	1	—	—	—	—	—	1	—	—	7	—	—	—	1	2	3	1	—		
14 Meningitis ...	M	21	5	9	2	3	1	1	—	—	22	5	6	4	6	—	—	—	1		
	F	20	8	4	2	1	3	2	—	—	17	8	3	3	2	—	—	1	—		
15 Organic heart disease ...	M	61	—	—	—	1	3	14	24	19	130	—	—	1	4	5	16	54	50		
	F	53	—	—	—	1	2	6	28	16	171	—	1	1	5	5	24	72	63		
16 Bronchitis ...	M	85	28	6	4	—	—	5	17	25	167	53	10	4	3	2	3	49	43		
	F	49	9	4	5	—	1	5	9	16	173	46	15	3	3	1	5	36	64		
17 Pneumonia (all forms)	M	264	42	54	34	12	16	41	42	23	215	45	38	21	5	10	37	48	11		
	F	146	43	34	26	8	3	10	12	10	177	40	29	23	14	5	28	22	16		
18 Other respiratory diseases	M	20	4	1	1	2	—	3	3	6	34	1	4	3	—	1	5	12	8		
	F	20	1	1	3	1	—	6	6	2	29	5	—	2	1	—	2	10	9		
19 Diarrhoea, &c. ...	M	98	59	29	4	—	—	1	3	2	157	110	26	4	—	1	2	8	6		
	F	66	44	14	3	—	—	2	—	3	118	69	20	10	2	1	3	5	8		
20 Appendicitis and typhlitis	M	5	—	—	1	2	1	—	1	—	6	—	—	1	1	2	1	1	—		
	F	5	—	—	1	2	1	1	—	—	10	—	—	1	3	2	3	—	1		
21 Cirrhosis of liver ...	M	4	—	—	—	—	—	—	4	—	21	—	—	—	1	—	5	12	3		
	F	2	—	—	—	—	—	—	2	—	3	—	—	—	—	—	—	2	1		
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	7	—	—	—	—	1	1	5	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—		
22 Nephritis and Bright's disease.	M	15	—	—	—	3	—	7	4	1	67	—	1	1	3	1	13	31	17		
	F	14	—	—	—	—	3	2	8	1	63	—	2	1	3	4	9	27	17		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	1	—	—	—	—	—	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	2	4	—	—	25	—	—	—	—	7	18	—	—		
25 Congenital debility, &c.	M	88	87	—	—	—	—	1	—	—	144	143	—	1	—	—	—	—	—		
	F	72	72	—	—	—	—	—	—	—	145	143	—	—	1	—	—	1	—		
26 Violence, apart from suicide.	M	44	1	3	3	3	6	14	10	4	101	5	2	11	13	12	25	25	8		
	F	16	2	1	5	2	2	1	1	2	35	3	2	8	10	—	3	6	3		
27 Suicide ...	M	3	—	—	—	—	—	—	2	1	24	—	—	—	—	—	15	7	2		
	F	2	—	—	—	—	—	1	1	—	7	—	—	—	—	1	2	3	1		
28 Other defined diseases ...	M	215	47	17	4	8	5	21	46	67	565	108	19	7	10	13	58	128	222		
	F	210	36	11	8	6	7	17	39	86	532	73	17	12	12	9	37	111	261		
29 Causes ill-defined or unknown.	M	11	1	7	1	—	—	—	2	—	33	—	2	—	—	—	4	20	7		
	F	4	—	1	—	—	—	—	—	1	24	—	2	—	1	—	7	8	6		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1911—*cont.*

Causes of Death.	Sex.	NEWPORT (MON.).										NORTHAMPTON.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	570	155	37	15	24	31	84	103	121	618	136	21	25	20	36	73	122	185		
	F	570	128	36	32	30	23	88	113	120	581	114	33	14	22	34	73	124	167		
1 Enteric fever ...	M	7	—	—	—	1	3	3	—	—	6	—	—	—	2	1	2	1	—		
	F	3	—	—	—	1	—	1	1	—	5	—	—	1	—	2	1	1	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	8	1	6	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	8	1	1	4	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever ...	M	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	2	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	5	2	2	—	1	—	—	—	—	4	2	—	2	—	—	—	—	—		
	F	7	3	3	1	—	—	—	—	—	3	—	1	2	—	—	—	—	—		
6 Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	9	1	1	7	—	—	—	—	—		
	F	8	1	—	4	2	1	—	—	—	5	—	1	1	2	1	—	—	—		
7 Influenza ...	M	7	1	1	—	—	—	2	1	2	4	—	—	—	—	—	1	1	2		
	F	3	—	—	—	—	—	1	1	1	5	—	—	—	—	—	1	2	2		
8 Erysipelas ...	M	1	—	—	—	—	—	—	1	—	4	1	—	—	—	—	—	1	2		
	F	1	—	—	—	—	—	—	1	—	3	1	—	—	—	—	—	—	2		
9 Pulmonary tuberculosis	M	52	—	2	—	2	11	23	14	—	69	1	—	1	2	20	30	13	2		
	F	45	1	1	—	4	9	25	5	—	45	—	—	1	5	17	15	6	1		
10 Tuberculous meningitis	M	7	2	—	1	1	1	1	1	—	4	—	2	—	2	—	—	—	—		
	F	11	2	—	3	3	1	1	1	—	8	2	2	2	2	—	—	—	—		
11 Other tuberculous diseases.	M	10	5	3	1	—	—	1	—	—	10	—	—	3	2	1	3	1	—		
	F	11	2	1	2	2	1	1	1	1	6	—	—	—	2	2	2	—	—		
12 Cancer, malignant disease	M	23	—	—	—	1	—	1	10	11	35	—	—	—	—	1	3	15	16		
	F	47	—	—	—	—	1	6	22	18	54	—	—	—	1	1	6	30	16		
13 Rheumatic fever ...	M	2	—	—	—	1	—	1	—	—	5	—	—	—	1	1	2	—	1		
	F	3	—	—	—	—	2	—	—	1	4	—	—	—	1	1	1	—	1		
14 Meningitis ...	M	9	3	2	—	—	1	2	1	—	11	2	1	1	3	1	1	2	—		
	F	11	1	5	2	1	1	1	—	—	10	2	3	1	3	1	—	—	—		
15 Organic heart disease ...	M	31	—	—	—	—	—	3	12	16	49	—	—	—	1	1	6	19	22		
	F	50	—	—	—	1	—	7	20	22	52	—	—	—	1	—	7	19	25		
16 Bronchitis ...	M	35	6	4	1	—	—	2	8	14	41	13	2	—	1	—	1	5	19		
	F	33	5	2	—	1	—	2	11	12	51	9	1	—	1	—	—	8	32		
17 Pneumonia (all forms)	M	54	15	8	4	—	2	13	10	2	31	9	3	4	—	2	6	5	2		
	F	38	11	8	5	3	1	5	3	2	34	7	6	3	3	1	7	1	6		
18 Other respiratory diseases	M	6	—	1	1	—	1	1	1	1	5	—	—	1	—	—	—	4	—		
	F	2	1	—	—	—	1	—	—	—	7	2	—	—	—	—	2	2	1		
19 Diarrhoea, &c. ...	M	51	42	4	2	—	1	—	1	1	62	46	8	1	—	1	—	2	4		
	F	57	35	11	1	1	—	2	4	3	56	35	11	2	—	—	1	3	4		
20 Appendicitis and typhlitis	M	4	—	—	—	3	—	—	1	—	6	—	—	1	2	2	—	1	—		
	F	3	—	—	—	1	1	—	1	—	1	—	—	—	—	1	—	—	—		
21 Cirrhosis of liver ...	M	3	—	—	—	1	—	—	2	—	3	—	—	—	—	—	—	3	—		
	F	3	—	—	—	—	—	—	2	1	7	—	—	—	—	—	1	6	—		
21A Alcoholism ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	17	—	—	—	1	—	3	5	8	16	—	1	—	—	1	1	7	6		
	F	17	—	1	—	1	—	3	11	1	7	—	—	—	—	2	1	4	—		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	5	—	—	—	—	1	4	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	—	6	1	—	4	—	—	—	—	—	4	—	—		
25 Congenital debility, &c.	M	43	43	—	—	—	—	—	—	—	44	44	—	—	—	—	—	—	—		
	F	44	44	—	—	—	—	—	—	—	43	42	1	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	32	—	—	3	4	6	8	6	5	22	2	1	3	2	1	1	7	5		
	F	12	—	1	5	3	—	1	2	—	7	2	—	—	—	—	2	1	2		
27 Suicide ...	M	4	—	—	—	—	2	2	—	—	4	—	—	—	—	—	1	2	1		
	F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	2	2	—		
28 Other defined diseases ...	M	152	35	4	1	6	3	16	26	61	165	15	2	1	2	3	11	30	101		
	F	131	19	1	2	2	3	22	24	58	149	12	2	1	1	4	16	38	75		
29 Causes ill-defined or unknown.	M	4	—	—	—	—	—	2	2	—	9	—	—	—	—	—	4	3	2		
	F	8	—	1	1	—	1	3	2	—	6	—	5	—	—	—	—	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1911—*cont.*

Causes of Death.	Sex.	NORWICH.										NOTTINGHAM.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	900	225	48	45	35	40	79	179	249	2,130	564	130	95	68	69	258	463	483		
	F	845	146	48	53	36	50	72	141	299	2,084	466	134	99	57	87	219	407	615		
1 Enteric fever ...	M	4	—	—	—	3	—	—	1	—	13	—	—	—	1	4	7	—	—		
	F	5	—	—	—	—	3	2	—	—	16	—	—	—	3	3	7	3	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	22	5	10	6	1	—	—	—	—	55	13	28	11	3	—	—	—	—		
	F	22	4	4	11	3	—	—	—	—	43	4	22	14	3	—	—	—	—		
4 Scarlet fever ...	M	14	1	1	7	5	—	—	—	—	7	1	2	2	2	—	—	—	—		
	F	11	1	1	8	—	1	—	—	—	2	—	—	1	1	—	—	—	—		
5 Whooping cough ...	M	19	13	4	2	—	—	—	—	—	18	6	8	4	—	—	—	—	—		
	F	33	16	8	8	1	—	—	—	—	22	6	7	9	—	—	—	—	—		
6 Diphtheria and croup ...	M	11	—	—	6	4	—	1	—	—	18	4	2	8	4	—	—	—	—		
	F	10	—	—	5	5	—	—	—	—	13	2	1	6	3	—	1	—	—		
7 Influenza ...	M	5	—	1	—	—	—	1	3	—	12	—	—	2	—	1	3	2	4		
	F	2	—	—	—	—	1	—	1	—	10	1	—	—	—	—	1	5	3		
8 Erysipelas ...	M	2	1	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	2		
	F	2	1	—	—	—	—	—	1	—	2	—	—	—	—	—	—	1	1		
9 Pulmonary tuberculosis	M	83	1	2	1	—	15	40	19	5	196	1	—	5	6	24	84	68	8		
	F	68	—	—	3	2	22	28	9	4	142	3	3	3	7	40	65	18	3		
10 Tuberculous meningitis	M	11	1	2	6	1	1	—	—	—	25	5	7	6	3	2	1	1	—		
	F	9	—	3	1	3	2	—	—	—	23	5	8	5	5	—	—	—	—		
11 Other tuberculous diseases.	M	14	6	1	1	3	2	—	1	—	38	7	4	7	9	2	4	5	—		
	F	28	4	4	4	4	7	3	2	—	33	9	3	2	6	3	4	4	2		
12 Cancer, malignant disease	M	64	—	—	—	1	1	1	36	25	104	—	—	—	1	1	11	53	38		
	F	64	—	—	—	—	—	3	39	22	172	—	1	—	1	1	24	87	58		
13 Rheumatic fever ...	M	2	—	—	—	2	—	—	—	—	11	—	—	1	2	—	2	5	1		
	F	1	—	—	—	1	—	—	—	—	8	—	—	—	3	2	—	3	—		
14 Meningitis ...	M	5	1	2	—	—	1	1	—	—	15	6	2	2	3	1	—	1	—		
	F	3	1	—	—	1	—	—	—	1	18	2	1	5	4	3	2	1	—		
15 Organic heart disease ...	M	75	—	—	—	2	2	4	33	34	170	—	—	—	—	7	26	73	64		
	F	96	—	—	—	3	2	5	24	62	207	—	—	—	6	3	24	78	96		
16 Bronchitis ...	M	35	10	4	1	1	—	—	4	15	156	20	—	3	3	—	3	35	92		
	F	35	6	5	1	—	—	2	5	16	161	31	5	5	1	1	5	21	92		
17 Pneumonia (all forms)	M	44	18	5	5	1	—	3	5	7	181	32	28	18	5	6	31	37	24		
	F	30	7	10	2	—	—	3	4	4	139	35	24	20	3	5	16	15	21		
18 Other respiratory diseases	M	6	—	—	2	—	—	1	1	2	31	2	3	3	1	2	4	8	8		
	F	5	—	—	—	—	—	1	1	3	37	2	4	—	2	1	2	13	13		
19 Diarrhoea, &c. ...	M	75	55	9	3	—	1	—	3	4	242	189	26	7	—	2	4	7	7		
	F	61	39	8	3	3	—	1	2	5	222	159	38	6	—	—	—	4	15		
20 Appendicitis and typhlitis	M	4	—	—	—	1	2	—	1	—	11	—	1	—	3	1	3	3	—		
	F	4	—	—	—	2	1	—	1	—	7	—	—	—	1	2	2	2	—		
21 Cirrhosis of liver ...	M	9	—	—	—	—	—	2	5	2	13	—	—	—	—	—	5	6	2		
	F	2	—	—	—	—	—	—	2	—	11	—	—	—	—	—	1	8	2		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	3	—		
	F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1	3	—		
22 Nephritis and Bright's disease.	M	17	1	—	1	—	1	2	7	5	42	—	—	1	1	1	6	17	16		
	F	6	—	1	—	—	1	1	2	1	42	3	—	1	1	3	8	18	8		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	2	—	—	10	—	—	—	—	5	5	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	7	—	—	—	—	1	6	—	—		
25 Congenital debility, &c.	M	81	80	1	—	—	—	—	—	—	184	182	—	1	—	—	1	—	—		
	F	52	52	—	—	—	—	—	—	—	119	118	—	1	—	—	—	—	—		
26 Violence, apart from suicide.	M	26	1	—	2	6	3	6	4	4	63	11	3	7	9	6	11	10	6		
	F	12	—	1	3	3	—	—	2	3	50	15	3	4	4	3	1	7	13		
27 Suicide ...	M	19	—	—	—	—	2	3	9	5	25	—	—	—	—	—	10	14	1		
	F	5	—	—	—	—	1	1	1	2	5	—	—	—	—	1	1	2	1		
28 Other defined diseases ...	M	250	31	6	2	4	9	13	44	141	482	83	8	3	12	9	42	115	210		
	F	270	15	3	4	5	8	18	43	174	549	71	8	15	3	10	43	113	286		
29 Causes ill-defined or unknown.	M	3	—	—	—	—	—	—	3	—	13	2	8	3	—	—	—	—	—		
	F	4	—	—	—	—	—	—	2	2	10	—	6	2	—	—	—	1	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1911—*cont.*

Causes of Death.	Sex.	OLDHAM.										OXFORD.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	1,357	336	84	57	44	42	177	360	257	342	62	9	11	14	11	48	70	117		
	F	1,262	221	84	66	39	67	164	336	285	335	47	11	6	15	12	37	65	142		
1 Enteric fever	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	31	5	15	8	3	—	—	—	—	10	3	2	4	1	—	—	—	—		
	F	35	5	15	14	1	—	—	—	—	4	1	—	1	2	—	—	—	—		
4 Scarlet fever	M	3	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough	M	4	2	—	2	—	—	—	—	—	6	4	1	1	—	—	—	—	—		
	F	9	4	1	4	—	—	—	—	—	8	2	4	1	1	—	—	—	—		
6 Diphtheria and croup	M	5	—	—	3	2	—	—	—	—	2	—	—	1	1	—	—	—	—		
	F	7	—	3	3	1	—	—	—	—	1	—	—	1	—	—	—	—	—		
7 Influenza	M	9	—	—	—	—	2	2	3	2	—	—	—	—	—	—	—	—	—		
	F	6	1	—	—	—	—	2	2	1	1	—	—	—	—	—	1	—	—		
8 Erysipelas	M	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	2	1		
	F	1	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	115	—	2	—	2	9	51	49	2	27	—	—	—	—	2	14	10	1		
	F	72	—	—	—	4	20	33	13	2	28	2	1	—	5	11	7	2	2		
10 Tuberculous meningitis	M	12	4	1	3	3	—	—	1	—	5	1	—	—	1	1	1	1	—		
	F	14	2	5	3	2	2	—	—	—	6	1	1	—	4	—	—	—	—		
11 Other tuberculous diseases.	M	16	2	1	5	2	2	1	1	2	1	—	—	—	1	—	—	—	—		
	F	10	1	—	1	1	1	5	1	—	5	1	—	1	1	—	2	—	—		
12 Cancer, malignant disease	M	62	—	—	—	—	1	8	43	10	30	—	—	—	—	1	3	9	17		
	F	86	—	—	—	1	2	14	46	23	43	—	—	—	—	1	2	17	23		
13 Rheumatic fever	M	5	—	—	—	2	—	1	1	1	1	—	—	—	—	—	1	—	—		
	F	13	—	—	—	1	4	5	3	—	—	—	—	—	—	—	—	—	—		
14 Meningitis	M	22	5	5	6	3	2	1	—	—	2	—	—	—	1	—	1	—	—		
	F	14	1	1	3	5	2	—	2	—	2	—	—	—	1	1	—	—	—		
15 Organic heart disease ...	M	117	—	—	—	4	5	18	46	44	29	—	—	—	1	—	1	11	16		
	F	146	—	—	—	8	14	17	47	60	47	—	—	—	—	1	6	15	25		
16 Bronchitis	M	103	20	3	2	1	—	4	40	33	24	2	—	1	1	1	1	5	13		
	F	131	19	11	5	—	2	11	44	39	20	2	1	—	—	—	—	3	14		
17 Pneumonia (all forms)	M	129	29	20	10	5	7	24	25	9	23	7	2	2	1	1	2	5	3		
	F	85	13	11	12	3	3	10	26	7	8	3	1	1	1	—	1	1	—		
18 Other respiratory diseases	M	20	2	1	5	3	—	1	5	3	3	—	—	—	—	—	1	—	2		
	F	12	1	2	1	—	—	2	4	2	3	—	—	—	1	1	—	—	1		
19 Diarrhoea, &c.	M	162	115	22	7	—	—	4	5	9	20	15	1	—	—	—	—	2	2		
	F	114	58	23	5	1	—	3	10	14	21	15	2	—	—	1	—	1	2		
20 Appendicitis and typhlitis	M	12	—	—	—	1	4	3	2	2	4	—	—	—	2	—	2	—	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
21 Cirrhosis of liver	M	11	—	—	—	—	—	4	5	2	2	—	—	—	—	—	—	—	2		
	F	7	—	—	—	—	—	2	5	—	4	—	—	—	—	—	3	1	—		
21A Alcoholism	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	33	—	—	1	—	—	8	18	6	12	—	—	—	—	1	3	3	5		
	F	53	1	2	2	2	3	10	26	7	6	—	—	—	1	1	1	1	2		
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	15	—	—	—	—	5	10	—	—	1	—	—	—	—	—	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	10	—	—	—	—	2	8	—	—	—	—	—	—	—	—	—	—	—		
25 Congenital debility, &c.	M	89	88	—	—	1	—	—	—	—	26	26	—	—	—	—	—	—	—		
	F	69	69	—	—	—	—	—	—	—	14	14	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	36	7	1	2	2	—	10	9	5	6	—	—	1	2	1	2	—	—		
	F	26	5	3	6	3	—	2	2	5	7	1	—	1	—	1	1	2	1		
27 Suicide	M	11	—	—	—	—	2	1	7	1	2	—	—	—	—	—	—	1	1		
	F	6	—	—	—	—	1	—	5	—	2	—	—	—	—	—	1	1	—		
28 Other defined diseases ...	M	325	53	12	1	8	8	34	91	118	101	4	3	1	2	3	14	20	54		
	F	291	36	5	5	6	6	23	88	122	103	4	1	—	3	—	7	16	72		
29 Causes ill-defined or unknown.	M	22	4	1	—	—	—	1	8	8	2	—	—	—	—	—	2	—	—		
	F	24	5	2	—	—	—	5	9	3	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1911—cont.

Causes of Death.			Sex.	PLYMOUTH.										PORTSMOUTH.									
				All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	979	198	60	46	32	35	149	201	258	1729	415	85	69	78	65	237	349	431		
			F	959	180	54	32	32	45	120	180	316	1617	319	63	69	86	71	188	296	525		
1 Enteric fever	M	7	—	—	—	—	5	2	—	—	16	1	—	—	1	2	5	7	—		
			F	3	—	—	—	—	3	—	—	—	12	—	1	—	3	2	4	2	—		
2 Small-pox	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	52	10	19	20	3	—	—	—	—	16	3	7	5	1	—	—	—	—		
			F	39	8	18	10	1	—	1	—	1	11	—	5	5	1	—	—	—	—		
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	16	—	—	10	5	1	—	—	—		
			F	—	—	—	—	—	—	—	—	—	6	—	—	2	4	—	—	—	—		
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	21	16	4	—	1	—	—	—	—		
			F	5	3	2	—	—	—	—	—	—	20	9	4	6	1	—	—	—	—		
6 Diphtheria and croup	M	6	—	1	3	2	—	—	—	—	38	1	3	17	17	—	—	—	—		
			F	9	—	1	1	6	—	1	—	—	35	—	2	10	22	—	—	1	—		
7 Influenza	M	9	—	2	1	2	1	3	—	—	18	—	—	—	—	1	2	5	10		
			F	9	—	—	—	—	—	4	2	3	14	—	—	1	2	—	3	3	5		
8 Erysipelas	M	2	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	1		
			F	3	—	—	—	—	—	—	—	3	4	—	—	—	—	—	1	1	2		
9 Pulmonary tuberculosis	{		M	75	1	—	—	—	14	35	20	5	125	—	1	—	5	14	66	35	4		
		F	66	—	1	1	2	14	39	5	4	126	3	2	1	9	32	56	19	4			
10 Tuberculous meningitis	{		M	13	3	2	4	1	2	1	—	—	16	5	3	1	4	2	1	—	—		
		F	8	1	2	2	3	—	—	—	—	—	21	7	3	3	5	3	—	—	—		
11 Other tuberculous diseases.	{		M	13	—	3	2	3	1	1	3	—	22	4	2	7	3	3	1	2	—		
		F	15	—	1	1	3	2	2	6	—	21	5	3	3	5	1	2	2	—	—		
12 Cancer, malignant disease	{		M	60	—	—	—	—	—	8	27	25	88	—	—	1	3	2	9	37	36		
		F	63	—	—	—	—	—	10	29	24	108	—	—	—	—	—	17	49	42	42		
13 Rheumatic fever	M	2	—	—	—	2	—	—	—	—	9	—	—	1	3	—	2	3	—		
			F	5	1	—	—	1	1	—	2	—	8	—	—	—	3	2	3	—	—		
14 Meningitis	M	13	2	2	2	6	1	—	—	—	20	5	4	3	4	1	2	1	—		
			F	10	—	2	5	—	1	1	1	—	12	2	3	3	3	—	1	—	—		
15 Organic heart disease	M	92	—	—	1	1	2	17	36	35	169	—	—	—	5	5	31	59	69		
			F	94	—	—	—	1	3	14	37	39	145	—	—	—	4	3	17	56	65		
16 Bronchitis	M	65	14	9	2	1	1	4	7	27	89	23	8	—	1	—	5	10	42		
			F	85	19	4	2	—	—	2	10	48	139	22	4	4	1	—	3	25	80		
17 Pneumonia (all forms)	{		M	55	19	5	5	2	—	4	13	7	110	20	13	8	3	4	15	27	20		
		F	68	17	13	7	4	3	7	10	7	89	14	9	12	4	2	8	18	22	22		
18 Other respiratory diseases	{		M	14	3	1	—	1	1	2	3	3	24	1	1	3	2	1	4	4	8		
		F	14	2	—	—	1	—	—	—	4	7	20	2	—	2	—	2	3	4	7		
19 Diarrhoea, &c.	M	74	55	8	1	—	—	2	3	5	179	135	22	7	2	1	1	7	4		
			F	62	47	5	—	—	—	3	4	3	152	111	18	10	2	—	2	3	6		
20 Appendicitis and typhlitis	{		M	6	—	—	—	1	2	—	2	1	9	—	—	—	3	3	1	2	—		
		F	6	—	—	—	1	1	2	2	—	—	5	—	—	1	2	—	2	—	—		
21 Cirrhosis of liver	M	4	—	—	—	—	—	2	2	—	12	—	—	—	—	—	3	5	4		
			F	7	—	—	—	—	—	1	4	2	16	—	—	—	1	—	2	11	2		
21A Alcoholism	M	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	{		M	22	—	—	—	—	—	7	8	7	60	—	—	—	1	1	10	24	24		
		F	17	—	—	—	1	—	3	8	5	30	3	—	—	1	—	5	15	6	6		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	2	—	—	—	—	1	1	—	—	7	—	—	—	—	1	6	—	—		
24 Parturition, apart from puerperal fever.	{		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	5	—	—	—	—	3	2	—	—	—	11	—	—	—	—	1	10	—	—		
25 Congenital debility, &c.	{		M	62	62	—	—	—	—	—	—	—	140	138	1	—	1	—	—	—	—		
		F	54	54	—	—	—	—	—	—	—	—	105	102	—	—	2	1	—	—	—		
26 Violence, apart from suicide.	{		M	29	3	3	2	2	2	11	4	2	62	11	2	2	5	9	16	9	8		
		F	20	2	—	1	5	4	1	3	4	4	42	14	—	5	4	1	4	5	9		
27 Suicide	M	13	—	—	—	—	—	7	6	—	9	—	—	—	—	3	4	2	—		
			F	2	—	—	—	—	—	1	1	—	7	—	—	—	—	1	4	1	1		
28 Other defined diseases	M	282	26	4	3	5	3	39	66	136	453	52	9	4	8	12	58	109	201		
			F	277	26	3	2	2	9	23	47	165	444	23	6	1	7	19	35	79	274		
29 Causes ill-defined or unknown.	{		M	6	—	1	—	—	—	1	1	3	7	—	5	—	—	—	1	1	—		
		F	11	—	2	—	1	—	—	2	5	1	7	2	3	—	—	—	—	2	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1911—cont.

Causes of Death.		Sex.	PRESTON.										READING.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M F	966 1,024	251 223	48 43	49 48	39 56	40 45	130 124	221 228	188 257	458 463	83 83	19 14	16 14	18 20	17 16	55 56	111 77	139 183	
1 Enteric fever	M F	10 11	1 —	— —	— 1	— 3	4 2	4 3	1 2	—	5 4	— —	— —	— —	— 1	2 —	2 3	1 —	—	
2 Small-pox	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—	
3 Measles	M F	3 2	2 —	1 —	— 1	— 1	— —	— —	— —	— —	5 5	— 3	2 1	3 1	— —	— —	— —	— —	—	
4 Scarlet fever	M F	4 15	— —	— 2	2 7	2 6	— —	— —	— —	— —	2 1	— —	1 —	— —	1 1	— —	— —	— —	—	
5 Whooping cough	M F	8 14	3 8	2 5	2 1	1 —	— —	— —	— —	— —	6 14	4 8	2 5	— 1	— —	— —	— —	— —	—	
6 Diphtheria and croup	M F	14 18	— —	1 —	6 10	7 8	— —	— —	— —	— —	8 10	— —	— —	3 2	5 8	— —	— —	— —	—	
7 Influenza	M F	10 9	— —	1 1	1 —	— —	— —	2 2	2 3	4 3	3 5	— —	— —	1 —	— —	— —	1 —	1 —	5	
8 Erysipelas	M F	1 2	— —	— —	— —	— —	— —	— —	1 1	1 —	— 1	— —	— —	— —	— —	— —	— —	— —	1	
9 Pulmonary tuberculosis	{		M F	91 66	3 —	— 1	— 2	— 5	18 19	36 23	28 13	6 3	48 34	— 1	— —	1 1	4 2	6 4	25 15	9 10	3 1	
10 Tuberculous meningitis		M F	12 13	3 2	1 1	4 5	3 3	1 2	— —	— —	— —	— —	— —	7 4	2 —	— 1	2 1	2 1	1 —	— —	—	
11 Other tuberculous diseases.	{		M F	23 15	8 4	5 2	2 3	2 3	2 1	1 1	2 1	1 —	2 11	1 1	— —	1 —	— 1	— 1	— 5	— 3	—	
12 Cancer, malignant disease		M F	47 64	— —	— —	1 —	— —	— —	— —	— —	6 7	26 38	14 19	32 48	— —	— —	— —	— —	1 1	17 15	14 27	
13 Rheumatic fever	M F	6 11	— —	— —	— —	1 1	2 3	3 —	— 4	— 2	— 2	— —	— —	— —	1 —	— —	— —	— —	1	
14 Meningitis	M F	11 15	1 4	1 3	3 2	3 3	— 1	2 1	— —	1 1	2 5	1 2	— 1	— 2	— —	1 —	— —	— —	—	
15 Organic heart disease	M F	66 78	— —	— —	1 —	— 5	— 4	14 13	29 24	22 32	38 42	— —	— —	— —	2 —	3 2	3 4	19 8	11 28	
16 Bronchitis	M F	63 95	20 18	6 2	1 —	1 1	— —	2 4	12 25	21 45	30 27	6 3	2 —	3 —	— —	— —	1 3	3 21		
17 Pneumonia (all forms)	{		M F	95 88	24 16	14 10	10 7	6 3	2 2	14 16	19 20	6 14	25 14	8 4	5 3	1 1	— 1	— —	5 —	3 2	3 3	
18 Other respiratory diseases		M F	26 15	5 1	1 1	5 —	1 2	— —	— 3	— 3	4 5	7 3	— 3	9 3	1 —	— —	— —	— 1	— —	1 —	7 1	
19 Diarrhoea, &c.	M F	89 99	71 74	7 8	2 4	— 1	1 1	— 2	2 1	6 8	22 25	15 20	2 2	— 2	— —	1 —	— —	3 —	1 1	
20 Appendicitis and typhlitis	{		M F	8 3	— —	— —	— —	2 1	3 1	1 —	2 —	— 1	2 2	— —	— —	— —	— 1	1 —	— 1	— —	—	
21 Cirrhosis of liver		M F	5 4	— —	— —	— —	— —	— —	— —	— —	2 —	3 3	— 1	— 1	— —	— —	— —	— —	— —	1 —	—	
21A Alcoholism	M F	— 4	— —	— —	— —	— —	— —	— 2	— 2	— —	1 —	— —	— —	— —	— —	— —	— —	1 —	—	
22 Nephritis and Bright's disease.	{		M F	25 16	2 —	— —	1 —	1 1	1 —	7 4	9 9	4 2	11 9	1 —	— —	— —	— —	— —	1 2	4 5	5 2	
23 Puerperal fever...		M F	— 4	— —	— —	— —	— —	— —	— —	— —	— 4	— —	— —	— 5	— —	— —	— —	2 —	3 —	— —	—	
24 Parturition, apart from puerperal fever.	{		M F	— 12	— —	— —	— —	— —	— 2	— 10	— —	— —	— 3	— —	— —	— —	— —	— —	— 3	— —	—	
25 Congenital debility, &c.		M F	76 61	74 61	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	27 34	— 32	— 1	— —	— —	— —	— 1	— —	
26 Violence, apart from suicide.	{		M F	34 17	2 3	1 —	4 1	3 2	— —	11 3	9 5	4 3	13 6	— —	1 —	— —	2 —	1 —	3 2	4 2	2 2	
27 Suicide		M F	4 2	— —	— —	— —	— —	— —	1 —	1 2	— —	— —	— —	7 2	— —	— —	— —	— —	— —	4 1	3 1	
28 Other defined diseases	M F	224 265	31 32	6 5	4 4	5 7	5 7	20 23	66 69	87 118	142 144	16 7	1 —	1 3	2 3	2 4	7 10	38 27	75 90	
29 Causes ill-defined or unknown.	{		M F	11 6	1 —	— 2	— —	— —	— —	1 —	4 3	5 1	11 2	1 1	3 —	— —	— —	— —	— 1	4 —	3 —	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1911—cont.

Causes of Death.			Sex.	ROCHDALE.										ROTHERHAM.									
				All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	673	156	29	28	25	25	89	187	134	568	154	41	26	33	26	74	99	115		
			F	734	112	35	25	31	32	94	182	223	473	133	42	39	24	18	54	74	89		
1	Enteric fever	...	M	3	—	—	—	—	1	2	—	—	10	—	—	—	—	1	8	1	—		
			F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	3	—	—	—		
2	Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles	...	M	17	5	8	4	—	—	—	—	—	21	3	8	7	3	—	—	—	—		
			F	14	2	9	2	1	—	—	—	—	34	3	12	17	1	1	—	—	—		
4	Scarlet fever	...	M	6	—	—	5	1	—	—	—	—	4	1	—	3	—	—	—	—	—		
			F	4	—	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
5	Whooping cough	...	M	6	3	—	3	—	—	—	—	—	6	4	1	1	—	—	—	—	—		
			F	11	2	3	5	1	—	—	—	—	9	4	2	2	1	—	—	—	—		
6	Diphtheria and croup	...	M	1	—	—	—	—	—	—	1	—	1	—	—	1	—	—	—	—	—		
			F	2	—	—	1	1	—	—	—	—	1	—	—	—	1	—	—	—	—		
7	Influenza	...	M	7	—	—	—	—	—	1	4	2	1	—	—	—	—	—	—	—	1		
			F	7	—	—	1	—	—	1	3	2	5	—	—	—	—	—	1	—	—		
8	Erysipelas	...	M	1	—	—	—	—	—	—	1	—	2	—	—	—	1	—	1	—	—		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9	Pulmonary tuberculosis	...	M	50	—	—	—	1	7	22	14	6	32	—	1	1	2	8	15	4	1		
			F	43	—	1	—	4	9	14	15	—	26	—	1	1	2	2	14	5	1		
10	Tuberculous meningitis	...	M	9	3	1	2	3	—	—	—	—	4	—	1	—	3	—	—	—	—		
			F	7	—	1	2	4	—	—	—	—	4	—	3	—	1	—	—	—	—		
11	Other tuberculous diseases.	...	M	15	3	4	1	2	2	—	2	1	16	4	4	—	1	2	2	3	—		
			F	13	4	2	—	3	2	1	1	—	9	3	—	2	3	1	—	—	—		
12	Cancer, malignant disease	...	M	52	—	—	—	1	1	4	31	15	25	—	—	—	—	—	3	18	4		
			F	63	—	—	—	—	—	11	30	22	25	—	—	—	—	—	5	13	7		
13	Rheumatic fever	...	M	4	—	—	—	2	1	1	—	—	2	—	—	—	1	—	1	—	—		
			F	7	—	—	—	3	2	1	—	1	2	—	—	—	1	—	—	—	1		
14	Meningitis	...	M	4	—	2	1	—	—	1	—	—	12	3	4	2	3	—	—	—	—		
			F	9	3	2	1	—	1	2	—	—	13	4	1	4	3	—	1	—	—		
15	Organic heart disease	...	M	59	—	—	—	2	1	10	27	19	45	—	—	—	1	1	4	20	19		
			F	88	—	—	2	2	6	10	34	34	29	—	—	—	—	—	5	12	12		
16	Bronchitis	...	M	35	8	—	1	—	—	2	11	13	31	10	—	1	—	—	—	6	14		
			F	54	7	—	2	—	—	3	12	30	25	6	1	2	—	—	—	4	12		
17	Pneumonia (all forms)	...	M	53	10	7	5	2	4	6	15	4	57	19	7	2	2	3	10	9	5		
			F	38	6	7	3	2	2	3	8	7	48	19	10	5	3	1	3	5	2		
18	Other respiratory diseases	...	M	7	1	—	—	—	—	2	1	3	3	1	—	—	—	—	—	—	2		
			F	12	—	—	2	1	—	3	3	3	5	—	—	—	1	—	—	1	3		
19	Diarrhoea, &c.	...	M	57	47	4	1	—	—	2	—	3	63	44	13	—	1	—	—	2	3		
			F	50	36	6	—	—	—	—	2	6	51	42	6	1	1	—	—	1	—		
20	Appendicitis and typhlitis	...	M	7	—	—	—	5	1	1	—	—	4	—	—	—	3	—	—	—	1		
			F	7	—	—	—	1	1	3	2	—	3	—	—	—	2	1	—	—	—		
21	Cirrhosis of liver	...	M	4	—	—	—	—	—	2	1	1	3	—	—	—	—	—	3	—	—		
			F	3	—	—	—	—	—	1	2	—	1	—	—	—	—	—	—	1	—		
21A	Alcoholism	...	M	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	2	—	—		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22	Nephritis and Bright's disease.	...	M	27	—	—	—	2	—	6	16	3	14	—	—	1	1	—	3	4	5		
			F	15	—	—	—	—	—	4	7	4	8	—	1	—	—	1	3	1	2		
23	Puerperal fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	4	—	—	—	—	—	4	—	—	6	—	—	—	—	1	5	—	—		
24	Parturition, apart from puerperal fever.	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	7	—	—	—	—	2	5	—	—	5	—	—	—	—	1	4	—	—		
25	Congenital debility, &c.	...	M	49	49	—	—	—	—	—	—	—	44	43	—	—	—	1	—	—	—		
			F	38	38	—	—	—	—	—	—	—	40	38	—	—	2	—	—	—	—		
26	Violence, apart from suicide.	...	M	21	—	—	2	2	4	4	9	—	29	—	—	1	5	6	8	8	1		
			F	15	1	—	1	2	1	3	4	3	9	—	1	3	—	1	—	2	2		
27	Suicide	...	M	4	—	—	—	—	—	2	2	—	8	—	—	—	—	—	4	2	2		
			F	3	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—		
28	Other defined diseases	...	M	165	26	2	2	2	3	18	48	64	126	22	2	5	6	4	10	21	56		
			F	214	13	2	2	4	5	23	54	111	110	14	3	1	2	5	13	29	43		
29	Causes ill-defined or unknown.	...	M	9	1	1	1	—	—	3	3	—	3	—	—	1	—	—	—	1	1		
			F	6	—	1	—	—	—	1	4	—	2	—	1	1	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1911—*cont.*

Causes of Death.		Sex.	ST. HELENS.										SALFORD.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...		M	920	278	104	60	55	33	94	170	126	2,083	526	136	97	92	105	331	476	320		
		F	850	233	102	67	47	45	86	137	133	1,870	426	140	105	77	66	239	382	435		
1	Enteric fever ...	M	12	—	1	—	4	4	2	—	1	14	—	—	—	1	3	6	4	—		
		F	12	—	—	—	2	4	4	2	—	6	—	—	—	1	1	2	2	—		
2	Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles ...	M	36	8	14	9	5	—	—	—	—	46	11	20	14	1	—	—	—	—		
		F	33	5	15	11	2	—	—	—	—	52	7	26	15	4	—	—	—	—		
4	Scarlet fever ...	M	7	1	1	3	2	—	—	—	—	5	—	1	1	3	—	—	—	—		
		F	7	—	1	2	4	—	—	—	—	16	—	2	11	3	—	—	—	—		
5	Whooping cough ...	M	18	7	7	4	—	—	—	—	—	15	8	4	3	—	—	—	—	—		
		F	21	9	4	5	3	—	—	—	—	22	10	5	4	3	—	—	—	—		
6	Diphtheria and croup ...	M	4	—	2	1	1	—	—	—	—	23	2	3	9	9	—	—	—	—		
		F	3	—	1	1	1	—	—	—	—	31	2	5	13	11	—	—	—	—		
7	Influenza ...	M	7	—	—	—	—	—	2	4	1	13	1	1	1	—	2	4	3	1		
		F	9	—	—	—	1	1	4	2	1	20	1	1	—	—	3	1	8	6		
8	Erysipelas ...	M	1	—	—	—	—	—	—	1	—	7	—	—	—	—	1	2	4	—		
		F	1	—	—	—	—	—	—	1	—	5	1	—	—	—	1	—	3	—		
9	Pulmonary tuberculosis	M	54	—	1	—	2	11	24	16	—	256	1	5	2	15	43	111	70	9		
		F	53	—	—	4	6	13	19	11	—	144	4	1	2	15	25	63	32	2		
10	Tuberculous meningitis	M	8	1	2	4	1	—	—	—	—	39	8	7	11	9	1	3	—	—		
		F	4	2	—	1	1	—	—	—	—	24	5	7	4	5	2	1	—	—		
11	Other tuberculous diseases.	M	27	10	5	5	7	—	—	—	—	52	16	5	5	8	7	7	3	1		
		F	22	5	6	5	4	1	1	—	—	53	19	12	6	7	2	4	2	1		
12	Cancer, malignant disease	M	28	—	—	—	—	—	6	17	5	105	—	—	—	—	1	16	58	30		
		F	32	—	—	—	—	2	6	11	13	117	—	—	—	—	1	23	62	31		
13	Rheumatic fever ...	M	3	—	—	—	2	1	—	—	—	5	—	—	1	3	1	—	—	—		
		F	5	—	—	—	1	2	1	1	—	9	—	—	—	1	1	4	3	—		
14	Meningitis ...	M	18	8	4	2	3	—	1	—	—	20	5	6	1	5	1	—	1	1		
		F	23	5	5	4	4	2	1	2	—	15	7	4	1	2	1	—	—	—		
15	Organic heart disease ...	M	49	—	—	—	2	3	6	24	14	114	—	—	1	2	5	22	57	27		
		F	80	—	—	2	5	4	11	31	27	150	—	—	—	2	7	27	61	53		
16	Bronchitis ...	M	94	25	3	1	—	—	4	33	28	190	45	2	3	1	2	9	55	73		
		F	68	14	4	3	2	—	3	23	19	202	24	4	4	1	2	7	57	103		
17	Pneumonia (all forms)	M	93	20	24	16	5	3	6	15	4	207	37	28	13	7	8	46	46	22		
		F	62	23	12	9	1	5	5	3	4	138	27	19	18	4	5	18	29	18		
18	Other respiratory diseases	M	13	4	—	2	1	—	1	3	2	29	4	1	3	2	3	6	6	4		
		F	8	3	—	1	—	—	2	1	1	30	4	3	4	2	1	3	6	7		
19	Diarrhoea, &c. ...	M	119	75	27	5	4	1	—	2	5	229	165	36	11	—	1	1	7	8		
		F	109	51	42	9	—	1	1	3	2	191	131	34	10	2	—	—	2	12		
20	Appendicitis and typhlitis	M	2	—	—	—	—	1	—	1	—	5	—	—	—	—	1	1	3	—		
		F	1	—	—	—	1	—	—	—	—	7	—	—	—	3	1	—	2	1		
21	Cirrhosis of liver ...	M	6	—	—	—	—	—	2	1	3	12	—	—	—	—	—	2	9	1		
		F	1	—	—	—	—	—	—	1	—	11	—	—	—	—	—	2	8	1		
21A	Alcoholism ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
22	Nephritis and Bright's disease.	M	13	—	—	1	—	1	4	5	2	56	1	1	2	3	5	18	20	6		
		F	17	1	—	—	—	—	4	9	3	47	1	1	1	3	2	15	14	10		
23	Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	7	—	—	—	—	4	3	—	—	10	—	—	—	—	2	8	—	—		
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	4	—	—	—	—	—	4	—	—	14	—	—	—	—	—	14	—	—		
25	Congenital debility, &c.	M	75	75	—	—	—	—	—	—	—	134	133	—	1	—	—	—	—	—		
		F	74	74	—	—	—	—	—	—	—	103	102	—	—	1	—	—	—	—		
26	Violence, apart from suicide.	M	51	—	—	4	10	4	16	16	1	79	8	3	7	14	8	17	15	7		
		F	8	—	1	1	1	1	—	2	2	41	7	3	5	1	2	2	10	11		
27	Suicide ...	M	4	—	—	—	—	—	—	3	1	16	—	—	—	—	—	8	6	2		
		F	1	—	—	—	—	—	—	—	1	5	—	—	—	—	—	4	1	—		
28	Other defined diseases ...	M	173	44	12	3	6	4	20	27	57	366	74	11	8	9	11	45	88	120		
		F	175	41	7	6	8	5	15	33	60	371	65	12	5	4	6	39	70	170		
29	Causes ill-defined or unknown.	M	5	—	1	—	—	—	—	2	2	45	7	2	—	—	1	6	21	8		
		F	10	—	4	3	—	—	2	1	—	35	9	1	2	2	1	2	10	8		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1911—*cont.*

Causes of Death.				Sex.	SHEFFIELD.										SMETHWICK.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	{	M	4,006	1054	372	282	137	130	510	837	684	501	152	39	22	31	8	73	85	91		
			{	F	3,340	716	339	275	143	120	394	624	729	532	132	40	33	29	25	74	89	110		
1	Enteric fever	...	{	M	21	—	—	—	1	4	12	4	—	1	—	—	—	—	—	—	1	—		
			{	F	11	—	—	—	3	2	4	2	—	2	—	—	—	1	—	—	1	—		
2	Small-pox	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			{	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles	...	{	M	422	100	177	130	15	—	—	—	—	14	2	8	1	3	—	—	—	—		
			{	F	371	71	145	129	25	—	1	—	—	9	1	2	5	1	—	—	—	—		
4	Scarlet fever	...	{	M	14	—	—	5	8	—	1	—	—	1	—	—	—	1	—	—	—	—		
			{	F	11	1	2	3	5	—	—	—	—	2	—	—	2	—	—	—	—	—		
5	Whooping cough	...	{	M	25	15	5	3	2	—	—	—	—	3	1	1	1	—	—	—	—	—		
			{	F	37	11	14	10	2	—	—	—	—	8	5	1	2	—	—	—	—	—		
6	Diphtheria and croup		{	M	27	5	6	8	6	1	—	—	1	4	—	—	1	3	—	—	—	—		
			{	F	20	2	3	9	6	—	—	—	—	2	—	—	1	1	—	—	—	—		
7	Influenza	...	{	M	27	4	—	2	1	—	6	9	5	5	—	—	—	—	1	3	1	—		
			{	F	22	2	—	—	—	—	5	10	5	3	—	—	1	—	1	—	1	—		
8	Erysipelas	...	{	M	6	2	—	—	—	2	—	1	1	1	—	—	—	—	—	—	1	—		
			{	F	6	2	—	—	1	—	—	1	2	—	—	—	—	—	—	—	—	—		
9	Pulmonary tuberculosis		{	M	361	1	3	3	5	40	165	124	20	39	—	1	1	2	—	22	12	1		
			{	F	200	1	3	4	11	38	99	34	10	33	1	1	—	2	7	12	8	2		
10	Tuberculous meningitis		{	M	40	6	10	13	8	3	—	—	—	6	1	—	3	2	—	—	—	—		
			{	F	35	5	9	11	7	2	1	—	—	9	1	1	3	4	—	—	—	—		
11	Other tuberculous diseases.		{	M	62	15	12	9	11	4	4	5	2	7	3	2	—	—	—	1	1	—		
			{	F	36	7	7	7	5	4	4	2	—	13	8	1	—	1	—	2	1	—		
12	Cancer, malignant disease		{	M	181	—	—	2	—	4	21	105	49	18	—	—	1	—	—	1	8	8		
			{	F	203	—	—	2	1	2	35	109	54	39	—	—	—	1	—	11	19	8		
13	Rheumatic fever	...	{	M	14	—	—	—	2	3	6	3	—	1	—	—	—	—	—	—	1	—		
			{	F	19	—	—	—	7	3	6	2	1	4	—	—	—	—	2	2	—	—		
14	Meningitis	...	{	M	39	14	4	7	9	3	2	—	—	7	1	2	2	1	—	1	—	—		
			{	F	29	6	2	10	4	2	3	2	—	8	3	—	1	2	1	1	—	—		
15	Organic heart disease	...	{	M	244	—	—	—	8	9	51	99	77	26	—	—	—	2	—	5	10	9		
			{	F	291	1	1	1	14	14	58	96	106	41	—	—	—	4	3	5	12	17		
16	Bronchitis	...	{	M	265	72	13	6	1	—	11	62	100	42	6	—	—	—	—	3	8	25		
			{	F	251	54	11	7	1	2	7	57	112	44	5	2	1	—	—	3	7	26		
17	Pneumonia (all forms)		{	M	373	88	57	40	10	9	62	72	35	51	13	8	5	4	1	7	11	2		
			{	F	260	62	53	37	13	11	21	27	36	38	8	6	9	3	3	3	2	4		
18	Other respiratory diseases		{	M	59	3	6	9	2	—	11	17	11	8	1	—	1	—	—	1	2	3		
			{	F	35	7	2	7	1	—	4	7	7	3	—	—	—	—	—	1	—	2		
19	Diarrhoea, &c.	...	{	M	351	261	48	17	2	2	7	3	11	53	34	10	3	1	—	—	—	5		
			{	F	268	169	56	10	3	2	2	12	14	69	40	21	2	2	—	2	1	1		
20	Appendicitis and typhlitis		{	M	15	—	—	—	4	4	6	—	1	1	—	—	—	—	1	—	—	—		
			{	F	16	—	—	—	7	5	1	2	1	3	—	—	—	1	1	1	—	—		
21	Cirrhosis of liver	...	{	M	24	—	—	—	—	—	3	18	3	5	—	—	—	—	—	2	3	—		
			{	F	31	—	—	—	—	—	3	26	2	1	—	—	—	—	—	—	1	—		
21A	Alcoholism	...	{	M	5	—	—	—	—	—	3	2	—	1	—	—	—	—	—	1	—	—		
			{	F	2	—	—	—	—	—	1	—	1	2	—	—	—	—	—	1	—	1		
22	Nephritis and Bright's disease.		{	M	110	1	3	—	6	4	18	47	31	15	—	1	1	1	1	5	3	3		
			{	F	80	—	3	3	1	4	14	41	14	10	—	—	1	—	2	1	4	2		
23	Puerperal fever	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			{	F	19	—	—	—	—	3	16	—	—	1	—	—	—	—	—	1	—	—		
24	Parturition, apart from puerperal fever.		{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			{	F	35	—	—	—	—	11	24	—	—	6	—	—	—	—	—	6	—	—		
25	Congenital debility, &c.		{	M	309	305	1	1	—	—	1	1	—	59	58	—	—	1	—	—	—	—		
			{	F	205	205	—	—	—	—	—	—	—	49	47	1	—	1	—	—	—	—		
26	Violence, apart from suicide.		{	M	132	14	7	14	15	11	33	27	11	20	3	2	1	7	1	4	1	1		
			{	F	69	17	5	10	8	3	6	7	13	12	1	—	1	2	1	4	1	2		
27	Suicide	...	{	M	29	—	—	—	—	3	5	18	3	2	—	—	—	—	1	—	—	1		
			{	F	12	—	—	—	—	—	6	5	1	1	—	—	—	—	—	1	—	—		
28	Other defined diseases	...	{	M	830	148	16	13	21	23	81	208	320	108	29	4	—	3	2	17	20	33		
			{	F	745	92	17	11	18	12	72	175	348	117	12	2	4	3	4	17	30	45		
29	Causes ill-defined or unknown.		{	M	21	—	4	—	—	1	1	12	3	3	—	—	1	—	—	—	2	—		
			{	F	21	1	6	4	—	—	1	7	2	3	—	2	—	—	—	—	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH--1911--cont.

Causes of Death.	Sex.	SOUTHAMPTON.									SOUTHPORT.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	996	225	46	21	25	27	154	230	268	321	45	7	9	13	3	42	88	114
	F	840	160	40	19	38	18	101	166	298	387	44	3	7	7	7	38	86	195
1 Enteric fever ...	M	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	8	1	7	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—
	F	5	3	1	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—
4 Scarlet fever ...	M	4	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—
5 Whooping cough ...	M	6	4	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
	F	12	1	8	2	1	—	—	—	—	1	1	—	—	—	—	—	—	—
6 Diphtheria and croup ...	M	10	—	—	3	5	1	1	—	—	4	—	1	—	3	—	—	—	—
	F	13	1	2	3	7	—	—	—	—	4	—	—	2	2	—	—	—	—
7 Influenza ...	M	8	—	—	—	—	—	—	3	5	2	—	—	—	—	—	—	—	2
	F	9	—	—	—	—	—	2	6	1	7	—	—	—	—	—	—	3	4
8 Erysipelas ...	M	4	1	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
9 Pulmonary tuberculosis	M	121	2	—	—	1	6	58	50	4	25	—	—	—	1	1	13	7	3
	F	70	—	1	—	3	6	41	16	3	17	—	1	—	—	2	9	5	—
10 Tuberculous meningitis	M	11	3	4	—	2	2	—	—	—	3	—	—	1	2	—	—	—	—
	F	13	3	1	2	4	2	—	1	—	2	—	—	—	2	—	—	—	—
11 Other tuberculous diseases.	M	18	4	3	1	2	3	4	1	—	2	2	—	—	—	—	—	—	—
	F	12	6	1	1	1	—	1	1	1	6	3	1	—	—	—	—	2	—
12 Cancer, malignant disease	M	62	—	—	—	—	1	8	28	25	27	—	—	—	—	—	2	13	12
	F	66	—	—	—	—	—	7	28	31	40	—	—	—	—	1	6	11	22
13 Rheumatic fever ...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	2	—	1	—	1	—	1	—	—	—	—	—	—	—	1
14 Meningitis ...	M	4	—	—	—	1	1	1	1	—	4	1	1	1	—	—	—	1	—
	F	10	3	—	2	4	—	1	—	—	4	1	—	1	1	1	—	—	—
15 Organic heart disease ...	M	76	—	—	—	2	—	11	26	37	31	—	—	—	—	1	5	6	19
	F	93	—	—	—	2	2	5	30	54	44	—	—	—	—	1	2	17	24
16 Bronchitis ...	M	67	11	4	1	—	—	4	10	37	20	2	—	—	—	—	1	6	11
	F	58	12	2	—	—	—	1	4	39	23	1	—	—	—	—	—	5	17
17 Pneumonia (all forms)	M	75	17	10	4	2	1	14	16	11	20	4	—	3	1	—	2	5	5
	F	47	16	2	1	3	1	7	5	12	20	4	—	1	—	—	2	3	10
18 Other respiratory diseases	M	15	1	—	2	1	—	1	3	7	8	—	1	—	1	—	1	2	3
	F	15	1	—	—	1	—	2	2	9	6	1	—	—	1	—	—	—	4
19 Diarrhoea, &c. ...	M	95	74	10	1	1	—	—	2	7	21	14	2	—	—	—	1	3	1
	F	90	56	18	1	1	—	—	6	8	23	16	1	1	—	—	1	—	4
20 Appendicitis and typhlitis	M	4	—	—	—	1	1	1	1	—	1	—	—	—	1	—	—	—	—
	F	5	—	—	—	1	1	3	—	—	2	—	—	—	—	—	1	1	—
21 Cirrhosis of liver ...	M	8	—	—	—	—	—	2	5	1	5	—	—	—	—	—	2	2	1
	F	8	—	—	—	—	—	2	5	1	3	—	—	—	—	—	1	1	1
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	—	1
	F	3	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	29	—	—	1	1	2	6	9	10	19	—	—	—	—	1	5	8	5
	F	28	—	—	—	—	1	1	14	12	17	—	—	—	—	1	10	—	6
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	2	—	—	—	—	—	2	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	1	—	—	—	—	—	1	—	—
25 Congenital debility, &c.	M	70	69	1	—	—	—	—	—	—	16	15	—	1	—	—	—	—	—
	F	42	42	—	—	—	—	—	—	—	14	14	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	37	1	2	4	—	5	7	13	5	9	—	—	3	2	—	1	2	1
	F	10	—	—	2	—	—	—	2	6	5	—	—	—	—	—	2	1	2
27 Suicide ...	M	11	—	—	—	—	—	5	5	1	5	—	—	—	—	—	1	3	1
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
28 Other defined diseases ...	M	248	36	3	3	3	4	27	55	117	94	6	1	—	1	—	7	30	49
	F	217	16	4	2	10	3	18	44	120	137	3	—	1	—	2	9	24	98
29 Causes ill-defined or unknown.	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	—	1	2

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH 1911—cont.

Causes of Death		Sex.	SOUTH SHIELDS.										STOCKPORT.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	...	M	1,027	288	73	42	35	44	131	211	203	900	245	42	34	28	30	129	216	176		
		F	857	192	82	42	32	36	130	152	191	866	191	45	29	31	29	115	195	231		
1 Enteric fever	...	M	4	—	—	—	1	—	3	—	—	6	—	—	—	1	4	1	—			
		F	—	—	—	—	—	—	—	—	—	5	—	—	—	2	2	1	—			
2 Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
3 Measles	...	M	24	6	9	7	2	—	—	—	—	17	4	6	5	1	—	1	—			
		F	16	4	6	5	1	—	—	—	—	18	6	7	5	—	—	—	—			
4 Scarlet fever	...	M	1	—	1	—	—	—	—	—	—	2	—	—	1	1	—	—	—			
		F	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—			
5 Whooping cough	...	M	11	5	5	1	—	—	—	—	—	6	3	1	1	1	—	—	—			
		F	12	8	1	3	—	—	—	—	—	4	1	—	3	—	—	—	—			
6 Diphtheria and croup	...	M	7	—	3	1	3	—	—	—	—	5	1	1	1	2	—	—	—			
		F	3	—	—	2	1	—	—	—	—	4	1	—	1	2	—	—	—			
7 Influenza	...	M	15	—	—	—	1	—	2	6	6	6	—	—	—	1	—	3	2			
		F	14	—	—	—	1	—	3	7	3	4	—	—	1	—	1	—	1			
8 Erysipelas	...	M	2	—	—	—	—	—	—	1	1	2	—	—	—	—	—	2	—			
		F	1	—	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—			
9 Pulmonary tuberculosis		M	73	1	2	—	—	19	30	17	4	85	—	1	—	—	8	48	28			
		F	61	—	—	1	5	14	37	3	1	62	—	2	1	4	11	29	14			
10 Tuberculous meningitis		M	15	2	3	5	3	2	—	—	—	9	2	1	4	1	—	1	—			
		F	13	—	4	2	4	1	2	—	—	5	1	—	1	2	—	1	—			
11 Other tuberculous diseases.		M	18	4	3	3	2	2	3	—	1	20	3	2	2	5	—	3	4			
		F	16	2	4	3	4	—	3	—	—	17	6	4	—	1	—	5	1			
12 Cancer, malignant disease		M	44	—	—	—	—	—	5	24	15	51	—	—	—	—	2	3	29			
		F	45	1	—	1	—	—	9	28	6	68	—	—	—	—	—	13	37			
13 Rheumatic fever	...	M	3	—	—	—	1	—	1	1	—	1	—	—	—	—	—	1	—			
		F	3	—	—	—	—	1	1	1	—	3	—	—	—	—	2	1	—			
14 Meningitis	...	M	9	2	3	2	1	—	—	1	—	5	2	1	1	—	1	—	—			
		F	11	—	4	1	2	1	2	1	—	7	3	1	1	1	—	1	—			
15 Organic heart disease	...	M	97	—	—	—	3	3	9	46	36	67	—	—	—	—	4	11	30			
		F	96	—	—	—	2	5	17	36	36	69	—	—	—	4	2	10	30			
16 Bronchitis	...	M	67	24	5	3	1	—	2	11	21	68	14	1	4	1	—	3	11			
		F	76	19	10	3	1	—	3	7	33	65	9	3	2	—	—	2	17			
17 Pneumonia (all forms)		M	92	20	17	8	6	4	15	11	11	73	12	11	5	5	4	14	12			
		F	76	19	18	9	4	3	5	10	8	75	14	12	6	4	—	4	17			
18 Other respiratory diseases		M	16	1	—	3	—	—	3	4	5	8	—	1	—	1	1	—	3			
		F	10	3	3	—	—	2	—	2	—	6	2	—	1	—	—	2	1			
19 Diarrhoea, &c.	...	M	89	71	11	—	1	1	1	3	1	116	87	13	3	—	—	4	5			
		F	72	42	20	2	—	—	2	1	5	87	67	11	3	1	—	—	2			
20 Appendicitis and typhlitis		M	2	—	—	—	1	—	—	1	—	5	—	—	—	3	—	2	—			
		F	2	—	—	—	2	—	—	—	—	1	—	—	—	—	1	—	—			
21 Cirrhosis of liver	...	M	1	—	—	—	—	—	—	1	—	10	—	—	—	—	—	2	7			
		F	6	—	—	—	—	—	2	3	1	3	—	—	—	—	—	2	1			
21A Alcoholism	...	M	5	—	—	—	—	1	2	2	—	—	—	—	—	—	—	1	1			
		F	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	—			
22 Nephritis and Bright's disease.		M	33	—	1	2	3	1	8	13	5	26	—	—	—	—	2	5	12			
		F	22	—	—	3	—	2	8	7	2	20	—	—	—	1	2	3	10			
23 Puerperal fever...	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
		F	7	—	—	—	—	—	7	—	—	5	—	—	—	—	1	4	—			
24 Parturition, apart from puerperal fever.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
		F	5	—	—	—	—	1	4	—	—	10	—	—	—	—	1	9	—			
25 Congenital debility, &c.		M	95	94	—	1	—	—	—	—	—	66	65	—	—	1	—	—	—			
		F	55	55	—	—	—	—	—	—	—	59	58	1	—	—	—	—	—			
26 Violence, apart from suicide.		M	54	5	2	3	1	5	16	17	5	29	5	—	2	3	2	9	5			
		F	12	1	—	3	1	—	2	2	3	18	—	1	1	1	2	5	3			
27 Suicide	...	M	11	—	—	—	—	—	5	6	—	10	—	—	—	—	2	3	4			
		F	3	—	—	—	—	1	1	—	1	4	—	—	—	—	1	3	—			
28 Other defined diseases	...	M	228	53	5	2	5	6	24	44	89	196	47	3	5	2	3	9	54			
		F	207	38	9	2	4	5	20	41	88	236	23	2	3	7	7	20	54			
29 Causes ill-defined or unknown.		M	11	—	3	1	—	—	2	2	3	11	—	—	—	—	—	4	5			
		F	12	—	3	2	—	—	2	2	3	5	—	1	—	—	—	—	4			

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1911—*cont.*

Causes of Death.		Sex.	STOKE ON TRENT.										SUNDERLAND.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M F	2,453 2,228	812 679	223 164	135 158	99 95	80 71	270 270	465 372	369 419	1,422 1,314	370 314	130 117	99 79	63 64	50 46	175 156	270 227	265 311	
1 Enteric fever	M F	14 12	— —	— —	— 1	— 4	3 2	8 2	3 3	— —	4 3	— —	— —	— —	— —	— 1	3 2	1 —	— —	
2 Small-pox	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
3 Measles	M F	50 46	11 11	22 16	15 17	2 2	— —	— —	— —	— —	27 22	6 —	12 11	9 10	— 1	— —	— —	— —	— —	
4 Scarlet fever	M F	29 34	— 3	5 3	11 15	10 11	2 —	1 2	— —	— —	4 3	— —	— —	3 1	1 2	— —	— —	— —	— —	
5 Whooping cough	M F	28 46	13 23	5 13	10 10	— —	— —	— —	— —	— —	41 53	17 18	14 18	9 9	1 8	— —	— —	— —	— —	
6 Diphtheria and croup	M F	43 48	2 —	4 6	14 23	20 19	3 —	— —	— —	— —	14 10	1 —	3 1	6 4	4 5	— —	— —	— —	— —	
7 Influenza	M F	7 4	— —	— —	— —	1 —	— —	2 —	3 3	1 1	2 1	— —	— —	— —	— —	— —	1 1	— —	1 —	
8 Erysipelas	M F	3 10	1 3	— —	— 1	— 1	— —	1 —	1 1	— 4	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	
9 Pulmonary tuberculosis	{	M F	178 145	1 —	— 3	3 3	9 7	27 29	67 72	68 29	3 1	100 95	2 2	1 3	5 2	5 13	14 15	55 39	16 20	2 1		
10 Tuberculous meningitis		M F	24 18	5 4	5 3	10 5	3 4	— 1	— 1	— 1	— —	— —	21 9	2 1	5 4	8 2	5 1	1 1	— —	— —	— —	
11 Other tuberculous diseases.	{	M F	66 45	32 25	10 6	10 5	4 4	3 1	2 2	4 1	1 1	25 26	4 1	3 4	5 9	4 5	2 —	6 7	1 —	— —		
12 Cancer, malignant disease		M F	79 96	— —	— 1	— —	2 2	2 1	9 21	40 49	26 22	53 70	— —	— —	— —	— —	— —	1 11	4 36	26 23	22 23	
13 Rheumatic fever	M F	7 6	— —	— —	1 —	1 1	2 2	1 3	1 1	6 2	— —	— —	— —	— —	4 1	— 1	1 1	1 —	— —	
14 Meningitis	M F	50 35	20 10	15 9	4 3	4 3	1 1	3 4	3 5	— —	22 22	6 8	4 4	4 2	4 4	2 1	— 2	2 1	— —	
15 Organic heart disease	M F	132 164	— —	— —	— 1	2 1	7 6	22 26	61 67	40 63	90 87	— —	— —	1 —	4 1	2 5	19 13	39 37	25 31	
16 Bronchitis	M F	210 172	32 45	24 9	2 6	2 1	— 2	11 10	76 39	63 60	141 146	39 51	20 17	12 9	— 2	— —	2 6	23 24	45 37	
17 Pneumonia (all forms)	{	M F	198 130	50 34	39 24	25 31	7 4	5 3	28 14	34 13	10 7	132 103	30 22	18 25	15 11	10 9	6 6	17 12	27 9	9 9		
18 Other respiratory diseases		M F	38 12	2 2	3 —	4 —	— 1	— —	— 1	9 1	12 5	8 3	14 7	3 1	— —	— 1	— —	1 1	2 1	5 2	3 2	
19 Diarrhoea, &c.	M F	379 328	295 231	44 45	7 15	2 3	1 —	5 3	13 13	12 18	124 95	69 56	33 18	7 4	1 2	1 1	1 1	5 6	7 7	
20 Appendicitis and typhlitis	{	M F	6 10	— —	— —	— —	2 3	2 2	2 5	— —	— —	— —	5 6	— —	— —	— —	1 2	1 2	1 —	2 2	— —	
21 Cirrhosis of liver		M F	19 11	— —	— —	— —	— —	1 —	5 3	7 6	6 2	6 7	— —	— —	— —	— —	— —	— —	3 1	2 3	1 3	
21A Alcoholism	M F	1 3	— —	— —	— —	— —	— —	1 1	— 2	— —	1 1	— —	— —	— —	— —	— —	1 1	— —	— —	
22 Nephritis and Bright's disease.	{	M F	50 54	— 2	1 —	1 1	2 5	1 2	13 16	19 17	13 11	34 26	— —	1 —	1 2	3 —	1 —	3 4	17 6	8 14		
23 Puerperal fever		M F	— 24	— —	— —	— —	— —	— 9	— 15	— —	— —	— —	— 4	— —	— —	— —	— —	— 1	— 3	— —	— —	
24 Parturition, apart from puerperal fever.	{	M F	— 21	— —	— —	— —	— —	— 2	— 19	— —	— —	— —	— 13	— —	— —	— —	— —	— 2	— 11	— —	— —	
25 Congenital debility, &c.		M F	217 192	214 191	3 1	— —	— —	— —	— —	— —	— —	— —	142 103	140 103	1 —	1 —	— —	— —	— —	— —	— —	
26 Violence, apart from suicide.	{	M F	84 46	5 12	2 3	4 8	18 7	13 —	20 2	15 5	7 9	85 40	8 8	3 2	6 7	10 3	12 —	27 6	16 9	3 5		
27 Suicide		M F	21 7	— —	— —	— —	— 1	— 2	— —	9 2	9 2	3 2	9 3	— —	— —	— —	— —	1 —	5 1	3 2	— —	
28 Other defined diseases	M F	480 486	126 81	23 12	13 11	8 11	6 5	46 47	89 105	169 214	311 353	42 43	8 8	5 7	6 4	5 10	25 34	81 68	139 179	
29 Causes ill-defined or unknown.	{	M F	40 23	3 1	18 10	1 2	— —	2 1	3 3	7 5	6 1	8 4	— —	4 2	2 —	— 1	— —	— 1	2 —	— —	— —	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1911—cont.

Causes of Death.	Sex.	SWANSEA.										TYNEMOUTH.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	993	258	56	41	46	57	146	208	181	492	129	23	30	17	19	65	97	112		
	F	902	199	70	50	43	44	121	166	209	442	75	32	23	18	20	64	99	111		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	4	—	—	—	—	1	3	—	—		
	F	1	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	18	6	10	2	—	—	—	—	—	4	1	2	—	1	—	—	—	—		
	F	15	4	5	6	—	—	—	—	—	7	1	4	1	1	—	—	—	—		
4 Scarlet fever ...	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	7	2	3	2	—	—	—	—	—	7	5	1	1	—	—	—	—	—		
	F	9	5	3	1	—	—	—	—	—	11	5	5	1	—	—	—	—	—		
6 Diphtheria and croup ...	M	21	—	3	12	6	—	—	—	—	6	—	—	4	2	—	—	—	—		
	F	28	—	5	13	9	—	—	1	—	1	—	—	1	—	—	—	—	—		
7 Influenza ...	M	3	—	—	—	—	—	1	1	1	2	—	—	1	—	—	1	—	—		
	F	5	—	—	—	—	—	1	4	—	1	—	—	—	—	—	1	—	—		
8 Erysipelas ...	M	1	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—		
	F	3	—	—	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	115	—	1	—	4	20	54	32	4	34	2	—	—	1	9	15	5	2		
	F	97	2	2	2	7	25	39	16	4	38	1	1	—	5	6	15	10	—		
10 Tuberculous meningitis	M	9	3	2	3	1	—	—	—	—	10	1	4	2	3	—	—	—	—		
	F	7	—	2	1	3	—	1	—	—	5	2	—	1	1	—	1	—	—		
11 Other tuberculous diseases.	M	16	6	1	—	2	4	3	—	—	17	4	3	3	—	3	2	2	—		
	F	10	5	1	—	1	1	1	—	1	15	1	5	4	2	1	1	1	—		
12 Cancer, malignant disease	M	42	—	—	—	1	1	4	23	13	23	—	—	—	—	—	4	10	9		
	F	58	—	—	—	—	—	12	30	16	27	—	—	—	—	—	4	15	8		
13 Rheumatic fever ...	M	4	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	1	1	2	—	—	2	—	—	—	—	—	1	1	—		
14 Meningitis ...	M	13	6	1	—	4	—	2	—	—	12	5	1	4	—	—	2	—	—		
	F	14	4	3	2	4	—	1	—	—	6	2	—	2	—	—	1	1	—		
15 Organic heart disease ...	M	66	—	—	—	4	2	13	25	22	30	—	—	—	1	—	1	16	12		
	F	46	—	—	—	2	4	8	19	13	42	—	—	—	2	2	8	16	14		
16 Bronchitis ...	M	43	14	2	2	1	1	—	10	13	42	11	1	—	1	—	2	11	16		
	F	72	13	6	2	2	—	3	15	31	37	5	2	2	—	1	3	4	20		
17 Pneumonia (all forms)	M	72	16	9	10	3	2	14	9	9	27	5	2	4	—	1	7	4	4		
	F	68	11	12	7	3	3	5	11	16	29	5	5	4	1	2	3	4	5		
18 Other respiratory diseases	M	11	1	—	2	—	—	—	5	3	11	1	—	—	1	1	1	4	3		
	F	5	1	—	—	—	—	—	3	1	4	—	—	—	—	—	1	1	2		
19 Diarrhoea, &c. ...	M	93	61	17	1	—	—	3	8	3	41	24	2	3	—	2	—	2	8		
	F	81	52	19	1	—	—	—	—	9	31	18	4	3	—	—	1	2	3		
20 Appendicitis and typhlitis	M	8	—	—	—	4	1	3	—	—	2	—	—	—	2	—	—	—	—		
	F	5	—	—	1	3	1	—	—	—	7	—	—	—	4	2	—	—	1		
21 Cirrhosis of liver ...	M	3	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	—	—	2	5	—	2	—	—	—	—	—	2	—		
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	36	—	1	2	—	2	9	16	6	16	1	—	—	—	—	2	9	4		
	F	19	—	—	2	1	1	6	5	4	14	—	—	1	—	1	2	8	2		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	1	3	—	—	2	—	—	—	—	1	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	13	—	—	—	—	—	13	—	—	2	—	—	—	—	—	2	—	—		
25 Congenital debility, &c.	M	62	61	—	1	—	—	—	—	—	47	47	—	—	—	—	—	—	—		
	F	47	47	—	—	—	—	—	—	—	27	27	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	57	3	2	2	11	15	14	5	5	21	—	—	2	2	1	13	3	—		
	F	11	—	3	2	1	—	2	1	2	4	—	—	2	—	—	—	—	2		
27 Suicide ...	M	7	—	—	—	—	—	2	5	—	2	—	—	—	—	—	1	1	—		
	F	3	—	—	—	—	1	1	1	—	1	—	—	—	—	—	—	1	—		
28 Other defined diseases ...	M	270	79	3	2	4	7	19	58	98	127	21	6	5	2	1	11	28	53		
	F	264	54	8	9	5	4	20	53	111	120	8	5	1	2	4	16	31	53		
29 Causes ill-defined or unknown.	M	14	—	—	—	1	—	2	10	1	5	—	1	1	1	—	—	1	—		
	F	4	1	1	—	—	1	—	1	—	6	—	1	—	—	—	2	2	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1911—*cont.*

Causes of Death.		Sex.	WALSALL.										WARRINGTON									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	...	M	782	241	78	41	37	34	88	138	125	585	163	48	29	34	28	81	119	83		
		F	744	182	66	39	31	35	78	125	188	558	136	60	37	34	20	51	97	123		
1 Enteric fever	...	M	2	—	—	—	1	—	1	—	—	4	—	—	—	1	2	1	—	—		
		F	3	—	—	—	—	—	2	—	1	1	—	—	—	—	1	—	—	—		
2 Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	...	M	13	—	6	6	1	—	—	—	—	6	1	2	1	2	—	—	—	—		
		F	8	—	3	3	2	—	—	—	—	8	—	5	3	—	—	—	—	—		
4 Scarlet fever	...	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	2	—	—	1	—	—	1	—	—	4	—	2	2	—	—	—	—	—		
5 Whooping cough	...	M	18	10	5	3	—	—	—	—	—	12	6	5	1	—	—	—	—	—		
		F	22	7	7	6	2	—	—	—	—	21	12	6	3	—	—	—	—	—		
6 Diphtheria and croup		M	5	—	3	1	1	—	—	—	—	4	—	—	3	1	—	—	—	—		
		F	6	1	1	2	1	1	—	—	—	5	1	—	3	1	—	—	—	—		
7 Influenza	...	M	2	—	—	—	—	—	—	1	1	5	—	—	1	—	—	1	2	1		
		F	1	—	—	—	—	—	—	1	—	2	—	—	—	1	—	—	—	1		
8 Erysipelas	...	M	4	1	—	1	—	—	2	—	—	1	—	—	—	—	1	—	—	—		
		F	2	1	—	—	—	—	—	—	1	2	—	—	—	—	—	2	—	—		
9 Pulmonary tuberculosis		M	70	1	1	1	2	12	29	22	2	62	1	1	1	—	7	36	14	2		
		F	49	1	1	—	6	12	22	4	3	46	1	1	2	6	15	9	9	3		
10 Tuberculous meningitis		M	6	1	2	1	2	—	—	—	—	10	3	2	1	3	1	—	—	—		
		F	4	1	2	1	—	—	—	—	—	3	—	—	1	2	—	—	—	—		
11 Other tuberculous diseases.		M	22	5	4	5	3	2	2	1	—	12	2	2	2	4	—	1	1	—		
		F	13	2	2	3	4	—	1	1	—	14	2	5	2	2	2	—	1	—		
12 Cancer, malignant disease		M	26	—	—	1	—	2	1	18	4	26	—	—	—	—	—	2	19	5		
		F	41	—	—	—	—	1	1	22	17	26	—	—	—	1	—	6	11	8		
13 Rheumatic fever	...	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
		F	4	—	—	—	2	1	1	—	—	2	—	—	—	—	—	—	2	—		
14 Meningitis	...	M	12	5	3	1	2	—	1	—	—	16	2	5	3	4	2	—	—	—		
		F	8	2	1	2	2	—	1	—	—	21	10	2	4	3	—	2	—	—		
15 Organic heart disease	...	M	42	—	—	—	3	2	7	18	12	30	—	—	—	3	5	1	11	10		
		F	42	—	—	—	3	4	8	13	14	35	—	—	—	3	—	4	15	13		
16 Bronchitis	...	M	54	17	2	1	2	—	3	14	15	27	13	2	1	—	—	1	4	6		
		F	49	10	1	2	1	2	1	13	19	59	11	5	1	—	—	1	17	24		
17 Pneumonia (all forms)		M	70	22	14	6	5	2	8	8	5	71	17	5	4	2	3	8	20	12		
		F	47	13	17	2	—	2	6	3	4	41	8	6	4	2	1	3	8	9		
18 Other respiratory diseases		M	15	2	2	1	—	2	—	4	4	3	—	—	1	1	—	—	1	—		
		F	7	1	1	—	—	—	3	1	1	5	—	—	1	—	—	1	2	1		
19 Diarrhoea, &c.	...	M	113	69	30	5	2	1	2	1	3	80	49	17	7	2	—	—	1	4		
		F	84	48	22	6	1	—	1	2	4	71	40	18	5	2	—	1	3	2		
20 Appendicitis and typhlitis		M	8	—	—	—	2	3	2	1	—	4	—	—	—	2	1	—	1	—		
		F	5	—	—	—	1	2	—	2	—	2	—	—	—	1	—	1	—	—		
21 Cirrhosis of liver	...	M	4	—	—	—	—	—	1	3	—	5	—	—	—	—	—	1	4	—		
		F	9	—	—	—	—	—	3	5	1	1	—	—	—	1	—	—	—	—		
21A Alcoholism	...	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.		M	5	—	—	—	—	—	—	5	—	10	—	—	—	1	—	2	6	1		
		F	11	—	—	—	2	—	2	7	—	12	—	1	—	—	1	1	6	3		
23 Puerperal fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	9	—	—	—	—	2	7	—	—	5	—	—	—	—	—	5	—	—		
24 Parturition, apart from puerperal fever.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	8	—	—	—	—	2	6	—	—	2	—	—	—	—	—	2	—	—		
25 Congenital debility, &c.		M	84	84	—	—	—	—	—	—	—	45	45	—	—	—	—	—	—	—		
		F	73	70	—	2	—	—	—	1	—	33	32	1	—	—	—	—	—	—		
26 Violence, apart from suicide.		M	30	2	2	5	6	2	5	5	3	26	1	—	3	4	5	7	4	2		
		F	12	3	—	2	1	1	1	1	3	14	—	1	2	4	—	3	3	1		
27 Suicide	...	M	7	—	—	—	—	—	3	3	1	4	—	—	—	—	1	—	3	—		
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases		M	164	22	2	1	5	5	20	34	75	99	17	5	—	4	1	14	21	37		
		F	212	21	3	6	3	5	11	45	118	111	16	5	4	4	1	10	17	54		
29 Causes ill-defined or unknown.		M	3	—	2	1	—	—	—	—	—	22	6	2	—	—	—	5	6	3		
		F	12	1	5	1	—	—	—	3	2	12	3	2	—	1	—	1	1	4		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1911—*cont.*

Causes of Death.	Sex.	WEST BROMWICH.										WEST HAM.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	567	141	56	31	23	24	51	110	131	2,389	689	213	154	88	115	280	455	395		
	F	529	140	53	31	17	22	46	104	116	2,180	540	229	142	105	68	230	398	468		
1 Enteric fever ...	M	2	—	—	—	1	—	1	—	—	14	—	—	2	4	3	3	2	—		
	F	1	—	—	—	—	—	—	1	—	12	—	—	—	4	1	4	3	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	22	3	10	8	1	—	—	—	—	123	27	51	39	6	—	—	—	—		
	F	9	1	3	4	1	—	—	—	—	106	18	49	29	10	—	—	—	—		
4 Scarlet fever ...	M	1	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	6	—	—	4	1	1	—	—	—		
5 Whooping cough ...	M	—	—	—	—	—	—	—	—	—	23	6	10	6	1	—	—	—	—		
	F	2	1	—	1	—	—	—	—	—	47	11	15	21	—	—	—	—	—		
6 Diphtheria and croup ...	M	1	—	1	—	—	—	—	—	—	28	1	8	12	7	—	—	—	—		
	F	6	1	—	4	1	—	—	—	—	20	1	5	6	8	—	—	—	—		
7 Influenza ...	M	1	—	—	—	—	—	—	—	1	21	—	2	3	—	1	8	3	4		
	F	1	—	—	—	—	—	1	—	—	15	1	—	1	—	3	7	3	3		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	3	1	—	—	—	—	1	1	—		
	F	2	1	—	—	—	—	—	1	—	6	—	—	—	—	3	—	3	—		
9 Pulmonary tuberculosis	M	37	1	—	1	2	7	14	12	—	203	1	3	6	5	36	91	53	8		
	F	36	—	—	—	1	11	14	9	1	155	4	4	5	15	30	63	32	2		
10 Tuberculous meningitis	M	3	1	2	—	—	—	—	—	—	22	9	3	7	1	1	—	—	—		
	F	3	1	—	2	—	—	—	—	—	27	7	4	9	5	1	1	—	—		
11 Other tuberculous diseases.	M	10	4	2	3	—	1	—	—	—	34	5	5	5	9	5	2	2	1		
	F	16	6	3	1	2	1	2	1	—	39	7	6	3	10	2	3	8	—		
12 Cancer, malignant disease	M	31	—	—	—	—	—	2	13	16	128	—	—	1	1	2	16	67	41		
	F	36	—	—	—	1	—	2	21	12	138	—	—	—	—	1	20	68	49		
13 Rheumatic fever ...	M	2	—	—	—	2	—	—	—	—	6	—	—	—	5	—	1	—	—		
	F	2	—	—	—	1	1	—	—	—	9	—	—	—	1	1	4	3	—		
14 Meningitis ...	M	6	1	4	—	—	1	—	—	—	22	5	4	6	4	—	2	1	—		
	F	5	2	—	1	2	—	—	—	—	15	3	4	2	4	—	1	1	—		
15 Organic heart disease ...	M	26	—	—	—	3	1	—	9	13	117	—	—	—	6	11	19	47	34		
	F	23	—	—	—	—	1	1	13	8	160	—	—	—	4	10	33	63	50		
16 Bronchitis ...	M	60	14	6	2	—	—	1	18	19	199	61	12	3	1	—	5	32	85		
	F	46	11	6	1	—	—	3	7	18	196	38	10	5	—	—	4	55	84		
17 Pneumonia (all forms)...	M	50	12	8	4	3	4	11	8	—	211	65	27	25	6	13	26	38	11		
	F	42	6	11	8	3	1	6	7	—	187	56	44	22	10	3	13	22	17		
18 Other respiratory diseases	M	4	—	—	1	1	—	2	—	—	32	—	1	—	—	2	4	15	10		
	F	3	—	—	—	—	—	1	2	—	19	1	2	2	2	1	1	4	6		
19 Diarrhoea, &c. ...	M	62	34	17	2	3	1	—	1	4	323	218	65	16	3	1	6	8	6		
	F	65	35	20	2	—	—	2	2	4	274	171	66	18	4	1	4	2	8		
20 Appendicitis and typhlitis	M	2	—	—	—	1	1	—	—	—	7	—	—	—	3	1	2	1	—		
	F	—	—	—	—	—	—	—	—	—	10	—	—	—	6	—	1	3	—		
21 Cirrhosis of liver ...	M	5	—	—	—	—	—	—	3	2	11	—	—	—	—	—	5	4	2		
	F	5	—	—	—	—	—	—	4	1	13	—	—	—	—	—	4	6	3		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	2	—		
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—		
22 Nephritis and Bright's disease.	M	14	1	1	—	—	—	3	5	4	66	—	1	—	2	1	13	26	23		
	F	7	—	1	—	—	—	—	4	2	46	—	—	1	1	2	7	21	14		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	2	—	—	4	—	—	—	—	1	3	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	1	1	—	12	—	—	—	—	1	11	—	—		
25 Congenital debility ...	M	49	49	—	—	—	—	—	—	—	204	200	—	3	—	1	—	—	—		
	F	47	45	1	1	—	—	—	—	—	157	155	—	2	—	—	—	—	—		
26 Violence, apart from suicide.	M	24	—	—	4	4	4	5	4	3	116	20	3	8	10	15	25	22	13		
	F	16	1	2	2	5	—	2	1	3	44	12	1	3	8	2	5	4	9		
27 Suicide ...	M	8	—	—	—	—	—	—	7	1	17	—	—	—	—	1	6	8	2		
	F	5	—	—	—	—	3	—	2	—	1	—	—	—	—	—	—	1	—		
28 Other defined diseases ...	M	141	21	3	5	2	4	12	28	66	448	70	12	11	14	21	44	122	154		
	F	142	29	6	4	—	2	9	26	66	452	55	14	8	12	9	41	94	219		
29 Causes ill-defined or unknown.	M	6	—	2	—	—	—	—	2	2	7	—	6	—	—	—	—	1	—		
	F	2	—	—	—	—	—	—	1	1	9	—	5	1	—	1	—	1	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1911—*cont.*

Causes of Death.	Sex.	WEST HARTLEPOOL.										WIGAN.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	502	129	49	36	17	30	68	98	75	839	246	81	57	34	34	102	172	113		
	F	516	111	44	36	30	24	48	89	134	810	223	97	43	38	43	85	150	131		
1 Enteric fever ...	M	1	—	—	—	—	—	1	—	—	20	—	—	—	2	7	9	2	—		
	F	—	—	—	—	—	—	—	—	—	12	—	—	—	1	6	3	2	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	—	—	—	—	—	—	—	—	—	29	5	12	10	2	—	—	—	—		
	F	5	1	3	1	—	—	—	—	—	31	7	16	7	1	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	4	—	—	2	2	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	15	6	3	5	1	—	—	—	—	9	3	3	3	—	—	—	—	—		
	F	12	4	4	4	—	—	—	—	—	27	12	7	6	2	—	—	—	—		
6 Diphtheria and croup ...	M	6	—	1	4	1	—	—	—	—	6	2	2	2	—	—	—	—	—		
	F	10	—	1	5	4	—	—	—	—	7	1	1	2	2	1	—	—	—		
7 Influenza ...	M	1	—	—	—	—	—	—	1	—	9	1	—	—	—	4	1	2	1		
	F	3	—	—	—	—	—	—	2	1	3	—	—	—	—	—	1	2	2		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1		
	F	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	36	—	—	—	2	12	16	6	—	31	—	—	1	1	3	13	13	—		
	F	28	—	2	2	2	6	9	7	—	48	—	3	2	3	13	19	7	1		
10 Tuberculous meningitis	M	9	2	2	5	—	—	—	—	—	15	3	3	5	2	—	2	—	—		
	F	6	1	—	1	3	—	1	—	—	7	2	2	1	1	—	—	—	—		
11 Other tuberculous diseases.	M	25	6	9	3	3	2	1	1	—	12	4	2	2	—	2	1	1	—		
	F	17	2	1	5	5	3	1	—	—	19	5	5	—	3	4	2	—	—		
12 Cancer, malignant disease	M	14	—	—	—	—	—	2	9	3	14	—	—	—	—	—	5	7	2		
	F	37	—	—	—	—	1	3	19	14	34	—	—	—	—	—	6	18	10		
13 Rheumatic fever ...	M	1	—	—	—	—	—	1	—	—	5	—	—	1	2	1	—	1	—		
	F	1	—	—	—	1	—	—	—	—	8	—	—	3	3	1	2	—	2		
14 Meningitis ...	M	8	2	1	3	2	—	—	—	—	12	2	—	3	3	2	1	1	—		
	F	7	1	—	3	2	—	1	—	—	6	1	—	2	1	1	—	—	—		
15 Organic heart disease ...	M	49	1	—	1	1	1	3	26	16	31	—	—	—	2	3	4	14	8		
	F	43	—	—	—	—	2	5	23	13	39	—	—	—	—	2	4	22	11		
16 Bronchitis ...	M	37	17	9	4	—	—	1	3	6	69	11	5	—	—	—	5	25	23		
	F	37	20	1	1	—	—	2	4	9	69	16	4	1	1	—	4	21	22		
17 Pneumonia ...	M	57	13	6	6	1	6	14	7	4	127	33	22	5	5	6	24	25	7		
	F	42	8	7	8	1	1	6	5	6	74	13	9	6	7	4	17	12	6		
18 Other respiratory diseases	M	6	—	2	—	—	—	—	4	—	13	2	1	4	2	1	2	1	—		
	F	3	—	—	—	—	—	1	1	1	9	—	5	1	—	—	1	2	—		
19 Diarrhoea, &c. ...	M	43	26	9	2	1	—	—	2	3	111	81	16	7	—	1	1	5	—		
	F	52	28	16	3	—	—	—	1	4	129	78	30	5	—	1	—	7	8		
20 Appendicitis and typhlitis	M	1	—	—	—	—	—	1	—	—	3	—	—	—	2	1	—	—	—		
	F	4	—	—	—	—	3	1	—	—	5	—	—	—	—	3	2	—	—		
21 Cirrhosis of liver ...	M	3	—	—	—	—	—	1	2	—	2	—	—	—	—	—	—	2	—		
	F	3	—	—	—	—	—	1	—	2	3	—	—	—	—	—	—	3	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
22 Nephritis and Bright's disease.	M	11	1	—	1	1	—	2	3	3	19	2	1	1	—	1	3	8	3		
	F	8	—	—	—	1	—	1	5	1	19	—	3	1	3	—	1	8	3		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	2	2	—	—	3	—	—	—	—	—	3	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	1	3	—	—	4	—	—	—	—	—	4	—	—		
25 Congenital debility, &c.	M	34	34	—	—	—	—	—	—	—	67	67	—	—	—	—	—	—	—		
	F	30	29	—	—	1	—	—	—	—	62	62	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	43	1	2	4	3	6	13	10	4	39	1	3	2	7	1	9	15	1		
	F	10	2	2	2	3	—	—	—	1	16	—	—	2	3	2	1	4	4		
27 Suicide ...	M	7	—	—	—	—	1	3	3	—	4	—	—	—	—	—	3	—	1		
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	93	20	5	1	1	2	8	20	36	171	29	7	6	2	1	18	44	64		
	F	146	14	7	1	7	4	11	22	80	161	24	7	6	7	3	12	41	61		
29 Causes ill-defined or unknown.	M	2	—	—	—	—	—	1	1	—	14	—	4	3	—	—	5	2	1		
	F	3	1	—	—	—	—	—	—	2	12	—	5	1	—	1	2	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1911—cont.

Causes of Death.	Sex.	WOLVERHAMPTON.										WORCESTER.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	803	178	56	44	35	27	102	183	178	367	67	13	17	20	12	35	81	122		
	F	716	154	52	35	24	20	87	142	202	367	44	19	18	16	15	31	75	149		
1 Enteric fever ...	M	3	—	—	—	—	1	—	2	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	28	5	8	14	1	—	—	—	—	10	3	2	3	2	—	—	—	—		
	F	38	7	15	13	3	—	—	—	—	12	1	9	2	—	—	—	—	—		
4 Scarlet fever ...	M	3	—	—	1	1	—	1	—	—	1	—	—	1	—	—	—	—	—		
	F	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	3	—	3	—	—	—	—	—	—	6	3	—	2	1	—	—	—	—		
	F	5	2	1	1	1	—	—	—	—	9	3	2	4	—	—	—	—	—		
6 Diphtheria and croup	M	2	—	—	2	—	—	—	—	—	7	1	—	3	3	—	—	—	—		
	F	3	—	—	1	1	—	1	—	—	5	—	—	3	2	—	—	—	—		
7 Influenza ...	M	9	—	—	—	—	—	2	5	2	3	—	—	—	—	—	—	1	2		
	F	12	1	1	—	—	—	2	5	3	2	—	—	—	—	—	—	1	1		
8 Erysipelas ...	M	3	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	66	2	1	—	2	8	33	20	—	39	1	—	—	—	8	16	13	1		
	F	43	—	2	1	4	11	19	6	—	28	—	1	1	1	8	10	4	3		
10 Tuberculous meningitis	M	6	2	—	2	2	—	—	—	—	3	2	—	—	—	1	—	—	—		
	F	4	—	1	1	2	—	—	—	—	4	1	—	—	2	1	—	—	—		
11 Other tuberculous diseases.	M	19	2	7	2	5	2	1	—	—	6	2	2	—	1	—	—	—	—		
	F	13	2	3	3	1	1	3	—	—	4	—	—	1	—	—	2	1	—		
12 Cancer, malignant disease	M	48	—	—	—	—	—	5	29	14	20	—	—	—	—	—	—	8	12		
	F	50	—	—	—	1	—	6	30	13	40	—	—	—	—	4	18	18	—		
13 Rheumatic fever ...	M	3	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
14 Meningitis ...	M	8	2	1	2	1	—	1	1	—	6	3	—	1	—	—	1	1	—		
	F	6	4	—	—	1	—	1	—	—	2	1	—	—	1	—	—	—	—		
15 Organic heart disease ...	M	55	—	—	—	3	5	7	23	17	41	—	—	—	—	2	4	17	18		
	F	48	—	—	—	1	—	7	28	12	48	—	—	—	3	2	3	16	24		
16 Bronchitis ...	M	77	15	7	4	—	—	1	25	25	22	3	—	—	—	—	—	3	16		
	F	65	16	4	2	—	—	3	10	30	24	3	—	2	—	—	—	1	18		
17 Pneumonia (all forms)	M	66	6	7	7	4	5	8	16	13	30	8	6	2	—	—	4	7	3		
	F	40	6	5	2	2	1	5	5	14	33	8	5	3	2	1	3	4	7		
18 Other respiratory diseases	M	9	—	—	1	1	—	—	5	2	6	—	1	1	—	—	—	—	4		
	F	7	1	—	—	—	—	—	2	4	6	—	—	1	1	—	1	—	3		
19 Diarrhoea, &c. ...	M	97	67	18	3	—	1	2	2	4	24	16	2	1	—	—	—	2	3		
	F	68	41	15	1	—	—	1	5	5	14	9	1	—	—	1	—	—	3		
20 Appendicitis and typhlitis	M	6	—	—	—	3	—	2	1	—	5	—	—	—	3	1	—	—	1		
	F	2	—	—	—	1	—	1	—	—	2	—	—	—	—	1	—	—	1		
21 Cirrhosis of liver ...	M	9	—	—	—	—	—	6	1	2	2	—	—	—	—	—	—	2	—		
	F	3	—	—	—	—	—	—	2	1	5	—	—	—	—	—	2	3	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	18	—	—	—	—	—	5	7	6	9	—	—	—	—	—	1	3	5		
	F	10	—	—	1	1	1	1	4	2	8	—	—	—	—	—	1	3	4		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	9	—	—	—	—	1	8	—	—	1	—	—	—	—	1	—	—	—		
25 Congenital debility, &c.	M	52	52	—	—	—	—	—	—	—	16	16	—	—	—	—	—	—	—		
	F	53	53	—	—	—	—	—	—	—	13	13	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	30	4	1	—	8	1	8	4	4	13	—	—	1	5	—	2	2	3		
	F	18	4	1	3	2	1	2	2	3	6	1	—	—	1	—	—	—	4		
27 Suicide ...	M	3	—	—	—	—	—	3	—	—	4	—	—	—	—	—	—	3	1		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	174	20	2	6	3	4	13	38	88	93	9	—	2	5	—	6	18	53		
	F	209	17	4	3	2	3	25	41	114	101	4	1	1	3	1	6	23	62		
29 Causes ill-defined or unknown.	M	6	—	1	—	—	—	2	3	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1911—*cont.*

Causes of Death.		Sex.	YORK.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	
ALL CAUSES	...	M	586	135	29	18	19	16	76	144	149	
		F.	536	88	31	24	17	18	64	104	190	
1	Enteric fever	M	3	—	—	1	—	1	—	—	—	
		F	2	—	—	—	—	1	—	—	1	
2	Small-pox	M	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	
3	Measles	M	6	—	4	2	—	—	—	—	—	
		F	3	—	2	1	—	—	—	—	—	
4	Scarlet fever	M	1	—	—	—	1	—	—	—	—	
		F	3	—	—	3	—	—	—	—	—	
5	Whooping cough	M	12	7	4	—	—	—	—	1	—	
		F	13	6	6	1	—	—	—	—	—	
6	Diphtheria and croup	M	3	—	—	1	2	—	—	—	—	
		F	4	—	1	3	—	—	—	—	—	
7	Influenza	M	4	—	—	—	1	1	—	1	1	
		F	13	—	—	—	—	1	6	1	5	
8	Erysipelas	M	6	1	—	—	—	—	2	3	—	
		F	3	—	—	—	—	—	—	1	2	
9	Pulmonary tuberculosis	M	43	—	—	—	—	3	24	15	1	
		F	26	—	—	1	2	3	15	3	2	
10	Tuberculous meningitis	M	7	—	2	2	3	—	—	—	—	
		F	8	—	3	1	1	2	1	—	—	
11	Other tuberculous dis- eases.	M	8	2	—	1	1	1	1	2	—	
		F	9	1	1	2	2	—	3	—	—	
12	Cancer, malignant disease	M	27	—	—	—	—	—	2	12	13	
		F	47	—	—	—	—	—	4	23	20	
13	Rheumatic fever	M	1	—	—	—	—	1	—	—	—	
		F	3	—	—	—	—	—	1	2	—	
14	Meningitis	M	8	1	2	1	2	—	1	—	1	
		F	11	4	3	1	2	—	1	—	—	
15	Organic heart disease	M	51	—	—	—	3	2	8	22	16	
		F	48	—	—	—	1	3	5	15	24	
16	Bronchitis	M	33	5	1	—	—	—	1	7	19	
		F	44	1	4	1	—	—	—	9	29	
17	Pneumonia (all forms)	M	40	10	6	3	2	—	8	8	3	
		F	23	4	5	3	2	1	3	2	3	
18	Other respiratory diseases	M	9	1	—	1	—	—	—	4	3	
		F	9	1	—	1	—	—	2	1	4	
19	Diarrhoea, &c.	M	41	31	5	1	—	—	—	2	2	
		F	33	26	4	—	2	—	—	—	1	
20	Appendicitis and typhlitis	M	2	—	—	—	1	—	1	—	—	
		F	1	—	—	—	1	—	—	—	—	
21	Cirrhosis of liver	M	7	—	—	—	—	—	—	4	3	
		F	7	—	—	—	—	—	1	6	—	
21A	Alcoholism	M	2	—	—	—	—	—	1	1	—	
		F	—	—	—	—	—	—	—	—	—	
22	Nephritis and Bright's disease.	M	24	—	—	—	—	—	2	12	10	
		F	16	—	—	—	—	—	4	3	9	
23	Puerperal fever...	M	—	—	—	—	—	—	—	—	—	
		F	2	—	—	—	—	1	1	—	—	
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	—	1	—	—	
25	Congenital debility, &c.	M	52	51	1	—	—	—	—	—	—	
		F	26	25	1	—	—	—	—	—	—	
26	Violence, apart from suicide.	M	15	1	1	3	2	1	2	2	3	
		F	12	—	—	1	3	1	2	2	3	
27	Suicide	M	7	—	—	—	—	1	3	3	—	
		F	2	—	—	—	—	—	2	—	—	
28	Other defined diseases	M	173	25	3	2	1	5	18	45	74	
		F	162	20	1	5	1	6	10	32	87	
29	Causes ill-defined or un- known.	M	1	—	—	—	—	—	1	—	—	
		F	5	—	—	—	—	—	1	4	—	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF ANGLESEY—1911.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	169	38	5	3	4	3	16	46	54	239	46	6	8	10	8	24	44	93		
	F	171	26	4	1	10	11	19	35	65	261	32	5	2	15	15	36	46	110		
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
5 Whooping cough	M	2	2	—	—	—	—	—	—	—	4	1	—	3	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	5	4	1	—	—	—	—	—	—		
6 Diphtheria and croup	M	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—		
	F	2	—	—	—	2	—	—	—	—	4	—	—	—	3	1	—	—	—		
7 Influenza	M	—	—	—	—	—	—	—	—	—	3	1	—	—	—	—	—	—	2		
	F	3	—	—	—	—	—	—	—	3	16	—	—	—	—	—	3	5	8		
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
9 Pulmonary tuberculosis	M	8	—	—	—	—	1	5	2	—	11	—	—	—	1	3	5	1	1		
	F	17	—	—	—	3	5	6	3	—	28	—	—	—	3	9	10	6	—		
10 Tuberculous meningitis	M	3	2	—	—	1	—	—	—	—	2	1	—	—	1	—	—	—	—		
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
11 Other tuberculous diseases.	M	5	—	1	—	1	—	1	2	—	7	1	—	1	—	2	1	1	1		
	F	3	—	1	—	1	—	—	1	—	6	—	—	—	2	2	1	1	—		
12 Cancer, malignant disease	M	11	—	—	—	—	—	1	8	2	19	—	—	—	—	—	1	9	9		
	F	20	—	—	—	—	—	1	9	10	22	—	—	—	—	—	5	9	8		
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—		
14 Meningitis	M	—	—	—	—	—	—	—	—	—	6	1	—	—	1	1	1	2	—		
	F	—	—	—	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—		
15 Organic heart disease	M	13	—	—	—	—	—	2	6	5	20	—	—	1	—	—	2	4	13		
	F	16	—	—	—	—	1	1	3	11	29	—	—	—	2	—	1	8	18		
16 Bronchitis	M	11	2	1	—	—	—	—	1	7	4	1	—	—	—	—	—	—	3		
	F	8	2	1	—	—	—	—	—	5	13	2	2	—	—	—	—	1	8		
17 Pneumonia (all forms)	M	11	2	—	2	—	—	2	2	3	18	4	3	—	—	1	4	3	3		
	F	7	—	—	—	2	1	1	2	1	8	—	—	—	1	—	3	3	4		
18 Other respiratory diseases	M	1	—	—	—	—	—	—	—	1	5	—	—	—	—	1	—	3	1		
	F	5	—	—	—	—	1	—	2	2	4	—	—	—	—	—	3	1	—		
19 Diarrhoea, &c.	M	9	6	1	—	—	—	—	—	2	9	7	—	—	1	—	—	—	1		
	F	10	7	1	—	—	—	1	—	1	3	2	—	—	—	—	—	—	1		
20 Appendicitis and typhlitis	M	1	—	—	—	—	—	—	1	—	2	—	—	—	1	—	—	1	—		
	F	1	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—		
21 Cirrhosis of liver	M	2	—	—	—	—	—	—	—	2	2	—	—	—	—	—	2	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism	M	3	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	4	—	—	—	—	—	—	3	1	10	—	—	—	—	—	1	3	6		
	F	5	—	—	—	—	—	1	2	2	7	1	—	1	—	—	1	1	3		
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	2	—	—	5	—	—	—	—	3	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	1	1	—	—	4	—	—	—	—	—	4	—	—		
25 Congenital debility, &c.	M	15	15	—	—	—	—	—	—	—	10	8	—	1	1	—	—	—	—		
	F	11	11	—	—	—	—	—	—	—	7	6	—	—	1	—	—	—	—		
26 Violence, apart from suicide.	M	12	—	—	1	1	2	2	5	1	5	1	—	1	1	—	1	—	1		
	F	3	—	—	1	1	—	—	1	—	2	1	—	—	—	—	—	—	1		
27 Suicide	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
28 Other defined diseases	M	55	8	2	—	1	—	—	14	30	98	20	3	1	1	—	6	16	51		
	F	51	6	—	—	—	—	4	11	30	89	15	—	—	1	—	6	9	58		
29 Causes ill-defined or unknown.	M	2	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1		
	F	1	—	—	—	—	—	1	—	—	2	1	—	—	—	—	—	—	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
BEDFORDSHIRE—1911.

Causes of Death.				Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	{	M	789	196	30	24	30	29	98	154	228	508	62	20	6	11	15	47	92	255		
			{	F	763	140	37	31	29	29	82	117	298	512	77	8	10	12	23	49	103	230		
1	Enteric fever	...	{	M	5	—	—	—	1	2	1	1	—	1	—	—	—	—	—	1	—	—		
			{	F	6	—	1	—	2	—	3	—	—	2	—	—	—	—	—	2	—	—		
2	Small-pox	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			{	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles	...	{	M	15	5	4	4	2	—	—	—	—	2	—	2	—	—	—	—	—	—		
			{	F	14	4	2	6	2	—	—	—	—	1	—	—	—	1	—	—	—	—		
4	Scarlet fever	...	{	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
			{	F	1	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
5	Whooping cough	...	{	M	—	—	—	—	—	—	—	—	—	6	3	1	2	—	—	—	—	—		
			{	F	3	—	2	1	—	—	—	—	—	5	2	—	3	—	—	—	—	—		
6	Diphtheria and croup	...	{	M	9	3	—	2	4	—	—	—	—	2	—	—	1	—	1	—	—	—		
			{	F	12	—	—	5	7	—	—	—	—	1	—	—	—	1	—	—	—	—		
7	Influenza	...	{	M	5	—	—	—	—	—	—	2	3	5	—	—	—	—	—	—	4	1		
			{	F	5	1	—	—	—	1	2	1	—	1	—	—	—	—	—	—	—	1		
8	Erysipelas	...	{	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
			{	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
9	Pulmonary tuberculosis		{	M	67	1	2	—	2	8	41	13	—	28	—	—	—	1	4	16	6	1		
			{	F	53	1	—	1	2	13	20	13	3	28	—	—	—	2	8	11	5	2		
10	Tuberculous meningitis		{	M	9	—	—	1	7	—	—	1	—	1	1	—	—	—	—	—	—	—		
			{	F	7	—	—	2	3	2	—	—	—	7	—	—	2	3	1	—	1	—		
11	Other tuberculous diseases.		{	M	10	3	1	1	2	1	1	1	—	6	—	1	—	1	1	2	1	—		
			{	F	17	2	1	2	1	—	6	3	2	4	1	—	—	1	1	1	—	—		
12	Cancer, malignant disease		{	M	61	—	—	—	—	1	6	20	34	41	1	—	—	—	—	3	16	21		
			{	F	71	—	—	—	—	1	7	23	40	50	—	—	—	—	—	5	22	23		
13	Rheumatic fever	...	{	M	6	—	—	—	1	—	3	2	—	1	—	—	—	—	—	1	—	—		
			{	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
14	Meningitis	...	{	M	6	2	1	1	1	—	—	—	—	1	—	—	—	—	—	—	—	1		
			{	F	7	1	—	1	1	2	2	—	—	1	—	—	—	—	1	—	—	—		
15	Organic heart disease	...	{	M	55	—	—	—	3	2	9	24	17	54	—	—	—	—	—	3	8	43		
			{	F	79	—	—	—	1	1	11	22	44	59	—	—	—	—	2	4	15	38		
16	Bronchitis	...	{	M	42	11	1	1	—	—	1	7	21	42	5	—	—	1	—	1	4	31		
			{	F	59	9	4	3	1	—	—	5	37	28	2	—	1	—	—	—	3	22		
17	Pneumonia (all forms)		{	M	51	14	5	6	1	1	8	10	6	24	3	3	—	—	1	1	8	8		
			{	F	28	4	4	2	2	—	4	4	8	18	6	1	—	—	—	1	4	6		
18	Other respiratory diseases		{	M	14	5	—	1	1	—	—	—	7	5	—	—	1	—	—	1	1	2		
			{	F	8	1	—	2	—	—	—	3	2	6	—	—	1	—	—	1	2	2		
19	Diarrhoea, &c.	...	{	M	92	63	12	1	—	1	4	3	8	30	14	8	—	—	—	1	2	5		
			{	F	76	50	11	1	—	—	—	2	12	37	20	6	1	—	—	1	3	6		
20	Appendicitis and typhlitis		{	M	3	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—		
			{	F	3	—	—	—	—	—	2	1	—	2	—	—	—	2	—	—	—	—		
21	Cirrhosis of liver	...	{	M	3	—	—	—	1	—	—	1	1	6	—	—	—	—	—	3	3			
			{	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—			
21A	Alcoholism	...	{	M	3	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—		
			{	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22	Nephritis and Bright's disease.		{	M	16	—	—	—	—	—	2	6	8	6	—	—	—	—	—	2	2	2		
			{	F	19	—	—	—	1	2	2	5	9	9	—	—	—	—	—	2	6	1		
23	Puerperal fever...	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			{	F	4	—	—	—	—	1	3	—	—	1	—	—	—	—	—	1	—	—		
24	Parturition, apart from puerperal fever.		{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			{	F	3	—	—	—	—	—	3	—	—	5	—	—	—	—	2	3	—	—		
25	Congenital debility, &c.		{	M	62	62	—	—	—	—	—	—	—	20	20	—	—	—	—	—	—	—		
			{	F	49	46	1	1	1	—	—	—	—	35	34	—	—	1	—	—	—	—		
26	Violence, apart from suicide.		{	M	17	2	—	1	1	4	1	5	3	25	2	—	—	1	4	5	9	4		
			{	F	13	2	5	—	1	—	1	2	2	13	2	1	2	—	1	2	2	3		
27	Suicide	...	{	M	12	—	—	—	—	1	3	8	—	6	—	—	—	—	2	—	1	3		
			{	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
28	Other defined diseases	...	{	M	212	25	4	5	3	5	14	40	116	189	12	5	1	6	2	10	25	128		
			{	F	220	19	3	4	4	6	14	31	139	186	10	—	—	—	5	13	35	123		
29	Causes ill-defined or unknown.		{	M	13	—	—	—	—	—	1	8	4	6	1	—	1	—	—	—	2	2		
			{	F	6	—	2	—	—	—	2	2	—	8	—	—	—	—	1	—	4	3		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
BERKSHIRE—1911.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	386	58	19	11	13	8	37	94	146	846	130	23	18	19	41	94	185	336		
	F	396	47	21	10	15	12	41	73	177	759	73	12	18	27	22	83	156	368		
1 Enteric fever ...	M	1	—	—	—	—	—	1	—	—	4	—	—	—	1	2	—	1			
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—			
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
3 Measles ...	M	9	3	4	1	1	—	—	—	—	9	2	3	4	—	—	—	—			
	F	10	3	4	1	2	—	—	—	—	4	2	—	1	1	—	—	—			
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
5 Whooping cough ...	M	2	1	—	1	—	—	—	—	—	9	8	1	—	—	—	—	—			
	F	9	3	5	1	—	—	—	—	—	8	4	3	1	—	—	—	—			
6 Diphtheria and croup ...	M	4	—	—	2	2	—	—	—	—	6	—	1	1	4	—	—	—			
	F	3	—	—	1	2	—	—	—	—	9	—	—	4	5	—	—	—			
7 Influenza ...	M	1	—	—	1	—	—	—	—	—	5	1	—	—	1	—	2	1			
	F	4	—	—	—	—	—	1	1	2	9	—	—	—	1	1	—	7			
8 Erysipelas ...	M	1	—	—	—	—	—	—	—	1	3	—	—	—	—	—	2	1			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
9 Pulmonary tuberculosis	M	28	—	—	—	—	4	11	13	—	54	1	—	1	1	9	27	13			
	F	24	—	—	1	1	4	11	6	1	35	—	—	—	1	8	19	4			
10 Tuberculous meningitis	M	2	—	—	—	1	—	—	1	—	3	2	—	1	—	—	—	—			
	F	3	—	1	—	2	—	—	—	—	5	—	—	2	1	1	—	—			
11 Other tuberculous diseases.	M	8	—	1	—	2	1	1	2	1	18	1	1	1	1	3	8	3			
	F	4	1	1	—	—	1	—	—	1	5	—	—	1	2	—	2	—			
12 Cancer, malignant disease	M	28	—	—	—	—	—	1	11	16	72	—	—	—	—	2	3	29			
	F	44	—	—	—	—	—	6	16	22	93	—	—	—	—	12	36	45			
13 Rheumatic fever ...	M	1	—	—	—	—	—	—	—	1	6	—	—	—	—	2	3	1			
	F	—	—	—	—	—	—	—	—	—	7	—	—	1	3	1	—	1			
14 Meningitis ...	M	3	—	—	1	2	—	—	—	—	6	2	1	—	2	—	1	—			
	F	5	1	—	—	2	1	1	—	—	1	—	—	—	1	—	—	—			
15 Organic heart disease ...	M	53	—	—	—	—	1	6	14	32	77	—	—	—	—	1	3	23			
	F	59	—	—	—	—	4	4	9	42	105	—	—	—	1	2	8	30			
16 Bronchitis ...	M	24	3	2	—	—	—	—	2	17	57	11	1	—	1	—	1	6			
	F	20	3	—	—	—	—	1	1	15	51	7	1	3	—	—	1	5			
17 Pneumonia (all forms)	M	30	4	4	—	1	1	2	11	7	46	4	4	2	—	3	12	15			
	F	21	1	5	1	—	1	3	3	7	26	4	1	2	—	2	3	4			
18 Other respiratory diseases	M	3	1	—	—	—	—	—	—	2	9	1	1	—	—	—	2	3			
	F	3	—	—	—	1	—	—	—	2	18	1	—	—	—	1	2	4			
19 Diarrhoea, &c. ...	M	21	14	4	—	—	—	—	—	3	45	30	2	1	—	—	—	2			
	F	19	15	2	—	—	—	—	1	1	22	11	4	2	1	—	—	2			
20 Appendicitis and typhlitis	M	3	—	—	—	2	—	1	—	—	11	—	—	1	2	5	2	1			
	F	6	—	—	2	1	1	—	1	1	4	—	—	—	2	1	—	—			
21 Cirrhosis of liver ...	M	3	—	—	—	—	—	1	1	1	7	—	—	—	—	—	3	4			
	F	6	—	—	—	—	—	1	3	2	6	—	—	—	—	—	1	2			
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
22 Nephritis and Bright's disease.	M	11	—	1	—	—	—	1	7	2	29	—	—	—	1	—	3	12			
	F	7	—	—	—	—	—	1	4	2	22	—	—	—	1	—	2	8			
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	2	—	—	—	—	—	2	—	—	3	—	—	—	—	—	3	—			
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	4	—	—	—	—	—	4	—	—	6	—	—	—	—	1	3	2			
25 Congenital debility, &c.	M	25	25	—	—	—	—	—	—	—	48	46	1	—	1	—	—	—			
	F	15	14	1	—	—	—	—	—	—	35	33	—	—	1	—	1	—			
26 Violence, apart from suicide.	M	10	—	—	—	1	—	2	3	4	31	1	1	—	5	5	7	8			
	F	4	—	—	1	—	—	—	1	2	11	—	1	—	—	—	1	2			
27 Suicide ...	M	5	—	—	—	—	—	1	3	1	9	—	—	—	—	1	3	2			
	F	2	—	—	—	—	—	1	1	—	2	—	—	—	—	—	1	1			
28 Other defined diseases ...	M	103	7	2	3	1	1	8	23	58	257	20	5	5	1	8	13	46			
	F	121	6	2	2	4	—	5	26	76	258	9	2	1	7	3	21	49			
29 Causes ill-defined or unknown.	M	7	—	1	2	—	—	1	3	—	22	—	1	—	—	—	2	14			
	F	1	—	—	—	—	—	—	—	1	13	2	—	—	—	—	1	5			

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
BRECKNOCKSHIRE—1911.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	152	34	8	4	6	6	14	36	44	343	87	11	12	13	12	41	70	97		
	F	131	24	6	2	6	5	16	29	43	282	54	12	6	12	19	39	39	101		
1 Enteric Fever ...	M	1	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	1	1	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	1	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
5 Whooping cough ...	M	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	4	2	—	1	1	—	—	—	—		
6 Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—		
7 Influenza ...	M	3	—	—	—	—	—	1	2	—	4	—	1	—	—	—	2	1	—		
	F	2	—	—	—	—	—	1	1	—	3	—	—	—	—	—	1	—	2		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1		
9 Pulmonary tuberculosis	M	12	—	—	—	1	1	6	4	—	13	—	—	—	—	3	5	4	1		
	F	6	—	—	—	1	2	2	1	—	21	—	—	—	—	7	12	2	—		
10 Tuberculous meningitis	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
11 Other tuberculous diseases.	M	—	—	—	—	—	—	—	—	—	5	1	—	—	2	1	1	—	—		
	F	2	1	—	—	1	—	—	—	—	5	—	—	—	—	3	2	—	—		
12 Cancer, malignant disease	M	10	—	—	—	—	—	—	3	7	18	—	—	—	—	—	1	12	5		
	F	15	—	—	—	—	—	2	8	5	10	—	—	—	—	—	1	5	4		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	3	—	—	—	1	2	—	—	—		
14 Meningitis ...	M	1	—	—	1	—	—	—	—	—	2	—	—	—	1	—	1	—	—		
	F	1	—	—	1	—	—	—	—	—	6	4	1	—	—	—	1	—	—		
15 Organic heart disease ...	M	12	—	—	—	—	—	1	8	3	30	—	—	—	1	—	2	12	15		
	F	11	—	—	—	—	—	2	5	4	32	—	—	—	2	1	—	5	24		
16 Bronchitis ...	M	15	4	—	—	—	—	1	4	6	25	5	—	—	—	1	1	6	12		
	F	10	3	2	—	—	—	1	—	4	20	1	—	—	—	—	1	4	14		
17 Pneumonia (all forms)...	M	13	5	2	2	—	—	—	1	3	33	7	5	3	—	—	9	7	2		
	F	14	5	2	1	1	—	2	—	3	21	5	3	2	2	2	2	4	1		
18 Other respiratory diseases	M	2	—	2	—	—	—	—	—	—	8	1	—	1	2	—	—	3	1		
	F	3	1	—	—	—	1	—	—	1	1	—	—	—	—	—	—	—	1		
19 Diarrhoea, &c. ...	M	13	9	3	—	—	—	1	—	—	28	23	1	2	—	—	2	—	—		
	F	10	6	2	—	—	—	—	—	2	20	13	4	1	1	—	—	—	1		
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21 Cirrhosis of liver ...	M	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	3	—		
	F	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	—	—	—	—	—	—	—	—	—	8	—	—	—	—	—	1	5	2		
	F	3	—	—	—	—	—	—	2	1	6	—	—	—	—	—	3	2	1		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	5	—	—	—	—	1	4	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	2	—	—		
25 Congenital debility, &c.	M	9	8	—	—	—	1	—	—	—	31	31	—	—	—	—	—	—	—		
	F	4	4	—	—	—	—	—	—	—	17	17	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	7	—	—	—	1	2	1	1	2	29	2	1	3	2	4	5	7	5		
	F	2	—	—	—	—	—	—	1	1	9	—	3	1	—	—	1	3	1		
27 Suicide ...	M	4	—	—	—	—	—	3	1	—	1	—	—	—	—	—	—	—	1		
	F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	1	—		
28 Other defined diseases ...	M	43	6	—	—	2	2	—	10	23	90	17	3	2	1	2	8	9	48		
	F	40	4	—	—	1	1	4	9	21	86	12	1	1	2	2	6	11	51		
29 Causes ill-defined or unknown.	M	2	1	—	—	—	—	—	—	—	7	—	—	—	—	1	1	1	4		
	F	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
BUCKINGHAMSHIRE—1911.

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	489	84	29	18	20	21	63	83	171	901	144	20	24	29	31	88	180	385	
			F	478	81	19	19	22	15	32	96	194	832	101	19	21	19	36	78	149	409	
1 Enteric fever	M	2	—	—	—	1	—	1	—	—	6	—	—	—	—	2	1	2	1	
			F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles	M	18	2	8	6	2	—	—	—	—	9	2	—	4	3	—	—	—	—	
			F	15	3	4	7	1	—	—	—	—	3	—	—	1	2	—	—	—	—	
4 Scarlet fever	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5 Whooping cough	M	1	1	—	—	—	—	—	—	—	13	7	4	1	1	—	—	—	—	
			F	2	2	—	—	—	—	—	—	—	5	3	1	1	—	—	—	—	—	
6 Diphtheria and croup			M	2	—	—	2	—	—	—	—	—	9	1	—	4	4	—	—	—	—	
			F	5	—	—	2	3	—	—	—	—	3	—	—	1	2	—	—	—	—	
7 Influenza	M	6	—	1	—	—	—	1	2	2	13	1	—	—	1	2	—	4	5	
			F	4	—	—	—	—	—	—	1	3	16	—	1	—	—	1	2	3	9	
8 Erysipelas	M	2	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	
			F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
9 Pulmonary tuberculosis			M	38	—	1	—	1	9	17	8	2	54	—	—	—	—	11	26	16	1	
			F	27	—	—	1	2	10	5	7	2	46	—	—	—	2	11	20	7	6	
10 Tuberculous meningitis			M	9	2	2	4	—	1	—	—	—	5	—	1	1	3	—	—	—	—	
			F	6	—	1	2	2	—	1	—	—	7	—	3	—	1	1	2	—	—	
11 Other tuberculous diseases.			M	4	—	—	—	—	2	2	—	—	8	—	—	—	—	1	3	3	1	
			F	8	1	1	—	4	1	—	1	—	8	—	1	1	1	1	3	1	—	
12 Cancer, malignant disease			M	35	—	—	—	—	1	2	12	20	74	—	—	—	—	—	2	29	43	
			F	48	—	—	—	—	—	3	23	22	96	—	—	1	—	1	7	31	56	
13 Rheumatic fever	M	3	—	—	—	1	—	2	—	—	3	—	—	—	1	2	—	—	—	
			F	2	—	—	1	—	—	—	1	—	4	—	—	—	—	3	—	1	—	
14 Meningitis	M	5	—	—	1	3	1	—	—	—	4	—	—	1	1	—	—	—	1	
			F	6	2	—	1	2	—	1	—	—	5	1	2	1	—	—	—	—	1	
15 Organic heart diseases			M	26	—	—	—	1	—	1	10	14	95	1	1	—	—	2	9	25	57	
			F	46	—	—	—	2	2	1	17	24	89	—	—	1	1	3	5	26	53	
16 Bronchitis	M	33	5	2	—	—	—	—	5	21	46	9	1	2	—	—	—	4	30	
			F	38	4	2	—	—	—	1	8	23	48	9	2	1	—	—	1	9	26	
17 Pneumonia (all forms)			M	28	7	5	2	—	—	5	5	4	37	7	4	1	1	2	4	8	10	
			F	17	3	1	1	—	—	4	2	6	31	9	2	3	—	3	2	4	8	
18 Other respiratory diseases			M	13	—	1	—	—	—	2	2	8	15	1	—	3	—	—	1	6	4	
			F	5	—	1	—	1	—	—	—	3	20	—	—	—	1	1	2	8	8	
19 Diarrhoea, &c.	M	30	21	4	—	—	—	1	2	2	47	36	5	1	—	—	—	2	3	
			F	32	18	6	1	1	—	1	—	5	41	28	2	—	—	1	1	2	7	
20 Appendicitis and typhlitis			M	4	—	—	—	2	1	1	—	—	7	—	—	1	2	1	3	—	—	
			F	3	—	—	—	—	—	1	1	1	2	—	—	—	—	1	1	—	—	
21 Cirrhosis of liver	M	3	—	—	—	—	—	—	2	1	8	—	—	—	—	—	2	5	1	
			F	3	—	—	—	—	—	—	2	1	7	—	—	—	—	—	5	5	2	
21A Alcoholism	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
22 Nephritis and Bright's disease.			M	9	—	—	—	2	—	2	1	4	31	—	—	—	—	—	5	7	19	
			F	8	—	—	—	—	—	—	2	6	24	1	—	—	—	2	2	4	15	
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	1	—	—	—	—	—	1	—	—	4	—	—	—	—	1	3	—	—	
24 Parturition, apart from puerperal fever.			M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	2	—	—	—	—	1	1	—	—	4	—	—	—	—	1	3	—	—	
25 Congenital debility, &c.			M	26	26	—	—	—	—	—	—	—	62	60	1	—	—	—	1	—	—	
			F	37	36	1	—	—	—	—	—	—	36	36	—	—	—	—	—	—	—	
26 Violence, apart from suicide.			M	20	1	—	—	3	—	8	6	2	46	2	2	—	6	3	10	14	9	
			F	5	1	—	1	—	—	—	1	2	15	—	—	4	3	1	2	2	3	
27 Suicide	M	3	—	—	—	—	1	—	—	2	14	—	—	—	—	—	5	8	1	
			F	3	—	—	—	—	—	1	2	—	4	—	—	—	—	—	3	—	1	
28 Other defined diseases	M	160	17	5	3	3	4	17	25	86	291	17	1	5	6	4	16	43	199	
			F	148	11	2	1	3	1	10	25	95	307	14	2	6	6	4	18	45	212	
29 Causes ill-defined or unknown.			M	7	2	—	—	—	1	—	3	1	3	—	—	—	—	—	3	—	—	
			F	4	—	—	—	—	—	1	2	1	7	—	3	—	—	—	1	1	2	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF CAMBRIDGESHIRE—1911.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	357	65	22	16	19	14	39	78	104	552	77	17	12	13	23	54	94	262		
	F	315	46	14	13	20	15	26	68	113	462	65	14	9	18	14	33	75	234		
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	1	1	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	22	3	10	4	5	—	—	—	—	9	2	2	4	1	—	—	—	—		
	F	15	7	4	4	—	—	—	—	—	2	—	—	1	—	—	1	—	—		
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	2	—	—	—	2	—	—	—	—		
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	4	1	2	1	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	4	1	1	1	1	—	—	—	—		
6 Diphtheria and croup ...	M	14	—	2	6	6	—	—	—	—	6	—	—	2	3	1	—	—	—		
	F	9	—	—	2	7	—	—	—	—	1	—	1	—	—	—	—	—	—		
7 Influenza	M	4	—	—	—	—	—	—	1	3	8	—	—	—	—	—	2	3	3		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	3		
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
9 Pulmonary tuberculosis	M	25	—	—	—	1	5	11	6	2	41	—	1	—	1	5	24	6	4		
	F	14	—	—	—	1	5	5	3	—	23	—	—	1	4	3	11	4	—		
10 Tuberculous meningitis	M	4	—	1	2	1	—	—	—	—	8	2	2	2	1	—	1	—	—		
	F	2	—	—	—	2	—	—	—	—	4	—	—	—	2	—	—	—	1		
11 Other tuberculous diseases.	M	6	—	1	—	1	1	1	1	1	6	1	—	—	—	2	2	1	—		
	F	4	—	—	—	1	1	1	1	—	13	3	1	—	2	2	1	3	1		
12 Cancer, malignant disease	M	25	—	—	—	—	—	4	14	7	47	—	—	—	—	1	—	19	27		
	F	29	—	—	—	—	—	1	16	12	45	—	—	—	—	—	3	19	23		
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
14 Meningitis	M	7	1	—	2	2	—	2	—	—	6	3	1	—	—	—	1	—	1		
	F	5	2	—	1	1	1	—	—	—	5	1	2	—	1	1	—	—	—		
15 Organic heart disease ...	M	16	—	1	—	—	—	3	5	7	53	—	—	—	—	1	3	17	32		
	F	25	—	—	—	—	—	4	10	11	58	—	—	—	—	—	—	10	48		
16 Bronchitis	M	13	4	—	—	—	—	—	2	7	25	4	—	1	—	1	—	3	16		
	F	15	—	1	—	—	1	—	2	11	30	8	1	—	—	1	—	3	17		
17 Pneumonia (all forms)	M	21	6	3	—	—	1	5	1	5	20	2	1	—	—	1	1	3	12		
	F	19	5	2	2	1	—	2	4	3	17	6	4	1	—	—	1	2	3		
18 Other respiratory diseases	M	4	—	—	—	—	—	1	3	—	7	—	1	—	1	—	—	2	3		
	F	7	—	—	—	—	—	—	1	6	8	—	—	—	—	1	—	2	5		
19 Diarrhoea, &c.	M	19	17	1	—	—	—	—	1	—	23	10	5	—	—	—	3	1	4		
	F	24	15	5	2	—	—	1	1	—	24	16	1	4	2	—	—	1	—		
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	3	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—		
21 Cirrhosis of liver	M	4	—	—	1	—	—	1	1	1	6	—	—	—	—	—	2	2	2		
	F	1	—	—	—	—	—	—	1	—	6	—	—	—	—	—	1	2	3		
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	14	—	—	—	—	1	2	9	2	13	—	—	—	—	2	1	4	6		
	F	8	—	—	—	1	—	—	2	5	6	—	—	—	—	—	2	1	3		
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	1	1	—	—	3	—	—	—	—	1	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	—	—	—		
25 Congenital debility, &c. ...	M	24	24	—	—	—	—	—	—	—	40	40	—	—	—	—	—	—	—		
	F	13	12	—	—	—	1	—	—	—	24	24	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	20	1	—	1	2	1	1	8	6	15	1	—	1	2	4	1	2	4		
	F	4	1	—	—	—	—	1	1	1	8	—	1	—	—	—	1	1	5		
27 Suicide.	M	4	—	—	—	—	—	3	1	—	8	—	—	—	—	—	2	2	4		
	F	5	—	—	—	—	1	2	2	—	2	—	—	—	—	—	2	—	—		
28 Other defined diseases ...	M	109	9	3	—	1	5	5	24	62	193	11	2	1	3	3	9	23	141		
	F	166	4	2	1	5	4	7	20	63	165	6	2	1	2	4	5	25	120		
29 Causes ill-defined or unknown.	M	2	—	—	—	—	—	—	1	1	6	—	—	—	—	—	—	4	2		
	F	3	—	—	—	—	—	—	2	1	3	—	—	—	—	—	—	1	2		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
CARDIGANSHIRE—1911.

Causes of Death		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	138	25	3	1	3	4	13	30	59	385	61	3	5	16	22	47	72	159	
			F	145	15	4	5	3	8	17	35	58	427	36	6	9	7	24	56	63	226	
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	4	1	—	3	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
4	Scarlet fever	M	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—	
			F	1	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
5	Whooping cough	M	2	—	2	—	—	—	—	—	4	3	1	—	—	—	—	—	—	
			F	1	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
6	Diphtheria and croup	M	—	—	—	—	—	—	—	—	4	—	—	1	2	1	—	—	—	
			F	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	
7	Influenza	M	1	—	—	—	—	—	1	—	11	—	—	—	2	1	—	2	6	
			F	2	—	—	—	—	—	—	1	1	8	—	—	—	—	2	1	5	—	
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9	Pulmonary tuberculosis	M	10	—	—	—	—	2	6	1	48	—	—	—	2	12	20	10	4	
			F	18	—	—	—	2	7	5	4	1	48	1	—	—	1	14	20	9	3	
10	Tuberculous meningitis	M	—	—	—	—	—	—	—	—	4	2	1	—	1	—	—	—	—	
			F	1	1	—	—	—	—	—	—	—	6	—	1	1	1	1	2	—	—	
11	Other tuberculous diseases.	M	3	1	—	—	—	1	1	—	10	1	—	—	3	1	2	3	—	
			F	1	—	—	—	—	—	1	—	—	8	—	—	1	1	2	4	—	—	
12	Cancer, malignant disease	M	5	—	—	—	—	—	4	1	28	—	—	—	—	—	1	11	16	
			F	13	—	—	—	—	—	—	4	9	36	—	—	—	1	—	2	10	23	
13	Rheumatic fever	M	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	
			F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
14	Meningitis	M	—	—	—	—	—	—	—	—	4	1	—	—	2	—	1	—	—	
			F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	
15	Organic heart disease	M	19	—	—	—	—	2	4	13	39	—	—	—	—	—	7	8	24	
			F	20	—	—	—	—	1	2	6	11	60	—	—	—	—	1	5	14	40	
16	Bronchitis	M	9	2	—	—	—	—	2	5	15	2	—	—	—	—	1	—	12	
			F	9	—	1	—	—	—	—	1	7	39	3	—	—	—	—	1	—	35	
17	Pneumonia (all forms)	M	7	1	1	1	—	—	1	2	18	4	—	—	—	—	2	6	6	
			F	7	1	—	—	—	—	—	3	3	26	2	2	1	—	2	2	4	13	
18	Other respiratory diseases	M	3	—	—	—	—	—	1	2	19	—	—	—	1	—	2	3	13	
			F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	2	
19	Diarrhoea, &c.	M	9	7	—	—	—	—	1	1	8	4	—	—	—	—	—	1	3	
			F	3	—	1	—	—	—	—	—	2	5	4	—	1	—	—	—	—	—	
20	Appendicitis and typhlitis	M	1	—	—	—	1	—	—	—	5	—	—	—	1	1	1	—	2	
			F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
21	Cirrhosis of liver	M	1	—	—	—	—	—	1	—	2	—	—	—	—	—	—	2	—	
			F	3	—	—	—	—	—	1	2	—	3	—	—	—	—	—	1	1	1	
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
22	Nephritis and Bright's disease.	M	7	—	—	—	—	—	4	3	14	—	—	—	—	1	1	4	8	
			F	3	—	—	—	—	—	—	2	1	14	—	—	—	—	1	2	2	9	
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	
25	Congenital debility, &c.	M	4	4	—	—	—	—	—	—	24	23	—	—	—	1	—	—	—	
			F	7	7	—	—	—	—	—	—	—	13	13	—	—	—	—	—	—	—	
26	Violence, apart from suicide.	M	3	—	—	—	—	1	1	—	12	—	—	2	—	3	3	—	4	
			F	2	1	1	—	—	—	—	—	—	3	1	—	—	—	—	—	—	2	
27	Suicide	M	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	2	—	
			F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	—	
28	Other defined diseases	M	48	10	—	—	1	—	1	10	26	98	16	1	2	—	1	3	17	
			F	45	4	1	—	—	—	—	6	11	23	142	11	3	1	3	3	10	20	
29	Causes ill-defined or unknown.	M	4	—	—	—	—	—	—	—	13	4	—	—	1	—	2	3	3	
			F	1	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
CARMARTHENSHIRE—1911.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	485	103	15	12	22	28	70	109	126	759	196	28	22	28	45	90	113	237		
	F	452	87	17	11	16	20	67	98	136	720	148	19	17	29	39	101	124	243		
1 Enteric fever ...	M	1	—	—	—	—	—	1	—	—	3	—	—	—	1	2	—	—	—		
	F	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	1	1	—	—	—	—	—	—	—	13	4	6	2	1	—	—	—	—		
	F	3	2	—	1	—	—	—	—	—	13	7	3	2	—	1	—	—	—		
4 Scarlet fever ...	M	1	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
5 Whooping cough ...	M	6	4	1	1	—	—	—	—	—	10	7	3	—	—	—	—	—	—		
	F	2	1	1	—	—	—	—	—	—	11	9	2	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	3	—	1	1	1	—	—	—	—	14	—	1	7	6	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	8	—	1	2	5	—	—	—	—		
7 Influenza ...	M	1	—	—	—	—	—	1	—	—	10	—	—	1	1	1	4	—	3		
	F	2	—	—	—	—	—	—	1	1	7	—	—	1	—	1	2	3	—		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—		
9 Pulmonary tuberculosis	M	46	2	—	—	1	12	16	15	—	57	—	—	—	3	17	19	13	5		
	F	41	—	—	—	7	8	18	7	1	56	—	1	—	5	15	23	9	3		
10 Tuberculous meningitis	M	8	—	1	1	5	1	—	—	—	7	1	1	—	1	2	2	—	—		
	F	4	2	—	—	1	—	—	1	—	6	—	—	1	2	3	—	—	—		
11 Other tuberculous dis- eases.	M	3	2	—	—	—	—	1	—	—	15	3	—	—	2	3	6	1	—		
	F	9	3	—	1	2	—	2	1	—	18	2	—	2	3	2	6	2	1		
12 Cancer, malignant disease	M	23	—	—	—	—	—	1	12	10	30	—	—	—	—	—	3	14	13		
	F	28	—	—	—	—	—	5	13	10	53	—	—	—	—	—	4	27	22		
13 Rheumatic fever ...	M	3	—	—	—	2	—	1	—	—	2	—	—	—	—	1	—	1	—		
	F	—	—	—	—	—	—	—	—	—	5	—	—	—	2	2	1	—	—		
14 Meningitis ...	M	5	2	—	—	1	1	—	1	—	7	4	—	2	—	—	—	1	—		
	F	9	4	—	2	1	1	—	1	—	6	2	—	3	1	—	—	—	—		
15 Organic heart disease ...	M	59	1	—	—	—	3	6	20	29	57	—	—	—	—	—	6	13	38		
	F	73	—	—	—	3	4	10	26	30	87	—	—	—	1	3	14	24	45		
16 Bronchitis ...	M	25	3	1	1	—	—	3	3	14	43	8	2	—	—	—	1	7	25		
	F	24	3	1	—	—	1	1	6	12	42	2	—	—	—	—	—	2	38		
17 Pneumonia (all forms)...	M	47	11	4	2	1	1	10	10	8	65	21	9	1	2	1	7	13	11		
	F	19	4	2	1	1	—	2	3	6	43	12	3	—	1	2	4	8	13		
18 Other respiratory diseases	M	6	—	—	1	1	—	1	2	1	13	1	—	—	—	1	1	3	7		
	F	5	1	1	1	1	—	—	1	—	7	—	—	—	—	—	1	1	5		
19 Diarrhoea, &c. ...	M	32	24	3	—	1	—	1	1	2	40	26	2	2	—	—	2	1	7		
	F	26	17	6	2	—	—	—	1	—	33	22	3	—	—	—	1	4	3		
20 Appendicitis and typhlitis	M	3	—	—	—	—	1	—	2	—	4	—	—	—	1	1	1	—	—		
	F	3	—	—	—	—	1	1	1	—	2	—	—	—	2	—	—	—	—		
21 Cirrhosis of liver ...	M	4	—	—	—	—	—	2	1	1	5	—	—	—	—	—	1	4	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	15	—	—	—	—	—	2	9	4	18	—	—	—	—	—	5	1	12		
	F	15	—	—	—	—	1	3	7	4	24	—	—	—	—	—	4	7	13		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	1	3	—	—	6	—	—	—	—	—	6	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	16	—	—	—	—	3	12	1	—		
25 Congenital debility, &c.	M	23	23	—	—	—	—	—	—	—	51	51	—	—	—	—	—	—	—		
	F	20	20	—	—	—	—	—	—	—	35	35	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	40	1	1	3	7	6	13	8	1	58	1	—	4	7	12	19	11	4		
	F	5	1	1	1	—	1	1	—	—	13	—	3	6	1	—	—	2	1		
27 Suicide ...	M	1	—	—	—	—	—	—	1	—	3	—	—	—	—	1	1	1	—		
	F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	3	1	—	—		
28 Other defined diseases ...	M	126	29	3	1	2	3	10	23	55	227	68	4	2	3	3	10	25	112		
	F	149	29	5	1	—	2	17	23	72	215	56	3	—	3	4	22	30	97		
29 Causes ill-defined or un- known.	M	2	—	—	—	—	—	—	1	1	4	1	—	—	—	—	2	1	—		
	F	2	—	—	—	—	—	—	2	—	8	1	—	—	2	—	—	3	2		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF CARNARVONSHIRE—1911.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.									AGGREGATE OF RURAL DISTRICTS.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	430	64	11	15	18	18	62	108	134	496	73	12	10	23	26	56	105	191
	F	476	70	15	22	19	21	52	105	172	502	59	19	9	27	24	73	90	201
1 Enteric fever ...	M	2	—	—	—	2	—	—	—	—	2	—	—	—	—	—	—	2	—
	F	1	—	—	—	1	—	—	—	—	2	—	—	—	—	—	1	1	—
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	7	2	2	3	—	—	—	—	—	10	3	4	3	—	—	—	—	—
	F	7	1	2	2	2	—	—	—	—	10	2	4	1	3	—	—	—	—
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ...	M	4	2	1	1	—	—	—	—	—	3	1	1	—	—	1	—	—	—
	F	7	3	2	2	—	—	—	—	—	3	2	1	—	—	—	—	—	—
6 Diphtheria and croup ...	M	1	—	1	—	—	—	—	—	—	6	—	—	1	4	1	—	—	—
	F	5	—	1	3	1	—	—	—	—	6	—	—	3	2	—	1	—	—
7 Influenza ...	M	6	—	—	1	—	—	—	3	2	6	—	—	—	—	1	—	2	3
	F	7	—	—	—	—	—	1	3	3	3	—	—	—	—	—	—	1	2
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
	F	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	1	—	1
9 Pulmonary tuberculosis	M	48	—	—	1	4	6	21	13	3	61	1	—	—	2	11	20	20	7
	F	47	—	—	1	2	11	20	9	4	53	1	1	—	6	10	27	7	1
10 Tuberculous meningitis	M	6	1	1	2	2	—	—	—	—	9	1	1	2	2	1	2	—	—
	F	6	1	—	—	5	—	—	—	—	3	1	—	—	—	2	—	—	—
11 Other tuberculous diseases.	M	8	1	—	1	1	1	3	1	—	12	3	1	—	4	—	1	1	2
	F	10	1	1	2	4	1	1	—	—	14	—	2	1	3	2	—	4	2
12 Cancer, malignant disease	M	32	—	—	—	1	—	1	17	13	37	—	—	—	—	—	3	16	18
	F	43	—	—	—	—	—	8	20	15	57	—	—	—	—	—	4	23	30
13 Rheumatic fever ...	M	2	—	—	—	—	—	1	1	—	1	—	—	—	1	—	—	—	—
	F	3	—	—	—	—	2	—	1	—	7	1	—	—	1	1	3	—	1
14 Meningitis ...	M	3	—	—	—	—	1	—	1	1	2	—	—	—	1	1	—	—	—
	F	4	1	1	1	—	—	1	—	—	6	1	1	1	2	1	—	—	—
15 Organic heart disease ...	M	34	—	—	—	—	2	2	11	19	46	—	—	—	1	—	1	11	33
	F	38	—	—	—	1	1	—	12	24	53	1	—	—	—	1	5	18	28
16 Bronchitis ...	M	21	5	1	—	—	—	—	2	13	12	4	—	—	—	—	1	1	6
	F	30	4	2	1	—	—	—	8	15	25	3	1	—	—	1	—	1	19
17 Pneumonia (all forms)	M	34	6	3	1	3	—	5	9	7	34	5	2	1	1	1	8	10	6
	F	23	4	1	4	1	1	1	3	8	28	7	4	2	—	2	7	1	5
18 Other respiratory diseases	M	9	1	—	3	—	—	—	3	2	4	—	—	—	2	1	—	1	—
	F	8	3	—	—	1	1	1	1	1	8	1	—	—	—	—	—	3	4
19 Diarrhoea, &c. ...	M	11	5	1	—	1	—	—	2	2	18	9	2	—	1	—	4	1	1
	F	23	8	3	1	—	—	1	2	8	15	6	2	—	1	1	2	1	2
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	2	1	—	—
	F	1	—	—	—	—	—	—	1	—	2	—	—	—	1	—	—	1	—
21 Cirrhosis of liver ...	M	9	—	—	—	—	—	1	7	1	4	—	—	—	—	—	—	1	3
	F	3	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—
21A Alcoholism ...	M	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	1	1
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	19	—	—	—	—	1	5	6	7	21	—	—	—	—	—	1	6	14
	F	16	—	—	—	—	—	1	8	7	14	—	—	—	—	—	2	7	5
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	2	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	8	—	—	—	—	—	8	—	—
25 Congenital debility, &c.	M	18	18	—	—	—	—	—	—	—	15	15	—	—	—	—	—	—	—
	F	23	22	—	1	—	—	—	—	—	16	16	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	20	—	—	2	1	3	8	3	3	29	—	—	—	2	3	7	11	6
	F	5	—	—	—	—	1	—	2	2	10	—	1	1	4	—	1	1	2
27 Suicide ...	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
28 Other defined diseases ...	M	131	23	1	—	3	4	13	27	60	154	31	1	3	2	3	6	19	89
	F	155	22	2	3	1	2	13	28	84	154	17	2	—	3	3	9	21	99
29 Causes ill-defined or unknown.	M	3	—	—	—	—	—	1	1	1	2	—	—	—	—	—	—	1	1
	F	3	—	—	—	—	1	—	2	—	1	—	—	—	1	—	—	—	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF CHESHIRE—1911.

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	3,701	892	214	143	143	148	433	779	949	1,158	220	44	37	55	40	112	249	401	
			F	3,531	712	193	135	130	114	403	758	1086	1,030	150	38	31	40	42	113	212	404	
1	Enteric fever	M	18	—	—	—	7	7	4	—	6	—	—	—	—	1	2	3	—	
			F	12	1	—	1	—	2	6	2	—	3	—	—	—	1	—	1	—	—	
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles	M	69	14	31	20	4	—	—	—	5	—	2	1	2	—	—	—	—	
			F	76	21	27	22	6	—	—	—	—	8	3	1	3	1	—	—	—	—	
4	Scarlet fever	M	12	1	2	4	5	—	—	—	2	—	—	1	1	—	—	—	—	
			F	14	—	—	5	7	1	1	—	—	3	—	1	—	2	—	—	—	—	
5	Whooping cough	M	52	21	22	7	2	—	—	—	25	15	6	3	1	—	—	—	—	
			F	56	29	15	9	3	—	—	—	—	25	15	8	2	—	—	—	—	—	
6	Diphtheria and croup	M	31	—	2	12	16	1	—	—	13	—	—	4	9	—	—	—	—	
			F	28	—	4	15	8	—	1	—	—	17	—	1	10	5	—	—	—	1	
7	Influenza	M	22	1	—	—	—	6	5	10	5	—	—	—	1	—	1	—	3	
			F	24	—	—	—	1	2	1	12	8	4	—	—	1	—	—	—	2	1	
8	Erysipelas	M	5	1	—	—	1	—	—	3	3	—	—	—	—	—	—	2	1	
			F	4	1	—	—	—	—	2	—	1	1	—	—	—	—	—	—	—	1	
9	Pulmonary tuberculosis	{	M	274	1	8	4	13	49	113	78	8	43	—	—	1	1	11	17	12	1	
			F	231	1	6	4	14	44	108	48	6	56	—	—	—	6	14	26	9	1	
10	Tuberculous meningitis	{	M	41	11	12	11	4	2	1	—	—	8	2	3	1	2	—	—	—	—	
			F	38	4	6	10	10	7	1	—	—	5	2	2	—	—	1	—	—	—	
11	Other tuberculous diseases.	{	M	85	25	10	12	15	3	13	6	1	23	2	4	2	2	5	5	1	2	
			F	61	11	12	1	10	4	14	6	3	12	2	1	2	—	4	—	3	—	
12	Cancer, malignant disease	{	M	206	—	—	—	1	1	18	97	89	80	—	—	—	1	1	5	37	36	
			F	306	—	1	—	1	1	34	146	123	101	—	—	—	—	—	14	55	32	
13	Rheumatic fever	M	10	—	—	—	3	2	2	3	—	3	—	—	2	—	—	—	1	
			F	18	—	—	—	7	2	3	6	—	3	—	—	—	1	1	1	—	—	
14	Meningitis	M	42	14	8	9	6	1	2	2	—	17	2	3	3	5	1	—	3	
			F	41	11	9	7	8	1	3	2	—	7	2	—	—	2	—	2	1	—	
15	Organic heart disease	M	277	—	—	—	4	7	40	96	130	123	—	—	—	2	—	7	36	
			F	333	—	—	1	8	7	43	124	150	127	—	—	1	—	4	8	40	74	
16	Bronchitis	M	223	49	5	7	1	1	8	59	93	54	10	2	2	1	—	3	7	
			F	235	46	14	5	—	1	2	45	122	55	11	2	—	1	—	2	4	29	
17	Pneumonia (all forms)	{	M	294	68	43	17	13	21	44	56	32	76	18	10	2	2	3	11	15	15	
			F	214	52	27	18	12	10	21	33	41	55	11	8	2	3	—	10	11	10	
18	Other respiratory diseases	{	M	63	6	5	6	2	3	8	12	21	23	3	2	3	1	1	—	8	5	
			F	45	5	2	4	2	—	2	11	19	20	2	1	1	2	—	—	1	13	
19	Diarrhoea, &c.	M	384	284	44	11	1	—	5	12	27	86	53	7	2	1	—	2	6	
			F	324	209	46	11	4	—	3	16	35	54	31	9	1	1	1	2	1	15	
20	Appendicitis and typhlitis	{	M	28	—	—	—	8	9	5	5	1	12	—	—	1	5	1	—	3	2	
			F	19	—	—	1	6	1	5	1	5	6	—	—	—	4	—	1	1	—	
21	Cirrhosis of liver	M	31	—	—	—	—	7	16	8	11	—	—	—	—	—	3	7		
			F	13	—	—	—	—	—	5	8	5	7	—	—	—	—	—	1	3		
21A	Alcoholism	M	5	—	—	—	—	1	4	—	4	—	—	—	—	—	2	2		
			F	2	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	1	
22	Nephritis and Bright's disease.	{	M	100	4	1	1	—	4	20	42	28	30	—	—	1	1	—	12	7		
			F	96	2	—	—	2	3	16	44	29	30	—	—	—	—	1	4	11	9	
23	Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	11	—	—	—	—	1	10	—	—	7	—	—	—	—	3	4	—	—	
24	Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	36	—	—	—	—	5	31	—	—	—	13	—	—	—	2	11	—	—	
25	Congenital debility, &c.	{	M	249	247	1	1	—	—	—	—	—	73	70	1	1	1	—	—	—	—	
			F	212	206	2	2	—	—	2	—	—	—	45	42	—	—	1	2	—	—	
26	Violence, apart from suicide.	{	M	137	9	2	9	16	9	34	37	21	67	4	1	7	6	9	13	16		
			F	59	5	3	3	3	—	11	15	19	15	—	—	4	2	—	2	3		
27	Suicide	M	38	—	—	—	3	12	15	8	15	—	—	—	—	1	3	9		
			F	14	—	—	—	—	6	3	5	—	6	—	—	—	—	2	1	3		
28	Other defined diseases	M	989	136	16	11	27	24	85	225	465	346	41	3	1	8	6	26		
			F	993	408	16	15	18	14	73	230	519	339	28	4	4	8	7	22	71		
29	Causes ill-defined or unknown.	{	M	16	—	2	1	1	1	2	5	4	5	—	—	1	—	—	—	4		
			F	10	—	3	1	—	1	2	3	—	5	1	—	—	—	—	1	2		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
-CORNWALL—1911.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,143	241	39	26	43	57	133	227	377	1,398	236	44	44	68	69	133	262	542		
	F	1,245	219	30	43	40	45	109	214	545	1,338	182	48	40	42	62	110	241	613		
1 Enteric fever ...	M	3	—	—	—	—	2	1	—	—	3	—	—	—	—	2	1	—	—		
	F	5	—	—	—	—	2	1	—	1	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	2	1	1	—	—	—	—	—	—	5	—	2	1	2	—	—	—	—		
	F	5	—	2	2	1	—	—	—	—	7	—	3	3	1	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—		
	F	1	—	—	—	1	—	—	—	—	2	—	1	1	—	—	—	—	—		
5 Whooping cough ...	M	26	16	7	2	1	—	—	—	—	30	9	12	7	2	—	—	—	—		
	F	24	17	2	5	—	—	—	—	—	30	16	10	4	—	—	—	—	—		
6 Diphtheria and croup ...	M	18	—	1	7	9	1	—	—	—	12	—	—	4	7	—	—	—	1		
	F	18	—	1	11	5	—	—	1	—	17	—	2	4	9	1	—	1	—		
7 Influenza ...	M	8	—	—	—	—	—	3	1	4	12	1	—	—	1	—	1	5	4		
	F	9	1	—	—	—	—	1	2	5	16	—	—	—	1	1	3	4	7		
8 Erysipelas ...	M	1	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—		
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	117	1	—	—	2	25	50	33	6	128	—	—	—	4	15	59	38	12		
	F	80	—	—	1	7	13	29	26	4	91	—	—	2	6	27	31	17	8		
10 Tuberculous meningitis	M	9	3	1	—	4	—	—	1	—	15	4	—	—	9	2	—	—	—		
	F	13	1	—	5	4	2	1	—	—	17	3	3	2	6	2	—	1	—		
11 Other tuberculous diseases.	M	16	1	—	1	4	2	4	4	—	18	6	1	2	4	—	3	2	—		
	F	20	2	1	—	2	3	6	5	1	24	6	3	—	1	7	3	4	—		
12 Cancer, malignant disease	M	61	—	—	—	1	—	3	23	34	94	—	—	—	1	1	3	37	52		
	F	111	—	—	—	1	2	15	45	48	122	—	—	—	—	—	9	52	61		
13 Rheumatic fever ...	M	2	—	—	—	1	—	1	—	—	1	—	—	—	—	1	—	—	—		
	F	5	—	—	—	1	—	1	2	1	2	—	—	—	—	1	1	—	—		
14 Meningitis ...	M	7	—	2	1	3	—	—	—	1	9	1	1	2	2	2	1	—	—		
	F	4	—	—	—	3	1	—	—	—	7	—	—	2	2	1	2	—	—		
15 Organic heart disease ...	M	93	—	—	—	—	4	6	31	52	139	—	—	—	1	1	7	44	86		
	F	130	—	—	1	2	3	5	38	81	148	—	—	—	—	1	5	45	97		
16 Bronchitis ...	M	59	10	3	4	1	—	—	11	30	96	16	2	4	—	—	2	18	54		
	F	89	13	3	2	1	—	1	6	63	88	11	2	2	1	—	1	12	59		
17 Pneumonia (all forms)	M	68	17	9	1	2	5	10	12	12	65	14	11	5	2	1	7	12	13		
	F	67	17	7	6	1	4	2	9	21	42	9	7	4	—	2	6	4	10		
18 Other respiratory diseases	M	20	1	—	2	1	1	4	8	3	38	—	1	1	1	—	9	13	13		
	F	11	2	—	—	2	—	—	—	7	17	3	—	2	1	1	—	4	6		
19 Diarrhoea, &c. ...	M	97	75	8	1	—	—	1	2	10	64	47	4	3	1	—	1	3	5		
	F	118	87	7	4	1	—	3	2	14	47	35	5	2	—	—	—	—	5		
20 Appendicitis and typhlitis	M	6	—	—	—	1	1	1	1	2	12	—	—	—	7	2	2	—	1		
	F	5	—	—	—	1	2	1	1	—	6	—	—	—	3	1	1	1	—		
21 Cirrhosis of liver ...	M	7	—	—	—	—	—	3	4	—	6	—	—	—	—	—	—	1	5		
	F	2	—	—	—	—	—	—	1	1	2	—	—	—	—	—	—	1	1		
21A Alcoholism ...	M	4	—	—	—	—	—	3	1	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
22 Nephritis and Bright's disease.	M	36	—	—	—	—	—	3	17	16	34	—	—	—	—	—	2	13	19		
	F	40	—	—	—	1	2	7	14	16	37	—	—	1	—	2	6	12	16		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	2	3	—	—	5	—	—	—	—	—	5	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	13	—	—	—	—	4	9	—	—	16	—	—	—	—	4	12	—	—		
25 Congenital debility, &c.	M	76	75	—	1	—	—	—	—	—	92	89	—	1	1	1	—	—	—		
	F	54	54	—	—	—	—	—	—	—	66	65	1	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	45	3	—	1	6	7	15	9	4	78	4	—	7	10	26	8	14	9		
	F	16	4	—	—	1	1	1	3	6	24	6	2	3	1	1	2	1	8		
27 Suicide ...	M	7	—	—	—	—	2	3	1	1	9	—	—	—	—	2	3	4	—		
	F	5	—	—	—	—	—	2	1	2	2	—	—	—	—	—	—	2	—		
28 Other defined diseases ...	M	342	35	6	4	6	7	20	66	198	414	45	8	7	11	11	18	50	264		
	F	384	20	5	5	3	5	21	55	270	492	27	8	8	10	9	21	76	333		
29 Causes ill-defined or unknown.	M	13	3	1	1	—	—	2	2	4	20	—	2	—	1	1	5	7	4		
	F	10	1	2	1	—	—	—	3	3	10	1	1	—	—	1	1	4	2		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF CUMBERLAND—1911.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,293	301	59	51	57	64	145	298	318	695	131	9	19	20	21	83	143	269		
	F	1,231	245	58	49	41	64	153	246	375	658	102	13	16	26	18	67	125	291		
1 Enteric fever ...	M	5	—	—	—	1	—	3	1	—	1	—	—	—	—	—	—	1	—		
	F	2	—	—	—	1	—	1	—	—	1	—	—	—	—	—	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	12	5	3	4	—	—	—	—	—	2	1	—	1	—	—	—	—	—		
	F	14	3	6	5	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
4 Scarlet fever ...	M	9	1	—	5	3	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	1	1	3	—	1	—	—	5	—	—	2	3	—	—	—	—		
5 Whooping cough ...	M	23	13	7	3	—	—	—	—	—	8	8	—	—	—	—	—	—	—		
	F	35	15	13	6	1	—	—	—	—	9	7	1	1	—	—	—	—	—		
6 Diphtheria and croup ...	M	9	—	—	4	4	—	—	—	1	8	—	—	2	6	—	—	—	—		
	F	6	1	1	3	1	—	—	—	—	7	—	1	2	4	—	—	—	—		
7 Influenza ...	M	11	1	—	—	2	—	2	2	4	10	2	—	1	1	—	1	1	4		
	F	9	2	—	—	—	1	—	1	5	5	—	1	—	—	—	—	1	3		
8 Erysipelas ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	5	1	—	—	—	1	—	1	2	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	87	—	—	1	5	17	33	27	4	38	—	—	2	1	4	22	7	2		
	F	110	1	1	2	5	32	53	13	3	40	—	—	—	—	8	21	7	4		
10 Tuberculous meningitis	M	13	2	3	2	5	1	—	—	—	1	1	—	—	—	—	—	—	—		
	F	17	5	5	2	2	3	—	—	—	3	—	—	1	2	—	—	—	—		
11 Other tuberculous diseases.	M	29	10	2	7	4	3	1	2	—	7	2	—	1	1	1	2	—	—		
	F	22	3	2	3	5	4	4	1	—	9	2	2	—	1	1	1	2	—		
12 Cancer, malignant disease	M	85	—	—	1	2	—	5	44	33	47	—	—	—	—	—	—	21	26		
	F	79	—	—	—	1	—	12	37	29	53	—	—	—	—	—	1	27	25		
13 Rheumatic fever ...	M	4	—	—	—	2	—	2	—	—	2	—	—	—	1	—	1	—	—		
	F	2	—	—	—	2	—	—	—	—	2	—	—	—	—	1	—	—	1		
14 Meningitis ...	M	20	5	2	5	3	3	—	2	—	9	1	—	2	4	—	—	2	—		
	F	13	4	1	3	4	—	1	—	—	2	2	—	—	—	—	—	—	—		
15 Organic heart disease ...	M	129	—	—	—	2	1	16	51	59	71	—	—	—	1	1	3	27	39		
	F	117	—	—	—	1	6	14	45	51	84	1	—	—	3	3	6	27	44		
16 Bronchitis ...	M	58	19	7	—	—	—	1	6	25	30	12	2	—	—	—	1	6	9		
	F	77	18	2	2	—	—	—	19	36	42	11	2	2	—	—	—	2	25		
17 Pneumonia (all forms)	M	121	30	11	1	7	14	22	25	11	51	18	2	2	1	2	8	7	11		
	F	83	18	8	9	1	1	7	17	22	28	5	—	3	1	1	5	8	5		
18 Other respiratory diseases	M	22	2	1	3	1	—	4	7	4	20	—	—	1	1	—	3	5	10		
	F	16	2	—	—	2	—	3	5	4	7	2	—	1	—	—	—	1	3		
19 Diarrhoea, &c. ...	M	67	49	10	3	—	—	1	2	2	14	9	—	2	—	—	—	2	1		
	F	70	47	3	3	2	1	1	3	10	21	11	1	—	1	—	4	2	2		
20 Appendicitis and typhlitis	M	7	—	—	—	2	2	2	—	1	5	—	—	1	1	2	1	—	—		
	F	2	—	—	—	1	1	—	—	—	6	—	—	—	3	1	1	1	—		
21 Cirrhosis of liver ...	M	9	—	—	—	—	—	1	6	2	5	—	—	—	—	—	2	—	3		
	F	5	—	—	—	—	—	—	5	—	2	—	—	—	—	—	—	1	1		
21A Alcoholism ...	M	2	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	1	—		
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—		
22 Nephritis and Bright's disease.	M	36	—	—	1	2	1	4	17	11	15	—	—	1	—	—	1	6	7		
	F	39	—	1	—	2	2	6	17	11	16	—	—	—	—	—	3	5	8		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	2	4	—	—	5	—	—	—	—	—	5	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	10	—	—	—	—	—	10	—	—	8	—	—	—	—	—	7	1	—		
25 Congenital debility, &c.	M	107	104	—	1	1	1	—	—	—	49	49	—	—	—	—	—	—	—		
	F	70	68	1	1	—	—	—	—	—	43	43	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	61	3	2	6	4	8	17	13	8	35	—	1	2	1	6	16	6	3		
	F	26	3	—	3	3	2	2	5	8	10	—	1	1	1	—	1	—	6		
27 Suicide ...	M	17	—	—	—	—	3	7	5	2	11	—	—	—	—	1	6	2	2		
	F	4	—	—	—	—	—	2	2	—	3	—	—	—	—	1	1	1	—		
28 Other defined diseases ...	M	333	56	9	4	7	9	23	76	149	246	28	3	1	1	4	16	41	152		
	F	371	53	10	4	4	8	30	72	190	237	15	3	3	7	2	10	36	161		
29 Causes ill-defined or unknown.	M	16	1	2	—	—	1	1	9	2	9	—	1	—	—	—	—	8	—		
	F	14	1	3	2	—	—	2	2	4	8	3	—	—	—	—	—	2	3		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
DENBIGHSHIRE—1911.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	366	72	20	14	17	14	43	70	116	685	184	23	16	22	42	72	133	193		
	F	384	66	16	12	11	9	51	77	142	707	144	27	25	26	32	74	144	235		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	4	—	—	1	—	3	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	—	—	—	—	—	—	—	—	—	3	2	—	1	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
4 Scarlet fever ...	M	1	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
5 Whooping cough ...	M	9	8	—	—	1	—	—	—	—	17	11	4	2	—	—	—	—	—		
	F	10	4	3	3	—	—	—	—	—	18	8	7	2	1	—	—	—	—		
6 Diphtheria and croup ...	M	12	—	2	3	7	—	—	—	—	5	—	—	3	2	—	—	—	—		
	F	4	—	—	1	3	—	—	—	—	13	—	—	6	5	—	2	—	—		
7 Influenza ...	M	2	—	—	—	—	—	—	—	2	7	—	—	—	1	1	2	1	2		
	F	8	—	—	—	—	—	1	1	6	8	—	—	—	2	1	—	4	1		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	5	1	—	—	—	1	—	1	2		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
9 Pulmonary tuberculosis	M	31	—	1	—	1	7	13	8	1	44	—	1	1	1	13	17	7	4		
	F	32	1	1	—	1	2	19	6	2	45	1	—	—	3	11	20	8	2		
10 Tuberculous meningitis	M	7	1	2	1	2	1	—	—	—	11	3	2	2	4	—	—	—	—		
	F	3	—	—	1	1	—	1	—	—	8	1	2	1	3	—	—	1	—		
11 Other tuberculous diseases.	M	9	—	3	2	1	—	—	1	2	14	5	1	—	1	3	3	—	1		
	F	5	—	—	1	1	—	1	—	2	10	1	—	—	2	2	4	—	1		
12 Cancer, malignant disease	M	22	1	—	—	—	—	2	13	6	41	—	—	—	—	1	4	21	15		
	F	28	—	—	—	1	—	3	15	9	45	—	—	—	—	4	22	19	19		
13 Rheumatic fever ...	M	1	—	—	—	1	—	—	—	—	8	—	—	—	1	2	3	1	1		
	F	2	—	—	—	1	—	1	—	—	5	—	—	1	1	—	—	—	2		
14 Meningitis ...	M	2	—	1	—	—	1	—	—	—	12	6	2	1	1	—	1	—	—		
	F	5	—	2	1	1	—	1	—	—	6	—	1	1	—	1	—	—	2		
15 Organic heart disease ...	M	30	—	—	—	1	—	1	13	15	60	—	—	—	1	1	2	23	33		
	F	50	—	—	—	1	1	3	18	27	86	—	—	—	—	1	7	29	49		
16 Bronchitis ...	M	17	4	2	—	—	—	—	3	8	43	11	2	—	—	1	1	4	24		
	F	17	2	1	—	—	—	—	2	12	51	11	3	1	—	1	2	9	24		
17 Pneumonia (all forms)	M	19	4	3	2	—	1	2	5	2	39	9	2	—	1	1	5	15	6		
	F	16	3	3	1	—	—	3	3	3	36	10	7	5	—	—	2	7	5		
18 Other respiratory diseases	M	4	1	1	—	—	—	—	—	2	20	1	1	—	—	—	3	7	8		
	F	6	1	1	2	—	—	—	1	1	7	2	—	2	—	—	1	1	1		
19 Diarrhoea, &c. ...	M	23	15	5	1	—	—	—	1	1	41	26	5	1	—	1	—	1	7		
	F	24	19	2	—	—	—	—	1	2	47	34	5	1	—	2	—	2	3		
20 Appendicitis and typhlitis	M	3	—	—	—	1	1	1	—	—	4	—	—	—	2	1	1	—	—		
	F	1	—	—	1	—	—	—	—	—	3	—	—	—	3	—	—	—	—		
21 Cirrhosis of liver ...	M	4	—	—	—	—	—	—	1	3	6	—	—	—	—	—	—	4	2		
	F	3	—	—	—	—	—	—	2	1	2	—	—	—	—	—	—	—	2		
21A Alcoholism ...	M	3	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	14	—	—	—	1	—	—	6	7	19	1	—	—	1	—	5	5	7		
	F	10	—	—	1	—	—	1	5	3	14	—	—	—	2	2	4	—	6		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	—	3	—	—	5	—	—	—	—	1	4	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	—	3	—	—	10	—	—	—	—	2	8	—	—		
25 Congenital debility, &c.	M	22	22	—	—	—	—	—	—	—	66	65	—	1	—	—	—	—	—		
	F	21	21	—	—	—	—	—	—	—	52	52	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	15	—	—	2	1	1	5	1	5	36	1	—	3	2	9	11	7	3		
	F	8	—	—	—	—	1	1	2	4	19	—	1	1	4	1	1	3	8		
27 Suicide ...	M	7	—	—	—	—	—	3	2	2	3	—	—	—	—	1	1	1	—		
	F	2	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	1	—		
28 Other defined diseases ...	M	107	16	—	2	—	2	13	14	60	172	42	2	—	4	5	13	30	76		
	F	120	15	3	—	1	4	8	19	70	205	23	1	2	2	6	12	50	109		
29 Causes ill-defined or unknown.	M	2	—	—	—	—	—	1	1	—	7	—	1	—	—	—	1	4	1		
	F	2	—	—	—	—	—	—	2	—	4	1	—	—	—	—	1	2	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
DERBYSHIRE—1911.

Causes of Death.				Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.																	
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—										
ALL CAUSES	{	M	2,134	623	155	105	91	72	213	382	493	1,920	573	98	75	87	70	191	359	467	1,656	398	96	70	63	66	177	270	516	
				F	1,981	524	122	116	99	66	207	331	516	1,656	398	96	70	63	66	177	270	516	1,656	398	96	70	63	66	177	270	516	
1 Enteric fever	{	M	13	—	—	—	1	3	6	2	1	6	—	—	—	1	1	3	1	—	4	—	—	—	—	—	—	—	—	
				F	6	—	—	—	2	1	1	2	—	4	—	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—	—	
2 Small-pox	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	{	M	62	13	23	16	10	—	—	—	—	30	12	12	2	3	—	1	—	—	19	3	9	5	2	—	—	—	—	
				F	56	10	19	18	9	—	—	—	—	19	3	9	5	2	—	—	—	—	19	3	9	5	2	—	—	—	—	
4 Scarlet fever	{	M	6	—	1	1	4	—	—	—	—	8	—	1	3	4	—	—	—	—	9	—	—	5	4	—	—	—	—	
				F	10	—	1	6	3	—	—	—	—	9	—	—	5	4	—	—	—	—	9	—	—	5	4	—	—	—	—	
5 Whooping cough	{	M	22	11	3	6	2	—	—	—	—	24	14	8	1	1	—	—	—	30	12	10	8	—	—	—	—	—	—	
				F	24	11	5	6	2	—	—	—	—	30	12	10	8	—	—	—	—	30	12	10	8	—	—	—	—	—	—	
6 Diphtheria and croup	{	M	32	1	6	15	10	—	—	—	—	36	1	3	10	22	—	—	—	20	1	1	7	10	—	—	—	—	—	
				F	28	—	3	12	13	—	—	—	—	20	1	1	7	10	—	—	1	—	—	—	—	—	—	—	1	—	—	
7 Influenza	{	M	24	2	—	2	2	1	6	6	5	22	5	—	1	1	1	4	8	2	16	1	—	—	1	—	3	2	9	
				F	13	1	—	—	1	—	—	4	7	16	1	—	—	1	—	3	2	9	16	1	—	—	1	—	3	2	9	
8 Erysipelas	{	M	1	—	—	—	—	—	1	—	—	1	—	—	1	—	—	—	—	2	—	—	—	1	—	—	—	—	1	
				F	1	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	1	
9 Pulmonary tuberculosis	{	M	107	2	—	—	4	22	55	17	7	110	2	1	1	5	19	50	31	1	76	—	1	1	5	19	24	28	13	4
				F	117	1	1	3	11	32	51	15	3	76	—	1	2	4	24	28	13	4	76	—	1	2	4	24	28	13	4	
10 Tuberculous meningitis	{	M	18	7	1	4	6	—	—	—	—	26	8	2	5	7	3	1	—	—	17	5	2	5	3	1	1	—	—	
				F	20	4	3	6	5	1	1	—	—	17	5	2	5	3	1	—	—	—	17	5	2	5	3	1	1	—	—	
11 Other tuberculous diseases.	{	M	41	16	3	8	1	4	5	2	2	30	6	5	7	3	1	3	5	—	28	8	3	7	1	3	3	3	—	
				F	31	8	6	2	6	2	5	2	—	28	8	3	7	1	3	3	3	—	28	8	3	7	1	3	3	3	—	
12 Cancer, malignant disease	{	M	79	—	—	1	1	—	11	46	20	87	—	—	—	1	1	8	41	36	134	—	—	1	1	1	17	56	44	
				F	134	—	—	—	1	1	16	62	54	120	—	—	1	1	1	17	56	44	134	—	—	1	1	1	17	56	44	
13 Rheumatic fever	{	M	7	—	—	—	2	1	2	2	—	7	—	—	—	1	2	3	—	1	8	—	—	—	—	—	—	—	1	
				F	8	—	—	1	3	—	3	1	—	6	—	—	—	—	4	1	—	—	8	—	—	—	—	—	—	—	1	
14 Meningitis	{	M	23	6	6	5	4	1	—	1	—	22	10	2	4	3	2	—	1	—	19	2	6	1	5	2	1	1	—	
				F	19	5	3	5	4	1	—	1	—	19	2	6	1	5	2	1	1	—	19	2	6	1	5	2	1	1	—	
15 Organic heart disease	{	M	138	—	—	—	4	3	16	49	66	123	—	—	—	2	7	17	47	50	162	—	—	—	1	7	16	46	63	
				F	162	—	—	—	9	5	19	68	61	137	—	—	1	4	7	16	46	63	162	—	—	1	4	7	16	46	63	
16 Bronchitis	{	M	166	51	17	3	1	1	4	32	57	125	33	4	3	—	—	2	24	59	132	34	1	6	—	—	3	13	52	
				F	132	34	1	6	—	1	7	18	65	103	23	7	5	—	—	3	13	52	132	34	1	6	—	—	3	13	52	
17 Pneumonia (all forms)	{	M	156	39	28	17	4	4	21	26	17	145	42	24	12	6	2	16	20	23	141	40	35	21	4	3	14	9	13	
				F	141	40	35	21	4	3	15	10	13	113	37	20	8	9	3	14	9	13	141	40	35	21	4	3	14	9	13	
18 Other respiratory diseases	{	M	28	—	—	2	1	—	2	12	11	34	4	—	3	4	2	3	10	8	32	6	2	5	1	—	5	4	9	
				F	32	6	2	5	1	—	5	4	9	21	2	1	2	—	2	1	3	10	32	6	2	5	1	—	5	4	9	
19 Diarrhoea, &c.	{	M	254	175	39	6	—	2	6	12	14	190	143	15	9	—	1	4	6	12	182	141	18	3	2	—	—	—	—	
				F	182	141	18	3	2	—	—	6	12	128	85	16	2	—	1	3	7	14	182	141	18	3	2	—	—	—	—	
20 Appendicitis and typhlitis	{	M	13	—	—	1	4	2	4	2	—	11	—	—	—	3	2	3	2	1	5	—	—	—	—	—	—	—	—	
				F	5	—	—	—	4	—	—	—	1	7	—	—	1	2	1	1	1	1	5	—	—	—	—	—	—	—	—	
21 Cirrhosis of liver	{	M	20	—	—	—	—	—	3	15	2	15	—	—	—	—	—	2	11	2	12	—	—	—	—	—	—	—	—	
				F	12	—	—	—	—	—	1	6	5	9	—	—	—	—	—	2	6	1	12	—	—	—	—	—	—	—	—	
21A Alcoholism	{	M	4	—	—	—	—	—	—	4	—	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—	
				F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	
22 Nephritis and Bright's disease.	{	M	57	2	3	1	1	1	8	23	18	45	—	1	2	3	—	3	21	15	40	—	—	—	—	—	—	—	—	
				F	40	—	—	—	—	2	9	18	11	33	1	2	1	1	3	6	12	7	40	—	—	—	—	—	—	—	—	
23 Puerperal fever...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
				F	8	—	—	—	—	1	7	—	—	7	—	—	—	—	1	6	—	—	8	—	—	—	—	—	—	—	—	
24 Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—											

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF DEVONSHIRE—1911.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.									AGGREGATE OF RURAL DISTRICTS.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	1,618	244	61	59	53	72	216	344	569	1,504	223	30	49	50	61	170	302	619
	F	1,751	190	64	55	57	82	176	348	779	1,497	172	28	23	62	57	167	292	696
1 Enteric fever ...	M	16	—	—	—	—	5	10	1	—	7	—	—	—	2	4	1	—	
	F	8	—	—	—	4	2	2	—	—	4	—	—	1	—	2	1	—	
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles ...	M	64	15	21	17	7	4	—	—	—	20	7	5	6	2	—	—	—	
	F	62	12	25	18	6	1	—	—	—	21	6	7	—	2	4	2	—	
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
5 Whooping cough ...	M	8	5	2	1	—	—	—	—	—	10	8	1	—	1	—	—	—	
	F	11	3	2	6	—	—	—	—	—	11	7	2	2	—	—	—	—	
6 Diphtheria and croup ...	M	10	—	1	6	3	—	—	—	—	18	—	—	8	8	2	—	—	
	F	16	—	—	11	5	—	—	—	—	15	1	—	2	9	1	1	—	
7 Influenza ...	M	17	1	—	—	1	2	2	2	9	21	1	—	—	1	1	2	7	
	F	31	—	1	—	3	1	2	5	19	19	2	—	—	—	5	4	8	
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	
	F	6	1	—	—	—	—	—	3	2	3	—	—	—	—	—	—	3	
9 Pulmonary tuberculosis	M	137	1	—	3	3	21	67	33	9	111	2	1	—	3	24	43	29	
	F	132	1	2	—	4	41	54	21	9	110	1	2	—	10	19	52	23	
10 Tuberculous meningitis	M	8	1	2	1	1	2	—	1	—	10	2	2	1	2	2	—	1	
	F	11	2	—	1	4	4	—	—	—	14	4	1	4	3	2	—	—	
11 Other tuberculous diseases.	M	21	4	—	3	7	—	4	3	—	27	3	—	1	1	3	13	5	
	F	23	—	1	—	3	6	4	8	1	25	—	—	2	2	3	9	4	
12 Cancer, malignant disease	M	112	—	—	1	1	1	9	47	53	107	—	—	—	—	1	8	35	
	F	171	—	—	—	—	—	16	73	82	157	—	—	—	—	2	15	70	
13 Rheumatic fever ...	M	2	1	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	
	F	7	—	1	—	1	1	1	2	1	7	—	—	—	2	3	—	2	
14 Meningitis ...	M	16	—	3	2	6	1	3	1	—	10	3	1	2	1	—	1	—	
	F	7	2	1	—	2	1	—	1	—	14	3	—	1	5	3	2	—	
15 Organic heart disease ...	M	176	—	—	1	2	3	17	60	93	151	—	—	—	1	3	11	41	
	F	182	—	—	—	5	1	18	53	105	199	—	—	—	3	3	15	54	
16 Bronchitis ...	M	84	12	6	3	—	—	6	10	47	90	18	2	4	—	—	1	9	
	F	108	8	5	2	—	—	—	22	71	105	11	1	2	1	—	—	9	
17 Pneumonia (all forms)...	M	99	24	7	8	5	5	11	22	17	82	19	5	5	3	1	14	16	
	F	62	6	3	5	5	4	7	11	21	52	12	5	1	8	1	—	6	
18 Other respiratory diseases	M	35	1	—	3	2	—	3	10	16	37	1	1	2	—	—	5	7	
	F	31	3	2	—	—	1	3	7	15	25	2	1	—	—	—	2	10	
19 Diarrhoea, &c. ...	M	73	57	6	2	—	—	1	4	3	50	25	7	1	3	1	3	2	
	F	79	51	10	2	1	—	3	4	8	42	25	3	1	—	—	2	5	
20 Appendicitis and typhlitis	M	9	—	—	—	2	3	3	1	—	8	—	—	—	3	2	1	1	
	F	4	—	—	—	—	1	1	1	1	4	—	—	—	3	—	1	—	
21 Cirrhosis of liver ...	M	14	—	—	—	—	—	—	10	4	10	—	—	—	—	—	1	4	
	F	11	—	—	—	—	—	1	5	5	7	—	—	—	—	—	—	4	
21A Alcoholism ...	M	10	—	—	—	—	—	4	4	2	4	—	—	—	—	—	2	2	
	F	3	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	
22 Nephritis and Bright's disease.	M	47	—	—	—	—	3	7	21	16	46	1	—	—	2	2	3	16	
	F	48	—	—	—	1	1	7	23	16	35	—	—	1	—	3	3	10	
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	6	—	—	—	—	—	6	—	—	4	—	—	—	—	2	2	—	
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	11	—	—	—	—	3	8	—	—	16	—	—	—	—	1	15	—	
25 Congenital debility, &c.	M	77	74	—	2	—	—	1	—	—	93	92	—	—	1	—	—	—	
	F	64	64	—	—	—	—	—	—	—	53	51	1	—	1	—	—	—	
26 Violence, apart from suicide.	M	51	5	—	5	4	11	10	9	7	64	2	—	7	5	9	18	14	
	F	34	4	2	5	3	2	1	6	11	23	3	2	3	2	—	3	4	
27 Suicide ...	M	21	—	—	—	—	1	13	4	3	21	—	—	—	—	1	7	12	
	F	8	—	—	—	—	—	3	4	1	7	—	—	—	—	1	1	3	
28 Other defined diseases ...	M	502	42	11	1	9	9	45	99	286	485	38	4	11	9	7	32	89	
	F	603	33	8	2	10	12	34	95	409	503	44	2	2	9	8	32	76	
29 Causes ill-defined or unknown.	M	9	1	2	—	—	—	—	2	4	18	1	1	1	2	—	1	11	
	F	11	—	1	2	—	—	3	3	2	22	—	1	2	1	1	3	6	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
DORSETSHIRE—1911.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	770	151	23	21	33	22	105	155	260	673	77	13	14	20	25	60	156	308		
	F	762	104	14	28	29	28	86	150	323	641	73	8	8	15	25	61	107	344		
1 Enteric fever ...	M	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	2	—	—	—	1	—	—	—	—	1	—	—	—		
2 Small-pox ...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	23	6	9	5	3	—	—	—	—	2	—	1	—	1	—	—	—	—		
	F	13	4	2	7	—	—	—	—	—	2	—	2	—	—	—	—	—	—		
4 Scarlet fever ...	M	4	1	—	—	2	—	1	—	—	1	—	—	1	—	—	—	—	—		
	F	7	—	—	1	6	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	2	2	—	—	—	—	—	—	—	4	2	1	—	1	—	—	—	—		
	F	11	5	1	4	1	—	—	—	—	6	6	—	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	9	—	—	5	4	—	—	—	—	5	—	—	1	4	—	—	—	—		
	F	10	—	1	3	6	—	—	—	—	2	—	—	1	1	—	—	—	—		
7 Influenza ...	M	11	1	—	1	—	—	—	5	4	12	—	1	—	—	2	2	3	4		
	F	14	1	—	—	—	—	3	2	8	17	—	—	—	—	2	2	4	11		
8 Erysipelas ...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—		
	F	2	1	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	1		
9 Pulmonary tuberculosis	M	55	—	—	—	—	9	33	10	3	39	—	—	—	3	6	18	11	1		
	F	51	—	1	1	3	8	28	10	—	45	—	1	—	2	9	17	8	8		
10 Tuberculous meningitis	M	11	5	—	—	5	1	—	—	—	2	—	—	1	1	—	—	—	—		
	F	5	—	—	1	3	1	—	—	—	8	3	2	—	1	1	—	—	—		
11 Other tuberculous diseases.	M	9	3	1	1	1	—	3	—	—	6	1	1	—	1	—	3	—	—		
	F	7	—	—	—	1	3	3	—	—	6	1	—	—	2	1	1	1	1		
12 Cancer, malignant disease	M	47	—	—	—	—	—	3	15	29	53	—	—	—	—	—	5	22	26		
	F	93	—	—	—	1	—	5	46	41	70	—	—	—	—	—	4	30	36		
13 Rheumatic fever ...	M	4	—	—	—	—	—	2	2	—	3	—	—	—	2	—	1	—	—		
	F	5	—	—	—	2	—	1	1	1	1	—	—	—	—	—	—	—	1		
14 Meningitis ...	M	7	2	—	2	2	1	—	—	—	6	—	1	1	—	1	—	1	2		
	F	1	1	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—		
15 Organic heart disease ...	M	82	—	—	—	—	—	8	32	42	78	—	—	—	—	3	4	20	51		
	F	82	—	—	—	1	4	4	27	46	82	—	—	—	1	2	4	13	62		
16 Bronchitis ...	M	32	9	4	—	—	—	1	4	14	42	6	1	1	—	2	—	7	25		
	F	42	2	—	—	—	—	2	5	33	30	1	1	—	—	—	—	5	23		
17 Pneumonia (all forms)...	M	34	9	3	1	—	—	12	3	6	23	6	1	2	—	2	1	6	5		
	F	36	9	2	3	—	2	4	6	10	23	5	2	2	2	1	3	2	6		
18 Other respiratory diseases	M	17	2	—	1	2	—	—	3	9	13	—	1	—	1	—	—	3	8		
	F	10	1	—	—	—	—	1	—	8	4	—	—	—	—	—	—	3	1		
19 Diarrhoea, &c. ...	M	44	32	3	—	1	1	3	1	3	27	12	4	—	—	—	3	5	3		
	F	34	22	1	2	—	—	—	2	7	17	9	—	1	2	—	—	1	4		
20 Appendicitis and typhlitis	M	7	—	—	1	—	2	3	1	—	2	—	—	—	2	—	—	—	—		
	F	6	—	—	—	1	1	—	3	1	6	—	—	1	1	2	2	—	—		
21 Cirrhosis of liver ...	M	8	—	—	—	—	—	—	7	1	5	—	—	—	—	—	—	5	—		
	F	6	—	—	—	—	—	1	5	—	5	—	—	—	—	—	—	5	—		
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	21	—	—	—	1	1	1	10	8	20	1	—	—	—	1	1	11	6		
	F	22	—	—	—	—	1	5	9	7	11	—	—	—	—	—	1	3	7		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	4	—	—	—	—	—	3	1	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	1	6	—	—	8	—	—	—	—	1	7	—	—		
25 Congenital debility, &c.	M	58	58	—	—	—	—	—	—	—	37	37	—	—	—	—	—	—	—		
	F	41	39	1	—	1	—	—	—	—	36	36	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	27	4	—	—	3	2	6	5	7	28	1	1	4	3	2	4	7	6		
	F	15	3	1	1	1	—	1	2	6	10	—	—	1	—	—	—	2	7		
27 Suicide ...	M	6	—	—	—	—	1	2	3	—	10	—	—	—	—	3	3	4	—		
	F	3	—	—	—	—	—	1	2	—	2	—	—	—	—	1	1	—	—		
28 Other defined diseases ...	M	241	17	3	4	8	4	22	52	131	243	11	—	3	—	3	13	44	169		
	F	233	16	3	5	2	3	21	30	153	240	11	—	2	5	4	15	28	175		
29 Causes ill-defined or unknown.	M	6	—	—	—	1	—	2	—	3	9	—	—	—	1	—	1	5	2		
	F	3	—	1	—	—	—	—	—	2	2	—	—	—	—	—	—	1	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
DURHAM—1911.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	4,680	1365	392	270	199	194	511	824	925	3,387	1215	295	160	127	146	289	507	648		
	F	4,187	1169	410	261	213	164	435	662	873	3,067	958	273	204	150	124	319	435	604		
1 Enteric fever ...	M	46	—	—	2	6	15	15	6	2	51	—	—	3	4	17	20	7	—		
	F	29	—	—	2	5	6	10	5	1	34	—	—	2	5	10	12	5	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	125	30	48	38	8	1	—	—	—	91	26	40	18	7	—	—	—	—		
	F	117	29	44	39	5	—	—	—	—	88	17	33	34	4	—	—	—	—		
4 Scarlet fever ...	M	15	—	1	8	5	1	—	—	—	13	2	1	3	7	—	—	—	—		
	F	31	—	2	12	17	—	—	—	—	14	2	1	6	5	—	—	—	—		
5 Whooping cough ...	M	89	42	24	18	5	—	—	—	—	64	29	23	9	3	—	—	—	—		
	F	132	66	46	16	4	—	—	—	—	95	46	30	18	1	—	—	—	—		
6 Diphtheria and croup ...	M	44	5	5	21	11	1	1	—	—	42	3	1	24	13	—	—	—	1		
	F	36	3	1	20	12	—	—	—	—	42	3	1	20	18	—	—	—	—		
7 Influenza ...	M	36	3	1	1	1	1	10	11	8	25	5	—	—	—	1	4	4	11		
	F	32	2	—	—	4	2	3	6	15	16	—	—	1	1	—	3	5	6		
8 Erysipelas ...	M	4	—	—	—	—	1	—	2	1	1	1	—	—	—	—	—	—	—		
	F	4	1	—	—	—	—	1	1	1	5	2	—	—	—	—	—	1	2		
9 Pulmonary tuberculosis	M	293	3	7	9	12	58	124	76	4	147	1	3	1	8	33	65	30	6		
	F	255	2	9	8	30	60	113	29	4	165	1	4	5	15	39	82	17	2		
10 Tuberculous meningitis	M	46	7	9	12	12	3	3	—	—	28	7	5	11	4	—	1	—	—		
	F	48	8	12	9	14	4	—	1	—	38	9	9	7	13	—	—	—	—		
11 Other tuberculous diseases.	M	129	29	27	16	19	6	19	8	5	78	19	23	10	9	3	10	1	3		
	F	107	28	23	14	19	9	10	4	—	91	25	15	11	12	9	14	4	1		
12 Cancer, malignant disease	M	193	—	—	1	—	1	16	94	81	111	—	—	—	3	—	12	61	35		
	F	236	—	1	—	1	2	27	111	94	143	1	—	—	1	3	22	69	47		
13 Rheumatic fever ...	M	21	—	—	1	5	4	6	5	—	7	—	—	1	—	1	3	2	—		
	F	17	—	—	—	7	2	6	1	1	12	—	—	—	5	2	4	—	1		
14 Meningitis ...	M	67	17	11	16	15	2	3	1	2	52	18	7	6	13	3	1	4	—		
	F	51	6	10	16	11	—	4	4	—	31	7	2	8	6	1	4	3	—		
15 Organic heart disease ...	M	319	—	—	—	3	14	42	136	124	176	—	—	—	2	5	18	72	79		
	F	293	—	—	—	6	20	40	119	108	189	—	—	—	9	5	35	73	67		
16 Bronchitis ...	M	344	108	32	17	3	—	7	58	119	224	96	19	3	1	1	5	34	65		
	F	288	92	26	7	3	—	7	54	99	193	71	20	7	3	1	2	29	60		
17 Pneumonia (all forms)	M	395	104	79	40	17	14	47	61	33	299	91	64	26	12	15	24	40	27		
	F	331	99	75	39	18	11	30	23	36	211	68	43	28	13	5	21	20	13		
18 Other respiratory diseases	M	59	10	5	5	2	—	9	11	17	63	8	6	6	4	3	6	15	15		
	F	60	6	4	10	4	—	9	6	21	48	2	3	8	6	1	4	8	16		
19 Diarrhoea, &c. ...	M	524	347	98	21	6	3	6	16	27	393	282	62	10	1	2	4	8	24		
	F	481	300	106	29	6	2	9	9	20	403	262	79	19	1	2	4	15	21		
20 Appendicitis and typhlitis	M	23	—	—	—	14	1	7	—	1	16	—	—	—	5	4	2	4	1		
	F	14	1	—	—	7	1	2	3	—	10	—	—	—	3	2	3	2	—		
21 Cirrhosis of liver ...	M	28	—	—	—	—	—	4	16	8	22	—	—	—	—	—	4	14	4		
	F	20	—	—	—	—	—	5	11	4	9	—	—	—	—	—	1	8	—		
21A Alcoholism ...	M	6	—	—	—	—	—	1	4	1	2	—	—	—	—	—	—	1	1		
	F	2	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	2	—		
22 Nephritis and Bright's disease.	M	92	1	3	3	6	7	18	31	23	72	—	2	1	2	8	9	26	24		
	F	61	—	2	3	2	2	14	28	10	69	2	4	—	2	6	17	20	18		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	26	—	—	—	—	8	18	—	—	15	—	—	—	—	4	11	—	—		
24 Parturition, apart from puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	44	—	—	—	—	9	35	—	—	37	—	—	—	—	14	22	1	—		
25 Congenital debility, &c.	M	418	414	1	1	1	1	—	—	—	421	418	1	—	1	—	—	—	—		
	F	337	334	1	—	2	—	—	—	—	284	282	1	1	—	—	—	—	—		
26 Violence, apart from suicide.	M	228	10	4	21	19	37	68	47	22	178	3	5	18	20	36	45	41	10		
	F	72	1	7	14	7	6	12	15	10	56	—	8	14	7	3	5	8	11		
27 Suicide ...	M	47	—	—	—	—	3	25	13	6	19	—	—	—	—	1	6	8	4		
	F	10	—	—	—	—	2	1	6	1	6	—	—	—	—	2	2	2	—		
28 Other defined diseases ...	M	1,037	234	28	19	29	18	67	212	430	760	204	26	9	8	12	48	121	332		
	F	1,014	191	34	18	27	17	76	213	438	739	156	15	13	20	14	49	135	337		
29 Causes ill-defined or unknown.	M	52	1	9	—	—	2	13	16	11	32	2	7	1	—	—	2	14	6		
	F	39	—	7	5	2	1	3	11	10	22	2	5	2	—	1	2	8	2		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF ELY, ISLE OF—1911.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	290	58	21	9	8	8	31	48	107	238	53	12	7	12	5	22	44	83		
	F	292	53	15	6	7	10	27	48	126	203	37	6	10	8	14	28	30	70		
1 Enteric fever ...	M	1	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	8	2	4	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	4	1	2	1	—	—	—	—	—	3	1	—	1	1	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	6	4	2	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
	F	12	5	6	1	—	—	—	—	—	5	4	—	1	—	—	—	—	—		
6 Diphtheria and croup ...	M	4	—	2	—	2	—	—	—	—	2	—	—	—	1	—	1	—	—		
	F	2	—	—	1	1	—	—	—	—	5	—	—	1	3	1	—	—	—		
7 Influenza ...	M	3	—	—	—	2	—	—	1	—	3	—	—	1	—	—	—	1	1		
	F	3	—	—	—	—	—	1	—	2	1	—	—	—	—	—	—	1	—		
8 Erysipelas ...	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	20	—	1	—	—	3	10	5	1	12	—	—	—	2	2	6	2	—		
	F	21	1	—	—	2	5	8	4	1	16	—	—	1	1	5	8	—	1		
10 Tuberculous meningitis	M	1	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
	F	1	1	—	—	—	—	—	—	—	3	1	—	1	—	—	—	—	—		
11 Other tuberculous diseases.	M	1	1	—	—	—	—	—	—	—	5	—	1	—	—	—	2	2	—		
	F	3	—	—	—	—	1	1	1	—	3	—	—	—	—	—	1	1	1		
12 Cancer, malignant disease	M	26	—	—	1	—	—	1	9	15	19	—	—	—	—	—	1	8	10		
	F	32	—	—	—	—	—	—	15	17	20	—	—	—	—	—	4	8	8		
13 Rheumatic fever ...	M	2	—	—	—	—	—	2	—	—	1	—	—	1	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
14 Meningitis ...	M	3	1	—	—	—	1	1	—	—	5	—	1	1	3	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	4	1	1	1	1	—	—	—	—		
15 Organic heart disease ...	M	15	—	—	—	1	—	—	5	9	18	—	—	—	—	—	2	5	11		
	F	24	—	—	—	—	—	3	3	18	16	—	—	—	—	—	4	5	7		
16 Bronchitis ...	M	16	2	1	1	—	—	—	2	10	7	3	—	—	—	—	1	—	3		
	F	14	4	—	—	—	—	—	1	9	11	3	—	—	—	—	—	1	7		
17 Pneumonia (all forms)...	M	15	5	2	1	—	—	2	3	2	14	2	2	—	2	—	—	4	4		
	F	9	2	—	2	—	—	1	2	2	8	2	—	1	—	—	1	2	2		
18 Other respiratory diseases	M	3	—	1	—	—	—	—	1	1	1	—	—	—	—	—	—	—	1		
	F	6	4	—	—	—	—	1	—	1	3	—	—	1	1	1	—	—	—		
19 Diarrhoea, &c. ...	M	21	12	5	—	—	—	—	1	3	21	8	2	1	—	—	—	3	7		
	F	17	6	3	—	—	1	1	2	4	14	8	3	—	—	—	—	1	2		
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	1	1	—	2	—	—	—	—	—	2	—	—		
21 Cirrhosis of liver ...	M	6	—	—	—	—	—	1	2	3	2	—	—	—	—	—	—	1	1		
	F	2	—	—	—	—	—	—	1	1	2	—	—	—	—	—	—	1	1		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	15	—	—	—	—	—	1	2	12	9	—	—	—	—	2	—	3	4		
	F	5	—	—	—	—	—	—	2	3	6	—	—	—	—	—	—	3	3		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	1	1	—	—	1	—	—	—	—	—	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
25 Congenital debility, &c.	M	21	21	—	—	—	—	—	—	—	29	29	—	—	—	—	—	—	—		
	F	23	22	1	—	—	—	—	—	—	12	12	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	15	1	—	2	2	2	3	4	1	9	1	1	—	—	—	4	3	—		
	F	7	1	—	1	1	—	—	2	2	2	—	—	—	—	—	1	1	—		
27 Suicide ...	M	4	—	—	—	—	—	1	3	—	2	—	—	—	—	—	1	1	—		
	F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	79	9	3	1	—	1	6	10	49	72	10	2	1	3	—	4	11	41		
	F	96	6	3	—	3	2	6	11	65	62	5	1	1	1	6	5	5	38		
29 Causes ill-defined or unknown.	M	4	—	—	1	—	—	2	—	1	3	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	—	1	3	—	—	1	1	—	—	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
ESSEX—1911.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	4,911	1147	295	217	224	249	623	990	1166	1,703	285	46	27	39	61	191	309	745		
	F	4,574	891	270	158	193	171	566	876	1449	1,593	219	48	43	35	62	171	267	748		
1 Enteric fever ...	M	21	—	1	—	6	4	7	3	—	4	—	—	—	—	3	1	—			
	F	20	—	—	1	5	8	5	1	—	4	—	—	—	—	2	2	—			
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
3 Measles ...	M	141	24	43	53	20	1	—	—	—	8	3	3	—	2	—	—	—			
	F	148	31	47	43	26	1	—	—	—	15	6	1	6	1	—	—	—			
4 Scarlet fever ...	M	15	1	1	5	8	—	—	—	—	2	—	—	—	2	—	—	—			
	F	10	—	—	3	7	—	—	—	—	1	—	—	—	1	—	—	—			
5 Whooping cough ...	M	49	20	13	14	2	—	—	—	—	15	6	4	5	—	—	—	—			
	F	59	23	25	8	3	—	—	—	—	23	13	4	3	2	—	—	1			
6 Diphtheria and croup ...	M	52	1	12	15	23	—	1	—	—	15	—	1	4	7	3	—	—			
	F	40	2	6	16	15	—	—	1	—	4	—	—	2	2	—	—	—			
7 Influenza ...	M	46	3	1	3	—	4	11	12	12	19	1	1	—	—	3	7	7			
	F	40	1	—	1	1	1	8	14	14	19	—	1	1	2	1	5	9			
8 Erysipelas ...	M	17	2	—	—	—	1	6	5	3	3	—	—	—	—	1	—	2			
	F	11	1	—	—	—	—	5	3	2	2	—	—	—	—	—	1	1			
9 Pulmonary tuberculosis	M	451	11	5	3	13	89	200	115	15	104	1	1	1	1	23	50	21			
	F	283	6	3	8	24	60	130	45	7	101	1	—	1	3	25	50	17			
10 Tuberculous meningitis	M	59	14	18	17	7	3	—	—	—	15	4	4	5	2	—	—	—			
	F	50	12	16	10	8	2	2	—	—	13	3	2	3	4	1	—	—			
11 Other tuberculous diseases.	M	76	15	9	16	7	11	9	7	2	22	4	3	2	3	2	4	2			
	F	71	18	13	6	6	6	11	8	3	26	7	3	1	2	6	4	3			
12 Cancer, malignant disease	M	314	—	—	1	1	10	27	162	113	142	—	—	—	—	3	6	43			
	F	405	—	—	—	1	—	57	180	167	154	—	—	—	—	1	14	60			
13 Rheumatic fever	M	22	—	—	2	4	5	6	5	—	4	—	—	—	—	1	1	1			
	F	26	—	—	—	4	9	7	5	1	4	—	1	—	—	2	1	—			
14 Meningitis ...	M	41	14	7	1	10	3	5	1	—	9	3	—	2	2	—	—	2			
	F	22	6	4	4	6	1	—	1	—	12	3	2	—	2	2	1	1			
15 Organic heart disease ...	M	379	—	—	3	14	15	50	131	166	170	—	—	—	1	1	19	52			
	F	412	—	1	—	16	20	61	128	186	161	—	1	—	2	1	16	43			
16 Bronchitis ...	M	267	62	19	8	—	3	9	37	129	106	26	4	1	—	—	1	9			
	F	295	44	10	3	—	—	6	47	185	100	10	2	1	—	—	—	65			
17 Pneumonia (all forms)	M	332	75	50	24	10	18	54	61	40	89	17	7	2	2	5	14	19			
	F	247	44	37	21	15	5	38	36	51	64	11	8	6	2	3	7	23			
18 Other respiratory diseases	M	87	6	4	7	7	1	12	24	26	24	3	1	—	—	1	2	12			
	F	75	7	3	3	1	5	5	20	31	23	—	1	1	2	1	4	12			
19 Diarrhoea, &c. ...	M	500	372	78	17	4	1	3	7	18	106	71	7	1	—	—	2	21			
	F	430	295	68	11	7	2	8	7	32	82	50	11	5	—	—	—	14			
20 Appendicitis and typhlitis	M	36	—	1	1	11	7	9	7	—	8	—	—	1	2	1	3	—			
	F	23	—	—	1	6	7	3	4	2	7	—	—	1	—	—	3	2			
21 Cirrhosis of liver ...	M	40	—	—	—	—	—	3	24	13	7	—	—	—	—	—	3	4			
	F	35	—	—	—	—	—	5	20	10	9	—	—	—	—	—	3	4			
21A Alcoholism ...	M	2	—	—	—	—	—	1	1	—	4	—	—	—	—	—	2	1			
	F	3	—	—	—	—	—	1	2	—	2	—	—	—	—	—	—	—			
22 Nephritis and Bright's disease.	M	134	1	—	—	4	3	13	61	52	56	—	1	—	1	—	7	29			
	F	150	2	1	—	6	5	21	63	52	50	—	—	1	1	3	16	23			
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	22	—	—	—	—	1	21	—	—	6	—	—	—	—	6	—	—			
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	45	—	—	—	—	6	38	1	—	13	—	—	—	2	11	—	—			
25 Congenital debility, &c.	M	366	360	2	2	2	—	—	—	—	105	105	—	—	—	—	—	—			
	F	288	283	4	—	1	—	—	—	—	74	71	1	—	1	—	—	—			
26 Violence, apart from suicide.	M	200	18	9	10	25	32	42	44	20	76	5	1	—	8	10	18	12			
	F	91	11	7	11	5	3	10	15	29	25	3	2	5	1	—	4	7			
27 Suicide ...	M	57	—	—	—	—	6	20	23	8	22	—	—	—	—	2	12	2			
	F	19	—	—	—	—	4	10	5	—	7	—	—	—	—	2	2	1			
28 Other defined diseases ...	M	1,173	148	15	14	46	32	130	245	543	555	36	7	3	6	11	81	369			
	F	1,230	105	18	8	30	25	113	254	677	583	41	8	6	7	11	77	395			
29 Causes ill-defined or unknown.	M	34	—	7	1	—	—	5	15	6	12	—	1	—	—	1	7	2			
	F	24	—	7	—	—	—	1	16	—	9	—	—	—	1	2	2	4			

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF FLINTSHIRE—1911.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	276	62	16	14	12	11	33	65	63	420	82	12	13	13	21	48	83	148		
	F	261	47	11	9	8	11	31	46	98	412	59	9	11	17	20	44	84	168		
1 Enteric fever ...	M	2	—	—	—	—	1	1	—	—	1	—	—	—	1	—	—	—	—		
	F	2	—	—	—	—	1	1	—	—	1	—	—	—	—	1	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	2	—	2	—	—	—	—	—	—	3	—	2	—	—	—	—	—	1		
	F	3	—	3	—	—	—	—	—	—	3	1	1	—	1	—	—	—	—		
4 Scarlet fever ...	M	5	—	—	3	2	—	—	—	—	6	—	—	4	2	—	—	—	—		
	F	2	—	—	—	2	—	—	—	—	4	—	1	1	1	1	—	—	—		
5 Whooping cough ...	M	7	2	4	1	—	—	—	—	—	11	8	3	—	—	—	—	—	—		
	F	16	10	4	1	1	—	—	—	—	7	4	3	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	3	—	—	1	2	—	—	—	—	6	1	—	3	1	—	1	—	—		
	F	4	—	1	2	1	—	—	—	—	5	—	—	3	2	—	—	—	—		
7 Influenza ...	M	2	—	—	—	—	1	—	1	—	4	—	1	—	—	—	1	1	1		
	F	—	—	—	—	—	—	—	—	—	6	1	—	—	—	—	2	3	—		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	18	—	—	—	—	4	8	5	1	31	—	1	1	—	5	14	6	4		
	F	18	—	—	—	—	5	10	2	1	33	—	—	—	4	8	14	6	1		
10 Tuberculous meningitis	M	—	—	—	—	—	—	—	—	—	4	1	2	—	1	—	—	—	—		
	F	4	—	—	2	—	1	—	1	—	3	2	—	—	—	—	1	—	—		
11 Other tuberculous diseases.	M	5	—	—	—	1	2	1	—	1	4	1	—	—	1	—	2	—	—		
	F	3	1	—	1	—	1	—	—	—	6	1	—	—	2	—	3	—	—		
12 Cancer, malignant disease	M	17	—	—	—	1	—	—	11	5	26	—	—	—	—	1	1	14	10		
	F	22	—	—	—	—	—	1	15	6	31	—	—	—	—	—	1	19	11		
13 Rheumatic fever ...	M	1	—	—	—	—	—	—	1	—	2	—	—	—	—	1	1	—	—		
	F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—		
14 Meningitis ...	M	4	—	—	1	—	—	2	1	—	6	—	1	1	—	2	1	1	—		
	F	3	2	—	—	1	—	—	—	—	3	2	—	—	1	—	—	—	—		
15 Organic heart disease ...	M	28	—	—	—	—	—	1	13	14	34	—	—	—	—	—	3	13	18		
	F	19	—	—	—	—	—	2	4	13	45	—	—	—	—	—	4	13	28		
16 Bronchitis- ...	M	18	13	—	—	—	—	1	1	3	21	3	—	—	—	—	—	4	14		
	F	16	4	—	—	—	1	1	2	8	16	1	1	1	—	—	—	1	12		
17 Pneumonia (all forms)...	M	17	4	1	2	1	2	—	5	2	24	1	1	1	1	3	2	8	7		
	F	9	2	—	—	1	—	1	1	4	18	2	1	2	1	—	5	2	5		
18 Other respiratory diseases	M	3	1	—	—	—	—	—	—	2	6	1	—	—	—	—	1	—	4		
	F	5	—	—	—	—	—	1	—	4	4	—	1	1	—	—	1	—	1		
19 Diarrhoea, &c. ...	M	19	11	4	3	—	—	—	—	1	16	11	—	1	—	—	—	—	4		
	F	16	12	—	1	—	—	—	—	3	18	12	—	—	—	—	4	—	2		
20 Appendicitis and typhlitis	M	3	—	—	1	1	—	1	—	—	3	—	—	—	2	—	1	—	—		
	F	1	—	—	—	—	—	1	—	—	4	—	—	1	—	3	—	—	—		
21 Cirrhosis of liver ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	1	1		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	1	—		
22 Nephritis and Bright's disease.	M	11	—	—	—	—	1	3	5	2	18	1	—	—	—	—	2	5	10		
	F	9	—	—	—	—	—	—	6	3	8	1	—	—	1	—	1	5	—		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	2	—	—		
25 Congenital debility, &c.	M	19	19	—	—	—	—	—	—	—	32	32	—	—	—	—	—	—	—		
	F	4	4	—	—	—	—	—	—	—	18	17	1	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	14	1	1	1	3	—	3	1	4	25	—	1	2	2	6	8	4	2		
	F	7	1	1	—	2	—	1	1	1	9	1	—	1	1	2	—	2	2		
27 Suicide ...	M	3	—	—	—	—	—	2	1	—	3	—	—	—	—	—	2	—	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	68	10	3	1	1	—	9	17	27	124	21	—	—	2	3	7	23	68		
	F	90	11	2	2	—	1	10	11	53	157	14	—	1	2	5	7	29	99		
29 Causes ill-defined or unknown.	M	7	1	1	—	—	—	1	3	1	5	1	—	—	—	—	—	2	2		
	F	3	—	—	—	—	—	—	1	2	8	—	—	—	1	1	—	2	4		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF GLAMORGANSHIRE—1911.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	4,311	1547	341	194	167	190	510	759	603	1,499	452	86	59	58	72	178	277	317		
	F	3,650	1196	277	206	149	180	473	529	640	1,269	316	72	64	47	64	178	213	315		
Enteric fever ...	M	29	—	1	—	6	8	10	4	—	6	—	—	—	1	3	1	1	—		
	F	10	—	—	2	1	3	4	—	—	7	—	—	—	—	2	2	3	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	145	37	65	34	8	—	1	—	—	38	11	16	10	1	—	—	—	—		
	F	119	30	49	34	5	1	—	—	—	22	5	7	8	2	—	—	—	—		
4 Scarlet fever ...	M	25	3	3	9	10	—	—	—	—	5	1	—	—	3	—	1	—	—		
	F	20	1	5	11	3	—	—	—	—	5	1	—	1	—	—	3	—	—		
5 Whooping cough ...	M	40	21	9	9	1	—	—	—	—	15	11	3	1	—	—	—	—	—		
	F	64	28	15	19	2	—	—	—	—	19	11	4	3	1	—	—	—	—		
6 Diphtheria and croup ...	M	29	3	3	11	10	1	—	1	—	21	3	1	10	7	—	—	—	—		
	F	36	4	4	16	12	—	—	—	—	27	2	1	13	10	—	1	—	—		
7 Influenza ...	M	35	—	—	2	—	3	11	11	8	14	—	—	—	—	1	3	7	3		
	F	21	1	1	1	—	2	5	5	6	16	1	—	—	—	1	3	3	8		
8 Erysipelas ...	M	7	1	—	—	—	1	1	3	1	3	—	—	—	—	—	—	2	1		
	F	3	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	219	6	3	4	7	44	86	61	8	77	2	—	2	3	14	35	19	2		
	F	239	2	4	2	17	67	117	26	4	122	3	3	—	3	28	57	24	4		
10 Tuberculous meningitis	M	30	12	4	7	7	—	—	—	—	17	2	5	4	2	1	2	1	—		
	F	24	6	3	3	7	3	1	1	—	15	4	2	2	4	2	1	—	—		
11 Other tuberculous diseases.	M	67	22	12	5	10	7	6	3	2	20	7	2	1	3	2	3	2	—		
	F	71	22	8	9	9	10	5	7	1	20	3	4	1	1	—	6	5	—		
12 Cancer, malignant disease	M	146	—	1	—	—	3	20	78	44	70	—	—	—	—	1	6	33	30		
	F	175	—	—	1	—	2	33	102	37	80	—	—	—	—	1	15	37	27		
13 Rheumatic fever ...	M	33	—	—	1	8	7	9	7	1	7	—	—	—	4	1	1	1	—		
	F	20	—	—	—	4	4	8	4	—	6	—	—	1	1	1	3	—	—		
14 Meningitis ...	M	37	8	8	8	8	2	2	1	—	12	5	3	2	1	1	—	—	—		
	F	49	21	10	6	6	3	2	1	—	16	5	2	4	3	—	2	—	—		
15 Organic heart disease ...	M	242	—	—	1	5	15	46	105	70	96	—	—	—	1	4	12	39	40		
	F	241	—	—	—	12	11	44	88	86	109	—	—	1	6	4	13	38	47		
16 Bronchitis ...	M	266	69	19	10	1	2	10	69	86	91	24	6	—	—	—	—	24	37		
	F	229	54	9	10	2	1	10	44	99	78	17	6	3	—	3	—	17	32		
17 Pneumonia (all forms)	M	363	117	64	31	10	15	50	54	22	124	35	20	8	4	4	16	18	19		
	F	245	79	51	33	9	8	22	25	18	94	18	18	12	3	2	11	10	20		
18 Other respiratory diseases	M	63	4	3	5	4	4	5	22	16	25	1	1	3	3	—	4	6	7		
	F	32	6	2	2	1	1	4	7	9	14	2	—	1	—	—	2	6	3		
19 Diarrhoea, &c. ...	M	642	493	93	10	5	2	9	14	16	138	112	12	3	1	—	3	6	1		
	F	574	426	69	19	3	3	8	16	30	113	81	15	4	—	—	—	7	6		
20 Appendicitis and typhlitis	M	22	—	—	—	8	3	8	3	—	7	—	—	—	1	3	1	2	—		
	F	13	—	—	—	5	3	2	2	1	3	—	—	—	3	—	—	—	—		
21 Cirrhosis of liver ...	M	21	—	—	—	—	—	6	13	2	3	—	—	—	—	—	—	2	1		
	F	8	—	—	—	—	—	2	4	2	1	—	—	—	—	—	—	1	—		
21A Alcoholism ...	M	6	—	—	—	—	—	2	3	1	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	94	2	4	6	7	1	20	37	17	45	1	—	—	1	1	7	19	16		
	F	63	1	1	—	4	5	20	18	14	29	—	—	1	2	2	3	10	11		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	36	—	—	—	—	8	28	—	—	9	—	—	—	—	2	7	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	74	—	—	—	—	17	57	—	—	18	—	—	—	—	4	14	—	—		
25 Congenital debility, &c.	M	420	418	2	—	—	—	—	—	—	144	143	1	—	—	—	—	—	—		
	F	300	298	1	—	1	—	—	—	—	103	100	1	1	—	—	1	—	—		
26 Violence, apart from suicide.	M	310	3	5	31	30	52	113	59	17	122	1	2	8	10	26	43	25	7		
	F	77	10	6	17	19	7	3	5	10	16	1	—	5	2	—	1	2	5		
27 Suicide ...	M	18	—	—	—	—	—	5	10	3	10	—	—	—	—	—	4	6	—		
	F	5	—	—	—	—	1	3	—	1	2	—	—	—	—	1	—	1	—		
28 Other defined diseases ...	M	980	325	39	8	22	19	88	191	288	375	92	13	7	11	10	34	59	149		
	F	889	205	35	20	27	18	91	171	322	321	61	9	3	6	11	32	48	151		
29 Causes ill-defined or unknown.	M	22	3	3	2	—	1	2	10	1	14	1	1	—	1	—	2	5	4		
	F	11	1	4	1	—	1	1	3	—	4	1	—	—	—	—	1	1	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
GLOUCESTERSHIRE—1911.

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	667	127	24	12	17	30	78	149	230	1,568	236	42	33	50	60	153	331	663	
			F	733	90	26	18	19	23	66	145	346	1,423	186	31	36	47	52	149	267	655	
1 Enteric fever	M	1	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	
			F	4	—	—	—	—	2	1	1	—	2	—	—	—	—	2	—	—	—	
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles	M	23	5	8	8	2	—	—	—	—	14	3	5	2	4	—	—	—	—	
			F	19	1	9	5	4	—	—	—	—	18	2	6	6	4	—	—	—	—	
4 Scarlet fever	M	2	—	—	—	2	—	—	—	—	3	—	—	3	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	5	—	—	2	1	—	1	1	—	
5 Whooping cough	M	3	3	—	—	—	—	—	—	—	25	17	6	—	2	—	—	—	—	
			F	11	8	2	1	—	—	—	—	—	24	15	4	4	—	1	—	—	—	
6 Diphtheria and croup	M	1	—	—	—	1	—	—	—	—	6	—	—	6	—	—	—	—	—	
			F	2	—	—	—	2	—	—	—	—	9	—	—	4	4	1	—	—	—	
7 Influenza	M	8	1	—	—	—	—	3	1	3	16	1	1	—	—	—	3	6	5	
			F	6	—	1	—	—	—	1	2	2	21	1	2	1	1	1	2	4	9	
8 Erysipelas	M	2	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
			F	1	—	—	—	—	—	1	—	—	3	1	—	—	—	—	—	—	2	
9 Pulmonary tuberculosis	{	M	63	2	2	—	—	15	24	16	4	112	1	—	—	2	21	49	34	5		
		F	44	—	—	—	4	12	17	11	—	74	1	1	1	4	19	41	6	1		
10 Tuberculous meningitis	{	M	6	—	1	—	3	—	1	1	—	11	1	—	5	3	1	1	—	—		
		F	3	—	—	2	—	1	—	—	—	11	2	—	2	4	2	—	1	—		
11 Other tuberculous diseases.	{	M	9	2	—	—	—	2	3	1	1	15	1	—	2	4	2	4	2	—		
		F	8	3	1	—	1	1	—	1	1	21	3	2	1	4	3	5	2	1		
12 Cancer, malignant disease	{	M	52	—	—	—	1	—	4	22	25	100.	—	—	—	—	2	4	36	58		
		F	71	—	—	1	—	—	6	29	35	146	—	—	—	1	—	11	70	64		
13 Rheumatic fever	...	{	M	3	—	—	—	1	2	—	—	5	—	—	—	1	2	—	—	1		
		F	5	—	—	—	1	1	1	1	1	6	—	—	—	2	1	2	—	1		
14 Meningitis	...	{	M	3	—	—	—	1	—	—	1	11	1	1	1	4	2	—	1	1		
		F	6	2	1	—	1	—	1	—	1	7	1	3	—	2	—	1	—	—		
15 Organic heart disease	...	{	M	61	—	—	—	—	6	21	34	199	—	—	—	2	2	10	56	129		
		F	87	—	—	—	—	2	7	27	51	168	—	—	—	—	—	10	51	107		
16 Bronchitis	...	{	M	40	4	2	—	—	1	9	24	82	16	1	2	—	—	1	12	50		
		F	47	3	—	—	—	—	—	6	38	87	8	3	—	1	—	1	10	64		
17 Pneumonia (all forms)...	{	M	39	7	7	3	—	2	5	6	9	85	16	10	5	3	3	8	27	13		
		F	29	4	3	4	2	—	3	7	6	65	11	4	3	4	1	17	2	23		
18 Other respiratory diseases	{	M	15	—	—	—	—	—	3	5	7	33	3	1	1	3	2	1	7	15		
		F	11	—	—	—	—	—	2	3	6	13	—	—	3	1	—	4	3	2		
19 Diarrhoea, &c.	...	{	M	40	35	1	—	—	—	1	3	62	37	7	—	1	—	4	5	8		
		F	35	24	4	2	—	—	—	—	5	55	30	1	—	4	1	1	2	16		
20 Appendicitis and typhlitis	{	M	2	—	—	—	—	1	—	1	—	6	—	—	—	2	1	—	1	2		
		F	3	—	—	—	1	—	—	1	1	—	8	—	—	—	2	1	2	1		
21 Cirrhosis of liver	...	{	M	8	—	—	—	—	—	3	5	13	—	—	—	—	—	1	5	7		
		F	3	—	—	—	—	—	—	—	3	5	—	—	—	—	—	—	4	1		
21A Alcoholism	...	{	M	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1		
		F	2	—	—	—	—	—	—	2	—	2	—	—	—	—	—	1	1	—		
22 Nephritis and Bright's disease.	{	M	21	—	—	—	—	—	3	9	9	43	—	—	—	—	4	4	19	16		
		F	24	—	—	1	1	—	4	7	11	31	—	—	—	—	3	6	13	9		
23 Puerperal fever...	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	2	—	—	—	—	—	2	—	—	4	—	—	—	—	—	3	1	—		
24 Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	5	—	—	—	—	1	3	1	—	10	—	—	—	—	2	8	—	—		
25 Congenital debility, &c.	{	M	46	46	—	—	—	—	—	—	—	98	95	2	—	1	—	—	—	—		
		F	35	35	—	—	—	—	—	—	—	83	79	—	1	1	1	1	—	—		
26 Violence, apart from suicide.	{	M	22	2	—	1	4	5	5	3	2	64	3	1	1	13	6	15	13	12		
		F	9	1	—	1	—	—	—	1	5	1	32	6	1	5	3	1	1	6	9	
27 Suicide	...	{	M	7	—	—	—	—	2	2	3	13	—	—	—	—	3	3	6	1		
		F	2	—	—	—	—	—	1	1	—	4	—	—	—	—	1	3	—	—		
28 Other defined diseases	...	{	M	188	19	3	—	1	1	15	41	108	535	40	7	3	5	8	43	94	335	
		F	255	9	4	1	2	2	2	12	37	188	497	25	4	2	4	11	25	84	342	
29 Causes ill-defined or unknown.	{	M	2	—	—	—	—	—	—	2	—	14	1	—	1	—	—	2	6	4		
		F	4	—	1	—	—	1	2	—	—	—	12	1	—	1	—	3	4	3		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
HEREFORDSHIRE—1911.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	313	48	15	8	4	10	32	68	128	548	64	14	9	16	18	47	103	277		
	F	323	33	6	10	12	15	27	70	150	488	42	14	8	18	15	63	89	239		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	8	1	4	2	1	—	—	—	—	2	—	1	1	—	—	—	—	—		
	F	4	1	—	2	—	—	1	—	—	4	1	2	—	1	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	3	1	—	—	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	4	—	1	—	2	—	—	—	—		
5 Whooping cough ...	M	1	—	1	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—		
	F	3	2	—	1	—	—	—	—	—	3	2	1	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	2	—	—	1	1	—	—	—	—	3	—	1	—	2	—	—	—	—		
	F	3	—	—	2	1	—	—	—	—	7	—	—	3	4	—	—	—	—		
7 Influenza ...	M	2	—	—	—	—	—	—	1	1	12	1	—	—	—	—	3	2	6		
	F	1	—	—	—	—	—	—	—	1	8	—	—	—	—	—	1	1	6		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	16	—	—	—	—	2	10	4	—	27	—	—	—	—	4	9	9	5		
	F	25	—	1	—	—	8	8	6	2	34	—	—	1	1	3	20	7	2		
10 Tuberculous meningitis	M	1	—	1	—	—	—	—	—	—	2	—	—	1	—	1	—	—	—		
	F	4	—	—	—	4	—	—	—	—	1	—	—	—	1	—	—	—	—		
11 Other tuberculous diseases.	M	8	3	—	—	—	—	2	3	—	3	1	—	—	—	1	1	—	—		
	F	4	1	—	—	1	—	1	1	—	9	—	1	—	2	1	2	2	1		
12 Cancer, malignant disease	M	23	—	—	—	—	—	3	7	13	48	—	—	—	—	—	2	15	31		
	F	32	—	—	—	—	—	3	16	13	54	—	—	—	—	—	11	16	27		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—		
	F	1	—	—	—	—	1	—	—	—	2	—	—	—	2	—	—	—	—		
14 Meningitis ...	M	4	—	1	—	1	1	1	—	—	1	1	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	3	—	1	—	—	—	1	1	—		
15 Organic heart disease ...	M	34	—	—	—	—	—	2	12	20	66	—	—	—	1	2	3	14	46		
	F	30	—	—	—	—	1	1	11	17	88	—	—	—	—	1	5	23	59		
16 Bronchitis ...	M	19	2	1	—	—	1	1	2	12	36	4	1	—	—	—	—	3	28		
	F	22	3	1	—	—	—	—	1	17	36	6	1	—	—	—	—	5	24		
17 Pneumonia (all forms)...	M	17	4	1	3	—	—	2	1	6	43	9	3	3	2	1	4	15	6		
	F	16	4	3	1	1	—	—	5	2	21	10	4	1	1	—	—	2	3		
18 Other respiratory diseases	M	1	—	—	—	—	—	—	—	1	6	—	—	2	—	1	—	1	2		
	F	8	—	—	1	—	—	—	2	5	7	—	—	1	—	—	1	1	4		
19 Diarrhoea, &c. ...	M	18	8	3	—	—	—	1	2	4	14	4	2	—	—	—	1	1	6		
	F	12	6	—	—	1	—	—	2	3	9	4	1	—	—	1	1	1	1		
20 Appendicitis and typhlitis	M	3	—	—	1	—	—	1	—	1	2	—	—	—	—	1	—	—	1		
	F	2	—	—	—	1	1	—	—	—	6	—	—	—	3	2	—	—	—		
21 Cirrhosis of liver ...	M	6	—	—	—	—	—	1	3	2	2	—	—	—	—	—	—	2	—		
	F	5	—	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	13	—	—	—	—	2	—	3	8	19	1	—	—	—	3	6	9	—		
	F	5	—	—	—	—	—	2	2	1	6	—	—	—	1	1	1	—	3		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	4	—	—	—	—	4	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	6	—	—	—	—	5	1	—	—		
25 Congenital debility, &c.	M	15	15	—	—	—	—	—	—	—	32	31	—	1	—	—	—	—	—		
	F	12	12	—	—	—	—	—	—	—	13	13	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	10	1	2	1	1	1	2	—	2	33	1	—	—	3	14	10	5	—		
	F	8	—	—	1	—	—	1	3	3	10	—	1	—	1	3	—	5	—		
27 Suicide ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	107	13	1	—	—	3	5	28	57	177	8	5	1	9	4	5	19	126		
	F	122	4	1	2	2	4	8	15	86	147	6	1	1	—	2	7	27	103		
29 Causes ill-defined or unknown.	M	5	1	—	—	—	—	1	2	1	8	—	—	—	—	—	4	4	—		
	F	1	—	—	—	—	—	—	—	1	3	—	—	—	—	2	—	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
HERTFORDSHIRE—1911.

Causes of Death.				Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ... {				M	1,119	215	41	31	31	42	122	232	405	725	118	20	16	17	32	88	129	305		
				F	1,093	174	37	38	22	44	124	225	429	604	67	20	18	25	19	66	119	270		
1	Enteric fever	...	{	M	3	—	—	—	1	1	1	—	1	—	—	—	—	1	—	—	—			
				F	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—			
2	Small-pox	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
3	Measles	...	{	M	12	5	3	3	1	—	—	—	—	9	5	1	1	2	—	—	—			
				F	16	5	8	2	—	—	—	1	—	9	—	3	2	2	2	—	—			
4	Scarlet fever	...	{	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—			
				F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—			
5	Whooping cough	...	{	M	5	2	3	—	—	—	—	—	—	5	2	1	1	1	—	—	—			
				F	12	7	3	2	—	—	—	—	—	9	4	2	3	—	—	—	—			
6	Diphtheria and croup	...	{	M	3	—	—	2	1	—	—	—	—	4	—	1	1	2	—	—	—			
				F	7	1	—	2	4	—	—	—	—	3	—	—	1	2	—	—	—			
7	Influenza	...	{	M	15	2	1	1	1	—	4	1	5	4	—	—	—	—	—	4	—			
				F	10	—	—	1	1	—	3	3	2	3	—	—	—	—	1	1	1			
8	Erysipelas	...	{	M	5	—	—	—	—	—	—	4	1	—	—	—	—	—	—	—	—			
				F	5	1	—	1	—	—	2	—	1	—	—	—	—	—	—	—	—			
9	Pulmonary tuberculosis		{	M	87	2	—	—	—	12	41	27	5	47	1	—	—	—	10	27	7			
				F	65	—	—	—	2	18	28	14	3	31	—	—	3	7	12	8	2			
10	Tuberculous meningitis		{	M	6	1	3	1	1	—	—	—	—	4	—	—	4	—	—	—	—			
				F	7	1	3	1	1	1	—	—	—	6	—	1	4	—	1	—	—			
11	Other tuberculous diseases.		{	M	22	6	3	4	3	4	1	1	—	7	1	—	1	—	3	2	—			
				F	21	1	1	6	2	2	5	4	—	7	1	2	—	—	1	1	2			
12	Cancer, malignant disease		{	M	105	—	—	—	—	1	3	46	55	67	—	—	1	—	—	5	25			
				F	116	—	—	—	1	1	6	51	57	79	—	—	—	—	7	29	36			
13	Rheumatic fever	...	{	M	3	—	—	—	1	1	—	1	—	2	—	—	—	1	—	—	1			
				F	6	—	—	—	2	2	2	—	—	5	—	—	1	2	1	1	—			
14	Meningitis	...	{	M	7	1	2	1	2	—	—	1	—	4	1	1	—	1	—	—	—			
				F	12	3	2	6	1	—	—	—	—	5	—	2	—	1	1	—	—			
15	Organic heart disease	...	{	M	101	—	—	—	—	3	5	28	65	86	—	—	—	1	2	5	19			
				F	137	—	—	1	2	5	14	40	75	81	—	—	—	1	1	6	21			
16	Bronchitis	...	{	M	67	14	1	1	1	—	1	5	44	39	1	3	—	1	—	1	3			
				F	78	7	2	—	—	—	1	14	54	35	6	—	—	—	—	10	19			
17	Pneumonia (all forms)		{	M	69	17	8	8	1	1	8	16	10	40	5	5	2	1	1	8	9			
				F	48	8	4	2	1	1	5	15	12	28	3	4	3	3	—	2	6			
18	Other respiratory diseases		{	M	15	1	—	—	1	—	1	4	8	9	—	1	—	—	—	2	1			
				F	10	—	—	—	—	—	2	4	4	6	2	—	—	1	—	1	2			
19	Diarrhoea, &c.	...	{	M	77	55	7	2	—	1	2	2	8	47	31	5	2	—	—	1	2			
				F	81	50	10	6	—	1	1	4	9	28	21	3	—	—	—	1	3			
20	Appendicitis and typhlitis		{	M	9	—	—	—	3	2	2	1	1	5	—	—	—	1	1	—	2			
				F	3	—	—	—	—	2	1	—	—	5	—	—	1	4	—	—	1			
21	Cirrhosis of liver	...	{	M	8	—	—	—	—	—	—	7	1	5	—	—	—	—	—	3	2			
				F	8	—	—	—	—	—	3	1	4	2	—	—	—	—	—	2	—			
21A	Alcoholism	...	{	M	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	2	—			
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
22	Nephritis and Bright's disease.		{	M	20	1	—	—	1	—	4	3	11	15	—	—	—	—	—	1	7			
				F	32	1	—	—	—	1	8	10	12	19	—	—	—	—	1	1	6			
23	Puerperal fever...	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
				F	6	—	—	—	—	2	4	—	—	4	—	—	—	—	1	3	—			
24	Parturition, apart from puerperal fever.		{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
				F	5	—	—	—	—	—	5	—	—	4	—	—	—	—	1	3	—			
25	Congenital debility, &c.		{	M	78	75	1	2	—	—	—	—	—	54	54	—	—	—	—	—	—			
				F	67	64	1	1	—	—	1	—	—	21	20	—	—	1	—	—	—			
26	Violence, apart from suicide.		{	M	44	2	2	1	5	7	14	8	5	36	4	—	1	1	9	8	8			
				F	13	2	—	1	1	1	2	1	5	7	—	—	—	—	1	2	1			
27	Suicide	...	{	M	8	—	—	—	—	—	5	2	1	9	—	—	—	—	—	3	5			
				F	3	—	—	—	—	—	—	3	—	2	—	—	—	—	1	1	—			
28	Other defined diseases	...	{	M	332	29	5	4	7	9	28	67	183	221	13	2	2	5	5	22	32			
				F	318	22	3	4	4	7	30	58	190	201	10	2	3	4	1	25	29			
29	Causes ill-defined or unknown.		{	M	16	2	2	1	—	—	2	7	2	3	—	—	—	—	—	1	2			
				F	4	1	—	1	—	—	1	1	—	3	—	1	—	1	—	—	1			

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF HUNTINGDONSHIRE—1911.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	159	26	6	4	5	5	17	33	63	233	36	7	8	6	5	13	30	128		
	F	152	22	3	4	2	13	11	23	74	181	22	4	4	3	4	12	33	99		
1 Enteric fever ...	M	4	—	—	—	—	1	2	1	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	—	—	—	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—		
	F	1	1	—	—	—	—	—	—	—	4	2	2	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	2	—	—	1	1	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
7 Influenza ...	M	3	—	—	—	—	—	—	2	1	2	—	—	—	—	—	—	—	2		
	F	3	—	—	—	—	—	—	1	2	4	—	—	—	—	—	1	—	3		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	15	2	—	—	1	2	6	3	1	14	—	—	—	1	—	8	2	3		
	F	14	—	—	—	—	6	5	2	1	11	—	—	1	—	2	1	6	1		
10 Tuberculous meningitis	M	1	—	—	—	1	—	—	—	—	6	2	1	1	2	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	2	—	—	—	1	—	1	—	—		
11 Other tuberculous diseases.	M	—	—	—	—	—	—	—	—	—	3	1	1	—	1	—	—	—	—		
	F	2	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—		
12 Cancer, malignant disease	M	15	—	—	—	—	—	1	9	5	31	—	—	—	—	—	—	5	26		
	F	15	—	—	—	—	—	1	6	8	25	—	—	—	—	—	10	15	15		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
14 Meningitis ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
15 Organic heart disease ...	M	12	—	—	—	—	1	—	3	8	31	—	—	—	—	—	1	6	24		
	F	15	—	—	—	—	—	1	5	9	18	—	—	—	—	—	1	5	12		
16 Bronchitis ...	M	11	3	1	—	—	—	—	2	5	12	2	—	2	—	—	—	—	8		
	F	5	—	—	—	—	—	—	—	5	14	1	—	—	—	—	—	—	13		
17 Pneumonia (all forms)	M	7	2	2	1	—	—	—	1	1	12	3	1	—	—	—	—	—	8		
	F	5	2	1	—	—	—	—	—	2	9	3	—	—	1	—	1	—	4		
18 Other respiratory diseases	M	2	—	1	—	—	—	—	1	—	3	—	—	1	—	—	—	1	1		
	F	2	—	—	—	—	—	1	—	1	1	—	—	1	—	—	—	—	—		
19 Diarrhoea, &c. ...	M	8	1	1	2	—	—	1	1	2	14	6	1	3	—	—	—	—	4		
	F	7	5	—	—	—	—	—	—	2	9	2	2	1	—	—	1	—	3		
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21 Cirrhosis of liver ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	3	—	—	—	—	—	1	—	2	4	—	—	—	—	—	—	3	1		
	F	5	—	—	—	—	—	1	2	2	6	—	—	—	—	—	2	—	4		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	2	—	—	—		
25 Congenital debility, &c.	M	14	14	—	—	—	—	—	—	—	16	16	—	—	—	—	—	—	—		
	F	11	11	—	—	—	—	—	—	—	9	9	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	5	—	—	—	1	—	1	2	1	4	1	—	—	1	1	—	—	—		
	F	6	—	—	2	1	1	—	—	2	1	—	—	—	—	—	—	—	1		
27 Suicide ...	M	5	—	—	—	—	—	1	2	2	3	—	—	—	—	—	—	3	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	48	2	—	—	1	1	3	6	35	66	3	—	—	—	3	3	7	50		
	F	54	2	2	1	—	4	1	5	39	61	4	—	—	1	—	6	8	42		
29 Causes ill-defined or unknown.	M	3	2	1	—	—	—	—	—	—	3	1	—	—	—	—	—	1	1		
	F	2	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
KENT—1911.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	4,634	936	219	184	164	194	575	941	1421	2,002	376	73	59	63	75	206	351	799		
	F	4,513	734	204	177	181	167	496	858	1696	1,734	299	77	47	56	75	192	314	683		
1 Enteric fever ...	M	28	—	—	—	4	7	14	3	—	11	—	—	—	2	3	5	1	—		
	F	18	—	—	—	1	4	11	2	—	7	—	—	—	1	2	2	—	—		
2 Small-pox ...	M	3	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	166	26	59	56	24	—	1	—	—	27	4	9	9	5	—	—	—	—		
	F	151	25	55	42	28	—	1	—	—	28	5	15	5	3	—	—	—	—		
4 Scarlet fever ...	M	8	—	—	3	4	1	—	—	—	—	—	—	—	—	—	—	—	—		
	F	9	—	—	2	7	—	—	—	—	1	—	—	1	—	—	—	—	—		
5 Whooping cough ...	M	40	19	15	4	2	—	—	—	—	23	14	3	6	—	—	—	—	—		
	F	48	17	12	16	3	—	—	—	—	24	14	7	3	—	—	—	—	—		
6 Diphtheria and croup ...	M	47	—	5	24	18	—	—	—	—	11	—	1	4	5	1	—	—	—		
	F	42	4	3	10	23	1	1	—	—	11	—	—	5	4	1	1	—	—		
7 Influenza ...	M	33	4	1	3	2	3	8	5	7	19	2	1	3	—	1	1	7	4		
	F	40	2	1	—	—	1	9	8	19	20	1	1	—	—	2	8	8	—		
8 Erysipelas ...	M	7	—	—	—	—	—	—	2	5	3	—	—	—	—	—	—	—	3		
	F	4	1	—	—	—	1	1	1	—	3	—	—	—	—	—	—	—	3		
9 Pulmonary tuberculosis	M	380	2	3	6	16	61	185	97	10	133	2	1	—	6	22	63	28	11		
	F	307	3	6	5	19	71	128	66	9	134	3	—	1	10	36	56	22	6		
10 Tuberculous meningitis	M	40	8	6	9	9	5	3	—	—	13	3	1	2	4	1	2	—	—		
	F	27	6	1	9	7	1	2	1	—	16	2	1	4	7	—	1	1	—		
11 Other tuberculous diseases.	M	71	13	11	6	15	8	9	7	2	32	6	5	1	9	3	4	4	—		
	F	68	8	6	8	11	11	12	9	3	34	3	5	1	6	6	8	5	—		
12 Cancer, malignant disease	M	336	—	—	1	3	1	23	161	147	159	1	1	—	—	1	8	61	87		
	F	440	—	—	—	2	3	61	188	186	177	—	—	—	—	1	18	77	81		
13 Rheumatic fever ...	M	10	—	—	1	2	4	2	1	—	6	—	1	—	2	2	—	1	—		
	F	19	—	—	—	7	2	9	1	—	6	—	—	—	3	—	1	2	—		
14 Meningitis ...	M	26	9	4	2	5	3	1	2	—	16	3	4	3	5	—	—	1	—		
	F	31	8	3	10	3	2	1	2	2	16	4	1	3	5	1	—	2	—		
15 Organic heart disease ...	M	370	—	—	—	4	10	48	103	205	190	—	—	—	2	4	16	56	112		
	F	462	—	—	1	9	17	38	135	262	195	—	—	—	1	5	11	69	109		
16 Bronchitis ...	M	268	53	14	5	2	2	5	42	145	94	24	3	1	1	—	—	7	58		
	F	284	42	8	7	—	1	3	35	188	101	15	4	1	1	—	—	8	72		
17 Pneumonia (all forms)...	M	255	61	24	26	6	7	38	54	39	114	25	13	6	5	2	12	23	28		
	F	215	32	32	27	10	4	18	36	56	61	13	9	4	—	3	7	5	20		
18 Other respiratory diseases	M	71	2	1	5	1	2	9	21	30	37	1	2	3	—	1	3	11	16		
	F	74	4	3	4	4	1	11	15	32	22	1	—	2	1	2	2	6	8		
19 Diarrhoea, &c. ...	M	399	286	52	6	3	3	4	18	27	158	111	19	5	1	3	—	6	13		
	F	393	268	53	12	6	1	7	14	32	135	86	24	2	1	2	2	6	12		
20 Appendicitis and typhlitis	M	27	—	—	—	6	9	8	3	1	5	—	—	—	—	1	1	1	2		
	F	21	—	—	—	7	4	2	4	4	9	—	—	—	1	4	—	2	2		
21 Cirrhosis of liver ...	M	60	—	—	—	—	—	9	32	19	13	—	—	—	—	—	1	5	7		
	F	38	—	—	—	—	—	5	20	13	5	—	—	—	—	—	—	4	1		
21A Alcoholism ...	M	8	—	—	—	—	—	4	4	—	6	—	—	—	—	—	1	5	—		
	F	4	—	—	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	142	1	—	4	2	10	9	51	65	64	—	—	2	—	2	5	22	33		
	F	111	—	1	—	4	4	12	42	48	58	—	—	1	—	10	17	30	—		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	17	—	—	—	—	5	11	1	—	10	—	—	—	—	3	7	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	32	—	—	—	—	5	27	—	—	10	—	—	—	—	1	8	1	—		
25 Congenital debility, &c.	M	303	300	—	1	—	1	1	—	—	111	109	—	1	1	—	—	—	—		
	F	220	215	1	1	—	1	—	2	—	99	96	1	—	—	1	1	—	—		
26 Violence, apart from suicide.	M	182	15	6	7	14	24	52	45	19	99	6	2	5	5	20	26	16	19		
	F	86	10	2	6	7	1	11	13	36	28	6	—	4	1	1	4	3	9		
27 Suicide ...	M	43	—	—	—	—	6	16	15	6	28	—	—	—	—	—	14	7	7		
	F	19	—	—	—	—	1	7	10	1	5	—	—	—	—	—	3	—	2		
28 Other defined diseases ...	M	1,278	136	15	14	20	27	115	261	690	611	64	4	7	10	8	42	85	391		
	F	1,309	86	15	17	22	24	105	240	800	506	39	8	9	11	6	47	72	314		
29 Causes ill-defined or unknown.	M	33	1	3	1	—	—	11	14	3	19	1	3	1	—	—	2	4	8		
	F	23	3	2	—	1	1	3	9	4	13	2	1	1	—	—	1	2	6		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF LANCASHIRE—1911.

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES		M	11818	2775	719	534	432	605	1475	2789	2489	1,601	313	68	71	76	63	187	360	463		
		F	11307	2349	646	502	458	495	1370	2492	2995	1,470	232	58	58	69	59	187	327	480		
1	Enteric fever	M	123	—	—	2	15	22	52	31	1	12	—	—	—	1	4	6	1	—		
		F	83	—	—	4	18	17	27	12	5	9	—	—	—	3	1	4	—	1		
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles	M	261	62	129	59	11	—	—	—	—	21	4	3	12	2	—	—	—	—		
		F	255	67	110	68	9	1	—	—	—	14	6	5	2	1	—	—	—	—		
4	Scarlet fever	M	62	—	5	28	26	2	1	—	—	11	—	2	3	3	—	—	—	—		
		F	65	2	7	31	23	1	1	—	—	8	—	1	5	2	—	—	—	—		
5	Whooping cough	M	122	55	37	26	4	—	—	—	—	13	6	6	1	—	—	—	—	—		
		F	154	81	40	26	7	—	—	—	—	16	9	4	3	—	—	—	—	—		
6	Diphtheria and croup	M	108	9	19	47	31	—	2	—	—	24	—	1	9	13	—	1	—	—		
		F	105	6	11	47	38	1	—	1	1	14	—	—	6	8	—	—	—	—		
7	Influenza	M	85	1	—	4	2	5	18	25	30	14	—	2	—	—	1	3	3	5		
		F	67	3	—	2	2	7	9	22	22	13	—	—	—	1	—	1	3	8		
8	Erysipelas	M	25	5	—	—	1	1	4	8	6	5	1	—	—	—	—	1	2	1		
		F	17	4	1	—	1	—	4	2	5	3	—	—	1	—	—	—	2	—		
9	Pulmonary tuberculosis	M	790	7	10	17	21	156	307	240	32	85	2	—	1	2	10	35	32	3		
		F	678	12	5	12	39	166	284	139	21	80	—	—	1	4	19	36	16	4		
10	Tuberculous meningitis	M	97	24	18	26	19	7	2	1	—	11	2	3	3	3	—	—	—	—		
		F	115	23	20	25	29	9	6	3	—	10	—	4	2	1	2	1	—	—		
11	Other tuberculous diseases.	M	216	61	33	24	24	22	31	21	—	21	4	2	3	7	1	4	—	—		
		F	204	47	36	21	30	23	21	21	5	28	3	4	3	4	3	7	4	—		
12	Cancer, malignant disease	M	532	—	—	2	7	5	50	277	191	80	—	—	—	1	—	5	33	41		
		F	791	1	—	1	1	2	112	428	246	141	—	—	—	—	1	11	81	48		
13	Rheumatic fever	M	52	—	—	4	12	10	13	12	1	5	—	—	—	1	1	1	2	—		
		F	71	1	1	—	21	15	13	16	4	10	—	—	—	3	2	3	2	—		
14	Meningitis	M	164	66	36	24	19	6	9	4	—	13	5	2	4	—	—	1	1	—		
		F	120	36	20	24	16	8	11	5	—	21	4	4	7	4	1	—	1	—		
15	Organic heart disease	M	838	—	—	1	15	26	100	374	322	152	—	—	1	3	4	13	56	75		
		F	1,045	1	2	3	37	47	158	408	389	142	—	—	1	2	2	20	56	61		
16	Bronchitis	M	844	208	44	26	9	1	27	204	325	95	23	5	1	—	1	1	26	38		
		F	833	147	46	18	8	—	20	187	407	96	8	2	3	5	—	1	12	65		
17	Pneumonia (all forms)	M	1,052	218	130	80	39	56	179	234	116	136	27	17	5	7	10	16	28	26		
		F	758	163	112	76	38	31	81	140	117	106	25	9	9	8	6	9	20	20		
18	Other respiratory diseases	M	184	11	8	26	11	5	18	65	40	27	1	1	2	—	1	5	11	6		
		F	145	11	5	14	13	4	20	32	46	15	—	—	2	3	—	5	2	3		
19	Diarrhoea, &c.	M	1,264	892	165	40	10	5	31	54	67	131	81	15	6	3	1	3	5	17		
		F	1,137	742	164	47	16	11	16	58	83	106	63	16	3	1	2	1	7	13		
20	Appendicitis and typhlitis	M	64	—	1	1	22	16	16	7	1	11	—	—	—	6	3	1	1	—		
		F	54	—	—	2	18	12	9	11	2	8	—	—	—	3	3	2	—	—		
21	Cirrhosis of liver	M	75	—	—	—	—	—	11	56	8	18	—	—	—	—	—	1	13	4		
		F	60	—	—	—	1	1	10	37	11	12	—	—	—	—	—	2	6	4		
21A	Alcoholism	M	16	—	—	—	—	—	4	8	4	4	—	—	—	—	—	4	—	—		
		F	8	—	—	—	—	—	4	4	—	2	—	—	—	—	—	1	1	—		
22	Nephritis and Bright's disease.	M	354	6	3	6	8	13	63	163	92	44	1	—	2	2	1	9	18	11		
		F	332	5	2	3	8	12	72	160	70	40	—	—	—	3	2	5	16	14		
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	60	—	—	—	—	6	54	—	—	10	—	—	—	—	1	9	—	—		
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	127	—	—	—	—	20	103	4	—	13	—	—	—	—	3	10	—	—		
25	Congenital debility, &c.	M	782	774	1	2	2	3	—	—	—	102	100	1	1	—	—	—	—	—		
		F	703	701	1	1	—	—	—	—	—	79	78	—	—	—	—	1	—	—		
26	Violence, apart from suicide.	M	758	16	13	43	73	162	259	153	39	86	—	2	8	10	13	24	20	9		
		F	184	16	7	21	25	12	27	39	37	31	—	5	6	6	—	4	5	5		
27	Suicide	M	114	—	—	—	12	36	56	10	14	14	—	—	—	—	—	6	4	4		
		F	56	—	—	—	15	24	13	4	7	7	—	—	—	—	1	3	3	—		
28	Other defined diseases	M	2,731	355	55	44	50	67	231	741	1188	448	55	6	8	11	9	43	96	220		
		F	2,987	273	49	53	57	73	270	704	1508	420	36	3	4	9	8	50	79	231		
29	Causes ill-defined or unknown.	M	105	5	12	2	1	3	11	55	16	18	1	—	1	1	—	4	8	3		
		F	93	7	7	3	3	1	14	46	12	16	—	1	—	1	—	4	7	3		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
LEICESTERSHIRE—1911.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	700	188	40	25	26	28	75	123	195	1,045	180	44	24	39	41	101	184	432		
	F	647	132	29	35	37	25	65	122	202	879	149	26	28	38	44	88	160	346		
1 Enteric fever ...	M	3	—	—	—	—	2	1	—	—	1	—	—	—	1	—	—	—	—		
	F	2	—	—	1	1	—	—	—	—	4	—	—	—	3	—	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	12	4	2	3	3	—	—	—	—	7	3	2	1	1	—	—	—	—		
	F	11	3	4	4	—	—	—	—	—	10	2	6	2	—	—	—	—	—		
4 Scarlet fever ...	M	4	—	—	2	1	1	—	—	—	5	—	1	1	2	1	—	—	—		
	F	9	—	—	5	4	—	—	—	—	5	—	—	2	3	—	—	—	—		
5 Whooping cough ...	M	4	2	1	1	—	—	—	—	—	8	5	2	1	—	—	—	—	—		
	F	4	3	—	1	—	—	—	—	—	12	4	5	3	—	—	—	—	—		
6 Diphtheria and croup ...	M	5	—	1	1	3	—	—	—	—	9	—	—	2	7	—	—	—	—		
	F	5	—	—	3	2	—	—	—	—	7	—	—	3	4	—	—	—	—		
7 Influenza ...	M	8	—	—	—	—	—	4	1	3	12	1	1	—	1	—	3	5	—		
	F	8	1	—	—	—	1	—	1	5	10	—	—	—	—	1	4	5	—		
8 Erysipelas ...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	58	—	1	—	—	11	30	15	1	74	—	1	—	2	15	38	17	1		
	F	45	1	—	—	4	12	19	8	1	68	—	—	—	5	23	29	10	1		
10 Tuberculous meningitis	M	6	3	1	—	1	1	—	—	—	12	1	3	1	6	1	—	—	—		
	F	10	1	2	2	2	3	—	—	—	6	3	1	1	—	1	—	—	—		
11 Other tuberculous diseases.	M	17	5	1	1	4	2	3	1	—	15	7	2	1	—	2	2	1	—		
	F	18	3	3	—	5	1	4	2	—	12	2	—	1	2	2	3	2	—		
12 Cancer, malignant disease	M	28	—	—	—	—	1	5	12	10	67	—	1	—	—	—	4	27	35		
	F	55	—	—	1	—	—	4	31	19	73	—	1	—	1	1	3	30	37		
13 Rheumatic fever ...	M	2	—	—	—	2	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	6	—	—	1	2	1	1	1	—	3	—	—	—	—	1	1	—	—		
14 Meningitis ...	M	3	1	—	2	—	—	—	—	—	8	2	2	2	—	—	2	—	—		
	F	7	1	2	1	1	—	2	—	—	8	2	—	3	—	3	—	—	—		
15 Organic heart disease ...	M	63	—	—	—	1	1	—	21	40	38	—	—	—	1	3	2	24	58		
	F	62	—	—	—	1	1	9	28	23	95	—	—	—	1	—	6	31	57		
16 Bronchitis ...	M	36	11	1	2	—	—	—	4	18	64	13	3	1	—	—	3	7	37		
	F	39	7	2	2	—	—	1	4	23	44	12	2	—	—	—	—	2	28		
17 Pneumonia (all forms)	M	47	11	13	4	4	—	7	6	2	66	15	6	2	2	4	13	11	13		
	F	23	5	4	5	1	—	3	4	1	37	5	2	6	4	—	5	5	10		
18 Other respiratory diseases	M	6	—	—	1	1	—	—	2	2	22	2	—	2	1	1	4	6	6		
	F	11	1	1	2	—	—	2	1	4	12	1	1	—	1	—	2	4	3		
19 Diarrhoea, &c. ...	M	81	61	8	1	—	1	—	4	6	67	42	9	—	2	1	—	4	9		
	F	62	41	8	3	1	—	2	1	6	63	41	6	1	—	1	1	4	9		
20 Appendicitis and typhlitis	M	8	—	—	1	2	3	2	—	—	6	—	—	1	—	1	1	3	—		
	F	—	—	—	—	—	—	—	—	—	5	—	—	1	3	1	—	—	—		
21 Cirrhosis of liver ...	M	4	—	—	—	—	—	—	3	1	6	—	—	—	—	—	—	6	—		
	F	5	—	—	—	—	—	1	2	2	3	—	—	—	—	—	2	—	1		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	10	—	—	—	—	1	—	5	4	25	1	—	—	—	—	—	11	13		
	F	8	1	—	—	2	—	—	—	5	21	—	—	—	1	2	—	13	5		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	—	4	—	—	4	—	—	—	—	1	3	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	1	5	—	—	7	—	—	—	—	—	7	—	—		
25 Congenital debility, &c.	M	61	60	—	—	—	—	—	1	—	58	57	—	1	—	—	—	—	—		
	F	42	40	—	—	1	1	—	—	—	53	53	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	28	1	3	2	2	2	7	8	3	52	6	1	—	5	4	8	17	11		
	F	18	4	1	4	2	—	—	—	7	22	—	1	4	4	—	3	3	7		
27 Suicide ...	M	9	—	—	—	—	—	2	4	3	10	—	—	—	—	3	3	2	2		
	F	3	—	—	—	—	—	1	2	—	10	—	—	—	—	2	5	2	1		
28 Other defined diseases ...	M	194	28	8	3	2	2	14	35	102	353	25	8	8	8	3	20	42	239		
	F	179	20	1	—	8	4	7	34	105	274	24	1	1	5	7	14	43	179		
29 Causes ill-defined or unknown.	M	2	1	—	1	—	—	—	—	—	7	—	2	—	—	—	—	2	3		
	F	5	—	1	—	—	—	—	3	1	9	—	—	—	—	—	1	6	2		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
LINCOLNSHIRE (PARTS OF HOLLAND)—1911.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	313	84	14	9	11	9	38	49	99	318	60	16	7	14	13	18	54	136		
	F	310	64	15	9	11	9	31	51	120	302	52	10	11	8	7	36	38	140		
1 Enteric fever ...	M	1	—	—	—	—	—	1	—	—	2	—	—	—	—	1	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	9	6	1	2	—	—	—	—	—	8	3	5	—	—	—	—	—	—		
	F	6	2	1	2	1	—	—	—	—	5	3	1	1	—	—	—	—	—		
6 Diphtheria and croup ...	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	1	1	—	—	—	—	2	—	—	1	1	—	—	—	—		
7 Influenza ...	M	2	—	—	1	—	1	—	—	—	2	—	—	—	—	—	1	1	1		
	F	4	—	1	—	—	—	1	2	—	3	—	—	—	—	—	1	1	1		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	17	1	—	—	1	4	8	3	—	16	1	—	—	2	4	3	5	1		
	F	18	—	—	1	3	3	9	2	—	15	1	1	—	1	—	9	3	—		
10 Tuberculous meningitis	M	3	1	—	—	2	—	—	—	—	8	1	—	2	4	1	—	—	—		
	F	6	—	1	—	1	—	3	1	—	3	—	—	—	2	1	—	—	—		
11 Other tuberculous diseases.	M	2	—	—	—	1	—	1	—	—	6	2	—	1	1	—	1	1	—		
	F	7	2	—	—	1	2	2	—	—	4	3	—	—	1	—	—	—	—		
12 Cancer, malignant disease	M	22	—	—	1	—	1	4	7	9	18	—	—	—	—	—	1	9	8		
	F	29	—	—	—	—	—	3	15	11	31	—	—	—	—	—	5	6	20		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
14 Meningitis ...	M	2	1	—	—	—	—	1	—	—	3	1	—	1	1	—	—	—	—		
	F	2	—	—	1	1	—	—	—	—	4	—	—	1	1	1	1	—	—		
15 Organic heart disease ...	M	31	—	—	—	—	—	4	11	16	27	—	—	—	—	1	—	9	17		
	F	34	—	—	—	—	1	3	7	23	32	—	—	—	—	3	—	9	20		
16 Bronchitis ...	M	17	7	1	2	—	—	—	1	6	14	5	—	1	—	—	—	2	6		
	F	20	5	2	—	—	—	—	3	10	19	5	3	—	—	1	—	1	9		
17 Pneumonia (all forms)...	M	16	3	2	—	1	—	4	5	1	24	6	5	1	—	2	4	3	3		
	F	12	2	1	3	—	—	2	3	1	12	3	1	4	—	—	2	2	—		
18 Other respiratory diseases	M	5	2	—	—	—	—	—	2	1	3	—	—	—	—	—	—	2	1		
	F	5	—	—	—	—	—	1	1	3	1	—	—	—	—	—	—	1	—		
19 Diarrhoea, &c. ...	M	35	23	7	—	—	—	1	2	2	23	12	3	—	—	—	1	—	7		
	F	30	19	3	—	—	—	—	1	7	22	15	2	1	—	—	3	—	1		
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	—	—		
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21 Cirrhosis of liver ...	M	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1	1	2		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	2	—		
21A Alcoholism ...	M	2	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	2	—	—	—	—	—	—	1	1	12	1	—	—	—	—	1	—	10		
	F	9	1	—	—	—	—	1	3	4	9	—	—	—	—	—	1	2	6		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	4	—	—	—	—	—	4	—	—		
25 Congenital debility, &c.	M	26	24	2	—	—	—	—	—	—	16	15	—	—	—	—	1	—	—		
	F	24	23	—	—	1	—	—	—	—	15	14	1	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	12	2	—	—	3	2	3	1	1	19	2	1	—	3	1	2	6	4		
	F	3	—	—	—	1	—	—	—	2	1	—	—	—	—	—	—	—	1		
27 Suicide ...	M	2	—	—	—	—	—	1	1	—	4	—	—	—	—	—	1	1	2		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
28 Other defined diseases ...	M	104	14	1	2	2	1	7	15	62	102	11	2	1	2	2	1	11	72		
	F	92	9	5	—	1	2	4	13	58	109	7	1	2	1	1	5	10	82		
29 Causes ill-defined or unknown.	M	2	—	—	1	—	—	1	—	—	3	—	—	—	—	—	—	1	2		
	F	1	—	—	—	—	—	1	—	—	4	1	—	1	—	—	1	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF LINCOLNSHIRE (PARTS OF KESTEVEN)—1911.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.									AGGREGATE OF RURAL DISTRICTS.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	282	56	5	12	10	11	43	56	89	496	102	13	9	17	18	38	82	217
	F	247	34	14	8	8	11	31	35	106	449	58	22	14	11	14	42	82	206
1 Enteric fever ...	M	2	—	—	—	1	1	—	—	—	1	—	—	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—
4 Scarlet fever ...	M	1	—	—	1	—	—	—	—	—	2	1	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
5 Whooping cough ...	M	2	2	—	—	—	—	—	—	—	8	5	2	1	—	—	—	—	—
	F	7	1	4	1	—	1	—	—	—	5	3	—	2	—	—	—	—	—
6 Diphtheria and croup ...	M	5	—	—	4	1	—	—	—	—	4	2	—	2	—	—	—	—	—
	F	2	—	—	1	—	1	—	—	—	2	—	—	1	—	1	—	—	—
7 Influenza ...	M	—	—	—	—	—	—	—	—	—	8	—	1	—	1	—	2	4	—
	F	—	—	—	—	—	—	—	—	—	8	1	—	1	—	—	2	—	4
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1
9 Pulmonary tuberculosis	M	25	—	—	—	2	3	11	6	3	27	1	—	1	1	1	10	11	2
	F	17	—	—	1	1	3	9	1	2	29	—	—	—	6	7	13	3	—
10 Tuberculous meningitis	M	1	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—
	F	3	—	—	—	2	1	—	—	—	1	—	—	1	—	—	—	—	—
11 Other tuberculous diseases.	M	3	—	—	—	1	1	—	1	—	9	1	—	—	2	1	2	3	—
	F	2	—	—	—	—	1	1	—	—	3	—	1	—	—	—	1	1	—
12 Cancer, malignant disease	M	18	—	—	—	—	1	2	9	6	45	—	—	—	—	—	2	15	28
	F	25	—	—	—	—	—	3	12	10	46	—	1	—	—	1	1	28	15
13 Rheumatic fever ...	M	2	—	—	—	1	1	—	—	—	2	—	1	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Meningitis ...	M	1	—	—	1	—	—	—	—	—	3	1	—	—	1	—	—	1	—
	F	1	1	—	—	—	—	—	—	—	4	1	—	—	1	1	—	—	1
15 Organic heart disease ...	M	26	—	—	—	1	—	2	5	18	37	—	—	—	—	—	2	9	26
	F	27	—	—	—	1	—	3	5	18	49	—	—	—	—	—	3	11	35
16 Bronchitis ...	M	20	6	1	2	—	—	1	3	7	31	6	3	1	—	—	1	1	19
	F	22	6	—	1	—	—	—	2	13	41	4	5	—	—	—	1	1	30
17 Pneumonia (all forms)...	M	14	5	1	1	—	—	2	4	1	30	7	3	1	—	3	5	2	9
	F	12	2	5	—	1	—	2	—	2	18	2	5	2	—	1	—	2	6
18 Other respiratory diseases	M	3	1	—	—	—	—	—	1	1	4	1	—	—	1	—	—	1	1
	F	1	—	—	—	1	—	—	—	—	7	1	—	—	—	—	1	2	3
19 Diarrhoea, &c. ...	M	18	10	2	1	—	—	1	1	3	32	25	2	—	2	—	—	—	3
	F	11	9	1	—	—	—	—	—	1	24	11	3	3	1	—	—	1	5
20 Appendicitis and typhlitis	M	1	—	—	—	—	1	—	—	—	2	—	—	—	2	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—
21 Cirrhosis of liver ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	2	1
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
22 Nephritis and Bright's disease.	M	11	1	—	—	—	—	5	2	3	5	1	—	—	—	—	—	2	2
	F	6	—	—	—	—	—	2	1	3	12	1	—	—	—	—	3	4	4
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	2	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	4	—	—	6	—	—	—	—	1	5	—	—
25 Congenital debility, &c.	M	22	22	—	—	—	—	—	—	—	34	34	—	—	—	—	—	—	—
	F	12	12	—	—	—	—	—	—	—	26	26	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	14	1	—	—	1	—	4	2	6	20	—	1	2	2	2	3	5	5
	F	4	—	1	3	—	—	—	—	—	10	—	2	1	1	—	1	1	4
27 Suicide ...	M	4	—	—	—	—	1	1	2	—	6	—	—	—	—	—	1	4	1
	F	2	—	—	—	—	—	1	1	—	3	—	—	—	—	—	1	2	—
28 Other defined diseases ...	M	87	8	1	1	2	2	12	20	41	172	17	—	1	3	10	9	19	113
	F	80	3	1	1	2	2	5	12	54	144	7	4	2	1	1	7	24	98
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	1	—	—	9	—	—	—	—	1	—	2	6
	F	4	—	1	—	—	—	—	1	2	1	1	—	—	—	—	—	—	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF LINCOLNSHIRE (PARTS OF LINDSEY)—1911.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	684	168	33	29	28	34	68	140	184	937	188	33	22	34	27	85	173	375		
	F	649	162	33	36	22	26	57	110	203	948	178	28	30	40	32	106	151	383		
1 Enteric fever ...	M	4	—	—	—	—	1	2	1	—	5	—	—	—	1	—	3	1	—		
	F	4	—	—	—	1	—	2	—	1	2	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	16	5	6	4	1	—	—	—	—	5	1	3	—	—	—	1	—	—		
	F	21	1	10	10	—	—	—	—	—	8	1	6	1	—	—	—	—	—		
4 Scarlet fever ...	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—		
5 Whooping cough ...	M	—	—	—	—	—	—	—	—	—	9	6	—	2	1	—	—	—	—		
	F	1	1	—	—	—	—	—	—	—	11	8	—	1	2	—	—	—	—		
6 Diphtheria and croup ...	M	11	—	1	4	6	—	—	—	—	8	—	—	3	4	—	1	—	—		
	F	10	—	—	3	5	—	1	1	—	8	1	—	1	6	—	—	—	—		
7 Influenza ...	M	6	—	—	—	1	—	—	2	3	13	2	1	1	—	—	—	2	7		
	F	4	—	—	1	—	—	—	1	2	12	—	1	1	1	1	2	—	6		
8 Erysipelas ...	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	38	3	—	—	1	8	13	12	1	52	2	1	1	3	9	23	13	—		
	F	48	2	2	2	3	13	16	9	1	70	2	—	1	11	13	29	11	3		
10 Tuberculous meningitis	M	5	2	1	—	1	—	1	—	—	9	—	2	1	5	1	—	—	—		
	F	8	1	1	4	1	1	—	—	—	9	2	2	4	—	1	—	—	—		
11 Other tuberculous diseases.	M	14	1	4	—	4	2	—	3	—	13	1	3	1	—	1	2	5	—		
	F	8	1	—	2	1	2	1	1	—	13	—	—	2	3	—	3	2	3		
12 Cancer, malignant disease	M	32	—	—	—	—	—	1	18	13	57	—	1	—	1	—	2	23	30		
	F	53	—	—	—	—	—	8	23	22	76	—	—	—	—	1	6	31	38		
13 Rheumatic fever ...	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	1	—	1	—	—	4	—	—	—	1	—	2	1	—		
14 Meningitis ...	M	12	5	1	3	2	1	—	—	—	11	6	1	1	—	—	3	—	—		
	F	7	2	2	1	1	—	1	—	—	6	—	—	—	3	1	1	—	1		
15 Organic heart disease ...	M	56	—	—	—	—	2	9	21	24	92	—	—	—	—	—	6	27	59		
	F	47	—	—	—	—	1	4	21	21	99	—	—	—	—	—	10	23	66		
16 Bronchitis ...	M	33	4	—	2	—	—	1	5	21	42	8	3	1	—	1	—	3	26		
	F	46	14	2	3	—	—	—	6	21	48	10	5	2	1	—	—	4	26		
17 Pneumonia (all forms)...	M	45	9	8	8	1	4	4	8	3	57	20	6	—	3	—	6	8	14		
	F	32	7	4	5	2	—	2	2	10	40	14	5	2	3	2	4	4	6		
18 Other respiratory diseases	M	12	1	1	3	—	—	1	1	5	17	2	—	1	2	—	4	3	5		
	F	8	—	—	—	1	1	—	2	4	10	—	—	—	—	—	4	2	4		
19 Diarrhoea, &c. ...	M	65	53	2	—	1	—	2	2	5	65	48	1	2	1	—	1	5	7		
	F	70	55	5	2	—	—	—	3	5	71	39	5	2	2	—	2	6	15		
20 Appendicitis and typhlitis	M	6	—	—	—	2	2	1	1	—	4	—	—	—	1	—	2	1	—		
	F	2	—	—	—	—	1	1	—	—	2	—	—	—	—	—	—	2	—		
21 Cirrhosis of liver ...	M	7	—	—	—	—	—	1	5	1	2	—	—	—	—	—	—	1	1		
	F	3	—	—	—	—	—	—	2	1	5	—	—	—	—	—	2	3	—		
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
22 Nephritis and Bright's disease.	M	14	—	—	—	—	—	4	5	5	18	—	1	—	2	—	1	9	5		
	F	9	—	—	—	1	2	2	3	1	14	—	—	—	—	1	—	8	5		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	—	4	—	—	4	—	—	—	—	2	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	2	—	—	7	—	—	—	—	1	6	—	—		
25 Congenital debility, &c.	M	52	51	1	—	—	—	—	—	—	63	62	—	1	—	—	—	—	—		
	F	54	52	2	—	—	—	—	—	—	72	70	1	—	1	—	—	—	—		
26 Violence, apart from suicide.	M	36	1	—	4	4	5	8	9	5	45	1	1	4	4	4	14	10	7		
	F	10	1	2	1	—	—	—	—	6	16	—	—	2	2	1	4	2	5		
27 Suicide ...	M	8	—	—	—	—	2	3	2	1	10	—	—	—	—	2	1	4	3		
	F	4	—	—	—	—	1	1	2	—	2	—	—	—	—	—	2	—	—		
28 Other defined diseases ...	M	201	33	5	1	3	7	15	42	95	330	28	8	3	6	9	15	53	208		
	F	186	25	3	2	4	3	11	31	107	330	31	3	9	3	8	24	48	204		
29 Causes ill-defined or unknown.	M	6	—	3	—	—	—	—	2	1	9	1	1	—	—	—	—	4	3		
	F	4	—	—	—	1	—	—	2	1	6	—	—	—	—	—	2	4	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
MERIONETHSHIRE—1911.

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	181	22	5	7	4	13	17	51	62	211	26	1	5	8	12	20	50	89	
			F	170	23	8	5	4	9	27	28	66	191	21	3	1	7	6	29	31	93	
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles	M	9	2	4	3	—	—	—	—	3	1	—	—	—	1	1	—	—	
			F	7	3	2	2	—	—	—	—	—	4	2	—	—	—	—	1	1	—	
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	2	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
5	Whooping cough	M	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
			F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6	Diphtheria and croup	M	—	—	—	—	—	—	—	—	4	—	—	1	3	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	
7	Influenza	M	5	—	—	—	—	—	2	3	2	—	—	—	—	1	—	—	1	
			F	6	—	—	—	—	—	1	2	3	1	—	—	—	—	—	—	—	1	
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9	Pulmonary tuberculosis	{	M	22	—	—	—	—	6	4	9	3	23	—	—	—	1	4	10	8	—	
			F	12	—	1	—	—	2	7	2	—	17	—	—	—	—	2	11	4	—	
10	Tuberculous meningitis	{	M	3	1	—	1	1	—	—	—	—	2	1	—	1	—	—	—	—	—	
			F	5	1	—	1	1	1	—	—	—	2	1	—	—	1	—	—	—	—	
11	Other tuberculous diseases.	{	M	1	—	—	—	—	—	—	1	—	2	—	—	—	1	—	—	1	—	
			F	2	—	—	—	—	2	—	—	—	4	1	—	—	—	1	2	—	—	
12	Cancer, malignant disease	{	M	18	—	—	—	—	—	2	11	5	15	—	—	—	—	—	1	6	8	
			F	13	—	—	—	—	—	—	3	5	5	15	—	—	—	—	4	1	10	
13	Rheumatic fever	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	
14	Meningitis	M	2	—	—	1	—	1	—	—	2	—	1	—	—	1	—	—	—	
			F	3	—	—	—	1	1	—	1	—	1	—	—	—	1	—	—	—	—	
15	Organic heart disease	...	{	M	18	—	—	—	—	1	—	6	11	26	—	—	—	1	—	1	6	
			F	20	—	—	—	—	—	1	4	3	12	26	—	—	—	—	2	7	17	
16	Bronchitis	M	2	—	—	—	—	—	—	2	15	2	—	1	—	—	—	2	10	
			F	4	2	—	—	—	—	—	1	1	8	2	—	—	—	—	—	1	5	
17	Pneumonia (all forms)...	{	M	19	2	—	—	—	3	5	3	6	17	3	—	1	—	—	1	6	6	
			F	11	1	1	2	1	—	3	1	2	13	1	2	—	1	—	1	3	5	
18	Other respiratory diseases	{	M	4	—	1	1	—	—	—	1	1	9	1	—	—	1	—	—	4	3	
			F	3	—	—	—	—	—	—	—	1	2	1	—	—	—	—	—	1	—	
19	Diarrhoea, &c.	M	6	5	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	
			F	7	4	2	—	—	—	—	—	1	7	4	—	—	—	—	1	—	2	
20	Appendicitis and typhlitis	{	M	2	—	—	—	1	1	—	—	—	1	—	—	—	1	—	—	—	—	
			F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
21	Cirrhosis of liver	...	{	M	1	—	—	—	—	—	—	1	2	—	—	—	—	—	2	—	—	
			F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
22	Nephritis and Bright's disease.	{	M	4	—	—	—	—	—	—	2	2	6	—	—	—	—	—	—	3	3	
			F	8	—	—	—	—	—	—	—	4	4	10	—	—	3	—	2	2	3	
23	Puerperal fever...	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	1	—	—	—	—	—	1	—	—	3	—	—	—	1	2	—	—	—	
24	Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	3	—	—	—	
25	Congenital debility, &c.	{	M	7	7	—	—	—	—	—	—	—	8	8	—	—	—	—	—	—	—	
			F	7	7	—	—	—	—	—	—	—	—	5	5	—	—	—	—	—	—	—
26	Violence, apart from suicide.	{	M	8	—	—	1	1	—	1	3	2	6	—	—	—	—	2	2	1	1	
			F	4	—	—	—	—	—	—	—	1	3	2	1	—	—	—	—	—	1	1
27	Suicide	M	—	—	—	—	—	—	—	—	3	—	—	—	—	1	—	2	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
28	Other defined diseases	...	{	M	59	5	—	—	1	1	4	13	26	62	8	—	1	—	2	4	8	39
			F	52	5	—	—	1	2	4	7	33	64	4	1	—	1	—	—	11	47	
29	Causes ill-defined or unknown.	{	M	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
			F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF MIDDLESEX—1911.

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS.									AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	
ALL CAUSES	M	6,457	1757	427	305	260	216	785	1288	1419	260	64	11	16	12	3	32	41	81
			F	6,304	1362	404	293	230	229	758	1110	1918	245	64	6	8	11	7	33	41	75
1	Enteric fever	M	13	—	—	—	1	4	6	2	—	1	—	—	—	1	—	—	—
			F	14	—	—	—	1	3	8	1	1	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	229	40	97	67	22	2	1	—	9	3	2	2	2	—	—	—	—
			F	212	45	87	59	18	1	2	—	—	6	2	1	2	1	—	—	—	—
4	Scarlet fever	M	14	—	1	6	6	—	1	—	1	—	—	1	—	—	—	—	—
			F	16	—	2	7	4	1	2	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	106	48	27	26	5	—	—	—	8	3	3	2	—	—	—	—	—
			F	151	55	57	34	5	—	—	—	—	6	5	—	1	—	—	—	—	—
6	Diphtheria and croup	M	56	8	5	20	22	1	—	—	4	—	1	1	2	—	—	—	—
			F	59	5	7	20	25	—	1	1	—	3	—	—	3	—	—	—	—	—
7	Influenza	M	56	4	1	—	1	1	8	19	22	1	—	—	—	—	—	—	1
			F	67	5	—	2	2	2	8	18	30	2	—	—	—	—	1	1	—	—
8	Erysipelas	M	14	1	1	1	—	1	1	4	5	—	—	—	—	—	—	—	—
			F	13	4	—	1	—	—	—	7	1	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	{	M	499	7	7	8	18	72	241	129	17	18	—	—	—	—	1	12	3	2
			F	414	7	6	8	27	84	193	78	11	11	—	—	—	1	2	6	1	1
10	Tuberculous meningitis	{	M	78	13	23	20	16	3	3	—	—	1	—	—	1	—	—	—	—	—
			F	53	6	8	23	11	4	—	—	1	—	4	1	—	1	2	—	—	—
11	Other tuberculous diseases.	{	M	91	22	22	14	12	5	9	5	2	2	—	—	1	1	—	—	—	—
			F	76	17	9	9	19	6	8	6	2	3	2	—	—	—	1	—	—	—
12	Cancer, malignant disease	{	M	423	—	1	2	2	5	42	194	177	16	—	—	—	—	—	1	9	6
			F	594	—	1	—	2	4	88	263	236	25	—	—	—	—	—	5	11	9
13	Rheumatic fever	M	23	1	—	—	5	2	8	7	—	—	—	—	—	—	—	—	—
			F	24	—	—	—	11	2	6	4	1	3	—	—	—	2	1	—	—	—
14	Meningitis	M	49	13	10	9	7	4	4	—	5	2	—	1	2	—	—	—	—
			F	54	12	11	11	14	2	2	1	1	5	2	—	1	—	1	1	—	—
15	Organic heart disease	M	502	—	—	1	15	23	68	189	206	20	—	—	—	—	4	7	9
			F	511	—	—	1	9	17	68	169	247	18	—	—	—	—	—	2	7	9
16	Bronchitis	M	363	77	23	12	4	—	12	82	153	18	4	—	1	—	1	4	8
			F	392	61	7	5	1	4	6	66	242	13	2	—	—	—	—	1	1	9
17	Pneumonia (all forms)...	{	M	489	145	66	41	16	11	68	96	46	14	4	1	2	—	1	3	1	2
			F	369	91	75	46	13	10	40	38	56	15	2	1	1	—	—	—	4	7
18	Other respiratory diseases	{	M	120	15	5	15	4	2	19	28	32	7	—	—	1	—	—	—	2	4
			F	87	11	7	5	2	2	10	16	34	2	1	—	—	—	—	—	1	—
19	Diarrhoea, &c.	M	765	599	94	17	2	3	5	20	25	23	14	3	1	—	—	3	2
			F	666	485	88	20	3	2	13	16	39	18	14	1	1	1	—	—	1	—
20	Appendicitis and typhlitis	{	M	75	1	—	7	27	13	17	9	1	6	—	—	1	2	—	1	—	2
			F	51	—	1	5	11	6	6	17	7	4	1	—	—	—	—	1	—	—
21	Cirrhosis of liver	M	65	—	1	—	—	12	38	14	1	—	—	—	—	—	1	—	—
			F	62	—	—	—	—	—	14	36	12	2	—	—	—	—	—	1	—	1
21A	Alcoholism	M	9	—	—	—	—	5	4	—	—	—	—	—	—	—	—	—	—
			F	3	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	{	M	164	2	—	—	4	4	30	71	53	7	—	—	—	—	—	1	3	3
			F	159	2	1	2	5	4	4	24	62	59	3	—	—	—	—	1	2	—
23	Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	38	—	—	—	—	5	32	1	—	—	—	—	—	—	—	—	—	—
24	Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	50	—	—	—	—	13	36	1	—	—	1	—	—	—	1	—	—	—
25	Congenital debility, &c.	{	M	524	518	4	—	—	1	1	—	—	23	23	—	—	—	—	—	—	—
			F	367	360	4	—	1	1	1	—	—	—	29	29	—	—	—	—	—	—
26	Violence, apart from suicide.	{	M	204	25	5	22	28	17	50	34	23	9	1	—	1	1	—	2	2	2
			F	128	25	5	16	13	5	5	10	19	35	5	—	—	1	—	—	3	1
27	Suicide	M	56	—	—	—	1	4	21	21	9	4	—	—	—	—	2	—	2
			F	30	—	—	—	—	6	13	8	3	—	—	—	—	—	—	—	—	—
28	Other defined diseases	M	1,458	218	29	17	41	38	153	333	629	61	10	—	2	—	5	6	38
			F	1,631	170	23	19	32	45	154	286	902	69	4	2	—	1	1	11	11	39
29	Causes ill-defined or unknown.	{	M	12	—	5	—	1	—	—	3	3	1	—	1	—	—	—	—	—	—
			F	13	1	5	—	1	—	—	1	3	2	1	—	1	—	—	—	—	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
MONMOUTHSHIRE—1911.

Causes of Death.			Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
				All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	2,192	763	157	77	79	94	274	377	371	332	42	4	11	12	11	35	94	123		
			F	1,839	588	163	83	70	67	240	299	329	329	44	8	8	9	14	49	52	145		
1 Enteric fever	M	30	1	—	—	3	8	13	5	—	1	—	—	—	—	1	—	—	—		
			F	15	—	—	3	4	3	4	1	—	1	—	—	—	—	1	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	16	4	7	4	1	—	—	—	—	1	—	—	—	1	—	—	—	—		
			F	15	3	8	3	—	—	1	—	—	1	1	—	—	—	—	—	—	—		
4 Scarlet fever	M	8	—	—	4	4	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	8	—	3	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough	M	53	32	16	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	58	31	19	8	—	—	—	—	—	2	—	—	—	2	—	—	—	—		
6 Diphtheria and croup	M	12	1	3	5	3	—	—	—	—	1	—	—	1	—	—	—	—	—		
			F	15	—	—	8	5	2	—	—	—	—	—	—	—	—	—	—	—	—		
7 Influenza	M	26	—	1	—	1	3	8	12	1	4	—	—	—	1	—	—	2	1		
			F	14	1	—	2	—	1	4	3	3	6	—	1	—	—	—	2	—	3		
8 Erysipelas	M	2	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	1		
			F	3	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	87	1	3	1	2	9	43	26	2	21	—	1	—	—	2	12	5	1		
			F	84	3	—	2	10	16	42	10	1	25	—	—	1	2	3	14	5	—		
10 Tuberculous meningitis	M	12	7	1	2	—	2	—	—	—	1	1	—	—	—	—	—	—	—		
			F	13	2	2	1	6	2	—	—	—	2	—	—	1	1	—	—	—	—		
11 Other tuberculous diseases.	M	28	7	4	3	2	8	3	1	—	7	—	—	1	1	2	2	1	—		
			F	28	6	5	5	2	1	6	3	—	8	—	—	—	2	2	4	—	—		
12 Cancer, malignant disease	M	74	—	—	1	—	2	10	39	22	31	—	—	—	—	1	21	9	—		
			F	88	2	—	—	—	—	15	51	20	35	—	—	—	—	1	4	13	17		
13 Rheumatic fever	M	7	—	—	—	2	—	4	1	—	—	—	—	—	—	—	—	—	—		
			F	16	—	—	1	4	7	3	1	—	—	—	—	—	—	—	—	—	—		
14 Meningitis	M	28	12	6	2	3	1	2	2	—	6	1	—	2	2	—	—	1	—		
			F	21	5	5	2	4	—	2	3	—	1	—	—	—	—	—	1	—	—		
15 Organic heart disease	M	112	—	—	1	3	5	25	36	42	32	—	—	—	—	1	—	13	18		
			F	128	—	—	—	6	8	16	50	48	46	—	—	—	—	1	7	13	25		
16 Bronchitis	M	154	41	16	5	3	—	4	31	54	28	2	2	—	—	—	2	4	18		
			F	131	38	13	3	4	1	6	20	46	23	5	1	1	—	1	—	—	15		
17 Pneumonia (all forms)	M	235	79	36	18	6	14	28	39	15	30	4	1	3	—	2	4	8	8		
			F	163	55	35	16	4	10	13	21	9	17	4	1	1	—	—	3	2	6		
18 Other respiratory diseases	M	51	4	2	9	5	2	6	13	10	4	1	—	—	—	—	—	1	2		
			F	26	2	2	2	4	—	2	4	10	9	1	—	1	1	—	—	—	6		
19 Diarrhoea, &c.	M	302	222	40	3	2	2	4	12	17	14	8	—	1	—	—	3	—	2		
			F	261	177	46	6	1	1	10	11	9	18	11	3	1	—	—	1	—	2		
20 Appendicitis and typhlitis	M	16	—	—	1	5	4	5	1	—	2	—	—	1	1	—	—	—	—		
			F	10	—	—	1	—	3	4	1	—	1	—	—	—	—	—	1	—	—		
21 Cirrhosis of liver	M	14	—	—	—	—	—	4	8	2	2	—	—	—	—	—	2	—	—		
			F	6	—	—	—	—	—	2	3	1	—	—	—	—	—	—	—	—	—		
21A Alcoholism	M	6	—	—	—	—	—	2	4	—	1	—	—	—	—	—	—	—	1		
			F	2	—	—	—	—	—	1	1	—	1	—	—	—	—	—	1	—	—		
22 Nephritis and Bright's disease.	M	32	—	—	—	3	2	8	11	8	12	—	—	—	1	—	2	3	6		
			F	39	3	3	2	—	3	9	12	7	7	—	—	—	—	—	3	—	4		
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	16	—	—	—	—	1	15	—	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	29	—	—	—	—	3	26	—	—	4	—	—	—	—	—	4	—	—		
25 Congenital debility, &c.	M	212	205	3	2	1	—	1	—	—	17	17	—	—	—	—	—	—	—		
			F	158	158	—	—	—	—	—	—	—	18	18	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	130	1	2	5	13	19	54	29	7	14	—	—	—	5	2	1	5	1		
			F	39	4	6	8	3	1	7	3	7	2	—	—	1	—	—	—	1	—		
27 Suicide	M	8	—	—	—	—	2	4	2	—	5	—	—	—	—	—	1	2	2		
			F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases	M	520	144	13	5	17	11	44	99	187	95	8	—	2	—	2	4	26	53		
			F	437	94	12	8	8	4	50	97	164	101	4	2	1	1	5	8	14	66		
29 Causes ill-defined or unknown.	M	17	2	4	1	—	—	2	5	3	2	—	—	—	—	—	—	2	—		
			F	15	3	4	—	2	—	1	3	2	1	—	—	—	—	—	—	—	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF MONTGOMERYSHIRE—1911.

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	...	M	152	22	2	3	4	3	12	34	72	238	36	4	2	6	9	23	38	120		
		F	149	18	3	3	2	6	14	35	68	233	30	3	2	5	12	33	50	98		
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5	Whooping cough	M	4	3	—	1	—	—	—	—	—	5	5	—	—	—	—	—	—	—		
		F	1	1	—	—	—	—	—	—	—	4	4	—	—	—	—	—	—	—		
6	Diphtheria and croup	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	2	—	—	1	1	—	—	—	—	2	—	1	—	—	1	—	—	—		
7	Influenza	M	1	—	—	—	—	—	—	—	1	2	—	—	—	1	—	—	—	1		
		F	—	—	—	—	—	—	—	—	—	4	—	—	—	1	—	3	—	—		
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
9	Pulmonary tuberculosis	M	8	—	—	—	—	1	5	2	—	22	—	—	—	—	5	9	6	2		
		F	7	—	—	—	—	2	1	4	—	16	—	—	—	—	3	11	2	—		
10	Tuberculous meningitis	M	1	—	—	1	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
		F	—	—	—	—	—	—	—	—	—	5	—	1	1	—	—	2	1	—		
11	Other tuberculous diseases.	M	—	—	—	—	—	—	—	—	—	4	—	—	—	2	—	2	—	—		
		F	3	—	—	—	—	1	2	—	—	3	—	—	—	—	2	—	—	1		
12	Cancer, malignant disease	M	16	—	—	—	—	—	2	5	9	15	—	—	—	1	—	—	3	11		
		F	11	—	—	—	—	—	1	6	4	19	—	—	—	1	—	1	8	9		
13	Rheumatic fever	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
14	Meningitis	M	1	—	—	—	1	—	—	—	—	1	—	1	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	2	—	—	—		
15	Organic heart disease	M	5	—	—	—	—	—	1	3	1	38	—	—	—	—	—	2	10	26		
		F	22	—	—	—	—	1	1	8	12	26	—	—	—	—	1	3	7	15		
16	Bronchitis	M	11	2	—	—	—	—	—	2	7	18	2	1	—	—	1	1	—	13		
		F	12	1	—	—	—	—	—	1	10	13	3	—	—	—	—	1	4	5		
17	Pneumonia (all forms)...	M	7	—	2	—	—	—	1	1	3	16	3	2	—	1	—	2	3	5		
		F	4	1	1	—	—	—	1	—	1	7	1	—	—	—	2	1	1	2		
18	Other respiratory diseases	M	2	—	—	—	—	—	—	1	1	4	—	—	—	—	—	—	1	3		
		F	7	—	—	1	—	—	—	2	4	3	1	—	—	—	—	—	—	2		
19	Diarrhoea, &c.	M	1	—	—	—	—	—	—	—	1	7	4	—	1	—	—	1	—	1		
		F	7	6	1	—	—	—	—	—	—	5	3	—	—	1	—	—	—	1		
20	Appendicitis and typhlitis	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—		
21	Cirrhosis of liver	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1		
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22	Nephritis and Bright's disease.	M	7	—	—	—	—	1	—	3	3	3	—	—	—	—	—	—	1	2		
		F	2	—	—	—	—	—	—	2	—	5	—	—	—	—	1	—	1	3		
23	Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—		
24	Parturition, apart from puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	1	3	—	—		
25	Congenital debility &c.	M	13	13	—	—	—	—	—	—	—	14	14	—	—	—	—	—	—	—		
		F	5	5	—	—	—	—	—	—	—	9	9	—	—	—	—	—	—	—		
26	Violence, apart from suicide.	M	9	—	—	1	1	1	1	5	—	7	—	—	—	1	1	1	1	3		
		F	2	—	1	—	—	—	1	—	—	3	—	—	1	1	—	—	1	—		
27	Suicide	M	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	2	2	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
28	Other defined diseases	M	61	4	—	—	—	—	1	10	46	73	7	—	1	—	—	3	10	52		
		F	61	4	—	1	1	2	6	11	36	97	9	1	—	1	2	4	21	59		
29	Causes ill-defined or unknown.	M	2	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—	—		
		F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF NORFOLK—1911.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	425	62	13	4	10	19	32	97	188	1,833	326	46	36	51	67	158	311	838		
	F	407	67	14	6	10	8	37	74	191	1,613	244	42	36	35	58	143	261	794		
1 Enteric fever ...	M	3	—	—	—	—	1	1	1	—	7	—	—	—	—	—	4	3	—		
	F	—	—	—	—	—	—	—	—	—	5	—	—	—	—	4	—	—	1		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	1	—	1	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—		
	F	3	2	1	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
5 Whooping cough ...	M	6	3	1	2	—	—	—	—	—	24	16	8	—	—	—	—	—	—		
	F	3	—	2	1	—	—	—	—	—	16	8	6	2	—	—	—	—	—		
6 Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	10	1	—	4	4	1	—	—	—		
	F	1	—	—	—	1	—	—	—	—	7	—	—	3	4	—	—	—	—		
7 Influenza ...	M	—	—	—	—	—	—	—	—	—	12	2	1	—	1	—	4	—	4		
	F	—	—	—	—	—	—	—	—	—	20	—	1	—	—	—	3	8	8		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	5	1	—	—	1	—	—	1	2		
	F	2	—	1	—	—	—	—	1	—	4	—	—	—	—	1	1	—	2		
9 Pulmonary tuberculosis	M	25	—	1	—	1	4	7	9	3	98	—	—	1	3	21	42	23	8		
	F	22	—	—	—	1	5	11	5	—	109	1	1	—	8	22	44	21	12		
10 Tuberculous meningitis	M	1	—	—	—	1	—	—	—	—	12	2	—	3	4	2	—	1	—		
	F	1	—	—	—	—	—	—	1	—	9	2	2	2	2	—	1	—	—		
11 Other tuberculous diseases.	M	7	2	1	—	2	—	1	—	1	23	7	2	1	5	2	1	2	3		
	F	2	1	—	—	—	—	—	—	1	21	1	—	1	6	2	7	3	1		
12 Cancer, malignant disease	M	39	—	—	—	—	—	1	15	23	151	—	—	1	1	2	10	53	84		
	F	41	1	—	—	—	—	3	20	17	144	—	—	—	—	2	12	57	73		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	1	—		
	F	1	—	—	—	—	—	—	—	1	5	—	—	—	1	—	1	2	1		
14 Meningitis ...	M	4	1	2	1	—	—	—	—	—	11	3	1	2	4	1	—	—	—		
	F	1	1	—	—	—	—	—	—	—	5	—	—	2	1	—	—	1	1		
15 Organic heart disease ...	M	47	—	—	—	1	1	4	19	22	164	—	—	1	1	2	8	45	107		
	F	36	—	—	—	1	—	1	11	23	187	—	—	—	—	3	14	45	125		
16 Bronchitis ...	M	24	5	2	—	—	—	—	3	14	104	23	6	2	—	1	3	9	60		
	F	29	4	—	2	—	—	1	—	22	103	19	5	3	1	—	—	7	68		
17 Pneumonia (all forms)...	M	15	2	1	—	1	2	1	5	3	78	17	7	6	1	4	8	18	17		
	F	10	2	2	1	1	—	2	—	2	58	16	8	4	1	3	5	10	11		
18 Other respiratory diseases	M	6	—	—	—	—	—	—	3	3	24	1	—	3	—	1	4	6	9		
	F	5	—	1	1	—	—	—	—	3	18	2	1	—	1	2	—	4	8		
19 Diarrhoea, &c. ...	M	23	15	2	—	—	—	—	—	6	57	35	4	1	—	—	—	5	12		
	F	34	20	3	1	2	—	1	2	5	70	38	6	8	1	—	—	2	15		
20 Appendicitis and typhlitis	M	2	—	—	—	—	2	—	—	—	10	—	—	1	1	—	3	3	2		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	1	—	1		
21 Cirrhosis of liver ..	M	3	—	—	—	—	—	1	1	1	8	—	—	—	—	—	2	2	4		
	F	1	—	—	—	—	—	—	—	1	4	—	—	—	—	—	3	—	1		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	10	—	—	—	—	—	2	3	5	40	—	—	—	1	1	4	20	14		
	F	10	—	1	—	—	—	1	2	6	31	—	—	—	3	2	4	8	14		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	4	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	1	3	—	—	11	—	—	—	—	2	8	1	—		
25 Congenital debility, &c.	M	21	21	—	—	—	—	—	—	—	150	149	—	1	—	—	—	—	—		
	F	25	24	—	—	1	—	—	—	—	115	113	—	—	—	2	—	—	—		
26 Violence, apart from suicide.	M	24	—	—	1	3	4	3	5	8	83	1	3	6	3	13	17	25	15		
	F	6	—	2	—	—	—	2	1	1	19	1	—	3	—	2	3	3	7		
27 Suicide ...	M	8	—	—	—	—	—	2	5	1	30	—	—	—	—	2	11	10	7		
	F	3	—	—	—	—	—	—	3	—	9	—	—	—	—	1	2	5	1		
28 Other defined diseases ...	M	150	13	2	—	1	5	8	24	97	700	61	11	2	17	12	34	78	485		
	F	163	11	1	—	3	2	11	28	107	614	38	7	8	6	7	31	79	438		
29 Causes ill-defined or unknown.	M	6	—	—	—	—	—	1	4	1	25	7	2	1	2	1	2	5	5		
	F	4	1	—	—	—	—	1	—	2	19	4	4	—	—	1	2	2	6		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF NORTHAMPTONSHIRE—1911.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	601	120	27	35	34	31	67	115	172	829	120	23	12	27	24	76	164	383		
	F	509	91	24	16	21	34	57	98	168	758	94	16	20	38	26	96	127	341		
1 Enteric fever ...	M	1	—	—	—	—	1	—	—	—	2	—	—	—	—	1	1	—	—		
	F	2	—	—	—	1	—	—	1	—	7	—	—	—	1	2	3	1	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	3	—	2	1	—	—	—	—	—	3	—	1	1	1	—	—	—	—		
	F	5	2	1	2	—	—	—	—	—	3	1	—	1	1	—	—	—	—		
4 Scarlet fever ...	M	4	—	—	1	3	—	—	—	—	2	—	—	—	1	1	—	—	—		
	F	4	—	—	—	2	1	1	—	—	1	—	—	—	1	—	—	—	—		
5 Whooping cough ...	M	17	8	3	5	1	—	—	—	—	5	2	3	—	—	—	—	—	—		
	F	17	11	3	3	—	—	—	—	—	12	5	5	2	—	—	—	—	—		
6 Diphtheria and croup ...	M	9	—	1	4	3	1	—	—	—	7	—	—	1	5	—	—	—	1		
	F	6	1	2	2	1	—	—	—	—	7	—	—	1	6	—	—	—	—		
7 Influenza ...	M	2	—	1	—	—	—	1	—	—	6	—	—	—	1	1	1	1	2		
	F	4	1	—	—	—	—	1	1	1	7	—	—	—	1	—	—	1	5		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	1		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—		
9 Pulmonary tuberculosis	M	62	1	—	—	3	11	32	15	—	63	1	1	—	3	8	28	17	5		
	F	41	—	1	—	2	11	22	4	1	50	—	—	—	7	9	29	4	1		
10 Tuberculous meningitis	M	9	3	—	3	2	1	—	—	—	4	1	—	1	2	—	—	—	—		
	F	7	—	—	1	3	3	—	—	—	10	2	—	—	3	3	2	—	—		
11 Other tuberculous diseases.	M	13	—	—	2	2	5	3	1	—	5	—	—	—	1	—	1	2	1		
	F	5	—	1	—	—	3	1	—	—	11	—	—	—	1	1	6	1	2		
12 Cancer, malignant disease	M	36	—	—	—	—	—	4	18	14	60	—	—	—	—	—	—	24	36		
	F	54	—	—	—	—	—	5	29	20	75	—	—	—	1	—	8	29	37		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	—	1		
	F	4	—	—	—	3	—	—	1	—	5	—	—	—	—	3	1	1	—		
14 Meningitis ...	M	9	1	2	3	2	1	—	—	—	7	1	—	1	2	1	—	—	2		
	F	8	2	2	—	1	3	—	—	—	4	—	—	3	1	—	—	—	—		
15 Organic heart disease ...	M	48	—	—	—	2	—	2	19	25	96	—	1	—	—	3	7	37	48		
	F	52	—	—	—	2	1	4	13	32	70	1	—	—	—	4	3	19	43		
16 Bronchitis ...	M	31	8	3	2	2	—	—	5	11	49	10	1	2	—	—	—	4	32		
	F	20	1	2	1	—	—	—	5	11	46	9	3	1	—	—	1	6	26		
17 Pneumonia (all forms)...	M	37	9	7	5	1	—	5	6	4	44	13	6	3	2	—	6	5	9		
	F	21	6	6	—	—	1	1	2	5	27	2	4	3	1	—	5	3	9		
18 Other respiratory diseases	M	3	2	—	1	—	—	—	—	—	9	—	—	1	—	—	—	3	5		
	F	4	1	—	—	—	—	1	—	2	9	—	1	1	2	—	—	2	3		
19 Diarrhoea, &c. ...	M	40	26	6	2	2	—	1	1	2	34	18	3	—	1	1	1	3	7		
	F	32	17	3	2	2	—	1	6	1	39	20	1	2	1	—	1	1	13		
20 Appendicitis and typhlitis	M	6	—	—	—	1	4	—	1	—	2	—	—	—	1	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	4	—	—	—	2	—	—	2	—		
21 Cirrhosis of liver ...	M	3	—	—	—	—	—	—	2	1	9	—	—	—	—	—	—	4	5		
	F	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	2	3		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	15	—	—	—	—	2	2	7	4	18	—	—	—	—	1	1	7	9		
	F	6	—	—	—	—	—	1	4	1	16	—	—	—	—	—	4	6	6		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	—	4	—	—	3	—	—	—	—	—	3	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	6	—	—	—	—	1	5	—	—		
25 Congenital debility, &c.	M	48	47	—	—	1	—	—	—	—	49	49	—	—	—	—	—	—	—		
	F	37	37	—	—	—	—	—	—	—	38	37	—	—	—	1	—	—	—		
26 Violence, apart from suicide.	M	19	2	1	1	3	3	3	2	4	26	1	2	—	3	2	7	7	4		
	F	7	—	1	1	—	—	1	1	3	10	—	—	2	2	—	1	—	5		
27 Suicide ...	M	8	—	—	—	—	1	3	3	1	15	—	—	—	—	1	2	9	3		
	F	6	—	—	—	—	3	1	2	—	2	—	—	—	—	—	—	2	—		
28 Other defined diseases ...	M	173	13	1	5	6	1	10	31	106	295	22	4	2	4	3	16	33	211		
	F	155	12	2	3	4	8	10	26	90	281	17	2	3	6	1	23	43	186		
29 Causes ill-defined or unknown.	M	5	—	—	—	—	—	1	4	—	15	1	1	—	—	—	5	7	1		
	F	5	—	—	1	—	—	—	3	1	9	—	—	1	1	1	1	3	2		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF NORTHUMBERLAND—1911.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,878	580	130	80	84	79	209	341	375	864	184	37	28	24	43	104	148	296		
	F	1,652	459	138	95	58	68	179	265	390	831	170	43	20	24	37	94	166	277		
1 Enteric fever ...	M	23	—	—	—	—	5	14	4	—	8	—	—	—	1	4	2	—	1		
	F	18	—	—	—	3	6	5	3	1	4	—	—	—	1	3	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	22	3	11	8	—	—	—	—	—	11	2	5	4	—	—	—	—	—		
	F	27	6	10	10	1	—	—	—	—	11	3	6	1	1	—	—	—	—		
4 Scarlet fever ...	M	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	6	—	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	35	24	7	3	1	—	—	—	—	13	6	5	2	—	—	—	—	—		
	F	48	20	17	9	1	—	—	—	1	18	8	5	4	1	—	—	—	—		
6 Diphtheria and croup ...	M	18	—	3	7	8	—	—	—	—	4	—	—	3	1	—	—	—	—		
	F	14	—	4	9	1	—	—	—	—	8	—	—	2	6	—	—	—	—		
7 Influenza ...	M	15	1	—	1	1	—	5	4	3	7	—	—	—	—	—	3	1	3		
	F	13	—	1	—	—	1	4	3	4	9	—	—	—	—	1	1	2	5		
8 Erysipelas ...	M	3	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—		
	F	3	1	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	122	1	1	2	9	14	63	28	4	77	1	—	1	4	14	38	16	3		
	F	116	—	1	1	14	28	52	15	5	58	1	—	2	—	18	26	11	—		
10 Tuberculous meningitis	M	31	11	8	6	6	—	—	—	—	4	—	2	1	1	—	—	—	—		
	F	33	8	6	9	10	—	—	—	—	10	4	2	2	1	1	—	—	—		
11 Other tuberculous diseases.	M	49	9	9	7	10	6	5	3	—	13	2	2	2	5	—	—	—	2		
	F	45	9	7	9	8	1	8	2	1	9	5	2	—	—	1	—	1	—		
12 Cancer, malignant disease	M	91	—	—	—	2	1	9	45	34	46	—	—	—	—	2	4	17	23		
	F	100	—	—	—	—	—	10	48	42	71	—	—	—	1	1	8	28	33		
13 Rheumatic fever ...	M	4	—	—	—	2	1	—	1	—	3	—	—	1	—	1	—	1	—		
	F	4	—	—	—	3	—	1	—	—	3	—	—	—	—	2	1	—	—		
14 Meningitis ...	M	26	6	5	6	4	2	3	—	—	8	5	1	1	1	—	—	—	—		
	F	16	7	5	—	2	1	—	1	—	13	3	3	2	4	—	—	1	—		
15 Organic heart disease ...	M	118	—	—	—	4	6	5	46	57	90	—	—	1	1	1	6	22	59		
	F	132	—	—	1	—	7	20	51	53	89	—	—	—	1	—	10	24	54		
16 Bronchitis ...	M	111	48	11	2	1	2	3	14	30	34	14	3	—	1	—	—	1	15		
	F	105	36	7	6	1	—	3	14	38	43	10	2	1	1	—	1	2	26		
17 Pneumonia (all forms)...	M	168	63	23	14	2	6	17	28	15	47	16	4	3	1	2	4	9	8		
	F	102	35	18	17	3	—	11	8	10	40	11	7	3	—	2	4	7	6		
18 Other respiratory diseases	M	25	4	—	1	1	4	7	7	7	15	3	1	—	—	1	—	4	6		
	F	16	3	1	3	—	—	1	4	4	8	1	—	—	—	—	1	2	4		
19 Diarrhoea, &c. ...	M	217	160	28	4	1	1	4	10	9	56	34	10	3	1	—	1	2	5		
	F	182	121	40	6	1	1	—	9	4	64	42	6	2	2	—	2	5	5		
20 Appendicitis and typhlitis	M	5	—	—	—	2	2	—	1	—	2	—	—	—	1	—	—	—	1		
	F	8	—	—	—	1	2	2	2	1	5	—	—	—	1	—	2	1	1		
21 Cirrhosis of liver ...	M	8	—	—	—	—	—	1	7	—	7	—	—	—	—	—	1	5	1		
	F	7	—	—	—	—	—	2	3	2	3	—	—	—	—	1	1	1	—		
21A Alcoholism ...	M	2	—	—	—	—	—	1	1	—	2	—	—	—	—	—	1	1	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	34	—	2	3	1	2	4	11	11	31	1	—	1	—	1	4	14	10		
	F	38	1	1	—	1	—	7	18	10	18	—	—	—	1	—	4	8	5		
23 Puerperal fever, ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	—	7	—	—	1	—	—	—	—	1	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	22	—	—	—	—	6	16	—	—	9	—	—	—	—	—	9	—	—		
25 Congenital debility, &c.	M	174	174	—	—	—	—	—	—	—	73	73	—	—	—	—	—	—	—		
	F	153	152	1	—	—	—	—	—	—	57	57	—	—	—	—	—	—	—		
26 Violence, apart from suicide,	M	97	2	4	9	16	19	22	17	8	42	—	—	3	3	7	17	10	2		
	F	18	2	—	4	2	2	—	4	4	9	—	3	—	1	—	1	2	2		
27 Suicide ...	M	18	—	—	—	—	2	7	4	5	10	—	—	—	—	—	4	4	2		
	F	4	—	—	—	—	2	—	—	2	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	444	72	15	7	12	8	38	103	189	244	25	4	1	3	8	15	38	150		
	F	402	57	10	7	6	11	28	78	205	262	25	6	1	2	6	22	66	134		
29 Causes ill-defined or unknown.	M	17	1	2	—	1	—	4	7	2	16	2	—	1	—	2	3	3	5		
	F	12	1	6	1	—	—	1	2	1	9	—	1	—	—	1	5	2	2		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF NOTTINGHAMSHIRE—1911.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,505	506	110	98	47	54	157	237	296	886	182	34	32	33	33	89	148	335		
	F	1,426	376	120	84	67	62	134	235	348	767	138	24	14	29	36	78	134	314		
1 Enteric fever ...	M	12	—	—	—	1	6	4	1	—	4	—	—	—	—	—	2	1	1		
	F	3	—	—	—	1	—	—	2	—	4	—	—	—	—	2	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	61	13	21	25	2	—	—	—	—	4	3	1	—	—	—	—	—	—		
	F	49	7	16	18	8	—	—	—	—	8	2	2	4	—	—	—	—	—		
4 Scarlet fever ...	M	8	—	—	3	4	—	1	—	—	3	—	—	2	1	—	—	—	—		
	F	4	—	—	3	1	—	—	—	—	3	—	—	—	3	—	—	—	—		
5 Whooping cough ...	M	39	15	14	9	1	—	—	—	—	10	6	2	1	1	—	—	—	—		
	F	47	21	15	9	2	—	—	—	—	10	6	1	3	—	—	—	—	—		
6 Diphtheria and croup ...	M	10	—	—	4	6	—	—	—	—	12	—	—	7	5	—	—	—	—		
	F	14	—	1	3	10	—	—	—	—	5	—	—	—	5	—	—	—	—		
7 Influenza ...	M	8	—	—	—	—	2	1	3	2	13	—	—	—	—	1	4	1	7		
	F	13	—	—	1	—	1	4	4	3	10	—	—	—	—	1	—	2	7		
8 Erysipelas ...	M	5	—	—	—	—	2	—	2	1	2	—	—	—	—	—	—	1	1		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
9 Pulmonary tuberculosis	M	87	4	4	2	4	11	43	16	3	39	—	—	—	—	8	22	8	1		
	F	90	2	6	3	5	24	32	16	2	37	—	1	—	2	14	14	4	2		
10 Tuberculous meningitis	M	15	2	3	6	1	—	1	2	—	11	3	3	2	3	—	—	—	—		
	F	23	6	5	4	6	2	—	—	—	4	1	1	—	1	—	—	—	—		
11 Other tuberculous diseases.	M	41	16	4	7	2	4	3	4	1	25	8	2	—	6	—	5	2	2		
	F	40	8	6	5	9	6	4	1	1	11	4	1	1	1	1	2	1	—		
12 Cancer, malignant disease	M	65	—	—	1	—	—	4	41	19	67	—	—	—	—	—	4	21	42		
	F	111	—	1	1	—	1	22	54	32	81	—	—	—	—	1	8	34	38		
13 Rheumatic fever ...	M	4	—	—	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—		
	F	3	1	—	1	—	—	1	—	—	2	—	—	—	1	—	1	—	—		
14 Meningitis ...	M	22	9	5	2	2	1	2	1	—	12	5	3	3	1	—	—	—	—		
	F	12	5	2	2	2	—	—	1	—	8	2	1	2	2	1	—	—	—		
15 Organic heart disease ...	M	95	—	—	—	4	2	15	33	41	85	—	—	—	—	3	5	23	54		
	F	98	—	—	—	5	6	9	38	40	85	—	—	—	2	—	7	24	52		
16 Bronchitis ...	M	84	28	6	2	1	—	1	17	29	54	9	3	3	—	2	—	4	33		
	F	87	24	7	1	—	—	5	16	34	52	9	3	—	1	—	—	6	33		
17 Pneumonia (all forms)...	M	120	32	20	15	2	4	16	18	13	47	8	4	4	—	2	6	8	15		
	F	90	26	21	12	3	3	6	6	13	36	14	6	2	1	2	4	3	4		
18 Other respiratory diseases	M	17	2	1	3	1	1	—	2	7	6	1	—	1	—	—	—	1	3		
	F	12	1	—	2	1	—	1	1	6	5	—	—	—	—	1	1	2	1		
19 Diarrhoea, &c. ...	M	155	130	15	3	1	—	1	2	3	68	49	11	1	—	—	1	1	5		
	F	142	95	22	2	4	—	2	5	12	48	36	2	—	—	1	—	2	7		
20 Appendicitis and typhlitis	M	3	—	—	—	1	—	1	1	—	6	—	—	—	1	—	2	2	1		
	F	4	—	—	—	1	1	—	1	1	3	—	—	—	1	—	1	1	—		
21 Cirrhosis of liver ...	M	7	—	—	—	—	—	—	6	1	7	—	—	—	—	—	1	4	2		
	F	9	—	—	—	—	—	1	6	2	4	—	—	—	—	—	—	1	3		
21A Alcoholism ...	M	4	—	—	—	—	—	2	1	1	1	—	—	—	—	—	—	1	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	36	1	—	4	1	1	4	16	9	23	1	—	1	1	—	2	14	4		
	F	35	1	2	2	1	2	7	8	12	20	—	—	—	2	—	2	8	8		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	2	5	—	—	1	—	—	—	—	1	—	—	—		
24 Parturition, apart from puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	8	—	—	—	—	—	8	—	—	7	—	—	—	—	2	5	—	—		
25 Congenital debility, &c.	M	176	176	—	—	—	—	—	—	—	60	60	—	—	—	—	—	—	—		
	F	129	128	—	1	—	—	—	—	—	38	38	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	53	5	—	4	3	11	17	10	3	42	1	—	3	7	9	10	8	4		
	F	29	4	3	4	5	6	2	3	2	11	2	—	1	—	2	2	—	4		
27 Suicide ...	M	9	—	—	—	—	—	5	4	—	15	—	—	—	—	1	4	8	2		
	F	3	—	—	—	—	1	1	1	—	5	—	—	—	—	2	2	—	1		
28 Other defined diseases ...	M	354	73	14	7	9	7	32	51	161	264	28	5	3	6	6	20	38	158		
	F	353	46	11	10	3	6	21	71	185	262	24	3	1	7	7	26	42	152		
29 Causes ill-defined or unknown.	M	15	—	3	—	—	1	3	6	2	6	—	—	1	1	1	1	2	—		
	F	10	1	2	—	—	1	2	1	3	6	—	3	—	—	—	—	1	2		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF OXFORDSHIRE—1911.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ... {	M	283	43	9	8	7	11	26	65	114	681	109	17	16	24	21	63	131	300		
	F	272	34	7	11	7	20	26	46	121	645	80	23	17	21	13	55	115	321		
1 Enteric fever ... {	M	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—		
2 Small-pox ... {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ... {	M	1	—	—	1	—	—	—	—	—	8	3	1	1	3	—	—	—	—		
	F	4	—	2	2	—	—	—	—	—	7	1	3	2	1	—	—	—	—		
4 Scarlet fever ... {	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
5 Whooping cough ... {	M	1	1	—	—	—	—	—	—	—	8	5	1	2	—	—	—	—	—		
	F	2	1	—	1	—	—	—	—	—	8	3	3	2	—	—	—	—	—		
6 Diphtheria and croup ... {	M	1	—	—	—	1	—	—	—	—	3	—	—	1	—	2	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—		
7 Influenza ... {	M	2	—	—	—	—	—	—	1	1	9	1	—	—	2	—	1	—	5		
	F	2	—	—	—	—	—	—	—	2	2	—	—	—	—	—	1	1	—		
8 Erysipelas ... {	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
	F	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	2		
9 Pulmonary tuberculosis {	M	18	—	—	—	1	4	7	6	—	43	—	2	1	3	8	14	13	2		
	F	22	—	—	—	1	7	10	4	—	38	1	1	—	3	3	20	10	—		
10 Tuberculous meningitis {	M	5	1	1	2	1	—	—	—	—	5	1	—	1	2	1	—	—	—		
	F	1	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—		
11 Other tuberculous dis- {	M	5	1	—	1	1	1	1	—	—	4	—	—	—	—	1	—	1	2		
eases.	F	6	—	—	—	1	3	2	—	—	4	1	—	—	1	—	—	—	2		
12 Cancer, malignant disease {	M	27	—	—	—	—	—	2	13	12	60	—	—	—	1	—	3	24	32		
	F	23	—	—	—	—	1	3	10	9	71	—	—	—	—	1	7	27	36		
13 Rheumatic fever ... {	M	—	—	—	—	—	—	—	—	—	4	—	—	—	1	1	—	—	2		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
14 Meningitis ... {	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	3	—	1	1	1	—	—	—	—		
15 Organic heart disease ... {	M	28	—	—	—	—	1	2	8	17	79	—	—	—	—	1	8	25	45		
	F	25	—	—	—	—	—	1	7	17	71	—	—	—	1	—	4	17	49		
16 Bronchitis ... {	M	22	1	1	—	—	—	—	3	17	49	9	2	1	—	—	1	4	32		
	F	20	1	1	—	—	—	1	3	14	39	2	2	3	—	—	1	4	27		
17 Pneumonia (all forms)... {	M	15	3	2	1	—	—	—	3	6	39	10	7	4	1	2	3	9	3		
	F	5	—	1	2	—	—	—	—	2	21	3	2	4	3	—	—	4	5		
18 Other respiratory diseases {	M	2	—	—	—	—	—	—	1	1	5	1	—	—	—	1	1	—	2		
	F	5	—	—	1	—	1	1	—	2	6	1	2	1	—	—	—	1	1		
19 Diarrhoea, &c. ... {	M	20	13	3	1	—	—	—	2	1	21	13	2	—	—	1	—	1	4		
	F	17	13	1	—	—	—	—	3	—	29	12	8	1	—	—	1	1	6		
20 Appendicitis and typhlitis {	M	3	—	—	—	1	—	2	—	—	5	—	—	—	1	—	3	1	—		
	F	2	—	—	—	—	1	1	—	—	6	—	—	—	1	1	3	—	1		
21 Cirrhosis of liver ... {	M	2	—	—	—	—	—	1	—	1	3	—	—	—	—	—	1	1	1		
	F	4	—	—	—	—	—	1	1	2	4	—	—	—	—	—	—	2	2		
21A Alcoholism ... {	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's {	M	15	—	—	—	1	1	1	7	5	17	—	—	—	1	1	1	5	9		
disease.	F	7	—	—	2	—	—	—	2	3	18	—	—	—	1	—	3	3	11		
23 Puerperal fever... {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—		
24 Parturition, apart from {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
puerperal fever.	F	1	—	—	—	—	1	—	—	—	3	—	—	—	—	1	2	—	—		
25 Congenital debility, &c. {	M	14	14	—	—	—	—	—	—	—	48	48	—	—	—	—	—	—	—		
	F	13	13	—	—	—	—	—	—	—	38	38	—	—	—	—	—	—	—		
26 Violence, apart from {	M	7	2	1	—	1	1	—	2	—	27	3	—	2	5	1	4	6	6		
suicide.	F	7	—	—	1	—	—	1	2	3	14	3	—	3	—	—	2	1	5		
27 Suicide ... {	M	3	—	—	—	—	—	1	1	1	6	—	—	—	—	2	3	1	—		
	F	1	—	—	—	—	—	—	1	—	3	—	—	—	—	1	1	1	—		
28 Other defined diseases ... {	M	86	7	1	1	—	2	7	16	52	229	15	2	3	3	1	20	35	150		
	F	101	6	2	1	3	6	4	13	66	243	14	1	—	6	4	7	39	172		
29 Causes ill-defined or un- {	M	2	—	—	—	—	—	1	1	—	7	—	—	—	—	—	1	3	3		
known.	F	—	—	—	—	—	—	—	—	—	7	—	—	—	—	—	1	4	2		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF PEMBROKESHIRE—1911.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	321	65	8	12	13	11	55	66	91	365	73	10	9	9	22	52	66	124		
	F	272	37	7	7	14	17	32	51	107	416	54	10	11	13	8	39	86	195		
1 Enteric fever ...	M	2	—	—	—	—	—	1	1	—	4	—	—	—	—	—	3	1	—		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	5	2	2	1	—	—	—	—	—		
6 Diphtheria and croup ...	M	4	—	1	—	3	—	—	—	—	4	—	—	—	—	—	—	—	—		
	F	5	—	—	2	3	—	—	—	—	8	—	—	3	5	—	—	—	—		
7 Influenza ...	M	1	—	—	—	—	—	—	—	1	5	—	—	—	—	—	1	1	3		
	F	2	—	—	—	—	1	—	1	—	3	—	—	—	—	—	2	1	—		
8 Erysipelas ...	M	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	30	—	—	1	2	5	18	4	—	28	—	1	—	1	4	15	7	—		
	F	22	—	—	—	—	8	11	3	—	24	—	—	—	4	9	8	—	3		
10 Tuberculous meningitis	M	7	1	—	2	1	1	2	—	—	6	1	1	1	—	2	1	—	—		
	F	5	—	—	—	2	3	—	—	—	3	—	1	2	—	—	—	—	—		
11 Other tuberculous diseases.	M	6	1	—	1	2	—	2	—	—	11	1	—	—	1	4	3	1	1		
	F	3	—	—	—	—	—	2	—	1	8	—	2	—	2	—	2	1	1		
12 Cancer, malignant disease	M	17	—	—	—	—	1	2	10	4	19	—	—	—	—	1	2	8	8		
	F	21	—	—	—	—	—	3	11	7	39	—	—	—	1	—	2	18	18		
13 Rheumatic fever ...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	1	1	1	—	1	2	—	—	1	1	—	—	—	—		
14 Meningitis ...	M	4	1	—	—	2	—	1	—	—	2	—	—	1	—	—	—	—	—		
	F	2	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
15 Organic heart disease ...	M	23	—	—	—	—	—	5	10	8	36	—	—	—	—	2	4	13	17		
	F	34	—	—	—	2	1	4	11	16	45	—	—	—	—	1	3	13	28		
16 Bronchitis ...	M	19	3	—	1	—	—	—	2	13	21	3	1	1	—	—	1	1	14		
	F	18	1	2	1	—	—	—	—	14	40	3	1	—	—	—	1	5	30		
17 Pneumonia (all forms)...	M	17	3	1	3	—	1	3	3	3	22	5	2	1	—	1	5	5	3		
	F	12	4	2	—	2	1	1	1	1	19	2	2	1	2	1	2	5	4		
18 Other respiratory diseases	M	4	2	—	1	—	—	1	—	—	5	1	—	—	—	—	1	2	1		
	F	3	—	—	1	—	—	1	—	1	8	—	—	1	1	—	1	3	2		
19 Diarrhoea, &c. ...	M	16	11	4	—	—	—	—	1	—	10	9	1	—	—	—	—	—	—		
	F	13	9	1	2	—	—	—	1	—	9	4	—	—	—	—	—	2	3		
20 Appendicitis and typhlitis	M	1	—	—	—	—	—	1	—	—	2	—	—	—	1	1	—	—	—		
	F	2	—	—	—	1	—	1	—	—	2	—	—	1	1	—	—	—	—		
21 Cirrhosis of liver ...	M	3	—	—	—	—	—	—	2	1	2	—	—	—	—	—	—	1	1		
	F	3	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	1	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—		
22 Nephritis and Bright's disease.	M	17	—	—	—	—	—	5	6	6	13	—	—	—	—	1	3	5	4		
	F	6	—	—	—	—	—	—	4	2	6	—	—	—	—	—	—	4	2		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	3	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	8	—	—	—	—	2	5	1	—		
25 Congenital debility, &c.	M	26	26	—	—	—	—	—	—	—	32	32	—	—	—	—	—	—	—		
	F	17	16	1	—	—	—	—	—	—	27	27	—	—	—	—	—	—	—		
26 Violence, apart from puerperal fever.	M	15	—	—	—	—	2	4	5	4	13	1	3	—	2	2	4	1	—		
	F	4	1	—	—	1	—	—	—	2	6	—	—	—	—	—	1	2	3		
27 Suicide ...	M	2	—	—	—	—	1	—	1	—	3	—	—	—	—	—	—	3	—		
	F	2	—	—	—	—	1	—	1	—	2	—	—	—	—	—	—	2	—		
28 Other defined diseases ...	M	101	17	2	3	2	—	8	19	50	119	18	1	4	1	3	8	12	72		
	F	90	5	1	1	1	1	5	15	61	144	16	1	1	—	—	6	19	101		
29 Causes ill-defined or unknown.	M	4	—	—	—	1	—	1	2	—	4	—	—	—	—	—	—	4	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
PETERBOROUGH, SOKE OF—1911.

Causes of Death.	Sex.	URBAN DISTRICT.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	206	30	10	9	6	3	25	56	67	65	12	2	3	1	3	1	13	30		
	F	233	41	9	9	6	10	22	42	94	49	2	1	—	5	2	2	12	25		
1 Enteric fever ...	M	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	3	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	1	1	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
4 Scarlet fever ...	M	1	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	3	—	—	—	3	—	—	—	—	1	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	1	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	3	—	—	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—		
7 Influenza ...	M	2	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	1		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
8 Erysipelas ...	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	18	—	—	1	—	1	9	7	—	5	—	—	—	1	1	3	—	—		
	F	14	—	—	—	—	6	6	1	1	1	—	—	—	—	—	—	—	1		
10 Tuberculous meningitis	M	4	—	1	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
11 Other tuberculous diseases.	M	2	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	4	—	1	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—		
12 Cancer, malignant disease	M	26	—	—	—	—	—	1	13	12	7	—	—	—	—	—	—	3	4		
	F	19	—	—	—	—	—	1	9	9	6	—	—	—	—	—	—	4	2		
13 Rheumatic fever ...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
14 Meningitis ...	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
15 Organic heart disease ...	M	12	—	—	—	—	—	—	4	8	8	—	—	—	—	—	—	3	5		
	F	23	—	—	—	—	1	3	7	12	9	—	—	—	—	1	5	—	3		
16 Bronchitis ...	M	10	3	1	—	—	—	—	1	5	1	—	—	1	—	—	—	—	—		
	F	9	2	—	—	—	—	—	1	6	6	—	—	—	—	—	—	—	6		
17 Pneumonia (all forms)...	M	12	3	2	3	—	—	2	—	2	3	1	1	—	—	—	—	—	1		
	F	9	1	3	2	—	—	1	1	1	1	—	—	—	1	—	—	—	—		
18 Other respiratory diseases	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
19 Diarrhoea, &c. ...	M	12	5	2	—	1	—	1	2	1	5	4	1	—	—	—	—	—	—		
	F	17	13	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—		
20 Appendicitis and typhlitis	M	1	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—		
21 Cirrhosis of liver ...	M	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	5	—	—	—	—	—	1	2	2	—	—	—	—	—	—	—	—	—		
	F	12	—	—	—	1	—	2	3	6	—	—	—	—	—	—	—	—	—		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
25 Congenital debility, &c.	M	11	10	1	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—		
	F	15	15	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	5	1	—	—	—	—	1	2	1	2	—	—	—	1	1	—	—	—		
	F	8	—	—	1	—	1	1	1	4	2	—	1	—	—	—	—	—	1		
27 Suicide ...	M	3	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	63	7	1	—	1	—	7	14	33	27	4	—	—	—	—	—	4	19		
	F	82	9	—	1	1	1	4	16	50	15	—	—	—	—	1	—	2	12		
29 Causes ill-defined or unknown.	M	3	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF RADNORSHIRE—1911.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	30	6	—	2	1	1	4	9	7	128	15	4	2	2	6	24	24	51		
	F	21	1	1	1	—	—	3	6	8	105	7	1	4	5	11	16	19	42		
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	1	—	—		
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
5 Whooping-cough	M	1	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6 Diphtheria and croup	M	2	—	—	1	1	—	—	—	—	2	—	—	—	2	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
7 Influenza	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	1	1		
	F	—	—	—	—	—	—	—	—	—	3	1	—	—	—	—	1	1	—		
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	3	—	—	1	—	1	1	—	—	12	—	—	—	—	2	6	4	—		
	F	4	—	—	—	—	—	2	1	1	15	—	—	1	1	8	3	2	—		
10 Tuberculous meningitis	M	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—		
11 Other tuberculous diseases.	M	—	—	—	—	—	—	—	1	1	3	—	—	1	—	1	1	—	—		
	F	2	—	—	—	—	—	—	1	—	4	—	—	1	—	1	1	1	—		
12 Cancer, malignant disease	M	—	—	—	—	—	—	—	—	—	7	—	—	—	—	—	—	3	4		
	F	2	—	—	—	—	—	—	1	1	11	—	—	—	—	—	—	3	8		
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—		
14 Meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
15 Organic heart disease	M	1	—	—	—	—	—	—	1	—	11	—	—	—	—	2	3	6	—		
	F	3	—	—	—	—	—	—	2	1	11	—	—	—	1	—	4	6	—		
16 Bronchitis	M	2	—	—	—	—	—	—	1	1	4	—	—	—	—	—	—	1	1		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—		
17 Pneumonia (all forms)...	M	1	1	—	—	—	—	—	—	—	11	1	1	1	—	—	3	3	2		
	F	1	—	1	—	—	—	—	—	—	4	—	—	1	1	—	—	—	1		
18 Other respiratory diseases	M	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
19 Diarrhoea, &c.	M	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	4	1	—	—	2	—	—	—	1		
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21 Cirrhosis of liver	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2		
	F	1	—	—	—	—	—	—	1	—	6	—	—	—	—	2	3	1	—		
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
25 Congenital debility, &c.	M	3	3	—	—	—	—	—	—	—	9	9	—	—	—	—	—	—	—		
	F	1	1	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	4	—	—	—	—	—	1	1	2	6	—	—	—	—	2	4	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
27 Suicide	M	1	—	—	—	—	—	—	1	—	2	—	—	—	—	1	—	1	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
28 Other defined diseases	M	11	1	—	—	—	—	1	5	4	48	4	1	—	—	5	8	30	—		
	F	5	—	—	—	—	—	—	—	5	34	1	—	—	—	5	4	24	—		
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
RUTLANDSHIRE—1911.

Causes of Death.	Sex.	URBAN DISTRICT.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	14	3	—	—	—	1	2	4	4	122	19	4	2	8	2	9	23	55		
	F	15	4	—	—	—	3	—	3	5	119	14	3	—	5	2	18	21	56		
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
6 Diphtheria and croup	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
7 Influenza	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	2	—	—	—	—	—	1	1	—	9	—	—	—	—	—	5	4	—		
	F	—	—	—	—	—	—	—	—	—	6	—	—	—	1	2	3	—	—		
10 Tuberculous meningitis	M	—	—	—	—	—	—	—	—	—	4	—	2	1	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
11 Other tuberculous dis- eases.	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
12 Cancer, malignant disease	M	—	—	—	—	—	—	—	—	—	15	—	—	—	2	—	—	6	7		
	F	2	—	—	—	—	—	—	1	1	12	—	—	—	—	—	1	5	6		
13 Rheumatic fever	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
14 Meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
15 Organic heart disease ...	M	—	—	—	—	—	—	—	—	—	16	—	—	—	—	—	1	4	11		
	F	3	—	—	—	—	1	—	1	1	14	—	—	—	—	—	2	4	8		
16 Bronchitis	M	—	—	—	—	—	—	—	—	—	8	2	—	1	—	—	—	—	5		
	F	—	—	—	—	—	—	—	—	—	8	1	—	—	—	—	—	3	4		
17 Pneumonia (all forms)...	M	—	—	—	—	—	—	—	—	—	4	1	1	—	2	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	7	2	2	—	—	—	—	3	—		
18 Other respiratory diseases	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2		
19 Diarrhoea, &c.	M	2	2	—	—	—	—	—	—	—	6	4	—	—	—	—	—	1	1		
	F	3	3	—	—	—	—	—	—	—	4	3	—	—	—	—	—	—	1		
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
21 Cirrhosis of liver	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
22 Nephritis and Bright's disease.	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	2	—	—	1		
23 Puerperal fever... ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
25 Congenital debility, &c.	M	—	—	—	—	—	—	—	—	—	6	6	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	4	4	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	2	—	—	—	—	—	1	1	—	2	—	—	—	1	1	—	—	—		
	F	1	1	—	—	—	—	—	—	—	3	—	1	—	1	—	—	—	1		
27 Suicide	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	6	—	—	—	—	—	—	2	4	43	5	1	—	3	—	—	6	28		
	F	4	—	—	—	—	—	—	1	3	44	3	—	—	—	—	4	5	32		
29 Causes ill-defined or un- known.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	3	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF SHROPSHIRE—1911.

Causes of Death.				Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	{	M	821	156	32	23	28	27	96	173	286	937	153	21	27	29	32	97	197	381		
			{	F	765	93	36	25	32	21	92	139	327	892	113	29	25	24	29	83	161	428		
1 Enteric fever	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			{	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			{	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	{	M	7	2	2	3	—	—	—	—	—	7	1	2	2	1	—	1	—	—		
			{	F	4	—	3	—	1	—	—	—	—	6	—	5	1	—	—	—	—	—		
4 Scarlet fever	{	M	2	—	—	—	2	—	—	—	—	2	—	—	1	1	—	—	—	—		
			{	F	4	—	—	2	2	—	—	—	—	3	—	—	1	1	—	1	—	—		
5 Whooping cough	{	M	6	4	—	2	—	—	—	—	—	10	6	2	2	—	—	—	—	—		
			{	F	7	3	3	—	1	—	—	—	—	18	8	7	1	2	—	—	—	—		
6 Diphtheria and croup	{	M	2	1	—	—	1	—	—	—	—	5	—	—	3	2	—	—	—	—		
			{	F	5	—	—	1	4	—	—	—	—	6	—	—	2	4	—	—	—	—		
7 Influenza	{	M	12	1	—	—	—	—	—	6	5	18	2	—	—	—	—	5	5	6		
			{	F	12	1	—	—	—	1	—	3	7	12	1	1	—	—	1	2	3	4		
8 Erysipelas	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			{	F	1	—	—	1	—	—	—	—	—	3	—	—	—	—	—	2	1	—		
9 Pulmonary tuberculosis	{	M	73	1	1	—	2	12	43	11	3	59	—	1	—	5	9	24	15	5		
			{	F	55	—	—	2	2	12	30	7	2	42	2	—	1	2	6	23	5	3		
10 Tuberculous meningitis	{	M	8	1	3	—	3	—	1	—	—	6	2	—	1	1	1	—	—	—		
			{	F	8	1	1	4	2	—	—	—	—	9	1	2	4	1	—	1	—	—		
11 Other tuberculous diseases.	{	M	9	—	1	—	3	1	—	4	—	15	3	2	1	—	3	4	2	—		
			{	F	8	1	—	—	3	1	2	1	—	11	2	1	1	1	2	3	—	1		
12 Cancer, malignant disease	{	M	51	—	—	—	—	1	5	24	21	67	—	—	—	—	1	4	24	38		
			{	F	71	—	—	—	—	—	8	25	38	83	—	—	—	—	—	11	34	38		
13 Rheumatic fever	{	M	3	—	—	—	1	1	—	1	—	5	—	—	—	1	—	—	4	—		
			{	F	2	—	—	—	1	—	1	—	—	3	—	—	1	1	1	—	—	—		
14 Meningitis	{	M	4	—	1	—	2	—	1	—	—	10	3	—	2	2	—	2	—	1		
			{	F	8	—	1	3	—	1	2	1	—	9	1	2	2	1	1	—	—	1		
15 Organic heart disease	{	M	84	—	—	—	1	1	5	27	50	97	—	—	—	1	1	3	25	67		
			{	F	81	—	—	—	2	—	6	22	51	116	—	—	—	—	2	1	31	82		
16 Bronchitis	{	M	53	6	4	—	1	—	—	12	30	46	11	1	—	—	—	1	8	25		
			{	F	51	5	4	1	—	—	1	7	33	58	5	1	—	—	—	1	8	43		
17 Pneumonia (all forms)	{	M	60	7	11	4	3	4	7	14	10	53	11	7	2	1	2	9	12	9		
			{	F	41	9	12	4	1	—	6	3	6	44	14	5	1	1	—	4	4	15		
18 Other respiratory diseases	{	M	8	1	—	1	—	—	3	—	3	12	2	—	—	1	—	1	3	5		
			{	F	13	1	—	—	—	—	1	5	6	7	1	—	—	—	2	—	2	2		
19 Diarrhoea, &c.	{	M	57	38	7	1	—	1	—	1	9	27	13	3	1	—	1	—	2	7		
			{	F	33	15	5	1	3	—	1	1	7	35	14	1	1	1	—	4	3	11		
20 Appendicitis and typhlitis	{	M	1	—	—	—	1	—	—	—	—	7	—	—	1	4	1	—	1	—		
			{	F	5	—	—	—	1	—	2	1	1	4	—	—	—	2	1	1	—	—		
21 Cirrhosis of liver	{	M	8	—	—	—	1	—	1	3	3	4	—	—	—	—	—	2	1	1		
			{	F	9	—	—	—	1	—	1	5	2	5	—	—	—	—	—	1	—	4		
21A Alcoholism	{	M	4	—	—	—	—	—	4	—	—	1	—	—	—	—	—	—	—	—		
			{	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—		
22 Nephritis and Bright's disease.	{	M	30	—	—	—	—	—	4	12	14	31	—	—	—	—	—	3	12	16		
			{	F	26	—	—	—	—	—	4	9	13	39	—	—	1	1	4	3	11	19		
23 Puerperal fever	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			{	F	2	—	—	—	—	—	2	—	—	5	—	—	—	—	—	4	1	—		
24 Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			{	F	9	—	—	—	—	2	7	—	—	6	—	—	—	—	2	4	—	—		
25 Congenital debility, &c.	{	M	67	64	—	2	1	—	—	—	—	70	70	—	—	—	—	—	—	—		
			{	F	37	36	—	1	—	—	—	—	—	47	45	—	1	1	—	—	—	—		
26 Violence, apart from suicide.	{	M	27	1	1	4	3	2	4	6	6	59	1	1	7	4	9	12	14	11		
			{	F	18	3	—	1	4	1	2	2	5	13	—	—	4	1	1	1	1	5		
27 Suicide	{	M	9	—	—	—	—	—	2	6	1	16	—	—	—	—	1	8	7	—		
			{	F	5	—	—	—	—	—	1	4	—	2	—	—	—	—	—	—	—	2		
28 Other defined diseases	{	M	220	27	1	6	3	4	14	39	126	288	24	2	4	5	3	15	53	182		
			{	F	239	16	5	4	4	3	14	38	155	293	18	4	3	4	6	16	48	194		
29 Causes ill-defined or unknown.	{	M	16	2	—	—	—	—	2	7	5	22	4	—	—	—	—	2	8	8		
			{	F	10	2	2	—	—	—	1	4	1	13	1	—	—	—	—	2	7	3		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
SOMERSETSHIRE—1911.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,026	182	29	22	28	47	119	210	389	1,573	222	44	30	42	59	146	364	666		
	F	1,062	135	16	20	40	32	107	204	508	1,605	170	27	28	55	62	140	320	803		
1 Enteric fever ...	M	3	—	—	—	—	—	1	2	—	3	—	—	—	—	1	1	1	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	8	4	1	—	3	—	—	—	—	10	2	4	1	3	—	—	—	—		
	F	4	—	—	2	2	—	—	—	—	8	4	1	2	1	—	—	—	—		
4 Scarlet fever ...	M	1	—	—	1	—	—	—	—	—	2	1	1	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
5 Whooping cough ...	M	11	7	2	2	—	—	—	—	—	14	12	2	—	—	—	—	—	—		
	F	11	7	2	2	—	—	—	—	—	19	8	5	6	—	—	—	—	—		
6 Diphtheria and croup ...	M	11	—	—	4	7	—	—	—	—	13	—	1	7	5	—	—	—	—		
	F	11	—	—	1	9	1	—	—	—	13	1	—	2	10	—	—	—	—		
7 Influenza ...	M	11	—	—	—	—	1	1	3	6	15	1	—	—	1	—	2	5	6		
	F	12	—	—	—	1	—	3	2	6	20	—	—	—	1	1	2	6	10		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—	1		
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1		
9 Pulmonary tuberculosis	M	69	1	—	1	4	18	34	10	1	87	—	—	—	1	16	42	19	9		
	F	71	1	—	2	2	15	32	14	5	108	—	1	—	5	26	44	24	8		
10 Tuberculous meningitis	M	8	1	1	1	—	3	2	—	—	5	1	—	2	2	—	—	—	—		
	F	9	2	—	1	4	1	1	—	—	14	2	1	2	5	4	—	—	—		
11 Other tuberculous diseases.	M	17	3	2	1	2	3	4	2	—	13	1	3	4	1	3	—	1	—		
	F	17	1	1	—	5	6	2	—	2	14	3	—	2	1	1	2	4	1		
12 Cancer, malignant disease	M	69	—	—	—	1	—	7	25	36	111	1	—	1	—	1	5	60	43		
	F	113	—	—	—	—	1	11	43	58	160	—	—	—	—	1	16	70	73		
13 Rheumatic fever ...	M	2	—	—	—	1	—	—	1	—	5	—	—	—	1	2	1	1	—		
	F	3	—	—	—	1	—	—	1	1	2	—	—	—	1	—	—	1	—		
14 Meningitis ...	M	3	1	—	1	—	1	—	—	—	8	2	2	—	1	—	2	1	—		
	F	10	1	1	1	6	1	—	—	—	10	2	1	—	5	1	—	1	—		
15 Organic heart disease ...	M	115	—	—	—	1	3	17	37	57	204	1	—	—	2	4	17	70	110		
	F	104	—	—	—	—	1	7	34	62	214	—	—	—	6	2	10	71	125		
16 Bronchitis ...	M	46	7	2	—	—	—	—	10	27	86	13	3	2	—	—	—	10	58		
	F	82	6	1	1	—	—	1	14	59	104	7	3	1	—	1	—	10	82		
17 Pneumonia (all forms)	M	57	13	8	—	—	4	8	10	14	94	18	12	3	3	3	10	20	25		
	F	42	5	1	5	—	—	2	10	19	70	11	3	3	3	4	9	18	19		
18 Other respiratory diseases	M	19	2	2	—	1	—	—	4	10	30	1	—	—	4	1	4	10	10		
	F	22	2	1	—	1	1	3	4	10	14	—	—	—	—	2	2	1	9		
19 Diarrhoea, &c. ...	M	57	45	4	4	—	—	—	2	2	60	37	7	1	—	3	—	2	10		
	F	47	33	3	1	—	—	—	2	8	55	28	5	2	2	—	1	4	13		
20 Appendicitis and typhlitis	M	7	—	—	—	1	1	1	2	2	8	—	—	—	2	2	3	1	—		
	F	6	—	—	—	2	1	1	2	—	8	—	—	—	3	3	—	1	1		
21 Cirrhosis of liver ...	M	8	—	—	—	—	—	2	4	2	22	—	—	—	1	—	2	16	3		
	F	9	—	—	—	—	—	1	6	2	6	—	—	—	—	—	1	2	3		
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	44	—	—	—	1	—	5	17	21	61	—	—	1	2	3	5	18	32		
	F	35	—	—	1	—	—	6	10	18	42	—	—	—	—	1	4	15	22		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	—	3	—	—	5	—	—	—	—	1	4	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	—	4	—	—	11	—	—	—	—	2	9	—	—		
25 Congenital debility, &c.	M	73	73	—	—	—	—	—	—	—	89	89	—	—	—	—	—	—	—		
	F	55	54	1	—	—	—	—	—	—	74	73	—	—	—	—	1	—	—		
26 Violence, apart from suicide.	M	34	1	1	—	2	4	13	8	5	76	5	—	3	6	8	19	19	16		
	F	12	1	—	—	2	—	1	4	4	37	6	1	—	2	4	2	4	18		
27 Suicide ...	M	8	—	—	—	—	1	3	2	2	22	—	—	—	—	1	10	8	3		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1		
28 Other defined diseases ...	M	336	23	6	7	4	8	19	66	203	523	36	8	4	7	11	23	96	338		
	F	373	22	3	3	5	4	28	54	254	587	24	6	7	10	8	30	86	416		
29 Causes ill-defined or unknown.	M	8	1	—	—	—	—	1	5	1	9	1	1	—	—	—	5	2	2		
	F	5	—	2	—	—	—	—	3	—	5	1	—	—	—	—	1	2	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF SOUTHAMPTON—1911.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,320	283	57	59	42	83	202	238	356	1,419	231	50	34	47	59	154	276	568		
	F	1,143	220	58	34	32	26	146	213	414	1,263	185	38	35	43	45	126	228	563		
1 Enteric fever ...	M	8	—	—	—	—	4	2	2	—	4	—	—	—	1	1	1	—	1		
	F	2	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	36	3	14	16	3	—	—	—	—	8	2	1	3	2	—	—	—	—		
	F	30	5	15	9	1	—	—	—	—	16	4	8	1	3	—	—	—	—		
4 Scarlet fever ...	M	3	—	1	—	2	—	—	—	—	2	—	—	2	—	—	—	—	—		
	F	2	—	1	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
5 Whooping cough ...	M	14	7	2	5	—	—	—	—	—	12	6	3	3	—	—	—	—	—		
	F	24	14	6	4	—	—	—	—	—	11	5	4	2	—	—	—	—	—		
6 Diphtheria and croup ...	M	10	—	—	5	4	—	1	—	—	6	—	—	1	5	—	—	—	—		
	F	12	—	—	3	7	2	—	—	—	11	—	—	4	6	—	1	—	—		
7 Influenza ...	M	9	1	—	2	—	—	1	3	2	17	1	—	1	—	—	1	4	10		
	F	12	2	—	—	—	—	—	2	8	25	1	—	—	—	—	7	5	12		
8 Erysipelas ...	M	4	—	—	1	—	—	—	1	2	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	—	1		
9 Pulmonary tuberculosis	M	118	—	—	4	1	24	54	29	6	101	—	1	1	4	18	56	19	2		
	F	58	—	—	1	4	11	27	12	3	71	—	—	—	6	17	38	8	2		
10 Tuberculous meningitis	M	14	5	1	1	6	—	1	—	—	9	2	2	1	4	—	—	—	—		
	F	14	5	1	2	5	—	1	—	—	6	1	2	1	2	—	—	—	—		
11 Other tuberculous diseases.	M	27	8	4	2	3	4	3	2	1	12	2	1	1	2	1	2	1	2		
	F	11	2	1	—	2	1	2	3	—	13	3	1	1	3	1	3	1	—		
12 Cancer, malignant disease	M	81	—	—	1	1	—	8	30	41	109	—	—	—	1	—	6	46	56		
	F	103	—	—	—	—	2	10	52	39	114	—	—	—	1	4	3	49	57		
13 Rheumatic fever ...	M	2	—	—	—	—	1	1	—	—	4	—	—	—	4	—	—	—	—		
	F	5	—	—	—	—	1	1	3	—	2	—	—	—	—	—	2	—	—		
14 Meningitis ...	M	16	3	1	3	3	3	2	1	—	14	2	1	1	—	3	3	3	1		
	F	9	4	—	1	2	—	2	—	—	15	5	1	1	4	1	1	2	—		
15 Organic heart disease ...	M	113	—	—	—	1	3	18	34	57	171	—	—	—	1	—	14	46	110		
	F	124	—	—	—	1	1	19	39	64	184	—	—	—	2	3	13	55	111		
16 Bronchitis ...	M	48	8	5	—	1	1	5	4	24	87	11	3	4	—	—	1	10	58		
	F	58	4	4	2	—	—	1	7	40	79	7	—	—	—	1	—	7	64		
17 Pneumonia (all forms)...	M	77	17	9	4	2	8	12	15	10	86	14	20	4	3	4	10	15	16		
	F	59	14	10	3	1	1	6	11	13	71	17	8	11	3	2	7	11	12		
18 Other respiratory diseases	M	13	—	2	1	—	—	3	2	5	24	1	—	1	—	1	2	5	14		
	F	13	—	—	1	1	—	1	3	7	14	2	—	—	—	1	1	1	9		
19 Diarrhoea, &c. ...	M	104	80	9	3	1	—	2	2	7	84	50	9	2	3	2	4	1	13		
	F	80	64	9	—	1	—	1	3	2	53	29	9	2	—	—	2	5	6		
20 Appendicitis and typhlitis	M	15	—	—	2	3	6	2	2	—	12	—	—	1	2	4	—	3	2		
	F	6	—	—	2	1	2	1	—	—	7	—	—	2	2	—	—	2	1		
21 Cirrhosis of liver ...	M	10	—	—	—	—	—	5	3	2	10	—	—	—	—	—	1	6	3		
	F	9	—	—	—	—	—	3	2	4	6	—	—	—	—	—	1	4	1		
21A Alcoholism ...	M	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
22 Nephritis and Bright's disease.	M	45	—	—	—	2	2	7	16	18	55	—	—	1	5	2	7	23	17		
	F	49	—	1	1	—	—	9	18	20	42	—	—	2	—	2	6	17	15		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	1	3	2	—	4	—	—	—	—	—	4	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	15	—	—	—	—	1	14	—	—	13	—	—	—	—	4	9	—	—		
25 Congenital debility, &c.	M	109	108	—	—	—	—	1	—	—	96	94	1	—	—	1	—	—	—		
	F	86	84	1	—	1	—	—	—	—	83	82	—	—	—	—	1	—	—		
26 Violence, apart from suicide.	M	47	4	—	7	4	8	16	6	2	44	3	1	1	4	6	8	12	9		
	F	14	1	—	2	1	1	1	3	5	24	4	1	5	4	—	2	—	8		
27 Suicide ...	M	22	—	—	—	—	4	6	9	3	17	—	—	—	—	3	3	8	3		
	F	2	—	—	—	—	—	1	1	—	5	—	—	—	—	—	2	1	2		
28 Other defined diseases ...	M	360	39	6	2	5	15	50	73	170	419	42	6	5	6	13	33	71	243		
	F	331	21	9	2	4	2	39	47	207	379	24	2	3	6	8	22	55	259		
29 Causes ill-defined or unknown.	M	14	—	3	—	—	—	2	4	5	15	1	1	1	—	—	2	2	8		
	F	8	—	—	—	—	—	2	4	2	10	1	2	—	—	—	5	—	2		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF STAFFORDSHIRE—1911.

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES.		M	4,271	1179	318	246	150	150	454	821	953	1,376	285	59	52	53	63	166	254	444		
		F	3,838	911	265	236	169	160	428	660	1009	1,243	221	52	45	54	51	142	227	451		
1	Enteric fever ...	M	8	—	—	—	1	2	4	—	1	18	—	1	1	—	11	4	1	—		
		F	13	—	—	—	1	4	4	3	1	3	—	—	—	—	—	2	1	—		
2	Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles ...	M	181	29	79	59	14	—	—	—	—	10	1	5	4	—	—	—	—	—		
		F	134	26	50	46	12	—	—	—	—	6	1	3	2	—	—	—	—	—		
4	Scarlet fever ...	M	25	—	4	13	7	—	1	—	—	7	—	1	3	1	2	—	—	—		
		F	25	1	2	11	10	1	—	—	—	3	—	—	1	1	—	1	—	—		
5	Whooping cough ...	M	37	17	13	7	—	—	—	—	—	10	7	1	2	—	—	—	—	—		
		F	60	22	22	15	1	—	—	—	—	21	6	9	5	1	—	—	—	—		
6	Diphtheria and croup ...	M	36	4	4	14	12	2	—	—	—	18	—	2	5	8	1	2	—	—		
		F	35	—	1	16	18	—	—	—	—	19	—	2	5	10	1	1	—	—		
7	Influenza ...	M	44	1	2	1	—	2	8	24	6	15	—	1	—	1	2	3	4	4		
		F	33	1	2	—	1	1	9	8	11	9	1	—	—	—	—	2	3	3		
8	Erysipelas ...	M	6	1	—	—	—	—	—	1	4	5	2	—	—	1	—	1	—	1		
		F	9	1	1	—	1	—	2	2	2	1	—	—	—	—	—	—	—	1		
9	Pulmonary tuberculosis	M	272	3	4	7	6	42	125	78	7	83	1	2	2	1	13	49	14	1		
		F	225	2	4	5	15	61	97	38	3	83	3	1	—	4	16	38	18	3		
10	Tuberculous meningitis	M	34	12	5	8	5	1	2	1	—	11	3	1	4	2	1	—	—	—		
		F	38	8	8	7	12	3	—	—	—	17	4	3	4	5	1	—	—	—		
11	Other tuberculous diseases.	M	69	19	16	9	9	3	6	7	—	29	9	5	3	4	—	6	2	—		
		F	67	15	11	15	8	7	7	3	1	23	9	2	1	3	4	2	2	—		
12	Cancer, malignant disease	M	201	1	—	1	—	3	15	105	76	89	—	—	—	—	—	7	41	41		
		F	224	—	—	—	2	1	31	121	69	97	—	—	1	1	—	12	45	38		
13	Rheumatic fever ...	M	20	—	—	1	5	7	5	2	—	3	—	—	—	—	—	—	3	—		
		F	20	—	—	—	12	3	4	1	—	4	—	—	—	2	1	1	—	—		
14	Meningitis ...	M	65	21	9	10	15	3	1	5	1	20	9	3	2	2	2	1	1	—		
		F	38	15	5	9	6	—	2	1	—	6	1	1	1	1	—	2	—	—		
15	Organic heart disease ...	M	259	—	—	—	4	7	35	105	108	124	—	—	—	1	4	12	38	69		
		F	274	—	—	—	11	18	37	112	96	147	—	—	—	4	3	13	44	83		
16	Bronchitis ...	M	314	88	12	6	1	—	15	72	120	92	19	5	—	2	—	1	20	45		
		F	293	66	21	8	3	—	9	59	127	87	17	4	—	—	—	2	9	55		
17	Pneumonia (all forms)...	M	349	89	49	28	16	15	58	68	26	85	10	13	8	2	6	10	22	14		
		F	232	67	40	23	12	10	23	24	33	78	16	12	12	4	—	5	12	17		
18	Other respiratory diseases	M	58	4	1	9	3	2	6	13	20	17	4	1	2	1	—	2	3	4		
		F	33	3	—	6	1	3	4	9	7	13	2	—	—	3	2	—	1	5		
19	Diarrhoea, &c. ...	M	471	322	77	19	6	1	3	14	29	76	51	8	3	—	1	2	3	8		
		F	392	230	65	32	6	1	7	15	36	66	41	8	1	—	2	1	2	11		
20	Appendicitis and typhlitis	M	20	—	—	1	5	3	5	6	—	10	—	—	—	3	1	5	—	1		
		F	16	—	—	2	4	2	7	1	—	4	—	—	—	4	—	—	—	—		
21	Cirrhosis of liver ...	M	24	1	—	—	—	—	6	11	6	11	—	—	—	—	—	2	5	4		
		F	24	—	—	—	—	—	5	13	6	5	—	—	—	—	—	—	4	1		
21A	Alcoholism ...	M	4	—	—	—	—	—	3	1	—	1	—	—	—	—	—	1	—	—		
		F	4	—	—	—	—	—	2	1	1	2	—	—	—	—	—	—	2	—		
22	Nephritis and Bright's disease.	M	105	1	2	4	2	3	24	42	27	21	—	—	1	1	1	4	10	4		
		F	87	2	2	3	3	1	11	35	30	25	1	1	—	3	1	5	11	3		
23	Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	25	—	—	—	—	7	18	—	—	13	—	—	—	—	6	7	—	—		
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	34	—	—	—	—	5	27	2	—	17	—	—	—	—	3	13	1	—		
25	Congenital debility, &c.	M	420	413	2	4	1	—	—	—	—	111	109	—	1	1	—	—	—	—		
		F	325	323	—	1	—	—	1	—	—	83	81	—	—	—	1	1	—	—		
26	Violence, apart from suicide.	M	153	8	4	21	8	21	40	36	15	90	5	2	7	12	10	24	17	13		
		F	78	12	2	17	8	6	12	6	15	31	4	4	5	5	—	1	1	11		
27	Suicide ...	M	27	—	—	—	—	3	11	13	—	20	—	—	—	—	3	4	8	5		
		F	16	—	—	—	—	3	7	5	1	6	—	—	—	—	2	1	3	—		
28	Other defined diseases ...	M	1,009	144	25	16	27	29	75	196	497	383	52	6	4	9	3	25	57	227		
		F	1,046	116	16	16	20	22	100	192	564	366	34	2	7	3	8	31	62	219		
29	Causes ill-defined or unknown.	M	60	1	10	8	3	1	6	21	10	17	3	2	—	1	2	1	5	3		
		F	38	1	13	4	2	1	2	9	6	8	—	—	—	—	1	6	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
SUFFOLK, EAST—1911.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	512	97	26	11	13	19	63	103	180	816	127	21	14	20	36	87	141	370		
	F	515	104	16	8	14	16	59	91	207	788	101	25	23	28	26	68	139	378		
1 Enteric fever ...	M	1	—	—	—	—	1	—	—	—	2	—	—	—	—	2	—	—	—		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	3	1	2	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—		
	F	1	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—		
5 Whooping cough ...	M	9	5	4	—	—	—	—	—	—	12	9	3	—	—	—	—	—	—		
	F	10	5	3	2	—	—	—	—	—	13	7	4	2	—	—	—	—	—		
6 Diphtheria and croup ...	M	1	—	—	—	—	1	—	—	—	9	—	1	3	3	—	—	2	—		
	F	2	—	1	—	1	—	—	—	—	9	1	—	4	3	1	—	—	—		
7 Influenza ...	M	3	—	—	—	—	—	—	1	2	7	1	—	—	—	—	2	1	3		
	F	1	—	—	—	—	—	—	1	—	6	—	—	1	—	—	1	—	4		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	1		
9 Pulmonary tuberculosis	M	39	—	1	—	1	5	19	11	2	48	—	—	1	1	9	19	14	4		
	F	29	—	—	—	2	8	11	5	3	48	—	—	—	2	9	24	11	2		
10 Tuberculous meningitis	M	7	1	1	1	2	2	—	—	—	3	—	2	1	—	—	—	—	—		
	F	6	1	1	1	3	—	—	—	—	8	1	3	3	—	—	—	—	1		
11 Other tuberculous diseases.	M	7	2	—	—	1	1	3	—	—	7	—	—	—	1	1	3	2	—		
	F	7	1	2	1	1	1	—	—	1	13	—	1	1	1	1	3	5	1		
12 Cancer, malignant disease	M	43	—	—	—	1	1	2	18	21	57	—	—	—	—	1	4	18	34		
	F	48	—	—	—	—	1	8	21	18	74	—	—	—	—	—	6	30	38		
13 Rheumatic fever ...	M	1	—	—	—	—	—	1	—	—	4	—	—	—	—	1	1	2	—		
	F	1	—	—	—	—	—	—	1	—	4	—	—	—	—	—	1	3	—		
14 Meningitis ...	M	3	1	—	1	1	—	—	—	—	9	3	1	—	2	1	—	2	—		
	F	5	—	—	1	2	—	—	1	1	14	3	1	3	3	—	3	1	—		
15 Organic heart disease ...	M	48	—	—	—	1	1	5	15	26	79	—	—	—	—	—	7	15	57		
	F	59	—	—	—	1	1	5	17	35	110	—	—	—	—	2	3	26	79		
16 Bronchitis ...	M	19	1	3	1	—	—	—	1	13	28	5	1	—	—	1	—	2	19		
	F	28	1	2	—	—	—	1	2	22	40	3	3	2	1	—	—	4	27		
17 Pneumonia (all forms)...	M	25	4	6	2	—	—	4	4	5	40	6	6	3	—	2	3	7	13		
	F	32	9	1	3	—	—	2	6	11	31	6	4	2	3	1	—	5	10		
18 Other respiratory diseases	M	8	—	1	—	—	—	3	2	2	8	—	—	—	—	1	2	1	4		
	F	6	—	—	—	—	—	1	2	3	10	3	—	—	1	—	—	2	4		
19 Diarrhoea, &c. ...	M	25	18	4	—	—	—	—	1	2	32	22	2	1	1	—	—	2	4		
	F	28	21	3	—	—	—	—	1	3	32	15	3	—	—	—	2	4	8		
20 Appendicitis and typhlitis	M	4	—	—	—	—	1	1	1	1	5	—	—	—	3	—	1	1	—		
	F	1	—	—	—	1	—	—	—	—	4	—	—	1	1	1	—	—	—		
21 Cirrhosis of liver ...	M	3	—	—	—	—	—	1	1	1	3	—	—	—	—	—	1	2	—		
	F	3	—	—	—	—	—	—	1	2	4	—	—	—	—	—	—	3	1		
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	16	—	—	—	—	—	2	9	5	31	1	—	—	—	1	3	9	17		
	F	19	—	—	—	—	1	3	8	7	25	—	—	—	1	1	5	5	13		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	—	6	—	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	—	3	1	—	5	—	—	—	—	1	4	—	—		
25 Congenital debility, &c.	M	44	44	—	—	—	—	—	—	—	57	56	1	—	—	—	—	—	—		
	F	53	53	—	—	—	—	—	—	—	47	46	1	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	25	—	1	2	1	2	8	7	4	46	2	—	3	2	10	12	10	7		
	F	9	—	—	—	2	1	1	1	4	14	1	—	—	1	—	2	2	8		
27 Suicide ...	M	7	—	—	—	—	—	2	2	3	12	—	—	—	—	1	6	4	1		
	F	5	—	—	—	—	1	3	1	—	2	—	—	—	—	—	1	—	1		
28 Other defined diseases ...	M	164	19	3	4	5	4	10	28	91	310	22	4	2	6	4	21	44	207		
	F	148	12	2	—	—	2	14	21	97	259	15	3	4	9	8	12	33	175		
29 Causes ill-defined or unknown.	M	6	1	—	—	—	—	1	2	2	5	—	—	—	—	—	2	3	—		
	F	2	—	1	—	—	—	—	1	—	11	—	1	—	—	—	—	5	5		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
SUFFOLK, WEST—1911.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	293	44	8	9	7	15	36	66	108	477	68	15	8	17	20	41	98	210		
	F	300	49	17	6	7	14	31	48	128	475	60	8	12	6	7	48	86	248		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	3	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever ...	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	7	5	1	1	—	—	—	—	—	12	8	3	1	—	—	—	—	—		
	F	12	4	6	2	—	—	—	—	—	18	9	5	4	—	—	—	—	—		
6 Diphtheria and croup ...	M	1	—	—	1	—	—	—	—	—	2	—	—	1	—	1	—	—	—		
	F	2	—	—	1	1	—	—	—	—	2	—	—	1	1	—	—	—	—		
7 Influenza ...	M	2	—	—	—	—	1	—	1	—	5	1	—	—	—	—	1	3	—		
	F	1	—	—	—	—	—	1	—	—	5	1	—	—	1	—	—	1	2		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	30	—	—	—	—	5	13	11	1	38	1	—	—	2	8	17	10	—		
	F	12	—	—	—	1	5	5	1	—	36	—	—	—	3	3	16	13	1		
10 Tuberculous meningitis	M	1	—	1	—	—	—	—	—	—	5	1	1	1	—	—	—	—	—		
	F	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
11 Other tuberculous diseases.	M	5	1	1	2	—	1	—	—	—	7	—	—	1	—	2	1	2	1		
	F	9	3	—	—	2	2	2	—	—	4	—	—	—	—	—	3	1	—		
12 Cancer, malignant disease	M	26	—	—	—	—	—	1	13	12	32	—	—	—	—	—	—	15	17		
	F	31	—	—	—	—	—	4	12	15	57	—	—	—	—	—	4	22	31		
13 Rheumatic fever ...	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—		
14 Meningitis ...	M	3	1	—	—	—	2	—	—	—	1	—	—	1	—	—	—	—	—		
	F	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
15 Organic heart disease ...	M	25	—	—	—	—	1	1	9	14	52	—	—	—	—	1	4	15	32		
	F	22	—	—	—	—	1	3	7	11	47	—	—	—	—	—	2	6	39		
16 Bronchitis ...	M	19	3	—	2	—	—	—	3	11	28	5	1	—	—	—	—	3	19		
	F	26	3	1	—	—	—	—	5	17	33	3	1	1	—	—	1	3	24		
17 Pneumonia (all forms)...	M	15	2	2	—	—	1	5	2	3	16	6	2	2	—	—	—	3	3		
	F	17	3	2	—	—	—	5	4	3	19	5	1	1	1	—	1	7	3		
18 Other respiratory diseases	M	4	1	—	—	—	—	1	1	1	4	—	2	—	—	—	—	—	2		
	F	2	—	—	—	—	—	1	—	1	8	—	—	1	—	—	1	1	5		
19 Diarrhoea, &c. ...	M	15	7	1	—	—	—	2	2	3	21	12	2	—	—	1	—	1	5		
	F	10	7	1	—	—	—	—	—	2	14	9	—	1	—	—	—	1	3		
20 Appendicitis and typhlitis	M	1	—	—	—	—	—	1	—	—	3	—	—	—	2	—	—	1	—		
	F	3	—	—	1	—	—	—	2	—	2	—	—	—	—	1	—	1	—		
21 Cirrhosis of liver ...	M	6	—	—	—	—	—	2	3	1	2	—	—	—	—	—	—	1	1		
	F	4	—	—	—	—	—	—	2	2	3	—	—	—	—	—	1	1	1		
21A Alcoholism ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	14	—	—	—	—	—	1	5	8	14	—	—	—	1	—	2	4	7		
	F	2	—	—	—	—	—	1	—	1	10	—	—	1	—	—	2	6	1		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	4	—	—	—	—	1	3	—	—		
25 Congenital debility, &c.	M	15	15	—	—	—	—	—	—	—	27	27	—	—	—	—	—	—	—		
	F	21	21	—	—	—	—	—	—	—	21	20	—	—	—	—	1	—	—		
26 Violence, apart from suicide.	M	8	—	—	—	1	1	2	1	3	18	1	1	—	4	1	3	7	1		
	F	4	2	—	—	—	—	—	—	2	3	1	—	—	—	—	—	1	1		
27 Suicide ...	M	2	—	—	—	—	—	—	1	1	4	—	—	—	—	—	1	3	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—		
28 Other defined diseases ...	M	83	7	2	2	3	3	4	12	50	170	4	2	1	6	6	11	25	115		
	F	112	6	5	—	1	3	9	14	74	180	12	1	1	—	2	11	20	133		
29 Causes ill-defined or unknown.	M	5	1	—	—	—	—	3	1	—	15	2	1	—	1	—	—	5	6		
	F	—	—	—	—	—	—	—	—	—	7	—	—	1	—	—	—	2	4		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
SURREY—1911.

Causes of Death.				Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES				M	2534	514	120	85	80	110	326	545	754	1221	207	59	60	49	48	141	269	388		
				F	2476	409	107	92	79	80	282	473	954	1110	201	56	35	40	40	129	203	406		
1 Enteric fever				M	8	—	—	—	1	1	5	1	—	3	—	—	—	1	—	1	—	1		
				F	3	—	—	—	1	1	1	—	2	—	—	—	—	1	—	1	—	—		
2 Small-pox				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles				M	77	15	28	21	13	—	—	—	—	46	5	15	16	8	2	—	—	—		
				F	82	15	27	28	11	—	1	—	24	3	10	5	4	1	—	1	—	—		
4 Scarlet fever				M	6	—	—	3	2	1	—	—	—	1	—	—	1	—	—	—	—	—		
				F	9	—	1	6	2	—	—	—	1	—	—	1	—	—	—	—	—	—		
5 Whooping cough				M	33	19	9	3	2	—	—	—	—	13	3	7	3	—	—	—	—	—		
				F	42	20	15	5	2	—	—	—	22	10	7	5	—	—	—	—	—	—		
6 Diphtheria and croup ...				M	20	—	2	8	9	1	—	—	—	18	—	2	6	9	—	1	—	—		
				F	18	—	—	6	11	—	—	1	—	12	1	1	4	5	1	—	—	—		
7 Influenza				M	26	3	—	1	—	3	2	5	12	11	—	—	1	—	1	4	2	3		
				F	26	2	—	1	—	2	1	4	16	15	2	—	—	—	—	2	6	5		
8 Erysipelas				M	3	—	—	—	—	—	—	—	3	2	—	—	—	—	—	—	2	—		
				F	4	1	—	—	—	—	—	2	1	8	1	—	—	—	—	2	1	4		
9 Pulmonary tuberculosis {				M	237	3	2	3	2	34	118	64	11	86	—	—	2	3	13	44	17	7		
				F	146	2	1	1	6	24	67	34	11	69	1	1	1	1	8	37	15	5		
10 Tuberculous meningitis {				M	25	5	6	7	3	4	—	—	—	10	1	1	1	4	1	2	—	—		
				F	16	1	4	6	2	1	2	—	13	2	1	5	2	1	1	—	—	1		
11 Other tuberculous dis- eases.				M	25	4	2	2	5	5	5	2	—	9	3	1	2	—	1	1	—	1		
				F	34	7	4	4	1	3	8	4	3	12	6	1	—	2	1	—	—	2		
12 Cancer, malignant disease {				M	214	1	—	—	—	2	21	99	91	110	—	—	—	—	—	8	58	44		
				F	284	—	—	—	—	1	29	131	123	130	—	—	—	1	1	18	51	59		
13 Rheumatic fever				M	9	—	—	1	3	—	1	2	2	12	—	—	—	8	2	2	—	—		
				F	10	—	—	—	3	3	3	1	—	5	—	—	—	2	—	2	1	—		
14 Meningitis				M	13	4	2	3	2	1	1	—	—	9	2	3	2	—	1	1	—	—		
				F	10	3	1	2	2	—	1	—	9	2	1	—	2	2	2	—	—	—		
15 Organic heart disease ... {				M	224	—	—	—	4	4	26	75	115	111	—	—	—	1	4	13	35	58		
				F	240	1	—	—	5	10	29	57	138	118	—	—	—	—	7	11	36	64		
16 Bronchitis				M	132	19	7	4	3	1	3	24	71	56	14	4	1	—	—	1	4	32		
				F	122	11	4	1	—	1	1	12	92	58	7	4	1	1	1	2	4	38		
17 Pneumonia (all forms)... {				M	144	31	16	9	5	7	20	32	24	66	14	9	6	1	2	11	16	7		
				F	124	22	14	16	2	3	15	20	32	55	12	12	2	3	1	3	6	16		
18 Other respiratory diseases {				M	33	3	—	—	1	1	5	10	13	19	2	—	1	1	1	2	6	6		
				F	42	2	3	—	2	1	3	9	22	16	2	1	4	—	1	1	2	5		
19 Diarrhoea, &c.				M	237	170	32	5	2	1	4	8	15	93	65	12	6	1	—	1	1	7		
				F	186	129	19	5	—	—	3	10	20	76	59	7	1	1	—	1	3	4		
20 Appendicitis and typhlitis {				M	19	—	—	3	3	3	7	2	1	10	—	—	2	3	2	2	1	—		
				F	23	—	—	1	9	2	5	3	3	11	—	—	—	3	2	2	1	3		
21 Cirrhosis of liver				M	17	—	—	—	—	—	4	9	4	10	—	—	—	—	—	1	6	3		
				F	26	—	—	—	—	—	6	17	3	5	—	—	—	—	—	1	2	2		
21A Alcoholism				M	6	—	—	—	—	—	2	3	1	2	—	—	—	—	—	2	—	—		
				F	3	—	—	—	—	—	1	2	—	1	—	—	—	—	—	1	—	—		
22 Nephritis and Bright's disease.				M	89	1	—	—	1	4	14	40	29	37	2	—	—	1	1	6	15	12		
				F	59	—	—	—	1	—	13	21	24	25	1	—	—	—	—	3	10	11		
23 Puerperal fever				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	11	—	—	—	—	2	9	—	—	4	—	—	—	—	1	3	—	—		
24 Parturition, apart from puerperal fever.				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	22	—	—	—	—	—	21	1	—	7	—	—	—	—	—	6	1	—		
25 Congenital debility, &c. {				M	163	161	1	—	—	1	—	—	—	58	57	—	1	—	—	—	—	—		
				F	135	133	1	—	—	1	—	—	70	67	1	—	1	1	—	—	—	—		
26 Violence, apart from suicide.				M	108	10	2	4	7	14	25	25	21	52	5	—	1	3	7	10	18	8		
				F	54	11	—	5	4	4	3	16	11	21	8	—	3	4	—	3	—	3		
27 Suicide				M	29	—	—	—	—	2	10	14	3	17	—	—	—	—	2	7	6	2		
				F	15	—	—	—	—	6	4	5	—	3	—	—	—	—	—	3	—	—		
28 Other defined diseases ... {				M	627	63	9	8	12	20	53	125	337	359	34	5	8	5	8	21	81	197		
				F	724	49	12	4	15	15	56	121	452	308	15	7	3	7	10	27	55	184		
29 Causes ill-defined or un- known.				M	10	2	2	—	—	—	—	5	1	1	—	—	—	—	—	1	—	—		
				F	6	—	1	1	—	—	—	2	2	10	2	2	—	1	—	4	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF SUSSEX, EAST—1911.

Causes of Death.				Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES				M	747	107	24	22	15	28	88	171	292	685	95	19	16	17	33	66	133	366		
				F	771	89	20	23	18	19	79	181	342	648	69	14	16	15	24	71	130	309		
1	Enteric fever	M	5	—	—	—	—	—	1	2	2	—	1	—	—	—	—	—	1	—	—			
		F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—			
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
3	Measles	M	12	3	6	3	—	—	—	—	—	—	13	2	2	4	4	1	—	—	—			
		F	13	2	5	4	—	—	—	1	1	—	13	4	1	4	3	—	1	—	—			
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—			
5	Whooping cough	M	5	4	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—			
		F	12	5	4	3	—	—	—	—	—	—	5	3	1	1	—	—	—	—	—			
6	Diphtheria and croup	M	6	—	—	4	2	—	—	—	—	—	1	—	—	—	1	—	—	—	—			
		F	3	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
7	Influenza	M	6	—	—	—	—	—	—	—	2	4	13	3	2	—	—	—	—	6	2			
		F	8	—	—	—	—	—	1	—	1	6	8	—	—	—	—	—	1	3	4			
8	Erysipelas	M	3	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—			
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—			
9	Pulmonary tuberculosis	M	70	—	—	—	1	14	30	20	5	48	—	—	2	2	—	13	14	12	5			
		F	44	1	—	—	—	10	19	12	2	49	—	—	—	2	10	25	8	4				
10	Tuberculous meningitis	M	7	1	1	3	1	—	—	—	1	—	8	1	2	—	4	1	—	—	—			
		F	12	2	2	5	3	—	—	—	—	—	7	2	—	1	2	1	1	—	—			
11	Other tuberculous diseases.	M	14	3	3	3	2	1	2	—	—	—	10	2	1	—	—	1	3	1	2			
		F	10	—	—	1	3	1	3	2	—	—	10	—	—	1	2	2	2	3	—			
12	Cancer, malignant disease	M	72	—	—	2	—	—	4	27	39	58	—	—	—	1	—	3	2	19	33			
		F	114	—	—	—	—	—	11	52	51	75	—	—	—	—	—	5	34	36				
13	Rheumatic fever	M	4	—	—	—	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—			
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—			
14	Meningitis	M	4	—	1	1	—	—	—	—	1	1	2	—	1	—	—	1	—	—	—			
		F	4	1	—	1	2	—	—	—	—	—	2	—	—	1	—	—	1	—	—			
15	Organic heart disease	M	76	—	—	—	1	1	10	23	41	75	—	—	—	—	1	6	17	51				
		F	87	—	—	—	1	—	11	26	49	109	—	—	—	—	1	2	9	26	71			
16	Bronchitis	M	38	4	2	1	—	—	1	4	26	36	10	—	—	—	—	—	—	4	22			
		F	41	1	1	—	—	—	2	4	33	35	2	—	—	—	—	—	1	4	28			
17	Pneumonia (all forms)...	M	29	7	4	1	—	1	3	7	6	36	6	5	2	1	3	3	5	11				
		F	30	5	4	4	1	—	2	6	8	32	8	3	3	—	—	5	2	11				
18	Other respiratory diseases	M	15	1	1	—	1	—	1	2	9	9	—	—	1	—	—	—	1	3	4			
		F	8	—	—	—	—	1	—	1	6	9	1	—	1	—	—	—	—	7	—			
19	Diarrhoea, &c.	M	38	29	2	—	—	—	—	1	6	20	13	1	—	—	—	—	1	1	4			
		F	41	28	2	2	3	—	—	—	6	14	4	4	—	—	—	—	2	2	2			
20	Appendicitis and typhlitis	M	6	—	—	—	—	—	2	3	1	5	—	—	1	1	—	2	1	—	—			
		F	4	—	—	—	2	—	—	—	2	2	—	—	—	1	1	—	—	—	—			
21	Cirrhosis of liver	M	8	—	—	—	—	—	—	4	4	15	—	—	—	—	—	—	2	7	6			
		F	7	—	—	—	—	—	—	6	1	7	—	—	—	—	—	—	1	3	3			
21A	Alcoholism	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	1	—			
		F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
22	Nephritis and Bright's disease.	M	18	—	—	—	—	—	2	8	8	13	—	—	—	1	—	—	1	5	6			
		F	32	—	—	—	—	2	4	6	20	12	—	—	—	—	1	—	1	5	5			
23	Puerperal fever... ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
		F	2	—	—	—	—	—	1	1	—	5	—	—	—	—	—	—	5	—	—			
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
		F	3	—	—	—	—	—	3	—	—	4	—	—	—	—	—	—	4	—	—			
25	Congenital debility, &c.	M	41	41	—	—	—	—	—	—	—	—	35	35	—	—	—	—	—	—	—			
		F	27	27	—	—	—	—	—	—	—	—	35	33	—	2	—	—	—	—	—			
26	Violence, apart from suicide.	M	35	2	—	1	4	4	10	12	2	37	2	—	2	2	6	9	8	8				
		F	9	2	—	2	—	1	1	1	2	12	3	2	1	1	1	—	—	4	—			
27	Suicide	M	13	—	—	—	—	—	4	6	3	5	—	—	—	—	—	—	2	2	1			
		F	5	—	—	—	—	—	2	3	—	1	—	—	—	—	—	—	—	—	1			
28	Other defined diseases	M	218	12	3	2	1	6	17	45	132	238	21	2	3	3	3	17	39	150				
		F	249	15	1	—	1	3	16	58	155	195	8	3	1	2	5	6	40	130				
29	Causes ill-defined or unknown.	M	3	—	—	1	—	—	—	—	2	4	—	—	—	—	—	—	1	2	1			
		F	3	—	1	—	—	—	—	—	1	4	1	—	—	—	—	—	—	—	3			

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF SUSSEX, WEST—1911.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	572	96	19	17	15	25	73	110	217	578	71	20	10	16	23	55	122	261		
	F	545	61	22	16	14	11	40	111	270	518	60	12	15	17	22	51	88	253		
1 Enteric fever ...	M	5	—	—	—	—	1	4	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	13	2	4	4	3	—	—	—	—	9	1	5	1	2	—	—	—	—		
	F	16	3	8	4	1	—	—	—	—	3	1	—	2	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	5	2	1	2	—	—	—	—	—	9	4	2	2	1	—	—	—	—		
	F	2	—	1	—	1	—	—	—	—	15	10	4	—	1	—	—	—	—		
6 Diphtheria and croup ...	M	5	—	—	—	4	—	1	—	—	5	—	—	2	3	—	—	—	—		
	F	5	—	—	2	3	—	—	—	—	4	—	—	1	3	—	—	—	—		
7 Influenza ...	M	5	—	—	—	1	—	2	1	1	2	1	—	—	—	1	—	—	—		
	F	4	—	—	—	—	—	—	2	2	6	—	—	—	1	—	—	2	3		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	44	—	—	—	—	7	29	7	1	46	1	—	1	1	9	13	12	9		
	F	35	—	1	—	—	6	10	12	6	29	—	—	1	1	7	14	5	1		
10 Tuberculous meningitis	M	6	1	—	1	1	2	—	1	—	2	—	2	—	—	—	—	—	—		
	F	5	2	—	2	1	—	—	—	—	6	—	—	2	3	—	—	1	—		
11 Other tuberculous diseases.	M	5	—	2	—	—	1	—	1	1	10	1	1	1	3	—	3	—	1		
	F	7	1	—	—	2	1	1	2	—	11	—	1	2	—	1	4	1	2		
12 Cancer, malignant disease	M	46	—	—	—	—	—	5	16	25	45	—	—	—	—	—	—	27	18		
	F	64	—	—	—	—	1	5	19	39	50	—	—	—	—	—	6	15	29		
13 Rheumatic fever ...	M	1	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1		
14 Meningitis ...	M	3	2	—	—	1	—	—	—	—	7	1	1	—	3	—	1	1	—		
	F	11	3	2	2	2	—	—	1	1	3	—	—	1	1	—	1	—	—		
15 Organic heart disease ...	M	59	—	—	1	1	—	4	16	37	60	—	—	—	—	1	5	19	35		
	F	58	1	—	—	—	—	2	18	37	68	—	—	—	—	2	3	12	51		
16 Bronchitis ...	M	28	4	1	1	—	—	—	3	19	33	2	1	—	—	—	—	3	27		
	F	24	3	1	1	—	—	—	2	17	22	3	—	—	—	—	—	2	17		
17 Pneumonia (all forms)	M	35	8	3	3	1	2	3	9	6	19	4	1	—	—	1	3	3	7		
	F	21	4	3	1	—	—	—	—	13	21	5	2	1	—	2	1	3	7		
18 Other respiratory diseases	M	11	2	—	—	1	—	3	3	2	9	1	1	—	—	—	3	—	4		
	F	13	—	—	1	—	—	2	5	5	6	—	—	—	—	1	—	—	5		
19 Diarrhoea, &c. ...	M	45	35	7	—	—	—	1	—	2	28	11	5	—	—	—	1	3	8		
	F	24	19	3	—	—	—	—	—	2	22	10	4	3	—	1	1	2	1		
20 Appendicitis and typhlitis	M	4	—	—	1	—	—	—	1	2	1	—	—	—	—	—	1	—	—		
	F	4	—	—	—	1	1	—	2	—	4	—	—	—	—	1	2	—	1		
21 Cirrhosis of liver ...	M	3	—	—	—	—	—	—	2	1	5	—	—	—	—	1	—	3	1		
	F	6	—	—	—	—	—	—	3	3	3	—	—	—	—	—	1	—	2		
21A Alcoholism ...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	27	—	—	—	—	1	4	8	14	26	—	—	—	—	—	4	7	15		
	F	15	—	—	—	—	—	2	6	7	16	—	—	—	1	—	4	6	5		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	—	4	—	—	2	—	—	—	—	1	1	—	—		
25 Congenital debility, &c.	M	29	29	—	—	—	—	—	—	—	32	32	—	—	—	—	—	—	—		
	F	23	21	1	1	—	—	—	—	—	25	24	—	—	1	—	—	—	—		
26 Violence, apart from suicide.	M	20	1	—	2	—	4	5	5	3	26	1	—	2	2	4	3	7	7		
	F	11	1	1	1	—	—	1	1	6	8	1	—	1	—	—	—	3	3		
27 Suicide ...	M	10	—	—	—	—	1	4	3	2	12	—	—	—	—	2	2	4	4		
	F	2	—	—	—	—	—	2	—	—	4	—	—	—	—	1	1	2	—		
28 Other defined diseases ...	M	159	10	—	2	2	5	8	32	100	186	10	—	1	—	3	14	33	125		
	F	190	3	1	1	3	2	10	38	132	182	6	—	1	4	4	10	32	125		
29 Causes ill-defined or unknown.	M	3	—	1	—	—	—	—	1	1	2	—	1	—	—	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	3	—	1	—	—	—	—	2	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
WARWICKSHIRE—1911.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	1,490	389	70	62	43	60	180	298	388	1,122	239	66	46	48	40	116	169	398		
	F	1,499	301	74	68	45	53	159	298	501	983	147	48	45	46	33	101	161	402		
1 Enteric fever	M	5	—	—	—	—	1	3	1	—	4	—	—	—	1	—	1	2	—		
	F	3	—	—	—	—	2	—	—	1	2	—	—	—	—	—	2	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	36	8	15	9	4	—	—	—	—	55	12	26	10	6	—	1	—	—		
	F	45	6	20	15	4	—	—	—	—	39	7	13	14	5	—	—	—	—		
4 Scarlet fever	M	8	—	1	3	4	—	—	—	—	15	—	3	6	5	—	1	—	—		
	F	10	1	1	5	2	1	—	—	—	13	—	—	8	4	—	1	—	—		
5 Whooping cough	M	15	8	5	2	—	—	—	—	—	10	6	2	1	1	—	—	—	—		
	F	12	4	4	4	—	—	—	—	—	11	6	1	4	—	—	—	—	—		
6 Diphtheria and croup	M	11	—	—	9	1	—	—	1	—	5	—	1	1	3	—	—	—	—		
	F	9	—	—	8	1	—	—	—	—	8	—	—	5	2	—	—	1	—		
7 Influenza	M	12	—	—	—	—	1	3	5	3	9	—	—	—	—	1	1	2	5		
	F	10	—	—	—	—	—	1	7	2	10	—	1	—	1	—	2	3	3		
8 Erysipelas	M	2	—	—	—	—	—	—	—	2	3	1	—	—	—	—	—	1	1		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	2	—		
9 Pulmonary tuberculosis	M	115	1	—	—	3	22	53	33	3	67	—	1	1	4	7	35	13	6		
	F	86	—	1	—	4	22	42	13	4	56	1	1	—	4	14	24	10	2		
10 Tuberculous meningitis	M	18	8	3	6	—	—	—	1	—	12	2	2	3	1	1	2	1	—		
	F	11	3	2	2	2	1	1	—	—	3	—	—	—	—	2	1	—	—		
11 Other tuberculous diseases.	M	18	4	4	3	1	3	3	—	—	18	6	2	4	1	2	3	—	—		
	F	23	8	1	2	—	2	4	5	1	14	2	2	3	3	1	2	1	—		
12 Cancer, malignant disease	M	90	1	—	—	2	3	12	37	35	61	—	—	1	—	—	8	14	38		
	F	165	—	—	—	—	1	21	81	62	81	—	—	—	1	—	9	41	30		
13 Rheumatic fever	M	4	—	—	—	1	1	1	1	—	5	—	—	—	—	1	3	1	—		
	F	4	—	—	—	1	2	1	—	—	5	—	—	—	1	1	2	1	—		
14 Meningitis	M	21	2	5	8	2	1	2	1	—	13	6	1	3	1	—	1	—	1		
	F	18	1	4	7	2	1	2	1	—	12	5	2	4	—	—	1	—	—		
15 Organic heart disease	M	115	1	—	—	3	2	18	33	58	105	—	—	—	2	3	4	31	65		
	F	132	—	—	—	2	3	11	44	72	109	—	—	—	3	2	7	21	76		
16 Bronchitis	M	80	8	6	1	—	1	—	21	43	47	14	3	—	1	—	1	5	23		
	F	111	17	6	2	1	—	2	19	64	50	11	2	—	—	—	—	8	29		
17 Pneumonia (all forms)...	M	111	29	14	3	3	7	21	22	12	73	20	8	3	2	7	10	11	12		
	F	64	17	8	7	7	1	5	8	11	50	11	10	3	4	1	1	3	17		
18 Other respiratory diseases	M	17	1	—	2	1	—	2	8	3	17	3	—	1	1	—	1	2	9		
	F	17	—	1	—	2	1	1	5	7	7	1	—	—	1	—	—	2	3		
19 Diarrhoea, &c.	M	159	133	5	2	1	2	1	7	8	72	45	8	1	3	1	1	3	10		
	F	141	106	16	5	—	—	3	4	7	57	33	8	3	1	1	1	—	10		
20 Appendicitis and typhlitis	M	7	—	—	—	2	1	3	1	—	9	—	—	—	1	1	4	2	1		
	F	6	—	—	—	3	1	1	—	1	3	—	—	—	1	—	1	—	1		
21 Cirrhosis of liver	M	11	—	—	—	—	—	3	6	2	11	—	—	—	—	—	2	6	3		
	F	12	—	—	—	1	—	1	8	2	6	—	—	—	—	—	—	4	2		
21A Alcoholism	M	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	1	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	39	—	—	1	1	2	6	18	11	32	—	—	—	1	1	2	10	18		
	F	47	—	1	1	2	—	7	19	17	26	—	—	—	—	2	3	6	15		
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	9	—	—	—	—	1	8	—	—	5	—	—	—	—	3	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	18	—	—	—	—	4	14	—	—	15	—	—	—	—	2	13	—	—		
25 Congenital debility, &c.	M	130	128	2	—	—	—	—	—	—	98	96	—	1	1	—	—	—	—		
	F	95	94	—	—	1	—	—	—	—	53	50	1	—	1	—	—	1	—		
26 Violence, apart from suicide.	M	58	13	—	3	7	5	12	14	4	46	2	—	3	5	8	7	11	10		
	F	29	6	—	2	2	—	2	10	7	15	2	—	—	5	—	1	4	3		
27 Suicide	M	13	—	—	—	—	—	6	6	1	14	—	—	—	—	—	9	4	1		
	F	7	—	—	—	1	—	—	5	1	8	—	—	—	—	2	2	3	1		
28 Other defined diseases	M	384	44	7	9	7	8	30	78	201	306	26	6	6	8	7	17	43	193		
	F	406	38	6	7	7	10	32	66	240	318	18	7	1	9	2	24	48	209		
29 Causes ill-defined or unknown.	M	10	—	3	1	—	—	1	3	2	13	—	3	1	—	—	1	6	2		
	F	8	—	3	1	—	—	—	2	2	4	—	—	—	—	—	1	2	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
WESTMORLAND—1911.

Causes of Death.				Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	180	29	3	9	6	8	25	41	59	242	37	9	7	9	6	19	43	112		
				F	177	14	2	2	6	7	16	38	92	228	24	1	5	9	4	30	48	107		
1 Enteric fever	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
				F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	3	1	—	2	—	—	—	—	—	3	1	—	1	—	—	—	—	—		
				F	1	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
4 Scarlet fever	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
6 Diphtheria and croup	M	1	—	—	1	—	—	—	—	—	2	—	—	—	1	—	—	—	—		
				F	2	—	—	1	1	—	—	—	—	1	—	—	1	—	1	—	—	—		
7 Influenza	M	1	—	—	—	—	—	—	1	—	5	1	—	—	—	—	1	2	1		
				F	2	—	—	—	—	—	—	—	2	2	—	—	—	—	—	1	1	1		
8 Erysipelas	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	16	—	—	—	—	3	9	2	2	9	—	—	—	—	1	4	3	1		
				F	12	—	—	—	1	4	5	2	—	16	—	—	—	1	3	7	3	2		
10 Tuberculous meningitis	M	2	1	—	—	1	—	—	—	—	—	—	1	1	—	—	—	—	—		
				F	1	1	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—		
11 Other tuberculous diseases.	M	3	—	—	—	1	—	1	1	—	3	—	1	—	—	1	—	—	—		
				F	4	1	—	—	1	—	—	1	1	2	—	—	—	1	1	—	—	—		
12 Cancer, malignant disease	M	16	—	—	—	—	1	—	10	5	11	—	—	—	1	—	—	5	5		
				F	19	—	—	—	—	1	2	8	8	26	—	—	—	—	—	1	13	12		
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
				F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
14 Meningitis	M	5	—	1	2	2	—	—	—	—	4	3	1	—	—	—	—	—	—		
				F	1	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—		
15 Organic heart disease	M	23	—	—	—	—	—	4	6	13	29	—	—	—	—	—	3	6	20		
				F	28	—	—	—	1	—	2	8	17	23	—	—	—	—	—	—	8	15		
16 Bronchitis	M	7	1	1	1	—	—	—	1	3	10	2	1	—	—	—	—	2	5		
				F	14	—	—	1	—	—	—	2	11	17	3	—	1	—	—	—	1	12		
17 Pneumonia (all forms)...	M	10	4	—	1	—	1	3	—	1	9	1	2	—	1	—	—	2	3		
				F	5	1	1	—	1	1	—	—	1	6	1	—	—	—	—	2	3	—		
18 Other respiratory diseases	M	2	—	—	1	—	—	—	1	—	6	1	—	—	1	—	1	1	2		
				F	3	—	—	—	—	—	—	1	2	6	1	—	1	—	—	—	3	1		
19 Diarrhoea, &c.	M	4	3	—	—	—	—	—	—	—	12	8	1	1	1	—	—	—	1		
				F	4	2	—	—	—	—	—	—	2	6	3	—	—	—	—	—	2	1		
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	4	—	—	1	1	—	2	—	—		
				F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
21 Cirrhosis of liver	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—		
				F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
21A Alcoholism	M	2	—	—	—	—	—	1	1	—	1	—	—	—	—	—	1	—	—		
				F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
22 Nephritis and Bright's disease.	M	8	—	—	—	—	—	—	4	4	3	—	—	—	—	—	1	2	—		
				F	2	—	—	—	—	—	—	—	2	5	1	—	—	1	—	1	1	—		
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	2	—	—	—	—	—	2	—	—	2	—	—	—	—	—	2	—	—		
25 Congenital debility, &c.	M	12	11	—	—	1	—	—	—	—	15	14	—	—	—	—	1	—	—		
				F	6	6	—	—	—	—	—	—	—	8	8	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	3	—	—	—	—	1	2	—	—	16	—	1	1	1	3	2	3	5		
				F	2	—	—	—	1	—	—	—	1	2	—	—	1	—	—	—	—	—		
27 Suicide	M	3	—	—	—	—	—	1	1	1	6	—	—	—	—	—	2	3	1		
				F	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	2	—	—		
28 Other defined diseases	M	54	8	—	1	1	2	4	9	29	87	6	1	2	1	—	1	11	65		
				F	66	2	1	—	—	—	5	13	45	94	6	—	—	2	1	12	13	60		
29 Causes ill-defined or unknown.	M	2	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—		
				F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
WIGHT, ISLE OF—1911.

Causes of Death.				Sex.	AGGREGATE OF URBAN DISTRICTS.										RURAL DISTRICT.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	{	M	391	53	17	17	8	11	46	89	150	188	17	6	4	6	6	30	35	84		
				F	405	35	8	8	7	8	45	96	198	178	11	2	3	9	5	24	34	90		
1	Enteric fever	...	{	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—		
				F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—		
2	Small-pox	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles	...	{	M	9	3	3	2	1	—	—	—	—	3	1	2	—	—	—	—	—	—		
				F	5	1	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4	Scarlet fever	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5	Whooping cough	...	{	M	—	—	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—		
				F	1	—	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
6	Diphtheria and croup	...	{	M	3	—	—	3	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
				F	2	—	—	2	—	—	—	—	—	6	—	—	3	3	—	—	—	—		
7	Influenza	...	{	M	8	—	—	—	—	—	3	—	5	2	—	—	—	—	—	—	1	1		
				F	1	—	—	—	—	—	—	—	1	3	—	—	—	—	—	1	2			
8	Erysipelas	...	{	M	1	—	—	—	—	—	—	—	1	3	—	—	—	1	—	—	1	1		
				F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
9	Pulmonary tuberculosis		{	M	32	—	—	—	—	4	19	8	1	13	—	—	—	—	1	7	5	—		
				F	30	—	1	—	—	1	14	10	4	11	—	—	—	1	8	1	1	—		
10	Tuberculous meningitis		{	M	6	1	3	2	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
				F	3	1	1	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
11	Other tuberculous diseases.		{	M	5	—	—	—	1	1	1	2	—	4	—	1	—	1	—	2	—	—		
				F	7	—	—	1	2	2	1	—	1	3	1	—	—	—	—	2	—	—		
12	Cancer, malignant disease		{	M	37	—	—	—	—	—	3	16	18	19	—	—	—	—	—	3	6	10		
				F	51	—	—	—	—	1	3	21	26	12	—	—	—	—	—	2	6	4		
13	Rheumatic fever	...	{	M	1	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
14	Meningitis	...	{	M	4	1	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—		
				F	3	1	—	—	—	—	—	1	1	1	—	—	—	1	—	—	—	—		
15	Organic heart disease	...	{	M	39	—	—	—	—	—	7	11	21	17	—	—	—	—	—	1	4	12		
				F	48	—	—	—	—	1	2	18	27	36	—	—	—	1	1	4	7	23		
16	Bronchitis	...	{	M	9	1	—	1	—	—	—	2	5	14	3	1	1	—	—	—	1	8		
				F	20	—	—	—	1	—	—	2	17	9	—	1	—	—	—	—	1	7		
17	Pneumonia (all forms)...		{	M	13	4	3	—	1	1	1	—	3	5	—	—	1	1	—	—	2	1		
				F	16	2	1	—	2	—	2	3	6	3	—	—	—	1	—	—	—	2		
18	Other respiratory diseases		{	M	5	—	—	2	—	—	—	2	1	2	—	—	—	—	—	2	—	—		
				F	5	—	—	1	—	—	—	—	4	5	—	—	—	1	—	—	2	2		
19	Diarrhoea, &c.	...	{	M	27	17	3	3	—	1	1	—	2	3	2	1	—	—	—	—	—	—		
				F	19	12	2	—	—	—	2	1	2	3	1	1	—	—	—	1	—	—		
20	Appendicitis and typhlitis		{	M	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
21	Cirrhosis of liver	...	{	M	4	—	—	—	—	—	—	4	—	6	—	—	—	—	—	1	—	5		
				F	4	—	—	—	—	—	1	2	1	—	—	—	—	—	—	—	—	—		
21A	Alcoholism	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22	Nephritis and Bright's disease.		{	M	18	—	—	—	—	—	1	6	11	5	—	—	—	—	—	1	1	3		
				F	15	—	—	—	—	—	2	5	8	5	—	—	—	—	1	1	2	1		
23	Puerperal fever...	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
24	Parturition, apart from puerperal fever.		{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	4	—	—	—	—	—	4	—	—	1	—	—	—	—	—	1	—	—		
25	Congenital debility, &c.		{	M	19	18	1	—	—	—	—	—	—	8	8	—	—	—	—	—	—	—		
				F	12	12	—	—	—	—	—	—	—	8	6	—	—	—	1	1	—	—		
26	Violence, apart from suicide.		{	M	14	—	1	4	—	2	3	2	2	9	—	—	—	—	2	6	1	—		
				F	8	—	—	—	1	—	—	—	7	1	—	—	—	—	—	—	—	1		
27	Suicide	...	{	M	4	—	—	—	—	—	1	2	1	3	—	—	—	—	—	2	1	—		
				F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—		
28	Other defined diseases	...	{	M	123	7	2	—	1	2	5	29	77	66	3	—	1	1	1	5	12	43		
				F	144	6	—	1	—	3	12	29	93	66	2	—	—	—	1	6	10	47		
29	Causes ill-defined or unknown.		{	M	6	1	1	—	—	—	—	2	2	2	—	—	1	—	—	—	—	—		
				F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF WILTSHIRE—1911.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	805	133	26	23	23	36	102	193	269	1084	165	25	25	35	36	108	201	489		
	F	736	109	15	17	19	31	74	148	323	967	100	26	18	32	35	95	176	485		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	1	—	—	—	—	1	—	—	—	2	—	—	—	—	—	1	—	1		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	6	—	4	2	—	—	—	—	—	6	—	4	1	1	—	—	—	—		
	F	7	1	4	2	—	—	—	—	—	3	2	1	—	—	—	—	—	—		
4 Scarlet fever ...	M	1	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—		
5 Whooping cough ...	M	7	3	3	—	1	—	—	—	—	7	3	1	1	2	—	—	—	—		
	F	5	2	3	—	—	—	—	—	—	11	4	4	3	—	—	—	—	—		
6 Diphtheria and croup ...	M	5	—	2	1	2	—	—	—	—	4	—	—	2	2	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	3	—	1	—	2	—	—	—	—		
7 Influenza ...	M	9	—	—	—	—	2	2	1	4	25	3	—	1	2	—	2	5	12		
	F	6	—	—	—	—	—	—	2	4	26	—	—	—	2	—	2	3	19		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—		
9 Pulmonary tuberculosis	M	79	—	—	2	3	12	33	27	2	64	—	1	—	2	13	31	16	1		
	F	43	—	—	—	3	10	18	11	1	54	1	—	—	3	15	20	12	3		
10 Tuberculous meningitis	M	9	1	1	3	1	2	1	—	—	8	1	1	2	3	1	—	—	—		
	F	8	1	2	1	2	2	—	—	—	10	—	1	3	6	—	—	—	—		
11 Other tuberculous diseases.	M	12	2	1	2	—	3	1	2	1	12	1	3	2	—	5	1	—	—		
	F	2	—	—	—	1	1	—	—	—	13	—	—	1	3	4	2	—	3		
12 Cancer, malignant disease	M	48	—	—	—	—	—	4	28	16	79	—	—	—	1	2	5	28	43		
	F	68	—	—	—	—	—	8	34	26	87	—	—	1	—	7	40	39	—		
13 Rheumatic fever ...	M	2	—	—	—	—	2	—	—	—	4	—	—	—	—	1	2	1	—		
	F	3	—	—	—	—	3	—	—	—	3	—	—	—	2	—	1	—	—		
14 Meningitis ...	M	8	4	1	—	1	1	1	—	—	6	1	—	1	1	1	2	—	—		
	F	5	1	1	1	—	—	2	—	—	4	—	1	—	2	1	—	—	—		
15 Organic heart disease ...	M	71	—	—	1	1	2	10	29	28	117	—	—	—	—	1	8	30	78		
	F	85	1	—	—	—	2	5	25	52	129	—	—	—	—	4	11	37	77		
16 Bronchitis ...	M	60	10	1	—	1	—	1	13	34	97	11	1	1	—	—	2	16	66		
	F	53	6	—	—	—	1	—	9	37	65	6	3	1	—	—	1	5	49		
17 Pneumonia (all forms)	M	36	8	2	2	—	2	8	9	5	39	11	2	1	1	1	8	7	8		
	F	40	10	2	3	3	2	6	6	8	43	8	7	2	1	2	7	8	8		
18 Other respiratory diseases	M	18	1	1	—	—	1	1	9	5	25	3	1	1	1	—	3	4	12		
	F	9	—	—	—	—	—	—	1	8	12	1	—	—	—	—	1	2	8		
19 Diarrhoea, &c. ...	M	43	24	8	2	—	—	1	2	6	35	23	3	1	—	—	2	1	5		
	F	39	28	2	3	1	—	—	2	3	26	13	—	1	2	—	1	—	9		
20 Appendicitis and typhlitis	M	5	—	—	1	1	3	—	—	—	7	—	—	—	4	1	—	2	—		
	F	4	—	—	—	1	—	—	3	—	5	—	—	—	2	—	2	—	1		
21 Cirrhosis of liver ...	M	5	—	—	—	—	—	—	4	1	8	—	—	—	—	—	1	4	3		
	F	6	—	—	—	—	—	1	4	1	6	—	—	—	—	—	1	5	—		
21A Alcoholism ...	M	3	—	—	—	—	—	2	1	—	2	—	—	—	—	—	1	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	34	—	—	—	—	1	8	11	14	30	—	1	2	—	—	3	8	16		
	F	26	—	—	—	1	4	4	8	9	24	2	1	1	1	1	2	3	13		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	7	—	—	—	—	—	7	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	9	—	—	—	—	1	8	—	—	6	—	—	—	—	1	5	—	—		
25 Congenital debility, &c.	M	57	57	—	—	—	—	—	—	—	72	72	—	—	—	—	—	—	—		
	F	47	46	—	1	—	—	—	—	—	43	43	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	31	5	—	3	6	2	6	4	5	53	2	1	5	9	5	7	16	8		
	F	10	1	—	—	2	—	2	2	3	18	1	3	1	1	1	2	6	3		
27 Suicide ...	M	11	—	—	—	—	1	2	3	5	13	—	—	—	—	—	7	3	3		
	F	3	—	—	—	—	—	—	3	—	2	—	—	—	—	1	—	—	1		
28 Other defined diseases ...	M	239	18	2	3	5	2	20	47	142	356	33	4	3	5	10	17	54	230		
	F	251	12	—	4	4	4	19	37	171	361	19	4	3	5	5	22	58	245		
29 Causes ill-defined or unknown.	M	6	—	—	1	—	—	1	3	1	12	1	2	1	—	—	2	3	3		
	F	2	—	1	1	—	—	—	—	—	2	—	—	—	—	1	—	—	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF WORCESTERSHIRE—1911.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,483	364	87	75	49	48	139	305	416	1,239	221	58	43	54	48	127	239	449		
	F	1,483	292	104	59	69	51	161	279	468	1,072	147	61	36	38	42	122	209	417		
1 Enteric fever ...	M	7	—	—	2	—	2	2	1	—	4	—	—	—	1	2	1	—	—		
	F	2	—	—	—	2	—	—	—	—	4	—	—	—	—	—	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	58	10	25	22	1	—	—	—	—	33	6	13	12	2	—	—	—	—		
	F	40	3	22	13	1	—	—	1	—	20	2	8	7	2	—	1	—	—		
4 Scarlet fever ...	M	8	—	2	3	3	—	—	—	—	4	—	—	1	3	—	—	—	—		
	F	11	1	—	4	5	—	1	—	—	5	—	2	—	2	—	1	—	—		
5 Whooping cough ...	M	14	11	2	—	1	—	—	—	—	6	4	1	1	—	—	—	—	—		
	F	32	14	13	3	2	—	—	—	—	7	4	3	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	13	1	1	5	6	—	—	—	—	11	—	3	—	7	1	—	—	—		
	F	9	—	1	2	6	—	—	—	—	10	—	1	3	6	—	—	—	—		
7 Influenza ...	M	16	1	—	—	—	—	2	7	6	11	—	—	—	—	—	1	5	5		
	F	15	2	—	—	—	1	3	2	7	10	—	—	—	—	—	3	3	4		
8 Erysipelas ...	M	5	—	—	1	1	—	1	1	1	2	—	—	—	—	—	1	—	1		
	F	2	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1		
9 Pulmonary tuberculosis	M	88	—	—	—	—	18	40	28	2	79	—	—	—	1	13	46	17	2		
	F	80	1	—	1	7	21	30	19	1	62	1	—	—	6	17	26	12	—		
10 Tuberculous meningitis	M	16	3	4	3	4	1	1	—	—	12	—	1	3	4	3	1	—	—		
	F	15	5	4	1	2	1	1	1	—	12	1	4	3	2	1	1	—	—		
11 Other tuberculous diseases.	M	25	5	4	—	4	3	8	1	—	21	3	3	3	5	4	3	—	—		
	F	26	8	7	2	3	2	3	1	—	15	1	2	2	1	3	3	3	—		
12 Cancer, malignant disease	M	84	—	—	—	—	1	5	39	39	73	—	—	—	—	—	7	35	31		
	F	112	—	—	—	—	1	16	51	44	106	—	—	—	—	—	9	48	49		
13 Rheumatic fever ...	M	3	—	—	1	1	—	—	1	—	4	—	—	—	2	1	1	—	—		
	F	6	—	—	—	5	1	—	—	—	8	—	—	1	1	2	1	2	1		
14 Meningitis ...	M	18	5	3	3	2	2	—	3	—	15	4	4	1	4	—	—	1	1		
	F	15	9	1	—	2	1	2	—	—	5	2	—	1	—	1	—	1	—		
15 Organic heart disease ...	M	111	—	—	—	2	3	12	42	52	114	—	—	—	2	1	10	36	65		
	F	131	—	—	—	6	6	18	34	67	127	—	—	—	1	3	17	37	69		
16 Bronchitis ...	M	94	23	1	2	1	—	3	14	50	77	10	6	—	—	—	2	5	54		
	F	97	22	2	3	—	1	2	23	44	66	5	5	1	1	—	1	8	45		
17 Pneumonia (all forms)...	M	111	25	15	14	3	2	13	22	17	71	18	14	8	1	4	4	14	8		
	F	86	15	17	7	6	1	9	11	20	64	10	15	7	2	2	5	7	16		
18 Other respiratory diseases	M	22	2	1	1	—	—	2	12	4	15	—	—	—	2	—	2	3	8		
	F	21	1	—	2	1	1	4	6	6	13	—	—	3	1	—	2	2	5		
19 Diarrhoea, &c. ...	M	143	102	18	5	3	—	2	7	6	69	54	4	4	—	—	1	3	3		
	F	139	80	25	6	4	—	3	5	16	55	34	8	3	—	—	4	1	5		
20 Appendicitis and typhlitis	M	8	—	—	—	2	2	1	3	—	17	—	—	—	6	3	1	5	2		
	F	10	—	—	—	2	—	4	3	1	7	—	—	—	1	2	2	2	—		
21 Cirrhosis of liver ...	M	11	—	—	—	—	—	3	7	1	9	—	—	—	—	—	1	5	3		
	F	8	—	—	—	—	—	1	4	3	4	—	—	—	—	—	2	1	1		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	38	—	1	—	1	1	5	19	11	42	1	—	—	—	1	5	19	16		
	F	41	—	2	3	3	1	8	13	11	30	1	—	1	1	1	5	16	5		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	—	7	—	—	4	—	—	—	—	—	4	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	13	—	—	—	—	1	12	—	—	8	—	—	—	—	1	6	1	—		
25 Congenital debility, &c.	M	117	115	1	—	—	1	—	—	—	90	89	—	1	—	—	—	—	—		
	F	90	87	1	1	—	—	1	—	—	61	60	1	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	73	10	5	5	8	5	10	22	8	62	2	4	7	6	7	10	16	10		
	F	40	3	1	4	4	1	1	9	17	16	2	—	2	3	—	—	4	5		
27 Suicide ...	M	13	—	—	—	—	—	4	6	3	17	—	—	—	—	1	7	7	2		
	F	4	—	—	—	—	—	1	3	—	5	—	—	—	—	1	2	1	1		
28 Other defined diseases ...	M	380	51	3	8	5	7	25	66	215	370	30	4	2	8	7	22	63	234		
	F	419	40	6	7	8	10	31	87	230	334	24	6	2	7	6	25	54	210		
29 Causes ill-defined or unknown.	M	7	—	1	—	1	—	—	4	1	11	—	1	—	—	—	1	5	4		
	F	11	—	2	—	—	1	3	4	1	13	—	6	—	1	—	1	5	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF YORKSHIRE, EAST RIDING—1911.

Causes of Death.				Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...				M	429	78	12	7	12	11	41	103	165	665	125	19	21	19	28	65	105	283		
				F	425	79	9	6	21	17	46	85	162	581	111	17	16	25	25	63	111	213		
1 Enteric fever ...				M	3	—	—	—	1	1	1	—	—	9	—	—	—	—	1	4	4	—		
				F	4	—	—	—	1	3	—	—	—	1	—	—	—	—	—	1	—			
2 Small-pox ...				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
3 Measles ...				M	2	1	—	1	—	—	—	—	—	3	2	—	1	—	—	—	—			
				F	1	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—			
4 Scarlet fever ...				M	3	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—			
				F	2	—	—	—	2	—	—	—	—	1	—	—	1	—	—	—	—			
5 Whooping cough ...				M	6	6	—	—	—	—	—	—	—	6	4	1	1	—	—	—	—			
				F	10	8	1	—	1	—	—	—	—	13	9	2	2	—	—	—	—			
6 Diphtheria and croup ...				M	4	—	—	1	3	—	—	—	—	9	—	—	3	5	1	—	—			
				F	9	1	—	3	5	—	—	—	—	6	—	—	1	4	—	1	—			
7 Influenza ...				M	1	—	—	—	—	—	—	1	—	10	—	—	1	—	—	1	2			
				F	5	—	—	—	1	—	—	2	2	5	—	—	—	1	—	—	4			
8 Erysipelas ...				M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—			
				F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—			
9 Pulmonary tuberculosis				M	26	—	—	1	—	6	12	5	2	33	—	—	1	3	6	13	6	4		
				F	28	—	—	1	—	5	15	7	—	44	—	—	1	3	11	18	11	—		
10 Tuberculous meningitis				M	5	1	2	1	1	—	—	—	—	7	2	1	2	—	2	—	—	—		
				F	5	—	1	1	1	1	1	—	—	6	1	3	—	1	1	—	—	—		
11 Other tuberculous diseases.				M	5	2	—	—	—	—	2	1	—	6	1	1	1	1	2	—	—	—		
				F	9	3	—	—	—	2	2	1	1	13	3	—	—	2	1	4	2	1		
12 Cancer, malignant disease				M	28	—	—	—	—	—	1	13	14	38	—	—	—	—	—	2	12	24		
				F	37	—	—	—	—	—	1	19	17	52	—	—	—	—	—	8	18	26		
13 Rheumatic fever ...				M	1	—	—	—	1	—	—	—	—	2	—	—	—	—	1	1	—	—		
				F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—		
14 Meningitis ...				M	5	—	3	—	1	—	—	1	—	2	1	—	—	—	1	—	—	—		
				F	1	—	—	—	1	—	—	—	—	9	2	1	4	1	—	—	1	—		
15 Organic heart disease ...				M	50	—	—	—	1	—	2	18	29	59	—	—	—	—	1	3	21	34		
				F	34	—	—	—	1	2	2	11	18	54	—	—	1	—	—	9	13	31		
16 Bronchitis ...				M	19	8	—	—	—	—	—	3	8	43	17	1	2	—	—	—	1	22		
				F	23	10	1	—	1	—	—	1	10	24	7	—	—	—	—	1	2	14		
17 Pneumonia (all forms)...				M	22	4	—	1	—	—	5	6	6	45	10	5	5	1	2	8	8	6		
				F	18	5	4	1	1	—	2	1	4	27	4	4	1	3	1	4	3	7		
18 Other respiratory diseases				M	8	—	—	1	—	—	2	5	—	11	1	—	—	2	3	1	—	4		
				F	6	—	—	—	1	—	—	3	2	8	1	—	—	1	1	2	1	2		
19 Diarrhoea, &c. ...				M	25	18	2	—	—	—	—	2	3	33	22	6	—	—	—	—	2	3		
				F	21	17	1	—	2	—	—	—	1	33	16	2	3	1	—	—	4	7		
20 Appendicitis and typhlitis				M	1	—	—	—	—	—	—	1	—	6	—	—	—	1	2	2	1	—		
				F	1	—	—	—	—	—	1	—	—	2	—	—	—	1	—	1	—	—		
21 Cirrhosis of liver ...				M	7	—	—	—	—	—	—	6	1	2	—	—	—	—	—	—	—	2		
				F	1	—	—	—	—	—	—	—	1	4	—	—	—	—	—	3	1			
21A Alcoholism ...				M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—		
				F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	2	—		
22 Nephritis and Bright's disease.				M	20	—	—	—	—	—	2	10	8	13	—	—	—	—	—	2	6	5		
				F	12	—	—	—	—	—	1	4	7	13	—	—	—	1	—	2	6	4		
23 Puerperal fever ...				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	1	—	—	—	—	1	—	—	—	3	—	—	—	—	1	2	—	—		
24 Parturition, apart from puerperal fever.				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	7	—	—	—	—	1	6	—	—	—	3	—	—	—	1	2	—	—		
25 Congenital debility, &c.				M	21	21	—	—	—	—	—	—	—	37	36	—	1	—	—	—	—	—		
				F	18	18	—	—	—	—	—	—	—	43	42	—	—	1	—	—	—	—		
26 Violence, apart from suicide.				M	9	—	—	—	1	2	3	2	1	27	—	—	1	5	4	13	4	—		
				F	5	—	1	—	—	—	1	—	3	9	1	—	1	—	1	2	1	3		
27 Suicide ...				M	3	—	—	—	—	1	—	1	1	8	—	—	—	—	—	3	2	3		
				F	4	—	—	—	—	—	2	2	—	3	—	—	—	—	—	—	3	—		
28 Other defined diseases ...				M	150	17	5	1	—	1	10	26	90	244	28	4	2	1	2	12	29	166		
				F	153	14	—	—	3	2	9	29	96	198	24	5	2	4	7	5	38	113		
29 Causes ill-defined or unknown.				M	3	—	—	—	—	—	—	2	1	11	1	—	—	—	—	—	6	4		
				F	8	2	—	—	—	—	2	4	—	2	—	—	—	—	—	—	2	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF YORKSHIRE, NORTH RIDING—1911.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1595	408	139	96	53	65	165	291	378	927	141	20	33	31	39	89	171	403		
	F	1437	297	134	79	74	57	167	233	396	813	98	25	11	29	37	99	165	349		
1 Enteric fever ...	M	14	—	—	1	—	3	10	—	—	2	—	—	—	2	—	—	—	—		
	F	8	—	—	—	—	4	3	1	—	4	—	—	—	—	1	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	67	22	24	17	4	—	—	—	—	2	—	1	1	—	—	—	—	—		
	F	55	9	25	16	5	—	—	—	—	4	—	3	—	1	—	—	—	—		
4 Scarlet fever ...	M	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	42	21	17	2	2	—	—	—	—	17	11	2	4	—	—	—	—	—		
	F	54	25	17	12	—	—	—	—	—	14	7	6	1	—	—	—	—	—		
6 Diphtheria and croup ...	M	18	—	5	8	5	—	—	—	—	10	—	—	8	2	—	—	—	—		
	F	21	—	1	5	14	1	—	—	—	7	—	—	1	5	1	—	—	—		
7 Influenza ...	M	14	4	—	—	—	1	5	3	1	8	—	—	—	1	1	2	1	3		
	F	16	1	—	2	—	—	2	5	6	17	2	1	1	—	—	2	3	8		
8 Erysipelas ...	M	1	—	—	—	—	—	—	1	—	2	1	—	—	—	—	—	1	—		
	F	2	—	—	—	—	—	—	1	1	1	1	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	109	2	4	6	3	23	48	21	2	53	—	—	—	3	7	22	18	3		
	F	115	2	6	3	10	25	52	15	2	60	—	—	—	3	18	25	12	2		
10 Tuberculous meningitis	M	25	8	8	4	4	—	1	—	—	4	—	—	3	1	—	—	—	—		
	F	17	4	3	5	4	1	—	—	—	5	—	1	—	2	2	—	—	—		
11 Other tuberculous diseases.	M	28	6	3	5	7	3	1	2	1	6	1	1	—	1	1	—	1	1		
	F	31	7	2	4	10	1	6	1	—	11	2	—	1	2	—	2	3	1		
12 Cancer, malignant disease	M	67	1	—	—	—	—	3	33	30	69	—	—	—	1	—	2	22	44		
	F	104	—	—	—	—	1	12	41	50	101	—	—	—	—	—	12	42	47		
13 Rheumatic fever ...	M	4	—	—	1	1	—	2	—	—	2	—	—	—	1	1	—	—	—		
	F	5	—	—	—	4	—	1	—	—	2	—	—	—	1	—	—	—	1		
14 Meningitis ...	M	25	4	7	6	4	—	3	1	—	12	5	1	3	1	1	1	—	—		
	F	19	7	3	3	2	—	2	1	1	4	—	—	—	3	—	1	—	—		
15 Organic heart disease ...	M	99	—	—	—	—	1	11	35	52	107	—	—	—	1	1	10	19	76		
	F	118	—	—	—	—	2	16	39	61	109	—	—	—	1	2	7	31	68		
16 Bronchitis ...	M	94	42	8	3	1	—	1	7	32	47	8	3	2	1	—	—	4	29		
	F	78	22	9	1	—	—	2	14	30	37	4	1	1	—	—	2	2	27		
17 Pneumonia (all forms)...	M	153	26	30	17	4	7	20	35	14	44	10	4	5	4	—	6	6	9		
	F	94	18	31	11	5	3	4	9	13	36	9	3	—	2	1	3	7	11		
18 Other respiratory diseases	M	24	2	1	2	—	1	4	7	7	15	—	—	—	2	2	—	4	7		
	F	22	2	3	2	1	2	3	5	4	21	2	1	—	—	1	3	4	10		
19 Diarrhoea, &c. ...	M	120	77	19	3	3	—	—	8	10	33	21	2	1	—	2	1	—	6		
	F	98	58	20	2	—	1	1	3	13	29	13	4	2	1	—	2	—	7		
20 Appendicitis and typhlitis	M	6	—	—	—	—	2	2	2	—	10	—	—	—	1	3	3	—	—		
	F	5	—	—	1	1	1	2	—	—	8	—	—	—	1	1	5	—	1		
21 Cirrhosis of liver ...	M	9	—	—	—	—	—	1	5	3	12	—	—	—	—	—	4	3	5		
	F	8	—	—	—	—	—	1	5	2	3	—	—	—	—	—	1	1	1		
21A Alcoholism ...	M	2	—	—	—	—	—	—	1	1	3	—	—	—	—	—	1	2	—		
	F	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	45	—	—	1	1	6	6	17	14	33	—	—	1	1	2	4	7	18		
	F	39	1	1	1	3	2	8	13	10	25	—	—	—	—	—	6	10	9		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	9	—	—	—	—	4	5	—	—	6	—	—	—	—	1	5	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	16	—	—	—	—	2	13	1	—	6	—	—	—	—	1	5	—	—		
25 Congenital debility, &c.	M	132	131	1	—	—	—	—	—	—	52	51	—	1	—	—	—	—	—		
	F	92	90	1	—	1	—	—	—	—	37	36	—	—	1	—	—	—	—		
26 Violence, apart from suicide.	M	78	5	1	10	4	7	18	25	8	40	—	—	1	6	6	10	12	5		
	F	23	6	2	2	4	—	1	3	5	10	—	—	1	—	1	—	—	8		
27 Suicide ...	M	11	—	—	—	—	1	5	5	—	11	—	—	—	—	3	2	5	1		
	F	5	—	—	—	—	—	3	—	2	4	—	—	—	—	—	1	2	1		
28 Other defined diseases ...	M	396	56	9	10	9	10	23	81	198	325	33	6	3	4	7	20	61	191		
	F	372	45	7	8	8	7	29	73	195	249	22	4	3	4	8	16	46	146		
29 Causes ill-defined or unknown.	M	10	1	2	—	—	—	—	2	5	8	—	—	—	—	—	1	2	5		
	F	6	—	3	—	—	—	1	2	—	3	—	1	—	—	—	—	1	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
 YORKSHIRE, WEST RIDING—1911.

Causes of Death.				Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	{	M	9,743	2393	692	451	371	401	1063	2144	2228	2,913	776	224	143	97	121	346	458	748		
			{	F	9,332	1963	646	478	386	347	1035	1826	2651	2,574	582	187	129	106	93	308	426	743		
1	Enteric fever	...	{	M	104	—	—	3	7	23	52	16	3	33	—	—	1	4	6	15	5	2		
			{	F	78	1	—	1	12	23	27	13	1	26	—	—	—	7	3	12	3	1		
2	Small-pox	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			{	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles	...	{	M	308	70	135	85	17	1	—	—	—	114	36	46	25	7	—	—	—	—		
			{	F	305	57	118	105	23	—	2	—	—	86	14	43	22	7	—	—	—	—		
4	Scarlet fever	...	{	M	37	3	3	12	16	2	1	—	—	4	—	—	2	1	1	—	—	—		
			{	F	48	1	1	24	20	2	—	—	—	6	—	—	—	4	—	2	—	—		
5	Whooping cough	...	{	M	147	78	43	24	2	—	—	—	—	36	17	17	1	1	—	—	—	—		
			{	F	216	95	69	48	4	—	—	—	—	57	33	16	7	1	—	—	—	—		
6	Diphtheria and croup	...	{	M	59	1	10	32	16	—	—	—	—	30	1	—	16	10	1	1	—	1		
			{	F	85	1	9	35	35	4	—	1	—	18	2	—	5	11	—	—	—	—		
7	Influenza	...	{	M	65	10	1	—	2	5	14	16	17	25	—	1	—	2	2	6	1	13		
			{	F	58	4	—	2	1	3	7	17	24	22	3	1	—	1	—	5	4	8		
8	Erysipelas	...	{	M	17	2	—	—	1	—	3	4	7	3	—	—	—	—	—	1	2	2		
			{	F	23	6	—	—	—	—	2	7	8	6	1	—	—	—	—	2	—	—		
9	Pulmonary tuberculosis		{	M	635	7	14	11	23	116	241	201	22	167	4	2	4	4	30	76	39	8		
			{	F	548	7	10	11	50	107	245	103	15	130	1	1	3	8	23	68	21	5		
10	Tuberculous meningitis		{	M	106	27	14	30	23	5	5	2	—	18	2	6	3	3	1	3	—	—		
			{	F	97	19	14	21	33	5	4	1	—	26	5	3	8	5	3	2	—	—		
11	Other tuberculous diseases.		{	M	198	42	34	18	29	12	30	28	5	44	13	12	7	1	4	6	1	—		
			{	F	159	30	24	25	25	10	27	12	6	53	5	11	9	11	5	8	4	—		
12	Cancer, malignant disease		{	M	492	—	—	1	2	6	48	253	182	130	—	—	—	—	2	10	59	59		
			{	F	690	—	—	1	1	6	79	348	255	177	—	1	1	1	—	21	83	70		
13	Rheumatic fever	...	{	M	42	1	—	1	12	11	8	6	3	11	1	—	—	2	2	3	3	—		
			{	F	31	—	—	—	6	7	12	5	1	14	—	—	—	3	2	5	2	2		
14	Meningitis	...	{	M	107	23	19	19	26	7	8	4	1	25	11	5	6	2	1	—	—	—		
			{	F	81	24	17	12	12	4	8	4	—	16	4	5	2	4	1	—	—	—		
15	Organic heart disease	...	{	M	776	—	1	—	14	23	77	331	330	201	—	—	—	7	4	17	74	99		
			{	F	1,000	1	—	—	22	32	121	369	455	223	—	—	1	3	8	27	82	102		
16	Bronchitis	...	{	M	684	199	43	22	6	2	12	138	262	174	60	14	5	3	—	2	20	70		
			{	F	653	165	57	19	4	1	15	96	296	184	42	19	8	1	—	3	24	87		
17	Pneumonia (all forms)...		{	M	800	178	133	70	29	35	114	156	85	275	84	36	33	18	8	29	32	35		
			{	F	617	149	118	70	29	18	56	101	76	181	48	32	28	9	10	18	16	20		
18	Other respiratory diseases		{	M	161	13	7	17	9	2	18	57	38	31	4	2	2	1	—	2	11	9		
			{	F	106	7	6	12	7	2	17	21	34	31	4	1	6	1	1	7	3	8		
19	Diarrhoea, &c.	...	{	M	961	632	161	39	9	1	17	37	65	292	191	56	7	4	1	3	6	24		
			{	F	837	526	124	32	11	5	14	32	93	233	160	34	14	5	2	2	4	12		
20	Appendicitis and typhlitis		{	M	59	—	—	1	20	22	12	4	—	16	—	—	1	2	6	2	3	2		
			{	F	22	1	—	2	3	8	5	2	1	4	—	—	—	1	1	1	1	—		
21	Cirrhosis of liver	...	{	M	62	1	—	—	—	1	14	35	11	22	—	—	—	—	5	14	3	—		
			{	F	40	—	—	—	1	—	8	21	10	11	—	—	—	—	1	2	5	3		
21A	Alcoholism	...	{	M	16	—	—	—	—	—	6	10	—	—	—	—	—	—	—	—	—	—		
			{	F	8	—	—	—	—	—	6	2	—	3	—	—	—	—	—	1	2	—		
22	Nephritis and Bright's disease.		{	M	281	5	1	2	4	12	43	130	84	60	1	—	1	—	1	10	30	17		
			{	F	260	2	4	—	9	14	48	109	74	61	1	2	—	3	2	14	18	21		
23	Puerperal fever	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			{	F	42	—	—	—	—	10	32	—	—	8	—	—	—	—	1	7	—	—		
24	Parturition, apart from puerperal fever.		{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			{	F	101	—	—	—	—	20	81	—	—	40	—	—	—	—	9	31	—	—		
25	Congenital debility, &c.		{	M	724	714	2	3	3	2	—	—	—	232	227	2	2	1	—	—	—	—		
			{	F	564	560	—	—	3	—	—	1	—	169	168	—	—	1	—	—	—	—		
26	Violence, apart from suicide.		{	M	410	19	9	24	52	55	122	94	35	162	2	3	11	10	26	70	25	15		
			{	F	131	17	5	21	23	11	14	17	23	45	5	1	5	3	2	7	10	12		
27	Suicide	...	{	M	108	—	—	—	—	9	34	54	11	38	—	—	—	—	4	17	12	5		
			{	F	39	—	—	—	1	9	21	6	2	7	—	—	—	—	5	—	—	2		
28	Other defined diseases	...	{	M	2,322	365	50	34	47	49	178	543	1056	748	120	14	14	14	21	65	116	384		
			{	F	2,450	289	56	36	50	44	178	525	1272	728	84	15	9	16	19	58	140	387		
29	Causes ill-defined or unknown.		{	M	62	3	12	3	2	—	6	25	11	22	2	8	2	—	—	4	6	—		
			{	F	43	1	14	1	1	2	6	13	5	9	2	2	1	—	—	1	2	1		

ANGLESEY.

Causes of Death.	Amlwch U.D.		Beaumaris M.B.		Holyhead U.D.		Llangefni U.D.		Menai Bridge U.D.		Aethwy R.D.		Dwyran R.D.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	24	33	22	14	91	93	16	11	16	20	61	69	31	29
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	1	—
5 Whooping cough	—	—	—	—	—	—	—	—	2	—	1	1	—	—
6 Diphtheria and croup	—	1	—	—	—	1	—	—	—	—	—	3	—	—
7 Influenza... ..	—	2	—	—	—	—	—	—	1	—	3	2	—	3
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	1	2	1	—	5	12	—	2	1	1	6	8	1	3
10 Tuberculous meningitis	1	—	1	—	—	1	1	—	—	—	1	—	—	—
11 Other tuberculous diseases	—	1	—	—	2	2	2	—	1	—	—	1	—	—
12 Cancer, malignant disease	2	5	3	1	4	12	1	—	1	2	2	8	3	2
13 Rheumatic fever	—	—	—	—	—	1	—	—	—	—	—	1	—	—
14 Meningitis	—	—	—	—	—	—	—	—	—	—	2	1	—	—
15 Organic heart disease ...	3	4	2	1	6	10	1	1	1	—	4	8	4	1
16 Bronchitis	1	—	3	1	5	6	2	1	—	—	1	4	2	—
17 Pneumonia (all forms)...	1	—	1	—	4	7	1	—	4	—	4	2	1	—
18 Other respiratory diseases	—	1	—	—	—	1	1	—	—	3	3	1	—	1
19 Diarrhoea,&c.(under 2yrs.)	1	2	—	1	6	3	—	1	—	1	1	1	—	—
20 Appendicitis and typhitis	1	1	—	—	—	—	—	—	—	—	—	—	1	—
21 Cirrhosis of liver	1	—	—	—	1	—	—	—	—	—	—	—	—	—
21A Alcoholism	—	—	3	—	—	—	—	—	—	1	—	—	—	—
22 Nephritis and Bright's dis.	1	—	—	—	3	4	—	—	—	1	2	2	1	1
23 Puerperal fever	—	—	—	—	—	2	—	—	—	1	—	—	—	1
24 Parturition, apart from 23	—	—	—	2	—	—	—	—	—	—	—	1	—	—
25 Congenital debility, &c.	1	2	—	—	12	8	2	1	—	—	4	2	1	—
26 Violence, apart from 27	2	2	—	—	9	1	1	—	—	—	—	1	1	—
27 Suicide	—	—	—	—	—	—	1	—	—	—	1	1	—	—
28 Other defined diseases ...	8	10	8	8	32	21	3	5	6	9	26	21	16	14
29 Causes ill-defined or un- known.	—	—	—	—	2	1	—	—	—	—	—	—	—	2

ANGLESEY—cont.

BEDFORDSHIRE.

Causes of Death.	Twrcelyn R.D.		Valley R.D.		Amphill U.D.		Bedford M.B.		Biggles- wade U.D.		Dun- stable M.B.		Kemp- ston U.D.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	62	82	85	81	19	20	240	247	43	26	53	60	38	26
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	1	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	—	—	—	—	1	—	—	—	—	—	—	—
4 Scarlet fever *	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	2	3	1	1	—	—	—	2	—	—	—	—	—	—
6 Diphtheria and croup ...	2	—	—	1	—	—	8	6	—	—	—	—	—	1
7 Influenza	—	4	—	7	—	—	1	1	—	—	2	3	—	—
8 Erysipelas	—	—	—	1	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	3	10	1	7	1	—	18	15	2	1	3	3	4	1
10 Tuberculous meningitis	1	—	—	—	—	—	2	2	—	—	1	1	—	—
11 Other tuberculous diseases	2	—	5	5	—	3	2	4	—	1	1	2	—	1
12 Cancer, malignant disease	7	6	7	6	1	1	20	27	8	5	2	7	5	1
13 Rheumatic fever	—	—	—	—	—	—	3	—	—	—	1	—	—	—
14 Meningitis	1	—	3	1	—	—	2	3	—	—	—	—	1	1
15 Organic heart disease ...	8	11	4	9	2	1	24	32	—	1	1	11	1	—
16 Bronchitis	1	8	—	1	3	2	5	12	2	2	5	7	3	2
17 Pneumonia (all forms)...	—	—	13	6	2	1	14	9	2	—	2	1	1	—
18 Other respiratory diseases	2	1	—	1	1	—	9	3	—	1	1	—	—	1
19 Diarrhoea,&c.(under 2yrs.)	2	1	4	—	1	—	24	17	5	2	6	2	5	3
20 Appendicitis and typhitis	—	—	1	1	—	—	—	2	—	—	—	—	—	—
21 Cirrhosis of liver	—	—	2	—	—	—	1	—	—	—	—	—	—	—
21A Alcoholism	—	—	—	—	—	—	2	—	—	—	—	—	—	—
22 Nephritis and Bright's dis.	2	—	5	4	—	2	10	5	—	1	—	—	1	—
23 Puerperal fever	—	3	—	1	—	—	—	2	—	—	—	—	—	—
24 Parturition, apart from 23	—	2	—	1	—	—	—	—	—	1	—	—	—	—
25 Congenital debility, &c.	1	2	4	3	—	—	13	16	4	3	9	3	6	5
26 Violence, apart from 27	2	—	2	1	—	—	7	2	1	1	—	1	—	—
27 Suicide	—	4	—	—	—	—	6	—	1	—	—	—	—	—
28 Other defined diseases ...	25	31	33	24	7	9	66	85	17	7	18	19	10	10
29 Causes ill-defined or un- known.	1	—	—	—	1	1	2	2	1	—	1	—	—	—

ADMINISTRATIVE AREAS, 1911.

BEDFORDSHIRE—cont.

	Leighton Buzzard U.D.		Luton M.B.			Amphill R.D.		Bedford R.D.		Biggles- wade R.D.		Eaton Bray R.D.		Eaton Socon R.D.		Luton R.D.					
	M	F	M	F		M	F	M	F	M	F	M	F	M	F	M	F				
1	51	41	345	343		141	136	117	117	146	133	19	34	21	24	64	68				1
2	—	—	4	6		—	—	—	—	1	—	—	—	—	—	—	—				2
3	—	—	14	14		—	—	—	—	—	—	—	—	—	1	2	—				3
4	—	—	—	1		1	—	—	—	—	—	—	—	—	1	—	—				4
5	—	—	—	1		4	—	1	1	—	—	—	—	1	1	—	1				5
6	—	1	1	4		1	—	—	1	1	—	—	—	1	3	—	—				6
7	1	—	1	1		3	—	—	—	1	—	—	1	—	—	1	—				7
8	—	—	1	—		—	—	—	—	—	1	—	—	—	—	—	—				8
9	3	2	36	31		5	9	9	7	6	9	3	—	3	1	2	2				9
10	1	—	5	4		1	1	—	—	—	4	—	1	—	—	—	1				10
11	2	—	5	6		3	1	—	2	2	1	1	—	—	—	—	—				11
12	4	8	21	22		11	13	8	12	7	13	3	3	2	3	10	6				12
13	—	—	2	—		1	1	—	—	—	—	—	—	—	—	—	—				13
13	—	1	3	2		—	—	1	1	—	—	—	—	—	—	—	—				14
15	4	5	23	29		11	16	15	12	18	16	1	3	2	1	7	11				15
16	5	4	19	30		12	10	8	6	10	4	2	1	3	2	7	5				16
17	3	2	27	15		6	8	6	2	7	5	—	1	—	—	5	2				17
18	1	1	2	2		1	3	1	3	1	—	—	—	1	—	1	—				18
19	3	6	31	31		5	5	4	4	13	12	—	1	—	1	—	3				19
20	—	—	3	1		—	—	—	—	—	—	—	—	—	1	—	—				20
21	—	—	2	—		2	—	—	—	3	1	—	1	—	1	—	—				21
21A	—	—	1	—		—	—	—	—	—	—	—	—	—	—	1	1				21A
22	1	2	4	9		1	4	—	2	3	—	—	—	—	1	2	2				22
23	—	—	—	2		—	—	—	—	—	1	—	—	—	—	—	—				23
24	—	—	—	2		—	3	—	1	—	—	—	—	—	—	—	1				24
25	2	—	28	22		5	10	5	7	6	6	—	2	1	2	3	8				25
26	—	1	9	8		8	4	7	5	5	1	1	2	—	—	4	1				26
27	1	—	4	—		2	—	3	—	1	—	—	—	—	—	—	—				27
28	20	8	91	97		56	46	49	50	59	55	8	16	—	—	17	23				28
29	—	—	8	3		2	2	—	1	2	4	—	—	—	—	2	1				29

BERKSHIRE.

	Abingdon M.B.		Maiden- head M.B.		Newbury M.B.		New Windsor M.B.		Walling- ford M.B.		Wantage U.D.		Woking- ham M.B.			Abingdon R.D.		Bradfield R.D.		Cookham R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F	
1	44	42	99	89	82	94	86	86	15	16	25	31	35	38		72	49	83	100	86	67	1
2	—	—	1	—	—	—	—	—	—	—	—	—	—	—		1	—	—	—	1	—	2
3	—	—	7	6	—	—	—	2	—	—	2	2	—	—		—	—	1	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—		1	—	—	—	2	2	4
5	—	3	—	1	—	—	—	—	—	—	1	3	1	2		—	1	1	—	—	—	5
6	—	—	2	1	—	—	—	—	—	—	2	2	—	—		—	—	—	1	2	7	6
7	—	—	—	1	1	1	—	2	—	—	—	—	—	—		1	—	1	3	—	—	7
8	—	—	1	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	8
9	2	1	5	9	10	6	6	5	2	1	1	—	2	2		3	7	3	4	6	—	9
10	—	—	1	—	1	1	—	1	—	—	—	1	—	—		1	1	—	2	1	—	10
11	—	—	2	3	4	—	1	—	1	—	1	—	—	—		2	1	1	—	3	—	11
12	6	3	6	7	5	12	8	6	2	6	—	4	1	6		7	6	9	17	6	10	12
13	—	—	—	—	1	—	—	—	—	—	—	—	—	—		—	—	1	—	—	—	13
14	—	—	—	—	1	2	—	3	—	—	1	—	1	—		1	—	1	—	—	—	14
15	8	3	11	3	8	22	11	13	4	2	4	10	7	6		3	2	8	19	7	6	15
16	4	3	7	4	7	4	1	6	1	—	2	—	2	3		3	3	2	4	6	4	16
17	4	1	11	9	2	3	10	5	—	1	2	1	1	1		7	5	8	3	3	3	17
18	1	—	—	2	1	—	1	—	—	—	—	—	—	1		1	1	2	1	—	2	18
19	1	2	9	4	2	—	3	7	—	2	—	—	3	2		4	—	2	5	5	1	19
20	—	—	—	1	—	—	1	1	—	—	1	3	1	1		2	1	—	1	2	—	20
21	1	2	1	1	1	3	—	—	—	—	—	—	—	—		—	—	2	—	1	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—		1	—	—	—	—	—	21A
22	—	1	5	3	—	2	4	1	—	—	1	—	1	—		3	1	3	1	4	1	22
23	—	—	—	1	—	—	—	—	—	—	—	—	—	1		—	—	—	—	—	1	23
24	—	1	—	1	—	2	—	—	—	—	—	—	—	—		—	—	—	2	—	2	24
25	4	2	3	6	9	2	7	4	—	—	—	—	2	1		5	1	5	2	3	3	25
26	—	—	3	1	4	—	—	1	—	—	2	1	1	1		2	1	6	3	—	—	26
27	—	—	2	1	—	—	2	1	1	—	—	—	—	—		2	—	1	—	—	1	27
28	12	20	20	23	23	34	30	28	5	3	5	4	11	11		21	16	25	30	27	21	28
29	1	—	2	1	2	—	1	—	—	—	—	—	1	—		1	2	1	2	4	2	29

BERKSHIRE—cont.

Causes of Death.	Easthampstead R.D.		Faringdon (pt.) R.D.*		Hungerford R.D.		Newbury R.D.		Wallingford R.D.		Wantage R.D.		Windsor R.D.		Wokingham R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	101	92	74	53	52	59	74	68	46	36	86	72	86	83	86	80	
1 Enteric fever	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	1	—	—	1	1	—	—	—	—	1	1	3	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	3	3	—	—	—	—	1	2	1	—	2	—	—	—	1	2	5
6 Diphtheria and croup	—	1	—	—	—	—	—	—	—	—	2	—	—	—	2	—	6
7 Influenza	—	2	1	1	1	1	—	—	1	1	1	—	1	1	—	—	7
8 Erysipelas	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	10	2	1	5	2	4	4	2	2	1	8	4	11	2	4	4	9
10 Tuberculous meningitis	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	10
11 Other tuberculous diseases	1	2	3	—	—	—	—	1	1	—	1	—	4	1	2	—	11
12 Cancer, malignant disease	4	10	7	5	8	2	6	6	—	2	7	10	8	13	10	12	12
13 Rheumatic fever	1	2	—	2	1	—	—	1	—	—	2	1	1	1	—	—	13
14 Meningitis	—	—	—	—	1	—	—	—	—	—	2	—	—	1	1	—	14
15 Organic heart disease	7	7	7	4	4	11	12	13	9	5	9	15	5	10	6	13	15
16 Bronchitis	9	8	6	3	3	6	7	5	2	4	4	5	4	2	11	7	16
17 Pneumonia (all forms)	7	1	5	1	3	3	—	1	1	1	3	2	4	4	5	2	17
18 Other respiratory diseases	—	1	1	3	1	2	2	1	—	—	1	2	—	3	1	2	18
19 Diarrhoea, &c. (under 2 yrs.)	5	3	3	—	1	—	—	1	5	—	3	1	3	4	1	—	19
20 Appendicitis and typhitis	—	—	2	1	—	—	2	—	—	—	—	—	2	1	1	—	20
21 Cirrhosis of liver	1	1	1	—	1	—	—	2	—	—	1	1	—	1	—	—	21
21A Alcoholism	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	2	3	1	—	1	3	3	2	2	—	3	2	5	4	2	5	22
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	23
24 Parturition, apart from 23	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
25 Congenital debility, &c.	3	4	6	5	5	3	6	5	2	3	5	2	5	2	3	5	25
26 Violence, apart from 27	3	2	1	1	1	1	2	—	1	—	3	—	3	—	6	3	26
27 Suicide	2	—	—	—	—	1	1	—	—	—	—	—	1	—	2	—	27
28 Other defined diseases	35	35	25	22	15	20	27	24	17	19	27	22	24	31	27	25	28
29 Causes ill-defined or unknown.	7	3	3	—	2	1	1	2	—	—	1	1	1	—	1	—	29

BRECKNOCKSHIRE.

Causes of Death.	Brecknock U.D.		Bryn-mawr U.D.		Builth Wells U.D.		Hay U.D.		Llanwrtyd U.D.		Brecknock R.D.		Builth R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	43	37	73	56	16	12	15	19	5	7	54	58	31	20	
1 Enteric fever	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	1	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	—	2	—	—	—	—	—	—	—	—	1	—	—	5
6 Diphtheria and croup	—	—	—	—	—	—	—	—	1	—	—	—	1	—	6
7 Influenza	—	—	2	2	—	—	1	—	—	—	—	—	1	—	7
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	4	2	6	2	2	1	—	—	1	—	2	4	1	3	9
10 Tuberculous meningitis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	10
11 Other tuberculous diseases	—	1	—	1	—	—	—	—	—	—	—	2	—	—	11
12 Cancer, malignant disease	4	3	1	7	1	1	3	4	1	—	9	3	2	1	12
13 Rheumatic fever	—	1	—	—	—	—	—	—	—	—	1	—	—	—	13
14 Meningitis	—	—	—	—	—	—	1	1	—	—	—	3	—	—	14
15 Organic heart disease	5	5	1	2	4	3	1	1	1	—	6	9	4	5	15
16 Bronchitis	2	2	12	7	1	—	—	1	—	—	2	5	3	2	16
17 Pneumonia (all forms)	1	1	10	10	2	2	—	1	—	—	4	2	2	—	17
18 Other respiratory diseases	—	1	2	1	—	—	—	1	—	—	2	1	—	—	18
19 Diarrhoea, &c. (under 2 yrs.)	2	—	10	7	—	1	—	—	—	—	1	—	—	—	19
20 Appendicitis and typhitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20
21 Cirrhosis of liver	—	—	1	—	—	—	—	2	—	—	—	—	—	—	21
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis	—	—	—	1	—	—	—	2	—	—	2	1	—	—	22
23 Puerperal fever	—	—	—	1	—	—	—	—	—	—	—	1	—	—	23
24 Parturition, apart from 23	—	—	—	1	—	—	—	—	—	—	—	—	—	—	24
25 Congenital debility, &c.	4	1	3	3	1	—	1	—	—	—	6	5	1	2	25
26 Violence, apart from 27	2	2	5	—	—	—	—	—	—	—	5	2	2	2	26
27 Suicide	2	—	—	—	—	—	2	—	—	1	—	—	—	—	27
28 Other defined diseases	14	18	17	11	4	3	6	6	3	4	12	18	12	5	28
29 Causes ill-defined or unknown.	2	—	—	—	—	1	—	—	—	—	2	1	2	—	29

* The remainder of Faringdon R.D. is in Gloucestershire ; see page 469.

ADMINISTRATIVE AREAS, 1911—continued.
BRECKNOCKSHIRE—cont.

BUCKINGHAMSHIRE.

	Crick-howell R.D.		Hay R.D.		Vaynor & Penderyn R.D.		Ystrad-gynlais R.D.		Ystrad-fellte C.P.*		Llan-wrthwl C.P.†			Ayles-bury U.D.		Beacons-field U.D.		Buck-ing-ham M.B.		Chepping Wycombe M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F	M	F	
1	59	55	28	25	53	46	106	77	9	1	3	—		67	70	9	17	11	12	137	138	1
2	1	2	—	—	—	1	—	—	—	—	—	—		—	1	—	—	—	—	2	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	3
4	—	1	—	—	1	—	—	—	—	—	—	—		4	4	—	—	—	—	5	4	4
5	—	—	—	1	—	—	—	2	—	—	—	—		—	—	—	1	—	—	—	—	5
6	—	—	1	—	—	—	—	1	—	—	—	—		—	—	—	—	—	—	—	—	6
7	—	—	2	2	—	1	1	—	—	—	—	—		—	—	—	—	—	—	1	2	7
8	—	1	—	—	—	1	—	—	—	—	—	—		1	3	—	—	—	—	1	—	8
9	1	6	2	1	3	5	4	1	—	1	—	—		—	—	—	—	—	—	—	—	9
10	—	—	—	—	—	—	—	1	—	—	—	—		5	2	—	—	—	—	13	8	10
11	1	1	—	—	1	—	3	2	—	—	—	—		1	—	—	—	—	—	—	3	11
12	—	3	2	—	3	2	1	1	—	—	1	—		5	12	2	2	1	1	10	13	12
13	—	—	—	—	—	—	1	3	—	—	—	—		—	—	—	1	—	—	—	—	13
14	1	—	—	1	—	1	1	1	—	—	—	—		1	—	—	—	—	—	—	—	14
15	7	8	2	1	9	6	1	3	1	—	—	—		4	6	—	4	—	4	8	2	15
16	2	—	3	1	2	7	11	5	2	—	—	—		1	4	—	2	2	1	13	13	16
17	3	3	4	3	3	1	16	12	—	—	1	—		5	1	—	1	2	1	8	5	17
18	1	3	—	—	1	—	4	—	—	—	—	—		2	—	—	—	—	2	3	—	18
19	3	2	1	—	9	7	10	8	—	—	—	—		5	4	—	—	—	—	7	11	19
20	1	—	—	—	1	—	—	—	—	—	—	—		—	1	—	—	—	—	1	—	20
21	2	—	—	—	1	—	—	—	—	—	—	—		1	1	—	—	—	—	1	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	21A
22	1	1	1	—	2	1	2	3	—	—	—	—		—	1	—	—	—	—	3	1	22
23	—	2	—	—	—	1	—	1	—	—	—	—		—	1	—	—	—	—	—	—	23
24	—	2	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	1	24
25	4	3	—	—	2	1	17	6	—	—	1	—		4	7	2	2	—	—	8	14	25
26	4	1	2	1	3	1	11	2	2	—	—	—		5	1	1	—	—	—	2	1	26
27	1	—	—	1	—	—	—	1	—	—	—	—		—	1	—	—	—	—	2	—	27
28	24	19	8	13	12	10	22	24	4	—	—	—		22	20	4	4	5	5	48	41	28
29	2	—	—	—	—	—	1	—	—	—	—	—		—	—	—	—	—	1	—	—	29

BUCKINGHAMSHIRE—cont.

	Chesham U.D.		Eton U.D.		Fenny Stratford U.D.‡		Linslade U.D.		Marlow U.D.		Newport Pagnell U.D.		Slough U.D.			Amer-sham R.D.		Ayles-bury R.D.		Buck-ing-ham R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F	
1	49	53	15	14	25	26	15	16	46	44	22	17	93	71		104	103	122	94	48	48	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	2
3	—	2	3	—	—	—	—	—	7	4	—	—	—	—		—	—	3	3	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	1	1		—	—	—	—	—	—	4
5	1	—	—	—	—	1	—	—	—	—	—	—	—	—		—	1	3	—	—	—	5
6	—	—	—	—	—	—	1	—	—	—	—	—	—	3		2	1	4	—	—	—	6
7	2	—	—	—	1	—	1	1	1	—	—	—	—	—		5	4	2	—	—	—	7
8	—	—	—	—	1	—	—	—	2	1	—	—	—	—		—	—	—	—	—	—	8
9	5	4	3	4	1	3	1	—	1	1	2	—	6	5		4	4	8	9	1	3	9
10	—	—	1	2	—	—	—	—	1	1	—	—	6	1		—	—	1	—	—	—	10
11	1	—	—	—	—	1	—	1	1	1	—	—	1	1		—	1	1	1	—	—	11
12	4	5	1	—	1	3	1	1	1	4	1	3	8	4		12	13	8	20	6	6	12
13	1	—	—	—	1	—	—	—	1	—	—	—	—	1		—	—	—	—	1	—	13
14	—	1	1	—	—	—	—	—	—	1	1	1	1	1		—	2	2	—	—	—	14
15	2	4	—	—	1	4	1	5	1	1	—	3	9	3		8	8	11	12	7	5	15
16	5	2	2	—	1	1	—	2	2	3	2	1	5	9		7	6	6	3	5	5	16
17	3	1	3	2	1	1	1	—	1	2	1	—	3	3		6	5	4	3	1	—	17
18	4	—	—	—	1	—	1	1	1	—	—	—	2	1		2	3	1	3	1	—	18
19	1	4	—	—	1	1	2	—	—	1	2	—	7	3		5	5	3	2	—	1	19
20	—	—	1	1	—	—	1	—	—	—	1	1	—	—		1	—	—	—	—	—	20
21	—	—	—	1	—	—	—	—	1	—	—	—	—	1		2	1	1	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	1	—	—	—		—	—	—	—	—	—	21A
22	2	1	—	—	—	—	—	—	—	1	3	—	1	4		3	7	7	1	—	—	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	2	—	—	—	—	23
24	—	1	—	—	—	—	—	—	—	—	—	—	—	—		—	2	—	—	—	—	24
25	—	4	—	—	1	2	1	1	2	2	2	—	6	5		6	2	9	6	2	1	25
26	4	1	—	—	3	—	—	—	—	1	—	—	5	1		7	4	6	2	1	—	26
27	—	—	—	—	—	—	—	—	—	1	—	—	1	1		—	—	1	—	1	—	27
28	10	21	3	3	11	9	6	4	20	19	6	8	30	22		31	—	42	29	22	26	28
29	2	1	—	1	—	—	—	—	3	1	—	—	1	1		1	1	1	—	—	1	29

* Administered by Neath R.D.C. (Glamorganshire).
† Administered by Rhayader R.D.C. (Radnorshire).
‡ The name of Fenny Stratford Urban District was changed to Bletchley on 16th May, 1911.

ADMINISTRATIVE AREAS, 1911—continued.
CAMBRIDGESHIRE—cont.

CARDIGANSHIRE.

	Swavesey R.D.				Aberayron U.D.		Aberys- twyth M.B.		Cardigan M.B.		Lampeter M.B.		New Quay U.D.			Aberayron R.D.		Aberys- twyth R.D.		Cardigan R.D.		
	M	F			M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F	
	22	21			11	21	68	72	32	28	17	13	10	11		76	80	114	124	35	33	
1	—	—			—	—	—	—	—	1	—	—	—	—		—	—	—	1	—	—	1
2	—	—			—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	2
3	—	—			—	—	—	4	—	—	—	—	—	—		—	—	—	—	—	—	3
4	—	—			—	—	—	1	—	—	—	—	—	—		1	—	—	1	—	—	4
5	—	—			—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	5
6	—	—			2	1	—	—	—	—	—	—	—	—		2	1	—	—	—	—	6
7	—	—			—	—	—	2	—	—	1	—	—	—		2	—	2	—	—	1	7
8	—	—			—	—	—	—	—	—	—	—	—	—		1	3	3	—	—	—	8
9	1	2			1	3	7	9	1	4	—	1	1	1		7	10	13	12	4	4	9
10	—	—			—	—	—	1	—	—	—	—	—	—		—	2	1	2	—	—	10
11	—	—			—	—	3	1	—	—	—	—	—	—		2	1	2	5	2	—	11
12	2	5			—	2	3	7	2	2	—	—	—	—		8	6	8	10	3	1	12
13	—	—			—	1	2	—	—	—	—	—	—	—		—	—	—	—	—	—	13
14	—	—			—	—	—	—	—	—	—	—	—	—		—	—	3	1	—	—	14
15	3	4			2	1	8	9	3	3	4	4	2	3		4	10	15	22	—	3	15
16	—	—			—	1	5	5	2	2	1	1	1	—		2	3	6	14	4	7	16
17	1	—			—	1	2	2	3	2	2	—	—	2		6	6	6	7	—	1	17
18	1	—			—	1	2	—	1	—	—	—	—	—		2	1	1	—	5	—	18
19	—	1			1	—	4	—	1	—	—	1	1	—		1	1	2	3	—	—	19
20	—	—			—	—	1	1	—	—	—	—	—	—		1	—	4	—	—	—	20
21	1	—			—	—	—	3	1	—	—	—	—	—		—	—	1	2	—	1	21
21A	—	—			—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	21A
22	—	1			—	1	4	—	2	1	—	1	1	—		2	4	6	2	2	2	22
23	—	—			—	—	—	—	—	—	—	—	—	—		—	—	—	1	—	—	23
24	—	—			—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	24
25	2	—			—	—	3	5	1	2	—	—	—	—		1	1	4	4	1	1	25
26	—	1			—	—	3	2	—	—	—	—	—	—		3	3	4	—	3	—	26
27	—	—			—	—	—	—	—	—	—	—	—	—		—	—	2	1	—	—	27
28	10	7			5	9	19	20	14	10	8	5	4	3		27	28	23	35	8	12	28
29	1	—			—	—	2	—	1	1	1	—	—	—		4	—	3	1	2	—	29

CARDIGANSHIRE—cont.

CARMARTHENSHIRE.

	Lampeter R.D.		Llandyssil R.D.		Tregaron R.D.		Ysgubor y coed C.P.*			Amman- ford U.D.		Burry Port U.D.		Car- marthen M.B.		Kidwelly M.B.		Llandilo U.D.		Llan- doverly M.B.		
	M	F	M	F	M	F	M	F		M	F	M	F	M	F	M	F	M	F	M	F	
	30	32	55	76	73	77	2	5		43	33	31	25	88	83	22	37	14	25	27	21	
1	—	—	—	—	—	—	—	—		—	—	—	—	—	1	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—		—	1	—	—	—	—	—	—	—	—	—	—	2
3	—	1	—	—	—	—	—	—		1	1	—	—	—	—	—	—	—	—	—	—	3
4	—	—	—	—	1	—	—	—		—	—	—	—	1	—	—	—	—	—	—	—	4
5	2	—	—	—	—	—	—	—		1	—	—	—	—	—	—	—	—	—	—	—	5
6	—	—	—	—	—	1	—	—		2	1	—	—	—	—	—	—	—	—	—	—	6
7	—	4	1	—	6	1	—	—		—	—	1	—	1	—	—	—	—	—	—	—	7
8	—	—	—	—	—	—	—	—		—	1	—	—	—	—	—	—	—	—	—	—	8
9	4	1	11	10	9	11	—	—		4	1	1	3	10	4	1	3	2	3	3	4	9
10	2	1	1	1	—	—	—	—		1	—	—	1	1	1	—	—	—	1	—	—	10
11	2	—	1	2	1	—	—	—		—	1	—	—	—	2	—	4	—	—	—	—	11
12	1	3	5	8	3	8	—	—		1	1	1	3	3	2	3	1	2	2	1	—	12
13	—	—	—	—	—	—	—	—		—	—	2	—	—	—	—	—	—	—	—	—	13
14	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	1	—	—	—	—	14
15	3	5	5	10	12	9	—	1		5	5	2	2	16	17	1	6	2	5	6	5	15
16	—	2	2	2	1	8	—	—		2	1	2	—	3	6	2	2	1	2	2	2	16
17	—	4	2	5	4	3	—	—		4	3	2	1	3	3	4	—	2	—	3	—	17
18	1	—	3	1	2	—	—	—		—	—	—	—	2	2	—	1	—	—	—	—	18
19	—	—	1	—	—	—	—	—		3	2	—	1	4	4	—	1	—	—	1	—	19
20	—	—	—	—	—	—	—	—		—	1	—	—	1	—	—	—	1	1	—	—	20
21	—	—	1	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	2	3	2	1	—	—	2		1	—	—	—	5	5	1	2	—	2	1	—	22
23	—	—	—	—	—	—	—	—		—	1	—	—	—	—	—	—	—	—	—	—	23
24	—	1	—	1	—	—	—	—		—	1	—	—	—	—	—	—	—	—	—	—	24
25	5	1	5	3	7	3	1	—		2	—	—	1	2	1	1	2	—	—	—	1	25
26	—	—	—	—	2	—	—	—		5	1	6	—	5	1	3	—	—	—	1	—	26
27	—	—	1	—	—	1	—	—		—	—	—	—	—	1	—	—	—	—	—	—	27
28	10	4	12	31	21	31	1	2		11	11	15	12	31	34	6	12	4	10	7	7	28
29	—	—	1	—	3	1	—	—		—	—	—	—	—	1	—	—	—	—	1	—	29

* Administered by Machynlleth R.D.C., (Montgomeryshire).

CARMARTHENSHIRE—cont.

Causes of Death.	Llanelly U.D.		Newcastle Emlyn U.D.		Car- marthen R.D.		Llandilo Fawr R.D.		Llan- doverly R.D.		Llanelly R.D.		Llan- ybyther R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES ...	251	219	9	9	186	199	201	186	55	51	206	181	28	19	
1 Enteric fever ...	1	1	—	—	1	—	1	—	—	—	1	—	—	—	1
2 Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles ...	—	1	—	1	2	6	6	5	—	—	5	1	—	—	3
4 Scarlet fever ...	—	—	—	—	—	—	1	—	—	—	—	—	—	—	4
5 Whooping cough ...	5	2	—	—	—	2	2	2	—	—	8	7	—	—	5
6 Diphtheria and croup ...	1	—	—	—	4	3	4	2	—	—	4	3	1	—	6
7 Influenza ...	1	—	—	—	2	2	2	—	—	—	3	3	—	1	7
8 Erysipelas ...	—	—	—	—	1	—	—	—	—	—	1	—	—	—	8
9 Pulmonary tuberculosis ...	24	22	1	1	15	17	16	12	6	2	13	13	2	1	9
10 Tuberculous meningitis ...	5	2	—	—	—	4	—	1	—	—	4	1	1	—	10
11 Other tuberculous diseases ...	3	2	—	—	4	1	4	3	—	1	5	7	—	2	11
12 Cancer, malignant disease ...	10	16	1	2	10	16	6	10	4	3	4	11	3	1	12
13 Rheumatic fever ...	1	—	—	—	—	1	—	2	—	1	—	1	—	—	13
14 Meningitis ...	5	8	—	—	—	—	3	4	—	1	4	—	—	1	14
15 Organic heart disease ...	27	31	—	2	20	32	8	23	4	7	15	8	2	5	15
16 Bronchitis ...	13	11	—	—	9	7	11	12	4	8	9	7	3	1	16
17 Pneumonia (all forms) ...	28	9	1	1	16	10	17	14	4	2	24	12	—	2	17
18 Other respiratory diseases ...	4	4	—	—	2	4	5	1	2	—	3	1	—	—	18
19 Diarrhoea, &c. (under 2 yrs.) ...	17	15	2	—	4	3	11	9	2	1	10	9	1	—	19
20 Appendicitis and typhitis ...	1	1	—	—	—	—	2	1	—	—	1	1	—	—	20
21 Cirrhosis of liver ...	4	1	—	—	2	—	—	—	1	—	—	—	—	—	21
21A Alcoholism ...	1	1	—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis. ...	7	6	—	—	7	11	3	4	1	—	3	4	3	1	22
23 Puerperal fever ...	—	3	—	—	—	—	—	1	—	1	—	4	—	—	23
24 Parturition, apart from 23 ...	—	1	—	—	—	2	—	5	—	3	—	4	—	—	24
25 Congenital debility, &c. ...	18	14	—	1	16	10	13	12	4	4	14	7	1	—	25
26 Violence, apart from 27 ...	20	2	—	1	9	5	18	2	4	1	22	5	1	—	26
27 Suicide ...	—	—	—	—	1	1	—	1	—	—	1	1	1	1	27
28 Other defined diseases ...	53	66	4	—	59	60	69	56	19	16	51	68	9	3	28
29 Causes ill-defined or un- known.	2	—	—	—	2	2	—	3	—	—	2	2	—	—	29

CARMARTHENSHIRE—cont.

CARNARVONSHIRE.

Causes of Death.	Newcastle in Emlyn R.D.		Whitland R.D.		Bangor M.B.		Bethesda U.D.		Bettws y Coed U.D.		Car- narvon M.B.		Conway M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES ...	48	46	35	38	90	93	45	58	4	10	66	86	29	40	
1 Enteric fever ...	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1
2 Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles ...	—	1	—	—	6	5	—	—	—	—	—	1	—	1	3
4 Scarlet fever ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough ...	—	—	—	—	—	3	—	—	—	—	—	2	1	1	5
6 Diphtheria and croup ...	1	—	—	—	1	1	—	—	—	—	—	2	—	—	6
7 Influenza ...	2	—	1	1	2	3	2	2	—	—	—	—	—	—	7
8 Erysipelas ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis ...	3	7	2	4	11	4	7	8	—	—	5	11	2	3	9
10 Tuberculous meningitis ...	2	—	—	—	—	1	—	—	1	—	1	3	2	—	10
11 Other tuberculous diseases ...	—	1	2	3	1	3	—	1	—	—	5	2	1	2	11
12 Cancer, malignant disease ...	1	9	2	3	3	6	6	8	—	1	7	10	—	1	12
13 Rheumatic fever ...	1	—	1	—	—	—	—	—	—	—	1	1	—	—	13
14 Meningitis ...	—	—	—	—	—	—	—	—	—	—	1	1	—	—	14
15 Organic heart disease ...	5	5	3	7	5	5	5	9	—	1	3	2	3	1	15
16 Bronchitis ...	3	2	4	5	5	7	1	7	—	—	5	7	3	—	16
17 Pneumonia (all forms) ...	3	2	1	1	8	8	3	2	1	—	6	3	1	2	17
18 Other respiratory diseases ...	—	1	1	—	2	4	1	—	—	—	1	3	—	—	18
19 Diarrhoea, &c. (under 2 yrs.) ...	—	2	—	1	2	4	—	—	—	—	1	2	1	—	19
20 Appendicitis and typhitis ...	1	—	—	—	—	1	—	—	—	—	—	—	—	—	20
21 Cirrhosis of liver ...	—	—	2	—	3	—	—	—	—	1	1	1	—	1	21
21A Alcoholism ...	1	—	—	—	—	—	—	—	—	—	—	—	1	—	21A
22 Nephritis and Bright's dis. ...	1	3	—	1	4	1	2	1	—	—	5	5	1	1	22
23 Puerperal fever ...	—	—	—	—	—	1	—	—	—	—	—	—	—	—	23
24 Parturition, apart from 23 ...	—	—	—	2	—	1	—	—	—	1	—	—	—	—	24
25 Congenital debility, &c. ...	1	1	2	1	3	1	2	2	—	—	2	4	1	3	25
26 Violence, apart from 27 ...	3	—	1	—	3	1	2	—	1	—	1	—	2	4	26
27 Suicide ...	—	—	—	—	1	—	—	—	—	—	—	—	—	—	27
28 Other defined diseases ...	19	11	13	9	29	33	14	18	2	4	20	26	10	20	28
29 Causes ill-defined or un- known.	—	1	—	—	1	—	—	—	—	—	1	—	—	—	29

CHESHIRE—cont.

Causes of Death.				Bug-lawton U.D.		Cheadle and Gatley U.D.		Compstall U.D.		Congle- ton M.B.		Crewe M.B.		Dukin- field M.B.		Ellesmere Port and Whitby U.D.		Hale U.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	18	7	50	59	4	2	99	101	334	287	194	184	84	58	48	42	
1	Enteric fever	—	—	—	—	—	—	—	—	1	—	1	—	—	1	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	—	—	—	—	3	1	15	8	9	6	—	—	3
4	Scarlet fever	—	—	—	1	—	—	1	—	1	6	—	—	—	—	—	—	4
5	Whooping cough	1	—	—	—	—	—	—	1	4	3	1	—	—	—	2	1	5
6	Diphtheria and croup	1	—	3	1	—	—	2	—	1	4	1	5	1	—	—	—	6
7	Influenza	—	—	—	—	—	—	2	1	2	1	—	—	—	—	—	1	7
8	Erysipelas	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	—	—	3	3	1	—	7	5	22	15	18	15	4	3	1	4	9
10	Tuberculous meningitis	—	1	1	1	—	1	1	1	4	2	4	4	1	1	—	—	10
11	Other tuberculous diseases	—	1	1	2	—	—	2	—	8	5	2	2	2	2	2	—	11
12	Cancer, malignant disease	1	—	4	8	—	—	3	13	19	21	9	14	1	2	3	5	12
13	Rheumatic fever	1	—	—	—	—	—	—	—	—	2	—	1	—	1	—	1	13
14	Meningitis	—	—	—	—	—	—	—	1	2	3	—	1	2	—	1	1	14
15	Organic heart disease	2	1	7	5	—	—	7	8	31	23	12	12	5	4	6	5	15
16	Bronchitis	1	1	—	9	—	—	3	5	19	15	14	14	9	3	5	3	16
17	Pneumonia (all forms)	1	—	2	2	—	—	3	5	19	22	18	15	6	4	2	3	17
18	Other respiratory diseases	—	—	—	—	—	—	2	—	7	6	—	1	1	1	—	3	18
19	Diarrhoea, &c. (under 2 yrs.)	1	2	4	4	—	—	9	11	45	27	26	29	14	5	1	3	19
20	Appendicitis and typhlitis	—	—	—	—	1	—	—	1	—	2	—	1	—	—	1	—	20
21	Cirrhosis of liver	1	—	1	—	—	—	—	1	2	—	2	1	1	—	1	—	21
21A	Alcoholism	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	1	—	3	4	1	—	1	5	5	5	8	3	1	1	1	1	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	—	—	1	—	2	—	3	—	—	—	—	24
25	Congenital debility, &c.	3	—	1	—	—	—	15	7	26	19	8	6	8	10	1	1	25
26	Violence, apart from 27	—	—	—	1	—	—	5	2	13	7	7	4	5	1	—	—	26
27	Suicide	—	—	2	—	—	—	2	—	2	3	—	1	1	—	—	—	27
28	Other defined diseases	4	1	18	18	1	1	34	32	95	92	48	44	13	12	21	10	28
29	Causes ill-defined or un- known.	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	29

CHESHIRE—cont.

Causes of Death.				Hand- forth U.D.		Hazel Grove and Bramhall U.D.		Higher Bebington U.D.		Holling- worth U.D.		Hoole U.D.		Hoylake and West Kirby U.D.		Hyde M.B.		Knuts- ford U.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	10	11	74	72	7	5	16	27	34	29	78	79	327	301	43	19	
1	Enteric fever	—	—	1	—	—	—	—	—	—	—	—	—	3	2	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	1	—	—	—	—	—	—	—	3	3	6	7	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	4
5	Whooping cough	—	—	—	1	—	—	—	—	2	—	1	1	—	—	2	3	5
6	Diphtheria and croup	—	—	—	—	—	—	—	—	—	—	—	—	2	8	—	—	6
7	Influenza	—	—	2	—	—	—	—	—	—	—	—	1	1	4	—	—	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	1	—	1	1	—	—	8
9	Pulmonary tuberculosis	—	1	9	7	—	1	2	1	2	2	6	5	26	21	2	1	9
10	Tuberculous meningitis	—	—	1	2	—	—	—	1	1	—	2	—	1	4	1	—	10
11	Other tuberculous diseases	—	—	1	3	—	—	—	—	—	—	2	1	—	5	—	—	11
12	Cancer, malignant disease	1	1	3	7	1	—	1	1	2	2	7	10	8	23	3	2	12
13	Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	13
14	Meningitis	—	—	—	—	—	—	—	1	2	1	1	1	6	7	1	—	14
15	Organic heart disease	1	1	8	9	1	1	—	3	4	3	3	7	28	21	3	1	15
16	Bronchitis	—	—	4	5	—	—	2	2	3	4	2	3	26	24	1	2	16
17	Pneumonia (all forms)	1	—	5	8	1	—	1	—	2	1	7	5	42	25	3	3	17
18	Other respiratory diseases	—	—	1	1	—	—	—	—	1	—	1	3	3	3	4	—	18
19	Diarrhoea, &c. (under 2 yrs.)	—	—	3	1	—	1	1	1	—	—	8	2	25	19	2	—	19
20	Appendicitis and typhlitis	—	—	1	—	—	—	—	—	—	—	—	1	3	—	—	—	20
21	Cirrhosis of liver	—	—	—	1	—	—	—	—	1	—	1	—	2	1	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	21A
22	Nephritis and Bright's dis.	—	1	5	—	—	—	—	—	—	—	3	1	13	7	2	1	22
23	Puerperal fever	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	23
24	Parturition, apart from 23	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	24
25	Congenital debility, &c.	1	—	5	1	—	—	2	5	1	2	3	2	27	24	—	1	25
26	Violence, apart from 27	—	—	2	—	1	—	1	1	1	2	4	1	14	3	1	—	26
27	Suicide	—	—	—	1	—	—	—	—	1	—	1	—	8	1	—	—	27
28	Other defined diseases	6	7	21	23	3	2	6	10	11	11	19	32	73	89	18	5	28
29	Causes ill-defined or un- known.	—	—	1	1	—	—	—	—	—	—	—	—	4	—	—	—	29

ADMINISTRATIVE AREAS, 1911—continued.

CHESHIRE—cont.

	Lower Bebington U.D.		Lymm U.D.		Maccles- field M.B.		Marple U.D.		Middle- wich U.D.		Mottram in Longden- dale U.D.		Nantwich U.D.		Neston and Parkgate U.D.		North- wich U.D.		Runcorn U.D.		Sale U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	64	56	25	33	267	299	36	54	39	30	20	15	71	42	31	26	152	143	153	125	103	103	1
2	1	—	—	—	—	2	—	—	—	—	1	—	—	—	—	—	3	2	—	—	—	—	2
3	1	3	—	—	—	—	1	1	—	—	1	—	—	1	—	—	4	4	—	—	1	5	3
4	1	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	4
5	1	4	—	—	4	8	—	1	3	1	—	—	1	1	3	2	17	13	2	3	1	—	5
6	2	—	1	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	1	—	6
7	—	—	1	1	—	2	—	1	—	—	—	—	—	1	—	—	—	—	1	1	—	—	7
8	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	1	4	4	3	20	22	3	5	2	1	1	—	2	2	2	3	7	8	7	5	8	7	9
10	3	1	—	1	2	—	—	1	1	—	—	—	—	1	1	—	2	—	1	2	—	—	10
11	2	2	3	—	7	3	1	—	3	—	—	—	2	1	1	1	6	4	8	6	1	—	11
12	6	3	—	7	17	27	5	2	1	3	—	2	7	3	2	1	6	9	5	4	5	9	12
13	—	—	—	1	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—	13
14	—	—	1	—	1	3	—	1	—	—	—	—	1	—	—	—	1	—	1	1	1	1	14
15	3	2	1	8	20	38	2	8	—	2	1	2	5	2	—	—	12	11	4	9	11	7	15
16	4	1	2	2	16	16	2	2	1	—	2	1	4	1	—	1	7	11	8	7	7	8	16
17	5	4	1	1	16	13	2	7	2	2	1	—	6	2	3	3	11	11	12	8	7	4	17
18	3	2	—	—	4	2	—	—	—	—	1	—	1	1	—	—	2	4	6	1	2	3	18
19	3	5	—	—	22	15	2	2	5	2	1	1	3	3	1	3	17	15	22	15	14	11	19
20	1	—	1	—	3	2	—	—	—	—	1	—	1	—	—	—	—	3	—	—	2	—	20
21	2	2	—	—	2	3	1	—	—	1	1	—	—	—	2	—	2	—	3	—	—	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	1	—	—	9	20	1	—	1	—	1	—	1	1	1	—	1	2	3	5	1	3	22
23	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	23
24	—	—	—	—	—	2	—	—	—	—	—	—	—	3	—	—	—	—	5	—	—	4	24
25	6	4	—	—	19	10	2	5	4	5	1	2	6	3	5	—	6	9	15	7	3	4	25
26	1	1	3	1	8	3	2	—	3	2	—	—	3	—	1	—	9	2	7	3	2	1	26
27	—	—	1	—	3	1	—	—	—	—	—	—	—	—	1	1	—	1	—	—	1	—	27
28	17	17	6	8	90	100	11	16	13	10	7	7	26	15	8	11	38	33	44	41	34	34	28
29	—	—	—	—	—	2	1	1	—	—	—	—	—	1	—	—	1	—	2	—	—	—	29

CHESHIRE—cont.

	Sandbach U.D.		Staly- bridge M.B.		Tarporey U.D.		Wallasey M.B.		Wilms- low U.D.		Winsford U.D.		Yeardsley cum Whaley U.D.		Bucklow R.D.		Chester R.D.		Congle- ton R.D.			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F	
1	50	55	265	241	27	16	505	517	56	47	67	78	11	13		131	135	66	59	78	66	1
2	—	—	5	2	—	—	2	1	—	—	—	—	—	—		—	—	1	—	—	—	2
3	—	—	15	24	—	—	2	4	—	1	—	—	—	1		—	1	—	1	2	—	3
4	2	2	—	1	—	—	1	1	—	—	—	—	—	—		—	—	—	—	—	1	4
5	—	—	2	1	—	—	2	4	—	1	2	—	—	—		3	4	2	2	2	—	5
6	—	—	—	1	2	—	11	4	—	—	—	—	—	—		—	2	1	1	3	7	6
7	1	—	1	1	—	—	7	6	—	—	—	—	—	—		—	—	1	—	1	1	7
8	—	—	1	1	—	—	—	—	—	—	—	—	—	—		—	—	1	—	—	—	8
9	4	4	23	15	3	1	51	37	6	2	2	2	—	2		5	7	4	4	2	1	9
10	1	—	3	3	—	1	5	7	1	—	—	—	—	—		2	1	1	—	—	—	10
11	3	1	7	2	1	—	10	12	—	—	3	—	1	—		—	1	2	—	2	—	11
12	2	3	9	15	1	2	31	59	3	4	8	5	—	2		13	17	5	7	8	8	12
13	—	—	1	3	—	—	—	2	—	—	—	—	—	—		—	—	—	—	—	—	13
14	—	3	5	7	1	—	12	3	—	1	—	1	—	—		—	1	—	—	1	1	14
15	5	6	15	22	2	2	32	52	7	2	10	15	—	3		11	18	5	7	4	6	15
16	1	1	27	29	3	—	20	32	4	5	4	4	—	—		8	8	2	5	2	2	16
17	1	2	25	14	2	1	52	30	3	2	5	7	1	2		10	8	3	1	6	4	17
18	—	1	4	—	1	—	6	6	1	—	1	—	—	—		1	2	1	2	2	1	18
19	2	1	23	16	1	—	41	36	4	—	6	3	—	—		7	6	5	1	—	1	19
20	1	—	4	1	—	1	8	5	—	—	—	—	—	—		1	—	—	—	—	2	20
21	—	—	2	2	—	—	3	1	—	—	—	—	—	—		2	1	—	—	3	—	21
1A	—	—	—	—	—	—	1	—	—	—	—	—	—	—		1	—	—	—	—	—	21A
22	1	—	3	8	2	—	15	11	4	3	1	2	2	—		1	4	1	2	3	2	22
23	—	—	—	—	—	—	—	2	—	—	—	1	—	—		—	2	—	1	—	—	23
24	—	—	—	3	—	—	—	3	—	—	—	2	—	—		—	—	—	1	—	—	24
25	5	3	13	6	2	1	28	37	1	1	5	11	2	—		11	7	4	4	5	4	25
26	4	2	8	7	—	—	18	6	4	3	1	2	1	—		11	1	5	—	3	—	26
27	—	—	4	—	—	—	5	2	1	—	—	1	—	—		—	—	—	1	—	1	27
28	17	26	62	56	6	7	141	152	16	22	19	22	3	3		44	43	22	19	30	20	28
29	—	—	3	1	—	—	1	1	1	—	—	—	1	—		—	1	—	—	1	2	29

CHESHIRE—cont.

Causes of Death.				Disley R.D.		Maccles- field R.D.		Malpas R.D.		Nantwich R.D.		North- wich R.D.		Runcorn R.D.		Tarvin R.D.		Tint- wistle R.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	18	23	87	86	28	25	154	154	188	148	182	157	111	76	12	18	1
1 Enteric fever	—	—	—	—	—	—	—	1	2	—	2	—	1	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	1	—	—	—	—	—	—	2	2	1	3	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—	5
5 Whooping cough	1	—	—	2	1	—	1	2	8	7	5	3	2	4	—	—	6
6 Diphtheria and croup	—	—	—	—	—	—	1	4	—	—	2	2	2	1	2	—	7
7 Influenza	—	—	1	1	—	—	—	1	—	—	—	1	—	—	—	—	8
8 Erysipelas	—	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	9
9 Pulmonary tuberculosis	2	—	3	5	—	—	5	12	9	7	5	12	2	3	—	—	10
10 Tuberculous meningitis	—	—	1	—	—	—	—	2	1	2	3	—	—	—	—	—	11
11 Other tuberculous diseases	1	—	2	—	—	—	2	5	8	2	4	1	1	—	—	1	12
12 Cancer, malignant disease	1	3	4	5	2	3	10	14	7	14	12	9	7	7	1	1	13
13 Rheumatic fever	—	—	—	—	—	1	1	—	—	1	—	—	1	—	—	—	14
14 Meningitis	—	—	1	—	1	—	2	2	3	—	3	2	2	1	—	—	15
15 Organic heart disease	2	6	19	14	4	4	18	21	25	24	16	14	11	6	2	1	16
16 Bronchitis	—	—	3	6	1	—	12	3	8	7	8	10	5	6	—	2	17
17 Pneumonia (all forms)	—	—	9	8	1	1	5	5	16	7	11	10	6	4	—	1	18
18 Other respiratory diseases	—	1	1	2	1	1	5	1	—	3	3	4	6	—	—	1	19
19 Diarrhoea, &c. (under 2 yrs.)	1	—	2	2	—	—	9	4	11	7	15	13	4	2	—	1	20
20 Appendicitis and typhlitis	—	—	2	2	1	—	—	1	3	—	5	—	—	1	—	—	21
21 Cirrhosis of liver	—	1	2	1	1	—	3	—	—	3	—	—	—	1	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	—	1	1	6	1	—	7	3	7	5	3	3	4	2	1	2	23
23 Puerperal fever	—	—	—	—	—	—	—	1	—	1	—	1	—	1	—	—	24
24 Parturition, apart from 27	—	—	—	2	—	—	—	3	—	1	—	2	—	3	—	—	25
25 Congenital debility, &c.	1	—	1	3	4	—	13	7	16	8	10	8	4	1	—	—	26
26 Violence, apart from 27	—	1	5	3	1	—	6	5	14	1	14	3	5	—	—	—	27
27 Suicide	—	—	4	—	1	—	2	—	1	—	4	1	1	1	—	1	28
28 Other defined diseases	9	9	26	24	8	15	51	54	46	45	54	55	45	30	6	7	29
29 Causes ill-defined or un- known.	—	—	—	—	—	—	—	—	—	1	1	—	2	1	—	—	

CHESHIRE—cont.

CORNWALL.

Causes of Death.				Wirral R.D.		Bodmin M.B.		Callington U.D.		Cam- borne U.D.		Falmouth M.B.		Hayle U.D.		Helston M.B.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	103	83	45	49	9	14	137	130	110	111	6	16	28	32	1
1 Enteric fever	—	2	—	—	—	1	—	2	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	3	—	—	—	—	—	—	—	—	1	—	4
4 Scarlet fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	1	—	—	—	—	2	5	6	—	—	—	—	—	6
6 Diphtheria and croup	2	—	—	—	1	—	2	—	1	—	—	—	—	1	7
7 Influenza	2	—	—	1	—	—	2	1	2	2	—	—	—	—	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	1	—	—	1	—	9
9 Pulmonary tuberculosis	6	5	3	2	2	—	28	6	5	6	—	4	—	1	10
10 Tuberculous meningitis	—	—	—	—	—	—	5	3	—	1	1	—	1	—	11
11 Other tuberculous diseases	1	—	2	1	—	—	2	1	—	2	—	1	—	—	12
12 Cancer, malignant disease	10	13	3	3	—	2	7	8	4	10	1	3	1	4	13
13 Rheumatic fever	1	1	—	—	—	—	—	—	—	—	—	1	—	—	14
14 Meningitis	4	—	—	—	—	—	1	—	—	—	—	—	1	—	15
15 Organic heart disease	6	6	7	2	—	2	7	21	9	3	—	2	1	2	16
16 Bronchitis	7	6	1	—	1	—	4	10	11	11	—	—	3	3	17
17 Pneumonia (all forms)	9	6	3	6	—	2	7	4	10	5	—	1	1	2	18
18 Other respiratory diseases	3	2	—	—	—	1	1	2	1	2	—	—	1	—	19
19 Diarrhoea, &c. (under 2 yrs.)	6	3	—	2	—	2	16	17	10	5	1	—	3	1	20
20 Appendicitis and typhlitis	—	—	1	—	—	—	—	—	—	1	—	—	—	—	21
21 Cirrhosis of liver	—	—	—	1	—	—	—	—	—	—	—	—	1	—	21A
21A Alcoholism	3	—	—	—	—	—	—	—	2	—	—	—	—	—	22
22 Nephritis and Bright's dis.	1	—	1	1	—	—	3	7	1	4	—	—	1	1	23
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	1	—	—	—	—	2	—	3	—	—	1	—	1	25
25 Congenital debility, &c.	4	3	1	1	—	—	14	6	6	7	—	1	3	—	26
26 Violence, apart from 27	3	1	—	2	—	1	9	1	6	1	1	—	1	—	27
27 Suicide	2	1	1	—	—	—	—	—	1	1	—	—	—	—	28
28 Other defined diseases	31	32	22	24	5	3	29	37	35	38	2	2	7	15	29
29 Causes ill-defined or un- known.	1	—	—	—	—	—	—	—	1	1	—	—	1	1	

ADMINISTRATIVE AREAS, 1911—continued.

CORNWALL—cont.

	Launceston M.B.		Liskeard M.B.		Looe U.D.		Lost- withiel M.B.		Ludgvan U.D.		Madron U.D.		Newquay U.D.		Padstow U.D.		Paul U.D.		Penryn M.B.		Penzance M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	28	37	28	37	13	17	10	8	15	23	29	33	32	30	14	21	45	48	32	30	117	111	1
2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	2	—	2
3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—	—	—	—	—	—	—	1	—	1	1	—	—	1	2	2	2	6	2	5
6	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	1	1	—	—	1	1	6
7	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	2	1	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	5	3	4	4	1	3	1	1	1	1	5	1	5	1	1	1	—	3	2	2	15	6	9
10	—	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	1	10	
11	—	1	2	1	—	1	—	—	—	—	2	—	1	—	—	—	1	1	—	—	2	1	11
12	2	5	2	—	1	1	2	3	—	1	1	2	3	1	1	3	5	7	—	—	6	14	12
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	13
14	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	1	—	—	—	2	14
15	1	5	3	14	3	2	—	—	2	2	3	2	2	3	4	2	2	1	3	3	12	10	15
16	—	7	1	1	—	2	2	—	—	2	2	1	—	2	1	2	1	3	4	1	3	9	16
17	2	—	1	—	—	—	—	—	2	1	—	3	2	2	—	2	3	5	2	3	11	4	17
18	1	—	—	—	1	—	—	—	2	—	1	—	—	—	—	—	1	1	—	—	—	2	18
19	—	—	—	2	—	1	—	—	—	1	1	1	—	2	—	1	6	2	4	4	10	11	19
20	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	1	—	—	20
21	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	—	1	3	1	2	2	—	—	1	1	1	1	1	—	—	2	—	2	—	4	2	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	23
24	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	24
25	—	3	3	1	1	—	—	—	2	1	2	—	1	—	—	—	4	2	1	2	4	4	25
26	1	—	—	—	—	—	—	—	—	2	1	—	1	—	2	—	2	—	—	—	6	—	26
27	1	—	1	—	—	—	—	—	—	—	1	1	1	—	—	—	2	—	—	—	—	1	27
28	13	10	8	10	4	4	3	4	6	9	9	15	14	12	5	9	15	19	10	10	28	39	28
29	1	—	1	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	2	1	29

CORNWALL—cont.

	Phillack U.D.		Redruth U.D.		St. Austell U.D.		St. Ives M.B.		St. Just U.D.		Saltash M.B.		Stratton and Bude U.D.		Torpoint U.D.		Truro M.B.		Wade-bridge U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	35	23	100	126	26	25	55	75	56	56	25	28	18	23	36	23	76	103	18	16	1
2	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	2	—	4	2	—	—	2	6	—	—	—	—	—	—	—	—	2	1	—	—	5
6	—	—	3	3	—	2	2	3	3	1	—	—	—	—	1	—	3	3	1	—	6
7	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	1	3	17	5	2	1	2	2	8	5	1	3	—	4	4	1	4	9	—	2	9
10	—	—	—	3	—	—	—	—	1	—	—	—	—	—	—	—	—	2	—	—	10
11	3	—	1	3	—	—	—	—	—	2	—	1	—	—	1	—	1	1	—	1	11
12	3	3	5	7	1	2	2	2	1	3	2	2	1	2	—	5	6	13	1	5	12
13	—	—	—	1	—	—	—	—	—	—	1	—	—	1	—	1	—	—	—	—	13
14	—	—	2	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	14
15	1	7	3	14	3	3	7	9	7	4	2	4	—	4	2	1	8	7	1	1	15
16	1	1	10	17	1	2	1	—	2	2	—	4	2	—	—	—	7	9	1	—	16
17	—	1	4	6	2	—	3	9	3	4	1	1	3	1	—	1	7	4	1	—	17
18	1	1	3	1	—	1	2	—	4	—	—	—	—	—	—	—	1	—	—	—	18
19	1	—	11	21	2	2	5	7	7	6	1	1	1	—	2	1	1	4	1	—	19
20	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	1	—	—	—	20
21	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	21
21A	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	21A
22	1	1	—	4	2	—	2	2	—	—	1	—	—	1	1	2	7	6	1	1	22
23	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	—	23
24	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	1	—	—	24
25	6	—	5	6	1	2	4	6	5	7	2	2	2	—	2	2	5	1	2	—	25
26	2	2	2	2	1	1	3	—	2	1	2	1	2	—	—	—	—	2	1	—	26
27	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	27
28	12	3	30	26	8	8	18	27	13	19	9	8	5	10	23	8	18	34	5	5	28
29	—	—	—	1	2	1	—	1	—	1	—	—	—	—	—	—	2	2	—	—	29

CORNWALL—cont.

Causes of Death.	Bodmin R.D.		Calstock R.D.		Camelford R.D.		East Kerrier R.D.		Helston R.D.		Hols-worthy (pt.) R.D.*		Launceston R.D.		Liskeard R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	70	71	55	31	57	43	61	54	116	132	2	—	33	45	113	108	1
1 Enteric fever	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	4	3	—	—	—	1	1	3	3	—	—	—	—	1	—	6
6 Diphtheria and croup	—	—	—	—	3	1	—	—	—	3	—	—	—	1	1	3	7
7 Influenza	3	2	—	—	—	—	1	1	1	1	—	—	—	1	—	1	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	3	5	5	1	2	1	5	6	20	12	—	—	4	4	9	11	10
10 Tuberculous meningitis	—	2	—	—	1	—	1	—	3	2	—	—	—	—	3	2	11
11 Other tuberculous diseases	—	2	—	—	1	3	—	—	—	2	—	—	1	3	2	—	12
12 Cancer, malignant disease	7	5	2	1	4	4	5	4	10	15	—	—	1	3	8	9	13
13 Rheumatic fever... ..	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	14
14 Meningitis	—	1	—	—	1	—	—	1	3	—	—	—	—	—	2	3	15
15 Organic heart disease ...	10	8	5	1	4	3	3	8	5	7	1	—	4	3	13	18	16
16 Bronchitis	2	8	7	4	3	4	5	3	6	7	—	—	7	3	5	4	17
17 Pneumonia (all forms) ...	5	6	3	2	5	—	—	—	4	5	—	—	2	—	7	8	18
18 Other respiratory diseases	—	2	1	—	1	—	2	1	—	1	—	—	—	1	3	1	19
19 Diarrhoea, &c. (under 2 yrs.)	2	—	3	1	1	—	2	3	4	5	—	—	1	—	1	—	20
20 Appendicitis and typhlitis	—	1	—	—	—	—	—	—	2	1	—	—	—	—	1	—	21
21 Cirrhosis of liver	—	—	1	—	—	—	—	—	2	—	—	—	—	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	—	—	1	—	1	1	—	1	3	2	—	—	—	2	4	3	23
23 Puerperal fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	1	—	—	—	1	—	—	—	3	—	—	—	—	—	2	25
25 Congenital debility, &c.	5	1	4	2	8	5	1	4	6	4	—	—	1	1	10	5	26
26 Violence, apart from 27	6	—	2	2	2	1	6	—	3	3	—	—	1	3	2	3	27
27 Suicide	1	1	—	—	—	—	2	—	—	—	—	—	1	—	1	—	28
28 Other defined diseases ...	24	19	16	16	18	18	25	20	39	56	1	—	10	20	37	33	29
29 Causes ill-defined or unknown.	1	1	—	—	1	1	1	—	2	—	—	—	—	—	3	2	

CORNWALL—cont.

Causes of Death.	Redruth R.D.		St. Austell R.D.		St. Columb Major R.D.		St. Germans R.D.		Scilly, Isles of R.D.		Stratton R.D.		Truro R.D.		West Penwith R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	174	195	248	232	84	91	82	88	13	8	20	29	169	142	101	69	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	2	3	—	—	1	1	—	—	—	—	1	—	—	—	4
4 Scarlet fever	1	—	—	2	—	—	—	—	—	—	—	—	—	—	1	—	5
5 Whooping cough	3	5	10	10	3	6	—	—	—	—	—	—	4	1	2	—	6
6 Diphtheria and croup	1	5	4	4	1	—	—	—	—	—	—	—	—	—	2	—	7
7 Influenza	1	1	2	4	—	2	1	1	—	—	—	—	2	1	1	1	8
8 Erysipelas	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	25	15	17	10	10	12	5	4	—	—	—	2	18	7	5	1	10
10 Tuberculous meningitis	2	4	1	6	—	—	2	—	—	—	1	—	1	—	1	—	11
11 Other tuberculous diseases	—	4	11	5	—	1	1	—	—	1	—	—	2	2	—	1	12
12 Cancer, malignant disease	10	22	12	17	3	8	13	8	1	2	3	2	8	16	7	6	13
13 Rheumatic fever... ..	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	14
14 Meningitis	—	1	1	—	—	—	—	1	—	—	—	—	2	—	—	—	15
15 Organic heart disease ...	17	18	26	18	7	12	5	18	4	—	2	3	15	19	18	12	16
16 Bronchitis	14	9	19	19	6	5	3	7	—	—	1	3	15	9	3	3	17
17 Pneumonia (all forms) ...	6	5	10	7	3	2	11	2	—	—	—	1	4	3	5	1	18
18 Other respiratory diseases	14	4	6	3	1	—	1	—	—	—	2	1	5	1	2	2	19
19 Diarrhoea, &c. (under 2 yrs.)	21	16	6	3	—	2	3	3	—	—	1	1	3	4	3	2	20
20 Appendicitis and typhlitis	1	—	3	1	2	—	1	1	—	—	1	1	1	1	—	—	21
21 Cirrhosis of liver	—	—	—	1	—	—	—	1	—	—	—	—	2	—	1	—	21A
21A Alcoholism	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	22
22 Nephritis and Bright's dis.	4	7	4	8	—	4	2	3	—	—	—	1	11	3	4	2	23
23 Puerperal fever	—	1	—	2	—	—	—	—	—	—	—	—	—	1	—	—	24
24 Parturition, apart from 23	—	1	—	2	—	1	—	1	—	—	—	—	—	4	—	—	25
25 Congenital debility, &c.	10	4	18	15	8	8	5	6	—	1	1	1	8	4	7	5	26
26 Violence, apart from 27	8	4	13	2	8	1	4	—	1	—	1	1	15	1	6	3	27
27 Suicide	—	—	—	—	3	—	—	—	—	—	—	—	1	1	—	—	28
28 Other defined diseases ...	33	68	78	86	27	27	23	29	5	4	8	10	50	64	33	29	29
29 Causes ill-defined or unknown.	2	1	4	2	2	—	1	2	2	—	—	—	1	—	—	1	

* The remainder of Holsworthy R.D. is in Devonshire; see page 457.

ADMINISTRATIVE AREAS, 1911—continued.

CUMBERLAND.

		Arlecdon and Frizington U.D.		Aspatria U.D.		Carlisle M.B.		Cleator Moor U.D.		Cocker-mouth U.D.		Egremont U.D.		Harrington U.D.		Holme Cultram U.D.		Keswick U.D.		Maryport U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1		35	33	22	24	386	375	73	61	41	38	51	55	34	25	21	30	24	34	85	83	1
2		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3		—	—	—	—	7	8	—	—	—	—	1	1	—	—	—	—	—	—	2	—	3
4		—	—	—	—	1	1	—	—	—	—	2	1	—	—	—	—	—	—	1	—	4
5		—	—	—	—	11	12	—	—	—	1	2	3	—	—	—	1	—	1	—	1	5
6		—	1	1	—	3	1	1	—	1	—	1	—	—	—	—	—	—	1	1	1	6
7		—	—	—	—	3	5	1	—	2	—	—	—	—	—	—	—	1	—	1	1	7
8		—	1	—	—	—	1	—	1	1	—	—	1	—	—	—	—	—	—	—	—	8
9		1	4	3	2	35	41	8	5	—	5	1	4	1	4	1	3	2	1	6	4	9
10		—	1	—	—	4	3	—	1	1	—	—	—	1	—	—	—	1	1	—	1	10
11		—	—	—	2	8	4	2	—	—	—	—	2	—	1	—	—	1	1	1	1	11
12		4	3	3	—	22	26	3	6	5	3	1	3	3	—	3	3	2	5	8	5	12
13		—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	13
14		2	—	1	1	4	1	1	3	—	1	3	3	—	—	—	—	—	—	—	—	14
15		3	2	1	3	41	40	7	6	5	1	6	4	8	2	1	4	2	6	7	4	15
16		1	1	2	3	10	13	6	5	2	6	—	—	1	3	1	1	1	1	3	4	16
17		4	4	3	2	39	30	7	1	4	3	4	1	3	2	1	—	2	5	8	8	17
18		1	—	—	—	8	4	7	—	—	—	2	—	—	—	—	1	—	—	—	3	18
19		—	2	—	2	27	21	2	1	3	1	—	4	—	1	1	—	—	—	4	—	19
20		—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	20
21		—	1	—	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	21
21A		—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	21A
22		—	—	—	—	11	15	1	1	—	2	4	1	—	—	3	2	—	1	1	2	22
23		—	—	—	1	—	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	23
24		—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2	24
25		5	3	2	1	27	13	5	7	3	1	7	3	3	3	2	—	2	1	5	3	25
26		1	—	2	—	15	8	3	2	2	1	1	3	4	1	—	—	2	1	5	1	26
27		1	—	1	—	4	1	1	—	1	—	1	—	—	—	1	1	—	—	—	1	27
28		12	10	3	5	101	122	16	20	10	13	14	18	9	8	5	12	5	10	29	36	28
29		—	—	—	1	2	2	1	2	1	—	1	2	—	—	—	—	1	—	2	2	29

CUMBERLAND—cont.

	Millom U.D.		Penrith U.D.		Whitehaven M.B.		Wigton U.D.		Workington M.B.			Alston with Garrigill R.D.		Bootle R.D.		Brampton R.D.		Carlisle R.D.		Cocker-mouth R.D.		
	M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F	M	F	M	F	
1	54	47	59	58	189	175	28	35	191	158		28	31	36	28	52	57	125	102	142	150	1
2	—	—	—	—	2	1	—	—	—	—		—	—	—	—	—	—	1	—	—	—	2
3	—	—	—	—	—	—	—	1	—	—		—	—	—	—	—	—	—	—	—	—	3
4	—	—	1	3	1	—	—	—	4	1		—	—	1	1	—	—	—	—	—	1	4
5	—	—	—	—	1	2	7	—	2	8	6	—	—	—	—	—	1	—	—	3	3	5
6	—	—	—	—	—	—	—	1	1	1	2	—	—	—	—	—	—	3	4	4	3	6
7	—	1	—	—	—	2	—	—	3	—		1	1	—	—	—	—	3	3	2	—	7
8	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	8
9	5	1	4	3	12	15	1	3	7	15		1	2	2	2	2	4	14	10	2	11	9
10	—	3	1	1	2	3	1	2	3	1		—	1	—	—	—	—	—	—	—	2	10
11	2	1	2	1	8	7	—	—	5	2		1	—	—	—	—	—	1	3	1	1	11
12	3	4	3	7	11	8	3	—	11	6		3	5	3	2	2	5	11	9	6	9	12
13	—	—	—	—	1	—	—	—	—	—		—	—	—	—	—	—	1	1	—	—	13
14	—	—	2	—	1	1	—	—	5	2		1	—	2	1	3	—	1	1	2	—	14
15	6	5	8	11	19	12	1	—	14	17		1	3	3	7	7	7	16	12	13	17	15
16	5	2	1	1	13	19	2	3	10	15		3	1	—	1	2	4	3	3	9	13	16
17	4	1	5	3	12	9	1	4	24	10		1	1	—	1	5	1	11	9	12	4	17
18	1	1	1	1	1	2	—	2	—	2		3	—	2	—	—	—	3	—	4	2	18
19	3	2	2	3	13	10	1	1	3	2		—	—	1	—	—	—	—	—	5	7	19
20	—	—	2	—	—	—	—	—	4	1		—	1	—	1	—	—	1	—	2	—	20
21	1	—	—	1	2	1	1	—	1	2		1	—	1	—	—	1	2	—	—	—	21
21A	—	—	—	—	—	1	—	—	1	—		—	—	—	—	—	—	1	—	—	—	21A
22	4	—	1	1	6	10	—	—	5	4		3	2	1	1	—	1	3	2	2	4	22
23	—	1	—	—	—	—	—	—	—	1		—	—	—	—	—	—	—	—	—	—	23
24	—	1	—	1	—	2	—	—	—	3		—	1	—	—	—	—	—	1	—	2	24
25	6	1	6	3	15	15	5	3	14	13		1	2	2	1	2	4	7	3	12	8	25
26	1	—	2	—	13	5	3	1	7	3		2	—	3	2	2	1	2	—	8	3	26
27	2	—	—	—	2	—	1	—	2	1		—	—	—	—	—	1	2	1	2	1	27
28	11	22	18	16	47	40	8	12	53	47		6	10	14	7	27	27	40	40	49	55	28
29	—	—	—	1	5	2	—	—	3	2		—	1	1	—	—	—	2	—	4	1	29

CAUSES OF DEATH IN
DENBIGHSHIRE.

CUMBERLAND—*cont.*

Causes of Death.		Longtown R.D.		Penrith R.D.		White- haven R.D.		Wigton R.D..		Abergele and Pensarn U.D.		Colwyn Bay and Colwyn U.D.		Denbigh M.B.	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	...	56	36	71	74	100	110	85	70	11	13	78	93	46	48
1 Enteric fever	...	—	—	—	1	—	—	—	—	—	—	—	—	—	—
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	...	—	1	—	—	—	2	—	1	—	—	—	—	—	—
5 Whooping cough	...	—	—	2	1	3	4	—	—	—	—	2	2	—	1
6 Diphtheria and croup	...	—	—	1	—	1	—	2	1	—	—	7	2	—	—
7 Influenza	...	1	—	2	—	1	—	—	1	1	1	—	1	—	—
8 Erysipelas	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	...	4	4	6	1	2	4	5	2	1	2	5	7	3	5
10 Tuberculous meningitis	...	—	—	—	—	—	—	1	—	—	—	1	—	1	1
11 Other tuberculous diseases	...	1	—	—	1	—	3	3	1	—	—	3	2	2	—
12 Cancer, malignant disease	...	5	2	6	7	5	8	6	6	—	—	6	10	—	3
13 Rheumatic fever...	...	1	—	—	—	—	1	—	—	—	—	1	—	—	—
14 Meningitis	...	—	—	—	—	—	—	—	—	—	—	—	—	1	—
15 Organic heart disease	...	7	9	10	14	7	5	7	10	1	—	—	7	5	10
16 Bronchitis	...	2	1	3	4	7	13	1	2	—	—	3	5	1	1
17 Pneumonia (all forms)	...	4	—	4	3	5	9	9	—	2	—	3	3	2	—
18 Other respiratory diseases	...	2	1	1	1	3	3	2	—	—	—	2	—	—	1
19 Diarrhoea, &c. (under 2 yrs.)	...	—	—	1	1	2	3	—	1	1	1	2	6	2	2
20 Appendicitis and typhlitis	...	1	1	1	1	—	1	—	1	—	—	1	—	1	—
21 Cirrhosis of liver	...	—	—	1	—	—	—	—	1	—	—	1	—	—	—
21A Alcoholism	...	—	—	1	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's dis.	...	—	—	1	2	1	2	4	2	1	2	4	3	5	1
23 Puerperal fever	...	—	—	—	2	—	—	—	—	—	—	—	1	—	—
24 Parturition, apart from 23	...	—	1	—	1	—	1	—	—	—	—	—	1	—	—
25 Congenital debility, &c.	...	6	2	5	6	8	14	6	3	1	—	5	4	1	2
26 Violence, apart from 27	...	1	1	4	—	10	2	3	1	—	—	4	2	3	1
27 Suicide	...	1	—	1	—	1	—	4	—	—	—	—	1	—	—
28 Other defined diseases	...	20	11	21	27	43	33	31	36	2	6	28	35	20	19
29 Causes ill-defined or un- known.	...	—	2	—	1	1	2	1	1	1	1	—	1	—	—

DENBIGHSHIRE—*cont.*

Causes of Death.		Llangollen U.D.		Llanrwst U.D.		Ruthin M.B.		Wrexham M.B.		Chirk R.D.		Llan- gollen R.D.		Llanrwst R.D.	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	...	30	30	32	29	23	32	146	139	31	29	29	27	28	36
1 Enteric fever	...	—	—	—	—	—	1	—	—	—	—	—	—	—	—
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	...	—	—	—	—	—	—	1	—	—	—	—	—	—	—
5 Whooping cough	...	—	—	—	—	1	—	6	7	—	—	—	—	—	—
6 Diphtheria and croup	...	—	—	2	—	—	—	3	2	—	—	—	1	—	—
7 Influenza	...	—	—	1	4	—	—	—	2	—	1	—	—	1	—
8 Erysipelas	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	...	4	2	4	3	2	2	12	11	1	2	3	2	6	3
10 Tuberculous meningitis	...	1	1	—	—	—	—	4	1	—	—	—	—	—	—
11 Other tuberculous diseases	...	—	—	—	—	1	1	3	2	—	—	—	—	1	—
12 Cancer, malignant disease	...	4	5	2	2	2	1	8	7	3	3	2	3	4	6
13 Rheumatic fever...	...	—	—	—	—	—	1	—	1	—	1	—	1	—	—
14 Meningitis	...	—	—	—	—	—	—	2	4	—	—	—	—	—	1
15 Organic heart disease	...	4	3	4	10	1	3	15	17	6	3	4	5	3	4
16 Bronchitis	...	—	3	3	1	4	2	6	5	—	1	2	1	—	1
17 Pneumonia (all forms)	...	2	1	—	1	1	2	9	9	1	3	—	1	2	—
18 Other respiratory diseases	...	—	1	—	1	—	1	2	2	—	1	4	2	—	1
19 Diarrhoea, &c. (under 2 yrs.)	...	—	2	3	2	2	1	10	7	1	1	—	1	1	—
20 Appendicitis and typhlitis	...	—	—	1	—	—	—	—	1	—	—	1	—	—	—
21 Cirrhosis of liver	...	—	—	1	—	—	—	2	3	—	1	—	—	—	—
21A Alcoholism	...	—	—	—	—	—	—	3	—	—	—	—	—	—	—
22 Nephritis and Bright's dis.	...	—	1	—	—	1	—	3	3	2	—	2	—	1	1
23 Puerperal fever	...	—	—	—	—	—	—	—	2	—	—	—	—	—	—
24 Parturition, apart from 23	...	—	—	—	—	—	1	—	1	—	—	—	—	—	—
25 Congenital debility, &c.	...	1	—	1	—	—	—	13	15	5	3	4	3	1	5
26 Violence, apart from 27	...	—	1	—	1	2	—	6	3	4	—	2	—	1	1
27 Suicide	...	1	—	2	—	1	—	3	1	—	—	—	1	—	—
28 Other defined diseases	...	13	11	7	5	6	14	34	33	8	9	5	6	8	11
29 Causes ill-defined or un- known.	...	—	—	—	—	—	—	1	—	—	—	—	—	—	1

ADMINISTRATIVE AREAS, 1911—continued.

DENBIGHSHIRE—cont.

DERBYSHIRE.

		Llan-silin R.D.		Ruthin R.D.		St. Asaph (Denbigh) R.D.		Uwchaled R.D.		Wrexham R.D.		Llan-elian*						Alfreton U.D.		Alvaston and Boulton U.D.		Ashbourne U.D.			
		M	F	M	F	M	F	M	F	M	F	M	F					M	F	M	F	M	F		
1		33	24	57	79	45	57	23	16	427	431	12	8					130	116	19	22	27	18		
2		—	—	—	—	—	—	—	—	—	4	—	—					1	—	—	—	—	—		1
3		—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	—	—		2
4		—	1	—	—	—	—	1	—	—	1	—	—					1	—	5	3	—	—		3
5		5	—	—	4	2	—	—	—	—	10	14	—					—	—	2	1	—	—		4
6		—	—	—	—	—	—	—	—	—	5	11	—					2	1	1	—	—	—		5
7		—	1	1	1	2	—	—	—	—	4	4	—					2	—	2	1	—	—		6
8		—	—	1	—	2	1	—	—	—	2	—	—					2	—	—	—	1	—		7
9		1	2	4	3	1	7	1	1	27	25	—	—					—	—	—	—	—	—		8
10		—	—	1	1	—	1	—	—	10	6	—	—					6	5	—	1	—	—		9
11		—	—	1	4	—	2	1	—	11	4	—	—					1	1	—	—	—	—		10
12		1	—	5	6	6	4	2	3	18	20	—	—					2	2	—	—	1	1		11
13		1	—	—	—	—	1	—	—	7	2	—	—					5	8	1	—	3	1		12
14		—	—	1	—	—	1	1	—	10	3	—	1					—	—	—	—	—	—		13
15		2	4	4	13	6	11	1	2	33	43	1	1					2	1	—	1	—	—		14
16		3	2	7	2	—	2	—	2	28	40	3	—					15	11	—	2	2	—		15
17		2	1	2	4	2	2	1	—	29	24	—	1					6	4	—	2	1	1		16
18		—	—	1	—	1	—	2	—	11	3	1	—					6	17	2	1	—	1		17
19		—	—	—	—	—	—	—	—	28	37	1	—					—	6	1	—	1	—		18
20		—	—	1	1	—	—	—	—	2	2	—	—					16	11	—	—	—	—		19
21		—	—	—	—	—	—	1	—	5	1	—	—					—	—	—	—	—	—		20
21A		—	—	—	—	1	—	—	—	—	—	—	—					1	—	—	—	1	—		21
22		—	1	3	1	1	1	—	—	—	10	—	—					—	—	—	—	—	—		21A
23		—	—	—	—	—	—	—	1	—	4	—	—					4	3	1	—	1	1		22
24		—	—	—	1	—	—	—	—	—	9	—	—					—	1	—	—	—	—		23
25		6	1	1	2	2	3	2	1	44	34	1	—					—	1	—	—	—	—		24
26		5	2	3	3	1	4	—	—	19	9	1	—					15	6	—	1	1	3		25
27		—	—	—	—	—	—	—	—	2	—	—	—					6	1	—	—	1	—		26
28		7	9	19	32	17	17	9	6	105	119	—	4					1	—	1	—	—	—		27
29		—	—	1	1	—	—	1	—	5	2	—	—					33	37	5	7	10	9		28
																		3	—	—	—	1	1		29

DERBYSHIRE—cont.

		Bakewell U.D.		Baslow and Bubnell U.D.		Belper U.D.		Bolsover U.D.		Bonsall U.D.		Brampton and Walton U.D.		Buxton U.D.		Chesterfield M.B.		Clay Cross U.D.		Dronfield U.D.		Fairfield U.D.			
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
1		13	22	4	2	98	75	94	68	13	12	12	15	45	61	350	289	83	67	31	28	22	28		
2		—	2	—	—	—	—	2	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—		1
3		—	—	—	—	—	1	7	9	—	—	1	—	—	—	—	18	—	—	—	—	—	—		2
4		—	—	—	—	1	1	—	—	—	—	—	—	3	—	21	4	1	—	1	3	—	—		3
5		—	—	—	—	2	1	—	—	1	—	—	—	—	—	4	2	2	—	—	—	—	—		4
6		—	—	—	—	—	—	2	2	3	—	—	—	—	—	5	5	—	1	—	—	—	—		5
7		—	—	—	1	2	—	1	—	—	—	1	—	—	1	3	—	—	—	—	—	—	1		6
8		—	—	—	—	—	—	—	—	—	—	1	1	—	3	3	—	—	—	—	—	—	—		7
9		1	—	1	—	4	4	3	3	1	2	1	2	3	3	21	21	6	5	1	3	—	2		8
10		—	—	—	—	1	—	3	1	—	—	—	—	—	—	1	4	1	—	—	—	—	—		9
11		—	—	—	—	2	—	—	—	—	—	—	—	—	—	1	3	5	3	1	2	—	1		10
12		1	2	—	—	3	8	1	1	—	2	—	—	1	2	8	3	3	3	2	2	—	3		11
13		—	—	—	—	—	—	—	—	—	—	—	—	—	7	12	15	3	3	2	2	2	3		12
14		—	—	—	—	2	3	2	1	1	—	—	—	—	—	—	4	2	—	1	1	—	—		13
15		—	3	—	1	7	4	1	5	3	2	3	1	—	—	—	3	1	—	—	—	—	1		14
16		1	1	—	—	8	6	4	3	1	—	3	1	3	7	22	23	2	1	3	—	2	3		15
17		—	1	1	—	13	9	7	5	1	1	—	2	2	4	25	22	9	5	5	1	—	2		16
18		—	2	—	—	—	1	—	—	—	—	—	—	6	1	21	16	4	6	3	1	1	2		17
19		3	1	—	—	2	2	16	5	—	—	1	—	—	1	4	3	2	3	—	2	—	—		18
20		—	—	—	—	—	—	—	—	—	—	—	—	3	6	43	37	3	2	2	1	1	3		19
21		—	—	—	—	1	—	2	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—		20
21A		—	—	—	—	2	—	—	—	—	—	—	—	1	2	3	2	—	1	—	—	—	—		21
22		—	3	—	—	3	1	1	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—		21A
23		—	—	—	—	—	—	—	—	—	—	—	—	2	—	6	5	1	—	3	1	1	1		22
24		—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		23
25		—	—	—	—	13	3	13	7	—	—	1	1	5	2	32	23	9	13	1	3	2	—		24
26		—	1	—	—	5	—	8	2	—	—	—	—	2	2	14	6	8	—	—	—	1	1		25
27		1	—	—	—	—	1	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—		26
28		6	6	2	—	25	29	21	22	1	4	—	6	14	18	89	70	24	19	8	7	—	—		27
29		—	—	—	—	2	—	—	—	—	—	—	—	—	—	3	3	1	2	—	—	—	—		28
																									29

* Llanellian yn Rhôs and Llansantffraid Glan Conway C. P's.—Administered by Conway R.D.C. (Carnarvonshire).

DERBYSHIRE—cont.

Causes of Death.				Glossop M.B.		Heage U.D.		Heanor U.D.		Ilkeston. M.B.		Long Eaton U.D.		Matlock U.D.		Matlock Bath and Scarthin Nick U.D.		New Mills U.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES ...				159	195	27	20	120	111	252	222	84	84	40	45	14	15	63	67	1
1	Enteric fever	1	—	—	—	—	1	2	1	—	—	—	—	—	—	—	—	2
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles	5	5	—	—	—	—	8	6	—	1	1	—	—	—	1	1	4
4	Scarlet fever	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	5
5	Whooping cough	1	—	—	—	—	5	1	—	1	—	1	1	—	—	—	—	6
6	Diphtheria and croup	1	1	1	1	2	2	2	5	—	—	—	1	—	—	2	1	7
7	Influenza	1	—	—	—	—	—	8	3	1	—	1	—	—	—	—	—	8
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9	Pulmonary tuberculosis	10	14	2	—	3	8	11	13	5	5	3	4	—	1	6	8	10
10	Tuberculous meningitis	1	2	—	—	2	3	3	3	—	—	—	—	2	—	1	1	11
11	Other tuberculous diseases	1	4	1	—	3	—	6	4	1	2	—	—	—	—	—	—	12
12	Cancer, malignant disease	6	14	2	2	5	8	10	12	3	5	—	4	1	3	1	4	13
13	Rheumatic fever...	1	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—	14
14	Meningitis	1	2	—	—	1	1	2	2	—	—	—	—	—	—	1	1	15
15	Organic heart disease	5	13	1	2	9	6	11	19	13	11	5	2	2	4	4	7	16
16	Bronchitis	11	16	2	1	11	4	28	20	2	6	3	5	—	1	5	3	17
17	Pneumonia (all forms)	9	6	—	5	6	5	16	8	9	4	1	2	1	2	4	7	18
18	Other respiratory diseases	6	1	—	—	—	3	2	1	1	1	—	—	2	—	—	2	19
19	Diarrhoea, &c. (under 2 yrs.)	23	22	1	—	12	4	37	28	7	11	—	—	—	—	6	1	20
20	Appendicitis and typhlitis	3	—	—	—	—	—	3	1	1	2	—	—	—	—	—	—	21
21	Cirrhosis of liver	2	—	—	—	2	2	1	2	1	1	1	—	—	—	2	1	21A
21A	Alcoholism	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	22
22	Nephritis and Bright's dis.	10	9	—	—	2	—	3	4	2	2	3	2	1	—	2	2	23
23	Puerperal fever	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—	—	24
24	Parturition, apart from 23	—	2	—	1	—	—	—	3	—	2	—	—	—	—	—	—	25
25	Congenital debility, &c.	8	12	5	2	15	13	30	21	9	10	3	2	1	2	7	2	26
26	Violence, apart from 27	3	3	1	2	4	7	7	8	3	3	3	1	2	—	2	1	27
27	Suicide	—	1	—	—	2	—	1	2	1	1	—	1	—	—	1	1	28
28	Other defined diseases	44	62	11	4	39	36	57	52	23	15	15	19	2	2	18	22	29
29	Causes ill-defined or un- known.	6	6	—	—	2	1	1	1	—	—	—	1	—	—	—	1	

DERBYSHIRE—cont.

Causes of Death.				North Darley U.D.		Ripley U.D.		South Darley U.D.		Swadlin- cote District U.D.		Whitting- ton and Newbold U.D.		Wirks- worth U.D.						
				M	F	M	F	M	F	M	F	M	F	M	F					
ALL CAUSES ...				21	17	64	60	4	10	141	132	169	144	35	36					1
1	Enteric fever	—	—	—	—	—	—	1	1	4	1	—	—					2
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—					3
3	Measles	—	—	—	—	—	—	—	—	7	9	—	—					4
4	Scarlet fever	—	—	—	—	—	—	—	—	2	—	—	2					5
5	Whooping cough	—	—	1	—	—	—	3	8	4	4	—	—					6
6	Diphtheria and croup	—	—	2	3	—	—	2	3	4	2	—	—					7
7	Influenza	—	—	—	—	—	—	—	2	2	—	1	2					8
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—					9
9	Pulmonary tuberculosis	4	—	2	2	—	1	5	2	6	4	1	4					10
10	Tuberculous meningitis	—	1	—	1	—	—	2	2	3	—	—	1					11
11	Other tuberculous diseases	—	—	—	—	—	—	3	3	2	2	1	1					12
12	Cancer, malignant disease	1	2	2	4	—	3	7	13	7	6	1	2					13
13	Rheumatic fever...	1	—	1	—	—	—	1	1	—	1	—	1					14
14	Meningitis	—	—	2	1	—	—	2	—	—	2	—	—					15
15	Organic heart disease	3	2	4	9	—	1	8	10	6	10	4	3					16
16	Bronchitis	3	1	2	5	—	—	18	7	16	9	—	2					17
17	Pneumonia (all forms)	1	2	5	3	—	1	11	16	24	17	4	—					18
18	Other respiratory diseases	1	—	1	—	—	1	3	3	1	3	1	—					19
19	Diarrhoea, &c. (under 2 yrs.)	1	—	5	4	—	—	13	5	19	14	—	1					20
20	Appendicitis and typhlitis	—	—	—	—	—	—	1	—	—	1	—	—					21
21	Cirrhosis of liver	—	—	2	—	—	—	—	1	—	—	—	—					21A
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	1	—					22
22	Nephritis and Bright's dis.	2	—	4	1	1	—	4	2	—	2	—	—					23
23	Puerperal fever	—	—	—	1	—	1	—	1	—	—	—	—					24
24	Parturition, apart from 23	—	1	—	—	—	—	—	2	—	1	—	1					25
25	Congenital debility, &c.	2	2	1	3	—	1	10	15	7	14	1	1					26
26	Violence, apart from 27	—	1	7	—	1	—	3	3	8	5	—	—					27
27	Suicide	—	—	—	—	—	—	2	1	—	1	—	—					28
28	Other defined diseases	2	5	22	22	2	1	40	30	44	34	20	15					29
29	Causes ill-defined or un- known.	—	—	1	1	—	—	2	1	3	2	—	—					

ADMINISTRATIVE AREAS, 1911—continued.

DERBYSHIRE—cont.

	Ashbourne R.D.		Bakewell R.D.		Belper R.D.		Blackwell R.D.		Chapel en le Frith R.D.		Chesterfield R.D.		Clowne R.D.		Glossop Dale R.D.		Hartshorn and Seals R.D.		Hayfield R.D.		Norton R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	72	64	144	136	143	141	324	230	120	103	537	450	150	97	22	32	49	50	28	32	12	17	1
2	—	—	—	—	—	—	1	2	—	—	2	1	2	—	—	1	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	2	1	1	1	2	—	4	4	5	1	14	10	—	—	—	—	—	—	—	—	1	—	4
5	2	2	1	2	2	3	5	6	—	—	3	1	—	1	—	—	—	—	—	—	—	—	5
6	1	—	4	3	2	—	9	—	4	1	9	7	1	1	—	—	3	6	—	—	—	—	6
7	—	1	4	5	—	—	3	1	2	1	9	3	—	—	—	—	—	1	—	4	—	—	7
8	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	8
9	1	2	13	11	8	4	18	8	4	2	24	15	10	4	1	1	3	—	2	2	—	2	9
10	—	—	—	—	1	2	9	3	—	2	10	8	3	—	—	—	—	—	—	—	—	—	10
11	1	—	1	2	2	1	11	7	3	1	3	10	6	1	1	—	1	—	1	—	—	—	11
12	4	11	14	8	12	13	8	8	7	14	18	30	1	3	3	3	2	3	3	3	2	—	12
13	—	—	—	—	—	—	2	2	—	—	1	1	—	1	—	2	2	—	—	—	—	—	13
14	—	—	2	2	—	2	3	4	2	2	8	3	4	2	—	1	—	—	1	1	—	1	14
15	4	4	13	14	10	10	14	13	10	8	28	34	7	7	1	5	2	3	7	1	1	—	15
16	4	5	6	4	10	9	16	14	9	8	49	30	6	9	1	2	5	3	—	2	3	1	16
17	4	3	9	6	8	12	25	21	8	5	48	33	19	10	2	1	2	—	1	1	1	2	17
18	2	2	2	5	2	3	4	2	3	1	7	7	5	1	—	—	3	—	—	—	—	—	18
19	2	—	3	3	6	7	51	21	2	3	43	45	15	8	1	—	1	—	4	—	—	—	19
20	—	1	1	1	1	—	4	—	—	—	1	—	1	—	—	—	1	1	—	—	—	—	20
21	1	—	—	3	1	2	—	—	2	—	3	2	—	—	—	—	—	—	1	—	—	—	21
21A	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	1	—	1	—	—	—	21A
22	3	—	5	3	4	2	2	3	1	3	16	8	—	—	1	2	1	2	1	—	—	1	22
23	—	1	—	—	1	1	—	1	—	—	—	3	—	—	—	—	—	—	—	—	—	—	23
24	—	1	—	1	—	1	5	—	—	3	—	—	—	2	—	—	—	—	—	—	—	—	24
25	6	4	10	11	9	7	50	33	11	11	55	45	20	2	—	1	—	—	—	1	—	—	25
26	3	1	4	5	7	2	14	12	8	11	29	9	9	1	1	—	3	4	—	5	2	—	26
27	—	—	3	3	—	1	2	1	2	—	3	3	1	—	—	—	2	—	—	—	—	—	27
28	31	24	47	42	51	57	61	53	35	34	142	125	33	32	8	13	17	23	8	9	2	9	28
29	—	1	—	1	5	1	4	4	—	—	4	5	3	—	—	—	1	1	—	—	—	1	29

DERBYSHIRE—cont.

DEVONSHIRE.

	Repton R.D.		Shardlow R.D.		Sudbury R.D.		Codnor Park and Shipley C. P.'s*		Ashburton U.D.		Bampton U.D.		Barnstaple M.B.		Bideford M.B.		Brixham U.D.		Buckfastleigh U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	96	107	195	177	18	14	10	6	24	22	12	9	113	122	51	79	59	60	13	14	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	1	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	2	1	1	—	—	—	—	—	—	—	2	5	4	—	1	2	4	—	—	4
5	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
6	1	3	2	1	—	—	—	—	1	—	—	—	—	—	—	2	1	—	—	—	6
7	1	1	3	3	—	—	—	—	1	1	—	—	—	—	—	1	—	—	—	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	2	3	—	—	—	2	1	1	8
9	8	8	16	16	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10	1	1	2	—	—	—	—	—	—	4	1	—	4	14	5	6	4	4	3	1	10
11	1	1	1	4	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	11
12	3	5	10	19	—	—	—	—	2	—	1	2	8	11	1	7	2	2	—	1	12
13	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14
15	9	11	13	23	3	4	1	—	—	—	3	1	1	7	13	11	11	2	—	—	15
16	5	7	8	8	1	1	2	—	2	2	—	—	5	4	3	3	11	3	1	4	16
17	7	9	11	9	—	1	—	—	1	3	2	—	6	4	12	5	2	6	2	—	17
18	1	—	3	—	1	—	1	—	—	—	—	—	3	4	—	2	2	—	—	—	18
19	5	4	25	8	—	—	1	1	—	—	1	—	—	—	4	6	2	1	—	—	19
20	—	1	2	1	—	—	—	—	—	1	—	—	—	2	4	—	—	—	—	—	20
21	2	—	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	21A
22	3	5	8	4	—	—	—	—	1	2	1	1	3	2	2	5	—	1	—	—	22
23	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	23
24	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	24
25	12	11	9	14	2	1	—	—	3	2	—	1	8	6	2	1	1	3	1	—	25
26	6	1	8	3	1	1	2	—	1	1	—	—	4	4	—	—	6	—	—	—	26
27	1	—	6	—	—	—	1	—	—	—	—	—	4	—	—	—	—	—	—	—	27
28	24	34	54	56	8	5	2	4	11	6	3	2	41	44	12	28	23	27	4	7	28
29	2	—	7	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	29

* Administered by Basford R.D.C. (Nottinghamshire).

DEVONSHIRE—cont.

Causes of Death.				Budleigh Salterton U.D.		Crediton U.D.		Dart- mouth M.B.		Dawlish U.D.		East Stone- house U.D.		Ex- mouth U.D.		Great Tor- rington M.B.		Heavi- tree U.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES ...				8	9	29	35	53	45	19	37	169	116	47	93	26	25	73	69	
1	Enteric fever	—	—	—	—	—	—	—	—	8	2	1	1	2	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	1	—	4	—	—	—	9	11	1	1	—	—	3	4	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	3	5
6	Diphtheria and croup	—	—	—	1	—	—	—	—	2	—	—	—	—	—	1	1	6
7	Influenza	—	—	—	—	—	1	1	—	2	1	1	—	—	—	—	—	7
8	Erysipelas	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	1	8
9	Pulmonary tuberculosis	—	—	2	2	3	4	2	2	24	7	8	5	5	5	7	9	9
10	Tuberculous meningitis	—	—	1	1	—	—	—	—	2	—	1	1	—	—	1	1	10
11	Other tuberculous diseases	—	—	—	1	3	—	—	—	2	3	—	—	—	1	2	—	11
12	Cancer, malignant disease	—	2	1	1	3	3	2	4	9	7	5	13	1	1	6	4	12
13	Rheumatic fever...	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	1	13
14	Meningitis	1	—	—	—	—	—	—	—	5	1	—	—	—	—	2	—	14
15	Organic heart disease	1	—	2	4	3	3	3	7	16	6	4	15	1	1	2	8	15
16	Bronchitis	—	—	1	1	2	5	—	1	8	10	—	3	3	—	5	6	16
17	Pneumonia (all forms)	1	—	—	—	3	1	2	1	3	1	3	4	2	—	6	1	17
18	Other respiratory diseases	—	—	2	1	—	—	—	1	3	—	1	1	—	—	—	—	18
19	Diarrhoea, &c. (under 2 yrs.)	1	—	1	1	5	4	—	1	12	10	2	1	1	—	3	2	19
20	Appendicitis and typhlitis	—	1	—	—	2	—	—	—	2	—	—	1	—	—	—	—	20
21	Cirrhosis of liver	—	—	—	—	1	1	—	—	2	3	—	—	—	—	—	—	21
21A	Alcoholism	1	—	2	—	—	—	—	—	2	1	2	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	—	2	—	3	3	—	1	1	3	1	3	4	2	3	1	22
23	Puerperal fever	—	1	—	—	—	—	—	—	—	2	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	1	—	1	—	—	—	—	—	1	—	—	—	—	—	—	24
25	Congenital debility, &c.	1	1	—	1	2	1	—	2	9	7	1	—	—	—	1	2	25
26	Violence, apart from 27	—	—	1	1	1	—	1	1	8	1	2	2	—	—	—	—	26
27	Suicide	—	—	—	—	1	1	—	1	1	—	2	—	—	1	—	2	27
28	Other defined diseases	2	2	12	18	16	17	8	14	37	36	12	38	7	14	27	22	28
29	Causes ill-defined or un- known.	—	1	1	1	1	1	—	—	2	2	—	1	—	—	2	1	29

DEVONSHIRE—cont.

Causes of Death.				Hols- worthy U.D.		Honiton M.B.		Ilfracombe U.D.		Ivybridge U.D.		Kings- bridge U.D.		Lynton U.D.		Newton Abbot U.D.		Northam U.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES ...				13	14	18	22	53	70	11	11	27	22	8	9	123	110	35	40	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	—	—	—	—	—	—	—	—	10	7	4	7	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	4
5	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
6	Diphtheria and croup	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	6
7	Influenza	—	—	—	—	—	3	—	—	—	—	—	—	4	4	1	—	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	8
9	Pulmonary tuberculosis	3	2	3	3	2	5	1	—	1	—	—	—	13	3	—	1	9
10	Tuberculous meningitis	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	1	10
11	Other tuberculous diseases	—	—	—	—	1	2	—	—	1	1	—	—	—	4	—	—	11
12	Cancer, malignant disease	—	—	3	2	5	7	1	2	3	2	—	—	8	13	3	7	12
13	Rheumatic fever...	—	—	—	1	—	—	—	—	—	—	—	—	1	1	—	—	13
14	Meningitis	—	—	—	—	—	2	—	—	—	—	1	—	—	—	—	—	14
15	Organic heart disease	3	1	2	—	6	10	1	2	2	4	—	1	12	11	4	7	15
16	Bronchitis	—	—	2	3	3	4	—	1	2	1	—	—	12	5	4	1	16
17	Pneumonia (all forms)	2	1	2	1	3	4	1	1	2	1	—	1	9	2	2	1	17
18	Other respiratory diseases	1	1	1	—	—	—	—	—	2	—	1	1	2	3	1	1	18
19	Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	—	1	1	—	—	—	—	2	5	5	—	1	19
20	Appendicitis and typhlitis	—	—	—	—	1	1	—	—	—	—	—	—	1	1	1	—	20
21	Cirrhosis of liver	—	1	—	—	1	2	—	—	—	—	—	—	—	1	1	1	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	—	—	—	1	1	1	—	2	—	1	1	4	1	—	1	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	24
25	Congenital debility, &c.	2	2	1	1	2	1	1	2	3	1	—	—	5	5	3	4	25
26	Violence, apart from 27	—	—	—	1	1	3	—	—	1	—	1	—	7	3	3	1	26
27	Suicide	—	—	—	—	2	—	—	—	—	—	—	—	1	—	—	—	27
28	Other defined diseases	1	6	4	10	25	24	4	3	8	10	4	2	27	36	8	5	28
29	Causes ill-defined or un- known.	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	29

ADMINISTRATIVE AREAS, 1911—continued.

DEVONSHIRE—cont.

	Okehampton M.B.		Ottery St. Mary U.D.		Paignton U.D.		Salcombe U.D.		Seaton U.D.		Sidmouth U.D.		South Molton M.B.		Tavistock U.D.		Teignmouth U.D.		Tiverton M.B.		Torquay M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	21	13	33	33	70	83	13	13	20	8	19	41	28	24	29	33	52	81	54	74	271	283	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	4	3	1	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—	19	14	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	4	5	5
6	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	1	1	1	1	3	5	6
7	—	—	—	—	—	4	—	—	1	—	—	—	2	—	—	—	—	—	1	1	3	7	7
8	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	8
9	1	—	2	5	6	9	—	2	2	—	4	3	1	2	—	4	4	9	2	4	21	17	9
10	—	—	—	1	—	2	—	—	—	—	—	1	—	—	—	—	—	—	1	1	1	—	10
11	2	—	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	3	1	1	3	3	11
12	2	—	2	2	3	8	—	1	1	2	2	5	3	3	2	6	3	11	3	8	24	32	12
13	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	1	—	—	—	—	1	—	1	1	—	—	—	1	—	—	—	—	—	—	—	1	1	14
15	4	1	3	3	13	9	—	—	—	1	—	3	2	1	4	2	5	8	6	11	44	34	15
16	1	2	3	4	3	6	2	1	3	2	—	1	1	1	1	3	2	3	—	4	13	22	16
17	2	—	3	2	7	6	—	—	—	—	—	—	1	1	2	1	2	1	2	3	13	12	17
18	—	1	—	1	—	—	1	1	—	—	—	2	1	1	1	—	3	1	3	2	7	7	18
19	1	—	—	—	6	3	—	—	—	—	1	2	—	2	—	5	—	1	2	—	11	7	19
20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	20
21	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	3	—	2	1	21
21A	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	21A
22	—	—	1	—	—	—	1	—	1	—	3	5	3	—	2	—	1	4	—	1	4	10	22
23	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	23
24	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	24
25	1	—	2	2	2	2	—	—	—	—	1	1	2	1	2	1	2	1	7	5	11	7	25
26	—	1	—	1	6	1	1	1	1	—	—	—	—	—	—	—	—	4	1	2	5	5	26
27	1	—	1	1	1	—	—	—	2	—	—	—	1	1	—	—	3	—	—	—	1	1	27
28	4	6	10	8	20	27	7	5	8	3	8	15	11	8	14	11	27	32	22	30	77	88	28
29	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	1	1	29

DEVONSHIRE—cont.

	Totnes M.B.				Axminster R.D.		Barnstaple R.D.		Bideford R.D.		Broadwood Widger R.D.		Crediton R.D.		Culmstock R.D.		Hols- worthy (pt.) R.D.*		Honiton R.D.		Kings- bridge R.D.		
	M	F			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	24	32			91	80	116	101	44	40	14	17	61	57	21	19	46	48	54	59	72	85	1
2	—	—			—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	1	1			2	1	3	—	—	—	—	—	2	4	—	—	—	2	—	1	—	1	3
4	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—			—	1	3	1	—	—	—	1	1	1	—	—	2	1	—	1	—	—	5
6	—	1			—	—	—	—	1	3	—	—	3	—	—	1	1	—	2	—	1	2	6
7	—	—			2	—	1	1	—	—	—	1	1	1	—	—	—	—	—	1	2	2	7
8	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	3	—			8	9	8	9	2	4	—	—	3	3	1	—	5	8	1	9	6	9	9
10	—	—			1	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	10
11	—	1			1	—	6	—	2	—	—	1	—	1	—	—	—	1	—	—	—	1	11
12	3	2			9	11	9	13	2	6	2	2	4	4	3	2	1	2	5	2	2	7	12
13	—	—			—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1	13
14	—	1			—	2	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	14
15	5	2			10	7	12	17	4	8	—	2	6	8	1	3	2	4	4	9	6	12	15
16	1	2			7	9	3	12	—	—	3	1	1	1	2	3	4	3	3	3	8	4	16
17	1	2			5	5	7	3	3	1	—	—	4	1	2	—	1	5	2	1	3	1	17
18	—	—			2	—	7	5	—	2	—	—	2	2	—	—	1	—	1	2	3	3	18
19	—	1			2	—	1	3	1	—	—	—	1	—	1	1	—	—	1	3	2	1	19
20	—	—			—	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	20
21	—	—			3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21
21A	—	—			1	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	21A
22	1	—			2	—	3	2	3	—	—	—	—	1	—	—	2	1	1	2	2	2	22
23	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	23
24	—	1			—	2	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	1	24
25	1	1			2	1	5	4	6	2	—	2	3	3	—	—	4	1	2	2	5	3	25
26	—	—			3	3	2	—	1	—	1	1	1	1	1	1	3	—	3	—	6	—	26
27	—	—			2	2	2	—	1	1	—	—	1	—	1	—	—	—	2	—	—	—	27
28	8	17			29	27	43	26	15	12	8	5	23	23	8	8	18	15	26	21	25	34	28
29	—	—			—	—	—	3	1	—	—	—	3	—	—	—	1	—	—	—	—	1	29

* The remainder of Holsworthy R.D. is in Cornwall: see page 450.

DEVONSHIRE—cont.

Causes of Death.	Newton Abbot R.D.		Oke- hampton R.D.		Plympton St. Mary R.D.		St. Thomas R.D.		South Molton R.D.		Tavistock R.D.		Tiverton R.D.		Torrington R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	149	155	102	90	142	168	167	192	66	60	107	103	103	98	68	59	1
1 Enteric fever	—	1	2	—	—	—	—	—	—	—	1	1	2	1	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	2	1	—	—	2	2	1	5	—	1	1	1	5	—	1	1	4
4 Scarlet fever	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	1	1	—	—	2	—	—	—	—	—	1	3	—	—	—	1	6
6 Diphtheria	4	1	2	—	2	3	1	2	—	—	—	1	—	—	—	1	7
7 Influenza	4	5	—	—	3	3	2	1	1	1	1	—	3	1	—	—	8
8 Erysipelas	1	—	—	1	—	—	—	1	—	—	—	—	1	1	—	—	9
9 Pulmonary tuberculosis	8	7	7	7	10	14	15	6	4	1	17	11	9	6	1	3	10
10 Tuberculous meningitis	—	1	2	3	1	4	1	3	1	1	—	—	—	2	2	—	11
11 Other tuberculous diseases	2	4	2	1	3	3	4	9	1	—	—	1	1	1	3	2	12
12 Cancer, malignant disease	15	21	7	7	8	14	15	21	4	2	9	9	4	17	2	5	13
13 Rheumatic fever... ..	—	—	—	2	—	—	1	2	—	—	—	—	—	—	—	—	14
14 Meningitis	3	1	1	—	1	3	1	—	1	—	—	—	—	3	—	—	15
15 Organic heart disease ...	15	18	8	10	24	21	13	25	5	11	15	21	5	6	11	10	16
16 Bronchitis	6	12	7	7	7	15	9	16	7	3	5	4	5	7	6	2	17
17 Pneumonia (all forms) ...	7	6	3	1	9	4	9	5	4	5	2	2	9	8	6	4	18
18 Other respiratory diseases	3	4	6	3	1	—	4	2	1	—	2	—	3	1	1	1	19
19 Diarrhoea, &c. (under 2 yrs.)	4	2	1	1	6	7	3	3	1	—	3	5	—	—	1	—	20
20 Appendicitis and typhlitis	1	1	—	—	1	—	1	—	2	1	1	—	—	—	—	—	21
21 Cirrhosis of liver	3	1	—	1	—	2	—	—	—	—	—	—	2	—	—	—	21A
21A Alcoholism	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	5	5	6	2	5	5	7	7	1	—	1	1	3	4	2	3	23
23 Puerperal fever	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	1	—	—	—	2	—	2	—	—	—	3	—	—	—	1	25
25 Congenital debility, &c.	8	6	10	4	7	7	9	4	8	4	6	3	6	3	8	2	26
26 Violence, apart from 27	7	3	3	1	9	2	7	5	3	2	3	2	7	2	1	—	27
27 Suicide	3	—	1	—	—	1	3	2	1	—	1	—	—	—	1	1	28
28 Other defined diseases ...	44	51	29	30	40	56	58	66	18	25	37	35	38	34	22	22	29
29 Causes ill-defined or unknown.	2	1	4	8	1	—	2	4	3	3	1	—	—	1	—	—	29

DEVONSHIRE—cont.

DORSETSHIRE.

Causes of Death.	Totnes R.D.				Blandford Forum M.B.		Bridport M.B.		Dorchester M.B.		Lyme Regis M.B.		Poole M.B.		Portland U.D.		
	M	F			M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	81	66	—	—	23	35	38	49	80	58	14	21	278	267	77	68	1
1 Enteric fever	1	1	—	—	—	1	—	—	—	—	—	—	1	—	1	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	1	1	—	—	—	—	—	—	2	—	—	—	18	11	1	1	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	4	7	—	—	5
5 Whooping cough	—	—	—	—	—	—	—	—	1	4	—	—	1	3	—	—	6
6 Diphtheria and croup ...	1	1	—	—	—	—	—	—	—	—	—	—	1	7	2	1	7
7 Influenza	1	2	—	—	—	—	—	—	1	—	1	—	2	5	1	1	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	9
9 Pulmonary tuberculosis	6	4	—	—	1	2	2	2	6	2	2	2	24	23	4	6	10
10 Tuberculous meningitis	—	—	—	—	—	—	1	—	—	—	—	—	6	5	—	—	11
11 Other tuberculous diseases	2	—	—	—	—	—	—	1	—	2	—	—	3	1	4	—	12
12 Cancer, malignant disease	6	12	—	—	1	6	3	11	4	6	2	3	17	24	—	9	13
13 Rheumatic fever... ..	—	—	—	—	—	—	—	2	—	—	—	—	2	2	2	1	14
14 Meningitis	1	—	—	—	—	—	—	—	—	—	—	—	2	—	3	—	15
15 Organic heart disease ...	10	7	—	—	6	7	2	3	13	5	—	4	25	27	7	4	16
16 Bronchitis	7	3	—	—	—	2	4	4	1	2	—	3	14	13	1	1	17
17 Pneumonia (all forms) ...	6	—	—	—	—	—	2	2	3	4	2	—	13	14	7	7	18
18 Other respiratory diseases	—	—	—	—	1	—	4	1	5	1	—	—	2	7	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	4	3	—	—	—	—	—	1	4	1	—	—	17	11	4	3	20
20 Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	—	—	—	—	4	1	—	21
21 Cirrhosis of liver	1	1	—	—	1	—	—	—	2	—	—	—	2	1	—	2	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	3	—	—	—	—	—	1	1	1	1	—	2	7	9	—	2	23
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	1	—	—	—	—	—	1	—	1	—	—	—	3	—	1	25
25 Congenital debility, &c.	4	2	—	—	1	—	—	5	7	—	—	1	25	17	10	6	26
26 Violence, apart from 27	3	—	—	—	2	—	—	2	2	1	1	—	9	7	7	—	27
27 Suicide	2	—	—	—	—	—	—	—	—	—	—	—	2	1	1	—	28
28 Other defined diseases ...	22	27	—	—	10	17	18	13	28	27	6	6	77	62	21	22	29
29 Causes ill-defined or unknown.	—	1	—	—	—	—	1	—	—	1	—	—	3	1	—	1	29

ADMINISTRATIVE AREAS, 1911—continued.

DORSETSHIRE—cont.

	Shaftesbury M.B.		Sherborne U.D.		Swanage U.D.		Wareham M.B.		Weymouth and Melcombe Regis M.B.		Wimborne Minster U.D.			Bea-minster R.D.		Blandford R.D.		Bridport R.D.		Cerne R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F	M	F	
1	14	16	42	41	26	25	15	16	140	136	23	30		77	52	46	53	38	41	30	30	1
2	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	2
3	1	—	1	—	—	1	—	—	—	—	—	—		—	—	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	4
5	—	—	—	—	—	—	—	—	—	4	—	—		1	1	—	—	—	1	—	2	5
6	—	—	—	—	—	—	—	—	6	2	—	—		1	—	—	—	1	—	—	—	6
7	1	2	—	1	—	—	—	—	4	4	1	1		3	1	1	1	—	1	—	—	7
8	—	—	—	—	—	—	—	—	1	—	—	—		—	—	—	—	—	—	—	—	8
9	—	—	3	—	2	2	3	2	7	9	1	1		5	2	4	6	2	1	—	3	9
10	—	—	—	—	1	—	—	—	3	—	—	—		—	—	2	2	—	3	—	—	10
11	—	—	1	—	1	—	—	—	—	3	—	—		—	—	—	—	—	—	1	—	11
12	2	2	4	6	1	2	1	2	9	16	3	6		4	6	4	12	3	3	4	2	12
13	—	—	—	—	—	—	—	—	—	—	—	—		1	—	—	—	—	—	—	—	13
14	—	—	—	—	—	—	—	—	2	1	—	—		—	—	—	1	—	—	—	—	14
15	1	2	1	7	4	5	4	2	16	10	3	6		11	7	9	5	5	5	2	2	15
16	1	2	4	2	1	3	—	2	6	5	—	3		5	—	1	2	1	2	1	—	16
17	1	2	3	1	—	—	—	—	3	6	—	—		1	2	2	1	2	—	—	2	17
18	—	—	—	—	1	—	1	—	1	1	2	—		1	—	—	—	1	2	—	—	18
19	2	—	—	—	3	—	—	—	5	5	—	2		2	2	—	—	—	—	—	—	19
20	—	1	2	—	1	—	—	—	3	1	—	—		—	—	—	—	—	1	—	—	20
21	1	—	1	1	—	—	—	—	—	2	1	—		1	—	—	—	1	—	—	—	21
21A	—	—	—	—	—	—	—	—	1	—	—	—		—	—	1	—	—	—	—	—	21A
22	1	1	2	1	—	1	2	—	7	3	—	1		2	2	—	—	5	2	—	—	22
23	—	—	—	—	—	—	—	—	—	1	—	—		—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	—	—	1	—	—		—	—	—	—	—	2	—	1	24
25	—	—	3	3	1	1	2	—	7	7	2	1		2	2	2	2	4	2	3	2	25
26	—	—	—	1	1	—	—	—	3	4	2	—		6	—	—	—	1	—	3	—	26
27	—	—	2	1	—	—	—	—	1	—	—	1		1	—	3	—	—	1	1	—	27
28	3	4	14	17	9	10	2	8	55	51	7	7		27	26	16	21	11	15	15	16	28
29	—	—	1	—	—	—	—	—	—	—	1	—		3	1	1	—	1	—	—	—	29

DORSETSHIRE—cont.

DURHAM.

	Dorchester R.D.		Poole R.D.		Shaftesbury R.D.		Sherborne R.D.		Sturminster R.D.		Wareham and Purbeck R.D.		Weymouth R.D.		Wimborne and Cranborne R.D.			Annfield Plain U.D.		Barnard Castle U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	
1	69	63	41	43	74	58	34	41	54	47	60	65	59	60	91	88		161	143	39	37	1
2	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—		1	2	—	—	2
3	1	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—		7	3	—	—	3
4	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		1	—	—	—	4
5	—	—	—	—	—	—	1	1	1	1	—	—	—	—	1	—		7	5	1	2	5
6	—	—	—	1	—	—	—	—	—	1	—	—	1	—	2	—		1	—	—	—	6
7	2	4	1	—	1	1	—	3	1	—	1	2	1	3	1	1		4	2	—	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—		2	—	—	—	8
9	7	3	1	7	4	2	1	2	3	4	7	5	3	3	2	7		7	7	6	3	9
10	—	1	1	—	—	—	—	—	—	1	—	—	—	—	—	1		1	1	—	1	10
11	—	1	—	1	1	—	1	2	1	1	—	—	—	—	—	1		2	4	1	1	11
12	3	1	3	5	5	4	3	3	7	8	4	5	4	10	9	11		7	7	2	3	12
13	—	—	1	1	—	—	—	—	—	—	—	1	1	—	—	—		1	1	—	—	13
14	—	1	1	—	1	—	—	—	—	—	3	—	1	—	—	—		1	1	—	1	14
15	3	14	5	2	9	6	3	9	5	4	11	13	7	6	8	9		6	9	6	8	15
16	5	3	2	1	10	5	1	4	3	2	—	3	4	4	9	4		14	16	2	1	16
17	4	4	—	1	—	1	1	—	3	5	5	2	4	1	1	4		15	10	5	2	17
18	—	—	3	—	2	—	1	—	—	—	—	1	2	—	3	1		3	2	—	—	18
19	3	1	1	3	—	1	1	—	—	—	2	—	2	2	5	—		16	22	—	3	19
20	—	1	—	—	—	—	—	—	1	1	—	1	1	—	—	1		—	—	—	—	20
21	1	2	—	—	1	1	—	—	—	—	1	1	—	—	—	1		—	—	2	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	21A
22	2	—	1	—	2	1	2	2	1	2	1	1	—	1	4	—		2	2	1	1	22
23	—	1	—	1	—	—	—	—	—	—	—	—	1	—	—	1		—	—	—	—	23
24	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	3		—	5	—	—	24
25	1	3	5	2	4	5	1	—	—	4	3	2	5	5	7	7		15	14	3	—	25
26	2	1	1	—	4	2	1	2	3	—	3	1	2	1	2	3		10	—	1	—	26
27	1	—	—	1	—	—	1	—	1	—	1	—	1	—	—	—		1	—	1	—	27
28	34	20	15	17	30	28	14	12	24	13	18	27	16	20	34	33		36	29	8	11	28
29	—	—	—	—	—	—	1	—	—	—	—	—	—	1	3	—		1	1	—	—	29

DURHAM—cont.

Causes of Death.				Benfield-side U.D.		Bishop Auckland U.D.		Blaydon U.D.		Brandon and Byshottles U.D.		Chester le Street U.D.		Consett U.D.		Crook U.D.		Darlington M.B.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	73	59	117	102	312	235	162	140	121	134	86	111	117	100	425	412	
1 Enteric fever	1	—	2	—	9	8	3	1	1	—	—	—	2	1	1	2	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	2	1	2	1	9	1	7	7	12	9	1	—	2	5	4	7	3
4 Scarlet fever	—	1	—	—	—	3	—	—	—	2	—	—	1	2	8	11	4
5 Whooping cough	3	1	9	2	7	13	7	3	1	8	—	—	4	4	4	8	5
6 Diphtheria and croup	1	2	1	1	6	4	4	1	1	—	2	—	—	—	—	3	6
7 Influenza	—	—	—	1	2	1	—	1	—	1	—	1	1	1	5	2	7
8 Erysipelas	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	8
9 Pulmonary tuberculosis	6	5	8	6	12	16	10	10	7	4	6	10	9	6	29	32	9
10 Tuberculous meningitis	1	1	—	—	3	1	3	—	—	1	2	2	1	3	5	5	10
11 Other tuberculous diseases	—	1	5	4	7	6	5	3	1	7	—	1	7	1	7	5	11
12 Cancer, malignant disease	—	5	9	9	11	12	6	7	2	8	3	8	3	7	27	30	12
13 Rheumatic fever...	1	—	—	1	1	—	—	—	—	—	—	1	—	—	2	2	13
14 Meningitis	—	1	1	1	2	1	7	3	2	1	2	1	2	3	6	4	14
15 Organic heart disease	6	6	4	6	16	11	9	7	7	8	7	4	8	8	31	29	15
16 Bronchitis	2	3	9	9	16	6	12	6	2	5	7	3	9	8	35	25	16
17 Pneumonia (all forms)	6	5	7	4	29	22	13	11	10	6	14	17	11	5	24	32	17
18 Other respiratory diseases	3	4	—	1	1	2	1	2	4	2	3	1	1	—	5	5	18
19 Diarrhoea, &c. (under 2 yrs.)	6	7	3	6	50	42	17	21	17	19	7	13	8	7	25	28	19
20 Appendicitis and typhlitis	—	—	1	—	—	—	1	1	—	—	—	1	—	1	2	1	20
21 Cirrhosis of liver	3	—	—	—	—	1	2	—	2	1	2	1	—	—	4	4	21
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	21A
22 Nephritis and Bright's dis.	1	—	—	2	7	4	2	5	3	3	1	1	—	2	9	6	22
23 Puerperal fever	—	1	—	1	—	1	—	1	—	1	—	—	—	2	—	5	23
24 Parturition, apart from 23	—	—	—	3	—	3	—	4	—	1	—	—	—	—	—	4	24
25 Congenital debility, &c.	8	2	8	5	34	24	9	15	12	10	5	6	9	5	41	25	25
26 Violence, apart from 27	2	2	6	—	11	2	7	—	6	3	7	5	10	2	12	9	26
27 Suicide	—	—	3	1	3	1	2	—	2	—	—	—	1	—	7	—	27
28 Other defined diseases	19	10	38	37	74	48	34	30	29	34	17	35	28	24	116	123	28
29 Causes ill-defined or unknown.	2	—	1	1	2	2	1	1	—	—	—	—	—	3	16	3	29

DURHAM—cont.

Causes of Death.				Durham M.B.		Felling U.D.		Hartlepool M.B.		Hebburn U.D.		Hetton U.D.		Houghton le Spring U.D.		Jarrow M.B.		Leadgate U.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	155	151	198	181	253	173	205	155	167	172	91	80	305	258	39	49	
1 Enteric fever	1	1	—	—	—	—	3	1	3	2	3	1	1	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	1	8	7	1	2	5	10	4	9	2	2	7	4	—	—	3
4 Scarlet fever	—	1	1	1	—	—	—	—	—	1	1	—	3	—	—	—	4
5 Whooping cough	1	3	9	12	—	2	2	1	7	10	—	—	—	—	1	—	5
6 Diphtheria and croup	1	—	—	1	2	1	3	2	3	1	—	—	6	3	—	1	6
7 Influenza	—	1	1	1	4	3	—	1	2	—	1	2	3	—	—	—	7
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	8
9 Pulmonary tuberculosis	8	8	18	18	22	10	16	15	7	6	2	7	32	21	1	4	9
10 Tuberculous meningitis	1	1	—	1	4	3	1	2	4	3	1	—	4	4	—	1	10
11 Other tuberculous diseases	1	3	5	3	12	2	2	3	7	—	—	1	6	10	1	1	11
12 Cancer, malignant disease	9	15	3	7	19	9	12	11	5	5	3	6	14	11	2	3	12
13 Rheumatic fever...	1	1	1	2	2	—	—	—	—	—	1	—	2	1	—	—	13
14 Meningitis	2	1	9	5	4	1	2	2	—	—	5	1	1	4	1	1	14
15 Organic heart disease	6	12	13	5	27	29	14	6	6	5	9	13	33	25	1	2	15
16 Bronchitis	18	18	13	9	18	10	13	8	9	13	4	2	14	21	5	1	16
17 Pneumonia (all forms)	13	11	13	15	16	13	21	17	7	6	5	7	39	25	2	5	17
18 Other respiratory diseases	4	1	3	5	3	4	4	8	1	2	1	2	4	2	—	1	18
19 Diarrhoea, &c. (under 2 yrs.)	7	8	23	12	16	12	24	12	28	30	12	4	21	17	6	10	19
20 Appendicitis and typhlitis	1	1	1	1	2	—	1	—	1	—	1	—	1	1	—	—	20
21 Cirrhosis of liver	—	—	—	1	2	1	1	—	2	3	1	1	1	—	—	—	21
21A Alcoholism	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	4	2	3	4	9	2	7	3	2	—	1	1	5	5	3	—	22
23 Puerperal fever	—	—	—	1	—	—	—	2	—	1	—	—	—	—	—	—	23
24 Parturition, apart from 23	—	—	—	3	—	1	—	2	—	—	—	—	—	1	—	1	24
25 Congenital debility, &c.	14	10	7	7	18	11	20	13	19	27	10	5	28	19	4	5	25
26 Violence, apart from 27	6	5	9	5	19	2	13	3	3	6	6	—	17	5	1	—	26
27 Suicide	8	2	—	—	2	—	2	—	—	—	—	4	2	—	—	—	27
28 Other defined diseases	42	45	58	51	49	53	38	30	46	40	22	24	60	71	10	11	28
29 Causes ill-defined or unknown.	5	—	—	4	1	2	—	3	1	2	—	1	1	3	2	1	29

ADMINISTRATIVE AREAS, 1911—continued.

DURHAM—cont.

	Ryton U.D.		Seaham Harbour U.D.		Shildon U.D.		South- wick on Wear U.D.		Spenny- moor U.D.		Stanhope U.D.		Stanley U.D.		Stockton on Tees M.B.		Tanfield U.D.		Tow Law U.D.		Whickham U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	94	92	151	148	91	87	142	128	139	153	14	21	203	178	466	407	92	66	37	25	139	115	1
2	2	—	1	2	2	—	1	1	—	2	—	—	2	—	3	4	2	1	—	—	—	—	2
3	—	3	3	—	—	—	3	6	—	1	—	—	—	15	—	—	—	—	—	—	—	—	3
4	—	—	—	—	—	—	1	1	—	—	—	—	—	8	14	12	1	2	1	1	13	3	4
5	1	—	3	6	1	1	3	3	2	4	—	1	1	10	9	17	2	5	4	2	—	3	5
6	1	—	—	1	—	1	—	1	1	1	—	—	2	1	3	5	2	4	1	—	—	—	6
7	1	5	1	—	—	—	—	—	1	—	—	—	2	1	—	1	2	3	—	—	2	—	7
8	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	8
9	4	1	11	5	3	9	6	3	5	4	2	1	3	12	33	26	5	1	3	2	10	2	9
10	—	1	2	—	1	4	1	—	1	—	—	—	2	1	6	8	1	—	—	—	1	4	10
11	2	—	6	6	4	1	1	2	3	5	—	1	15	18	19	15	5	—	—	—	5	2	11
12	6	3	3	4	9	2	6	4	4	9	1	2	1	6	17	22	—	5	1	4	7	7	12
13	—	—	—	1	2	—	—	—	—	—	1	1	2	1	2	3	2	—	—	—	—	2	13
14	—	—	4	1	—	1	6	5	1	1	—	—	1	4	1	2	2	2	2	1	1	—	14
15	3	9	14	8	7	9	7	7	7	8	1	3	7	3	40	34	6	4	1	2	10	12	15
16	—	4	5	12	13	9	15	9	12	8	—	—	17	11	45	42	4	4	3	2	9	9	16
17	11	8	13	20	1	2	14	15	9	9	1	2	23	16	50	32	5	2	2	—	7	10	17
18	1	1	—	—	—	4	—	—	2	1	1	—	6	1	4	4	1	—	1	2	1	2	18
19	12	15	26	16	7	4	16	17	22	24	—	—	17	15	34	24	10	4	1	—	12	9	19
20	3	1	3	—	—	2	—	—	—	1	1	—	—	1	3	2	—	—	1	—	—	—	20
21	1	—	1	—	—	—	—	—	—	1	—	—	3	—	1	2	—	—	—	—	—	1	21
21A	—	—	—	—	—	—	—	1	—	—	—	—	—	—	3	—	—	—	—	—	—	—	21A
22	1	1	1	1	—	—	5	1	1	3	2	2	7	3	8	4	3	1	—	—	3	2	22
23	—	3	—	—	—	1	—	2	—	1	—	—	—	—	—	—	—	2	—	—	—	1	23
24	—	2	—	1	—	3	—	—	—	3	—	—	—	—	—	5	—	1	—	—	—	—	24
25	13	8	21	20	7	5	12	9	14	12	—	1	28	22	25	27	14	7	1	1	13	18	25
26	7	1	11	1	2	1	7	2	8	4	1	—	13	2	16	8	1	1	4	—	9	3	26
27	—	—	1	1	—	—	1	—	2	—	—	—	3	—	2	2	1	—	—	1	—	—	27
28	16	25	20	41	32	26	33	38	42	48	4	7	39	35	123	99	22	15	11	7	35	23	28
29	4	1	1	—	—	1	4	1	2	3	—	—	1	—	3	2	1	1	—	—	1	2	29

DURHAM—cont.

	Willington U.D.		Auckland R.D.		Barnard Castle. R.D.		Chester le Street R.D.		Darlington R.D.		Durham R.D.		Easington R.D.		Hartlepool R.D.		Houghton le Spring R.D.		Lanchester R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	86	75	487	458	78	67	563	486	86	88	295	258	552	525	22	9	202	199	251	217	1
2	2	—	5	7	—	—	8	2	—	—	11	8	6	5	—	—	4	3	6	3	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
4	3	4	9	9	3	2	18	19	2	1	7	10	16	14	—	—	2	2	7	4	3
5	1	5	12	17	—	—	15	18	—	4	3	4	10	17	—	1	1	2	7	11	4
6	3	2	2	8	—	—	4	6	1	—	—	1	13	12	—	2	—	2	2	3	6
7	4	4	2	—	1	1	7	1	—	1	3	2	4	2	1	—	—	—	1	3	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	8
9	2	1	16	24	1	3	24	26	5	5	13	17	19	25	—	—	9	11	10	12	9
10	—	—	5	5	—	—	9	9	—	—	—	2	3	5	—	—	3	2	5	1	10
11	—	1	9	14	1	1	14	21	3	4	7	11	18	13	1	1	3	7	1	4	11
12	1	5	17	14	4	6	24	18	5	10	6	11	16	18	1	1	4	10	8	11	12
13	1	—	1	1	—	—	1	3	—	—	—	1	3	—	—	—	—	—	1	2	13
14	2	2	8	2	1	—	8	2	1	2	4	6	9	5	—	—	5	3	3	4	14
15	7	1	24	30	9	7	14	28	8	9	20	15	17	19	1	1	9	13	21	13	15
16	19	14	42	42	4	3	29	26	3	3	19	17	40	27	—	—	15	16	14	9	16
17	9	2	31	31	2	3	60	49	4	1	18	12	36	28	2	1	28	17	34	17	17
18	1	1	7	8	4	1	15	9	1	3	4	3	3	10	1	—	6	5	5	3	18
19	2	5	39	45	3	—	61	51	3	—	29	28	77	76	1	—	24	16	22	33	19
20	—	—	3	—	1	1	1	—	—	—	2	—	2	2	—	1	—	1	1	1	20
21	—	3	3	—	1	—	—	—	1	1	3	3	4	2	1	—	4	—	2	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	—	8	9	2	—	8	13	5	3	7	3	10	14	1	—	6	4	6	5	22
23	—	—	3	3	—	—	3	3	—	—	—	2	—	4	—	—	—	1	—	—	23
24	—	1	—	8	—	1	—	6	—	—	—	5	—	2	—	—	—	4	—	1	24
25	6	4	51	34	7	6	85	56	10	6	40	25	83	59	4	—	36	24	23	23	25
26	3	—	29	6	4	1	34	5	2	2	19	4	31	12	—	1	6	4	7	4	26
27	1	—	3	—	1	—	2	—	2	—	2	1	4	—	—	—	—	—	1	—	27
28	15	19	152	132	25	23	116	108	27	31	77	67	121	146	8	2	35	51	58	46	28
29	2	1	6	6	3	1	3	2	2	2	—	—	5	4	—	—	—	—	4	3	29

CAUSES OF DEATH IN
ELY, ISLE OF.

DURHAM—*cont.*

Causes of Death.				Sedgefield R.D.		South Shields R.D.		Stockton R.D.		Sunderland R.D.		Weardale R.D.		Chatteris U.D.		Ely U.D.	
				M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	272	245	108	86	147	123	260	238	64	68	37	39	50	44
1 Enteric fever	4	1	1	1	3	3	3	—	—	1	—	—	1	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	16	11	1	1	4	3	6	12	—	—	1	—	—	—
4 Scarlet fever	3	3	—	—	—	2	—	—	—	—	—	—	—	—
5 Whooping cough	7	9	—	—	2	6	7	5	—	1	—	3	—	—
6 Diphtheria and croup	6	5	3	—	3	1	3	4	3	2	1	—	—	—
7 Influenza	1	1	—	—	2	1	3	2	—	2	—	1	—	—
8 Erysipelas	—	—	—	1	—	—	—	1	—	—	—	—	—	—
9 Pulmonary tuberculosis	11	8	7	5	9	11	18	12	5	6	3	—	1	5
10 Tuberculous meningitis	2	6	—	1	—	3	1	4	—	—	—	—	—	—
11 Other tuberculous diseases	10	8	4	—	2	2	3	2	2	3	1	—	—	—
12 Cancer, malignant disease	7	13	7	2	4	11	6	12	2	6	2	6	4	5
13 Rheumatic fever...	—	—	1	—	—	—	—	—	—	1	—	—	1	—
14 Meningitis	3	—	3	1	2	—	5	5	—	1	—	—	—	—
15 Organic heart disease	23	13	9	7	9	11	7	12	5	11	1	—	5	4
16 Bronchitis	13	14	5	7	11	8	27	19	2	2	—	—	2	4
17 Pneumonia (all forms)	26	20	13	6	19	6	19	20	7	—	4	1	6	1
18 Other respiratory diseases	7	2	3	1	—	3	5	—	2	—	—	—	—	—
19 Diarrhoea, &c. (under 2 yrs.)	27	35	11	13	11	7	36	36	—	1	1	2	—	1
20 Appendicitis and typhlitis	2	1	1	—	—	3	2	—	1	—	—	—	—	1
21 Cirrhosis of liver	1	1	—	1	1	—	1	—	—	—	—	—	2	—
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	1	—	—
22 Nephritis and Bright's dis.	7	9	2	1	4	—	4	4	2	2	4	3	3	—
23 Puerperal fever	—	1	—	—	—	—	—	1	—	—	—	—	—	1
24 Parturition, apart from 23	—	3	—	1	—	1	—	4	—	1	—	—	—	—
25 Congenital debility, &c.	25	22	4	3	18	7	32	18	3	1	5	2	2	7
26 Violence, apart from 27	15	11	8	1	9	2	14	3	—	—	—	—	4	—
27 Suicide	3	1	1	1	—	—	—	1	—	—	—	—	1	1
28 Other defined diseases	50	45	24	32	32	30	56	61	28	27	12	18	18	14
29 Causes ill-defined or un- known.	3	2	—	—	2	2	2	—	2	—	2	—	—	—

ELY, ISLE OF—*cont.*

Causes of Death.				March U.D.		Whittlesey U.D.		Wisbech M.B.		Ely R.D.		North Witchford R.D.		Thorney R.D.		Whittle- sey R.D.	
				M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	57	56	37	36	109	117	98	68	38	32	14	10	22	12
1 Enteric fever	—	—	—	—	—	—	1	1	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	—	—	7	4	—	—	—	—	—	—	—	—
4 Scarlet fever	—	—	—	—	—	—	1	—	—	—	—	—	—	—
5 Whooping cough	1	1	—	—	5	8	—	—	1	—	—	—	2	—
6 Diphtheria and croup	—	—	3	2	—	—	2	3	—	—	—	—	—	—
7 Influenza	1	—	—	1	2	1	—	—	1	—	—	—	—	—
8 Erysipelas	—	—	—	—	1	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	3	5	3	2	10	9	5	8	5	2	—	—	—	1
10 Tuberculous meningitis	—	—	—	1	1	—	1	1	—	2	—	—	—	—
11 Other tuberculous diseases	—	—	—	1	—	2	2	1	1	1	1	1	—	—
12 Cancer, malignant disease	6	2	7	6	7	13	10	5	2	3	—	—	—	2
13 Rheumatic fever...	1	—	—	—	—	—	1	—	—	—	—	—	—	—
14 Meningitis	—	1	1	—	2	1	4	1	—	—	—	—	—	—
15 Organic heart disease	4	7	—	2	5	9	7	6	4	5	2	—	2	1
16 Bronchitis	4	1	2	3	8	6	3	4	1	2	—	1	1	—
17 Pneumonia (all forms)	1	1	3	2	1	4	4	2	3	1	—	1	2	2
18 Other respiratory disease	2	5	1	—	—	1	1	1	—	1	—	—	—	—
19 Diarrhoea, &c. (under 2 yrs.)	5	2	3	—	8	4	2	2	3	—	1	—	2	2
20 Appendicitis and typhlitis	—	1	—	—	—	—	—	—	—	—	—	1	—	—
21 Cirrhosis of liver	2	1	1	—	1	1	1	—	—	1	1	—	—	—
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's dis.	1	1	—	—	7	1	4	1	—	2	—	2	1	—
23 Puerperal fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—
24 Parturition, apart from 23	—	—	—	1	—	—	—	—	—	—	—	—	—	—
25 Congenital debility, &c.	6	6	1	2	7	6	11	5	2	3	3	3	2	—
26 Violence, apart from 27	5	1	—	4	6	2	3	—	—	1	3	—	—	—
27 Suicide	1	—	2	—	—	1	2	—	—	—	—	—	—	—
28 Other defined diseases	13	21	10	9	30	42	31	26	15	8	3	—	11	2
29 Causes ill-defined or un- known.	1	—	—	—	1	1	2	1	—	—	—	1	—	—

ADMINISTRATIVE AREAS, 1911—continued.
ELY, ISLE OF—cont.

ESSEX.

	Wisbech R.D.			Barking Town U.D.		Braintree U.D.		Brentwood U.D.		Bright- lingsea U.D.		Buckhurst Hill U.D.		Burnham on Crouch U.D.		Chelms- ford M.B.		Chingford U.D.		Clacton U.D.		
	M	F		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	66	81		270	239	35	50	38	33	39	29	28	25	18	12	110	103	40	32	41	58	1
2	—	—		5	3	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	2
3	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	—	21	25	—	—	1	—	1	—	—	2	—	—	—	—	—	—	—	—	4
5	—	3	—	1	1	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	5
6	—	2	—	2	1	1	1	—	—	—	—	—	—	—	—	—	—	3	—	—	—	6
7	2	1	—	1	2	1	—	—	—	1	—	—	—	1	—	—	1	—	—	1	2	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	—	—	—	—	8
9	2	5	—	29	14	3	6	3	—	2	1	1	—	1	—	8	4	4	4	4	4	9
10	—	—	—	2	4	—	—	1	—	—	—	—	—	—	—	2	2	—	—	—	—	10
11	—	—	—	3	2	1	1	1	—	—	—	—	1	—	1	2	1	—	1	1	2	11
12	7	10	—	10	9	3	4	4	9	1	3	3	3	1	1	10	12	4	5	2	10	12
13	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	1	3	—	—	2	1	—	—	—	—	—	—	—	1	—	2	1	—	1	—	—	14
15	3	4	—	12	17	2	7	2	1	5	4	—	2	2	1	10	16	3	2	2	4	15
16	2	4	—	17	14	4	5	1	1	1	—	2	2	—	—	11	5	4	2	2	6	16
17	5	2	—	14	10	3	1	1	1	1	—	1	1	—	—	7	4	4	2	3	1	17
18	—	1	—	2	3	—	2	1	—	—	—	—	—	—	—	2	2	2	1	2	2	18
19	2	7	—	36	47	1	1	2	1	1	—	2	1	—	—	5	1	1	1	9	2	19
20	—	1	—	1	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	20
21	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	21
22	4	1	—	7	7	—	1	1	1	—	—	1	1	—	—	2	4	4	—	—	2	21A
23	—	1	—	—	—	—	2	—	—	—	1	—	—	—	1	—	1	—	—	—	—	22
24	—	—	—	—	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	23
25	11	1	—	26	24	2	—	5	2	4	4	2	3	—	1	7	4	2	3	4	5	24
26	3	1	—	8	6	—	2	3	—	4	—	1	—	1	1	1	2	3	3	4	5	25
27	—	—	—	4	—	—	1	2	—	2	—	2	—	1	—	1	—	2	3	1	1	26
28	23	29	—	66	43	12	14	10	15	14	15	10	8	10	5	36	43	10	—	12	14	27
29	1	1	—	2	1	1	—	—	—	1	—	1	—	1	—	2	—	—	—	1	1	28
																						29

ESSEX—cont.

	Colchester M.B.		East Ham M.B.		Epping U.D.		Frinton on Sea U.D.		Grays Thurrock U.D.		Halstead U.D.		Harwich M.B.		Ilford U.D.		Leigh on Sea. U.D.		Leyton U.D.		Loughton U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	275	266	883	768	36	25	7	4	91	88	47	43	86	68	377	327	49	47	773	753	28	36	1
2	—	—	3	6	—	—	—	—	—	—	—	—	—	—	2	2	—	1	3	2	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	4	6	37	35	—	1	—	—	—	—	—	—	—	—	10	7	6	3	35	42	—	—	4
5	2	3	6	8	—	1	—	—	—	1	1	1	3	—	3	—	—	3	4	—	—	—	5
6	1	4	9	3	—	—	—	—	—	1	1	—	1	—	4	5	—	1	7	12	1	2	6
7	4	3	11	9	1	—	—	—	—	1	—	—	—	—	3	4	—	—	6	5	—	—	7
8	2	1	3	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	2	4	—	—	8
9	18	10	80	53	3	1	—	—	9	9	3	—	6	5	33	18	—	9	80	44	—	—	9
10	4	1	7	5	—	—	—	—	1	3	—	—	1	1	4	5	—	—	15	11	—	—	10
11	4	2	14	10	—	2	—	—	1	1	3	2	1	1	10	8	1	—	13	13	—	—	11
12	17	25	53	56	2	2	1	1	5	5	5	3	3	6	25	35	6	4	50	60	—	4	12
13	—	1	2	7	—	—	—	—	1	1	1	2	—	—	4	1	—	—	4	2	—	—	13
14	3	3	6	3	1	—	1	—	—	—	—	—	—	—	8	3	—	—	2	3	—	—	14
15	25	22	47	60	2	3	3	—	7	14	4	7	10	4	36	30	7	5	63	61	4	2	15
16	20	19	46	50	1	1	—	—	5	7	5	3	9	6	18	15	3	1	42	68	1	2	16
17	10	7	81	57	3	—	—	1	3	3	4	4	—	5	26	16	3	1	43	37	1	4	17
18	2	2	22	15	2	—	—	—	2	1	—	—	4	—	5	9	1	4	20	10	—	2	18
19	29	19	125	78	1	—	—	—	8	6	—	—	7	2	25	34	—	1	54	54	4	—	19
20	2	2	3	1	—	—	—	—	1	1	—	—	1	—	4	—	1	—	7	3	—	—	20
21	5	5	10	5	—	—	—	—	—	1	—	—	2	—	1	—	2	3	7	1	—	—	21
21A	—	—	1	—	—	—	—	—	—	—	—	—	—	—	2	1	2	3	7	1	—	—	21A
22	7	7	13	19	3	1	—	—	4	—	—	—	1	4	12	9	1	—	15	24	1	1	22
23	—	3	—	5	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	3	—	—	23
24	—	4	—	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	24
25	18	18	79	39	2	—	—	—	10	4	3	2	5	10	20	12	2	2	59	53	—	2	25
26	10	7	33	18	1	—	2	—	4	3	1	1	7	1	17	1	2	2	29	16	4	—	26
27	9	1	9	4	1	—	—	1	—	2	—	—	1	—	4	3	—	1	3	—	1	—	27
28	76	86	179	209	11	13	—	1	25	23	15	10	22	20	96	99	11	10	197	212	10	17	28
29	2	4	4	2	1	—	—	—	3	—	1	—	—	1	1	2	—	—	3	1	—	—	29

ESSEX—cont.

Causes of Death.		Maldon M.B.		Romford U.D.		Saffron Walden M.B.		Shoebury- ness U.D.		Southend on Sea M.B.		Waltham Holy Cross U.D.		Waltham- stow. U.D.		Walton on the Naze U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	59	48	114	97	45	47	37	22	357	397	62	36	761	707	10	9	1
1	Enteric fever	1	2	—	—	—	—	—	—	—	—	—	—	2	1	—	—	2
2	Small-pox...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles	—	—	4	5	—	—	—	—	7	3	—	—	15	18	—	—	4
4	Scarlet fever	1	—	—	—	—	—	—	—	1	—	—	—	4	1	—	—	5
5	Whooping cough	—	—	5	3	2	2	3	1	1	8	1	—	9	9	—	—	6
6	Diphtheria and croup	1	—	—	—	—	1	2	—	1	—	—	2	14	16	—	—	7
7	Influenza	1	—	—	—	1	1	—	2	2	1	2	—	6	6	—	—	8
8	Erysipelas	—	—	—	—	—	—	—	—	—	1	—	—	3	3	—	—	9
9	Pulmonary tuberculosis	—	3	10	5	3	1	1	2	46	24	4	2	84	46	—	1	10
10	Tuberculous meningitis	—	1	1	1	—	1	1	1	5	4	2	—	12	7	—	—	11
11	Other tuberculous diseases	—	—	3	—	2	—	—	1	4	7	1	—	7	11	—	—	12
12	Cancer, malignant disease	5	8	4	6	7	8	2	—	27	43	1	3	49	57	2	1	13
13	Rheumatic fever...	—	—	1	—	1	—	—	—	2	6	—	1	2	1	—	—	14
14	Meningitis	—	—	1	—	—	—	—	1	3	2	—	—	10	3	1	—	15
15	Organic heart disease	18	1	11	9	3	9	1	1	21	38	3	8	57	64	1	1	16
16	Bronchitis	3	3	6	3	4	2	1	—	19	13	6	2	31	49	—	2	17
17	Pneumonia (all forms)	6	1	9	2	3	—	2	3	17	14	5	1	72	59	1	1	18
18	Other respiratory diseases	1	4	—	—	—	—	1	—	7	6	2	1	8	8	2	—	19
19	Diarrhoea, &c. (under 2 yrs.)	2	3	18	10	1	—	4	3	38	38	5	—	65	49	1	—	20
20	Appendicitis and typhlitis	1	1	2	—	—	1	—	—	2	3	—	—	7	3	1	—	21
21	Cirrhosis of liver	—	—	—	—	—	2	—	—	4	8	—	—	6	6	—	—	21A
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	22
22	Nephritis and Bright's dis.	—	4	4	6	1	1	1	—	12	16	5	4	30	30	—	—	23
23	Puerperal fever	—	—	—	—	—	—	—	—	—	1	—	—	—	3	—	—	24
24	Parturition, apart from 23	—	—	—	2	—	—	—	—	—	3	—	1	—	10	—	—	25
25	Congenital debility, &c.	5	2	5	6	4	—	5	1	15	21	1	3	67	56	—	1	26
26	Violence, apart from 27	1	4	4	2	3	—	2	—	19	6	9	—	25	14	—	—	27
27	Suicide	—	—	1	1	1	—	1	—	3	3	1	1	8	1	—	—	28
28	Other defined diseases	13	11	25	36	9	18	9	6	95	123	13	7	165	169	1	2	29
29	Causes ill-defined or un- known.	—	—	—	—	—	—	1	—	6	5	—	—	3	6	—	—	

ESSEX—cont.

Causes of Death.		Wanstead U.D.		Witham U.D.		Wivenhoe U.D.		Woodford U.D.			Belchamp R.D.		Billericay R.D.		Braintree R.D.		
		M	F	M	F	M	F	M	F		M	F	M	F	M	F	
ALL CAUSES	...	64	81	24	20	16	12	91	92		45	32	143	141	116	134	1
1	Enteric fever	—	—	1	—	—	—	1	2		—	—	—	—	1	—	2
2	Small-pox...	—	—	—	—	—	—	—	—		—	—	—	—	—	—	3
3	Measles	—	—	—	—	—	—	—	1		—	—	—	—	2	2	4
4	Scarlet fever	—	—	—	—	—	—	—	—		—	—	—	—	—	—	5
5	Whooping cough	—	—	2	2	—	1	1	—		—	—	—	2	2	1	6
6	Diphtheria and croup	—	—	—	—	1	—	—	—		—	1	—	1	—	—	7
7	Influenza	2	—	—	—	—	1	2	1		1	—	2	2	1	3	8
8	Erysipelas	—	—	—	—	—	—	1	1		—	—	—	—	—	—	9
9	Pulmonary tuberculosis	7	5	1	1	—	—	5	6		4	1	5	7	3	8	10
10	Tuberculous meningitis	—	—	—	—	—	1	1	—		—	—	1	1	—	1	11
11	Other tuberculous diseases	2	1	—	—	—	—	2	2		—	1	1	2	3	3	12
12	Cancer, malignant disease	3	6	1	3	—	1	8	12		1	3	15	10	13	17	13
13	Rheumatic fever...	1	—	—	—	—	—	1	2		1	—	—	1	—	1	14
14	Meningitis	1	—	—	—	—	—	—	—		1	1	1	1	—	2	15
15	Organic heart disease	3	10	2	2	3	1	8	6		6	3	9	11	16	8	16
16	Bronchitis	1	6	3	1	—	—	6	7		2	2	5	6	6	7	17
17	Pneumonia (all forms)	4	6	1	1	—	1	4	3		2	2	9	6	5	2	18
18	Other respiratory diseases	1	1	—	—	—	—	2	2		—	—	3	2	1	1	19
19	Diarrhoea, &c. (under 2 yrs.)	3	4	—	1	1	—	2	7		1	—	7	7	4	4	20
20	Appendicitis and typhlitis	1	—	1	—	1	—	—	3		—	—	3	—	—	1	21
21	Cirrhosis of liver	—	—	—	—	—	—	2	2		—	—	—	1	—	2	21A
21A	Alcoholism	—	—	—	—	—	—	—	—		—	—	—	—	—	—	22
22	Nephritis and Bright's dis.	5	4	2	1	—	—	2	3		3	1	9	16	2	7	23
23	Puerperal fever	—	—	—	—	—	—	—	—		—	—	—	—	—	1	24
24	Parturition, apart from 23	—	3	—	—	—	—	—	1		—	—	—	—	—	1	25
25	Congenital debility, &c.	5	5	—	1	2	—	7	4		3	1	5	1	5	8	26
26	Violence, apart from 27	2	4	—	—	2	—	2	1		3	1	2	1	4	1	27
27	Suicide	2	—	—	—	—	—	—	—		—	—	2	1	2	1	28
28	Other defined diseases	21	25	10	7	6	6	34	26		17	15	64	62	44	52	29
29	Causes ill-defined or un- known.	—	1	—	—	—	—	—	—		—	—	—	—	2	—	

ADMINISTRATIVE AREAS, 1911—continued.

ESSEX—cont.

	Bumpstead R.D.		Chelmsford R.D.		Dunmow R.D.		Epping R.D.		Halstead R.D.		Lexden and Winstree R.D.		Maldon R.D.		Ongar R.D.		Orsett R.D.		Rochford R.D.		Romford R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	14	20	143	132	117	118	77	68	60	69	127	135	102	71	57	60	186	121	125	112	141	135	1
2	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—	—	2	1	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	3
4	—	—	1	1	—	1	—	2	1	—	1	1	—	—	—	—	—	1	—	3	3	4	4
5	1	—	2	—	5	5	—	1	—	1	—	—	1	—	—	—	2	—	—	—	—	1	5
6	2	—	2	1	—	—	—	—	2	—	—	—	1	—	—	—	3	1	1	—	2	—	6
7	—	1	1	2	—	—	—	2	—	1	2	3	—	—	2	—	1	—	1	2	4	—	7
8	—	—	—	—	—	—	—	—	1	—	1	1	1	—	—	—	1	—	—	—	—	—	8
9	—	1	5	10	11	13	7	3	5	3	6	8	7	4	3	6	8	6	14	5	10	6	9
10	—	—	2	1	1	1	—	—	1	—	2	4	1	1	—	—	3	1	—	1	1	2	10
11	—	1	—	3	2	—	—	1	—	2	1	2	4	—	—	2	1	2	1	—	4	4	11
12	—	1	14	14	8	18	5	7	6	7	8	16	8	10	7	5	16	15	9	4	12	14	12
13	—	—	2	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	1	13
14	—	—	1	—	1	2	—	2	—	—	1	—	—	—	—	1	3	—	—	1	—	1	14
15	1	2	9	12	7	13	15	9	4	4	18	13	23	9	3	7	17	13	12	13	5	11	15
16	1	—	16	11	14	7	3	7	8	4	7	8	5	4	3	4	8	4	5	5	9	13	16
17	1	1	6	6	5	2	5	1	4	3	7	2	5	3	5	7	21	10	2	4	8	6	17
18	—	—	—	1	3	—	2	2	2	1	3	4	—	1	3	4	1	3	2	—	2	1	18
19	—	—	2	6	3	—	2	3	—	2	3	2	1	1	4	4	19	11	10	8	15	9	19
20	—	—	2	1	—	—	—	—	—	2	—	—	—	—	1	—	1	1	1	—	1	1	20
21	—	—	1	3	—	—	1	—	—	—	1	1	—	—	1	—	—	1	—	1	—	—	21
21A	—	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	21A
22	—	1	3	5	3	2	5	2	—	3	4	1	3	2	2	2	4	—	3	4	5	2	22
23	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	2	23
24	—	—	—	1	—	1	—	1	—	—	—	2	—	—	—	—	—	4	—	—	—	—	24
25	3	—	15	7	9	2	8	2	3	4	9	8	4	2	—	3	9	7	7	5	12	9	25
26	—	1	5	1	5	—	2	1	2	—	3	3	5	2	6	—	15	3	7	2	6	6	26
27	—	—	6	1	—	1	2	1	1	—	—	—	—	—	—	—	3	—	2	—	2	2	27
28	5	10	47	45	39	47	20	20	19	31	51	54	33	31	17	14	45	33	45	49	35	39	28
29	—	—	—	—	1	1	—	—	—	—	—	1	—	—	—	1	1	2	3	4	2	—	29

ESSEX—cont.

FLINTSHIRE.

	Saffron Walden R.D.		Stansted R.D.		Tendring R.D.				Buckley U.D.		Connah's Quay U.D.		Flint M.B.		Holywell U.D.		Mold U.D.		Prestatyn U.D.		Rhyl U.D.		
	M	F	M	F	M	F			M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	83	65	38	51	129	129			51	48	40	26	52	56	19	25	45	36	14	16	55	54	1
2	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—			1	3	—	—	—	—	—	—	—	—	—	—	1	—	3
4	—	—	—	—	—	—			1	1	1	—	1	—	—	—	—	1	—	—	—	—	4
5	—	1	—	2	4	6			2	5	1	3	1	6	1	—	1	—	1	—	2	—	5
6	2	—	—	—	—	—			1	1	—	3	—	—	—	—	1	—	—	—	1	—	6
7	2	—	—	1	2	2			—	—	—	—	1	—	—	—	1	—	—	—	—	—	7
8	—	1	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	7	5	2	3	7	12			2	4	1	2	—	3	2	3	3	1	—	—	9	3	9
10	—	—	—	—	3	—			—	—	—	—	—	1	—	1	—	—	—	—	1	—	10
11	—	2	1	—	4	1			1	1	—	—	—	1	—	—	2	1	1	—	1	—	11
12	11	2	1	4	8	7			3	4	—	1	1	1	1	2	6	3	—	2	6	9	12
13	—	—	—	—	—	—			—	—	—	—	—	—	—	1	—	—	—	—	1	—	13
14	—	—	—	—	1	1			—	—	—	—	1	—	—	—	1	2	1	—	1	—	14
15	6	7	3	12	16	14			6	8	4	3	6	2	3	2	6	—	—	2	1	—	15
16	3	5	5	3	6	10			3	1	4	2	7	7	1	2	3	—	—	1	3	1	16
17	1	4	2	1	1	4			3	—	5	1	3	3	1	1	2	—	—	1	3	3	17
18	—	—	1	2	1	1			1	—	—	—	1	1	—	—	1	3	—	—	—	1	18
19	2	1	1	1	4	2			1	3	3	3	3	2	3	—	1	2	1	1	3	1	19
20	—	1	—	—	—	—			—	—	—	—	1	—	1	—	1	—	—	—	—	1	20
21	1	—	—	—	1	—			—	1	—	—	—	—	—	—	—	—	—	—	—	—	21
21A	—	1	—	—	—	—			—	—	—	1	—	1	—	—	—	—	—	—	—	—	21A
22	4	—	3	—	3	2			2	1	1	—	1	1	2	2	1	—	—	1	4	4	22
23	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	1	—	—	—	2			—	—	—	—	—	—	—	—	—	—	—	—	—	1	24
25	5	—	4	5	4	10			6	—	4	—	5	2	—	1	2	1	—	—	2	—	25
26	4	1	—	1	7	1			5	4	4	—	2	2	—	1	1	—	—	—	2	—	26
27	1	—	—	—	1	—			—	—	—	—	1	—	—	—	1	—	1	—	—	—	27
28	31	33	15	16	56	53			13	11	11	7	14	22	4	8	10	15	6	8	14	23	28
29	3	—	—	—	—	—			—	—	1	—	2	—	—	1	1	2	—	1	1	—	29

CAUSES OF DEATH IN
GLAMORGANSHIRE.

FLINTSHIRE—cont.

Causes of Death.	Hawarden R.D.		Holywell R.D.		Overton R.D.		St. Asaph (Flint) R.D.		Aberavon M.B.		Aberdare U.D.	
	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	144	138	197	181	33	34	46	59	110	70	471	462
1 Enteric fever	—	—	—	1	1	—	—	—	1	—	1	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	2	2	1	1	—	—	—	—	11	5	10	8
4 Scarlet fever	3	2	3	1	—	—	—	1	—	—	3	5
5 Whooping cough	6	4	3	1	—	—	2	2	—	1	7	11
6 Diphtheria and croup	2	1	1	2	1	—	2	2	1	1	3	4
7 Influenza	1	2	2	4	—	—	1	—	—	—	4	1
8 Erysipelas	2	—	—	—	—	—	—	—	—	—	2	—
9 Pulmonary tuberculosis	9	12	14	11	2	3	6	7	8	4	21	37
10 Tuberculous meningitis	1	1	2	2	1	—	—	—	1	—	2	4
11 Other tuberculous diseases	1	2	3	4	—	—	—	—	1	—	4	8
12 Cancer, malignant disease	12	7	9	13	—	5	5	6	5	4	11	24
13 Rheumatic fever... ..	—	—	1	—	—	—	1	1	—	—	5	2
14 Meningitis	2	1	3	1	1	—	—	1	—	—	7	9
15 Organic heart disease	10	16	19	21	2	3	3	5	13	7	25	23
16 Bronchitis	6	5	13	9	1	2	1	—	3	4	42	34
17 Pneumonia (all forms)	8	7	14	11	1	—	1	—	11	5	34	29
18 Other respiratory diseases	1	1	3	3	2	—	—	—	—	—	7	5
19 Diarrhoea, &c. (under 2 yrs.)	6	8	5	3	—	—	—	1	13	13	63	62
20 Appendicitis and typhlitis	3	1	—	2	—	—	—	1	—	1	1	—
21 Cirrhosis of liver	1	—	1	—	—	—	1	—	1	—	1	2
21A Alcoholism	—	—	—	—	—	—	—	1	1	—	2	—
22 Nephritis and Bright's dis.	6	3	6	3	3	—	3	2	4	2	12	9
23 Puerperal fever	—	—	—	—	—	1	—	—	—	—	—	4
24 Parturition, apart from 23	—	—	1	—	—	—	1	—	—	1	—	10
25 Congenital debility, &c.	14	6	12	8	3	1	3	3	5	3	40	31
26 Violence, apart from 27	9	3	14	5	2	1	—	—	9	1	37	12
27 Suicide	2	—	1	—	—	—	—	—	—	—	1	—
28 Other defined diseases	35	51	64	72	13	16	17	24	22	18	125	128
29 Causes ill-defined or un-known.	2	3	3	2	—	2	—	1	—	—	1	—

GLAMORGANSHIRE—cont.

Causes of Death.	Barry U.D.		Bridgend U.D.		Briton Ferry U.D.		Caerphilly U.D.		Cow- bridge M.B.		Gelligaer U.D.		Glyn- corwg U.D.		Maesteg U.D.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	206	181	67	53	66	48	284	235	5	9	235	242	81	52	222	172
1 Enteric fever	1	—	—	—	1	—	1	—	—	1	1	—	2	2	3	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	3	1	4	1	—	—	—	—	2	6	2	2	10	3
4 Scarlet fever	—	—	—	—	—	—	4	3	—	—	—	1	4	1	—	—
5 Whooping cough	1	2	—	—	—	—	14	18	—	—	1	7	—	—	1	1
6 Diphtheria and croup	1	4	1	—	—	—	1	2	—	—	5	2	1	—	—	—
7 Influenza	2	1	—	—	1	—	8	3	—	—	2	—	1	1	—	2
8 Erysipelas	1	—	1	1	—	—	1	1	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	12	16	10	4	6	3	16	10	—	—	7	11	7	2	8	9
10 Tuberculous meningitis	1	3	—	—	1	—	1	2	—	—	4	3	—	—	1	1
11 Other tuberculous diseases	1	5	1	1	1	2	3	3	—	1	10	7	6	3	1	3
12 Cancer, malignant disease	14	12	2	5	1	3	11	6	—	—	7	13	2	3	9	9
13 Rheumatic fever... ..	2	—	—	—	—	2	2	1	—	—	2	1	—	—	—	—
14 Meningitis	2	3	1	—	—	1	6	6	—	—	4	2	1	—	1	3
15 Organic heart disease	12	17	6	5	8	7	10	14	1	—	13	23	2	1	13	6
16 Bronchitis	15	9	3	4	4	2	12	13	—	—	14	19	3	3	12	9
17 Pneumonia (all forms)	13	8	3	4	7	2	22	16	1	—	20	18	12	6	14	10
18 Other respiratory diseases	2	2	1	—	1	—	4	2	—	—	2	2	—	—	6	4
19 Diarrhoea, &c. (under 2 yrs.)	20	28	5	1	8	9	43	35	—	—	40	36	1	7	48	42
20 Appendicitis and typhlitis	2	1	—	1	—	—	1	—	—	—	1	—	1	—	1	1
21 Cirrhosis of liver	2	2	2	—	—	—	1	1	—	—	1	—	—	—	—	—
21A Alcoholism	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
22 Nephritis and Bright's dis.	4	2	—	1	1	2	2	2	—	1	7	6	—	2	—	1
23 Puerperal fever	—	1	—	—	—	2	—	1	—	—	—	2	—	—	—	1
24 Parturition, apart from 23	—	4	—	—	—	—	—	9	—	—	—	4	—	1	—	5
25 Congenital debility, &c.	17	13	2	4	3	3	29	23	1	—	35	18	6	3	20	14
26 Violence, apart from 27	14	3	4	—	1	1	28	6	—	—	7	5	7	—	21	2
27 Suicide	1	—	—	—	1	—	2	—	—	—	—	—	1	—	—	—
28 Other defined diseases	63	43	22	21	17	8	60	57	2	6	48	56	20	15	50	46
29 Causes ill-defined or un-known.	2	2	—	—	—	—	2	1	—	—	2	—	1	—	1	—

ADMINISTRATIVE AREAS, 1911—continued.

GLAMORGANSHIRE—cont.

	Margam U.D.		Mountain Ash U.D.		Neath M.B.		Ogmore and Garw U.D.		Oyster- mouth U.D.		Penarth U.D.		Ponty- pridd U.D.		Porthcawl U.D.		Rhondda U.D.			Cowbridge R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M	F	
1	118	100	302	216	154	147	183	168	41	39	103	84	360	287	17	26	1286	1059		58	40	1
2	1	—	1	—	1	—	—	—	—	—	—	—	2	2	—	—	13	5		—	—	2
3	6	4	8	5	2	4	4	3	—	—	2	1	2	10	—	1	79	65		2	—	3
4	—	—	1	2	1	—	—	—	—	—	1	—	—	—	—	—	11	8		1	—	4
5	—	—	3	5	2	1	2	5	—	—	2	—	1	—	—	—	6	13		—	—	5
6	—	—	4	4	—	4	2	—	—	—	—	—	2	2	—	—	8	13		—	2	6
7	—	2	3	2	—	—	4	2	1	1	1	1	2	2	—	—	6	3		3	1	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1		—	—	8
9	9	7	13	13	7	12	7	7	7	5	9	1	22	24	3	3	47	71		2	5	9
10	2	1	2	1	—	—	2	—	1	1	1	—	3	3	—	—	8	5		—	—	10
11	—	3	3	5	5	4	3	3	1	—	—	2	9	2	—	—	18	19		1	—	11
12	8	7	7	9	7	7	5	8	3	3	5	9	10	12	2	2	37	39		2	2	12
13	1	—	5	5	1	—	1	1	—	2	1	1	2	2	—	—	9	3		1	—	13
14	—	2	2	4	—	1	—	3	1	—	3	—	1	3	—	—	8	12		—	2	14
15	14	4	15	15	11	14	11	10	2	6	7	—	18	26	2	3	59	60		5	5	15
16	3	7	27	20	6	6	5	11	3	1	8	8	28	15	—	1	78	63		4	1	16
17	11	8	21	23	25	7	20	15	1	1	7	5	23	12	—	—	118	76		5	1	17
18	—	—	9	—	1	2	3	4	1	1	3	3	6	2	—	—	17	5		1	—	18
19	10	10	35	22	17	8	29	20	—	—	8	4	58	37	2	2	186	159		6	2	19
20	1	1	1	1	—	1	1	—	—	—	1	1	—	1	—	—	11	4		—	—	20
21	—	—	2	—	3	—	1	—	—	—	1	1	1	—	—	—	5	2		—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	1		—	—	21A
22	3	4	11	2	1	3	5	2	—	—	1	—	16	3	1	—	26	21		1	—	22
23	—	—	—	6	—	—	—	4	—	—	—	1	—	3	—	—	—	11		—	1	23
24	—	2	—	4	—	3	—	5	—	—	—	1	—	7	—	—	—	18		—	1	24
25	8	8	34	15	11	14	20	17	2	1	7	5	41	32	1	3	138	93		4	2	25
26	9	1	21	8	3	3	19	2	—	2	1	—	27	6	3	—	88	25		3	—	26
27	—	—	1	1	2	—	2	1	1	—	1	1	—	—	—	1	4	1		—	—	27
28	32	29	70	43	43	52	35	43	17	15	25	39	82	79	3	10	300	260		16	14	28
29	—	—	3	1	—	1	2	2	—	—	2	—	3	1	—	—	3	3		1	1	29

GLAMORGANSHIRE—cont.

GLOUCESTERSHIRE.

	Gower R.D.		Llandaff and Dinas Powis R.D.		Llantri- sant and Llantwit- fardre R.D.		Neath R.D.		Penybont R.D.		Pontar- dawe R.D.		Swansea R.D.			Awre U.D.		Charlton Kings U.D.		Chelten- ham M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F	
1	60	60	200	202	133	90	331	283	173	144	243	209	301	241		8	12	29	28	322	371	1
2	—	—	—	1	4	2	—	1	—	1	2	—	—	2		—	—	—	—	1	3	2
3	—	1	1	—	4	4	8	4	16	7	3	5	4	1		—	—	1	1	19	15	3
4	—	—	—	2	—	—	2	—	—	1	2	1	—	1		—	—	—	—	1	—	4
5	—	—	3	6	2	2	2	3	—	—	7	6	1	2		—	—	—	—	—	3	5
6	1	2	2	3	1	1	11	12	—	1	1	—	5	6		—	—	—	—	—	—	6
7	1	—	—	1	—	—	5	7	2	2	1	4	2	1		—	—	2	—	2	3	7
8	—	—	—	—	—	—	2	—	1	—	—	—	—	—		—	—	—	—	1	—	8
9	2	10	15	28	12	5	10	29	6	7	10	16	20	22		—	1	—	—	34	29	9
10	1	1	2	1	—	2	5	4	2	—	4	4	3	3		—	—	—	—	2	2	10
11	1	1	2	3	1	3	2	4	6	2	5	—	2	7		—	—	1	—	3	2	11
12	7	8	10	14	3	4	14	15	8	10	10	14	16	13		—	3	1	1	30	40	12
13	—	—	1	—	—	—	1	1	—	—	4	3	—	2		—	—	—	—	—	1	13
14	—	1	—	1	1	1	5	3	—	2	2	4	4	2		—	—	—	—	1	3	14
15	7	7	19	25	7	4	15	25	11	11	12	11	20	21		3	2	4	6	32	35	15
16	2	—	13	9	8	7	26	14	11	19	16	15	11	13		—	—	—	—	12	23	16
17	1	—	16	18	5	3	19	20	18	12	24	21	36	19		—	—	1	2	25	13	17
18	1	—	3	2	—	2	5	5	3	—	3	2	9	3		—	—	1	1	4	7	18
19	3	1	21	18	19	8	31	23	10	7	18	14	16	23		—	—	1	—	22	19	19
20	1	2	2	1	2	—	—	—	—	—	1	—	1	—		—	—	—	1	2	1	20
21	1	—	—	—	1	—	—	—	—	—	1	1	—	—		—	—	—	—	5	3	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—		1	—	—	—	—	2	21A
22	1	2	7	4	5	4	9	2	2	1	4	3	16	13		—	1	—	—	10	13	22
23	—	—	—	—	—	1	—	3	—	2	—	1	—	1		—	—	—	—	—	—	23
24	—	2	—	4	—	—	—	5	—	3	—	2	—	1		—	—	—	—	—	3	24
25	3	5	12	10	18	12	40	25	10	5	26	26	31	18		—	—	1	2	21	17	25
26	6	1	14	5	10	1	30	4	17	2	14	2	28	1		1	—	—	—	7	3	26
27	—	—	2	—	1	—	2	—	—	—	3	2	2	—		—	—	1	—	4	1	27
28	20	16	52	46	28	24	85	74	49	49	69	50	79	65		3	4	14	13	84	130	28
29	1	—	3	—	1	—	2	—	1	—	1	2	4	1		—	1	1	1	—	—	29

GLOUCESTERSHIRE—cont.

Causes of Death.				Cirencester U.D.		Coleford U.D.		Kingswood U.D.		Nailsworth U.D.		Newnham U.D.		Stow on the Wold U.D.		Stroud U.D.		Tetbury U.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	50	50	18	24	73	70	18	25	5	11	11	9	65	59	17	17	1
1 Enteric fever	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	1	2	1	—	—	—	—	—	1	—	—	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	1	—	—	1	2	—	—	—	—	—	—	1	2	1	3	6
6 Diphtheria and croup	—	—	—	—	—	1	—	—	—	—	1	—	—	1	—	—	7
7 Influenza	1	1	—	1	3	—	—	—	—	—	—	—	—	1	—	—	8
8 Erysipelas	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	9
9 Pulmonary tuberculosis	6	5	1	—	6	4	1	1	1	—	—	—	5	2	2	1	10
10 Tuberculous meningitis	2	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	11
11 Other tuberculous diseases	2	1	—	1	1	1	—	—	—	—	—	—	2	1	—	1	12
12 Cancer, malignant disease	7	6	3	1	2	2	1	3	1	—	2	—	5	5	1	1	13
13 Rheumatic fever...	—	—	1	—	1	3	—	—	—	—	1	—	—	1	—	—	14
14 Meningitis	—	—	—	—	1	1	—	—	—	2	1	—	—	—	—	—	15
15 Organic heart disease	4	7	—	3	4	12	2	5	—	1	—	—	7	8	—	2	16
16 Bronchitis	4	1	—	1	6	6	3	1	1	1	2	—	4	6	3	2	17
17 Pneumonia (all forms)...	1	—	1	1	4	5	—	—	—	1	—	2	3	3	1	—	18
18 Other respiratory diseases	1	—	1	1	5	—	—	2	—	—	—	—	2	—	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	1	1	3	—	7	5	—	—	—	—	1	—	1	1	—	1	20
20 Appendicitis and typhlitis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21
21 Cirrhosis of liver	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	2	1	—	1	1	2	1	—	—	—	1	—	3	2	1	—	23
23 Puerperal fever	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	25
25 Congenital debility, &c.	2	1	3	2	6	6	4	1	—	—	—	—	4	1	1	3	26
26 Violence, apart from 27	1	2	—	—	5	1	—	1	1	1	—	—	3	—	—	—	27
27 Suicide	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	28
28 Other defined diseases	12	16	4	12	18	16	5	11	—	5	4	5	23	24	7	3	29
29 Causes ill-defined or un-known.	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	

GLOUCESTERSHIRE—cont.

Causes of Death.			Tewkes- bury M.B.		Westbury on Severn U.D.		Campden R.D.		Chelten- ham R.D.		Chipping Sodbury R.D.		Cirencester R.D.		Dursley R.D.				
			M	F	M	F	M	F	M	F	M	F	M	F	M	F			
ALL CAUSES	36	39	15	18			42	33	29	32	162	123	89	76	82	78	1
1 Enteric fever	—	—	—	—			—	—	—	—	—	2	—	—	—	—	2
2 Small-pox	—	—	—	—			—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	1			—	—	—	—	2	1	—	—	—	—	4
4 Scarlet fever	—	—	—	—			—	1	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	—	—			3	3	—	—	3	3	—	—	1	—	6
6 Diphtheria and croup	—	—	—	—			—	—	—	—	—	—	—	—	—	—	7
7 Influenza	—	—	—	—			1	—	1	—	1	1	1	—	1	1	8
8 Erysipelas	—	—	—	—			—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis			6	—	1	1			1	1	2	—	8	8	3	3	4	1	10
10 Tuberculous meningitis			—	—	1	—			—	—	—	—	3	—	—	1	—	—	11
11 Other tuberculous diseases			—	1	—	—			—	—	—	—	1	1	—	2	—	1	12
12 Cancer, malignant disease			1	7	—	—			—	7	2	6	5	11	11	12	5	7	13
13 Rheumatic fever...			—	—	—	—			—	1	—	—	—	1	—	1	—	—	14
14 Meningitis			—	—	—	—			—	—	—	—	1	1	—	—	1	—	15
15 Organic heart disease			3	4	2	2			3	—	5	3	18	15	10	11	13	8	16
16 Bronchitis			4	4	1	2			3	—	2	1	4	4	4	2	3	4	17
17 Pneumonia (all forms)...			1	2	2	—			6	1	2	1	11	4	1	2	9	3	18
18 Other respiratory diseases			1	—	—	—			1	1	—	1	2	1	3	—	1	—	19
19 Diarrhoea, &c. (under 2 yrs.)			—	1	—	—			—	—	1	—	5	5	2	3	—	1	20
20 Appendicitis and typhlitis			—	—	—	—			—	—	—	—	1	1	1	2	—	1	21
21 Cirrhosis of liver			—	—	—	—			—	—	—	—	2	—	2	1	1	1	21A
21A Alcoholism			—	—	—	—			—	1	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.			1	2	1	2			1	1	1	2	3	—	2	1	2	4	23
23 Puerperal fever			—	—	—	—			—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23			—	—	—	—			—	—	—	—	—	1	—	1	—	1	25
25 Congenital debility, &c.			3	1	1	1			5	1	1	—	8	10	7	3	2	2	26
26 Violence, apart from 27			3	—	1	1			2	3	1	1	10	4	1	2	2	—	27
27 Suicide			—	1	—	—			—	—	—	—	1	—	1	—	—	—	28
28 Other defined diseases			13	15	5	8			15	12	11	17	71	49	38	28	33	40	29
29 Causes ill-defined or un-known.			—	1	—	—			1	—	—	—	2	—	2	1	4	3	

ADMINISTRATIVE AREAS, 1911—*continued.*GLOUCESTERSHIRE—*cont.*

	East Dean and United Parishes R.D.		Faringdon (pt.) R.D.*		Gloucester R.D.		Lydney R.D.		Marston Sicca R.D.		Newent R.D.		Northleach R.D.		Pebworth R.D.		Stow on the Wold (pt.) R.D.†		Stroud R.D.		Tetbury (pt.) R.D.‡		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	150	108	9	7	63	72	52	66	15	13	60	43	53	44	33	22	50	40	170	213	23	14	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2
3	1	4	—	1	1	—	4	5	—	—	—	—	—	1	1	—	—	—	—	—	—	—	3
4	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	4
5	4	2	—	—	—	1	1	1	—	—	—	—	—	1	1	3	1	1	3	2	1	2	5
6	2	3	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6
7	2	2	—	—	—	1	1	6	—	—	—	—	—	—	—	—	—	3	1	5	1	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	9	4	1	—	10	4	4	3	2	—	1	3	6	3	5	—	2	2	16	15	1	—	9
10	1	—	—	—	—	1	—	—	—	—	—	—	1	1	1	—	1	—	2	4	—	—	10
11	1	2	—	—	2	—	1	—	—	—	—	—	2	—	—	—	—	2	4	—	—	1	11
12	6	12	1	2	1	6	4	5	—	1	4	7	2	2	2	—	3	3	15	24	1	3	12
13	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	13
14	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14
15	16	12	—	1	7	7	9	9	4	1	14	6	2	1	—	1	—	—	1	—	—	—	15
16	8	4	—	1	2	7	1	1	1	2	5	2	2	4	3	3	8	8	18	31	3	1	16
17	11	8	—	—	3	4	4	2	2	—	2	3	2	1	3	2	1	3	12	15	3	2	17
18	5	1	—	—	1	—	2	—	—	—	1	—	1	1	—	—	—	—	2	10	1	—	18
19	6	4	1	—	2	1	—	2	—	1	1	1	1	—	1	—	—	1	6	2	—	—	19
20	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	3	3	—	—	20
21	1	—	—	—	—	—	—	—	—	—	1	1	—	—	1	—	—	—	1	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	5	4	1	1	1	—	—	—	—	—	1	—	1	2	—	—	2	—	4	6	2	—	22
23	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
25	9	12	1	1	5	3	3	4	—	—	7	3	2	1	1	—	3	2	14	9	3	—	25
26	8	3	—	—	6	3	4	2	—	1	2	3	—	3	—	—	1	—	6	2	1	—	26
27	—	—	—	—	—	—	—	—	—	1	—	—	—	—	2	—	—	—	3	1	1	—	27
28	49	30	3	—	23	28	14	23	6	6	21	14	19	18	9	10	22	12	57	76	4	5	28
29	—	—	—	—	—	1	—	1	—	—	—	—	2	1	—	—	1	—	2	1	—	—	29

GLOUCESTERSHIRE—*cont.*

HEREFORDSHIRE.

	Tewkes- bury (pt.) R.D.†		Thornbury R.D.		Warmley R.D.		West Dean R.D.		Wheaten- hurst R.D.		Winch- comb (pt.) R.D.†		Bromyard U.D.		Hereford M.B.		Kington U.D.		Ledbury U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	32	38	132	122	101	105	106	92	43	29	72	53	15	16	178	176	18	18	30	29	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	4	5	—	—	1	1	—	—	4	—	—	—	4	4	3
4	—	—	—	1	1	5	—	—	—	—	—	—	—	1	—	—	—	—	—	—	4
5	—	—	1	1	5	2	—	2	—	—	—	—	—	2	—	—	—	—	—	1	5
6	—	—	1	—	2	1	3	1	—	—	—	—	—	1	2	2	—	—	—	—	6
7	—	—	1	1	1	—	3	—	—	1	1	—	1	—	—	1	—	—	—	—	7
8	—	—	—	—	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	8
9	2	2	11	8	4	7	7	6	5	1	8	3	—	—	9	12	2	2	1	4	9
10	—	1	2	2	—	—	—	1	—	—	—	—	—	—	1	2	—	—	—	—	10
11	1	—	2	—	2	4	1	2	—	—	—	—	—	1	2	—	1	—	—	—	11
12	1	6	12	11	6	12	8	4	7	4	4	1	1	1	12	21	1	1	3	3	12
13	—	—	2	—	—	2	—	1	—	—	—	—	—	1	—	—	—	—	—	—	13
14	—	—	—	—	—	2	2	—	1	—	1	1	—	—	2	—	—	—	—	—	14
15	4	3	21	16	10	13	9	9	2	3	14	5	—	—	2	—	—	—	—	—	15
16	1	2	6	9	7	5	11	10	—	5	3	2	1	1	22	9	11	1	3	2	16
17	2	2	2	11	6	4	8	3	1	2	3	1	—	—	13	9	2	1	—	1	17
18	—	—	2	—	3	3	4	—	—	—	1	1	—	—	1	6	—	1	—	1	18
19	—	—	3	3	11	3	5	3	1	—	1	—	—	—	4	2	—	—	2	1	19
20	—	—	—	—	1	—	—	1	—	1	1	—	—	—	3	1	—	—	—	—	20
21	—	—	2	1	—	—	1	—	—	1	1	—	—	—	1	—	—	—	1	2	21
21A	—	—	—	1	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	—	21A
22	3	2	3	—	2	4	4	2	3	—	2	2	1	2	6	1	2	—	2	—	22
23	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	2	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	24
25	3	1	4	5	5	9	8	6	4	1	3	9	—	—	8	4	1	1	1	—	25
26	1	—	5	2	3	—	3	2	3	—	5	1	3	—	3	4	—	1	2	1	26
27	—	2	3	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	27
28	14	17	49	47	32	26	27	30	14	9	22	24	7	5	73	77	5	7	7	8	28
29	—	—	—	1	—	2	—	—	—	—	—	1	—	—	1	—	1	—	2	—	29

* The remainder of Faringdon R.D. is in Berkshire; see page 440.

† The remaining parts of Stow on the Wold, Tewkesbury and Winchcomb R.D.'s are in Worcestershire; see page 523.

‡ The remainder of Tetbury R.D. is in Wiltshire; see page 522.

CAUSES OF DEATH IN

HEREFORDSHIRE—*cont.*

Causes of Death.				Leo- minster M.B.		Ross U.D.			Bred- wardine R.D.		Bromyard R.D.		Dore R.D.		Hereford R.D.		Kington R.D.		
				M	F	M	F		M	F	M	F	M	F	M	F	M	F	
ALL CAUSES				39	47	33	37		15	10	61	42	51	41	102	103	38	30	1
1	Enteric fever			—	—	—	—		—	—	—	—	—	—	—	—	—	—	2
2	Small-pox			—	—	—	—		—	—	—	—	—	—	—	—	—	—	3
3	Measles			—	—	—	—		—	—	—	—	—	—	1	—	—	—	4
4	Scarlet fever			—	—	—	—		—	—	3	1	—	—	—	—	—	—	5
5	Whooping cough			1	—	—	—		—	—	1	3	—	—	—	—	—	—	6
6	Diphtheria and croup ...			—	—	—	—		—	—	—	1	1	—	—	1	2	—	7
7	Influenza			1	—	—	—		1	—	—	—	2	1	1	1	—	—	8
8	Erysipelas			—	—	—	—		—	—	—	—	—	—	—	—	—	—	9
9	Pulmonary tuberculosis			3	5	1	2		—	—	3	5	2	5	5	6	1	4	10
10	Tuberculous meningitis			—	—	—	2		—	—	—	—	—	1	1	—	—	—	11
11	Other tuberculous diseases			2	2	3	1		—	—	—	2	—	—	2	4	—	—	12
12	Cancer, malignant disease			3	4	3	2		1	2	3	8	8	3	7	8	3	2	13
13	Rheumatic fever... ..			—	—	—	—		—	—	—	—	—	—	1	—	—	—	14
14	Meningitis			2	—	—	—		—	—	—	—	—	—	—	1	—	1	15
15	Organic heart disease ...			3	1	3	4		3	3	12	1	6	7	11	23	4	2	16
16	Bronchitis			4	4	2	2		2	—	3	3	2	1	7	9	2	4	17
17	Pneumonia (all forms)...			1	2	1	3		—	1	4	2	2	2	13	7	5	3	18
18	Other respiratory diseases			—	—	—	—		—	—	—	—	—	—	—	1	—	1	19
19	Diarrhoea, &c. (under 2 yrs.)			1	—	4	3		—	—	1	1	—	—	—	2	—	—	20
20	Appendicitis and typhlitis			—	1	—	—		—	—	—	—	—	—	2	—	—	—	21
21	Cirrhosis of liver			—	—	2	2		—	—	—	—	—	—	—	—	1	—	21A
21A	Alcoholism			—	—	—	—		—	—	—	—	—	—	—	—	—	—	22
22	Nephritis and Bright's dis.			1	2	1	—		—	—	2	2	2	—	4	2	3	—	23
23	Puerperal fever			—	1	—	—		—	—	—	—	—	—	1	—	—	1	24
24	Parturition, apart from 23			—	—	—	—		—	—	—	1	—	—	—	2	—	—	25
25	Congenital debility, &c.			4	2	1	5		1	—	3	—	8	1	5	3	3	—	26
26	Violence, apart from 27			2	2	—	—		—	—	5	1	3	2	6	1	1	—	27
27	Suicide			—	—	—	—		—	—	1	—	—	1	—	1	—	—	28
28	Other defined diseases ...			10	20	12	11		7	4	19	11	15	15	36	28	12	10	29
29	Causes ill-defined or un- known.			1	1	—	—		—	—	1	—	—	1	3	—	2	—	

HEREFORDSHIRE—*cont.*

Causes of Death.				Ledbury R.D.		Leo- minster R.D.		Ross R.D.		Weobley R.D.		Whit- church R.D.		Wigmore R.D.			
				M	F	M	F	M	F	M	F	M	F	M	F		
	ALL CAUSES	62	67	56	53	79	61	51	42	11	10	22	29		1
1	Enteric fever	—	1	—	—	1	—	—	—	—	—	—	—		2
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—		3
3	Measles	2	3	—	—	—	—	—	—	—	—	—	—		4
4	Scarlet fever	—	1	—	—	—	—	—	—	—	1	—	1		5
5	Whooping cough	1	—	—	—	—	—	—	—	—	—	1	—		6
6	Diphtheria and croup	1	1	—	2	—	—	—	—	—	—	—	1		7
7	Influenza	—	—	2	—	1	—	4	5	—	1	1	—		8
8	Erysipelas	—	—	1	—	—	—	—	—	—	—	—	—		9
9	Pulmonary tuberculosis	5	3	4	1	2	5	1	1	—	2	4	2		10
10	Tuberculous meningitis	—	—	—	—	1	—	—	—	—	—	—	—		11
11	Other tuberculous diseases	—	1	—	—	—	1	—	—	1	—	—	1		12
12	Cancer, malignant disease	3	10	7	6	12	7	—	3	—	—	4	5		13
13	Rheumatic fever...	—	1	—	1	1	—	—	—	—	—	—	—		14
14	Meningitis	—	—	—	—	—	1	1	—	—	—	—	—		15
15	Organic heart disease	5	11	9	14	7	10	7	13	1	—	1	4		16
16	Bronchitis	2	4	3	4	13	4	1	2	—	—	1	5		17
17	Pneumonia (all forms)	4	3	2	2	6	1	5	—	1	—	1	—		18
18	Other respiratory diseases	2	1	2	2	1	2	1	—	—	—	—	—		19
19	Diarrhoea, &c. (under 2 yrs.)	1	2	2	—	2	—	—	—	—	—	—	—		20
20	Appendicitis and typhlitis	1	1	—	1	—	1	1	—	—	1	—	—		21
21	Cirrhosis of liver	—	—	—	—	—	—	1	—	—	—	—	—		21A
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—		22
22	Nephritis and Bright's dis.	1	—	2	1	2	1	2	—	—	—	1	—		23
23	Puerperal fever	—	—	—	1	—	1	—	—	—	—	—	—		24
24	Parturition, apart from 23	—	—	—	1	—	—	—	—	—	—	—	1		25
25	Congenital debility, &c.	3	1	1	1	6	3	1	3	1	1	—	—		26
26	Violence, apart from 27	3	3	1	—	6	2	4	1	2	—	2	—		27
27	Suicide	1	—	—	—	—	—	—	—	—	—	—	—		28
28	Other defined diseases	26	18	19	16	18	22	22	14	5	4	6	9		29
29	Causes ill-defined or un- known.	1	2	1	—	—	—	—	—	—	—	—	—		

ADMINISTRATIVE AREAS, 1911--continued.

HERTFORDSHIRE.

	Baldock U.D.		Barnet U.D.		Bishop's Stortford U.D.		Bushey U.D.		Cheshunt U.D.		East Barnet Valley U.D.		Great Berk- hampstead U.D.		Harpenden U.D.		Hemel Hempstead M.B.		Hertford M.B.		Hitchin U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	12	16	63	66	63	49	22	23	85	81	50	40	46	35	33	32	79	91	71	61	83	90	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	—	—	2	1	—	—	—	1	—	—	2	1	1	1	—	—	—	—	—	1	4
5	—	2	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	5
6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	6
7	—	—	—	1	—	—	2	—	4	2	1	1	—	—	—	1	—	—	1	—	—	1	7
8	—	1	—	—	1	—	—	1	—	1	1	—	—	—	—	—	—	—	3	—	—	—	8
9	—	—	8	3	6	7	—	1	2	3	4	—	3	3	4	4	5	6	7	4	7	5	9
10	—	—	—	—	—	1	—	—	—	1	1	2	—	1	—	—	—	—	1	—	1	—	10
11	—	1	1	1	1	—	1	1	3	3	1	4	2	1	—	—	1	2	1	—	1	—	11
12	2	1	4	8	7	4	4	5	8	10	5	3	3	—	5	2	7	7	10	9	6	6	12
13	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	3	13
14	—	—	—	2	1	—	—	—	—	—	—	2	—	—	—	1	—	1	—	2	—	1	14
15	3	1	6	13	5	3	—	4	6	10	5	4	2	1	3	4	8	12	6	3	7	13	15
16	—	1	5	4	5	6	—	1	4	2	3	2	2	2	2	2	4	9	1	5	6	7	16
17	1	—	8	3	3	2	3	—	4	4	5	1	2	4	2	1	7	3	4	3	—	4	17
18	—	—	—	1	1	1	—	—	1	2	1	—	4	1	1	—	2	1	—	—	1	1	18
19	—	—	2	1	4	1	—	1	7	8	4	3	2	1	—	—	4	3	4	3	9	4	19
20	—	—	2	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—	1	—	—	—	20
21	—	—	—	—	—	—	—	—	1	1	1	—	—	1	—	—	1	—	—	2	1	2	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	1	—	1	1	2	—	2	2	3	1	2	1	1	—	1	2	2	—	—	—	—	22
23	—	—	—	—	—	—	—	—	—	3	—	1	—	—	—	—	—	1	2	2	—	—	23
24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
25	—	1	6	1	3	5	2	—	7	4	5	2	4	1	2	3	5	9	8	6	6	4	25
26	1	—	—	2	4	—	3	—	4	1	2	—	2	—	2	—	7	1	1	—	1	2	26
27	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—	—	1	—	1	—	—	—	27
28	5	7	21	21	18	15	7	7	28	20	8	13	15	17	10	11	25	32	21	18	32	32	28
29	—	—	—	1	1	—	—	—	3	—	1	—	—	—	—	—	—	—	1	—	2	2	29

HERTFORDSHIRE—cont.

	Hoddesdon U.D.		Rickmans- worth U.D.		Royston U.D.		St. Albans M.B.		Sawbridge- worth U.D.		Stevenage U.D.		Tring U.D.		Ware U.D.		Watford U.D.			Ashwell R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M	F	
1	37	41	39	21	20	24	111	112	14	12	24	24	26	27	43	32	198	216		29	26	1
2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—		—	—	2
3	—	—	1	—	—	—	4	4	—	1	—	—	—	—	—	—	2	6		—	—	3
4	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1		—	—	4
5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	3	5		—	—	5
6	—	—	—	2	—	—	1	—	—	—	—	—	—	1	—	—	1	3		—	—	6
7	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	5	2		—	—	7
8	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—		—	—	8
9	2	4	4	2	—	1	11	3	—	—	4	—	—	1	1	—	19	18		3	1	9
10	—	—	1	—	—	—	1	1	—	—	—	—	—	—	1	—	—	1		—	—	10
11	1	1	1	—	—	—	3	3	—	—	—	—	1	—	—	—	4	4		—	—	11
12	3	7	3	3	4	3	7	17	2	3	2	—	3	2	2	2	18	24		5	9	12
13	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	2	—		—	—	13
14	—	—	1	—	—	—	1	—	1	—	—	—	—	—	2	—	1	3		—	—	14
15	3	7	3	2	5	5	17	17	1	1	3	2	2	5	3	6	13	24		4	3	15
16	4	1	1	—	—	2	11	8	2	2	—	6	2	1	7	4	8	13		1	—	16
17	2	2	1	1	1	—	3	8	3	—	2	3	1	2	4	2	13	5		2	2	17
18	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2		—	—	18
19	—	2	3	3	1	1	1	2	—	1	2	4	3	1	2	—	14	21		—	—	19
20	—	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	3	—		1	—	20
21	—	1	—	—	—	—	—	—	—	—	—	—	2	—	—	—	2	1		—	—	21
21A	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	21A
22	1	—	—	1	—	1	2	3	—	—	—	—	3	3	—	—	5	7		1	—	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1		—	—	23
24	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	1		—	—	24
25	3	1	2	2	3	2	7	6	1	2	2	—	—	—	2	2	10	16		2	1	25
26	2	1	2	—	1	1	3	4	—	—	—	—	1	—	1	—	7	—		1	—	26
27	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—		—	—	27
28	13	11	11	5	5	8	34	31	4	2	9	8	8	11	14	12	59	58		9	10	28
29	—	—	2	—	—	—	—	—	—	—	—	1	—	—	2	—	4	—		—	—	29

HERTFORDSHIRE—cont.

Causes of Death.	Barnet R.D.		Berkham- stead R.D.		Bunting- ford R.D.		Hadham R.D.		Hatfield R.D.		Hemel Hempstead R.D.		Hertford R.D.		Hitchin R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	31	23	33	22	45	41	39	33	60	42	56	34	48	42	111	92	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	—	—	—	—	—	2	2	—	—	—	—	—	—	3	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	5
6 Diphtheria and croup	1	1	—	—	—	—	—	—	1	1	—	—	—	—	1	—	6
7 Influenza	—	—	1	—	—	—	—	1	1	—	—	—	—	—	1	—	7
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	1	1	—	—	3	1	3	—	3	1	4	4	1	1	12	5	9
10 Tuberculous meningitis	—	1	—	—	—	—	—	1	—	—	—	1	—	—	3	1	10
11 Other tuberculous diseases	2	—	—	—	—	1	1	—	1	1	—	—	1	—	—	3	11
12 Cancer, malignant disease	5	3	4	3	7	9	7	8	5	4	6	2	4	7	6	9	12
13 Rheumatic fever... ..	—	—	—	1	—	—	—	—	—	1	—	—	—	—	1	1	13
14 Meningitis	—	1	—	—	—	—	—	1	1	1	—	—	1	—	1	—	14
15 Organic heart disease	4	2	4	6	7	11	4	3	2	5	6	7	11	3	12	15	15
16 Bronchitis	1	1	1	1	5	—	1	6	1	3	—	1	2	2	10	7	16
17 Pneumonia (all forms)	—	2	1	3	1	3	2	—	3	4	5	1	2	2	5	2	17
18 Other respiratory diseases	—	—	—	—	1	—	—	—	—	1	1	1	2	—	1	1	18
19 Diarrhoea, &c. (under 2 yrs.)	5	1	—	1	5	1	1	—	4	—	3	—	2	1	3	3	19
20 Appendicitis and typhlitis	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	1	20
21 Cirrhosis of liver	—	—	—	—	—	—	—	—	1	—	—	1	—	—	2	—	21
21A Alcoholism	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	1	2	—	2	—	—	—	1	—	—	1	—	1	2	—	7	22
23 Puerperal fever	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	23
24 Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	24
25 Congenital debility, &c.	2	—	6	—	1	2	—	—	6	2	5	—	7	3	9	4	25
26 Violence, apart from 27	1	—	1	—	2	—	2	—	2	1	5	1	3	—	2	—	26
27 Suicide	—	—	2	—	—	—	1	—	1	—	—	—	—	—	—	—	27
28 Other defined diseases	6	8	13	5	11	12	15	9	27	14	19	15	11	20	35	29	28
29 Causes ill-defined or un- known.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	29

HERTFORDSHIRE—cont.

HUNTINGDONSHIRE.

Causes of Death.	St. Albans R.D.		Ware R.D.		Watford R.D.		Welwyn R.D.			God- manchester M.B.		Hunting- don M.B.		Old Fletton U.D.		
	M	F	M	F	M	F	M	F		M	F	M	F	M	F	
ALL CAUSES	104	100	70	58	82	77	17	14		11	14	34	26	35	24	
1 Enteric fever	—	—	—	—	—	—	—	—		—	—	1	—	1	—	1
2 Small-pox	—	—	—	—	—	—	—	—		—	—	—	—	—	—	2
3 Measles	—	1	2	2	—	3	1	1		—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—		—	—	—	—	—	—	4
5 Whooping cough	—	—	2	6	—	1	1	1		—	—	—	—	—	—	5
6 Diphtheria and croup	1	—	—	—	—	1	—	—		1	1	—	—	1	—	6
7 Influenza	—	1	—	1	1	—	—	—		—	—	—	1	1	—	7
8 Erysipelas	—	—	—	—	—	—	—	—		—	—	—	—	—	—	8
9 Pulmonary tuberculosis	8	6	4	1	5	9	—	1		1	—	1	2	4	4	9
10 Tuberculous meningitis	—	1	—	—	1	1	—	—		1	—	—	1	—	—	10
11 Other tuberculous diseases	1	1	—	1	1	—	—	—		—	—	—	—	—	—	11
12 Cancer, malignant disease	7	11	2	4	8	8	1	2		—	1	2	1	3	1	12
13 Rheumatic fever... ..	1	—	—	—	—	1	—	—		—	—	—	—	—	—	13
14 Meningitis	—	1	—	—	—	1	1	—		—	—	—	—	—	—	14
15 Organic heart disease	14	12	8	9	8	5	2	—		2	—	3	2	6	3	15
16 Bronchitis	6	3	7	7	3	3	1	1		2	2	—	—	1	—	16
17 Pneumonia (all forms)	8	2	7	1	3	6	1	—		—	—	—	1	3	1	17
18 Other respiratory diseases	1	2	1	—	2	1	—	—		—	1	1	1	—	—	18
19 Diarrhoea, &c. (under 2 yrs.)	5	8	3	4	5	3	—	2		—	—	1	—	1	2	19
20 Appendicitis and typhlitis	1	3	1	1	—	—	—	—		—	—	—	—	—	—	20
21 Cirrhosis of liver	1	—	—	—	—	1	1	—		—	—	—	1	—	—	21
21A Alcoholism	—	—	—	—	—	—	—	—		—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	2	1	4	—	2	4	3	—		—	1	—	—	2	—	22
23 Puerperal fever	—	1	—	—	—	—	—	—		—	—	—	—	—	—	23
24 Parturition, apart from 23	—	1	—	—	—	—	—	—		—	—	—	—	—	—	24
25 Congenital debility, &c.	10	8	2	—	4	—	—	1		—	—	4	1	4	1	25
26 Violence, apart from 27	4	1	6	2	7	2	—	—		2	—	1	2	—	2	26
27 Suicide	1	—	—	—	4	2	—	—		—	—	1	—	2	—	27
28 Other defined diseases	33	34	20	19	28	25	5	5		2	8	19	13	7	10	28
29 Causes ill-defined or un- known.	—	2	1	—	—	—	—	—		—	—	—	—	—	—	29

ADMINISTRATIVE AREAS, 1911—continued.

HUNTINGDONSHIRE—cont.

	Ramsey U.D.		St. Ives M.B.		St. Neots U.D.			Hunting- don R.D.		Norman Cross R.D.		Oundle (pt.) R.D.*		St. Ives R.D.		St. Neots R.D.		Thrapston (pt.) R.D.†		Sibson cum Stibbing- ton C.P.‡		
	M	F	M	F	M	F		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	34	30	14	21	31	37		45	36	42	30	9	6	71	52	61	53	5	4	—	—	1
2	1	—	1	—	—	1		—	—	—	—	—	—	—	—	—	1	—	—	—	—	2
3	—	—	—	—	—	—		1	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—	—	1		1	4	1	—	—	—	—	—	1	—	—	—	—	—	5
6	—	—	—	—	1	—		—	—	—	—	—	—	1	—	—	—	—	—	—	—	6
7	—	2	—	—	2	—		1	—	—	—	—	—	—	2	1	2	—	—	—	—	7
8	—	—	—	—	—	—		—	—	1	—	—	—	—	—	—	—	—	—	—	—	8
9	4	2	1	3	4	3		2	2	3	1	—	1	7	2	2	5	—	—	—	—	9
10	—	—	—	—	—	—		1	—	2	—	—	—	2	1	1	1	—	—	—	—	10
11	—	—	—	—	—	2		—	—	1	—	—	—	1	—	1	—	—	—	—	—	11
12	4	3	3	4	3	5		5	5	7	1	3	1	5	6	11	9	—	3	—	—	12
13	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	1	—	—	—	—	13
14	—	—	—	—	—	—		—	1	—	—	—	—	—	—	—	—	—	—	—	—	14
15	1	2	—	3	—	5		8	3	3	4	1	—	10	3	7	8	2	—	—	—	15
16	4	—	1	1	3	2		1	—	2	3	—	1	3	6	6	4	—	—	—	—	16
17	2	2	1	1	1	—		3	—	4	3	—	—	3	3	2	3	—	—	—	—	17
18	—	—	—	—	1	—		—	—	1	1	—	—	1	—	1	—	—	—	—	—	18
19	—	1	—	1	—	1		1	—	1	2	—	—	2	1	3	1	—	—	—	—	19
20	—	—	—	—	—	—		1	—	—	—	—	—	—	—	—	—	—	—	—	—	20
21	—	—	—	—	—	—		—	—	—	—	—	—	1	—	—	—	—	—	—	—	21
21A	—	—	—	—	1	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	2	—	2	—	—		—	2	1	—	—	—	1	2	2	2	—	—	—	—	22
23	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	1		—	—	—	1	—	—	—	—	—	1	—	—	—	—	24
25	3	2	—	3	3	4		1	1	2	2	1	1	6	4	5	1	1	—	—	—	25
26	2	2	—	—	—	—		—	1	2	—	—	—	1	—	1	—	—	—	—	—	26
27	1	—	—	—	1	—		—	—	1	—	—	—	—	—	2	—	—	—	—	—	27
28	9	12	7	3	10	10		18	17	9	12	4	2	26	21	14	13	2	1	—	—	28
29	2	—	—	—	1	2		1	—	1	—	—	—	1	1	—	—	—	—	—	—	29

KENT.

	Ashford U.D.		Becken- ham U.D.		Bexley U.D.		Broad- stairs and St. Peter's U.D.		Bromley M.B.		Chatham M.B.		Cheriton U.D.		Chisle- hurst U.D.		Dartford U.D.		Deal M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	96	91	152	153	107	110	41	41	163	182	361	310	40	38	40	37	152	127	80	95	1
2	—	1	1	—	—	—	1	—	—	—	2	—	—	—	—	—	2	2	1	1	2
3	—	—	4	3	5	4	—	—	4	5	34	45	5	4	—	—	1	3	3	1	3
4	—	—	—	1	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	4
5	5	5	—	—	2	4	—	—	1	—	1	1	1	—	—	—	7	7	2	1	5
6	—	1	1	4	1	2	—	—	—	4	2	3	—	—	—	—	2	1	—	—	6
7	1	1	3	2	2	1	—	1	1	—	1	—	—	1	—	—	2	—	—	—	7
8	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	8
9	9	8	11	7	5	11	4	4	12	7	36	25	2	4	2	1	12	4	3	8	9
10	1	—	—	—	—	2	—	—	3	—	1	—	—	1	—	—	—	1	—	—	10
11	1	—	2	2	2	1	—	—	2	1	3	5	—	—	—	—	2	2	1	1	11
12	12	9	9	35	9	6	6	7	22	22	19	17	1	2	2	4	10	9	5	8	12
13	1	—	—	—	—	—	—	—	1	—	—	2	—	—	—	—	2	—	—	1	13
14	1	—	2	—	1	—	—	—	3	1	1	3	—	—	—	—	4	1	1	—	14
15	16	13	11	7	8	8	4	2	16	24	36	31	1	1	5	3	12	7	7	8	15
16	3	11	3	11	3	7	1	4	11	11	20	13	1	1	3	2	10	5	5	3	16
17	3	4	16	10	10	3	—	2	7	8	20	12	8	4	1	4	9	10	4	5	17
18	1	2	3	1	1	3	1	—	3	4	1	4	—	—	1	5	3	3	3	—	18
19	7	6	4	8	8	4	2	1	8	9	27	20	3	7	4	2	15	12	5	6	19
20	1	2	—	1	1	1	1	1	2	1	2	1	—	—	1	—	—	—	—	—	20
21	—	1	—	1	1	—	2	—	2	1	3	5	—	—	1	—	1	—	1	—	21
21A	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	21A
22	3	2	7	7	1	1	1	1	3	4	10	6	—	2	1	1	3	1	3	1	22
23	—	—	—	2	—	1	—	—	—	2	—	—	—	2	—	—	—	1	—	—	23
24	—	—	—	1	—	—	—	—	—	3	—	2	—	—	—	—	—	1	—	1	24
25	8	4	11	7	6	6	2	2	16	9	27	22	8	3	1	1	9	12	4	7	25
26	1	1	5	1	5	3	1	1	4	3	12	7	1	1	1	1	8	3	3	2	26
27	—	—	2	1	1	—	2	—	1	—	4	—	1	—	1	—	1	1	1	1	27
28	22	20	53	45	35	42	13	10	43	61	91	84	8	5	16	17	34	40	26	39	28
29	—	—	—	—	—	—	—	—	—	—	6	2	—	—	1	—	—	1	1	1	29

* The remainder of Oundle R.D. is in Northamptonshire; see page 495.
† The remainder of Thrapston R.D. is in Northamptonshire; see page 496.
‡ Administered by Barnack R.D.C. (Soke of Peterborough).

KENT—cont.

Causes of Death.				Dover M.B.		Erith U.D.		Faver- sham M.B.		Folke- stone M.B.		Foots Cray U.D.		Gilling- ham M.B.		Gravesend M.B.		Herne Bay U.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES ...				353	311	162	105	85	78	186	206	37	43	346	298	230	207	43	48	
1	Enteric fever	1	—	1	—	1	2	1	—	—	—	2	2	—	1	—	—	1
2	Small-pox	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	2
3	Measles	17	4	4	1	—	—	8	8	—	—	16	15	—	1	—	—	3
4	Scarlet fever	1	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	4
5	Whooping cough	1	—	1	—	—	—	—	—	1	1	6	10	2	7	—	—	5
6	Diphtheria and croup	1	3	3	2	—	—	1	2	—	—	6	5	6	4	1	2	6
7	Influenza	3	6	2	1	2	4	—	1	—	—	1	—	1	—	—	—	7
8	Erysipelas	—	—	—	—	1	—	1	—	—	—	2	1	—	—	—	—	8
9	Pulmonary tuberculosis	24	19	9	8	6	7	13	12	2	3	28	16	23	14	6	5	9
10	Tuberculous meningitis	4	1	2	—	3	—	1	1	—	—	1	2	2	3	—	—	10
11	Other tuberculous diseases	10	9	4	4	4	1	2	1	—	—	8	5	2	1	1	1	11
12	Cancer, malignant disease	24	25	13	7	7	3	13	25	8	5	25	21	17	23	3	5	12
13	Rheumatic fever...	—	1	—	1	—	2	—	—	1	1	1	3	1	1	—	—	13
14	Meningitis	—	4	—	1	—	—	—	2	—	—	2	4	1	1	1	1	14
15	Organic heart disease	13	37	14	19	4	2	24	16	3	2	25	19	10	16	4	6	15
16	Bronchitis	22	13	11	9	6	6	10	11	—	2	27	22	14	11	2	1	16
17	Pneumonia (all forms)	19	10	12	4	2	4	7	10	—	4	15	17	22	2	2	3	17
18	Other respiratory diseases	3	4	1	3	2	—	2	7	3	2	2	7	2	2	—	1	18
19	Diarrhoea, &c. (under 2 yrs.)	35	25	6	6	7	11	15	13	5	—	32	33	23	23	2	—	19
20	Appendicitis and typhlitis	3	4	—	1	—	—	2	1	—	—	2	1	—	1	—	1	20
21	Cirrhosis of liver	3	5	—	1	—	1	7	5	—	—	3	1	7	1	—	1	21
21A	Alcoholism	3	—	1	—	1	—	—	1	—	—	—	—	—	—	1	—	21A
22	Nephritis and Bright's dis.	3	5	5	3	1	1	5	12	2	3	10	7	7	8	2	2	22
23	Puerperal fever	—	1	—	—	—	—	—	2	—	—	—	—	—	1	—	—	23
24	Parturition, apart from 23	—	2	—	—	—	1	—	2	—	—	—	1	—	1	—	—	24
25	Congenital debility, &c.	23	18	15	4	7	2	11	6	1	1	24	18	9	5	4	2	25
26	Violence, apart from 27	26	12	4	3	6	1	5	6	—	—	12	9	12	8	3	1	26
27	Suicide	3	1	4	—	—	1	1	2	1	—	5	1	—	1	—	—	27
28	Other defined diseases	107	101	50	27	24	26	55	60	10	19	89	77	67	70	12	14	28
29	Causes ill-defined or un- known.	4	1	—	—	1	3	—	—	—	—	2	—	2	1	—	1	29

KENT—cont.

Causes of Death.				Hythe M.B.		Lydd M.B.		Maidstone M.B.		Margate M.B.		Milton Regis U.D.		New Romney M.B.		Northfleet U.D.		Penge U.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES ...				44	28	17	17	265	264	151	187	36	53	5	6	107	102	147	158	
1	Enteric fever	—	—	—	—	2	—	—	1	—	1	—	—	5	—	1	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	1	—	2	3	10	12	4	2	1	—	—	—	3	1	4	4	3
4	Scarlet fever	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	4
5	Whooping cough	—	—	—	1	1	1	—	—	—	—	—	—	—	—	1	—	5
6	Diphtheria and croup	—	—	—	—	2	—	1	1	—	—	—	—	1	3	2	6	6
7	Influenza	—	2	—	—	—	2	—	1	1	—	—	—	1	1	—	6	7
8	Erysipelas	—	—	—	—	1	—	—	1	—	1	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	3	4	—	1	24	33	13	20	—	6	1	1	13	9	12	9	9
10	Tuberculous meningitis	—	—	—	—	3	2	2	1	—	1	—	—	—	1	5	2	10
11	Other tuberculous diseases	—	1	—	1	3	3	4	5	1	—	—	—	2	2	—	3	11
12	Cancer, malignant disease	1	2	2	3	19	26	9	25	1	3	—	—	5	5	7	15	12
13	Rheumatic fever...	—	—	—	—	2	1	—	2	—	1	—	—	—	—	—	—	13
14	Meningitis	—	—	—	—	1	2	1	—	1	—	—	—	—	—	1	—	14
15	Organic heart disease	10	1	1	—	20	29	9	29	2	—	1	1	5	16	14	18	15
16	Bronchitis	3	1	3	—	15	21	10	13	3	4	1	—	11	8	4	13	16
17	Pneumonia (all forms)	1	1	—	—	18	12	5	6	3	3	—	—	9	5	7	15	17
18	Other respiratory diseases	—	—	—	1	2	3	3	3	3	1	—	—	—	2	4	—	18
19	Diarrhoea, &c. (under 2 yrs.)	2	4	3	1	23	26	11	12	2	2	—	—	11	18	8	8	19
20	Appendicitis and typhlitis	—	—	—	—	3	—	—	—	—	—	—	—	—	2	—	—	20
21	Cirrhosis of liver	1	—	—	—	2	1	1	—	—	—	—	—	2	1	—	1	21
21A	Alcoholism	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	21A
22	Nephritis and Bright's dis.	1	1	1	—	13	6	9	—	—	1	—	—	3	3	10	2	22
23	Puerperal fever	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	2	—	1	—	1	—	—	—	—	—	—	—	—	24
25	Congenital debility, &c.	5	4	1	—	14	8	5	5	3	2	—	—	5	7	11	2	25
26	Violence, apart from 27	3	1	—	—	9	2	3	2	1	—	—	—	4	1	4	2	26
27	Suicide	—	—	—	—	—	1	1	1	—	—	—	—	3	—	1	2	27
28	Other defined diseases	13	7	3	4	74	66	57	56	13	25	2	4	25	22	52	46	28
29	Causes ill-defined or un- known.	—	—	—	—	3	6	—	—	—	1	—	—	—	1	—	1	29

ADMINISTRATIVE AREAS, 1911—continued.

KENT—cont.

	Queen-borough M.B.		Ramsgate M.B.		Rochester M.B.		Sandgate U.D.		Sandwich M.B.		Sevenoaks U.D.		Sheerness U.D.		Sitting-bourne U.D.		South-borough U.D.		Tenterden M.B.		Tonbridge U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	16	14	200	218	254	211	15	9	22	24	53	61	122	106	75	56	37	55	30	16	99	101	1
2	—	2	3	2	—	1	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	1	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	1	—	—	1	19	16	—	—	—	—	4	3	2	2	1	3	—	—	—	—	6	5	4
5	—	—	—	—	1	1	—	—	—	1	1	1	—	—	1	—	—	—	—	1	1	—	5
6	—	—	—	—	3	1	—	—	—	—	1	—	1	—	—	—	1	3	—	—	1	—	6
7	1	—	—	2	1	—	—	—	—	—	2	1	—	1	4	1	—	—	—	—	1	1	7
8	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	8
9	—	1	20	15	22	11	2	1	1	2	2	3	10	8	5	4	4	1	3	—	16	1	9
10	—	—	1	2	4	2	—	—	—	—	1	2	—	1	3	—	1	—	—	—	—	—	10
11	1	—	3	2	—	3	—	—	—	—	1	—	2	2	1	—	3	1	1	—	—	3	11
12	1	1	14	34	14	18	—	—	1	1	3	5	12	8	8	8	5	4	—	1	7	9	12
13	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	13
14	—	—	2	1	4	4	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	14
15	3	1	13	22	20	28	2	—	2	2	6	10	5	6	6	1	4	5	5	2	8	18	15
16	3	3	9	15	16	13	1	1	2	3	2	4	11	7	6	3	4	3	1	1	2	5	16
17	—	2	7	10	15	6	1	—	2	1	3	1	5	5	4	6	1	4	4	1	4	3	17
18	—	—	9	2	6	2	—	—	—	—	—	—	3	4	3	2	—	1	—	2	2	2	18
19	1	1	20	14	19	14	—	1	1	3	4	2	7	3	3	3	—	4	1	—	5	6	19
20	—	—	3	—	—	4	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	20
21	—	—	6	3	3	2	1	2	1	1	—	—	3	1	1	—	—	—	—	—	1	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	21A
22	—	—	4	5	8	1	1	1	1	—	2	2	7	5	—	—	—	3	—	1	2	6	22
23	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	1	—	2	—	2	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	1	24
25	1	1	10	4	22	15	—	—	1	—	2	4	11	8	5	3	—	2	—	—	—	—	25
26	3	—	6	1	7	3	2	—	2	—	2	1	8	3	4	2	4	3	1	—	4	9	26
27	—	—	—	1	1	1	—	—	—	1	1	2	2	—	4	—	—	1	—	—	6	—	27
28	1	1	68	77	58	60	5	3	8	8	16	18	29	39	18	19	7	20	14	7	29	28	28
29	—	—	2	3	3	—	—	—	—	—	—	—	2	—	—	—	2	—	—	1	—	—	29

KENT—cont.

	Tunbridge Wells M.B.		Walmer U.D.		Whitstable U.D.		Wrotham U.D.			Blean R.D.		Bridge R.D.		Bromley R.D.		Cranbrook R.D.		Dartford R.D.		Dover R.D.		
	M	F	M	F	M	F	M	F		M	F	M	F	M	F	M	F	M	F	M	F	
1	168	254	19	20	55	51	23	22		44	48	81	66	135	113	65	72	278	213	33	32	1
2	1	—	—	—	—	1	1	—		—	1	—	1	—	—	—	—	3	1	—	—	2
3	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	3
4	2	1	—	1	—	1	5	2		1	—	—	—	3	—	—	—	2	2	1	1	4
5	—	—	—	—	—	—	1	—		—	—	—	—	—	—	—	—	—	—	—	—	5
6	2	7	—	—	—	—	—	—		—	—	1	—	—	—	—	1	5	1	—	—	6
7	3	5	—	—	1	—	—	—		1	—	—	1	—	—	—	2	2	2	—	—	7
8	2	5	—	—	—	1	—	—		—	1	—	—	1	1	—	—	—	1	—	—	8
9	—	—	—	—	—	—	—	—		—	—	—	—	1	—	1	—	—	1	—	—	9
10	13	11	—	—	5	1	4	2		3	10	12	8	15	9	5	6	12	12	2	3	10
11	1	—	—	—	—	1	—	1		1	—	1	2	—	2	1	1	2	5	—	—	11
12	2	3	—	—	—	1	1	—		—	2	2	2	4	—	—	3	3	1	—	—	12
13	16	34	1	2	5	3	—	—		4	7	4	6	10	9	8	15	23	15	1	3	13
14	1	—	—	—	—	—	—	—		—	1	1	—	—	—	1	—	1	1	—	—	14
15	—	1	—	—	—	1	—	—		—	—	—	1	1	1	1	—	3	4	—	—	15
16	15	35	1	2	3	11	2	4		8	5	6	5	14	16	9	6	25	29	3	3	16
17	10	17	—	1	3	2	1	3		2	3	3	4	4	12	5	4	16	12	3	2	17
18	6	14	1	1	2	3	—	—		3	1	5	7	12	1	3	1	21	8	2	1	18
19	4	5	—	—	1	—	—	—		—	—	3	—	1	1	2	—	5	4	—	—	19
20	4	8	1	1	4	3	—	1		1	4	6	4	16	10	1	—	32	26	5	6	20
21	1	1	—	—	—	—	—	—		—	—	—	1	—	2	1	1	—	2	—	—	21
21A	4	—	—	—	3	3	—	—		1	—	—	—	—	—	—	—	1	2	—	—	21A
22	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	22
23	12	5	1	1	—	—	—	1		1	1	2	—	—	—	4	6	10	9	4	—	23
24	—	2	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	2	—	—	24
25	—	1	—	—	2	1	1	1		—	—	—	—	—	—	—	—	—	1	—	—	25
26	4	11	4	3	4	1	—	—		2	1	4	2	4	5	1	5	24	15	3	2	26
27	4	5	1	—	2	—	—	—		—	—	—	1	6	1	—	—	16	4	4	—	27
28	3	—	—	—	1	—	—	—		2	—	—	1	1	—	2	—	2	—	—	—	28
29	56	83	9	8	20	16	7	7		14	11	28	20	36	32	21	18	65	54	9	8	29
	2	—	—	—	1	—	—	—		—	—	—	—	1	—	—	—	2	—	1	—	29

KENT—cont.

Causes of Death.	East Ashford R.D.		Eastry R.D.		Elham R.D.		Faversham R.D.		Holling-bourne R.D.		Hoo R.D.		Isle of Thanet R.D.		Maidstone R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	95	75	91	82	49	36	99	86	87	73	35	21	75	70	108	109	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	1	—	1	1	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	1	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	2	1	—	2	1	—	1	1	1	1	—	—	—	2	1	2	6
6 Diphtheria and croup	—	—	—	1	2	—	—	—	—	—	—	—	1	1	—	—	7
7 Influenza	—	—	—	—	1	1	3	1	—	—	2	—	4	—	1	2	8
8 Erysipelas	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	7	5	6	7	4	—	5	4	4	6	2	2	6	8	5	12	10
10 Tuberculous meningitis	—	—	—	1	—	—	1	—	—	1	—	—	—	1	—	—	11
11 Other tuberculous diseases	1	1	1	4	—	1	1	2	2	—	—	—	2	1	3	4	12
12 Cancer, malignant disease	12	11	6	10	7	3	7	7	7	12	1	2	5	3	7	8	13
13 Rheumatic fever... ..	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	14
14 Meningitis	2	—	—	—	—	1	—	—	—	2	2	—	—	—	2	1	15
15 Organic heart disease ...	15	10	10	10	3	3	6	4	12	7	2	2	4	5	13	10	16
16 Bronchitis	3	3	7	4	—	2	9	8	2	3	4	4	2	1	4	5	17
17 Pneumonia (all forms) ...	5	3	5	2	—	—	5	6	6	—	6	—	2	1	7	5	18
18 Other respiratory diseases	1	—	—	2	2	1	3	1	2	—	—	—	2	—	3	5	19
19 Diarrhoea, &c. (under 2 yrs.)	1	1	3	1	1	1	4	4	3	1	—	1	6	5	8	8	20
20 Appendicitis and typhlitis	1	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—	21
21 Cirrhosis of liver	1	—	—	—	1	—	1	—	—	1	1	—	1	—	2	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	—	—	6	2	1	2	—	4	3	4	—	1	2	1	3	1	23
23 Puerperal fever	—	—	—	—	—	1	—	—	—	1	—	2	—	—	—	2	24
24 Parturition, apart from 23	—	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	25
25 Congenital debility, &c.	8	4	4	4	—	1	9	7	2	4	1	1	5	3	6	6	26
26 Violence, apart from 27	1	2	6	1	1	—	2	1	6	1	4	—	6	2	1	3	27
27 Suicide	1	—	3	—	1	—	1	—	—	—	—	—	—	—	2	—	28
28 Other defined diseases ...	34	32	34	28	23	18	39	33	36	26	7	6	24	34	38	33	29
29 Causes ill-defined or unknown.	—	—	—	3	—	—	1	—	—	2	1	—	1	1	1	1	29

KENT—cont.

Causes of Death.	Malling R.D.		Milton R.D.		Romney Marsh R.D.		Sevenoaks R.D.		Sheppey R.D.		Strood R.D.		Tenterden R.D.		Tonbridge R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	157	147	76	69	17	12	145	108	32	23	108	89	38	25	102	112	1
1 Enteric fever	1	—	—	1	—	—	—	—	—	—	3	1	—	—	1	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	3	9	5	3	—	—	1	1	—	—	9	6	—	—	1	4	4
4 Scarlet fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	—	—	—	—	4	1	—	—	2	3	—	—	1	3	6
6 Diphtheria and croup	—	—	1	—	—	—	2	1	—	—	—	3	—	—	2	2	7
7 Influenza	—	4	—	1	—	—	4	3	—	—	1	1	—	1	—	—	8
8 Erysipelas	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	9	10	2	2	—	1	11	10	3	2	9	7	1	3	7	4	10
10 Tuberculous meningitis	—	1	1	—	1	—	2	—	1	—	1	1	—	—	1	1	11
11 Other tuberculous diseases	2	4	—	1	1	—	4	1	—	1	2	3	1	—	3	1	12
12 Cancer, malignant disease	14	14	7	4	—	1	16	11	—	—	4	10	1	3	12	13	13
13 Rheumatic fever... ..	1	1	—	—	1	—	—	2	—	—	—	—	—	—	—	—	14
14 Meningitis	3	2	—	—	—	—	—	—	—	—	—	1	1	—	—	2	15
15 Organic heart disease ...	11	19	3	5	1	2	11	17	1	—	9	4	5	6	9	23	16
16 Bronchitis	7	9	4	—	—	2	3	8	4	3	8	4	2	2	6	4	17
17 Pneumonia (all forms) ...	6	5	4	1	—	—	9	3	2	3	4	3	1	—	3	5	18
18 Other respiratory diseases	2	1	3	—	—	—	3	3	—	—	2	2	1	—	1	—	19
19 Diarrhoea, &c. (under 2 yrs.)	20	15	6	4	1	—	3	1	2	3	7	8	1	—	2	6	20
20 Appendicitis and typhlitis	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1	21
21 Cirrhosis of liver	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	6	2	9	10	2	1	3	3	2	—	2	—	4	—	2	6	23
23 Puerperal fever	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	1	—	—	—	—	—	—	—	—	—	2	—	—	—	1	25
25 Congenital debility, &c.	6	7	5	11	1	—	9	7	—	3	6	6	4	—	5	2	26
26 Violence, apart from 27	11	1	3	3	1	—	7	2	4	—	9	2	—	1	7	1	27
27 Suicide	1	1	1	—	1	—	—	1	—	1	5	—	1	—	1	—	28
28 Other defined diseases ...	47	39	22	22	7	4	46	29	13	6	25	20	13	8	36	32	29
29 Causes ill-defined or unknown.	6	—	—	—	—	1	4	2	—	—	—	1	1	—	1	1	29

ADMINISTRATIVE AREAS, 1911—continued.

KENT—cont.

LANCASHIRE.

	West Ashford R.D.				Abram U.D.		Acerington M.B.		Addington U.D.		Allerton U.D.		Ashton in Makerfield U.D.		Ashton under Lyne M.B.		Aspull U.D.		Atherton U.D.		Audenshaw U.D.		
	M	F			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	52	53			67	47	355	359	22	22	4	3	181	144	432	380	84	62	168	139	65	45	1
2	—	1			1	—	4	4	—	—	—	—	3	4	3	2	9	3	2	1	1	—	2
3	—	—			4	2	4	4	—	3	—	—	5	4	17	14	4	4	3	—	2	—	3
4	—	—			—	—	2	3	—	—	—	—	4	4	—	2	—	—	—	1	—	—	4
5	—	—			3	1	13	15	—	—	—	—	1	2	1	2	—	—	—	1	1	—	5
6	—	—			1	—	2	7	1	—	—	—	3	—	2	2	2	—	2	2	1	—	6
7	—	2			—	—	—	2	—	—	1	—	1	—	—	2	—	—	1	—	1	—	7
8	—	—			—	—	1	2	1	—	—	—	1	—	1	1	—	1	—	—	—	—	8
9	3	3			—	4	22	17	3	1	—	—	10	7	37	23	2	1	6	10	3	2	9
10	—	—			—	—	3	1	1	—	—	—	2	1	4	5	—	1	2	4	—	1	10
11	—	2			—	1	9	3	—	—	—	—	4	3	10	6	—	1	4	4	2	1	11
12	3	10			5	—	17	30	—	2	1	—	5	9	20	28	—	2	2	5	5	1	12
13	—	—			2	—	5	1	—	—	—	—	—	1	3	3	—	—	1	1	—	—	13
14	1	1			1	—	3	3	1	—	—	—	2	2	7	2	—	—	4	1	2	—	14
15	10	4			2	5	31	34	1	2	—	1	6	10	28	40	6	—	7	16	3	8	15
16	—	2			4	3	26	32	—	—	—	—	14	13	37	32	6	2	12	10	9	4	16
17	3	—			7	2	34	19	2	4	—	—	31	16	29	24	8	9	19	10	3	6	17
18	1	1			1	—	8	2	—	—	—	—	2	2	10	6	—	2	2	3	2	—	18
19	1	1			3	8	18	27	1	1	—	—	27	17	47	33	24	14	21	19	2	4	19
20	—	—			—	—	2	—	1	—	—	—	—	—	3	1	—	—	1	2	—	—	20
21	—	—			—	—	3	2	—	—	—	—	—	—	4	2	—	—	—	2	—	—	21
21A	1	—			—	—	1	—	—	—	—	—	—	1	1	2	—	—	—	—	—	—	21A
22	1	2			2	2	12	10	1	—	—	2	4	1	13	8	—	—	3	2	2	2	22
23	—	—			—	2	—	—	—	—	—	—	—	—	—	1	—	1	—	2	—	—	23
24	—	1			—	—	—	1	—	—	—	—	—	3	—	1	—	—	—	1	—	—	24
25	2	3			5	—	14	18	1	3	—	—	12	10	23	30	11	5	8	5	3	2	25
26	1	2			13	2	9	9	2	1	1	—	5	—	17	4	5	1	29	8	3	3	26
27	3	—			—	—	3	4	—	—	—	—	—	—	3	1	—	—	2	1	—	—	27
28	22	18			12	14	105	106	6	4	1	—	37	32	111	103	7	13	37	28	20	10	28
29	—	—			1	1	4	3	—	1	—	—	2	—	1	—	—	2	—	—	—	1	29

LANCASHIRE—cont.

	Bacup M.B.		Barrowford U.D.		Billinge U.D.		Birkdale U.D.		Bispham with Norbreck U.D.		Blackrod U.D.		Brierfield U.D.		Carnforth U.D.		Chadderton U.D.		Childwall U.D.		Chorley M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	182	160	29	28	35	43	102	138	11	19	30	24	44	56	19	19	238	224	2	—	246	260	1
2	3	1	—	—	—	—	1	—	—	1	3	—	—	2	1	—	—	2	—	—	1	1	2
3	—	—	2	3	—	1	—	2	—	1	1	1	—	—	1	—	7	8	—	—	10	11	3
4	—	—	—	—	4	1	—	—	—	—	—	—	—	—	—	—	1	2	—	—	6	11	4
5	1	6	—	—	1	2	3	2	—	—	—	2	—	1	—	—	1	8	—	—	1	—	5
6	3	3	—	—	—	—	3	—	—	1	—	—	—	—	—	—	1	—	—	—	7	4	6
7	3	1	—	—	—	—	2	—	—	—	1	—	—	—	—	—	1	—	—	—	1	3	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	8
9	13	7	2	3	1	2	9	4	—	—	1	1	5	2	1	2	18	13	—	—	17	13	9
10	4	3	—	—	1	—	—	3	—	—	—	1	—	1	—	1	4	5	—	—	1	1	10
11	2	4	—	1	—	—	2	2	—	—	—	—	—	2	—	1	4	1	—	—	4	3	11
12	4	8	—	3	—	—	10	13	—	2	—	2	1	2	1	1	13	17	1	—	9	11	12
13	—	2	—	—	—	—	—	2	—	—	—	—	1	—	—	—	1	3	—	—	—	—	13
14	4	5	1	1	1	2	2	1	—	—	—	—	1	2	—	—	2	3	—	—	5	3	14
15	12	14	6	4	2	2	10	22	—	1	4	4	1	4	2	1	28	30	1	—	25	26	15
16	24	10	2	3	5	7	5	12	—	—	1	2	3	5	—	—	13	15	—	—	11	17	16
17	21	12	3	—	2	3	5	6	—	1	3	—	6	1	—	—	21	14	—	—	29	17	17
18	3	—	1	—	2	—	3	1	—	1	—	—	—	1	1	1	3	—	—	—	3	6	18
19	3	2	2	2	3	5	6	10	3	—	2	3	5	5	2	—	20	15	—	—	23	16	19
20	1	—	1	—	—	1	—	1	—	—	—	1	—	1	—	—	2	1	—	—	—	—	20
21	1	—	—	—	—	—	1	2	—	1	—	—	1	—	—	1	2	—	—	—	1	3	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	21A
22	7	3	—	1	2	—	6	—	—	1	—	—	—	5	—	1	9	14	—	—	3	5	22
23	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	1	23
24	—	5	—	1	—	1	—	3	—	—	—	—	—	1	—	1	—	1	—	—	—	2	24
25	12	7	2	1	3	6	8	3	—	1	1	2	1	4	2	—	13	13	—	—	21	28	25
26	7	3	—	—	1	1	1	2	1	1	—	—	4	1	1	—	10	1	—	—	10	2	26
27	2	1	1	—	—	—	2	1	—	—	—	—	1	—	—	—	1	1	—	—	4	1	27
28	51	60	6	5	7	8	23	45	5	6	12	4	10	16	7	5	59	56	—	—	51	71	28
29	1	3	—	—	—	1	—	1	1	1	—	—	—	—	—	2	3	1	—	—	2	4	29

LANCASHIRE—*cont.*

Causes of Death.				Church U.D.		Clayton le Moors U.D.		Clitheroe M.B.		Colne M.B.		Crompton U.D.		Croston U.D.		Dalton in Furness U.D.		Darwen M.B.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES ...				73	57	66	66	94	90	186	214	112	124	10	14	116	69	307	332	
1	Enteric fever	—	—	—	—	—	—	4	1	—	1	—	—	1	—	2	1	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	4	2	12	13	5	1	—	—	1	—	14	16	3
4	Scarlet fever	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2	1	4
5	Whooping cough	3	2	1	1	—	—	1	3	1	—	—	—	1	3	1	1	5
6	Diphtheria and croup	—	—	1	—	1	2	3	2	4	1	—	1	2	1	1	6	6
7	Influenza	—	—	1	—	1	—	1	1	—	—	—	—	—	2	1	3	7
8	Erysipelas	—	—	1	—	—	—	—	—	—	—	—	—	3	—	1	—	8
9	Pulmonary tuberculosis	7	2	5	4	9	7	10	8	8	1	1	1	7	4	11	24	9
10	Tuberculous meningitis	—	—	1	1	1	1	1	1	—	1	—	—	—	—	1	—	10
11	Other tuberculous diseases	1	3	1	—	—	3	6	3	2	2	—	—	4	1	—	5	11
12	Cancer, malignant disease	6	5	2	7	4	7	7	13	4	11	—	1	3	5	13	24	12
13	Rheumatic fever...	1	—	—	—	—	1	2	2	2	2	—	—	—	1	2	1	13
14	Meningitis	1	—	3	2	1	—	1	1	1	1	—	—	1	3	4	1	14
15	Organic heart disease	6	5	6	10	5	7	15	22	13	14	1	3	13	3	28	32	15
16	Bronchitis	8	4	2	2	8	5	14	8	5	11	—	—	13	7	20	26	16
17	Pneumonia (all forms)	6	5	9	11	3	1	17	9	9	6	—	1	9	3	23	27	17
18	Other respiratory diseases	1	1	—	—	2	2	2	1	1	2	1	—	1	1	5	3	18
19	Diarrhœa, &c. (under 2 yrs.)	4	5	2	1	9	7	13	15	7	12	—	—	5	3	20	16	19
20	Appendicitis and typhlitis	—	—	—	—	—	1	—	5	—	1	—	—	1	—	3	2	20
21	Cirrhosis of liver	—	—	2	—	1	1	2	2	1	—	—	—	1	—	—	2	21
21A	Alcoholism	—	1	—	—	1	—	1	—	—	—	—	—	—	—	1	—	21A
22	Nephritis and Bright's dis.	1	3	2	2	2	5	5	3	6	5	1	1	3	1	7	8	22
23	Puerperal fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	23
24	Parturition, apart from 23	—	—	—	1	—	1	—	3	—	—	—	1	—	3	—	3	24
25	Congenital debility, &c.	6	7	6	5	5	9	13	14	13	8	—	2	3	4	30	10	25
26	Violence, apart from 27	4	1	—	1	1	1	4	4	2	—	—	—	4	—	11	2	26
27	Suicide	1	2	—	1	1	—	1	1	1	1	—	—	3	—	9	3	27
28	Other defined diseases	16	11	21	17	34	25	47	78	27	41	6	3	38	23	92	112	28
29	Causes ill-defined or un- known.	1	—	—	—	1	1	3	1	—	2	—	—	—	—	5	2	29

LANCASHIRE—*cont.*

Causes of Death.				Denton U.D.		Droylsden U.D.		Eccles M.B.		Failsworth U.D.		Farnworth U.D.		Fleetwood U.D.		Formby U.D.		Fulwood U.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES ...				130	127	117	100	306	287	139	161	244	250	128	104	32	31	35	49	
1	Enteric fever	—	1	3	—	3	3	—	—	5	4	—	—	—	—	1	1	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	2	4	5	3	1	6	3	6	5	5	—	—	—	—	—	—	3
4	Scarlet fever	—	—	—	—	1	1	—	—	3	1	2	—	—	—	2	—	4
5	Whooping cough	1	—	1	1	2	—	—	2	—	—	1	2	—	—	—	—	5
6	Diphtheria and croup	—	1	—	5	3	1	—	1	—	2	2	2	1	—	—	2	6
7	Influenza	—	—	—	—	3	3	—	—	2	1	—	—	—	1	—	1	7
8	Erysipelas	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	6	4	14	11	30	17	6	11	10	14	5	7	—	5	2	1	9
10	Tuberculous meningitis	3	5	1	—	4	3	1	1	1	1	1	—	—	—	—	—	10
11	Other tuberculous diseases	1	1	2	1	2	4	8	1	4	6	3	2	—	—	—	1	11
12	Cancer, malignant disease	5	9	11	7	19	29	3	10	9	13	6	9	3	1	2	6	12
13	Rheumatic fever...	—	2	—	—	1	2	1	3	—	1	—	—	1	—	—	—	13
14	Meningitis	—	2	1	—	3	1	2	5	2	2	2	—	1	—	—	—	14
15	Organic heart disease	11	15	9	10	17	25	9	16	14	12	10	8	3	2	5	4	15
16	Bronchitis	7	8	10	5	21	14	11	10	16	22	9	8	2	—	1	4	16
17	Pneumonia (all forms)	10	8	8	2	23	16	14	11	27	19	17	10	3	1	3	3	17
18	Other respiratory diseases	3	1	2	—	3	7	4	3	5	2	6	1	—	1	2	3	18
19	Diarrhœa, &c. (under 2 yrs.)	13	7	7	7	27	25	17	12	46	41	17	14	1	1	1	—	19
20	Appendicitis and typhlitis	—	—	—	1	4	1	—	—	1	—	—	1	—	1	—	—	20
21	Cirrhosis of liver	4	1	—	1	3	2	—	1	1	1	2	—	—	—	—	—	21
21A	Alcoholism	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	5	4	2	4	10	9	4	2	3	5	—	1	—	4	3	—	22
23	Puerperal fever	—	1	—	1	—	1	—	1	—	—	—	—	—	1	—	—	23
24	Parturition, apart from 23	—	1	—	1	—	3	—	3	—	4	—	1	—	—	—	—	24
25	Congenital debility, &c.	11	9	10	4	21	19	6	14	21	14	5	10	3	2	—	1	25
26	Violence, apart from 27	4	1	5	3	13	5	9	4	7	10	8	—	1	1	1	1	26
27	Suicide	3	1	—	1	8	2	5	2	1	1	2	1	1	—	1	—	27
28	Other defined diseases	41	40	24	32	80	85	36	41	58	67	28	27	13	9	9	21	28
29	Causes ill-defined or un- known.	—	—	2	—	3	3	—	—	2	2	2	—	—	—	2	—	29

ADMINISTRATIVE AREAS, 1911—continued.

LANCASHIRE—cont.

	Golborne U.D.		Grange U.D.		Great Crosby U.D.		Great Harwood U.D.		Haslingden M.B.		Haydock U.D.		Heaton Norris U.D.		Heysham U.D.		Heywood M.B.		Hindley U.D.		Horwich U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	86	59	12	12	71	61	85	82	135	152	79	81	40	76	20	15	220	243	214	192	102	85	1
2	3	—	—	—	—	—	2	—	—	—	—	1	—	—	—	—	1	—	4	2	—	1	2
3	—	2	—	—	1	—	—	—	1	3	3	3	—	—	—	—	1	1	2	2	—	—	3
4	—	—	—	—	1	—	—	—	—	2	1	2	—	1	—	—	2	—	3	1	1	—	4
5	4	1	—	—	1	2	—	—	1	2	1	—	1	1	—	—	1	1	—	1	—	—	5
6	3	1	—	—	3	—	—	—	—	1	2	—	1	—	—	—	—	2	8	3	1	1	6
7	—	—	1	1	—	—	—	4	2	1	1	—	1	1	—	—	—	—	2	—	1	1	7
8	1	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	1	—	—	1	1	1	8
9	2	3	—	2	3	1	6	4	14	6	4	5	5	2	2	—	18	12	12	8	9	8	9
10	—	1	—	1	1	1	—	—	—	3	1	—	—	1	—	1	6	5	2	1	—	2	10
11	1	1	1	—	1	2	1	3	1	4	—	3	—	1	—	—	6	8	11	2	1	—	11
12	3	1	1	1	7	5	5	5	—	11	1	6	1	13	1	—	12	20	8	16	8	6	12
13	1	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	2	1	—	—	—	—	13
14	1	—	—	—	—	2	4	—	—	1	3	3	—	1	—	1	1	1	4	4	2	—	14
15	2	4	4	1	6	2	6	12	12	23	2	4	2	3	3	6	17	25	15	5	7	5	15
16	7	5	—	—	2	3	5	7	8	6	2	6	—	8	2	1	19	20	17	13	5	5	16
17	7	3	1	—	4	6	6	10	14	8	5	4	5	4	1	1	13	12	25	19	10	4	17
18	2	—	—	1	1	1	2	—	3	1	—	2	2	1	—	—	2	5	2	—	1	1	18
19	20	12	—	—	3	3	6	3	11	11	11	13	3	4	—	—	19	25	20	21	6	7	19
20	1	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	1	2	1	1	—	—	20
21	1	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	1	1	1	—	1	—	21
21A	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	21A
22	—	1	1	1	2	3	3	2	3	2	1	1	1	3	—	—	—	6	3	15	4	4	22
23	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	2	—	—	—	1	23
24	—	—	—	—	—	—	—	1	—	1	—	3	—	1	—	—	—	1	—	5	—	1	24
25	4	6	1	1	6	4	4	6	9	12	13	9	1	1	1	1	12	11	18	16	5	10	25
26	6	1	—	1	3	—	2	—	7	1	4	1	2	1	—	—	5	2	13	4	8	3	26
27	—	—	—	—	1	1	2	1	2	1	1	—	—	—	—	—	3	2	—	—	1	—	27
28	16	16	2	2	24	22	27	21	45	46	18	13	15	28	7	4	65	77	43	48	30	23	28
29	—	—	—	—	—	1	1	2	—	5	2	1	—	—	3	—	6	1	—	3	—	1	29

LANCASHIRE—cont.

	Hurst U.D.		Huyton with Roby U.D.		Ince in Makerfield U.D.		Irlam U.D.		Kearsley U.D.		Kirkham U.D.		Lancaster M.B.		Lathom and Burscough U.D.		Lees U.D.		Leigh M.B.		Leyland U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	69	81	22	22	239	239	53	31	74	95	44	50	284	257	65	50	33	45	452	407	47	68	1
2	1	1	—	—	2	2	—	—	1	—	—	2	—	—	—	—	1	—	6	2	1	—	2
3	6	5	—	1	16	14	1	1	2	2	3	3	7	9	1	—	1	—	9	13	2	1	3
4	—	—	—	—	—	1	—	—	—	—	—	—	3	4	—	1	1	—	2	2	3	—	4
5	—	—	—	—	10	14	—	—	—	—	—	—	—	—	—	—	1	1	3	8	—	—	5
6	—	—	1	—	1	1	1	—	—	1	1	—	—	1	4	—	2	9	4	1	1	—	6
7	1	—	—	—	3	—	1	—	—	—	1	—	1	—	—	—	—	—	—	2	1	—	7
8	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	1	2	—	—	8
9	5	4	—	—	8	10	3	1	10	9	4	5	40	15	7	3	2	2	37	26	1	6	9
10	1	—	—	—	1	4	1	1	—	2	—	—	3	1	1	—	—	—	5	4	—	—	10
11	2	2	1	—	5	5	—	2	—	1	2	1	5	1	1	2	2	3	7	8	2	—	11
12	—	7	3	2	3	4	1	1	3	7	—	5	12	22	5	4	3	1	17	7	1	5	12
13	—	—	—	—	—	2	—	—	—	1	—	—	—	—	1	—	—	—	1	4	—	—	13
14	3	—	—	—	3	4	1	—	—	—	—	—	2	3	1	—	—	2	12	2	1	1	14
15	4	9	1	4	7	11	3	—	1	9	2	5	21	23	7	5	4	7	20	25	5	7	15
16	9	11	—	3	26	25	—	4	10	7	2	3	24	22	3	5	1	1	41	43	4	4	16
17	6	4	3	—	33	25	9	1	3	7	4	5	25	7	3	2	—	2	35	32	1	7	17
18	1	2	1	—	5	2	1	—	—	—	—	—	5	7	1	—	—	1	5	6	5	4	18
19	4	5	1	2	27	31	7	1	13	9	4	—	9	13	4	4	4	5	78	66	2	3	19
20	1	1	—	1	3	1	—	—	1	—	—	—	2	2	—	—	1	—	3	1	—	—	20
21	—	—	—	—	1	1	—	1	—	—	—	1	1	—	—	—	—	—	2	2	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	21A
22	1	2	1	1	6	10	4	—	2	—	1	3	10	9	1	2	—	1	11	14	2	5	22
23	—	—	—	—	—	2	—	1	—	2	—	—	—	2	—	1	—	—	—	4	—	1	23
24	—	1	—	—	—	—	—	—	—	2	—	—	—	4	—	—	—	2	—	2	—	2	24
25	4	3	—	1	14	14	5	2	4	8	1	3	14	13	6	1	4	2	36	27	5	1	25
26	2	2	2	—	16	3	3	1	2	1	—	1	11	3	3	1	—	1	29	7	1	—	26
27	—	1	2	—	1	—	—	—	1	—	1	—	3	1	1	—	—	—	1	1	—	—	27
28	18	20	6	7	43	49	12	14	21	27	18	12	82	93	16	15	7	11	80	90	8	19	28
29	—	1	1	—	5	3	—	—	—	—	—	1	—	2	—	—	1	1	2	3	1	1	29

LANCASHIRE—cont.

Causes of Death.		Litherland U.D.		Little- borough U.D.		Little Crosby U.D.		Little Hulton U.D.		Little Lever U.D.		Little Woolton U.D.		Longridge U.D.		Lytham U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	123	116	84	96	2	1	61	63	39	39	5	7	27	44	59	55	1
1 Enteric fever	...	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	1	2
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	...	3	2	—	—	—	—	—	—	1	3	—	—	2	2	2	1	4
4 Scarlet fever	...	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	5
5 Whooping cough	...	3	6	—	—	—	—	—	1	—	—	—	—	—	—	—	—	6
6 Diphtheria and croup	...	1	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	7
7 Influenza	...	—	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	8
8 Erysipelas	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	...	5	2	3	5	—	—	8	4	1	3	—	1	3	5	5	3	10
10 Tuberculous meningitis	...	1	1	—	2	—	—	1	1	1	—	—	—	—	1	—	—	11
11 Other tuberculous diseases	...	2	3	1	1	—	—	2	3	1	1	—	—	1	—	1	—	12
12 Cancer, malignant disease	...	5	9	3	8	—	—	—	6	2	2	2	1	—	5	3	8	13
13 Rheumatic fever...	...	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	14
14 Meningitis	...	3	1	—	—	—	—	1	—	—	—	—	—	1	—	1	1	15
15 Organic heart disease	...	4	6	12	16	—	—	4	6	—	1	—	2	4	7	8	6	16
16 Bronchitis	...	14	9	7	7	—	—	2	4	1	7	—	—	—	—	2	2	17
17 Pneumonia (all forms)	...	14	15	8	2	1	—	5	5	5	—	—	—	3	6	3	4	18
18 Other respiratory diseases	...	1	1	1	2	—	—	1	1	—	2	—	—	—	—	1	2	19
19 Diarrhoea, &c. (under 2 yrs.)	...	15	13	2	3	—	—	10	5	5	3	—	—	—	—	1	—	20
20 Appendicitis and typhlitis	...	1	2	1	—	—	—	—	—	—	—	—	1	—	1	—	—	21
21 Cirrhosis of liver	...	—	—	1	—	—	—	—	—	1	—	—	—	—	—	2	—	21A
21A Alcoholism	...	1	—	—	—	—	—	—	—	—	1	—	—	—	—	1	1	22
22 Nephritis and Bright's dis.	...	4	2	5	4	—	—	5	1	—	3	1	—	2	—	—	—	23
23 Puerperal fever	...	—	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	24
24 Parturition, apart from 23	...	—	—	—	4	—	—	—	—	—	—	—	1	—	1	—	1	25
25 Congenital debility, &c.	...	9	11	8	2	—	—	3	7	3	1	—	—	1	4	1	4	26
26 Violence, apart from 27	...	10	5	1	—	1	—	4	1	2	1	—	—	2	1	1	1	27
27 Suicide	...	—	2	1	—	—	—	—	—	1	—	—	—	1	—	—	—	28
28 Other defined diseases	...	26	22	30	37	—	1	14	16	15	11	2	1	7	9	24	19	29
29 Causes ill-defined or un-known.	...	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	

LANCASHIRE—cont.

Causes of Death.		Middleton M.B.		Milnrow U.D.		More- cambe M.B.		Mossley M.B.		Much Woolton U.D.		Nelson M.B.		Newton in Maker- field U.D.		Norden U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	226	238	63	73	101	114	91	108	38	30	202	199	139	141	17	25	1
1 Enteric fever	...	—	—	—	—	—	—	1	1	—	—	1	1	—	—	—	—	2
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	...	10	7	2	3	2	—	—	1	—	1	8	9	3	4	—	—	4
4 Scarlet fever	...	3	3	—	—	—	—	—	—	1	1	—	—	—	—	1	—	5
5 Whooping cough	...	8	8	—	—	—	—	—	1	1	—	2	1	3	3	—	—	6
6 Diphtheria and croup	...	1	—	—	—	—	—	—	—	—	—	—	1	—	3	1	—	7
7 Influenza	...	1	—	1	—	4	3	2	1	1	—	—	1	2	—	—	—	8
8 Erysipelas	...	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	...	15	16	8	4	9	6	6	9	4	3	17	15	11	10	1	2	10
10 Tuberculous meningitis	...	3	6	—	—	—	1	—	1	1	—	1	3	—	1	—	1	11
11 Other tuberculous diseases	...	5	—	1	—	—	2	—	1	1	1	3	7	3	2	1	—	12
12 Cancer, malignant disease	...	5	11	6	8	9	9	3	10	5	2	15	22	10	8	—	3	13
13 Rheumatic fever...	...	3	—	—	1	—	1	—	—	—	—	2	1	—	1	—	—	14
14 Meningitis	...	2	2	—	—	—	—	—	—	—	—	3	2	2	3	—	—	15
15 Organic heart disease	...	19	26	7	10	10	13	6	16	4	6	30	15	10	10	—	5	16
16 Bronchitis	...	21	19	3	4	7	4	7	11	4	1	13	20	13	7	1	1	17
17 Pneumonia (all forms)	...	17	9	3	4	7	3	10	9	3	1	11	5	19	23	—	—	18
18 Other respiratory diseases	...	3	1	—	2	5	3	1	1	—	1	—	5	—	—	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	...	17	24	3	6	4	7	—	2	1	3	10	11	24	14	—	1	20
20 Appendicitis and typhlitis	...	1	2	—	1	1	—	2	—	—	—	—	1	—	—	—	—	21
21 Cirrhosis of liver	...	2	—	—	—	1	1	3	1	—	—	1	—	1	1	—	—	21A
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	...	12	8	4	4	1	3	6	7	—	—	4	6	1	4	2	1	23
23 Puerperal fever	...	—	2	—	1	—	2	—	1	—	—	—	3	—	3	—	—	24
24 Parturition, apart from 23	...	—	3	—	—	—	1	—	—	—	—	—	2	—	—	—	—	25
25 Congenital debility, &c.	...	21	6	4	3	3	4	7	8	3	1	13	6	8	12	3	1	26
26 Violence, apart from 27	...	12	6	2	2	4	4	6	5	2	—	4	5	5	1	—	—	27
27 Suicide	...	—	1	1	—	—	—	2	—	—	—	1	1	1	—	—	—	28
28 Other defined diseases	...	43	75	17	20	32	46	28	22	7	8	57	56	23	30	6	9	29
29 Causes ill-defined or un-known.	...	1	3	1	—	2	1	—	—	—	1	6	—	—	1	1	—	

ADMINISTRATIVE AREAS, 1911—continued.

LANCASHIRE—cont.

	Ormskirk U.D.		Orrell U.D.		Oswald- twistle U.D.		Padiham U.D.		Poulton le Fylde U.D.		Preesall U.D.		Prescot U.D.		Prestwich U.D.		Radcliffe U.D.		Rainford U.D.		Rams- bottom U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	71	60	52	47	113	108	125	109	17	8	11	9	73	50	98	126	225	205	29	20	106	99	1
2	1	—	2	—	—	2	—	1	—	—	—	—	—	—	1	1	1	1	—	—	2	—	2
3	2	1	3	2	1	1	3	3	—	—	—	—	3	2	3	2	4	5	—	—	4	1	3
4	—	—	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	3	—	—	—	3	4
5	2	3	—	—	2	1	3	5	—	—	—	—	—	1	1	—	6	4	2	—	—	1	5
6	—	1	—	—	1	4	1	4	—	—	—	—	—	—	1	1	—	3	—	—	2	—	6
7	2	—	—	1	2	—	1	1	—	—	—	—	1	—	1	1	1	1	—	—	—	—	7
8	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	9	7	2	5	6	5	4	13	—	1	—	—	7	7	7	11	13	8	—	3	9	8	9
10	—	—	—	—	—	—	2	—	—	—	1	—	2	—	—	—	3	1	—	—	1	2	10
11	2	1	2	3	1	—	2	—	1	—	—	—	4	—	1	3	2	2	3	2	2	3	11
12	2	4	2	2	4	9	2	5	2	—	—	1	4	7	3	13	7	12	3	—	7	9	12
13	—	—	—	—	1	—	—	1	—	—	—	—	—	—	2	—	—	—	—	—	—	1	13
14	—	1	—	—	3	2	—	2	—	—	—	—	2	1	—	3	3	1	3	—	—	2	14
15	5	6	4	4	12	8	10	10	—	—	1	2	3	3	1	13	18	18	—	3	4	14	15
16	3	5	5	3	13	7	7	8	2	—	—	—	5	1	4	5	23	21	3	2	8	7	16
17	8	4	6	5	14	6	11	4	—	—	2	—	10	1	9	4	9	14	2	2	12	7	17
18	—	2	1	2	1	2	2	1	—	—	—	—	—	—	3	1	5	5	—	—	—	—	18
19	7	2	5	5	6	5	11	9	—	—	—	—	8	6	10	3	13	12	3	3	5	3	19
20	—	—	1	—	1	—	1	1	—	—	—	—	—	—	—	—	2	1	—	—	—	—	20
21	1	1	1	1	—	1	—	1	—	—	1	—	1	—	1	1	2	—	—	—	2	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	2	—	1	5	4	6	5	1	1	—	1	6	2	7	3	8	3	—	—	7	4	22
23	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	23
24	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	3	—	2	—	—	—	—	24
25	2	4	3	2	5	8	10	5	2	—	2	2	—	7	8	7	14	13	—	—	9	3	25
26	3	1	4	—	7	3	1	1	—	—	1	—	3	1	3	1	11	2	4	—	4	1	26
27	1	—	—	—	1	—	1	1	—	—	—	—	2	—	1	—	3	—	—	—	—	—	27
28	20	14	10	10	27	36	41	26	8	6	3	3	12	10	32	47	78	70	6	4	26	30	28
29	—	—	—	—	—	2	5	1	1	—	—	—	—	—	—	2	3	3	—	1	2	—	29

LANCASHIRE—cont.

	Rawten- stall M.B.		Rishton U.D.		Royton U.D.		St. Anne's on the Sea U.D.		Skelmers- dale U.D.		Standish with Langtree U.D.		Stretford U.D.		Swinton and Pendle- bury U.D.		Thornton U.D.		Tottington U.D.		Trawden U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	242	219	39	34	156	163	60	54	78	58	55	53	236	237	266	251	37	38	39	47	21	27	1
2	1	—	—	—	—	—	—	1	7	4	1	1	4	1	5	5	1	—	—	—	—	—	2
3	2	3	1	1	2	1	—	1	2	—	5	3	1	3	4	5	—	—	—	1	—	—	3
4	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	2	2	—	1	2	—	—	4
5	1	1	2	—	4	1	—	—	—	—	—	—	2	7	3	—	—	—	—	—	—	—	5
6	—	3	—	1	—	1	1	—	1	—	—	2	2	—	5	5	—	1	—	—	—	1	6
7	3	3	—	—	1	2	2	—	—	—	—	1	1	2	7	3	—	—	—	2	—	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2	—	—	—	1	1	—	8
9	17	21	4	4	8	3	1	1	4	1	5	1	16	20	18	19	1	1	3	4	2	—	9
10	1	1	—	—	1	1	—	1	—	—	—	3	2	—	9	4	—	—	—	—	—	—	10
11	4	6	—	—	4	3	—	2	3	—	—	—	6	2	7	15	—	1	—	—	1	—	11
12	11	13	6	4	17	8	6	7	2	2	1	3	17	25	13	13	6	5	4	4	—	2	12
13	3	4	—	—	—	2	—	—	—	—	—	—	2	3	1	4	—	—	—	1	—	1	13
14	1	3	1	—	2	3	1	—	—	—	2	1	—	1	2	3	—	—	—	—	—	1	14
15	21	11	2	1	14	16	6	11	2	3	5	8	19	31	21	9	2	3	6	5	2	2	15
16	16	19	1	3	16	18	3	3	6	6	2	3	13	15	21	14	2	5	3	1	1	4	16
17	26	16	5	4	14	13	—	3	7	5	8	6	20	9	30	26	2	—	—	2	3	1	17
18	2	2	1	—	3	2	3	—	1	—	1	—	3	1	5	—	1	1	—	—	—	1	18
19	15	8	3	3	14	17	2	2	12	7	3	—	18	12	32	23	2	—	3	2	2	—	19
20	1	1	1	—	1	—	1	2	—	—	—	—	—	4	1	1	1	1	2	1	—	—	20
21	5	1	1	1	1	1	1	1	—	1	—	—	1	2	2	—	1	—	—	—	—	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	21A
22	8	12	—	—	8	5	6	—	2	3	—	—	7	10	4	4	2	—	2	2	1	—	22
23	—	—	—	—	—	3	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	23
24	—	3	—	1	—	2	—	1	—	4	—	1	—	1	—	2	—	1	—	—	—	—	24
25	18	12	1	1	12	12	4	2	6	5	8	4	22	14	21	20	1	6	2	2	1	2	25
26	9	3	—	—	3	2	3	—	3	—	3	3	13	5	16	3	—	1	1	1	1	—	26
27	3	3	1	1	1	1	1	—	—	—	—	1	—	2	3	1	2	1	—	—	1	—	27
28	69	70	9	9	25	44	19	15	21	15	12	9	63	66	48	56	11	9	12	16	4	11	28
29	5	—	—	—	4	2	—	1	—	1	—	2	1	—	—	—	1	2	—	1	—	—	29

LANCASHIRE—cont.

Causes of Death.			Turton U.D.		Tyldesley with Shakerley U.D.		Ulverston U.D.		Upholland U.D.		Urmston U.D.		Walton le Dale U.D.		Wardle U.D.		Waterloo with Sea- forth U.D.		
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	70	72	143	124	59	89	41	34	44	36	64	79	50	45	150	196	1
1 Enteric fever	—	—	6	3	—	—	2	—	—	—	—	1	—	—	—	1	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	3	1	—	—	2	1	—	—	4	—	—	—	3	2	4
4 Scarlet fever	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	5
5 Whooping cough	1	—	1	—	1	4	—	1	—	—	—	—	1	1	5	5	6
6 Diphtheria and croup	—	—	2	1	—	—	—	—	2	1	—	1	—	—	—	1	7
7 Influenza	—	—	—	—	—	1	—	1	—	—	1	—	1	1	1	2	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	5	3	7	9	11	6	—	2	3	1	4	7	3	4	15	14	10
10 Tuberculous meningitis	—	—	—	—	—	1	—	—	—	2	—	2	—	—	1	—	11
11 Other tuberculous diseases	1	1	5	4	—	—	—	1	2	1	2	2	1	3	1	2	12
12 Cancer, malignant disease	5	7	7	7	3	8	—	—	3	4	2	7	4	5	9	12	13
13 Rheumatic fever	—	—	2	—	—	—	1	1	—	—	—	2	—	—	3	3	14
14 Meningitis	2	2	3	—	1	2	3	1	2	—	1	1	—	1	2	4	15
15 Organic heart disease	8	10	8	7	6	6	3	1	4	4	5	8	4	1	12	15	16
16 Bronchitis	4	7	7	7	5	8	1	2	2	1	9	6	4	1	6	18	17
17 Pneumonia (all forms)	12	8	22	14	2	3	2	2	—	1	2	6	3	3	19	12	18
18 Other respiratory diseases	1	1	—	—	—	—	—	—	3	2	1	2	—	—	3	5	19
19 Diarrhoea, &c. (under 2 yrs.)	3	1	11	9	6	6	7	3	7	—	9	5	—	2	11	14	20
20 Appendicitis and typhlitis	—	—	1	1	1	—	—	—	—	—	—	1	—	—	1	—	21
21 Cirrhosis of liver	1	—	2	—	—	—	—	—	1	2	—	—	—	—	—	3	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	1	1	4	5	3	1	1	1	1	1	1	3	3	2	3	3	23
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	6	—	3	—	—	—	—	—	—	—	—	—	2	25
25 Congenital debility, &c.	4	2	16	7	2	5	3	6	1	1	7	3	6	3	6	16	26
26 Violence, apart from 27	4	1	6	4	1	1	2	—	3	—	1	1	—	—	7	5	27
27 Suicide	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	2	28
28 Other defined diseases	18	28	29	39	16	33	11	11	10	13	15	21	17	16	40	54	29
29 Causes ill-defined or un- known.	—	—	1	—	—	1	2	—	—	—	—	—	2	1	2	1	29

LANCASHIRE—cont.

Causes of Death.			West- houghton U.D.		Whitefield U.D.		Whit- worth U.D.		Widnes M.B.		Withnell U.D.		Worsley U.D.				Barton upon Irwell R.D.		
			M	F	M	F	M	F	M	F	M	F	M	F			M	F	
ALL CAUSES	356	110	51	44	64	90	328	248	33	20	82	99			62	59	1
1 Enteric fever	—	3	—	—	1	1	8	8	—	—	1	—			1	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—			—	—	3
3 Measles	2	1	3	3	1	—	—	2	—	—	2	3			—	—	4
4 Scarlet fever	5	3	—	—	—	—	1	—	—	—	—	—			—	—	5
5 Whooping cough	—	1	—	—	3	5	1	4	1	—	1	1			—	—	6
6 Diphtheria and croup	1	—	—	—	1	1	2	1	—	—	2	—			1	—	7
7 Influenza	—	4	—	—	1	—	8	1	2	1	1	1			—	—	8
8 Erysipelas	—	2	—	—	1	1	1	—	—	—	—	—			—	—	9
9 Pulmonary tuberculosis	4	4	4	1	3	9	19	15	1	1	6	6			6	1	10
10 Tuberculous meningitis	1	—	1	—	2	3	—	1	—	—	3	5			2	—	11
11 Other tuberculous diseases	2	3	—	2	—	1	7	3	1	—	2	2			—	2	12
12 Cancer, malignant disease	2	6	1	1	5	13	7	10	1	2	8	7			2	8	13
13 Rheumatic fever	—	2	—	1	1	1	2	—	—	—	—	—			—	1	14
14 Meningitis	2	1	—	—	2	—	15	4	1	1	1	1			—	—	15
15 Organic heart disease	3	9	7	4	10	9	9	9	6	5	3	12			4	5	16
16 Bronchitis	11	6	3	5	1	4	26	11	1	—	5	8			3	5	17
17 Pneumonia (all forms)	17	15	6	2	1	2	35	27	2	—	6	5			9	5	18
18 Other respiratory diseases	3	1	—	—	4	1	6	2	1	—	1	1			—	2	19
19 Diarrhoea, &c. (under 2 yrs.)	10	7	5	5	1	—	62	46	1	—	5	9			8	2	20
20 Appendicitis and typhlitis	—	—	—	—	—	1	1	—	1	1	2	—			1	1	21
21 Cirrhosis of liver	—	—	—	—	—	—	—	3	—	—	—	1			—	1	21A
21A Alcoholism	—	—	—	—	—	—	1	—	—	—	—	—			—	—	22
22 Nephritis and Bright's dis.	3	1	3	1	9	5	6	—	—	—	5	5			3	—	23
23 Puerperal fever	—	1	—	—	—	—	—	3	—	1	—	—			—	—	24
24 Parturition, apart from 23	—	—	—	—	—	1	—	4	—	—	—	2			—	2	25
25 Congenital debility, &c.	9	7	2	5	4	17	17	2	1	4	3	—			2	1	26
26 Violence, apart from 27	249*	1	2	—	2	2	13	2	3	1	3	—			2	1	27
27 Suicide	—	1	1	—	1	2	4	1	—	—	1	—			1	—	28
28 Other defined diseases	32	29	11	14	9	24	74	70	9	6	20	27			17	22	29
29 Causes ill-defined or un- known.	—	2	2	—	—	—	3	4	—	—	—	—			—	—	29

* Pretoria Mine Accident.

ADMINISTRATIVE AREAS, 1911—continued.

LANCASHIRE—cont.

[In thous.]	Blackburn R.D.		Burnley R.D.		Bury R.D.		Chorley R.D.		Clitheroe R.D.		Fylde R.D.		Garstang R.D.		Lancaster R.D.		Leigh R.D.		Lime- hurst R.D.		Lunesdale R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	68	60	115	126	66	52	159	161	54	40	76	58	64	55	44	53	68	83	89	80	29	35	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2
3	—	1	2	1	1	—	4	2	—	—	2	—	—	—	—	—	1	—	4	3	—	1	3
4	—	—	1	—	1	1	2	3	—	—	—	—	—	—	—	—	2	1	—	—	—	—	4
5	1	—	3	2	—	—	1	—	—	—	2	3	—	—	—	—	1	2	—	—	—	—	5
6	2	—	2	—	3	1	2	4	1	—	—	1	—	1	—	—	1	1	2	1	—	1	6
7	—	—	—	—	—	1	1	1	1	—	—	—	—	1	1	1	—	—	—	—	1	1	7
8	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	8
9	4	4	4	8	3	1	6	7	5	7	2	2	3	4	1	2	4	5	3	5	3	1	9
10	—	1	1	—	—	2	1	—	—	—	—	1	2	—	—	—	—	—	1	1	—	—	10
11	1	1	—	2	—	—	6	4	—	—	—	1	3	1	—	—	2	1	1	1	1	—	11
12	4	8	4	9	2	6	7	14	2	7	7	6	4	3	4	10	1	8	8	8	1	8	12
13	—	1	1	—	—	—	1	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	13
14	—	—	1	3	—	—	2	3	—	—	—	—	—	—	1	—	—	1	—	—	—	—	14
15	7	5	11	17	6	8	15	9	7	2	8	5	9	5	6	8	5	4	9	6	3	2	15
16	4	3	8	8	6	2	11	12	2	2	8	2	3	1	4	4	5	4	3	8	1	1	16
17	6	6	11	6	6	3	15	16	3	1	6	4	6	5	2	1	4	8	5	4	3	3	17
18	—	1	1	1	2	1	2	3	1	—	1	—	2	—	2	—	—	—	3	1	2	—	18
19	1	2	5	5	7	4	8	14	—	—	4	3	3	—	2	1	15	15	8	3	—	—	19
20	1	—	—	—	—	—	1	1	—	—	—	1	1	—	—	1	2	—	1	—	2	1	20
21	1	—	1	2	1	—	4	1	—	—	1	1	1	—	1	—	—	—	2	1	—	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	21A
22	2	—	6	3	1	3	5	3	3	1	—	—	2	6	—	2	—	5	4	1	1	1	22
23	—	1	—	1	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—	—	23
24	—	—	—	1	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—	1	—	—	24
25	7	2	8	14	5	2	8	10	3	4	5	2	3	7	1	2	3	3	11	3	2	—	25
26	4	2	8	3	3	2	8	6	3	—	1	—	3	1	4	—	5	—	5	4	—	1	26
27	1	—	1	—	—	—	2	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	27
28	21	19	34	36	18	14	44	42	21	13	27	18	17	15	12	20	13	25	18	27	6	12	28
29	1	2	1	1	—	—	2	2	1	—	—	2	2	2	2	1	—	—	—	—	2	—	29

LEICESTERSHIRE—cont.

Causes of Death.			Hinckley U.D.		Lough- borough M.B.		Market Har- borough U.D.		Melton Mowbray U.D.		Quorndon U.D.		Shepshed U.D.		Thur- maston U.D.		Wigston Magna U.D.		
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	92	93	163	149	61	52	72	51	14	10	41	45	21	20	46	61	1
1 Enteric fever	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	1	3	9	5	—	—	—	—	—	—	2	—	—	—	—	—	4
4 Scarlet fever	2	9	1	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	6
6 Diphtheria and croup	1	—	1	3	2	—	—	—	—	—	—	—	—	—	—	—	7
7 Influenza	3	1	—	1	—	—	2	—	—	—	—	—	—	—	1	—	8
8 Erysipelas	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	7	3	16	11	5	4	4	4	2	1	7	7	2	1	1	4	10
10 Tuberculous meningitis	—	1	1	2	—	—	—	—	—	—	2	1	1	1	—	1	11
11 Other tuberculous diseases	2	2	4	5	1	2	1	2	—	—	1	1	1	1	1	1	12
12 Cancer, malignant disease	4	4	6	14	4	8	2	6	—	—	3	2	3	1	1	7	13
13 Rheumatic fever...	1	—	—	2	—	—	—	—	—	—	—	—	1	—	—	1	14
14 Meningitis	—	1	—	1	—	—	—	1	—	—	2	—	—	—	—	1	15
15 Organic heart disease	7	13	22	18	9	6	3	4	1	—	6	2	1	2	3	6	16
16 Bronchitis	—	7	11	3	3	2	6	1	2	1	2	3	1	—	5	7	17
17 Pneumonia (all forms)	4	—	16	9	5	4	4	3	1	—	1	—	—	1	3	1	18
18 Other respiratory diseases	2	1	—	4	1	—	1	—	1	—	—	—	—	—	—	1	19
19 Diarrhoea, &c. (under 2 yrs.)	9	8	11	9	2	2	14	7	3	1	2	1	1	1	6	6	20
20 Appendicitis and typhlitis	1	—	1	—	4	—	1	—	—	—	—	—	—	—	—	—	21
21 Cirrhosis of liver	2	—	1	1	—	2	1	—	—	—	—	1	—	1	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	—	2	2	1	2	1	—	2	—	—	—	—	—	1	1	—	23
23 Puerperal fever	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	24
24 Parturition, apart from 23	—	—	—	2	—	1	—	1	—	—	1	—	—	—	—	—	25
25 Congenital debility, &c.	12	5	10	8	3	1	6	3	—	1	3	3	3	2	5	4	26
26 Violence, apart from 27	3	1	2	3	2	4	4	—	1	1	1	1	—	1	6	5	27
27 Suicide	1	—	1	1	1	—	2	1	1	—	—	1	—	—	1	—	28
28 Other defined diseases	28	29	48	43	16	14	20	14	3	4	15	16	8	6	12	15	29
29 Causes ill-defined or un- known.	1	1	—	2	—	1	—	—	—	—	—	—	—	—	—	—	

LEICESTERSHIRE—cont.

Causes of Death.			Ashby de la Zouch R.D.		Barrow upon Soar R.D.		Belvoir R.D.		Billesdon R.D.		Blaby R.D.		Castle Doning- ton R.D.		Hallaton R.D.		
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	101	110	163	147	24	23	70	36	125	110	66	31	14	13	1
1 Enteric fever	—	—	—	1	—	—	1	—	—	2	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	2	2	1	—	—	—	3
3 Measles	—	—	—	—	—	—	—	—	1	1	—	1	—	—	4
4 Scarlet fever	—	1	2	1	—	—	—	—	4	3	1	1	—	—	5
5 Whooping cough	—	1	2	4	—	—	—	—	—	1	—	—	—	—	6
6 Diphtheria and croup	3	2	—	1	—	—	—	—	—	1	—	—	—	—	7
7 Influenza	—	2	—	1	—	—	2	—	—	1	6	1	—	—	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	7	3	14	17	1	—	3	2	9	8	6	2	1	1	10
10 Tuberculous meningitis	1	—	6	—	—	—	1	—	1	1	1	—	—	—	11
11 Other tuberculous diseases	—	1	6	1	—	—	2	1	1	1	—	—	—	—	12
12 Cancer, malignant disease	8	4	8	7	3	3	8	4	11	9	—	1	2	3	13
13 Rheumatic fever...	—	—	1	1	—	—	—	—	—	—	—	—	—	—	14
14 Meningitis	1	1	2	2	—	—	—	—	1	—	1	—	—	—	15
15 Organic heart disease	6	8	14	14	4	6	5	4	6	14	11	3	1	1	16
16 Bronchitis	6	3	5	6	1	1	9	6	6	5	1	1	—	—	17
17 Pneumonia (all forms)	9	5	9	5	1	1	7	—	7	2	7	4	2	—	18
18 Other respiratory diseases	4	2	4	—	—	—	—	—	3	3	—	—	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	7	13	14	12	—	1	1	1	4	3	3	—	1	1	20
20 Appendicitis and typhlitis	—	1	1	—	1	—	1	—	2	1	—	—	—	—	21
21 Cirrhosis of liver	—	1	—	2	—	—	—	—	2	—	—	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	—	1	4	6	1	—	2	1	8	3	—	—	2	—	23
23 Puerperal fever	—	—	—	1	—	—	—	1	—	1	—	—	—	—	24
24 Parturition, apart from 23	—	3	—	2	—	—	—	1	—	—	—	1	—	—	25
25 Congenital debility, &c.	9	10	8	8	—	—	3	2	4	9	4	2	—	—	26
26 Violence, apart from 27	7	4	8	3	—	—	2	1	2	3	3	1	—	—	27
27 Suicide	2	1	2	2	—	—	1	—	2	1	1	—	—	—	28
28 Other defined diseases	30	42	50	49	12	11	23	11	50	36	18	13	5	6	29
29 Causes ill-defined or un- known.	1	1	3	1	—	—	—	—	—	—	2	—	—	1	

ADMINISTRATIVE AREAS, 1911—continued.
LEICESTERSHIRE—cont.

LINCOLNSHIRE (PARTS OF HOLLAND).

		Hinckley R.D.		Lough- borough R.D.		Lutter- worth R.D.		Market Bosworth R.D.		Market Har- borough R.D.		Melton Mowbray R.D.				Boston M.B.		Holbeach U.D.		Long Sutton U.D.		Spalding U.D.			
		M	F	M	F	M	F	M	F	M	F	M	F			M	F	M	F	M	F	M	F		
1		80	69	42	25	64	71	164	126	38	38	94	80			163	152	45	33	24	29	72	86		
2		—	—	—	1	—	—	—	—	—	—	—	—			1	—	—	—	—	—	—	—		
3		—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—		
4		2	1	—	—	—	—	—	—	—	—	—	—			—	2	—	—	—	—	—	—		
5		1	1	—	—	—	1	—	1	—	—	—	—			—	—	—	—	—	—	—	—		
6		—	1	—	—	2	—	2	1	1	—	1	1			6	4	3	1	—	—	—	1		
7		—	—	2	—	1	1	—	3	—	1	1	—			2	3	—	1	—	—	—	—		
8		—	1	—	—	—	—	1	1	—	—	—	—			—	1	—	—	—	—	—	—		
9		9	13	5	3	4	4	10	5	—	4	5	6			10	11	2	—	—	2	3	5		
10		1	—	—	—	1	—	—	1	2	2	—	1			3	1	—	1	—	—	—	4		
11		2	3	—	—	1	1	3	1	—	—	—	3			—	2	1	1	—	—	1	4		
12		2	5	5	3	6	5	8	16	1	6	5	7			10	13	6	3	3	—	3	9		
13		—	—	—	—	—	—	—	1	—	1	—	—			—	—	—	—	—	—	—	—		
14		—	—	—	1	—	1	3	2	—	—	—	1			1	—	—	—	—	1	1	1		
15		5	9	3	4	8	7	11	11	5	6	9	8			12	12	4	5	3	1	11	16		
16		8	4	3	2	3	5	15	7	1	—	6	4			11	7	1	1	1	3	4	9		
17		9	4	1	—	3	3	7	7	1	1	3	5			6	5	2	1	2	2	5	4		
18		—	2	—	—	—	1	3	1	1	—	7	3			2	3	—	1	—	—	3	1		
19		2	2	2	—	1	2	10	10	3	—	3	2			15	16	8	1	2	3	5	2		
20		—	1	—	—	1	1	—	—	—	—	—	1			—	—	—	—	—	1	—	—		
21		1	—	1	—	—	—	2	—	—	—	—	—			—	—	—	—	—	—	—	—		
21A		—	—	—	—	—	—	—	—	1	—	—	—			1	—	1	—	—	—	—	—		
22		—	2	1	—	2	3	3	3	—	1	2	1			1	3	1	1	—	2	—	2		
23		—	—	—	—	—	—	—	—	—	—	—	1			—	1	—	—	—	—	—	—		
24		—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—		
25		4	3	3	2	3	3	15	9	1	—	4	5			14	12	2	5	4	2	6	5		
26		2	—	2	—	2	2	15	4	4	2	5	2			7	2	—	1	1	—	3	—		
27		—	2	—	—	—	—	2	3	—	—	—	1			—	—	1	—	—	—	—	—		
28		32	11	14	9	26	31	50	31	17	14	42	26			60	51	13	10	8	11	25	23		
29		—	2	—	—	—	—	—	3	—	—	1	1			1	—	—	—	—	1	—	—		

LINCOLNSHIRE (PARTS OF HOLLAND)—cont.

LINCOLNSHIRE (PARTS OF KESTEVEN).

		Sutton Bridge U.D.				Boston R.D.		Crowland R.D.		East Elloe R.D.		Spalding R.D.				Bourne U.D.		Brace- bridge U.D.		Grantham M.B.		Rusking- ton U.D.			
		M	F			M	F	M	F	M	F	M	F			M	F	M	F	M	F	M	F		
1		9	10			150	150	20	17	66	63	82	72			27	24	10	11	134	114	4	6		
2		—	—			2	—	—	—	—	—	—	—			—	—	—	—	1	—	—	—		
3		—	—			1	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—		
4		—	—			—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—		
5		—	—			2	3	—	—	3	1	3	1			—	—	—	—	2	7	—	—		
6		—	—			—	1	—	1	—	—	—	—			—	—	—	—	3	2	—	—		
7		—	—			—	2	—	—	—	—	2	1			—	—	—	—	—	—	—	—		
8		—	—			—	—	—	—	—	—	—	—			—	—	—	—	—	1	—	—		
9		2	—			7	8	2	1	4	2	3	4			2	—	—	1	14	8	—	1		
10		—	—			2	3	1	—	3	—	2	—			—	—	—	—	—	2	—	—		
11		—	—			—	1	1	—	3	—	2	3			—	—	—	—	1	2	—	—		
12		—	4			8	16	—	1	8	6	2	8			2	2	1	—	10	13	—	2		
13		—	—			—	1	—	—	—	—	—	—			—	—	1	—	1	—	—	—		
14		—	—			3	2	—	—	—	1	—	1			—	—	—	—	—	—	—	—		
15		1	—			16	15	1	1	3	10	7	6			4	5	—	—	10	10	1	1		
16		—	—			6	8	3	1	1	3	4	7			2	2	—	3	11	9	1	—		
17		1	—			9	5	—	—	9	4	6	3			—	1	1	—	7	6	—	—		
18		—	—			2	—	—	—	—	—	1	1			1	—	—	—	2	1	—	—		
19		—	—			9	9	2	2	2	5	2	1			2	2	—	1	5	5	—	—		
20		—	—			2	—	—	—	—	—	—	—			—	—	—	—	1	—	—	—		
21		—	—			3	2	—	1	—	—	1	—			—	—	—	—	—	—	—	—		
21A		—	—			—	—	—	—	1	—	—	—			—	—	—	—	—	—	—	—		
22		—	1			6	3	—	—	2	1	4	5			3	—	—	—	3	2	—	—		
23		—	—			—	1	—	—	—	1	—	—			—	—	—	—	—	—	—	—		
24		—	—			—	2	—	—	—	2	—	—			—	—	—	—	—	2	—	—		
25		—	—			8	8	1	2	—	—	—	—			3	2	1	1	10	5	—	—		
26		1	—			9	1	1	—	1	—	4	8			1	—	1	—	5	2	1	—		
27		1	—			2	1	—	—	—	—	2	—			—	—	—	—	2	2	—	—		
28		3	5			53	57	7	7	22	23	28	27			7	9	4	4	46	35	1	2		
29		—	—			—	1	1	—	1	2	1	1			—	1	1	—	—	—	—	—		

LINCOLNSHIRE (PARTS OF KESTEVEN)—cont.

Causes of Death.			Sleaford		Stamford				Bourne		Branston		Claypole		Grantham		Sleaford		
			U.D.		M.B.				R.D.		R.D.		R.D.		R.D.		R.D.		
			M	F	M	F			M	F	M	F	M	F	M	F	M	F	
ALL CAUSES ...			40	41	67	51			105	105	98	95	61	53	92	73	121	116	1
1	Enteric fever ...		1	—	—	—			—	—	—	—	—	—	—	—	1	1	2
2	Small-pox ...		—	—	—	—			—	—	—	—	—	—	—	—	—	—	3
3	Measles ...		—	—	—	1			—	1	—	—	—	—	—	—	—	—	4
4	Scarlet fever ...		—	—	1	—			1	1	—	—	—	—	—	—	1	—	5
5	Whooping cough ...		—	—	—	—			1	—	—	2	—	2	5	1	2	—	6
6	Diphtheria and croup ...		2	—	—	—			1	—	—	—	—	—	1	1	2	—	7
7	Influenza ...		—	—	—	—			3	1	2	—	—	3	—	—	3	4	8
8	Erysipelas ...		—	—	—	—			—	—	—	—	—	—	—	—	—	1	9
9	Pulmonary tuberculosis		1	4	8	3			5	5	5	7	6	2	2	7	9	8	10
10	Tuberculous meningitis		—	—	1	1			1	—	—	1	—	—	—	—	—	—	11
11	Other tuberculous diseases		2	—	—	—			2	—	4	—	—	2	1	1	1	—	12
12	Cancer, malignant disease		—	3	5	5			9	16	7	8	7	6	6	5	11	11	13
13	Rheumatic fever...		—	—	—	—			2	—	—	—	—	—	—	—	—	—	14
14	Meningitis ...		1	—	—	1			—	3	1	1	—	—	—	—	—	—	15
15	Organic heart disease ...		5	6	6	5			7	14	12	5	4	7	5	12	8	11	16
16	Bronchitis ...		5	6	1	2			6	9	5	9	4	4	6	9	9	10	17
17	Pneumonia (all forms) ...		2	2	4	3			2	4	5	5	3	2	9	1	9	6	18
18	Other respiratory diseases		—	—	—	—			1	—	1	4	—	1	2	1	—	1	19
19	Diarrhoea, &c. (under 2 yrs.)		4	1	1	1			9	3	10	3	4	—	1	3	3	5	20
20	Appendicitis and typhlitis		—	1	—	—			1	—	—	1	—	—	1	—	—	—	21
21	Cirrhosis of liver ...		—	—	—	1			—	—	—	—	1	—	2	—	—	—	21A
21A	Alcoholism ...		—	—	1	—			—	1	—	—	1	—	—	—	—	—	22
22	Nephritis and Bright's dis.		4	2	1	2			1	6	1	1	1	—	—	2	2	3	23
23	Puerperal fever ...		—	—	—	—			—	—	—	—	—	1	—	1	—	1	24
24	Parturition, apart from 23		—	2	—	1			—	1	—	2	—	—	—	1	—	2	25
25	Congenital debility, &c....		1	1	7	3			6	8	11	3	5	2	3	5	8	8	26
26	Violence, apart from 27...		2	2	4	—			3	5	5	—	3	2	6	—	2	2	27
27	Suicide ...		—	—	2	—			1	1	1	—	1	—	3	—	—	2	28
28	Other defined diseases ...		10	9	25	22			41	26	27	43	20	19	35	23	49	39	29
29	Causes ill-defined or unknown.		—	2	—	—			2	—	1	—	1	—	4	—	1	1	29

LINCOLNSHIRE (PARTS OF KESTEVEN)—cont.

LINCOLNSHIRE (PARTS OF LINDSEY).

Causes of Death.			Uffington				Alford		Barton upon Humber		Brigg		Broughton		Brumby and Frodingham		Cleethorpe with Thruscoe		
			R.D.				U.D.		U.D.		U.D.		U.D.		U.D.		U.D.		
			M	F			M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES ...			19	7			22	13	55	39	18	29	15	9	30	11	119	133	1
1	Enteric fever ...		—	—			—	—	—	—	—	—	—	1	—	—	1	1	2
2	Small-pox.. ...		—	—			—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles ...		—	1			—	—	2	—	—	—	—	—	1	1	1	3	4
4	Scarlet fever ...		—	—			—	—	—	—	—	—	—	—	—	—	—	—	5
5	Whooping cough ...		—	—			—	—	—	—	—	—	—	—	—	—	—	1	6
6	Diphtheria and croup ...		—	1			—	—	—	—	4	1	—	—	—	—	2	2	7
7	Influenza ...		—	—			1	—	2	—	—	—	—	—	—	—	—	—	8
8	Erysipelas ...		—	—			—	—	—	—	—	—	—	—	—	—	—	—	9
9	Pulmonary tuberculosis		—	—			1	1	2	1	1	2	—	—	—	2	10	11	10
10	Tuberculous meningitis		—	—			—	1	—	1	—	—	—	—	—	—	—	2	11
11	Other tuberculous diseases		1	—			1	—	2	1	—	—	—	—	1	—	5	—	12
12	Cancer, malignant disease		5	—			1	1	3	4	1	3	—	1	—	—	8	6	13
13	Rheumatic fever...		—	—			1	—	—	1	—	—	—	—	—	—	—	—	14
14	Meningitis ...		2	—			—	—	1	1	—	1	—	—	1	—	1	1	15
15	Organic heart disease ...		1	—			—	2	7	1	1	1	2	2	4	—	9	10	16
16	Bronchitis ...		1	—			—	1	4	1	—	—	1	1	1	—	5	13	17
17	Pneumonia (all forms) ...		2	—			1	1	3	2	1	2	—	—	3	—	9	4	18
18	Other respiratory diseases		—	—			1	—	1	1	—	—	1	1	1	—	3	2	19
19	Diarrhoea, &c. (under 2 yrs.)		—	—			—	1	9	3	1	2	1	—	2	3	11	18	20
20	Appendicitis and typhlitis		—	—			—	—	—	—	—	1	2	—	—	—	—	—	21
21	Cirrhosis of liver ...		—	—			—	—	—	—	—	—	—	—	—	—	2	1	21A
21A	Alcoholism ...		—	—			—	—	—	—	—	—	—	—	—	—	—	—	22
22	Nephritis and Bright's dis.		—	—			3	—	—	1	—	—	—	1	2	—	2	2	23
23	Puerperal fever ...		—	—			—	—	—	—	—	—	—	—	—	—	—	—	24
24	Parturition, apart from 23		—	—			—	—	—	—	—	—	—	—	—	—	—	—	25
25	Congenital debility, &c....		1	—			3	1	6	4	1	1	1	—	1	—	10	14	26
26	Violence, apart from 27...		1	1			—	1	1	—	2	—	—	—	5	—	6	1	27
27	Suicide ...		—	—			—	—	2	—	—	—	1	—	1	—	1	1	28
28	Other defined diseases ...		5	4			8	2	10	17	6	15	6	2	6	5	33	40	29
29	Causes ill-defined or unknown.		—	—			1	1	—	—	—	—	—	—	1	—	—	—	29

ADMINISTRATIVE AREAS, 1911—continued.
LINCOLNSHIRE (PARTS OF LINDSEY)—cont.

	Crowle U.D.		Gains- borough U.D.		Horn- castle U.D.		Louth M.B.		Mable- thorpe U.D.		Market Rasen U.D.		Roxby cum Risby U.D.		Scun- thorpe U.D.		Skegness U.D.		Winterton U.D.		Woodhall Spa U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	25	21	118	121	33	28	86	84	11	9	18	23	4	2	87	88	19	21	14	10	10	8	1
2	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	1	—	—	—	—	—	—	—	—	—	—	—	9	16	—	—	—	—	—	—	4
5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
6	1	1	1	—	3	3	—	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	6
7	—	—	—	3	—	—	1	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	7
8	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	—	—	9	11	1	3	3	6	1	1	3	1	—	1	4	5	1	2	1	—	1	1	9
10	—	—	2	1	—	—	1	1	—	—	—	—	—	—	1	2	—	—	1	—	—	—	10
11	—	1	1	2	—	—	2	2	—	—	—	—	—	—	2	2	—	—	—	—	—	—	11
12	2	3	4	10	3	2	5	14	—	—	2	3	—	—	2	3	—	1	—	1	1	1	12
13	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	—	—	3	2	—	—	2	—	1	—	—	—	—	—	2	2	—	—	1	—	—	—	14
15	2	2	7	7	3	3	7	8	1	1	1	1	—	—	4	4	4	4	2	1	2	—	15
16	—	2	11	13	2	—	6	5	—	—	1	2	—	—	1	5	—	2	1	—	—	1	16
17	2	2	5	8	—	—	5	3	—	—	1	1	—	—	14	8	1	1	—	—	—	—	17
18	—	1	2	—	—	—	1	—	—	—	—	1	—	—	1	2	1	—	—	—	—	—	18
19	1	1	5	13	2	—	3	4	—	2	2	1	—	1	18	8	—	3	—	—	—	—	19
20	1	1	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20
21	1	—	1	1	—	—	1	—	—	1	1	—	—	—	—	—	1	—	—	—	—	—	21
21A	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	—	4	1	—	—	1	2	—	—	—	—	—	—	1	1	1	1	—	—	—	—	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	23
24	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	24
25	5	1	8	19	2	—	3	3	1	1	—	2	2	—	5	5	1	2	1	1	2	—	25
26	1	3	4	—	—	—	3	2	5	—	—	1	—	—	3	1	3	—	2	1	1	—	26
27	—	—	1	—	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—	1	27
28	9	3	41	26	16	16	36	28	2	3	7	9	1	—	18	18	6	5	3	3	3	4	28
29	—	—	3	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	29

LINCOLNSHIRE (PARTS OF LINDSEY)—cont.

	Caistor R.D.		Gains- borough R.D.		Glanford Brigg R.D.		Grimsby R.D.		Horn- castle R.D.		Isle of Axholme R.D.		Louth R.D.		Sibsey R.D.		Spilsby R.D.		Welton R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	99	59	106	119	185	187	73	65	56	98	64	44	125	128	21	22	133	148	75	78	1
2	1	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	1	1	—	1	2
3	—	—	1	2	4	5	—	—	—	—	—	—	—	—	—	1	—	—	—	—	3
4	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	4
5	1	1	1	—	—	—	—	—	—	—	1	—	4	4	—	2	1	2	1	2	5
6	1	—	2	1	1	1	—	3	—	1	—	—	1	—	—	3	1	—	1	—	6
7	1	2	3	2	3	1	3	1	1	1	—	—	1	4	—	—	1	1	—	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	6	4	7	9	15	12	3	5	3	5	2	4	—	6	2	3	10	19	4	3	9
10	1	1	—	2	2	3	1	—	—	1	1	—	—	1	2	—	2	1	—	—	10
11	1	—	1	1	5	3	1	—	1	2	—	—	1	3	—	1	2	2	1	1	11
12	3	4	8	10	13	15	3	4	7	12	2	5	7	4	1	—	10	14	3	8	12
13	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	13
14	2	1	—	—	4	1	1	1	—	1	—	—	2	—	1	—	—	1	1	1	14
15	13	9	8	8	16	17	6	6	10	7	4	5	15	16	3	4	9	18	8	9	15
16	1	2	13	6	8	10	3	1	1	6	3	—	3	4	—	1	5	13	5	5	16
17	8	3	3	1	13	10	4	4	2	3	7	1	6	8	1	—	7	5	6	5	17
18	3	—	3	1	4	5	4	—	—	—	—	—	2	1	—	—	—	3	1	—	18
19	6	1	3	6	16	13	9	9	2	2	5	3	3	5	1	—	3	—	1	5	19
20	2	—	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	1	20
21	—	—	—	2	—	1	—	—	1	1	—	1	1	—	—	—	—	—	—	—	21
21A	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	21A
22	1	1	3	5	2	4	2	—	1	2	1	—	3	1	—	—	3	1	2	—	22
23	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	23
24	—	1	—	1	—	1	—	1	—	—	—	—	—	1	—	—	—	1	—	—	24
25	8	5	8	6	12	12	6	6	5	11	3	6	5	15	1	—	12	8	3	3	25
26	1	3	3	2	8	5	5	2	1	1	3	1	16	—	1	—	4	1	3	1	26
27	—	—	1	1	3	—	—	—	—	—	—	—	2	—	—	1	2	—	2	—	27
28	38	20	37	51	52	64	21	20	19	41	32	18	50	52	7	9	57	52	33	30	28
29	1	1	—	—	2	1	—	1	1	—	—	—	2	2	1	—	1	1	1	—	29

MERIONETHSHIRE.

Causes of Death.				Bala U.D.		Barmouth U.D.		Dolgelley U.D.		Ffestiniog U.D.		Mallwyd U.D.		Towyn U.D.			
				M	F	M	F	M	F	M	F	M	F	M	F		
ALL CAUSES	15	13	10	13	25	25	93	92	7	2	31	25		
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—		1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—		2
3 Measles	—	—	—	1	—	—	9	6	—	—	—	—		3
4 Scarlet fever	—	—	—	—	1	—	1	1	—	—	—	—		4
5 Whooping cough	—	—	—	—	—	—	—	1	—	—	—	—		5
6 Diphtheria and croup	—	—	—	—	—	—	—	—	—	—	—	—		6
7 Influenza	—	—	—	1	—	1	4	3	1	1	—	—		7
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—		8
9 Pulmonary tuberculosis	1	2	2	1	5	4	9	2	1	—	4	3		9
10 Tuberculous meningitis	—	—	—	2	—	—	2	3	—	—	1	—		10
11 Other tuberculous diseases	—	—	—	—	—	—	1	2	—	—	—	—		11
12 Cancer, malignant disease	1	—	—	—	5	3	7	7	1	—	4	3		12
13 Rheumatic fever...	—	—	—	—	—	—	—	—	—	—	—	—		13
14 Meningitis	—	—	—	—	—	1	2	2	—	—	—	—		14
15 Organic heart disease	—	2	1	1	5	3	6	5	—	—	6	9		15
16 Bronchitis	—	1	—	1	—	1	1	1	—	—	1	—		16
17 Pneumonia (all forms)	—	—	2	—	4	3	12	6	—	—	1	2		17
18 Other respiratory diseases	1	—	1	—	—	—	1	3	—	—	1	—		18
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	—	—	4	6	—	—	1	—		19
20 Appendicitis and typhlitis	1	—	—	—	—	—	1	1	—	—	—	—		20
21 Cirrhosis of liver	1	—	—	—	—	—	—	—	—	—	—	—		21
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—		21A
22 Nephritis and Bright's dis.	—	1	2	4	—	—	1	3	—	—	1	—		22
23 Puerperal fever	—	—	—	—	—	—	—	1	—	—	—	—		23
24 Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	—	—		24
25 Congenital debility, &c.	3	—	—	—	—	1	4	5	—	—	—	1		25
26 Violence, apart from 27	1	—	—	—	1	1	3	3	1	—	2	—		26
27 Suicide	—	—	—	—	—	—	—	—	—	—	—	—		27
28 Other defined diseases	6	7	2	2	5	6	26	31	3	1	9	6		28
29 Causes ill-defined or unknown.	—	—	—	—	—	—	—	—	—	—	—	1		29

MERIONETHSHIRE—cont.

MIDDLESEX.

Causes of Death.				Deudraeth R.D.		Dolgelley R.D.		Edeirnion R.D.		Penllyn R.D.		Pennal C.P.*		Acton U.D.		Brentford U.D.			
				M	F	M	F	M	F	M	F	M	F	M	F	M	F		
ALL CAUSES	60	62	66	51	50	42	34	31	1	5	391	380	146	142		
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	1	3	—	—		1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—		2
3 Measles	1	3	2	1	—	—	—	—	—	—	22	23	12	15		3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	6	—	—		4
5 Whooping cough	—	—	—	—	—	—	1	—	—	—	7	11	1	2		5
6 Diphtheria and croup	—	1	—	—	4	1	—	—	—	—	5	5	1	2		6
7 Influenza	1	—	1	1	—	—	—	—	—	—	4	3	—	—		7
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	1	1	—	—		8
9 Pulmonary tuberculosis	2	5	12	5	6	6	3	1	—	—	24	29	15	8		9
10 Tuberculous meningitis	1	1	—	—	1	1	—	—	—	—	2	2	2	2		10
11 Other tuberculous diseases	2	1	—	1	—	1	—	1	—	—	6	4	—	2		11
12 Cancer, malignant disease	4	4	4	5	2	4	5	2	—	—	19	33	4	9		12
13 Rheumatic fever...	—	—	—	—	—	—	—	1	—	—	3	3	1	1		13
14 Meningitis	—	—	2	1	—	—	—	—	—	—	5	5	—	2		14
15 Organic heart disease	7	11	12	5	5	5	2	4	—	1	30	20	11	5		15
16 Bronchitis	4	1	4	3	5	1	2	2	—	1	21	31	13	11		16
17 Pneumonia (all forms)	7	1	3	6	2	1	5	4	—	1	34	18	8	8		17
18 Other respiratory diseases	4	—	1	—	3	1	1	—	—	—	6	3	2	2		18
19 Diarrhoea, &c. (under 2 yrs.)	—	2	—	—	—	2	—	—	—	—	47	42	15	13		19
20 Appendicitis and typhlitis	—	—	—	—	1	—	—	—	—	—	4	2	2	—		20
21 Cirrhosis of liver	—	—	—	1	2	—	—	—	—	—	7	1	1	3		21
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—		21A
22 Nephritis and Bright's dis.	4	5	1	2	—	1	1	2	—	—	11	4	5	6		22
23 Puerperal fever	—	2	—	—	—	—	—	1	—	—	—	—	—	2		23
24 Parturition, apart from 23	—	—	—	2	—	1	—	—	—	—	—	3	—	1		24
25 Congenital debility, &c.	3	2	1	2	—	1	4	—	—	—	37	25	10	11		25
26 Violence, apart from 27	3	—	1	1	2	1	—	—	—	—	16	7	6	—		26
27 Suicide	2	—	—	—	1	—	—	—	—	—	2	1	—	—		27
28 Other defined diseases	15	23	22	14	15	15	10	13	1	2	76	93	36	37		28
29 Causes ill-defined or unknown.	—	—	—	1	1	—	—	—	—	—	1	2	1	—		29

* Administered by Machynlleth R.D.C. (Montgomery).

ADMINISTRATIVE AREAS, 1911—*continued.*MIDDLESEX—*cont.*

	Chiswick U.D.		Ealing M.B.		Edmonton U.D.		Enfield U.D.		Feltham U.D.		Finchley U.D.		Friern Barnet U.D.		Greenford U.D.		Hampton U.D.		Hampton Wick U.D.		Hanwell U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	229	248	337	370	433	403	375	358	26	32	169	186	86	55	9	9	47	49	15	10	132	127	1
2	—	—	—	—	—	2	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2
3	4	6	12	12	18	14	13	17	—	—	1	2	1	1	—	—	—	—	—	—	7	6	3
4	2	1	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	2	—	4
5	1	5	3	3	5	10	8	12	—	—	5	5	—	1	—	—	—	—	1	—	2	1	5
6	3	5	2	2	4	4	1	4	—	—	2	2	—	—	—	—	—	—	—	—	2	2	6
7	3	2	4	4	—	3	4	2	—	—	1	4	1	—	—	—	2	1	—	—	1	3	7
8	—	1	—	—	1	—	1	1	—	1	—	—	—	—	—	—	1	—	—	—	—	1	8
9	12	18	14	24	26	24	28	19	1	2	11	14	7	2	1	—	1	3	1	—	7	6	9
10	3	1	3	1	2	5	3	1	—	—	—	3	1	—	—	—	1	—	—	—	1	1	10
11	3	6	7	6	6	7	3	—	1	—	2	3	2	—	—	—	1	—	—	—	1	3	11
12	13	18	31	45	30	29	23	26	1	2	14	18	5	6	—	2	5	6	—	2	7	7	12
13	2	3	1	2	1	—	—	2	—	—	—	1	1	—	—	—	—	—	—	—	1	—	13
14	—	1	3	4	1	3	—	2	—	—	2	—	—	—	—	—	—	3	—	—	—	—	14
15	18	29	25	30	38	32	33	29	4	1	14	21	4	5	1	—	3	5	3	2	9	10	15
16	13	18	14	25	22	23	26	30	1	2	8	8	11	3	—	—	3	—	—	2	5	8	16
17	18	20	18	14	44	27	26	18	2	—	10	6	8	3	—	—	3	1	—	—	10	9	17
18	11	6	8	5	8	6	9	1	—	—	1	5	—	1	—	—	2	—	—	—	5	3	18
19	13	10	42	23	63	75	54	37	4	5	15	10	10	9	—	1	7	7	3	—	22	14	19
20	3	1	5	1	4	2	3	2	—	—	2	3	1	—	—	1	1	1	—	—	4	1	20
21	4	5	—	2	6	4	5	3	1	1	2	1	—	—	—	—	2	—	—	1	—	—	21
21A	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	21A
22	13	6	9	17	8	7	14	7	1	1	4	7	2	2	—	—	2	1	—	—	2	6	22
23	—	1	—	3	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	23
24	—	4	—	5	—	6	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	24
25	9	14	25	13	32	27	34	15	4	7	10	8	3	2	—	1	3	3	2	1	13	6	25
26	9	—	7	6	10	8	9	9	—	—	7	4	1	—	2	2	3	—	—	1	4	2	26
27	1	—	4	—	2	1	1	4	—	—	4	—	—	1	—	—	—	—	—	1	—	—	27
28	66	66	99	121	102	84	73	111	6	10	54	59	28	17	5	2	13	13	2	2	26	35	28
29	2	—	—	2	—	—	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	29

MIDDLESEX—*cont.*

	Harrow on the Hill U.D.		Hayes U.D.		Hendon U.D.		Heston and Isleworth U.D.		Hornsey M.B.		Kingsbury U.D.		Ruislip North- wood U.D.		Southall Norwood U.D.		Southgate U.D.		Staines U.D.		Sunbury on Thames U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	79	67	40	27	218	182	305	280	377	438	2	6	29	25	123	126	154	146	47	49	38	40	1
2	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	2	1	4	1	16	14	7	3	11	10	—	—	—	—	2	5	4	—	1	—	—	1	3
4	1	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	4
5	—	—	1	—	—	3	8	9	6	9	—	—	—	—	1	—	1	1	1	1	1	2	5
6	—	—	1	—	2	5	1	4	5	1	—	—	—	—	—	1	—	2	—	—	—	—	6
7	—	—	—	—	3	2	2	1	5	8	—	—	2	—	—	—	3	5	1	—	—	—	7
8	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	1	—	1	—	—	—	—	8
9	6	2	4	3	15	13	24	26	38	20	1	—	2	—	8	8	13	10	3	1	3	2	9
10	2	—	—	—	5	1	4	4	8	5	—	1	—	—	—	2	1	—	1	1	—	—	10
11	3	—	—	—	5	2	7	2	4	3	—	—	—	—	—	3	—	2	—	1	—	—	11
12	10	15	2	4	13	22	23	19	29	71	—	—	6	2	6	10	16	6	8	6	5	4	12
13	—	—	1	—	1	2	—	2	2	3	—	—	—	—	—	—	—	—	—	—	—	1	13
14	—	—	3	—	3	2	3	1	2	6	—	1	—	—	—	2	3	2	—	1	—	—	14
15	8	8	1	2	19	12	14	20	45	35	—	—	3	6	6	7	27	14	3	6	2	6	15
16	2	4	1	1	8	12	15	16	25	26	—	—	1	3	4	5	11	5	3	4	—	—	16
17	6	3	2	2	6	7	22	15	19	25	—	—	2	2	13	7	9	4	4	2	2	—	17
18	—	—	3	—	4	1	6	9	8	6	—	—	1	—	1	—	2	1	—	—	—	1	18
19	4	1	3	3	23	5	34	38	19	19	—	1	3	2	16	17	11	8	—	3	4	7	19
20	1	—	—	—	3	2	2	3	8	3	—	—	1	—	4	—	2	3	—	—	—	—	20
21	—	—	—	—	2	1	2	1	5	5	—	—	1	1	2	3	1	2	—	1	—	1	21
21A	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	1	1	—	4	3	13	5	10	15	—	—	—	2	—	3	5	5	—	1	1	—	22
23	—	2	—	—	1	—	1	—	—	3	—	—	—	—	—	1	—	1	—	—	—	—	23
24	—	1	—	1	1	—	—	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	24
25	8	5	4	2	15	16	28	14	25	15	—	1	1	—	20	8	14	12	2	4	1	2	25
26	2	1	1	—	11	7	13	11	10	6	—	—	2	—	3	3	1	6	2	1	3	1	26
27	2	—	—	—	2	—	3	1	5	4	—	1	—	1	1	1	—	—	—	—	—	1	27
28	19	23	8	8	59	47	68	72	86	135	1	—	5	10	33	39	30	56	15	15	11	11	28
29	1	—	—	—	—	—	2	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	29

MIDDLESEX—cont.

Causes of Death.	Teddington U.D.		Tottenham U.D.		Twickenham U.D.		Uxbridge U.D.		Wealdstone U.D.		Wembley U.D.		Willesden U.D.		Wood Green U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	120	98	916	904	181	169	77	83	69	51	40	56	951	897	273	284	1
1 Enteric fever	—	—	1	2	—	—	—	—	—	—	—	1	3	1	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
3 Measles	6	3	33	38	2	5	2	6	2	—	2	1	33	19	12	8	3
4 Scarlet fever	—	—	1	—	—	2	—	—	—	—	1	—	2	3	2	—	4
5 Whooping cough	1	—	10	10	5	7	1	3	—	1	1	1	34	50	2	4	5
6 Diphtheria and croup	5	1	7	7	3	—	—	—	1	2	—	—	5	7	4	3	6
7 Influenza	1	—	2	12	3	2	—	1	1	—	1	2	11	6	3	3	7
8 Erysipelas	—	—	3	1	1	1	—	—	—	—	—	—	5	1	—	—	8
9 Pulmonary tuberculosis	2	3	95	69	23	11	8	7	5	3	1	5	75	65	21	17	9
10 Tuberculous meningitis	3	1	12	12	2	—	2	2	1	—	3	—	11	7	3	1	10
11 Other tuberculous diseases	1	1	17	12	3	3	1	1	1	1	—	—	10	11	7	2	11
12 Cancer, malignant disease	10	13	47	65	17	20	8	10	9	8	2	8	39	77	19	31	12
13 Rheumatic fever	—	—	1	3	—	—	—	—	1	—	—	—	5	3	1	—	13
14 Meningitis	1	1	6	7	2	—	1	1	—	—	—	—	11	8	3	2	14
15 Organic heart disease	9	11	71	78	11	6	5	6	2	1	6	3	63	71	17	33	15
16 Bronchitis	3	3	54	68	9	11	4	6	2	5	1	2	53	47	19	12	16
17 Pneumonia (all forms)	13	7	80	71	8	11	9	1	7	3	2	3	78	63	25	20	17
18 Other respiratory diseases	1	1	16	17	3	1	—	3	2	—	—	1	18	10	5	2	18
19 Diarrhoea, &c. (under 2 yrs.)	15	8	84	68	25	18	4	5	4	9	8	6	110	91	28	18	19
20 Appendicitis and typhlitis	—	2	10	4	1	2	1	—	1	2	—	1	7	11	4	4	20
21 Cirrhosis of liver	—	1	9	10	1	2	—	—	—	—	—	—	10	11	4	2	21
21A Alcoholism	2	—	—	1	2	—	—	—	—	—	—	—	3	—	—	—	21A
22 Nephritis and Bright's dis.	2	2	25	24	5	3	1	—	2	2	—	2	20	20	3	7	22
23 Puerperal fever	—	1	—	4	—	—	—	—	—	1	—	—	—	10	—	3	23
24 Parturition, apart from 23	—	1	—	6	—	—	—	2	—	—	—	—	—	9	—	2	24
25 Congenital debility, &c.	3	7	100	55	12	9	8	7	5	3	1	4	76	50	15	20	25
26 Violence, apart from 27	—	2	24	19	4	6	1	1	3	2	1	—	42	19	5	4	26
27 Suicide	2	—	11	7	1	1	1	1	2	—	1	2	7	2	3	1	27
28 Other defined diseases	40	28	196	232	38	47	19	20	18	8	8	14	219	223	67	84	28
29 Causes ill-defined or unknown.	—	—	1	2	—	1	1	—	—	—	—	—	1	2	—	1	29

MIDDLESEX—cont.

Causes of Death.	Yiewsley U.D.		Hendon R.D.		South Mimms R.D.		Staines R.D.		Uxbridge R.D.								
	M	F	M	F	M	F	M	F	M	F							
ALL CAUSES	23	7	—	—	57	45	12	19	131	128	60	53	—	—	—	—	1
1 Enteric fever	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	1	—	—	2	—	—	—	3	4	4	2	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	—	—	1	—	—	—	7	6	—	—	—	—	—	—	6
6 Diphtheria and croup	—	—	—	—	—	1	—	—	1	3	2	—	—	—	—	—	7
7 Influenza	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	4	—	—	—	5	2	—	2	11	6	2	1	—	—	—	—	10
10 Tuberculous meningitis	2	—	—	—	—	—	—	—	—	3	1	1	—	—	—	—	11
11 Other tuberculous diseases	—	—	—	—	1	—	—	—	—	1	1	2	—	—	—	—	12
12 Cancer, malignant disease	2	—	—	—	5	10	1	1	8	10	2	4	—	—	—	—	13
13 Rheumatic fever... ..	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—	14
14 Meningitis	—	—	—	—	1	—	—	1	3	2	1	2	—	—	—	—	15
15 Organic heart disease	—	—	—	—	6	3	2	2	9	10	3	3	—	—	—	—	16
16 Bronchitis	1	—	—	—	3	1	—	—	10	8	5	4	—	—	—	—	17
17 Pneumonia (all forms)	1	1	—	—	3	2	—	2	8	6	3	5	—	—	—	—	18
18 Other respiratory diseases	—	—	—	—	—	—	2	—	4	1	1	1	—	—	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	3	—	—	—	4	1	—	—	10	11	3	3	—	—	—	—	20
20 Appendicitis and typhlitis	1	—	—	—	3	—	1	—	2	1	—	—	—	—	—	—	21
21 Cirrhosis of liver	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	—	—	—	—	1	1	1	—	3	2	2	—	—	—	—	—	23
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 22	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	25
25 Congenital debility, &c.	4	—	—	—	5	4	1	1	11	18	6	6	—	—	—	—	26
26 Violence, apart from 27	1	1	—	—	2	1	—	—	5	1	2	3	—	—	—	—	27
27 Suicide	—	—	—	—	2	—	—	—	—	—	2	—	—	—	—	—	28
28 Other defined diseases	4	2	—	—	12	18	3	7	33	35	19	12	—	—	—	—	29
29 Causes ill-defined or unknown.	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	29

ADMINISTRATIVE AREAS, 1911—continued.

MONMOUTHSHIRE.

	Abercarn U.D.		Aber- gavenny M.B.		Aber- sychan U.D.		Aber- tillery U.D.		Bedwellty U.D.		Blaenavon U.D.		Caerleon U.D.		Chepstow U.D.		Ebbw Vale U.D.		Llanfrech- fa Upper U.D.		Llantar- nam U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	119	98	51	58	178	146	279	243	204	173	129	105	12	7	17	12	318	242	26	24	43	48	1
2	2	3	1	1	2	—	5	2	3	2	—	—	—	—	1	—	6	3	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	2	2	—	1	—	—	1	1	—	2	—	—	—	—	—	—	—	—	—	—	—	4
5	—	2	1	1	4	4	6	13	4	2	—	—	—	—	—	—	1	2	1	3	3	1	5
6	—	—	—	—	—	4	—	1	2	2	1	1	—	—	—	—	4	2	—	—	—	—	6
7	3	—	—	—	1	—	4	6	2	2	1	—	—	—	2	—	2	1	1	—	—	—	7
8	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	8
9	3	1	5	6	9	6	6	7	8	4	6	10	—	—	4	—	13	12	—	1	4	—	9
10	—	—	—	—	3	1	1	2	1	1	2	—	—	—	—	—	1	2	—	—	—	—	10
11	—	2	2	1	—	4	5	6	2	3	1	—	1	—	—	—	5	3	—	—	—	—	11
12	3	7	6	5	6	6	6	9	4	7	5	2	1	—	3	2	4	12	1	—	—	7	12
13	2	—	—	2	1	—	1	4	1	1	1	1	—	—	—	—	—	1	—	1	—	—	13
14	—	—	1	—	—	2	5	3	—	1	1	—	—	—	—	—	11	7	1	1	—	—	14
15	1	2	5	9	13	14	15	15	10	8	7	4	2	2	1	4	6	16	2	1	4	6	15
16	8	10	2	4	13	9	14	16	7	8	13	12	—	—	2	1	24	19	3	1	9	7	16
17	13	10	3	—	19	8	40	34	27	23	9	13	1	—	—	—	29	16	5	2	4	4	17
18	2	1	2	—	2	2	5	3	3	—	4	2	—	1	—	—	16	9	1	—	1	—	18
19	28	13	—	1	15	12	49	38	32	29	11	12	1	1	1	—	38	36	1	3	3	3	19
20	1	2	1	—	2	—	3	—	3	—	—	—	—	—	—	—	—	—	—	—	—	1	20
21	2	—	—	—	—	—	1	1	1	—	1	—	—	—	—	—	3	—	—	—	—	—	21
21A	—	—	—	—	1	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	2	2	3	1	5	5	2	1	1	4	—	—	—	—	—	6	9	1	1	1	1	22
23	—	—	—	1	—	—	—	1	—	2	—	1	—	—	—	—	—	3	—	—	—	—	23
24	—	2	—	1	—	2	—	4	—	4	—	1	—	—	—	—	—	2	—	—	—	—	24
25	12	10	2	1	32	16	22	17	20	22	13	10	—	1	2	—	35	16	2	4	6	7	25
26	10	1	—	1	5	7	20	7	14	3	15	4	—	—	—	—	17	5	—	1	—	1	26
27	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	27
28	27	28	13	19	45	41	63	45	51	43	31	32	6	2	2	3	94	63	7	5	8	10	28
29	2	—	2	1	2	3	2	4	2	—	—	—	—	—	—	—	2	3	—	—	—	—	29

MONMOUTHSHIRE—cont.

	Monmouth M.B.		Mynyddis- lwyn U.D.		Nantyglo and Blaina U.D.		Panteg U.D.		Pontypool U.D.		Rhymney U.D.		Risca U.D.		Tredegar U.D.		Usk U.D.			Aber- gavenny R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M	F	
1	43	38	84	68	127	99	62	46	59	47	81	88	91	91	259	190	10	16		71	65	1
2	—	—	—	—	—	2	1	—	—	—	2	—	—	—	6	2	—	—		—	—	2
3	—	1	—	—	3	1	—	1	—	—	—	—	4	5	5	2	—	—		—	—	3
4	—	—	—	—	—	—	—	—	—	2	—	—	2	1	—	2	—	—		—	—	4
5	—	—	3	2	12	21	1	—	—	—	1	—	5	1	11	6	—	—		—	—	5
6	—	—	1	—	—	1	1	1	1	—	—	—	—	1	2	2	—	—		1	—	6
7	—	—	1	—	3	1	2	—	1	—	—	—	1	2	1	2	—	—		—	1	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—		—	—	8
9	2	4	1	5	9	2	2	3	2	3	2	9	5	4	6	6	—	1		7	5	9
10	—	1	—	—	—	—	2	—	—	1	—	1	2	3	—	1	—	—		—	—	10
11	1	—	3	2	3	2	1	—	1	2	1	—	—	3	1	—	1	—		1	1	11
12	4	3	2	4	5	2	—	1	2	3	5	6	2	4	14	7	1	1		4	12	12
13	—	1	—	—	—	2	1	—	—	—	—	—	—	2	—	1	—	—		—	—	13
14	1	1	1	2	1	—	—	—	—	—	—	1	1	3	5	—	—	—		—	—	14
15	5	7	6	3	4	5	7	6	5	4	4	5	4	5	11	9	—	3		8	12	15
16	2	1	5	2	14	7	1	2	3	5	6	5	4	3	22	16	2	2		2	3	16
17	2	1	8	7	25	13	6	2	4	2	9	6	8	7	23	16	—	—		5	6	17
18	—	—	2	—	4	1	2	1	1	2	—	1	3	1	3	2	—	—		1	2	18
19	1	—	9	9	13	3	9	7	3	4	12	16	8	6	28	30	—	—		1	—	19
20	—	—	—	—	1	1	1	1	—	4	1	—	—	—	3	—	—	1		—	—	20
21	2	3	1	—	—	—	—	—	—	—	1	—	—	—	2	2	—	—		—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—		—	—	21A
22	3	1	1	3	—	3	—	1	1	—	—	3	1	3	5	1	—	—		1	—	22
23	—	—	—	1	—	—	—	1	—	—	—	2	—	3	—	1	—	—		—	—	23
24	—	—	—	1	—	3	—	—	—	—	—	2	—	2	—	5	—	—		—	3	24
25	3	—	10	8	9	9	3	4	7	4	10	7	11	7	13	14	—	1		3	2	25
26	5	1	5	1	6	1	2	—	1	—	8	2	3	3	19	1	—	—		3	1	26
27	—	—	—	—	1	—	—	—	2	—	1	—	—	—	1	—	1	—		2	—	27
28	12	13	25	16	14	19	19	15	24	11	18	20	23	22	74	61	4	7		31	17	28
29	—	—	—	2	—	—	1	—	1	—	—	—	2	—	1	2	—	—		1	—	29

CAUSES OF DEATH IN
MONTGOMERYSHIRE.

MONMOUTHSHIRE—cont.

Causes of Death.		Chepstow R.D.		Magor R.D.		Monmouth R.D.		Pontypool R.D.		St. Mellons R.D.		Llanfyllin M.B.		Llanidloes M.B.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	49	46	31	23	53	56	35	40	93	99	13	11	20	32	1
1 Enteric fever	—	—	—	—	—	1	—	—	1	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	1	—	—	1	—	—	—	—	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	1	—	—	—	—	—	1	—	—	—	—	—	—	6
6 Diphtheria and croup	—	—	—	—	—	—	—	—	—	—	—	—	1	2	7
7 Influenza	—	—	1	—	—	—	1	1	2	4	—	—	—	—	8
8 Erysipelas	1	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis		1	4	1	1	3	4	1	4	8	7	—	—	1	3	10
10 Tuberculous meningitis		—	1	—	—	—	—	1	—	—	1	—	—	—	—	11
11 Other tuberculous diseases		1	1	—	—	3	2	2	2	—	2	—	—	—	1	12
12 Cancer, malignant disease		2	3	1	4	8	8	8	1	8	7	1	1	—	3	13
13 Rheumatic fever...	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14
14 Meningitis	—	—	—	—	1	—	1	1	4	—	—	—	—	—	15
15 Organic heart disease	6	7	6	2	6	10	1	5	5	10	—	1	1	4	16
16 Bronchitis	7	5	—	1	10	3	3	3	6	8	1	2	3	1	17
17 Pneumonia (all forms)	6	—	3	—	3	3	1	3	12	5	2	—	—	—	18
18 Other respiratory diseases		—	3	1	1	—	1	1	2	1	—	—	1	—	2	19
19 Diarrhoea, &c. (under 2 yrs.)		—	1	—	2	—	—	1	1	6	10	—	—	—	1	20
20 Appendicitis and typhlitis		—	—	1	—	—	1	1	—	—	—	—	—	—	—	21
21 Cirrhosis of liver	1	—	—	—	—	—	—	—	1	—	—	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	1	1	—	—	—	—	22
22 Nephritis and Bright's dis.		4	3	—	—	4	1	—	—	3	3	1	—	—	—	23
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23		—	—	—	—	—	—	—	—	—	1	—	—	—	—	25
25 Congenital debility, &c.		3	2	1	—	—	3	3	2	7	9	3	1	2	2	26
26 Violence, apart from 27		2	—	3	—	2	—	—	—	4	1	—	—	—	—	27
27 Suicide	—	—	1	—	2	—	—	—	—	—	—	—	—	—	28
28 Other defined diseases	15	14	12	12	10	19	10	14	23	29	5	5	12	12	29
29 Causes ill-defined or un- known.		—	—	—	—	—	—	—	—	1	1	—	—	—	—	29

MONTGOMERYSHIRE—cont.

Causes of Death.		Machyn- lleth U.D.		Mont- gomery M.B.		Newtown and Llanllwch- aiarr. U.D.		Welshpool M.B.		Forden R.D.		Llanfyllin R.D.		Machyn- lleth R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	15	12	12	8	46	44	46	42	38	29	83	94	34	25	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	—	—	4	1	—	—	2	—	2	4	—	—	6
6 Diphtheria and croup	—	—	—	—	—	—	—	—	—	1	—	—	—	—	7
7 Influenza	1	—	—	—	—	—	—	—	1	—	1	3	—	—	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	1	—	9
9 Pulmonary tuberculosis		2	—	1	—	1	2	3	2	1	1	10	7	5	3	10
10 Tuberculous meningitis		—	—	—	—	—	—	1	—	—	1	1	3	—	—	11
11 Other tuberculous diseases		—	—	—	1	—	—	—	1	—	—	1	—	1	1	12
12 Cancer, malignant disease		1	2	1	1	5	2	8	2	5	3	1	6	1	1	13
13 Rheumatic fever...	...	—	—	—	—	1	—	—	—	—	—	—	—	—	—	14
14 Meningitis	—	—	—	—	1	—	—	—	—	—	1	—	1	—	15
15 Organic heart disease	—	5	—	—	2	7	2	5	6	1	12	12	9	3	16
16 Bronchitis	1	—	—	—	1	3	5	6	5	2	6	5	1	1	17
17 Pneumonia (all forms)	2	—	1	1	2	—	—	2	1	1	3	1	4	4	18
18 Other respiratory diseases		—	—	1	1	—	2	1	1	1	—	—	1	2	—	19
19 Diarrhoea, &c. (under 2 yrs.)		—	—	—	1	—	4	—	1	1	1	2	—	1	—	20
20 Appendicitis and typhlitis		—	—	—	—	—	—	1	1	—	—	—	—	—	—	21
21 Cirrhosis of liver	—	—	—	—	—	—	—	—	—	—	2	1	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.		1	—	1	—	2	1	2	1	2	1	1	—	—	2	23
23 Puerperal fever	—	—	—	—	—	—	—	1	—	—	—	1	—	—	24
24 Parturition, apart from 23		—	—	—	—	—	—	—	—	—	—	—	2	—	—	25
25 Congenital debility, &c.		—	—	1	—	3	—	4	2	—	2	3	5	2	—	26
26 Violence, apart from 27		1	—	1	—	3	1	4	1	1	1	5	1	—	—	27
27 Suicide	—	—	—	—	—	—	—	—	—	—	2	—	—	—	28
28 Other defined diseases	6	5	5	2	21	21	13	16	11	14	30	40	8	8	29
29 Causes ill-defined or un- known.		—	—	—	1	—	—	2	—	1	—	—	1	—	—	29

ADMINISTRATIVE AREAS, 1911—continued.

MONTGOMERYSHIRE—cont.

NORFOLK.

	Newtown and Llanidloes R.D.				Cromer U.D.	Diss U.D.	Downham Market U.D.	East Dereham U.D.	King's Lynn M.B.	New Hun- stanton U.D.	North Walsham U.D.	Shering- ham U.D.	Swaffham U.D.		
	M	F			M	F	M	F	M	F	M	F	M	F	
1	83	85			22	21	24	26	19	20	35	41	148	129	3
2	—	—			—	—	—	—	—	—	—	—	—	—	—
3	—	—			—	—	—	—	—	—	—	—	—	—	1
4	—	—			—	—	—	—	—	—	—	—	—	—	—
5	1	—			1	1	—	—	—	—	—	—	—	—	—
6	—	1			—	—	—	1	—	—	—	—	—	—	—
7	—	1			—	—	—	—	—	—	—	—	—	—	—
8	—	—			—	—	—	—	—	—	—	—	—	—	2
9	6	5			3	—	—	2	—	—	3	11	9	—	—
10	—	1			—	—	—	1	—	—	—	—	—	—	—
11	2	2			—	—	2	—	1	1	1	—	—	—	—
12	8	9			3	1	3	3	3	2	3	3	12	17	2
13	—	1			—	1	—	—	—	—	—	—	—	—	—
14	1	—			—	—	—	—	—	—	—	—	—	—	—
15	11	10			2	2	1	4	6	3	13	8	6	7	1
16	6	5			—	2	2	1	1	1	1	6	13	12	—
17	8	1			—	1	—	—	1	1	1	1	10	4	1
18	1	2			—	1	1	—	—	—	1	—	2	2	—
19	—	2			—	1	—	1	—	—	—	1	4	12	—
20	—	1			—	—	—	—	—	—	—	—	—	—	1
21	—	—			—	—	—	—	—	—	—	—	3	1	—
21A	—	—			—	—	—	—	—	—	—	—	—	—	—
22	—	2			1	2	2	—	—	—	1	—	4	2	—
23	—	—			—	—	—	—	—	—	—	—	—	—	—
24	—	2			—	—	—	—	—	—	—	—	—	1	—
25	9	2			3	3	—	1	1	3	—	1	9	8	—
26	1	1			—	—	1	—	2	—	—	1	10	1	—
27	2	—			2	—	—	1	—	1	—	—	2	1	—
28	27	37			6	6	12	11	4	8	12	17	57	49	6
29	—	—			1	—	—	—	—	—	—	—	1	—	—

NORFOLK—cont.

	Thetford M.B.		Walsoken U.D.		Wells U.D.			Aylsham R.D.		Blofield R.D.		Depwade R.D.		Docking R.D.		Downham R.D.		East and West Flegg R.D.		Erping- ham R.D.		
	M	F	M	F	M	F		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	36	31	39	41	18	18		107	107	92	65	124	116	107	104	132	114	66	62	100	105	
2	—	—	—	—	—	—		—	—	1	—	—	—	—	—	2	3	1	—	—	—	2
3	—	—	—	—	—	—		—	1	—	—	—	—	—	1	—	—	—	—	—	—	3
4	—	—	1	2	—	—		—	—	—	—	—	—	—	1	1	1	—	—	—	—	4
5	—	—	—	5	2	—		—	1	—	—	2	—	2	—	1	—	1	—	2	—	5
6	—	—	—	—	—	—		—	1	—	—	—	—	1	1	—	—	—	—	—	—	6
7	—	—	—	—	—	—		1	—	—	1	1	4	—	—	—	2	—	—	2	3	7
8	—	—	—	—	—	—		—	—	—	—	1	—	—	—	2	—	—	—	—	—	8
9	2	3	2	1	—	—		7	11	8	8	4	3	3	11	6	7	3	3	9	5	9
10	—	—	—	—	—	—		—	—	—	—	—	—	1	—	1	1	1	—	1	—	10
11	—	—	—	—	1	—		4	3	—	1	2	1	—	1	1	1	—	2	2	—	11
12	1	5	3	1	2	1		11	7	4	6	13	9	7	9	13	10	5	2	12	11	12
13	—	—	—	—	—	—		—	1	—	—	1	1	—	—	—	1	—	—	—	—	13
14	—	—	2	1	—	—		—	—	—	—	1	—	—	—	—	1	—	—	1	—	14
15	4	2	1	2	1	1		15	8	6	7	9	14	13	8	7	9	4	7	8	10	15
16	1	—	3	5	1	1		7	12	8	3	8	8	6	3	4	9	6	4	4	6	16
17	1	—	1	1	—	—		4	4	4	1	8	3	2	7	13	8	1	—	3	8	17
18	—	—	—	1	1	1		—	—	3	1	3	2	2	—	2	—	1	—	—	3	18
19	4	1	4	2	—	1		—	4	2	2	3	4	2	4	1	1	7	8	3	4	19
20	—	—	—	—	—	—		—	—	—	—	1	—	—	—	1	—	1	1	—	—	20
21	—	—	—	—	—	—		1	1	—	—	—	—	—	—	—	1	1	—	—	—	21
21A	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	2	—	—	1	—	1		2	3	1	1	2	2	2	1	1	2	3	3	1	1	22
23	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	1	23
24	—	1	—	—	—	—		—	—	—	—	—	—	—	1	—	4	—	1	—	—	24
25	2	1	4	3	—	—		7	6	5	4	9	9	8	6	16	14	8	6	9	6	25
26	3	1	2	—	—	—		1	1	10	—	4	1	7	3	5	2	2	—	1	3	26
27	1	—	1	—	—	—		5	—	5	1	2	1	2	1	1	—	—	—	1	—	27
28	15	16	10	18	11	12		40	42	35	29	51	51	47	47	54	37	21	25	39	44	28
29	—	1	—	1	1	—		2	1	—	—	—	1	2	—	—	—	—	—	2	—	29

NORFOLK—cont.

Causes of Death.	Forehoe R.D.		Freebridge Lynn R.D.		Henstead R.D.		King's Lynn R.D.		Loddon and Clavering R.D.		Marshland R.D.		Mitford and Launditch R.D.		St. Faith's R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	92	70	82	77	74	51	1	6	97	104	81	63	155	123	67	62	1
1 Enteric fever	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	1	2	—	—	—	1	—	—	6	4	—	—	2	3	—	2	6
6 Diphtheria and croup	—	—	1	—	1	1	—	—	1	1	—	—	—	3	1	—	7
7 Influenza	—	—	—	—	1	—	—	—	1	2	1	1	2	2	—	—	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	9
9 Pulmonary tuberculosis	5	4	7	4	3	5	—	—	2	9	6	2	8	10	2	4	10
10 Tuberculous meningitis	1	—	1	—	—	1	—	—	2	—	2	—	—	3	—	—	11
11 Other tuberculous diseases	2	—	1	2	—	—	—	—	—	1	1	1	1	2	2	—	12
12 Cancer, malignant disease	9	6	5	8	2	3	—	2	6	12	6	6	15	12	7	7	13
13 Rheumatic fever... ..	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	1	14
14 Meningitis	—	—	1	—	—	—	—	—	1	—	1	1	1	—	—	—	15
15 Organic heart disease	5	10	11	10	6	11	1	—	9	13	6	7	10	17	8	9	16
16 Bronchitis	9	7	1	3	3	1	—	—	9	7	4	7	6	5	4	6	17
17 Pneumonia (all forms)	2	—	4	1	3	2	—	1	7	2	5	3	6	4	—	—	18
18 Other respiratory diseases	3	1	—	—	—	1	—	1	2	2	2	1	3	—	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	1	2	1	—	1	—	—	—	—	1	8	1	2	4	2	1	20
20 Appendicitis and typhlitis	1	—	2	—	1	—	—	—	1	1	—	—	—	—	—	—	21
21 Cirrhosis of liver	1	1	—	1	—	—	—	—	—	—	—	—	1	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	22
22 Nephritis and Bright's dis.	2	3	2	6	3	1	—	—	3	—	1	—	5	2	3	—	23
23 Puerperal fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	25
25 Congenital debility, &c.	8	7	7	10	8	2	—	—	8	5	6	2	12	9	3	3	26
26 Violence, apart from 27	3	1	6	1	8	—	—	—	3	1	2	—	3	—	1	4	27
27 Suicide	2	1	—	—	—	—	—	—	2	1	1	—	3	1	1	1	28
28 Other defined diseases	37	25	30	31	30	16	—	2	32	37	28	31	73	43	30	22	29
29 Causes ill-defined or un- known.	—	—	2	—	3	4	—	—	1	1	—	—	2	2	1	1	29

NORFOLK—cont.

NORTHAMPTONSHIRE.

Causes of Death.	Small- burgh R.D.		Swaffham R.D.		Thetford R.D.		Walsing- ham R.D.		Wayland R.D.				Brackley M.B.		Daventry M.B.		
	M	F	M	F	M	F	M	F	M	F			M	F	M	F	
ALL CAUSES	109	89	56	41	67	56	121	114	103	84			21	20	15	26	1
1 Enteric fever	—	1	—	—	—	—	1	—	—	—			—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—			—	—	—	—	3
3 Measles	—	—	—	—	—	—	—	—	—	—			—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	1	—	—	—			3	2	—	—	5
5 Whooping cough	4	—	1	—	—	—	—	—	2	3			—	—	—	—	6
6 Diphtheria and croup	—	—	—	—	1	—	4	—	—	—			—	—	—	—	7
7 Influenza	1	1	—	—	—	—	—	3	2	1			—	—	—	—	8
8 Erysipelas	2	—	—	—	—	—	—	—	—	2			—	—	—	—	9
9 Pulmonary tuberculosis	6	6	3	3	4	4	3	6	9	4			2	4	1	2	10
10 Tuberculous meningitis	1	3	—	1	—	—	1	—	—	—			—	—	—	1	11
11 Other tuberculous diseases	1	—	—	2	2	1	2	2	2	1			1	—	—	—	12
12 Cancer, malignant disease	8	6	2	2	7	7	13	12	6	7			1	—	1	4	13
13 Rheumatic fever... ..	—	—	—	—	—	—	—	—	—	—			—	—	—	—	14
14 Meningitis	2	2	—	—	1	—	—	—	2	1			1	1	—	1	15
15 Organic heart disease	12	12	10	5	7	6	11	17	6	7			2	—	—	4	16
16 Bronchitis	6	5	4	4	2	3	6	7	7	3			1	2	—	—	17
17 Pneumonia (all forms)	7	2	—	1	—	4	2	7	7	—			1	—	—	2	18
18 Other respiratory diseases	3	1	1	2	—	—	—	2	—	1			—	—	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	1	5	2	—	1	1	2	1	—	1			—	2	—	—	20
20 Appendicitis and typhlitis	—	—	—	—	—	—	—	1	2	—			—	—	—	—	21
21 Cirrhosis of liver	—	—	1	—	2	—	1	—	—	—			—	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	1	—			—	—	—	—	22
22 Nephritis and Bright's dis.	5	1	1	—	2	—	—	3	1	2			2	1	1	1	23
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—			—	—	—	1	24
24 Parturition, apart from 23	—	1	—	1	—	—	—	—	—	—			—	—	—	—	25
25 Congenital debility, &c.	8	4	7	2	8	8	6	9	7	3			—	—	3	3	26
26 Violence, apart from 27	8	1	3	—	5	1	6	—	5	—			—	1	1	—	27
27 Suicide	2	—	1	—	—	—	2	—	—	2			—	—	—	—	28
28 Other defined diseases	30	34	19	18	23	20	57	43	42	43			7	7	8	7	29
29 Causes ill-defined or un- known.	2	4	1	—	2	1	3	1	2	3			—	—	—	—	29

ADMINISTRATIVE AREAS, 1911—continued.

NORTHAMPTONSHIRE—cont.

	Des-borough U.D.		Finedon U.D.		Higham Ferrers M.B.		Irthling- borough U.D.		Kettering U.D.		Oundle U.D.		Raunds U.D.		Rothwell U.D.		Rushden U.D.		Welling- borough U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	—	—	—	—	—	—	—	—	186	158	10	19	31	18	34	19	75	55	123	110	1
2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	2	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	2	4	—	—	—	—	—	—	—	—	1	1	4
5	—	—	—	1	—	—	3	2	11	9	—	—	—	2	—	—	1	2	—	1	5
6	1	—	—	—	—	—	—	—	4	4	—	—	—	—	1	—	2	1	1	1	6
7	—	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—	2	—	1	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	8
9	4	1	2	3	4	1	2	7	27	14	—	—	5	—	3	1	6	4	6	4	9
10	1	—	—	—	—	1	—	—	3	3	—	—	1	—	1	1	2	—	1	1	10
11	1	—	1	2	1	—	—	—	2	—	—	—	1	1	2	—	1	—	3	2	11
12	1	4	1	2	—	—	1	1	8	13	3	5	4	—	3	4	3	7	10	14	12
13	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	3	13
14	—	1	—	—	2	—	1	—	2	2	—	—	1	—	—	—	1	2	1	1	14
15	1	2	5	1	1	3	1	1	15	16	—	1	1	4	3	6	5	5	14	9	15
16	1	—	1	2	1	—	4	2	3	5	1	—	2	1	4	—	10	4	3	4	16
17	7	—	—	—	—	—	3	1	11	8	—	1	1	—	2	1	4	2	8	6	17
18	1	1	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	1	1	18
19	—	—	4	—	—	—	—	1	15	10	2	—	—	—	—	—	2	2	9	5	19
20	—	—	—	—	—	—	—	—	4	—	—	—	1	—	—	—	—	—	1	—	20
21	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	2	—	1	—	—	—	—	1	5	1	—	—	—	—	1	1	1	1	2	—	22
23	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	23
24	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	24
25	1	2	1	1	1	—	3	4	13	14	1	—	—	—	3	—	10	4	12	9	25
26	1	1	—	—	—	—	1	—	4	3	—	—	—	1	2	—	3	1	7	—	26
27	—	—	2	—	—	—	1	—	2	3	—	1	—	1	—	—	1	—	2	1	27
28	6	5	12	13	8	6	8	10	52	39	3	11	14	7	8	5	16	18	39	39	28
29	—	—	—	—	—	—	—	—	1	4	—	—	—	—	—	—	4	—	—	1	29

NORTHAMPTONSHIRE—cont.

	Brackley R.D.		Brixworth R.D.		Crick R.D.		Daventry R.D.		Easton on the Hill R.D.		Gretton R.D.		Harding- stone R.D.		Kettering R.D.		Middleton Cheney R.D.		Northamp- ton R.D.		Oundle (pt.) R.D.*		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	1	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	5
6	1	—	—	—	—	—	—	1	—	1	—	—	3	2	2	2	—	—	—	—	—	—	6
7	—	—	3	2	—	—	1	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	7
8	—	—	—	—	—	—	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	8
9	5	2	4	8	—	—	2	3	3	—	—	1	1	3	12	8	2	1	6	3	3	4	9
10	—	—	—	2	—	—	2	2	—	—	—	—	—	—	1	3	—	1	—	—	—	—	10
11	—	—	—	1	—	—	2	1	1	—	—	—	—	1	—	1	—	—	—	—	—	2	11
12	3	5	6	6	1	2	5	13	—	1	1	1	5	7	8	9	1	2	4	2	7	3	12
13	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	1	—	—	—	13
14	—	—	—	—	—	—	1	—	—	—	—	—	—	2	—	2	—	1	—	—	—	—	14
15	6	3	18	8	1	2	8	3	2	—	2	2	5	2	11	7	4	—	6	5	6	4	15
16	6	1	1	8	—	1	3	3	—	—	1	2	4	2	4	3	1	5	2	3	3	2	16
17	2	3	1	1	—	—	5	4	1	—	—	—	6	2	2	2	3	—	2	2	4	2	17
18	—	—	—	1	—	1	—	2	—	—	—	—	—	1	3	1	—	—	—	—	2	—	18
19	—	—	2	3	—	1	2	4	—	—	—	1	1	2	—	—	1	—	2	4	2	—	19
20	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20
21	—	—	—	1	1	—	1	—	—	—	—	—	1	—	1	1	—	1	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	—	—	1	—	1	3	4	—	—	1	3	1	—	2	2	—	—	1	—	1	—	22
23	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
25	1	3	2	—	2	—	7	4	—	—	—	—	2	—	5	7	2	1	4	1	3	5	25
26	2	1	3	—	2	1	5	2	—	—	1	—	—	—	2	—	—	1	2	—	3	1	26
27	1	—	2	—	—	—	1	—	—	—	—	—	5	—	—	—	1	—	—	—	—	—	27
28	19	24	33	17	14	7	36	44	1	4	3	1	20	21	27	27	11	8	17	20	21	19	28
29	3	—	—	1	2	—	2	2	—	—	—	—	1	—	—	2	1	—	—	2	—	—	29

* The remainder of Oundle R.D. is in Huntingdonshire; see page 473.

NORTHAMPTONSHIRE—*cont.*CAUSES OF DEATH IN
NORTHUMBERLAND.

Causes of Death.	Oxendon R.D.		Potters- pury R.D.		Thrap- ston (pt.) R.D.*		Towcester R.D.		Welling- borough R.D.		Alnwick U.D.		Amble U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	28	28	40	30	71	70	69	77	93	82	53	50	37	25	1
1 Enteric fever	—	—	—	—	—	—	1	2	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	1	—	—	1	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	1	—	1	1	—	—	—	—	5
5 Whooping cough	—	—	—	—	—	3	1	1	2	3	—	—	—	—	6
6 Diphtheria and croup	—	—	—	—	—	1	1	—	—	—	—	—	—	—	7
7 Influenza	—	—	—	1	1	—	—	2	1	—	—	—	—	—	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	4	1	2	2	5	4	4	4	10	6	7	5	1	4	10
10 Tuberculous meningitis	—	—	—	—	1	1	—	—	2	1	1	2	—	—	11
11 Other tuberculous diseases	—	1	—	1	—	1	1	1	1	1	—	1	—	2	12
12 Cancer, malignant disease	3	4	2	2	4	3	7	12	3	3	8	4	5	3	13
13 Rheumatic fever... ..	—	—	—	—	—	—	—	1	—	1	—	1	—	—	14
14 Meningitis	—	—	—	—	1	—	1	1	2	—	1	—	—	1	15
15 Organic heart disease	2	1	2	4	8	11	8	8	7	10	5	3	2	—	16
16 Bronchitis	2	2	2	—	5	5	3	2	12	7	2	4	1	1	17
17 Pneumonia (all forms)	2	1	2	2	7	1	2	5	5	2	3	3	5	2	18
18 Other respiratory diseases	—	—	—	1	—	—	2	1	2	1	—	—	2	1	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	1	—	6	1	1	1	1	4	1	1	1	1	20
20 Appendicitis and typhlitis	—	1	1	—	—	2	—	—	—	1	—	—	—	—	21
21 Cirrhosis of liver	—	—	1	—	2	—	1	—	1	2	—	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	1	1	1	2	4	1	2	—	—	1	1	2	—	1	23
23 Puerperal fever	—	1	—	—	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	1	—	—	—	2	—	1	—	1	—	2	—	1	25
25 Congenital debility, &c.	4	—	4	2	1	3	3	3	9	9	1	4	4	—	26
26 Violence, apart from 27	—	—	—	—	3	2	2	1	1	1	2	—	2	—	27
27 Suicide	1	—	1	—	1	1	2	1	—	—	—	—	1	—	28
28 Other defined diseases	9	14	19	12	20	26	26	29	32	26	21	18	10	8	29
29 Causes ill-defined or un- known.	—	—	2	1	2	1	—	1	—	1	—	—	3	—	

NORTHUMBERLAND—*cont.*

Causes of Death.	Ashington U.D.		Bedling- tonshire U.D.		Berwick upon Tweed M.B.		Blyth U.D.		Cramling- ton U.D.		Earsdon U.D.		Gosforth U.D.		Hexham U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	245	199	218	175	108	84	229	207	54	49	92	71	69	80	58	65	1
1 Enteric fever	7	4	3	1	1	1	3	3	—	—	—	1	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	1	4	—	2	—	—	8	12	—	—	—	1	1	2	—	—	4
4 Scarlet fever	—	—	—	2	—	—	1	1	—	—	—	—	—	—	—	—	5
5 Whooping cough	4	8	7	4	—	—	5	5	—	—	3	1	—	5	1	1	6
6 Diphtheria and croup	2	—	2	2	5	1	—	2	1	—	3	—	1	—	—	1	7
7 Influenza	—	1	1	2	7	3	1	1	1	—	—	1	1	2	1	—	8
8 Erysipelas	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	9
9 Pulmonary tuberculosis	10	10	12	14	13	8	18	17	1	2	4	5	5	5	4	5	10
10 Tuberculous meningitis	12	6	2	1	—	2	—	4	1	—	2	1	2	3	1	1	11
11 Other tuberculous diseases	4	2	5	3	3	3	8	9	—	1	3	—	4	3	1	2	12
12 Cancer, malignant disease	9	7	5	10	5	6	10	11	7	3	6	7	2	7	5	6	13
13 Rheumatic fever... ..	1	—	—	2	—	—	1	—	—	1	—	—	—	—	—	—	14
14 Meningitis	3	—	5	—	—	2	3	6	—	—	2	—	1	—	1	—	15
15 Organic heart disease	9	13	12	14	13	9	11	16	4	2	7	7	6	6	8	8	16
16 Bronchitis	11	11	9	8	1	3	17	10	5	3	6	4	5	9	2	3	17
17 Pneumonia (all forms)	29	14	23	9	6	2	20	16	2	4	8	4	9	2	2	2	18
18 Other respiratory diseases	1	2	4	1	3	2	6	2	—	1	4	2	—	1	1	1	19
19 Diarrhoea, &c. (under 2 yrs.)	49	32	31	26	3	2	28	19	2	5	8	4	2	3	4	7	20
20 Appendicitis and typhlitis	—	—	3	—	—	1	—	—	—	—	—	—	—	1	—	—	21
21 Cirrhosis of liver	—	—	—	1	—	—	2	1	—	2	—	—	—	—	2	1	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	2	4	6	1	5	2	2	3	1	2	—	—	1	1	2	3	23
23 Puerperal fever	—	—	—	1	—	—	—	—	—	—	—	1	—	1	—	—	24
24 Parturition, apart from 23	—	7	—	3	—	—	—	1	—	3	—	1	—	1	—	—	25
25 Congenital debility, &c.	34	30	23	16	—	3	28	19	7	3	11	7	3	5	5	5	26
26 Violence, apart from 27	12	—	14	5	5	1	18	1	2	—	2	1	1	—	1	—	27
27 Suicide	3	3	—	—	1	—	1	—	—	—	—	1	—	—	3	—	28
28 Other defined diseases	40	41	47	45	37	33	38	47	20	17	22	18	23	23	15	19	29
29 Causes ill-defined or un- known.	1	—	4	2	—	—	—	—	—	—	1	3	1	—	1	—	

* The remainder of Thrapston R.D. is in Huntingdonshire; see page 473.

ADMINISTRATIVE AREAS, 1911—continued.
NORTHUMBERLAND—cont.

	Morpeth M.B.		Newbiggin by the Sea U.D.		Newburn U.D.		Prudhoe U.D.		Rothbury U.D.		Seghill U.D.		Wallsend M.B.		Weetslade U.D.		Whitley and Monk- seaton U.D.			Alnwick R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M	F	
1	58	48	19	24	119	116	62	52	8	5	15	11	309	273	51	50	74	68		83	81	1
2	1	2	—	—	1	3	—	—	—	—	—	—	5	1	—	2	2	—	—	1	1	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	—	—	—	—	2	1	—	—	—	—	6	2	4	3	—	—	—	—	—	4
5	2	1	1	1	3	4	2	1	—	—	1	1	5	13	—	1	1	2	—	—	—	5
6	—	—	—	—	1	3	—	—	—	—	—	1	3	3	1	—	1	—	1	1	3	6
7	—	—	—	—	2	—	—	—	—	—	—	—	—	1	—	—	1	2	—	1	2	7
8	—	—	—	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	8
9	6	2	1	2	4	8	—	4	—	—	—	—	29	18	2	1	5	6	—	10	3	9
10	—	1	—	—	1	1	—	—	—	—	—	—	5	8	2	2	2	1	—	—	2	10
11	—	1	—	1	5	1	—	2	—	—	—	—	12	12	3	2	1	—	3	—	—	11
12	2	3	—	2	2	6	5	4	1	—	1	—	12	13	—	1	6	7	3	7	—	12
13	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	—	13
14	4	—	—	—	1	3	2	—	—	—	—	—	2	3	1	—	—	1	1	1	—	14
15	5	6	2	2	9	10	5	7	1	—	1	—	11	14	4	3	4	12	18	9	—	15
16	3	2	—	3	12	6	6	4	—	—	2	—	21	31	3	2	5	1	2	4	—	16
17	2	2	3	1	5	4	3	2	—	—	1	—	32	27	10	6	5	2	1	6	—	17
18	1	—	—	—	1	2	—	—	—	—	—	—	2	1	—	—	—	—	2	—	—	18
19	7	5	2	4	11	13	1	3	—	—	1	1	28	30	6	5	3	—	3	2	—	19
20	—	—	—	—	—	1	—	—	—	—	—	—	2	2	—	—	—	3	—	1	—	20
21	1	—	—	—	—	—	1	—	—	—	—	—	1	—	1	—	—	2	1	—	—	21
21A	—	—	—	—	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	21A
22	—	2	—	—	4	4	—	1	—	1	—	—	4	4	2	3	4	4	4	1	—	22
23	—	—	—	1	—	1	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	3	—	24
25	6	6	—	1	12	10	7	7	—	—	1	3	28	24	2	6	2	4	3	3	—	25
26	3	—	1	—	10	—	4	—	1	—	1	—	14	9	3	—	1	1	4	—	—	26
27	1	—	—	—	2	—	—	—	2	—	—	—	1	—	—	—	3	—	1	—	—	27
28	14	13	8	6	29	33	22	15	3	4	6	5	83	48	7	11	28	19	22	31	—	28
29	—	2	1	—	1	3	1	—	—	—	—	—	1	1	1	—	1	1	—	2	—	29

NORTHUMBERLAND—cont.

	Belford R.D.		Belling- ham R.D.		Castle Ward R.D.		Glendale R.D.		Halt- whistle R.D.		Hexham R.D.		Morpeth R.D.		Norham and Island- shires R.D.		Rothbury R.D.		Tyne- mouth R.D.			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
1	31	32	44	37	64	81	46	49	55	57	144	126	129	122	37	25	24	24	207	197	1	1
2	—	—	—	—	2	—	1	—	—	—	1	1	2	—	—	1	—	—	1	1	2	2
3	—	—	—	—	3	1	—	—	—	—	—	2	4	2	—	—	—	—	4	6	3	3
4	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	4	4
5	—	—	—	—	—	1	—	—	1	2	3	2	3	5	—	—	—	—	5	7	5	5
6	—	—	—	—	1	—	—	2	1	—	—	2	—	1	—	—	—	—	1	—	6	6
7	—	—	—	1	1	1	1	1	—	—	—	—	1	—	—	2	2	—	1	2	7	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8	8
9	4	4	4	3	3	6	4	4	3	3	18	8	5	12	3	1	4	2	19	12	9	9
10	—	—	—	—	—	—	—	1	—	2	1	2	2	1	—	—	—	—	1	2	10	10
11	—	—	—	—	1	—	—	—	—	1	1	1	4	5	—	1	1	—	3	1	11	11
12	—	3	4	6	2	10	2	4	5	7	10	14	6	5	2	3	—	2	12	10	12	12
13	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	2	13	13
14	—	3	—	1	—	—	1	—	—	1	3	2	2	3	—	—	—	—	1	3	14	14
15	3	3	9	7	7	6	2	2	2	4	19	23	8	11	6	5	2	3	14	16	15	15
16	2	3	2	2	2	5	1	1	2	—	8	5	6	8	3	2	1	7	11	—	16	16
17	1	1	1	—	1	2	3	2	3	4	10	10	10	5	2	1	2	13	6	—	17	17
18	1	—	1	—	1	—	1	1	3	—	2	3	1	1	—	—	2	4	1	—	18	18
19	—	1	—	—	4	3	1	1	3	4	1	2	7	6	1	—	1	—	23	29	19	19
20	—	—	—	—	1	—	1	—	—	—	—	1	—	3	—	—	—	—	—	—	20	20
21	—	1	—	—	—	—	—	—	—	—	—	—	2	—	2	—	—	1	2	1	21	21
21A	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	21A	21A
22	1	—	3	—	3	3	1	1	6	3	6	4	2	3	—	—	1	1	4	2	22	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	23	23
24	—	—	—	1	—	2	—	—	—	—	—	1	—	—	—	—	—	—	—	2	24	24
25	2	2	3	1	5	8	4	3	5	5	10	8	9	11	3	—	1	1	28	15	25	25
26	—	—	3	—	4	1	2	—	4	1	6	1	5	—	1	—	2	1	11	5	26	26
27	—	—	1	—	—	—	—	—	2	—	1	—	2	—	—	—	1	—	2	—	27	27
28	17	11	11	15	22	32	17	24	14	20	39	34	47	37	17	6	4	7	46	61	28	28
29	—	—	1	—	1	—	3	2	1	—	5	—	1	2	—	2	—	—	4	1	29	29

NOTTINGHAMSHIRE.

Causes of Death.				Arnold U.D.		Beeston U.D.		Carlton U.D.		East Retford M.B.		Eastwood U.D.		Hucknall Torkard U.D.		Huthwaite U.D.		Kirkby in Ashfield U.D.	
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1	ALL CAUSES	59	80	63	76	101	90	108	104	38	22	101	116	41	37	97	76
2	Enteric fever	—	—	2	—	—	—	—	—	2	—	1	—	—	—	1	1
3	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Measles	—	—	—	—	2	4	11	8	—	—	1	3	1	—	—	1
5	Scarlet fever	—	—	—	—	—	—	1	—	—	—	4	3	—	1	—	—
6	Whooping cough	—	2	2	1	—	1	—	—	1	—	1	1	3	3	1	—
7	Diphtheria and croup	1	3	1	—	1	4	—	—	—	—	—	—	1	1	1	6
8	Influenza	—	1	—	1	1	2	1	—	—	1	1	1	—	2	—	7
9	Erysipelas	—	—	—	—	—	—	1	—	—	—	1	—	—	—	1	8
10	Pulmonary tuberculosis	1	4	3	3	8	5	6	11	2	—	8	13	1	2	6	9
11	Tuberculous meningitis	1	1	—	1	2	—	2	2	—	—	—	3	1	—	—	10
12	Other tuberculous diseases	2	2	7	—	4	1	2	3	—	—	5	3	—	1	3	11
13	Cancer, malignant disease	9	7	2	9	3	7	7	3	—	2	2	6	1	—	1	12
14	Rheumatic fever...	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	13
15	Meningitis	—	—	—	—	1	—	2	1	1	—	2	2	—	—	2	14
16	Organic heart disease	1	5	5	5	5	9	8	3	2	1	5	8	5	3	7	15
17	Bronchitis	6	5	—	13	3	4	2	6	4	3	7	7	2	3	4	16
18	Pneumonia (all forms)	3	4	4	5	15	6	5	6	1	—	11	6	2	2	9	17
19	Other respiratory diseases	2	2	—	2	1	—	2	1	1	—	2	—	—	—	—	18
20	Diarrhoea, &c. (under 2 yrs.)	13	10	7	8	13	8	12	3	3	6	4	6	6	4	12	19
21	Appendicitis and typhlitis	—	—	1	—	—	—	—	—	—	1	—	—	—	—	1	20
22	Cirrhosis of liver	—	—	—	—	1	1	—	1	1	—	—	2	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	21A
23	Nephritis and Bright's dis.	—	2	7	2	—	—	4	5	1	1	1	4	—	3	2	22
24	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	23
25	Parturition, apart from 23	—	1	—	1	—	1	—	—	—	—	—	1	—	—	—	24
26	Congenital debility, &c.	7	6	3	6	7	6	7	7	6	1	11	12	8	6	14	25
27	Violence, apart from 27	1	1	4	3	—	—	5	2	1	—	3	—	2	—	6	26
28	Suicide	1	—	—	—	2	—	—	—	2	—	—	—	1	—	—	27
29	Other defined diseases	11	24	14	15	29	28	34	38	10	6	30	33	8	5	24	28
	Causes ill-defined or un- known.	—	—	1	1	—	3	—	—	—	—	—	—	—	1	—	29

NOTTINGHAMSHIRE—cont.

Causes of Death.				Mansfield M.B.		Mansfield Wood- house U.D.		Newark M.B.		Sutton in Ashfield U.D.		Warsop U.D.		West Bridgford U.D.		Worksop U.D.	
				M	F	M	F	M	F	M	F	M	F	M	F	M	F
1	ALL CAUSES	266	262	107	90	111	121	167	142	33	30	49	59	164	121
2	Enteric fever	2	1	2	—	1	—	—	1	—	—	—	—	1	—
3	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Measles	8	10	12	9	6	4	3	1	—	—	—	—	17	9
5	Scarlet fever	—	—	—	—	1	—	—	—	2	—	—	—	—	—
6	Whooping cough	11	13	7	5	3	4	1	5	—	1	1	1	8	10
7	Diphtheria and croup	2	2	—	—	—	—	3	2	—	—	1	—	—	1
8	Influenza	2	3	—	—	—	—	—	—	—	2	1	1	—	1
9	Erysipelas	—	—	—	—	1	—	—	—	1	—	—	—	—	—
10	Pulmonary tuberculosis	13	15	3	7	11	11	6	7	1	1	2	4	16	6
11	Tuberculous meningitis	4	5	1	—	2	4	—	2	—	1	—	2	2	2
12	Other tuberculous diseases	9	9	2	—	6	4	1	3	—	1	—	—	—	6
13	Cancer, malignant disease	16	19	2	6	10	11	7	12	2	—	5	6	2	15
14	Rheumatic fever...	—	1	—	—	—	—	—	—	—	—	—	—	3	—
15	Meningitis	2	2	1	1	3	1	4	2	1	1	1	1	2	1
16	Organic heart disease	17	16	5	4	11	9	6	9	3	1	5	8	10	11
17	Bronchitis	13	9	4	15	1	2	14	4	6	5	3	1	15	8
18	Pneumonia (all forms)	24	20	10	7	3	2	15	13	1	4	1	3	16	5
19	Other respiratory diseases	2	1	1	—	—	1	2	2	2	—	1	—	1	1
20	Diarrhoea, &c. (under 2 yrs.)	29	30	15	7	3	8	12	10	8	5	3	1	5	4
21	Appendicitis and typhlitis	—	—	—	—	—	1	—	—	—	—	—	1	1	1
22	Cirrhosis of liver	2	—	—	—	1	2	1	2	—	—	—	—	1	1
21A	Alcoholism	1	—	—	—	2	—	1	—	—	—	—	—	—	—
23	Nephritis and Bright's dis.	8	7	2	1	1	—	2	5	2	1	2	2	4	1
24	Puerperal fever	—	4	—	—	—	1	—	1	—	—	—	—	—	—
25	Parturition, apart from 23	—	—	—	—	—	1	—	3	—	—	—	—	—	—
26	Congenital debility, &c.	28	17	18	10	13	6	34	24	1	—	6	4	13	8
27	Violence, apart from 27	10	11	4	—	3	3	5	4	—	—	—	2	6	3
28	Suicide	—	1	—	—	1	—	1	2	—	—	1	—	—	—
29	Other defined causes	56	64	17	17	28	46	47	28	3	7	16	22	37	27
	Causes ill-defined or un- known.	7	2	1	1	—	—	2	—	—	—	—	—	4	—

ADMINISTRATIVE AREAS, 1911—continued.

NOTTINGHAMSHIRE—cont.

	Basford R.D.		Bingham R.D.		Blyth and Cuckney R.D.		East Retford R.D.		Leake R.D.		Misterton R.D.		Newark R.D.		Skegby R.D.		Southwell R.D.		Stapleford R.D.		Kingston upon Soar and Rat- cliffe upon Soar C.P.s*		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	293	214	106	83	42	30	89	98	20	20	29	35	48	41	51	45	147	119	59	82	2	—	1
2	1	1	2	—	—	—	—	1	1	—	—	2	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	3	5	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	2	—	—	—	—	4
5	1	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	1	—	—	—	5
6	3	2	5	1	1	2	—	—	—	—	—	—	—	—	1	1	—	4	—	—	—	—	6
7	4	—	3	1	—	—	—	—	—	—	—	—	5	3	—	—	—	1	—	—	—	—	7
8	4	2	3	5	—	—	—	1	—	1	—	—	—	—	—	—	3	1	3	—	—	—	8
9	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	9
10	14	12	3	4	2	2	2	6	1	3	3	1	1	1	—	2	12	3	1	3	—	—	10
11	5	—	2	1	1	1	1	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—	11
12	5	3	2	1	2	—	—	1	1	—	2	—	—	1	2	2	5	1	6	2	—	—	12
13	16	21	9	9	3	4	13	8	1	2	4	5	3	4	2	2	11	15	5	11	—	—	13
14	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14
15	6	2	1	—	1	1	—	1	—	—	—	—	—	—	2	1	1	1	1	2	—	—	15
16	33	21	12	13	1	3	9	13	—	4	2	2	3	7	3	3	18	11	3	8	1	—	16
17	23	19	5	9	3	1	6	5	—	1	2	2	2	2	2	1	6	5	5	7	—	—	17
18	19	10	7	2	2	3	2	1	3	1	—	1	2	4	3	6	6	6	2	2	1	—	18
19	3	3	1	—	—	—	1	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	19
20	24	15	6	1	4	2	1	1	2	—	3	1	—	1	14	5	5	3	1	9	—	—	20
21	4	1	—	2	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	21
21A	1	2	1	—	—	—	2	1	1	—	—	—	—	—	—	—	2	1	—	—	—	—	21A
22	4	4	2	3	1	1	2	3	1	—	2	1	1	—	2	1	7	5	1	2	—	—	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	23
24	—	1	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	1	—	2	—	—	24
25	18	18	—	1	2	1	9	6	3	2	3	4	5	1	6	2	5	1	9	2	—	—	25
26	24	2	2	1	1	2	2	2	—	—	1	1	1	—	2	1	7	2	2	—	—	—	26
27	8	2	2	—	3	—	1	—	—	—	—	—	—	—	—	—	1	3	—	—	—	—	27
28	67	64	36	29	14	7	36	43	6	6	6	15	22	15	11	16	55	50	19	27	—	—	28
29	2	2	1	—	—	—	2	1	—	—	—	—	—	—	—	1	1	1	1	1	—	—	29

OXFORDSHIRE.

	Banbury M.B.		Bicester U.D.		Cavers- ham U.D.		Chipping Norton M.B.		Henley on Thames M.B.		Thame U.D.		Wheatley U.D.		Witney U.D.		Wood- stock M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	88	83	25	18	51	44	30	28	41	44	13	15	6	8	17	24	12	8	1
2	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	2	—	—	3
4	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	4
5	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	5
6	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6
7	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—	—	—	7
8	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	8
9	8	9	—	1	3	5	3	2	2	3	—	1	—	—	1	—	1	1	9
10	2	1	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	10
11	2	2	—	—	1	—	1	—	1	3	—	—	—	—	—	1	—	—	11
12	4	7	2	—	8	3	4	4	4	4	2	2	1	—	1	2	1	1	12
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	14
15	12	7	2	—	3	6	1	4	4	3	1	1	—	1	3	3	2	—	15
16	9	9	1	1	4	1	1	2	4	2	1	1	—	1	—	2	2	1	16
17	4	2	1	2	4	—	3	—	1	—	—	—	—	—	1	1	1	—	17
18	—	4	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	18
19	8	6	1	2	4	2	—	1	1	2	1	—	—	—	1	1	—	—	19
20	—	—	1	—	—	1	2	—	—	—	—	—	—	—	—	1	—	—	20
21	1	1	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	1	21
21A	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	5	1	—	1	3	1	5	2	1	1	1	—	—	—	—	1	—	—	22
23	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	24
25	4	3	3	1	3	7	—	1	2	—	—	—	—	—	2	1	—	—	25
26	3	3	1	1	2	1	—	—	1	1	—	1	—	—	—	—	—	—	26
27	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	27
28	24	24	10	9	12	15	7	10	18	20	1	6	9	3	5	6	8	4	28
29	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	29

* Administered by Shardlow R.D.C., (Derbyshire).

OXFORDSHIRE—cont.

Causes of Death.				Banbury R.D.		Bicester R.D.		Chipping Norton R.D.		Crow-marsh R.D.		Culham R.D.		Goring R.D.		Headington R.D.		Henley R.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	78	84	65	57	82	67	40	38	17	6	13	18	97	82	57	57	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	2	2	—	—	—	—	—	—	—	—	—	—	2	1	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	5
5 Whooping cough	1	1	—	—	—	2	—	—	—	—	—	—	3	—	—	1	6
6 Diphtheria and croup	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	7
7 Influenza	—	—	1	—	2	—	1	—	1	1	—	—	—	—	—	—	8
8 Erysipelas	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	4	4	7	2	1	4	4	3	1	—	—	—	10	8	4	5	10
10 Tuberculous meningitis	—	—	1	—	—	—	—	—	—	—	—	—	1	—	1	—	11
11 Other tuberculous diseases	1	—	—	—	—	1	—	—	1	—	—	—	—	1	—	1	12
12 Cancer, malignant disease	4	11	8	6	5	10	1	3	2	—	—	4	5	6	8	8	13
13 Rheumatic fever...	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	14
14 Meningitis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	15
15 Organic heart disease	4	9	9	7	16	5	9	7	1	1	2	2	3	5	6	9	16
16 Bronchitis	6	9	5	4	7	4	4	—	—	—	1	2	13	6	2	2	17
17 Pneumonia (all forms)	8	1	2	3	4	1	—	—	—	—	1	—	8	5	3	1	18
18 Other respiratory diseases	—	1	2	—	1	—	—	—	—	—	—	—	—	2	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	3	2	1	3	—	—	1	4	—	—	—	—	3	5	2	1	20
20 Appendicitis and typhlitis	—	—	1	—	2	—	—	1	—	—	1	1	1	1	—	—	21
21 Cirrhosis of liver	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	1	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	3	—	2	1	5	3	1	—	1	—	—	1	2	4	1	3	23
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	25
25 Congenital debility, &c.	6	2	4	4	6	4	1	4	—	—	—	—	8	3	3	3	26
26 Violence, apart from 27	1	2	4	2	4	3	2	1	1	—	—	—	2	1	3	—	27
27 Suicide	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	1	28
28 Other defined diseases	33	35	16	22	27	28	15	14	8	4	9	7	35	32	21	20	29
29 Causes ill-defined or unknown.	1	3	1	3	2	—	—	—	—	—	—	—	1	—	—	—	

OXFORDSHIRE—cont.

PEMBROKESHIRE.

Causes of Death.				Thame R.D.		Witney R.D.		Woodstock R.D.				Fishguard U.D.		Haverford-west M.B.		Milford Haven U.D.		Narberth U.D.		
				M	F	M	F	M	F			M	F	M	F	M	F	M	F	
ALL CAUSES	42	34	123	119	67	83			26	21	47	50	63	39	10	11	1
1 Enteric fever	—	—	—	—	—	1			—	—	—	1	1	—	—	—	2
2 Small-pox	—	—	—	—	—	—			—	—	—	—	—	—	—	—	3
3 Measles	1	—	2	4	1	—			—	—	—	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—			—	—	—	—	—	—	—	—	5
5 Whooping cough	—	1	1	—	3	3			—	—	—	—	—	—	—	—	6
6 Diphtheria and croup	—	1	—	—	1	—			1	—	1	1	1	1	—	—	7
7 Influenza	3	—	—	1	1	—			—	—	1	1	—	—	—	—	8
8 Erysipelas	—	—	—	1	—	—			—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	2	1	9	6	1	5			2	3	3	5	3	—	2	3	10
10 Tuberculous meningitis	1	—	1	—	—	1			—	1	—	—	3	1	—	—	11
11 Other tuberculous diseases	—	—	1	1	1	—			—	—	—	—	2	1	—	—	12
12 Cancer, malignant disease	6	4	11	10	10	9			2	2	2	2	1	2	—	1	13
13 Rheumatic fever...	—	—	3	—	—	—			—	—	—	1	—	—	—	—	14
14 Meningitis	—	—	1	—	—	2			—	—	2	—	—	—	—	—	15
15 Organic heart disease	7	4	14	12	8	10			1	4	6	7	6	5	—	2	16
16 Bronchitis	2	2	6	5	3	5			1	3	4	3	1	1	—	1	17
17 Pneumonia (all forms)	1	—	9	6	3	4			1	1	3	1	3	3	1	1	18
18 Other respiratory diseases	—	1	1	2	1	—			2	—	—	—	—	3	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	—	1	3	3	2	1			—	1	1	5	9	1	—	—	20
20 Appendicitis and typhlitis	—	—	—	2	1	1			—	—	—	1	—	—	—	1	21
21 Cirrhosis of liver	1	—	—	2	1	—			—	—	1	—	—	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—			—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	—	—	—	5	2	1			2	—	1	1	1	—	—	—	23
23 Puerperal fever	—	—	—	1	—	—			—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	1	—	1	—	—			—	1	—	1	—	—	—	—	25
25 Congenital debility, &c.	7	4	6	10	7	4			—	1	7	1	7	5	—	—	26
26 Violence, apart from 27	2	2	7	2	1	1			1	—	1	1	4	1	—	—	27
27 Suicide	1	—	3	1	—	—			—	—	1	1	—	—	—	—	28
28 Other defined diseases	7	12	44	43	20	35			12	4	12	17	20	15	7	2	29
29 Causes ill-defined or unknown.	1	—	1	1	—	—			1	—	1	—	1	—	—	—	

ADMINISTRATIVE AREAS, 1911—continued.

PEMBROKESHIRE—cont.

	Neyland U.D.		Pembroke M.B.		Tenby M.B.				Haverford- west R.D.		Llanfyr- nach R.D.		Narberth R.D.		Pembroke R.D.		St. Dogmells R.D.						
	M	F	M	F	M	F			M	F	M	F	M	F	M	F	M	F					
1	19	16	121	108	35	27			164	155	15	16	75	84	55	61	56	100					1
2	1	—	—	—	—	—			1	—	1	—	—	—	2	—	—	1					2
3	—	—	—	—	—	—			—	—	—	1	—	—	—	—	—	—					3
4	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—					4
5	—	—	—	—	—	—			1	3	—	1	1	—	—	—	—	1					5
6	—	—	1	3	—	—			1	5	—	—	3	2	—	1	—	—					6
7	—	—	—	1	—	—			2	—	1	1	1	—	1	1	—	1					7
8	—	—	—	—	1	—			—	—	—	—	—	—	1	—	—	—					8
9	1	1	17	9	2	1			9	10	—	1	8	6	7	2	4	5					9
10	—	—	4	2	—	1			4	2	—	—	—	—	1	—	1	1					10
11	—	—	4	2	—	—			6	2	—	—	1	1	2	2	2	3					11
12	—	3	9	8	3	3			8	16	1	2	7	7	2	4	1	10					12
13	—	2	—	—	1	1			—	1	—	—	—	1	—	—	—	—					13
14	1	—	1	2	—	—			2	—	—	—	—	—	—	—	—	—					14
15	—	2	8	10	2	4			17	20	—	1	9	8	5	4	5	12					15
16	3	—	9	10	1	—			6	17	2	2	6	5	4	6	5	10					16
17	2	—	5	4	2	2			8	9	1	1	4	4	2	2	7	3					17
18	—	—	2	—	—	—			2	3	—	—	2	4	—	—	1	1					18
19	—	—	4	3	1	—			2	1	1	—	3	1	4	1	—	1					19
20	—	—	1	—	—	—			2	1	—	—	—	—	—	1	—	—					20
21	1	—	—	3	1	—			1	1	1	—	—	—	—	—	—	—					21
21A	—	—	—	1	—	—			—	—	—	—	—	—	—	—	—	1					21A
22	1	1	9	4	3	—			5	3	—	1	2	—	3	—	3	2					22
23	—	—	—	—	—	—			—	1	—	—	—	—	—	1	—	1					23
24	—	—	—	—	—	—			—	2	—	1	—	2	—	2	—	1					24
25	1	2	9	8	2	—			18	10	2	—	4	6	6	6	2	5					25
26	—	—	4	2	5	—			9	2	1	—	2	—	—	—	1	4					26
27	—	—	—	—	1	1			1	1	—	—	1	—	—	—	1	1					27
28	8	5	33	36	10	14			57	45	6	4	19	36	15	28	22	36					28
29	—	—	1	—	—	—			2	—	—	—	1	1	—	—	1	—					29

PETERBOROUGH, SOKE OF.

RADNORSHIRE.

	Peter- borough M.B.			Barnack R.D.		Peter- borough R.D.				Knighton U.D.		Llan- drindod Wells U.D.		Presteigne U.D.				Colwyn R.D.		Knighton R.D.		
	M	F		M	F	M	F			M	F	M	F	M	F			M	F	M	F	
1	206	233		10	6	55	43			9	12	15	5	6	4			12	6	32	30	1
2	2	—		—	—	—	1			—	—	—	—	—	—			—	—	—	—	2
3	3	5		—	—	—	—			—	—	—	—	—	—			—	—	—	—	3
4	1	3		—	—	1	1			—	—	—	—	—	—			—	—	—	—	4
5	2	3		—	—	—	—			1	—	—	—	—	—			—	—	1	—	5
6	1	3		—	—	1	1			2	1	—	—	—	—			—	—	2	1	6
7	2	1		—	—	1	—			—	—	—	—	—	—			—	—	—	1	7
8	1	2		—	—	—	—			—	—	—	—	—	—			—	—	—	—	8
9	18	14		—	—	5	1			1	3	2	1	—	—			1	—	6	5	9
10	4	1		—	—	—	—			—	1	—	—	—	—			—	—	—	1	10
11	2	4		—	—	—	—			—	1	—	1	—	—			—	—	2	2	11
12	26	19		2	1	5	5			—	2	—	—	—	—			1	2	—	4	12
13	1	—		—	—	—	—			—	—	—	—	—	—			—	—	—	—	13
14	1	—		—	—	—	—			—	—	—	—	—	—			—	—	—	—	14
15	12	23		1	1	7	8			—	1	1	1	—	1			—	1	—	4	15
16	10	9		—	1	1	5			—	—	—	—	2	—			1	—	1	—	16
17	12	9		—	—	3	1			—	1	—	—	1	—			2	—	3	—	17
18	2	—		—	—	—	—			—	—	1	—	—	—			—	—	1	—	18
19	7	15		1	—	4	—			—	—	—	—	—	—			—	—	—	—	19
20	1	—		—	—	1	2			—	—	—	—	—	—			—	—	—	—	20
21	2	1		—	—	—	—			—	—	—	—	—	—			—	—	—	—	21
21A	1	—		—	—	—	—			—	—	—	—	—	—			—	—	—	—	21A
22	5	12		—	—	—	—			—	—	—	1	—	—			—	3	1	—	22
23	—	1		—	—	—	—			—	—	—	—	—	—			—	—	—	—	23
24	—	1		—	—	—	—			—	—	—	—	—	—			—	—	—	1	24
25	11	15		—	—	3	2			—	—	2	—	1	1			1	—	3	—	25
26	5	8		2	—	—	2			2	—	1	—	1	—			2	—	1	—	26
27	3	—		—	—	—	1			1	—	—	—	—	—			—	—	—	—	27
28	68	84		4	2	23	13			2	2	8	1	1	2			4	—	10	11	28
29	3	—		—	1	—	—			—	—	—	—	—	—			—	—	1	—	29

CAUSES OF DEATH IN

RADNORSHIRE—cont. RUTLANDSHIRE.

Causes of Death.		New Radnor R.D.		Painscastle R.D.		Rhayader R.D.		Oakham U.D.		Ketton R.D.		Oakham R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	18	27	20	12	46	30	14	15	20	21	57	45	1
1 Enteric fever	...	—	—	—	—	—	—	—	—	—	—	1	—	2
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	...	—	2	—	—	—	—	—	—	—	—	—	—	4
4 Scarlet fever	...	—	1	—	—	—	—	—	1	—	—	—	—	5
5 Whooping cough	...	—	—	—	—	—	—	—	—	—	—	1	—	6
6 Diphtheria and croup	...	—	—	—	—	—	—	—	—	—	—	—	1	7
7 Influenza	...	—	2	—	—	3	—	—	—	—	1	—	—	8
8 Erysipelas	...	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	...	2	4	—	1	3	5	2	—	2	1	4	2	10
10 Tuberculous meningitis	...	1	—	—	—	—	—	—	—	—	—	3	—	11
11 Other tuberculous diseases	...	—	1	1	—	—	1	1	—	—	1	—	—	12
12 Cancer, malignant disease	...	2	2	2	—	2	3	—	2	1	—	6	6	13
13 Rheumatic fever...	...	1	—	—	—	—	—	1	1	—	—	—	—	14
14 Meningitis	...	—	—	—	—	—	—	—	—	—	—	—	1	15
15 Organic heart disease	...	3	3	2	2	6	1	—	3	2	3	7	5	16
16 Bronchitis	...	—	1	—	—	2	1	—	—	3	1	5	4	17
17 Pneumonia (all forms)	...	—	1	1	2	5	1	—	—	—	1	3	3	18
18 Other respiratory diseases	...	1	—	—	—	—	—	—	—	—	—	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	...	—	—	—	1	1	—	2	3	1	—	1	2	20
20 Appendicitis and typhlitis	...	—	—	—	—	—	—	—	—	—	1	—	—	21
21 Cirrhosis of liver	...	—	—	—	—	—	—	—	—	1	—	—	—	21A
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	1	22
22 Nephritis and Bright's dis.	...	—	1	—	—	1	2	—	—	—	—	1	1	23
23 Puerperal fever	...	—	—	—	—	—	1	—	—	—	—	—	—	24
24 Parturition, apart from 23	...	—	—	—	—	—	—	—	—	—	1	—	—	25
25 Congenital debility, &c.	...	—	1	1	—	4	2	—	—	1	1	5	—	26
26 Violence, apart from 27	...	—	—	—	—	3	—	2	1	—	—	2	—	27
27 Suicide	...	—	—	—	—	2	1	—	—	—	—	—	—	28
28 Other defined diseases	...	8	8	13	6	14	12	6	4	9	9	18	19	29
29 Causes ill-defined or unknown.	...	—	—	—	—	—	—	—	—	—	1	—	—	

RUTLANDSHIRE—cont.

SHROPSHIRE.

Causes of Death.		Upping-ham R.D.		Bishop's Castle M.B.		Bridg-north M.B.		Church Stretton U.D.		Dawley U.D.		Ellesmere U.D.		Ludlow M.B.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	45	53	15	12	33	39	7	14	66	36	19	10	65	64	1
1 Enteric fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
4 Scarlet fever	...	—	—	—	—	—	3	—	—	—	—	—	—	—	—	5
5 Whooping cough	...	—	1	—	1	—	—	—	—	—	—	—	—	1	1	6
6 Diphtheria and croup	...	—	—	—	—	—	—	—	1	—	—	—	—	2	—	7
7 Influenza	...	—	—	—	—	—	—	—	—	—	—	—	—	2	—	8
8 Erysipelas	...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	...	3	3	1	1	4	3	—	2	5	1	1	1	7	4	10
10 Tuberculous meningitis	...	1	—	—	—	—	—	—	—	1	—	—	—	1	—	11
11 Other tuberculous diseases	...	—	—	—	—	1	—	—	—	—	—	—	—	—	1	12
12 Cancer, malignant disease	...	8	6	—	1	3	5	1	3	4	4	2	—	9	3	13
13 Rheumatic fever...	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14
14 Meningitis	...	—	—	—	—	—	—	—	—	1	1	—	—	—	—	15
15 Organic heart disease	...	7	6	2	1	2	4	1	—	6	8	2	2	4	5	16
16 Bronchitis	...	—	3	2	—	2	6	—	1	4	5	2	1	3	5	17
17 Pneumonia (all forms)	...	1	3	2	3	—	1	—	1	6	2	2	—	6	7	18
18 Other respiratory diseases	...	1	2	—	—	—	—	—	—	1	—	—	—	1	1	19
19 Diarrhoea, &c. (under 2 yrs.)	...	2	1	—	—	2	—	—	—	4	—	1	—	2	—	20
20 Appendicitis and typhlitis	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21
21 Cirrhosis of liver	...	—	—	—	1	1	1	—	—	—	1	—	—	—	2	21A
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—	2	1	22
22 Nephritis and Bright's dis.	...	1	2	2	—	1	2	—	—	1	3	1	—	4	6	23
23 Puerperal fever	...	—	1	—	—	—	—	—	—	—	—	—	—	—	1	24
24 Parturition, apart from 23	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	25
25 Congenital debility, &c.	...	—	3	—	—	3	2	—	—	10	2	1	1	4	3	26
26 Violence, apart from 27	...	—	3	—	—	—	3	1	1	1	1	2	—	1	—	27
27 Suicide	...	2	—	2	—	1	—	—	—	—	—	—	1	—	1	28
28 Other defined diseases	...	18	17	3	4	12	8	4	5	21	8	4	4	16	22	29
29 Causes ill-defined or unknown.	...	—	2	1	—	1	1	—	—	1	—	1	—	—	1	

ADMINISTRATIVE AREAS, 1911—continued.

SHROPSHIRE—cont.

	Newport U.D.		Oaken- gates U.D.		Oswestry M.B.		Shrews- bury M.B.		Welling- ton U.D.		Wem U.D.		Wenlock M.B.		Whit- church U.D.			Atcham R.D.		Bridg- north R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	
1	21	24	77	76	70	70	209	204	68	43	10	17	124	115	37	41		145	140	67	39	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	2
3	—	1	2	1	—	—	—	—	3	1	—	—	2	1	—	—		—	1	2	1	3
4	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—		—	—	—	1	4
5	—	—	—	—	2	—	3	4	—	—	—	—	—	—	—	1		4	3	—	—	5
6	—	—	—	—	—	1	—	2	—	—	—	1	—	—	—	—		2	—	—	1	6
7	—	—	2	4	—	3	5	4	—	—	1	—	1	—	1	1		3	1	1	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—		—	—	—	1	8
9	5	1	2	3	5	6	26	12	4	4	—	1	9	13	4	3		13	11	2	—	9
10	—	2	1	—	1	1	1	2	1	—	—	—	1	3	1	—		—	2	1	—	10
11	—	—	1	2	—	1	2	—	—	1	—	—	5	1	—	2		2	1	—	—	11
12	—	4	4	5	5	6	10	20	5	4	—	2	5	10	3	4		7	14	4	9	12
13	—	—	1	1	—	—	2	—	—	1	—	—	—	—	—	—		3	—	1	—	13
14	—	—	1	2	—	2	2	—	—	1	—	—	—	—	—	2		1	2	—	1	14
15	1	1	11	6	5	5	20	27	7	5	2	—	15	16	6	1		15	11	3	6	15
16	—	1	4	3	8	2	12	18	5	—	—	3	10	5	1	1		2	6	5	—	16
17	—	1	8	5	2	—	12	10	9	2	—	—	11	7	2	2		14	10	2	2	17
18	—	—	—	—	2	2	4	7	—	2	—	—	—	1	—	—		1	2	2	—	18
19	1	—	7	5	4	2	15	8	6	1	—	1	2	2	1	1		3	3	2	1	19
20	—	—	—	—	—	2	—	1	—	1	—	—	1	1	—	—		1	—	1	—	20
21	—	—	—	—	—	—	2	2	1	1	1	—	1	1	2	—		2	—	—	—	21
21A	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—		—	—	—	—	21A
22	2	—	—	2	3	4	11	4	1	1	1	—	3	1	—	3		6	6	1	1	22
23	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		—	1	—	—	23
24	—	—	—	2	—	1	—	5	—	—	—	—	—	1	—	—		—	1	—	—	24
25	2	—	6	4	5	6	11	7	8	1	1	1	12	7	4	3		9	8	3	2	25
26	1	—	4	3	1	1	7	2	1	—	—	—	8	5	—	2		6	3	7	1	26
27	—	—	—	—	1	—	—	2	2	—	—	—	3	1	—	—		2	—	—	—	27
28	9	12	22	26	25	24	52	63	14	15	4	8	34	38	12	15		45	51	28	12	28
29	—	1	1	1	1	—	10	4	—	2	—	—	—	—	—	—		4	3	2	—	29

SHROPSHIRE—cont.

	Burford R.D.		Chirbury R.D.		Church Stretton R.D.		Cleobury Mortimer R.D.		Clun R.D.		Drayton R.D.		Ellesmere R.D.		Ludlow R.D.		Newport R.D.		Oswestry R.D.		Shifnal R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	10	9	32	21	36	34	44	45	39	45	94	84	60	63	58	51	34	35	107	111	53	57	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	3	2	—	—	—	—	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	1	—	4
5	—	1	2	1	—	1	—	1	2	3	—	—	1	3	—	1	—	1	—	3	—	—	5
6	—	—	—	—	—	—	—	—	1	2	—	—	1	1	—	2	—	—	—	1	—	—	6
7	—	—	—	—	—	1	1	—	2	1	—	—	2	2	—	—	—	3	4	—	—	—	7
8	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	—	—	6	3	4	1	1	1	3	4	4	4	3	1	2	2	1	2	13	5	3	3	9
10	—	—	—	—	—	—	1	2	—	—	1	1	1	—	2	—	—	1	—	—	2	—	10
11	—	—	—	—	1	—	2	2	—	—	—	—	1	1	1	—	1	—	2	4	2	1	11
12	2	—	—	1	3	4	7	4	1	5	14	11	2	3	6	3	6	2	7	10	3	4	12
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	13
14	—	—	—	1	—	—	—	—	—	—	3	1	1	—	—	1	1	—	—	2	2	—	14
15	1	2	6	2	1	2	5	6	5	5	17	12	6	16	7	7	2	6	4	16	5	7	15
16	1	—	—	1	5	4	2	8	1	5	3	8	4	4	1	1	—	2	3	4	4	4	16
17	1	—	—	—	2	2	1	1	4	1	6	1	5	5	7	2	1	2	3	4	1	—	17
18	—	—	—	—	2	—	—	—	—	—	2	—	—	—	1	1	—	—	1	2	—	—	18
19	—	—	2	—	1	—	—	—	—	2	3	5	—	—	—	1	1	1	1	—	—	—	19
20	—	—	—	—	—	1	—	—	—	—	1	—	—	—	1	1	—	1	1	1	—	—	20
21	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	2	2	—	—	—	—	1	1	1	1	—	3	2	1	9	2	2	8	5	2	6	22
23	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	2	—	—	23
24	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	1	—	—	—	—	—	—	24
25	1	—	1	—	1	1	9	—	1	3	2	8	4	2	6	4	2	2	12	7	7	2	25
26	1	—	2	—	1	1	2	—	4	1	3	1	2	2	5	1	2	1	11	1	4	—	26
27	—	—	—	—	1	1	1	—	1	—	1	—	2	—	—	1	—	—	4	1	—	—	27
28	3	4	11	11	15	12	12	15	15	13	25	29	21	19	15	13	13	11	33	33	14	25	28
29	—	—	—	1	—	1	—	1	1	1	2	—	1	—	3	1	1	1	1	2	3	1	29

CAUSES OF DEATH IN
SOMERSETSHIRE.

SHROPSHIRE—*cont.*

Causes of Death.	Teme R.D.		Welling- ton R.D.		Wem R.D.		Whit- church R.D.				Bridg- water M.B.		Burnham U.D.		Chard M.B.		
	M	F	M	F	M	F	M	F			M	F	M	F	M	F	
ALL CAUSES	18	15	71	68	60	67	9	8			129	126	20	27	39	28	1
1 Enteric fever	—	—	—	—	—	—	—	—			1	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—			—	—	—	—	—	—	3
3 Measles	—	—	2	2	—	—	—	—			—	—	—	—	1	—	4
4 Scarlet fever	—	—	—	—	—	1	—	—			—	—	—	—	—	—	5
5 Whooping cough	—	—	—	—	1	—	—	—			5	3	—	—	—	1	6
6 Diphtheria and croup	—	—	—	—	—	—	—	—			—	—	—	—	—	—	7
7 Influenza	1	1	1	1	4	1	—	—			—	—	—	—	—	—	8
8 Erysipelas	—	—	—	1	—	—	—	—			—	—	—	—	—	—	9
9 Pulmonary tuberculosis	—	—	2	2	4	4	—	—			8	6	—	1	2	3	10
10 Tuberculous meningitis	—	—	—	1	—	—	—	—			—	1	—	—	—	1	11
11 Other tuberculous diseases	—	1	2	—	1	—	—	1			—	2	—	—	1	—	12
12 Cancer, malignant disease	—	1	2	3	3	6	—	3			9	14	—	3	1	2	13
13 Rheumatic fever...	—	—	—	—	1	—	—	—			—	—	—	—	—	—	14
14 Meningitis	—	—	1	1	1	—	—	—			—	1	—	1	—	—	15
15 Organic heart disease ...	3	2	9	7	5	9	3	—			12	8	2	3	3	—	16
16 Bronchitis	4	2	7	5	4	4	—	—			6	13	—	2	2	6	17
17 Pneumonia (all forms) ...	1	1	4	10	1	3	—	—			2	10	—	1	2	—	18
18 Other respiratory diseases	—	1	—	—	1	1	—	—			2	2	—	—	1	1	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	1	2	2	—	—	—			9	5	2	3	3	1	20
20 Appendicitis and typhlitis	—	—	1	—	1	—	—	—			—	—	—	—	—	—	21
21 Cirrhosis of liver	—	—	—	—	2	1	—	—			—	3	—	—	—	1	21A
21A Alcoholism	—	—	1	—	—	—	—	—			—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	—	—	2	4	2	—	—	—			8	2	3	2	1	1	23
23 Puerperal fever	—	—	—	—	—	—	—	—			—	1	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	—	—	1	—	—			—	1	—	—	—	—	25
25 Congenital debility, &c.	2	1	7	4	2	2	1	1			11	12	—	1	4	2	26
26 Violence, apart from 27	2	—	4	—	4	1	—	—			2	—	3	—	—	—	27
27 Suicide	1	—	—	—	2	—	—	—			—	—	—	—	—	—	28
28 Other defined diseases ...	4	5	24	25	16	32	5	3			53	42	10	10	17	9	29
29 Causes ill-defined or un- known.	—	—	1	—	3	1	—	—			1	—	—	—	1	—	

SOMERSETSHIRE—*cont.*

Causes of Death.	Clevedon U.D.		Crewkerne U.D.		Frome U.D.		Glaston- bury M.B.		High- bridge U.D.		Ilminster U.D.		Midsomer Norton U.D.		Minehead U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	34	56	13	30	94	85	35	37	23	18	13	20	43	30	24	22	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	—	—	2	—	1	—	—	—	—	—	1	1	—	—	6
6 Diphtheria and croup	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	7
7 Influenza	—	—	—	—	2	—	—	—	1	—	1	—	—	—	1	—	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	3	2	—	—	5	3	6	3	1	1	2	3	2	4	—	—	10
10 Tuberculous meningitis	1	—	1	—	1	—	1	—	—	—	—	—	—	—	—	1	11
11 Other tuberculous diseases	—	1	1	1	1	1	—	1	1	1	—	—	2	1	1	—	12
12 Cancer, malignant disease	4	10	1	2	9	10	2	4	2	3	2	2	3	1	—	2	13
13 Rheumatic fever...	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	14
14 Meningitis	—	—	—	—	1	1	—	1	1	—	—	—	1	—	—	1	15
15 Organic heart disease ...	6	6	2	—	8	12	4	7	3	2	—	3	7	4	1	5	16
16 Bronchitis	2	4	—	2	3	5	2	3	2	4	—	—	4	2	1	1	17
17 Pneumonia (all forms) ...	—	1	1	2	9	4	2	2	—	1	2	—	3	2	1	1	18
18 Other respiratory diseases	—	2	2	1	—	—	1	2	—	—	1	1	2	—	1	—	19
19 Diarrhoea, &c. (under 2 yrs.)	—	2	—	1	1	2	1	2	—	—	—	—	1	2	1	—	20
20 Appendicitis and typhlitis	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	21
21 Cirrhosis of liver	—	—	—	—	2	2	2	—	—	—	—	—	1	1	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	1	5	—	—	2	5	1	—	2	—	—	—	1	4	—	1	23
23 Puerperal fever	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	25
25 Congenital debility, &c.	2	2	—	2	6	3	3	—	3	1	1	—	2	1	4	1	26
26 Violence, apart from 27	2	1	2	—	4	—	1	—	—	—	—	—	3	—	—	—	27
27 Suicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	28
28 Other defined diseases ...	13	19	3	17	37	35	8	9	8	4	3	9	9	5	12	8	29
29 Causes ill-defined or un- known.	—	—	—	1	1	—	—	—	—	—	1	—	1	—	1	—	

SOMERSETSHIRE—cont.

Causes of Death.	Shepton Mallet R.D.		Taunton R.D.		Wellington R.D.		Wells R.D.		Williton R.D.		Wincanton R.D.		Yeovil R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	61	44	138	115	34	44	90	65	100	74	106	119	94	126	
1 Enteric fever	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	1	—	—	—	1	1	2	—	1	—	—	1	3
4 Scarlet fever	—	1	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	—	—	—	—	—	—	—	4	1	—	—	2	5	5
6 Diphtheria and croup	—	—	3	3	1	3	1	1	2	2	—	1	—	—	6
7 Influenza	1	—	1	1	—	1	1	—	1	1	3	1	—	—	7
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	1	—	—	—	8
9 Pulmonary tuberculosis	3	5	11	8	—	2	3	6	4	10	4	5	8	7	9
10 Tuberculous meningitis	—	1	—	1	—	—	1	1	1	—	1	2	1	2	10
11 Other tuberculous diseases	—	—	1	3	—	1	—	—	—	—	2	—	2	1	11
12 Cancer, malignant disease	4	1	12	10	1	8	8	10	9	5	10	5	5	14	12
13 Rheumatic fever... ..	—	—	1	—	—	—	—	—	—	—	—	—	—	—	13
14 Meningitis	—	—	1	1	—	—	—	—	1	—	—	—	—	1	14
15 Organic heart disease	3	1	10	19	7	2	16	15	15	11	15	15	13	21	15
16 Bronchitis	9	3	8	5	2	3	5	4	7	4	7	9	5	7	16
17 Pneumonia (all forms)	2	2	10	6	3	3	9	2	3	3	3	4	4	8	17
18 Other respiratory diseases	1	—	5	2	1	—	2	—	1	1	2	1	1	1	18
19 Diarrhoea, &c. (under 2 yrs.)	3	1	4	1	—	—	3	—	1	2	—	1	3	—	19
20 Appendicitis and typhlitis	—	—	—	1	—	—	1	—	2	1	—	2	—	1	20
21 Cirrhosis of liver	1	—	4	1	—	—	1	1	—	—	1	1	2	—	21
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	2	1	5	2	—	—	3	2	6	2	3	5	3	4	22
23 Puerperal fever	—	—	—	—	—	1	—	—	—	—	—	1	—	—	23
24 Parturition, apart from 23	—	1	—	—	—	2	—	—	—	1	—	—	—	1	24
25 Congenital debility, &c.	3	2	7	—	2	3	2	2	5	2	5	10	2	1	25
26 Violence, apart from 27	2	—	5	4	1	1	3	1	4	—	2	3	6	3	26
27 Suicide	3	—	3	1	1	—	—	—	2	—	1	—	2	—	27
28 Other defined diseases	24	25	44	46	14	14	29	19	34	25	45	47	34	48	28
29 Causes ill-defined or unknown.	—	—	1	—	1	—	1	—	1	—	2	3	—	—	29

SOUTHAMPTON.

Causes of Death.	Aldershot U.D.		Alton U.D.		Andover M.B.		Basingstoke M.B.		Christchurch M.B.		Eastleigh and Bishopstoke U.D.		Fareham U.D.		Farnborough U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	220	177	43	30	62	48	61	68	26	33	70	58	67	70	67	43	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	22	20	—	—	—	—	—	1	—	2	—	1	1	1	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	4
5 Whooping cough	5	4	—	—	—	—	—	—	—	—	—	2	—	—	—	—	5
6 Diphtheria and croup	2	1	—	1	—	1	—	—	—	—	—	1	1	1	—	—	6
7 Influenza	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	7
8 Erysipelas	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	8
9 Pulmonary tuberculosis	22	8	4	1	2	2	5	3	3	5	4	5	7	4	10	5	9
10 Tuberculous meningitis	1	2	—	1	2	—	1	—	—	1	—	2	1	2	—	—	10
11 Other tuberculous diseases	6	2	1	—	—	—	1	—	—	—	—	—	—	1	—	—	11
12 Cancer, malignant disease	12	10	2	3	3	6	4	7	—	3	7	2	3	4	3	4	12
13 Rheumatic fever... ..	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	13
14 Meningitis	5	2	—	—	—	—	—	1	—	—	1	1	1	—	3	—	14
15 Organic heart disease	11	13	3	4	13	2	3	11	2	3	8	5	7	11	4	2	15
16 Bronchitis	4	7	1	2	1	5	1	4	1	—	1	3	2	3	2	5	16
17 Pneumonia (all forms)	17	16	—	—	5	1	2	6	1	2	3	—	2	6	6	—	17
18 Other respiratory diseases	2	1	1	2	—	—	1	—	—	1	1	—	—	—	2	3	18
19 Diarrhoea, &c. (under 2 yrs.)	16	16	2	1	—	1	6	3	—	1	8	4	2	2	2	2	19
20 Appendicitis and typhlitis	3	2	—	—	1	1	3	2	—	—	—	1	—	—	2	—	20
21 Cirrhosis of liver	1	—	1	—	—	—	2	2	—	—	—	1	—	1	—	—	21
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	1	7	3	—	7	1	2	1	3	1	6	4	4	6	—	2	22
23 Puerperal fever	—	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	23
24 Parturition, apart from 23	—	2	—	1	—	—	—	1	—	—	—	—	—	1	—	1	24
25 Congenital debility, &c.	18	21	7	—	3	6	4	2	1	8	6	3	4	5	6	—	25
26 Violence, apart from 27	10	1	1	—	—	—	3	1	2	—	1	2	1	3	1	—	26
27 Suicide	6	—	—	—	1	—	1	—	1	—	—	—	1	—	1	—	27
28 Other defined diseases	50	38	16	14	22	20	21	22	11	12	18	17	28	18	23	12	28
29 Causes ill-defined or unknown.	5	1	1	—	2	1	—	1	—	—	1	—	—	1	1	—	29

ADMINISTRATIVE AREAS, 1911—continued.

SOUTHAMPTON—cont.

	Fleet U.D.		Gosport and Alverstoke U.D.		Havant U.D.		Itchen U.D.		Lymington M.B.		Petersfield U.D.		Romsey M.B.		Warbling- ton U.D.		Win- chester M.B.			Alresford R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M	F	
1	16	12	273	211	33	21	111	113	33	28	29	30	39	44	24	21	146	136		47	40	1
2	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	9	5	—	—	—	—	—	—	1	—	—	—	2	—	1	—	—	—	—	4
5	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
6	—	—	5	9	—	—	4	9	—	—	—	—	—	—	—	—	—	—	—	1	—	6
7	—	—	3	3	—	—	3	1	—	—	—	—	—	1	—	1	1	1	—	—	—	7
8	—	—	6	3	2	2	—	—	—	2	—	—	1	2	—	—	—	—	—	1	—	8
9	1	—	28	7	1	—	11	8	1	1	3	1	3	1	1	2	12	5	—	4	4	9
10	—	—	5	2	—	—	4	3	—	—	—	—	—	1	1	—	—	—	—	—	2	10
11	—	1	6	4	—	—	3	2	1	—	—	—	1	1	1	—	7	—	—	—	—	11
12	—	1	11	22	3	1	11	12	1	3	2	6	3	1	2	6	14	12	—	2	5	12
13	—	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	13
14	—	—	4	3	—	—	1	1	1	—	—	—	—	—	—	—	—	1	—	1	—	14
15	2	2	23	19	3	2	11	14	4	2	2	6	1	5	2	2	14	21	—	5	8	15
16	—	—	19	10	1	—	3	3	1	2	—	1	1	2	1	—	9	11	—	1	1	16
17	1	—	13	8	1	2	6	4	1	1	4	1	5	5	1	2	9	5	—	1	1	17
18	—	—	2	3	1	—	—	—	1	—	—	1	1	1	—	—	1	1	—	3	1	18
19	—	—	29	27	2	—	10	11	1	1	1	—	1	—	—	—	9	4	—	6	2	19
20	—	—	3	—	—	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	20
21	1	—	—	—	—	—	—	2	—	1	1	—	1	2	1	—	2	—	—	—	1	21
21A	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	—	6	4	—	3	4	4	2	4	3	2	—	1	—	—	3	9	—	1	1	22
23	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	23
24	—	—	—	3	—	—	—	1	—	—	—	—	—	—	—	—	—	3	—	—	—	24
25	1	1	22	11	3	3	11	5	2	3	5	1	2	4	3	2	10	10	—	4	2	25
26	—	—	12	2	—	—	4	1	2	—	—	1	2	—	—	—	5	4	—	—	2	26
27	2	—	3	1	1	—	—	—	—	—	—	—	1	—	—	—	4	1	—	1	—	27
28	6	5	58	59	13	7	25	32	14	8	7	8	15	16	9	3	39	47	—	16	9	28
29	1	—	—	2	1	—	—	—	—	—	—	1	—	—	—	1	2	—	—	—	—	29

SOUTHAMPTON—cont.

	Alton R.D.		Andover R.D.		Basing- stoke R.D.		Cathering- ton R.D.		Christ- church R.D.		Droxford R.D.		Fareham R.D.		Fording- bridge R.D.		Hartley Wintney R.D.		Havant R.D.		Hursley R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	101	92	86	52	69	74	36	21	34	27	104	84	76	71	40	52	103	104	29	38	26	16	1
2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	4	1	—	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	4
5	2	1	—	—	1	—	—	—	—	—	2	3	1	—	—	—	1	2	—	—	—	—	5
6	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	1	—	1	—	—	—	—	6
7	—	—	2	3	—	2	—	—	—	—	1	1	—	2	—	2	—	—	1	—	—	—	7
8	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	8
9	9	5	6	1	5	2	4	2	2	2	9	4	1	4	3	2	8	5	2	4	1	1	9
10	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	1	—	10
11	—	—	—	—	1	2	1	1	—	—	2	1	2	1	1	—	1	1	—	—	—	—	11
12	8	4	11	1	8	7	2	2	1	2	6	11	7	4	4	5	8	12	3	4	1	—	12
13	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	13
14	2	4	1	1	—	1	—	—	1	—	—	—	3	2	—	—	—	2	—	—	—	—	14
15	7	11	12	6	6	10	2	6	5	7	13	12	9	15	6	9	10	10	6	2	4	5	15
16	4	5	4	6	3	3	8	3	5	3	9	9	2	3	—	4	9	7	3	2	2	—	16
17	9	7	3	2	4	3	—	2	1	—	8	3	6	6	3	5	7	8	4	2	2	—	17
18	2	1	—	1	—	—	—	—	—	—	2	—	—	—	1	—	1	2	—	1	—	—	18
19	5	8	1	1	1	1	1	—	2	2	6	2	2	4	1	2	3	3	—	—	1	—	19
20	3	1	1	—	—	1	—	—	—	—	1	—	2	1	—	—	3	1	—	—	2	1	20
21	—	—	1	—	—	2	1	—	—	—	1	1	—	—	—	—	3	—	—	—	—	—	21
21A	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	21A
22	2	3	3	1	2	1	3	—	2	—	4	3	2	2	1	3	11	5	—	3	—	—	22
23	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	23
24	—	4	—	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	24
25	14	8	6	5	9	7	1	—	2	1	3	4	5	6	6	2	6	3	1	1	1	2	25
26	3	3	2	1	3	—	1	1	4	1	1	3	4	1	2	1	3	3	—	2	—	1	26
27	2	—	2	—	—	—	—	—	—	—	1	1	3	3	—	—	1	—	—	—	—	—	27
28	25	20	28	21	25	26	11	4	8	8	32	27	25	16	11	16	23	36	7	13	10	5	28
29	2	1	2	1	1	2	1	—	—	—	—	—	1	—	—	—	2	1	—	—	—	—	29

SOUTHAMPTON—cont.

Causes of Death.		Kingsclere R.D.		Lymington R.D.		New Forest R.D.		Petersfield R.D.		Ringwood R.D.		Romsey R.D.		South Stoneham R.D.		Stockbridge R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES ...	44	48	74	71	101	93	65	54	56	51	39	46	144	93	47	46	1
1	Enteric fever ...	1	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	2
2	Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles ...	1	—	—	—	2	6	1	1	2	—	—	1	—	—	—	—	4
4	Scarlet fever ...	—	—	—	—	—	—	1	—	—	1	—	—	1	—	—	—	5
5	Whooping cough ...	—	—	—	—	—	—	4	2	—	—	—	—	—	2	1	—	6
6	Diphtheria and croup ...	1	—	—	2	—	—	—	—	—	—	—	1	2	3	1	1	7
7	Influenza ...	—	—	—	1	—	—	2	1	2	—	4	3	1	2	1	1	8
8	Erysipelas ...	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	9
9	Pulmonary tuberculosis	4	2	5	5	4	6	1	6	5	2	4	3	15	7	1	2	10
10	Tuberculous meningitis	—	—	2	—	1	—	—	—	—	—	—	—	2	—	1	—	11
11	Other tuberculous diseases	—	1	1	—	1	1	1	—	—	2	1	—	—	—	—	1	12
12	Cancer, malignant disease	2	4	7	8	10	9	2	7	4	7	4	2	8	10	3	5	13
13	Rheumatic fever...	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	14
14	Meningitis ...	2	—	1	2	—	2	—	—	—	—	—	—	1	1	1	—	15
15	Organic heart disease ...	6	9	12	12	11	10	5	5	3	—	4	6	19	15	12	11	16
16	Bronchitis ...	3	4	6	4	5	4	1	3	4	3	4	3	4	4	3	2	17
17	Pneumonia (all forms) ...	1	—	5	4	4	7	8	3	6	5	2	2	6	4	1	1	18
18	Other respiratory diseases	1	—	3	1	3	1	1	—	2	—	—	1	3	2	—	—	19
19	Diarrhoea, &c. (under 2 yrs.)	—	—	1	—	8	3	2	1	2	—	1	1	10	3	1	—	20
20	Appendicitis and typhlitis	—	1	—	1	—	—	1	—	—	—	—	—	1	1	—	—	21
21	Cirrhosis of liver ...	—	—	—	—	—	—	1	—	—	—	—	—	2	1	—	—	21A
21A	Alcoholism ...	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	22
22	Nephritis and Bright's dis.	—	—	3	2	8	3	4	4	1	—	—	—	2	5	2	1	23
23	Puerperal fever ...	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	24
24	Parturition, apart from 23	—	—	—	1	—	2	—	—	—	—	—	—	—	1	—	1	25
25	Congenital debility, &c.	1	6	2	4	5	6	3	4	5	4	—	5	12	8	3	1	26
26	Violence, apart from 27	—	1	1	—	1	—	1	—	3	2	1	—	—	—	3	2	27
27	Suicide ...	—	—	1	—	2	1	1	1	—	—	—	—	1	—	—	1	28
28	Other defined diseases ...	16	19	24	23	35	29	26	14	19	23	14	17	51	23	13	16	29
29	Causes ill-defined or unknown.	4	1	—	—	—	1	—	—	—	—	—	—	—	1	—	—	

SOUTHAMPTON—cont.

STAFFORDSHIRE.

Causes of Death.		Whitchurch R.D.		Winchester R.D.		Amblecote U.D.		Audley U.D.		Biddulph U.D.		Bilston U.D.		Brierley Hill U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES ...	39	34	59	56	30	32	119	99	54	46	251	228	104	89	1
1	Enteric fever ...	—	—	—	—	—	—	—	—	—	1	1	—	—	—	2
2	Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles ...	—	—	1	1	1	—	—	—	—	—	30	22	2	2	4
4	Scarlet fever ...	—	—	—	—	—	—	3	3	1	1	1	4	—	—	5
5	Whooping cough ...	—	—	—	—	—	—	5	7	—	—	2	1	—	—	6
6	Diphtheria and croup ...	—	1	—	—	—	1	1	1	—	—	—	1	1	—	7
7	Influenza ...	1	1	1	1	—	—	1	1	—	—	8	2	—	—	8
8	Erysipelas ...	—	—	—	—	—	—	1	—	—	—	1	—	1	—	9
9	Pulmonary tuberculosis	3	1	5	1	2	1	5	5	5	5	23	8	4	3	10
10	Tuberculous meningitis	—	—	—	2	1	—	3	—	—	—	1	4	1	1	11
11	Other tuberculous diseases	—	—	—	2	—	—	2	1	2	—	2	4	—	—	12
12	Cancer, malignant disease	1	1	7	4	1	4	10	6	3	3	10	8	5	5	13
13	Rheumatic fever...	—	—	—	—	—	—	—	1	—	1	1	—	1	1	14
14	Meningitis ...	1	—	—	—	—	—	1	1	1	1	2	—	3	—	15
15	Organic heart disease ...	6	6	8	9	5	2	10	7	3	—	7	10	6	5	16
16	Bronchitis ...	4	1	3	5	2	3	11	14	1	—	22	22	11	4	17
17	Pneumonia (all forms) ...	1	2	4	4	1	3	3	4	9	4	22	14	6	5	18
18	Other respiratory diseases	—	2	1	—	—	—	1	1	3	—	2	—	—	2	19
19	Diarrhoea, &c. (under 2 yrs.)	3	3	1	1	2	3	7	4	6	3	25	26	7	11	20
20	Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	1	1	—	—	1	21
21	Cirrhosis of liver ...	—	—	1	—	—	—	—	—	—	—	1	2	2	—	21A
21A	Alcoholism ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22	Nephritis and Bright's dis.	1	2	3	2	—	—	2	5	2	1	7	4	3	4	23
23	Puerperal fever ...	—	—	—	—	—	—	—	—	—	—	—	3	—	—	24
24	Parturition, apart from 23	—	—	—	1	—	—	—	2	—	—	—	4	—	—	25
25	Congenital debility, &c.	2	3	5	1	4	6	15	6	3	4	18	13	13	8	26
26	Violence, apart from 27	3	2	4	1	1	—	10	2	1	—	6	1	5	1	27
27	Suicide ...	1	—	—	—	—	—	2	—	—	—	—	—	—	1	28
28	Other defined diseases ...	10	9	15	20	8	9	26	27	13	20	56	70	31	33	29
29	Causes ill-defined or unknown.	2	—	—	1	2	—	2	—	—	1	2	5	2	2	

ADMINISTRATIVE AREAS, 1911—continued.

STAFFORDSHIRE—cont.

	Brown-hills U.D.		Cannock U.D.		Coseley U.D.		Darlaston U.D.		Hands- worth U.D.		Heath- town or Wednes- field Heath U.D.		Kids- grove U.D.		Leek U.D.		Lichfield M.B.		Newcastle under Lyme M.B.		Perry Barr U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	121	128	231	198	198	154	167	146	321	314	113	77	65	70	141	121	79	52	205	188	17	15	1
2	—	—	—	—	—	—	1	2	1	—	—	—	—	—	1	—	—	1	—	2	—	—	2
3	—	—	8	8	11	13	3	3	6	11	9	2	—	—	—	—	—	—	13	5	—	—	3
4	—	—	—	—	1	1	—	—	3	1	—	—	—	—	—	—	—	—	3	1	—	—	4
5	—	1	—	4	—	—	2	—	2	1	1	2	—	—	2	2	—	—	5	9	—	1	5
6	10	7	—	1	1	1	—	—	5	3	—	—	—	—	—	—	—	—	2	3	—	—	6
7	1	1	5	3	1	—	4	3	4	5	—	—	—	1	2	—	1	2	5	3	—	—	7
8	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	8
9	5	6	8	16	15	5	12	9	20	16	5	11	3	7	14	8	12	6	18	7	—	1	9
10	1	2	1	3	1	—	1	2	3	5	1	—	—	1	—	5	—	1	1	2	—	—	10
11	3	2	4	1	5	2	5	6	3	8	—	—	—	—	—	3	—	1	3	2	2	—	11
12	4	9	14	6	10	8	8	11	28	29	5	8	5	3	3	8	7	7	10	7	—	1	12
13	2	1	—	1	4	1	—	—	2	4	1	1	—	—	3	—	1	—	—	1	—	—	13
14	1	—	4	2	1	—	5	—	8	1	2	2	1	2	2	—	—	—	3	3	1	—	14
15	3	8	12	21	10	8	19	12	23	21	4	2	1	5	19	23	6	2	11	7	—	—	15
16	10	8	20	14	14	16	18	12	16	19	5	4	8	5	8	3	6	2	14	13	—	1	16
17	12	8	23	16	22	14	13	13	18	20	21	9	1	1	2	6	3	—	19	10	—	2	17
18	2	2	2	2	2	1	2	—	3	3	3	—	1	—	2	2	3	—	3	2	—	—	18
19	19	10	22	12	14	9	10	13	19	14	11	4	9	6	11	8	4	1	27	20	5	1	19
20	1	1	1	—	1	—	—	—	2	3	2	—	1	—	1	—	—	2	—	—	—	1	20
21	—	—	2	2	1	—	—	—	2	3	1	1	—	—	1	1	2	—	1	—	1	—	21
21A	—	—	—	—	—	—	—	—	2	2	—	—	—	—	1	—	—	—	—	—	—	—	21A
22	—	4	1	1	4	4	1	2	18	8	2	2	1	2	5	4	2	4	2	12	—	—	22
23	—	—	—	2	—	1	—	—	—	3	—	1	—	2	—	—	—	—	—	—	—	—	23
24	—	1	—	6	—	2	—	1	—	5	—	—	—	2	—	1	—	1	—	—	—	—	24
25	8	12	30	24	13	16	28	21	29	11	11	3	9	6	8	7	9	2	10	17	1	1	25
26	2	5	11	4	7	1	7	1	8	8	3	2	3	2	4	1	2	1	3	5	1	—	26
27	1	—	1	2	1	—	—	1	4	4	2	1	—	—	2	1	3	—	2	1	2	—	27
28	35	37	55	46	58	48	27	29	86	102	24	22	20	25	50	37	18	19	46	54	4	5	28
29	1	3	7	1	2	1	3	3	6	4	—	—	2	—	—	1	—	—	3	2	—	—	29

STAFFORDSHIRE—cont.

	Quarry Bank U.D.		Rowley Regis U.D.		Rugeley U.D.		Sedgley U.D.		Short Heath U.D.		Small- thorne U.D.		Stafford M.B.		Stone U.D.		Tamworth M.B.		Tettenhall U.D.		Tipton U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	55	48	277	221	38	29	140	141	23	29	140	118	156	192	41	43	64	62	45	39	333	291	1
2	—	—	1	1	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	1	1	2
3	1	1	12	14	9	3	8	7	—	—	—	1	2	3	—	—	4	2	1	—	28	17	3
4	—	—	1	4	—	—	—	2	—	—	—	1	2	1	—	—	—	—	—	5	—	—	4
5	—	—	1	1	—	1	1	1	—	—	3	1	1	—	—	2	2	3	—	1	5	—	5
6	1	1	3	2	—	—	2	—	1	1	1	1	1	2	—	—	—	2	—	2	2	—	6
7	—	—	1	—	—	—	3	2	—	—	—	—	—	2	—	—	—	—	—	2	2	—	7
8	—	—	1	1	—	—	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—	8
9	2	2	13	12	3	1	7	8	1	4	5	10	18	21	4	2	3	5	4	—	9	8	9
10	—	—	—	2	—	—	3	1	—	—	4	2	3	1	1	—	—	—	—	1	3	3	10
11	3	2	6	5	—	—	2	2	—	—	2	1	5	3	2	—	—	1	—	4	9	—	11
12	2	1	13	11	2	2	5	7	—	1	6	6	3	15	3	4	4	4	6	10	8	—	12
13	—	—	2	3	—	—	1	—	—	—	—	—	1	—	—	—	1	1	—	—	1	—	13
14	—	—	9	4	—	—	1	3	2	—	—	1	2	1	1	—	2	1	—	1	4	—	14
15	4	2	12	16	4	2	7	10	1	4	9	7	11	16	5	5	4	4	6	6	13	20	15
16	5	6	17	23	1	6	7	13	2	4	7	11	11	18	3	2	8	6	1	1	31	16	16
17	2	1	29	11	1	1	23	7	1	1	22	8	6	4	2	—	1	4	2	2	40	37	17
18	1	—	7	1	1	—	1	2	—	—	4	—	5	1	—	—	—	—	2	2	—	—	18
19	5	2	18	11	2	3	8	6	2	—	12	16	13	17	2	4	10	2	2	38	26	—	19
20	—	—	—	1	—	—	—	1	—	—	—	1	2	1	—	—	2	—	—	—	—	—	20
21	1	—	1	1	—	—	—	—	—	—	1	2	1	1	2	2	—	2	—	1	1	4	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	2	21A
22	2	2	12	6	2	—	1	3	2	—	3	4	6	2	—	—	1	—	2	1	6	—	22
23	—	1	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	—	—	4	23
24	—	—	—	1	—	—	—	—	—	—	—	2	—	1	—	—	—	1	—	—	—	—	24
25	8	7	33	20	2	4	16	9	5	3	24	9	10	7	1	1	4	4	1	2	39	37	25
26	3	1	15	6	—	—	4	4	1	1	11	1	3	4	3	—	4	2	—	1	15	4	26
27	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	1	—	27
28	13	19	67	64	11	6	38	47	6	9	24	29	48	66	12	18	12	16	19	14	70	77	28
29	1	—	3	—	—	—	3	4	—	1	2	2	2	2	—	1	—	—	—	9	2	—	29

STAFFORDSHIRE—cont.

Causes of Death.	Uttoxeter U.D.		Wednes- bury M.B.		Wednes- field U.D.		Willenhall U.D.		Wolstanton United U.D.		Blore Heath R.D.		Cannock R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	34	37	256	231	38	44	202	148	213	208	15	10	128	112	1
1 Enteric fever	—	—	1	2	—	—	—	—	—	1	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	17	10	1	2	14	7	1	1	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	2	1	—	4	4	—	—	—	—	5
5 Whooping cough	—	—	1	3	—	—	3	4	5	11	—	—	—	—	6
6 Diphtheria and croup ...	2	3	1	1	—	—	1	—	2	2	1	1	1	1	7
7 Influenza	—	—	5	4	—	—	1	—	—	2	—	—	1	2	8
8 Erysipelas	—	—	1	1	—	—	1	—	—	1	—	—	1	—	9
9 Pulmonary tuberculosis	3	5	25	11	2	3	14	5	8	14	1	—	7	4	10
10 Tuberculous meningitis	—	—	1	—	—	—	3	—	1	2	—	—	2	—	11
11 Other tuberculous diseases	1	—	4	7	—	—	2	3	6	5	—	—	1	1	12
12 Cancer, malignant disease	—	3	8	14	—	2	6	6	10	11	1	—	10	11	13
13 Rheumatic fever... ..	—	—	—	1	—	1	1	—	—	—	—	—	1	4	14
14 Meningitis	—	1	3	2	1	—	3	4	5	5	—	—	1	1	15
15 Organic heart disease ...	3	6	10	16	6	3	13	10	12	14	4	1	9	15	16
16 Bronchitis	—	3	24	15	—	2	16	11	15	16	—	—	9	4	17
17 Pneumonia (all forms) ...	1	—	11	10	5	3	13	8	15	6	3	—	9	14	18
18 Other respiratory diseases	—	—	5	4	—	—	1	2	3	3	—	—	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	5	2	31	27	5	5	21	10	27	17	—	—	6	3	20
20 Appendicitis and typhlitis	1	—	—	1	1	—	—	—	4	2	—	—	1	—	21
21 Cirrhosis of liver	—	—	2	1	—	—	1	1	—	—	—	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	1	—	7	2	1	—	6	6	3	3	—	—	4	—	23
23 Puerperal fever	—	—	—	3	—	—	—	1	—	—	—	—	—	4	24
24 Parturition, apart from 23	—	1	—	—	—	1	—	1	—	1	—	—	—	2	25
25 Congenital debility, &c.	2	4	20	21	5	10	19	13	22	17	1	1	17	14	26
26 Violence, apart from 27	—	—	8	8	—	1	4	4	8	7	—	—	12	3	27
27 Suicide	1	—	2	1	—	—	1	—	1	1	—	—	3	1	28
28 Other defined diseases ...	14	9	67	65	11	9	55	51	57	61	5	6	32	26	29
29 Causes ill-defined or un- known.	—	—	2	1	—	—	2	1	4	1	—	1	1	2	29

STAFFORDSHIRE—cont.

Causes of Death.	Cheadle R.D.		Dudley R.D.		Gnosall R.D.		Kings- winford R.D.		Leek R.D.		Lichfield R.D.		Mayfield R.D.		Newcastle under Lyme R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	195	174	—	—	35	32	173	133	105	106	174	144	22	19	28	40	1
1 Enteric fever	1	—	—	—	—	—	—	—	1	—	6	2	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	3	2	—	—	—	—	1	1	—	—	3	—	—	—	—	—	4
4 Scarlet fever	3	1	—	—	—	—	—	—	—	—	2	—	—	—	1	—	5
5 Whooping cough	4	4	—	—	2	4	—	—	—	—	1	3	—	—	4	—	6
6 Diphtheria and croup ...	1	—	—	—	2	1	1	—	2	3	6	4	—	—	3	—	7
7 Influenza	3	3	—	—	—	2	1	1	2	—	—	—	—	—	1	—	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	9
9 Pulmonary tuberculosis	19	18	—	—	6	1	9	8	4	13	5	7	—	—	1	3	10
10 Tuberculous meningitis	3	3	—	—	—	1	—	2	1	2	—	2	—	—	—	1	11
11 Other tuberculous diseases	3	5	—	—	—	—	3	3	4	2	5	5	—	—	—	—	12
12 Cancer, malignant disease	7	13	—	—	5	3	15	10	6	9	12	10	3	3	3	3	13
13 Rheumatic fever... ..	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	14
14 Meningitis	2	1	—	—	—	—	4	—	—	—	1	2	—	—	—	—	15
15 Organic heart disease ...	21	25	—	—	2	2	6	7	10	15	17	18	—	2	6	1	16
16 Bronchitis	11	11	—	—	6	19	15	6	9	8	8	8	—	1	3	5	17
17 Pneumonia (all forms) ...	17	11	—	—	1	—	15	12	4	7	10	5	1	—	2	3	18
18 Other respiratory diseases	3	1	—	—	—	1	1	—	2	—	1	4	—	—	2	—	19
19 Diarrhoea, &c. (under 2 yrs.)	8	5	—	—	2	—	18	8	3	4	4	3	—	1	2	1	20
20 Appendicitis and typhlitis	2	—	—	—	—	—	1	—	1	—	2	1	—	—	—	—	21
21 Cirrhosis of liver	—	—	—	—	—	—	—	1	1	1	1	—	—	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	1	—	—	—	—	2	—	—	—	—	22
22 Nephritis and Bright's dis.	2	10	—	—	—	—	2	1	1	1	4	2	1	2	—	—	23
23 Puerperal fever	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	24
24 Parturition, apart from 23	—	5	—	—	—	—	—	1	—	1	—	1	—	—	—	—	25
25 Congenital debility, &c.	15	7	—	—	1	—	9	9	10	10	15	11	—	1	—	—	26
26 Violence, apart from 27	11	2	—	—	—	—	11	5	8	1	10	4	2	3	1	1	27
27 Suicide	3	—	—	—	1	—	2	1	2	1	3	—	—	—	—	—	28
28 Other defined diseases ...	48	47	—	—	12	11	49	48	35	25	56	51	12	6	7	10	29
29 Causes ill-defined or un- known.	4	—	—	—	1	—	5	—	1	1	—	1	—	—	1	—	29

ADMINISTRATIVE AREAS, 1911—continued.

STAFFORDSHIRE—cont.

	Seisdon R.D.		Stafford R.D.		Stoke upon Trent R.D.		Stone R.D.		Tamworth (pt.) R.D.*		Tutbury R.D.		Uttoxeter R.D.		Walsall R.D.		Blymhill and Weston under Lizard C.P.s†				
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			
1	78	79	69	63	32	33	91	93	43	35	64	49	49	41	65	78	10	2			1
2	2	—	3	—	2	—	1	—	—	—	1	1	—	—	1	—	—	—			2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			3
4	1	—	1	—	—	2	—	1	—	—	—	—	1	—	—	—	—	—			4
5	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—			5
6	1	—	—	1	—	—	—	5	—	—	—	—	—	1	—	1	—	—			6
7	4	—	3	3	—	—	—	—	—	—	—	—	1	2	1	1	—	—			7
8	—	—	—	—	—	—	1	—	1	—	—	—	—	—	2	—	—	—			8
9	3	6	5	2	3	3	2	5	1	2	8	5	6	2	2	4	1	—			9
10	—	—	—	2	1	—	2	1	1	—	—	1	1	—	—	2	—	—			10
11	2	—	2	3	1	1	3	2	1	—	2	1	1	—	1	—	—	—			11
12	3	6	3	8	3	1	8	4	1	3	5	4	1	5	1	4	2	—			12
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			13
14	—	—	2	—	1	—	2	—	2	—	—	1	4	—	1	1	—	—			14
15	5	8	8	10	2	1	8	22	4	5	9	9	8	2	4	4	1	—			15
16	7	3	3	3	2	3	5	9	5	2	1	4	5	1	6	3	2	—			16
17	2	4	4	2	3	3	6	4	2	3	2	2	—	2	4	6	—	—			17
18	1	2	—	1	—	1	2	2	—	—	1	—	2	1	2	1	—	1			18
19	1	4	2	3	—	4	2	4	2	—	3	5	—	2	6	2	—	—			19
20	—	1	—	1	—	—	1	—	—	—	1	—	1	—	—	1	—	—			20
21	3	—	—	—	—	—	2	2	2	—	1	1	1	—	—	—	—	—			21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			21A
22	2	1	—	—	1	—	3	—	—	2	—	1	—	—	1	5	—	—			22
23	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	6	—	—			23
24	—	1	—	1	—	—	—	2	—	—	—	—	—	2	—	1	—	—			24
25	8	7	3	1	5	3	7	3	4	—	7	4	3	3	5	7	1	—			25
26	3	2	5	—	2	1	6	3	2	—	6	2	2	3	8	1	—	—			26
27	1	1	3	—	—	—	1	1	—	1	—	—	1	—	—	—	—	—			27
28	25	30	21	21	6	10	27	24	15	17	17	8	11	15	20	27	2	1			28
29	4	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			29

SUFFOLK, EAST.

	Aldeburgh M.B.		Beccles M.B.		Bungay U.D.		Eye M.B.		Felixstowe and Walton U.D.		Hales- worth U.D.		Leiston cum Sizewell U.D.		Lowestoft M.B.		Oulton Broad U.D.		Sax- mundham U.D.		Southwold M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	16	10	48	35	29	21	19	18	30	48	16	19	34	17	215	223	15	19	14	13	16	17	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	1	—	2	2	1	—	—	—	—	—	—	—	4	8	—	—	1	—	—	—	5
6	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	1	—	6
7	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	2	—	4	3	5	1	—	3	1	4	—	—	2	—	15	10	—	1	2	2	2	1	9
10	—	—	—	—	—	—	—	—	—	—	2	—	1	—	3	4	—	—	—	—	1	1	10
11	—	—	3	1	1	—	—	—	—	1	2	1	—	—	1	2	—	—	—	—	—	—	11
12	2	1	4	5	2	—	2	3	3	4	4	3	2	1	19	19	—	2	—	—	2	—	12
13	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	13
14	—	—	—	1	—	—	—	—	1	1	—	1	—	—	—	1	—	—	—	—	—	—	14
15	1	—	2	5	6	3	2	4	3	5	—	1	3	4	22	18	1	1	—	2	1	1	15
16	1	—	2	3	2	3	1	—	1	2	2	2	1	—	6	7	—	1	1	2	1	1	16
17	2	—	1	1	2	—	—	2	2	2	1	4	1	1	12	17	2	—	1	—	—	—	17
18	—	—	2	—	—	—	—	—	—	1	—	—	2	—	1	2	1	1	2	1	—	—	18
19	1	—	1	1	3	1	—	1	3	1	—	—	2	—	12	13	—	4	—	—	—	—	19
20	—	—	—	—	—	—	1	—	—	1	—	—	—	—	3	—	—	—	—	—	—	—	20
21	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	21A
22	2	1	1	1	1	1	1	—	3	2	—	1	1	—	4	8	1	1	—	—	1	1	22
23	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—	1	—	23
24	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	24
25	1	—	2	5	1	—	4	2	2	3	—	1	3	—	21	36	4	1	1	—	2	1	25
26	1	1	3	1	—	—	—	1	—	—	—	—	1	—	12	3	—	—	2	—	—	—	26
27	—	—	—	1	—	1	—	—	—	1	—	—	2	—	3	1	—	—	—	—	—	—	27
28	3	6	19	6	4	9	7	2	8	17	5	5	9	8	73	66	6	7	4	5	3	8	28
29	—	—	1	—	—	—	—	—	3	1	—	—	1	—	1	1	—	—	—	—	—	—	29

* The remainder of Tamworth R.D. is in Warwickshire ; see page 519.
† Administered by Shifnal R.D.C. (Shropshire).

SUFFOLK, EAST—cont.

Causes of Death.	Stow-market U.D.		Wood- bridge U.D.			Blything R.D.		Bosmere and Claydon R.D.		East Stow R.D.		Hartis- mere R.D.		Hoxne R.D.		
	M	F	M	F		M.	F.	M	F	M	F	M	F	M	F	
ALL CAUSES	34	35	26	40		122	124	106	92	45	38	83	74	65	68	1
1 Enteric fever	—	1	—	—		1	—	—	—	—	—	—	1	—	—	2
2 Small-pox	—	—	—	—		—	1	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—		—	—	—	—	—	—	—	—	—	—	4
4 Scarlet fever	—	1	—	—		—	—	—	—	—	—	—	—	1	1	5
5 Whooping cough	—	—	—	—		—	—	2	—	—	—	2	4	—	—	6
6 Diphtheria and croup	—	—	—	—		—	3	2	—	1	—	1	1	—	—	7
7 Influenza	1	—	—	—		—	1	—	—	—	—	2	2	—	—	8
8 Erysipelas	—	—	—	—		—	—	—	—	—	—	—	2	—	—	9
9 Pulmonary tuberculosis	3	1	3	3		5	6	5	4	1	1	1	7	3	5	10
10 Tuberculous meningitis	—	1	—	—		2	1	—	1	—	—	—	—	—	3	11
11 Other tuberculous diseases	—	1	—	—		2	—	2	—	—	—	—	—	1	2	12
12 Cancer, malignant disease	3	7	—	3		10	12	8	13	4	5	6	4	4	6	13
13 Rheumatic fever... ..	—	—	1	—		—	—	1	—	—	1	1	—	—	—	14
14 Meningitis	1	1	1	—		1	—	2	4	—	—	2	—	—	3	15
15 Organic heart disease	3	8	4	7		9	9	14	19	8	8	7	11	7	14	16
16 Bronchitis	1	4	—	3		3	5	7	2	1	—	4	3	1	6	17
17 Pneumonia (all forms)	1	4	—	1		10	4	4	3	1	2	7	1	1	2	18
18 Other respiratory diseases	—	—	—	—		1	2	1	2	—	—	1	—	—	2	19
19 Diarrhœa, &c. (under 2 yrs.)	—	—	—	3		5	3	2	—	2	3	—	—	2	1	20
20 Appendicitis and typhlitis	—	—	—	—		1	1	—	—	—	—	—	—	—	—	21
21 Cirrhosis of liver	—	1	1	—		—	—	1	1	1	—	—	—	—	1	21A
21A Alcoholism	—	—	—	—		—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	1	—	—	3		6	4	7	3	—	2	5	4	1	1	23
23 Puerperal fever	—	—	—	1		—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	—		—	—	—	1	—	—	—	2	—	—	25
25 Congenital debility, &c.	2	2	1	2		5	7	8	10	6	2	5	1	5	1	26
26 Violence, apart from 27	4	1	1	2		9	2	7	1	—	1	3	1	3	1	27
27 Suicide	—	—	2	1		—	1	1	—	—	—	4	1	1	—	28
28 Other defined diseases	14	2	12	11		51	60	32	28	21	12	32	29	35	19	29
29 Causes ill-defined or un- known.	—	—	—	—		1	2	—	—	—	—	—	—	—	—	29

SUFFOLK, EAST—cont.

SUFFOLK, WEST.

Causes of Death.	Mutford and Lothing- land R.D.		Plomes- gate R.D.		Samford R.D.		Wangford R.D.		Wood- bridge R.D.			Bury St. Edmunds M.B.		Glemsford U.D.		
	M	F	M	F	M	F	M	F	M	F		M	F	M	F	
ALL CAUSES	69	78	103	108	93	76	35	26	95	104		102	118	9	16	1
1 Enteric fever	1	—	—	—	—	—	—	—	—	—		—	1	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—		—	—	—	—	3
3 Measles	—	—	1	—	1	—	—	—	—	—		1	—	—	—	4
4 Scarlet fever	—	1	—	—	—	—	—	—	—	—		—	—	—	—	5
5 Whooping cough	—	2	3	3	—	—	—	—	4	3		3	9	2	3	6
6 Diphtheria and croup	1	—	1	2	2	1	—	—	2	1		1	—	—	—	7
7 Influenza	—	1	4	2	—	—	—	—	1	—		—	—	—	—	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—		—	—	—	—	9
9 Pulmonary tuberculosis	10	4	8	6	8	6	1	1	6	8		9	5	—	—	10
10 Tuberculous meningitis	1	—	—	1	—	—	—	2	—	—		—	—	—	—	11
11 Other tuberculous diseases	—	2	1	3	—	—	—	—	1	6		3	—	—	—	12
12 Cancer, malignant disease	4	7	4	8	7	12	5	—	5	7		9	10	—	2	13
13 Rheumatic fever... ..	—	2	—	—	2	1	—	—	—	—		1	1	—	—	14
14 Meningitis	—	—	—	3	1	2	—	—	3	2		2	—	—	—	15
15 Organic heart disease	8	7	10	12	6	13	3	2	7	15		9	8	1	1	16
16 Bronchitis	1	7	3	4	1	5	3	2	4	6		6	13	—	2	17
17 Pneumonia (all forms)	5	4	3	3	6	4	1	4	2	4		6	8	1	1	18
18 Other respiratory diseases	—	—	1	1	1	—	1	—	2	3		1	2	—	—	19
19 Diarrhœa, &c. (under 2 yrs.)	7	5	3	2	1	1	—	—	2	3		2	3	—	1	20
20 Appendicitis and typhlitis	—	1	1	1	1	—	—	1	2	—		—	2	—	—	21
21 Cirrhosis of liver	—	1	—	—	1	—	—	—	—	1		3	1	1	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—		—	—	—	—	22
22 Nephritis and Bright's dis.	—	2	3	3	2	—	3	—	4	6		1	1	1	—	23
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—		—	—	—	—	24
24 Parturition, apart from 23	—	—	—	1	—	—	—	1	—	—		—	1	—	—	25
25 Congenital debility, &c.	4	4	9	12	7	6	2	3	6	1		6	9	—	1	26
26 Violence, apart from 27	4	2	5	3	10	2	1	—	4	1		3	1	—	—	27
27 Suicide	1	—	1	—	2	—	—	—	2	—		—	—	—	—	28
28 Other defined diseases	22	25	40	35	32	21	15	10	38	34		33	43	3	5	29
29 Causes ill-defined or un- known.	—	1	2	3	2	2	—	—	—	3		3	—	—	—	29

ADMINISTRATIVE AREAS, 1911—continued.

SUFFOLK, WEST—cont.

	Hadleigh U.D.		Haverhill U.D.		New- market U.D.		Sudbury M.B.			Brandon R.D.		Clare R.D.		Cosford R.D.		Melford R.D.		Mildenhall R.D.		Moulton R.D.		
	M 28	F 21	M 30	F 36	M 73	F 57	M 51	F 52		M 36	F 44	M 53	F 53	M 81	F 71	M 90	F 91	M 54	F 55	M 11	F 18	
1	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	2	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	1	1	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	1	—	—	—	1	—		—	—	—	—	1	5	4	6	1	—	—	—	5
6	—	—	—	1	—	1	—	—		—	—	—	—	—	—	—	1	—	—	—	—	6
7	—	—	1	1	—	—	1	—		1	1	—	—	1	—	1	—	2	—	—	—	7
8	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	8
9	—	—	2	1	12	5	7	1		3	2	2	5	11	5	7	9	1	3	—	3	9
10	1	—	—	—	—	—	—	2		—	—	—	—	—	—	3	—	1	—	—	—	10
11	—	1	2	3	—	2	—	3		1	—	1	1	2	—	2	1	—	—	—	1	11
12	—	2	4	8	9	4	4	5		4	4	4	8	3	9	5	8	5	10	1	2	12
13	—	—	—	—	—	—	—	1		—	—	—	—	—	—	—	—	—	—	—	—	13
14	1	—	—	—	—	1	—	1		1	—	—	—	—	—	—	—	—	—	—	—	14
15	3	1	3	3	3	3	6	6		2	2	5	6	10	10	10	7	6	8	2	2	15
16	4	2	3	—	4	2	2	7		1	2	7	9	4	1	7	8	3	4	1	—	16
17	—	3	1	—	6	3	1	2		2	1	1	2	3	3	4	5	—	3	—	1	17
18	—	—	1	—	1	—	1	—		—	—	—	1	—	2	1	1	1	—	—	2	18
19	—	—	2	1	3	3	1	—		—	2	3	1	1	1	2	1	4	3	—	—	19
20	—	—	—	—	—	1	1	—		1	—	1	—	1	1	—	—	—	1	—	—	20
21	2	2	—	—	—	1	—	—		—	—	1	1	1	—	—	1	—	—	—	—	21
21A	1	—	—	—	—	1	—	—		—	—	—	—	—	—	—	—	—	—	—	—	21A
22	3	—	2	1	2	—	5	—		1	—	1	—	2	1	5	3	2	2	—	—	22
23	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	—		—	1	—	—	—	—	—	—	—	—	—	—	24
25	1	2	1	1	4	4	3	4		3	3	2	—	2	8	4	2	4	1	1	—	25
26	2	1	—	—	2	—	1	2		3	2	1	—	2	—	3	1	3	—	—	—	26
27	1	—	—	—	—	—	1	—		—	—	1	—	1	—	—	1	—	—	—	—	27
28	9	7	5	15	24	26	16	18		12	24	21	18	33	23	31	35	12	19	6	7	28
29	—	—	1	—	1	—	—	—		1	—	2	1	3	2	1	2	7	1	—	—	29

SUFFOLK, WEST—cont.

SURREY.

Thed- wastre R.D.			Thingoe R.D.		Barnes U.D.		Carshalton U.D.		Caterham U.D.		Chertsey U.D.		Dorking U.D.		East and West Molesey U.D.		Egham U.D.		Epsom U.D.				
	M	F	M	F			M	F	M	F	M	F	M	F	M	F	M	F	M	F			
1	63	41	89	102			162	174	57	62	39	46	86	75	56	49	44	38	89	63	73	77	1
2	—	—	—	—			—	—	—	1	—	1	—	—	—	—	—	—	—	—	2	1	2
3	—	—	—	—			9	6	3	3	—	—	1	—	—	—	1	—	—	—	1	3	3
4	—	—	—	—			—	—	—	1	1	—	1	—	—	—	—	1	—	1	—	—	4
5	3	1	3	6			5	5	2	2	3	2	1	2	2	5	—	—	1	4	—	—	5
6	1	—	—	2			1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	6
7	—	4	—	—			2	2	—	—	—	—	3	—	—	—	—	—	1	—	1	—	7
8	1	—	—	—			1	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	8
9	4	1	10	8			13	10	3	—	—	4	8	5	4	1	1	1	7	5	11	8	9
10	1	—	—	—			3	2	1	1	—	—	—	1	—	—	—	1	—	—	1	—	10
11	1	1	—	—			—	4	2	1	—	—	—	—	1	1	—	2	1	—	1	—	11
12	3	5	7	11			11	19	3	5	4	6	4	8	8	9	5	4	9	6	7	10	12
13	—	—	—	—			—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	13
14	—	—	—	—			1	—	1	1	—	—	1	1	—	1	—	—	1	—	—	—	14
15	4	3	13	9			12	19	5	11	2	6	11	7	5	3	7	1	11	5	8	8	15
16	—	2	5	7			12	13	4	2	3	1	3	6	3	1	—	1	5	1	3	3	16
17	4	—	2	4			11	7	4	2	3	1	4	8	3	1	2	2	2	—	—	1	17
18	1	1	1	1			3	5	1	1	—	1	3	2	—	1	—	3	2	1	—	1	18
19	1	—	3	1			16	14	7	1	5	7	7	4	4	2	4	1	5	6	6	6	19
20	—	—	—	—			1	—	—	3	1	—	1	—	—	—	1	1	1	—	2	2	20
21	—	1	—	—			—	2	—	2	—	—	—	—	—	—	—	2	—	1	1	—	21
21A	—	—	—	—			1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	3	1	—	3			6	6	—	3	—	1	2	2	4	—	2	3	3	1	3	1	22
23	—	—	—	—			—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	23
24	—	—	—	3			—	4	—	1	—	—	—	1	—	1	—	—	—	—	—	—	24
25	2	3	9	4			12	7	3	1	4	1	3	4	2	1	2	2	3	3	6	3	25
26	3	—	3	—			6	4	3	—	—	1	5	2	2	—	4	2	5	1	—	1	26
27	1	—	—	1			—	2	1	—	1	1	3	—	1	—	—	1	1	1	1	1	27
28	30	18	32	41			36	40	11	21	11	12	25	19	17	21	14	16	27	24	23	24	28
29	—	—	1	1			—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	29

SURREY—cont.

Causes of Death.		Esher and the Dittons U.D.		Farnham U.D.		Frimley U.D.		Godalming M.B.		Guildford M.B.		Ham U.D.		Kingston on Thames M.B.		Leatherhead U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	68	68	60	42	63	58	58	42	117	144	17	11	272	253	26	17	1
1 Enteric fever	...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	...	—	—	4	3	1	1	3	2	6	8	—	—	11	13	—	—	4
4 Scarlet fever	...	—	1	—	—	—	1	—	—	—	—	—	—	2	—	—	—	5
5 Whooping cough	...	—	—	1	—	1	1	—	1	2	—	—	—	2	—	—	1	6
6 Diphtheria and croup	...	2	1	—	—	1	—	—	—	—	—	—	—	4	7	—	—	7
7 Influenza	...	1	2	—	—	—	2	1	3	1	2	1	—	7	4	—	—	8
8 Erysipelas	...	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	...	8	6	2	5	8	6	6	2	10	6	4	2	23	15	2	—	10
10 Tuberculous meningitis	...	—	—	—	—	1	—	—	—	1	1	—	—	2	3	—	—	11
11 Other tuberculous diseases	...	1	—	—	—	1	—	—	1	—	1	—	1	4	3	—	—	12
12 Cancer, malignant disease	...	11	7	2	2	10	8	7	4	7	16	—	1	16	17	4	4	13
13 Rheumatic fever...	...	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	14
14 Meningitis	...	—	—	—	1	—	—	—	1	—	—	—	—	1	1	—	—	15
15 Organic heart disease	...	7	4	5	4	5	6	3	5	12	18	2	—	22	29	1	—	16
16 Bronchitis	...	4	2	1	—	4	2	3	2	4	9	1	—	18	12	3	1	17
17 Pneumonia (all forms)	...	4	2	2	—	3	2	—	2	9	8	—	—	14	15	—	1	18
18 Other respiratory diseases	...	2	—	—	1	—	—	1	—	1	4	—	—	4	6	1	—	19
19 Diarrhoea, &c. (under 2 yrs.)	...	2	4	8	1	8	2	4	1	8	8	2	—	26	17	3	1	20
20 Appendicitis and typhlitis	...	1	2	1	—	—	1	—	—	—	1	—	—	2	2	—	—	21
21 Cirrhosis of liver	...	1	1	—	—	—	2	—	—	1	3	1	—	2	3	—	—	21A
21A Alcoholism	...	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	...	2	4	1	1	2	2	5	1	4	1	2	1	4	6	1	—	23
23 Puerperal fever	...	—	—	—	1	—	1	—	—	—	1	—	—	—	1	—	—	24
24 Parturition, apart from 23	...	—	1	—	—	—	1	—	—	—	1	—	—	—	3	—	1	25
25 Congenital debility, &c.	...	1	7	8	7	3	5	5	1	8	13	2	2	21	13	2	1	26
26 Violence, apart from 27	...	3	5	1	1	—	1	3	1	11	4	—	—	15	9	4	—	27
27 Suicide	...	—	1	—	—	—	1	1	—	—	—	—	—	4	—	—	—	28
28 Other defined diseases	...	17	17	22	15	14	13	16	14	29	38	2	4	67	74	5	7	29
29 Causes ill-defined or unknown.	...	—	—	2	—	—	—	—	—	—	1	—	—	1	—	—	—	

SURREY—cont.

Causes of Death.		Merton U.D.		Reigate M.B.		Richmond M.B.		Surbiton U.D.		Sutton U.D.		The Maldens and Coombe U.D.		Walton upon Thames U.D.		Weybridge U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	82	86	163	165	207	215	83	108	121	115	54	60	60	77	31	24	1
1 Enteric fever	...	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	2
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	...	2	1	1	2	2	5	—	—	4	3	1	6	2	—	—	—	4
4 Scarlet fever	...	—	—	—	—	—	3	—	—	1	—	—	—	—	—	1	—	5
5 Whooping cough	...	2	2	1	1	4	6	—	2	—	—	—	1	—	2	—	—	6
6 Diphtheria and croup	...	—	1	1	—	1	2	2	2	1	2	—	—	—	—	—	—	7
7 Influenza	...	—	—	2	—	1	1	—	—	1	2	1	—	—	1	—	—	8
8 Erysipelas	...	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	9
9 Pulmonary tuberculosis	...	8	4	15	11	21	8	10	5	15	8	5	6	4	3	3	4	10
10 Tuberculous meningitis	...	—	—	1	2	4	1	—	—	1	—	1	—	2	—	1	—	11
11 Other tuberculous diseases	...	2	1	1	1	1	6	1	2	—	2	1	1	—	2	—	1	12
12 Cancer, malignant disease	...	8	9	19	28	19	28	8	14	8	15	4	9	5	7	4	2	13
13 Rheumatic fever...	...	—	—	—	—	1	1	1	4	—	1	1	—	—	—	—	—	14
14 Meningitis	...	—	—	2	—	—	1	1	1	1	—	1	1	1	—	—	—	15
15 Organic heart disease	...	3	7	25	21	16	12	5	6	10	18	3	4	6	6	5	2	16
16 Bronchitis	...	4	4	9	15	16	14	4	2	4	1	1	2	5	5	1	—	17
17 Pneumonia (all forms)	...	8	5	9	7	12	13	5	4	9	5	2	1	5	6	1	—	18
18 Other respiratory diseases	...	—	—	2	2	5	3	2	1	1	2	—	—	1	1	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	...	8	7	10	8	10	4	—	3	9	11	4	4	1	7	2	1	20
20 Appendicitis and typhlitis	...	2	—	—	—	1	4	—	—	—	3	1	1	3	2	—	—	21
21 Cirrhosis of liver	...	—	1	—	1	2	4	1	1	2	2	—	1	1	—	—	1	21A
21A Alcoholism	...	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	...	3	4	2	1	8	6	3	4	10	1	—	1	2	—	1	1	23
23 Puerperal fever	...	—	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	24
24 Parturition, apart from 23	...	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	1	25
25 Congenital debility, &c.	...	8	4	7	10	9	11	4	5	4	4	6	2	2	5	3	1	26
26 Violence, apart from 27	...	1	2	6	3	13	5	1	2	2	—	2	1	4	2	2	—	27
27 Suicide	...	—	1	2	1	4	—	2	2	2	—	1	—	1	—	1	—	28
28 Other defined diseases	...	23	29	48	49	53	77	32	48	36	35	16	18	15	25	7	9	29
29 Causes ill-defined or unknown.	...	—	1	—	—	2	—	—	—	—	—	—	—	—	1	—	—	

ADMINISTRATIVE AREAS, 1911—continued.

SURREY—cont.

	Wimbledon M.B.		Windlesham U.D.		Woking U.D.				Chertsey R.D.		Croydon R.D.		Dorking R.D.		Epsom R.D.		Farnham R.D.		Godstone R.D.		Guildford R.D.		
	M	F	M	F	M	F			M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	302	280	32	26	112	101			35	47	360	356	52	52	158	114	135	117	122	110	119	92	1
2	1	—	—	—	1	—			—	—	3	2	—	—	—	—	—	—	—	—	—	—	2
3	21	22	—	—	4	3			—	—	20	12	—	1	2	2	9	5	—	1	6	2	3
4	—	1	—	—	—	—			—	—	—	1	—	—	1	—	—	—	—	—	—	—	4
5	4	3	1	—	1	2			—	1	4	6	—	—	3	3	—	2	2	5	3	1	5
6	—	4	—	—	2	—			1	—	12	7	—	—	1	1	—	2	2	—	—	2	6
7	3	4	—	1	2	—			—	—	2	2	—	—	3	1	1	2	1	1	—	1	7
8	—	—	—	—	—	—			—	1	—	2	—	—	—	—	—	—	1	1	1	1	8
9	36	15	4	2	6	4			3	4	24	26	1	4	7	8	6	2	11	1	12	6	9
10	4	3	1	—	1	1			—	2	4	5	1	1	3	1	—	—	—	1	1	1	10
11	4	3	—	—	4	1			—	—	1	4	—	—	2	3	2	—	1	2	—	—	11
12	18	30	3	3	10	13			2	3	30	39	6	6	15	17	11	15	18	17	7	11	12
13	1	1	—	1	3	—			1	—	5	3	1	—	—	—	1	—	—	—	1	1	13
14	1	1	—	—	1	—			—	—	5	2	1	2	—	—	—	—	2	1	1	1	14
15	19	24	5	3	9	11			3	6	23	32	5	10	15	9	16	13	13	17	5	4	15
16	13	17	2	1	2	5			2	—	15	19	2	1	12	8	5	11	—	3	6	5	16
17	23	23	2	1	7	7			2	2	26	22	2	1	10	9	6	5	2	3	8	3	17
18	3	4	—	—	1	3			—	1	3	8	2	—	2	2	2	2	1	2	4	1	18
19	32	16	2	2	9	10			6	5	39	28	2	2	5	4	11	14	3	4	3	2	19
20	2	—	—	—	1	1			1	1	—	3	—	—	3	1	1	—	1	2	3	2	20
21	2	1	—	—	1	—			—	—	2	2	1	—	3	—	1	—	1	—	1	1	21
21A	1	—	—	—	1	—			—	—	1	—	—	—	—	—	1	—	—	—	—	—	21A
22	11	7	4	1	4	—			1	1	13	7	2	2	2	5	3	2	9	2	3	2	22
23	—	1	—	—	—	1			—	—	—	2	—	—	—	1	—	—	—	—	—	—	23
24	—	3	—	—	—	1			—	—	—	3	—	—	—	—	—	—	1	—	1	—	24
25	21	13	2	1	12	8			2	1	23	23	3	4	7	9	8	7	3	5	7	8	25
26	10	6	1	—	4	1			2	3	11	5	2	1	5	2	9	2	5	4	7	1	26
27	3	2	—	—	—	1			—	—	3	—	1	—	2	—	2	1	2	2	4	—	27
28	69	75	5	10	22	28			9	16	91	89	20	17	55	28	39	33	47	32	37	32	28
29	—	1	—	—	4	—			—	—	—	2	—	—	—	—	1	1	—	2	—	3	29

SURREY—cont.

SUSSEX, EAST.

	Hamble- don R.D.		Reigate R.D.				Battle U.D.		Bexhill M.B.		Burgess Hill U.D.		Cuckfield U.D.		East Grinstead U.D.		Hayward's Heath U.D.		Hove M.B.		Lewes M.B.		
	M	F	M	F			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	140	117	100	105			21	18	98	97	31	25	15	15	43	45	30	20	245	316	72	83	1
2	—	—	—	—			—	—	2	1	—	—	—	—	1	—	—	—	—	—	1	—	2
3	5	—	4	1			—	—	2	1	—	1	—	—	—	—	2	1	—	4	—	3	3
4	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	1	4	—	—			—	—	1	1	—	1	—	—	1	—	—	—	2	5	—	—	5
6	1	—	1	2			—	—	—	—	—	—	—	—	—	1	—	—	2	1	—	—	6
7	4	4	—	4			—	—	—	1	—	—	—	—	—	—	—	4	5	—	1	—	7
8	1	3	—	—			—	—	2	—	—	—	—	—	—	—	—	—	1	1	—	—	8
9	10	10	12	8			1	—	9	2	2	1	1	3	8	2	3	1	18	18	9	4	9
10	—	—	1	2			—	1	—	1	1	—	1	—	1	1	—	—	1	4	2	3	10
11	1	2	2	1			1	—	3	3	—	2	—	—	3	—	—	—	—	1	3	2	11
12	14	11	7	11			2	1	7	13	4	5	—	2	5	6	3	3	32	56	5	7	12
13	4	1	—	—			—	—	2	—	—	—	—	—	—	—	—	—	1	—	—	—	13
14	—	1	2	1			—	—	1	—	—	—	—	—	—	—	—	—	2	2	—	1	14
15	12	9	19	18			4	2	4	6	3	2	1	1	3	4	1	5	34	39	10	9	15
16	7	6	7	5			2	—	3	7	3	3	—	—	1	3	2	1	13	11	3	6	16
17	7	7	3	3			—	1	5	6	—	1	—	2	1	1	1	1	14	12	2	1	17
18	3	—	2	—			—	—	5	1	—	—	—	—	—	1	2	3	3	1	—	—	18
19	4	3	4	4			—	1	7	2	—	1	—	1	—	3	1	1	14	8	5	6	19
20	—	2	1	—			—	—	—	1	1	—	—	—	—	—	—	4	1	—	1	—	20
21	1	2	—	—			—	—	1	1	1	—	1	—	1	—	—	—	2	4	—	1	21
21A	1	1	—	—			—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	21A
22	3	3	1	1			2	1	—	2	—	1	—	—	3	2	—	—	9	14	1	5	22
23	—	—	—	1			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	1	—	1			—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	24
25	4	9	1	4			—	2	6	5	4	—	—	1	3	2	3	1	7	10	5	1	25
26	8	2	3	1			—	—	5	3	1	—	1	—	1	1	3	—	9	5	—	—	26
27	2	—	1	—			—	—	3	—	1	—	—	—	1	1	1	—	4	4	1	—	27
28	48	35	29	36			8	8	29	40	10	7	10	5	10	17	10	4	69	106	18	30	28
29	—	1	—	1			1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	1	29

SUSSEX, EAST—cont.

Causes of Death.	Newhaven U.D.		Portslade by Sea U.D.		Rye M.B.		Seaford U.D.		Uckfield U.D.		Battle R.D.		Chailley R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	48	37	47	50	40	34	25	15	32	16	36	38	71	56	
1 Enteric fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	1	3	2	1	—	3	—	—	—	—	—	1	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	1	1	1	—	3	—	—	—	—	—	—	—	—	5
6 Diphtheria and croup	—	—	2	1	—	—	—	—	2	—	—	—	—	—	6
7 Influenza	—	1	1	—	—	—	—	—	1	—	1	—	—	—	7
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	4	4	3	1	4	4	1	2	7	2	1	4	7	—	9
10 Tuberculous meningitis	—	1	—	1	—	—	—	—	1	—	1	—	2	1	10
11 Other tuberculous diseases	2	2	—	—	1	—	1	—	—	—	—	2	—	1	11
12 Cancer, malignant disease	6	11	4	1	—	3	2	3	2	3	5	3	10	4	12
13 Rheumatic fever... ..	—	—	—	—	1	—	—	—	—	—	—	—	—	—	13
14 Meningitis	—	—	1	—	—	—	—	—	—	1	—	—	1	—	14
15 Organic heart disease	6	3	4	5	5	5	1	3	—	3	5	10	9	11	15
16 Bronchitis	1	—	—	5	10	3	—	—	—	2	—	1	3	6	16
17 Pneumonia (all forms)	1	2	1	2	3	1	—	—	1	—	2	1	5	5	17
18 Other respiratory diseases	2	—	2	—	—	—	1	2	—	—	1	—	1	2	18
19 Diarrhoea, &c. (under 2 yrs.)	1	1	3	6	—	—	—	—	—	—	—	—	—	1	19
20 Appendicitis and typhlitis	—	—	1	1	—	—	—	—	—	—	—	—	2	—	20
21 Cirrhosis of liver	2	—	—	—	—	—	—	1	—	—	1	—	2	—	21
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	1	—	—	—	21A
22 Nephritis and Bright's dis.	—	—	1	5	1	2	—	—	1	—	—	1	2	1	22
23 Puerperal fever	—	1	—	1	—	—	—	—	—	—	—	2	—	—	23
24 Parturition, apart from 23	—	—	—	1	—	—	—	—	—	—	—	—	—	—	24
25 Congenital debility, &c.	4	—	7	3	2	1	—	—	—	1	4	3	2	1	25
26 Violence, apart from 27	1	—	2	—	2	—	4	—	1	—	1	—	4	—	26
27 Suicide	—	—	2	—	—	—	—	—	—	—	—	—	1	—	27
28 Other defined diseases	16	9	9	14	10	11	13	5	13	4	13	11	19	23	28
29 Causes ill-defined or un- known.	—	—	—	—	—	1	—	—	1	—	—	—	—	—	29

SUSSEX, EAST—cont.

Causes of Death.	Cuckfield R.D.		East- bourne R.D.		East Grinstead R.D.		Hailsham R.D.		Hastings R.D.		Newhaven R.D.		Rye R.D.		Steyning East R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	96	64	26	35	65	74	124	94	11	10	26	19	37	47	15	11	
1 Enteric fever	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	1	—	—	2	3	2	1	—	1	2	2	—	—	—	—	3
4 Scarlet fever	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	—	—	—	—	1	—	1	—	—	—	—	1	1	—	—	5
6 Diphtheria and croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6
7 Influenza	1	—	1	3	3	1	6	1	—	—	—	—	—	1	—	—	7
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	5	2	—	3	1	8	14	8	1	2	—	2	3	3	2	—	9
10 Tuberculous meningitis	1	—	—	2	—	1	1	—	—	—	1	—	—	—	—	—	10
11 Other tuberculous diseases	—	—	—	—	—	3	4	1	—	—	1	—	1	1	—	1	11
12 Cancer, malignant disease	7	11	2	4	7	9	8	12	—	1	1	1	1	2	—	3	12
13 Rheumatic fever... ..	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	13
14 Meningitis	—	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	14
15 Organic heart disease	11	13	2	3	7	12	13	10	1	2	2	4	1	8	1	—	15
16 Bronchitis	2	3	4	—	7	2	6	3	—	—	1	—	8	5	1	—	16
17 Pneumonia (all forms)	10	2	1	3	2	4	7	3	—	—	4	—	1	6	1	3	17
18 Other respiratory diseases	2	2	—	—	1	2	1	—	—	—	2	—	1	—	—	—	18
19 Diarrhoea, &c. (under 2 yrs.)	3	—	—	1	2	1	1	1	1	—	1	4	—	—	1	—	19
20 Appendicitis and typhlitis	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	20
21 Cirrhosis of liver	—	1	1	1	1	1	2	2	—	—	—	—	—	—	1	—	21
21A Alcoholism	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	4	3	—	—	—	1	2	2	—	—	1	—	—	1	—	2	22
23 Puerperal fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	23
24 Parturition, apart from 23	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	24
25 Congenital debility, &c.	4	1	1	2	3	4	10	9	1	—	1	2	1	—	—	—	25
26 Violence, apart from 27	5	1	2	1	3	3	4	4	—	—	2	—	3	1	2	—	26
27 Suicide	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	27
28 Other defined diseases	39	21	11	11	26	16	40	33	7	3	7	5	14	15	5	2	28
29 Causes ill-defined or un- known.	—	—	1	—	—	—	—	3	—	—	—	—	1	1	1	—	29

SUSSEX, WEST.

	Ticehurst R.D.		Uckfield R.D.			Arundel M.B.		Bognor U.D.		Chichester M.B.		Horsham U.D.		Little- hampton U.D.		Shoreham by Sea U.D.		Southwick U.D.		Worthing M.B.		
	M	F	M	F		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	69	81	109	119		17	20	52	60	81	70	84	64	58	41	43	31	37	28	200	231	1
2	—	—	—	—		—	—	—	—	3	—	—	—	—	—	1	—	—	—	—	—	2
3	—	1	5	4		—	—	2	1	—	—	—	—	—	—	—	3	—	4	8	8	3
4	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	4
5	—	—	—	2		1	1	—	—	1	1	—	—	2	—	—	—	—	—	1	—	5
6	—	—	1	—		—	—	1	1	—	—	1	1	2	1	—	—	—	—	1	2	6
7	—	1	1	1		—	—	—	—	1	—	—	—	—	—	—	—	—	—	4	4	7
8	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	2	6	12	11		1	1	3	4	5	1	6	8	6	6	4	3	3	2	16	10	9
10	1	1	1	2		—	—	—	1	—	1	—	2	—	—	2	—	—	—	4	1	10
11	2	1	2	—		—	—	—	—	1	2	—	—	1	—	1	—	—	—	2	5	11
12	9	11	8	14		1	1	4	11	8	10	6	9	6	3	1	1	1	2	19	27	12
13	—	—	—	—		—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	13
14	—	—	—	—		—	2	—	1	2	2	—	—	1	1	—	1	—	—	—	4	14
15	11	15	12	21		2	3	2	8	6	9	12	6	3	5	8	4	7	4	19	19	15
16	—	6	4	9		2	1	1	3	6	4	6	4	3	1	2	1	2	—	6	10	16
17	1	2	2	3		1	1	5	—	9	4	6	—	4	—	—	2	2	1	8	13	17
18	—	2	—	1		—	—	3	2	2	—	1	1	2	—	2	1	1	—	2	9	18
19	3	—	2	—		—	2	4	2	2	2	6	4	3	2	2	7	1	18	7	19	
20	—	—	1	2		—	—	—	—	—	—	—	2	1	—	—	—	—	3	2	20	
21	1	2	6	—		—	—	—	—	2	—	—	—	1	2	—	—	—	1	—	3	21
21A	—	—	—	—		—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	21A
22	1	1	3	—		—	—	3	3	2	—	5	2	4	—	1	1	1	1	11	8	22
23	—	1	—	1		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	2		—	—	—	1	—	1	—	1	—	—	—	—	—	1	—	—	24
25	4	7	4	6		1	—	2	2	4	4	7	2	1	3	4	1	1	—	9	11	25
26	4	2	7	—		1	2	3	1	3	2	1	—	—	—	3	—	4	—	5	6	26
27	2	—	2	—		1	1	—	—	3	—	1	1	—	—	—	—	—	—	2	—	27
28	28	22	35	39		6	5	19	19	20	27	25	21	3	17	10	10	8	11	61	82	28
29	—	—	1	—		—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—	29

SUSSEX, WEST—*cont.*

[illegible]

CAUSES OF DEATH IN

WARWICKSHIRE.

Causes of Death.				Aston Manor M.B.		Bulkington U.D.		Erdington U.D.		Kenilworth U.D.		Nuneaton M.B.		Royal Leamington Spa M.B.		Rugby U.D.		Stratford on Avon M.B.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	524	464	12	11	155	164	37	48	234	217	167	235	115	110	62	53	
1	Enteric fever	2	1	—	—	1	1	1	—	—	1	1	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	14	21	—	3	4	4	—	—	5	6	10	7	—	—	2	1	3
4	Scarlet fever	2	2	1	1	—	—	—	—	3	7	—	—	—	—	—	—	4
5	Whooping cough	9	8	—	—	—	—	—	—	3	2	1	—	—	—	—	—	5
6	Diphtheria and croup	1	5	—	—	2	1	1	—	6	2	—	—	—	—	1	—	6
7	Influenza	1	3	—	—	3	2	—	—	2	—	1	1	1	2	1	—	7
8	Erysipelas	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	46	19	2	—	10	17	5	3	14	13	4	9	12	9	6	1	9
10	Tuberculous meningitis	7	2	—	—	—	2	2	—	5	3	2	—	1	2	—	1	10
11	Other tuberculous diseases	4	6	—	—	4	3	1	—	7	6	1	2	—	—	—	2	11
12	Cancer, malignant disease	26	40	1	—	11	19	4	8	16	14	12	41	7	13	3	5	12
13	Rheumatic fever...	2	2	—	—	1	1	—	—	—	—	1	—	—	—	—	—	13
14	Meningitis	12	5	1	—	5	4	—	1	1	1	3	1	1	—	—	—	14
15	Organic heart disease	28	33	—	—	14	18	2	2	11	14	25	25	14	16	6	6	15
16	Bronchitis	40	37	—	1	6	9	1	1	5	14	10	22	8	8	3	1	16
17	Pneumonia (all forms)	37	25	1	—	7	11	3	1	21	12	10	4	16	3	—	1	17
18	Other respiratory diseases	8	3	—	—	—	2	—	1	3	2	2	5	2	—	1	3	18
19	Diarrhoea, &c (under 2 yrs.)	86	65	—	1	14	11	2	—	17	15	4	10	5	7	1	3	19
20	Appendicitis and typhlitis	1	1	—	—	2	1	—	1	—	1	1	1	2	—	—	—	20
21	Cirrhosis of liver	2	3	—	—	1	—	—	1	2	5	1	—	1	1	—	—	21
21A	Alcoholism	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	12	14	—	—	2	7	1	1	4	4	9	12	6	4	2	1	22
23	Puerperal fever	—	2	—	—	—	2	—	—	—	1	—	2	—	—	—	—	23
24	Parturition, apart from 23	—	5	—	—	—	2	—	—	—	8	—	—	—	1	—	1	24
25	Congenital debility, &c.	49	35	2	2	13	9	2	4	32	17	8	6	7	10	5	—	25
26	Violence, apart from 27	14	6	—	—	10	2	1	4	13	7	5	6	5	1	2	—	26
27	Suicide	4	2	—	—	3	1	1	—	—	2	—	1	1	—	—	—	27
28	Other defined diseases	114	117	3	3	40	35	9	19	61	58	59	76	26	32	28	27	28
29	Causes ill-defined or unknown.	3	1	1	—	1	—	—	1	2	2	—	2	—	—	1	—	29

WARWICKSHIRE—*cont.*

Causes of Death.				Sutton Coldfield M.B.		Warwick M.B.				Alcester R.D.		Atherstone R.D.		Brailles R.D.		Castle Bromwich R.D.		Coventry R.D.		
				M	F	M	F			M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	103	105	81	92			77	89	127	119	40	37	14	11	2	5	1
1	Enteric fever	—	—	—	—			—	—	—	—	—	—	—	—	—	—	2
2	Small-pox	—	—	—	—			—	—	—	—	—	—	—	—	—	—	3
3	Measles	—	2	1	1			1	2	11	9	—	—	—	—	—	—	4
4	Scarlet fever	2	—	—	—			—	2	4	3	—	—	—	—	—	—	5
5	Whooping cough	—	2	2	—			1	3	—	2	—	—	—	—	—	—	6
6	Diphtheria and croup	—	1	—	—			—	—	—	3	—	—	—	—	—	—	7
7	Influenza	2	1	1	1			1	—	—	—	—	1	1	—	—	—	8
8	Erysipelas	—	—	—	—			—	—	—	—	—	—	—	—	—	—	9
9	Pulmonary tuberculosis	9	9	7	6			6	6	10	5	1	4	1	1	—	—	10
10	Tuberculous meningitis	1	—	—	1			—	—	2	1	—	—	—	—	—	—	11
11	Other tuberculous diseases	—	4	1	—			1	1	5	4	—	—	1	—	—	—	12
12	Cancer, malignant disease	9	15	1	10			4	5	5	11	7	3	—	2	—	—	13
13	Rheumatic fever...	—	1	—	—			—	—	2	2	—	—	—	—	—	—	14
14	Meningitis	1	2	—	1			1	—	—	4	1	—	—	—	—	—	15
15	Organic heart disease	7	7	8	11			7	15	10	11	2	3	—	—	—	—	16
16	Bronchitis	3	6	4	12			6	7	1	6	—	—	1	1	—	—	17
17	Pneumonia (all forms)	12	6	4	1			7	6	6	11	1	—	—	—	—	—	18
18	Other respiratory diseases	—	—	1	1			—	—	1	—	—	—	1	—	—	—	19
19	Diarrhoea, &c. (under 2 yrs.)	4	4	5	6			1	1	5	4	—	—	1	—	—	—	20
20	Appendicitis and typhlitis	1	1	—	—			—	—	3	—	—	—	—	—	—	—	21
21	Cirrhosis of liver	1	1	3	1			1	1	—	1	—	—	1	—	—	—	21A
21A	Alcoholism	—	—	—	—			—	—	—	—	1	—	—	—	—	—	22
22	Nephritis and Bright's dis.	2	3	1	1			2	2	7	—	1	4	2	—	—	—	23
23	Puerperal fever	—	2	—	—			—	—	—	1	—	—	—	—	—	—	24
24	Parturition, apart from 23	—	1	—	—			—	—	—	1	—	—	—	—	—	—	25
25	Congenital debility, &c.	5	9	7	3			8	5	18	8	3	2	—	—	1	2	26
26	Violence, apart from 27	6	2	2	1			3	5	3	1	3	—	—	—	—	—	27
27	Suicide	1	1	3	—			1	—	—	2	—	—	—	1	1	—	28
28	Other defined diseases	35	24	30	34			26	28	34	29	20	20	5	6	—	3	29
29	Causes ill-defined or unknown.	2	1	—	1			—	—	—	—	—	—	—	—	—	—	

ADMINISTRATIVE AREAS, 1911—continued.

WARWICKSHIRE—cont.

	Farnborough R.D.		Foleshill R.D.		Meriden R.D.		Monks Kirby R.D.		Nuneaton R.D.		Rugby R.D.		Solihull R.D.		Southam R.D.		Stratford on Avon R.D.		Tamworth (pt.)* R.D.		Warwick R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	14	9	180	152	87	69	11	6	16	16	104	94	120	78	73	55	80	79	100	87	77	77	1
2	1	—	—	—	—	—	—	—	—	—	—	1	—	1	3	—	—	—	—	—	—	—	2
3	1	—	32	19	4	—	—	—	1	—	1	1	—	—	—	—	—	1	3	6	1	1	3
4	—	—	5	3	3	—	—	—	—	—	—	1	—	—	—	—	—	—	3	4	—	—	4
5	—	—	1	3	1	—	—	—	1	—	2	—	1	—	—	—	1	2	2	1	—	—	5
6	—	—	1	4	—	—	—	—	1	—	—	—	—	—	1	—	2	3	—	—	—	—	6
7	—	—	—	1	—	2	—	—	—	—	—	—	2	2	2	—	2	4	—	—	1	—	7
8	—	—	1	1	—	1	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	8
9	1	1	9	11	6	1	1	1	—	1	8	8	8	3	2	1	7	8	4	2	3	3	9
10	—	—	3	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	3	—	2	1	10
11	—	—	4	3	1	—	—	—	—	—	1	2	2	2	1	—	1	2	1	—	—	—	11
12	—	—	6	7	6	5	1	2	—	—	7	5	13	14	4	8	5	9	2	2	1	8	12
13	—	—	—	—	1	—	—	—	—	—	—	1	1	1	—	1	1	—	—	—	—	—	13
14	—	1	—	1	—	—	—	—	—	—	2	1	2	—	2	—	1	—	4	5	—	—	14
15	2	2	12	9	7	13	1	—	1	1	11	10	11	9	11	4	11	16	9	6	10	10	15
16	1	2	11	9	2	1	1	—	1	1	6	4	1	4	2	4	4	3	6	3	4	5	16
17	—	—	11	10	2	3	1	—	3	1	9	7	8	2	6	1	6	2	7	3	6	4	17
18	—	—	—	—	3	1	—	—	1	1	1	1	1	—	3	1	3	—	1	2	2	1	18
19	2	—	17	9	6	4	—	—	2	2	1	6	2	2	1	3	2	1	9	5	4	4	19
20	—	—	1	1	1	1	—	—	—	—	—	—	1	—	1	—	1	1	1	—	1	—	20
21	—	—	—	1	—	1	1	—	—	—	1	1	2	1	1	—	1	—	2	—	1	—	21
21A	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	1	2	6	5	—	—	1	—	1	1	2	3	2	2	2	3	2	1	—	3	3	22
23	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	23
24	—	—	—	1	—	—	—	—	—	1	—	2	—	3	—	2	—	1	—	4	—	—	24
25	1	—	20	9	4	4	—	—	2	1	12	8	9	1	1	1	4	3	11	5	4	4	25
26	—	—	5	—	6	1	—	—	—	—	6	2	4	1	3	—	4	1	6	3	3	1	26
27	1	—	4	—	—	—	—	1	—	—	1	—	—	1	—	—	1	—	2	1	3	2	27
28	4	2	30	42	28	30	4	1	2	6	30	29	46	29	27	25	21	22	19	35	29	27	28
29	—	—	4	2	1	—	1	—	1	—	2	—	2	—	—	1	1	1	1	—	—	—	29

WESTMORLAND.

	Ambleside U.D.		Appleby M.B.		Grasmere U.D.		Kendal M.B.		Kirkby Lonsdale U.D.		Shap U.D.		Windermere U.D.			East West-morland R.D.		South West-morland R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	
1	16	9	14	9	3	6	110	107	9	9	5	5	23	32		79	75	125	112	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	2
3	—	—	—	—	—	—	—	3	1	—	—	—	—	—		1	—	2	1	3
4	—	—	—	—	—	—	—	1	—	—	—	—	—	—		—	—	—	—	4
5	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	2	1	5
6	—	—	—	—	—	—	—	—	2	—	—	—	1	—		1	—	1	1	6
7	—	—	—	—	—	2	1	—	—	—	—	—	—	—		3	1	—	1	7
8	—	—	—	—	—	—	1	—	—	—	—	—	—	—		—	—	—	—	8
9	5	1	—	—	—	—	8	9	2	—	—	—	1	2		1	4	7	8	9
10	—	—	—	—	—	—	1	1	—	—	—	—	1	—		—	1	—	1	10
11	—	1	—	—	—	—	3	2	—	—	—	—	—	1		1	—	2	2	11
12	1	1	4	2	—	—	10	11	—	1	—	1	1	3		2	8	6	12	12
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	1	1	13
14	—	—	—	1	—	—	2	—	—	—	2	—	1	—		1	—	2	1	14
15	1	—	2	1	1	—	12	21	—	1	1	—	6	5		11	11	11	9	15
16	—	—	—	1	—	—	7	8	—	1	—	1	—	3		2	5	6	11	16
17	—	—	—	—	—	—	7	3	1	—	—	—	2	2		4	1	4	3	17
18	—	—	—	—	—	—	1	2	1	—	—	—	—	1		3	1	2	3	18
19	—	—	—	—	—	—	3	2	—	—	—	—	—	—		3	2	3	1	19
20	—	—	—	—	—	—	—	—	—	—	—	—	—	—		2	1	2	—	20
21	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	1	2	—	21
21A	—	—	—	—	—	—	1	—	—	—	—	—	1	—		—	—	1	1	21A
22	—	—	1	—	—	1	6	1	1	—	—	—	—	—		2	—	1	3	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	1	23
24	—	—	—	1	—	—	—	1	—	—	—	—	—	—		—	1	—	1	24
25	1	—	2	1	—	—	7	5	1	—	1	—	—	—		3	2	10	3	25
26	1	—	—	—	1	—	1	2	—	—	—	—	—	—		4	—	10	2	26
27	1	—	—	1	—	—	2	—	—	—	—	—	—	—		2	—	4	1	27
28	6	6	4	1	1	3	31	35	3	5	1	3	9	15		33	36	44	44	28
29	—	—	1	—	—	—	1	—	—	1	—	—	—	—		—	—	2	—	29

* The remainder of Tamworth R.D. is in Staffordshire; see page 511.

CAUSES OF DEATH IN

WESTMORLAND—cont.

WIGHT, ISLE OF.

Causes of Death.	West Ward R.D.			Cowes U.D.		East Cowes U.D.		Newport M.B.		Ryde M.B.		St. Helens U.D.		Sandown U.D.		
	M	F		M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	38	41		61	53	24	35	87	70	78	87	24	42	39	38	
1 Enteric fever	—	—		—	—	—	—	1	—	—	1	—	—	—	—	1
2 Small-pox	—	—		—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—		—	1	—	—	—	—	1	1	1	2	5	1	3
4 Scarlet fever	—	—		—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	—		—	—	—	—	—	—	—	1	—	—	—	—	5
6 Diphtheria and croup	—	—		1	—	—	—	1	1	1	—	—	—	—	1	6
7 Influenza	2	—		2	—	1	—	3	—	—	1	—	—	—	—	7
8 Erysipelas	—	—		—	—	—	—	—	—	1	—	—	—	—	—	8
9 Pulmonary tuberculosis	1	4		1	4	—	3	11	6	7	2	2	4	—	4	9
10 Tuberculous meningitis	—	—		1	1	—	1	2	—	1	—	—	1	1	—	10
11 Other tuberculous diseases	—	—		—	1	—	—	—	1	2	2	1	—	1	1	11
12 Cancer, malignant disease	3	6		2	5	3	5	10	9	7	12	5	10	—	1	12
13 Rheumatic fever... ..	—	—		—	—	—	—	1	—	—	—	—	—	—	—	13
14 Meningitis	1	—		1	1	—	—	1	1	1	1	—	—	1	—	14
15 Organic heart disease	7	3		7	5	—	4	12	10	9	5	—	5	4	10	15
16 Bronchitis	2	1		1	4	1	1	1	3	2	3	—	2	1	—	16
17 Pneumonia (all forms)	1	2		2	2	—	1	6	1	1	4	2	2	1	2	17
18 Other respiratory diseases	1	2		1	—	1	1	1	3	—	—	—	1	1	—	18
19 Diarrhoea, &c. (under 2 yrs.)	3	—		5	—	2	4	4	1	5	3	—	3	—	1	19
20 Appendicitis and typhlitis	—	—		1	—	—	—	—	—	1	—	—	—	—	—	20
21 Cirrhosis of liver	—	—		—	1	—	—	3	2	1	—	—	—	—	1	21
21A Alcoholism	—	—		—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	—	2		2	3	2	1	4	3	4	4	2	2	3	1	22
23 Puerperal fever	—	—		—	—	—	—	—	—	—	—	—	—	—	—	23
24 Parturition, apart from 23	—	—		—	1	—	—	—	1	—	1	—	—	—	—	24
25 Congenital debility, &c.	2	3		7	2	3	—	4	—	3	1	—	5	—	2	25
26 Violence, apart from 27	2	—		1	1	1	1	2	3	4	2	—	—	1	—	26
27 Suicide	—	1		—	—	2	—	1	1	—	1	1	—	—	—	27
28 Other defined diseases	13	17		25	21	8	12	20	24	26	42	7	5	18	13	28
29 Causes ill-defined or unknown.	—	—		1	—	—	1	—	—	1	—	—	—	2	—	29

WIGHT, ISLE OF—cont.

WILTSHIRE.

Causes of Death.	Shanklin U.D.		Ventnor U.D.			Isle of Wight R.D.			Bradford on Avon U.D.		Calne M.B.		Chippenham M.B.		
	M	F	M	F		M	F		M	F	M	F	M	F	
ALL CAUSES	23	43	55	37		188	178		36	23	24	32	25	35	
1 Enteric fever	—	—	1	1		—	—		—	—	—	—	—	—	1
2 Small-pox	—	—	—	—		—	—		—	—	—	—	—	—	2
3 Measles	2	—	—	—		3	—		—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—		—	—		—	—	—	—	—	—	4
5 Whooping cough	—	—	—	—		2	1		—	1	—	—	—	—	5
6 Diphtheria and croup	—	—	—	—		1	6		—	—	—	—	—	—	6
7 Influenza	—	—	2	—		2	3		2	—	—	—	—	1	7
8 Erysipelas	—	—	—	1		3	—		—	—	—	—	—	—	8
9 Pulmonary tuberculosis	4	2	7	5		13	11		2	1	1	2	—	1	9
10 Tuberculous meningitis	—	—	1	—		1	1		—	—	1	—	1	—	10
11 Other tuberculous diseases	—	2	1	—		4	3		—	1	—	—	—	—	11
12 Cancer, malignant disease	3	7	7	2		19	12		7	2	—	2	—	4	12
13 Rheumatic fever... ..	—	—	—	—		—	1		—	—	—	1	—	—	13
14 Meningitis	—	—	—	—		—	1		1	—	—	—	1	—	14
15 Organic heart disease	4	7	3	2		17	36		3	2	2	3	2	2	15
16 Bronchitis	—	2	3	5		14	9		1	2	1	4	6	6	16
17 Pneumonia (all forms)	1	3	—	1		5	3		2	1	1	—	1	1	17
18 Other respiratory diseases	—	—	1	—		2	5		—	—	1	2	1	1	18
19 Diarrhoea, &c. (under 2 yrs.)	1	—	3	2		3	2		—	—	2	—	—	2	19
20 Appendicitis and typhlitis	—	—	—	1		—	—		1	—	—	—	—	—	20
21 Cirrhosis of liver	—	—	—	—		6	—		—	1	—	—	—	1	21
21A Alcoholism	—	—	—	—		—	—		—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	1	1	—	—		5	5		—	1	3	1	1	3	22
23 Puerperal fever	—	—	—	—		—	1		—	—	—	—	—	—	23
24 Parturition, apart from 23	—	1	—	—		—	1		—	—	2	—	—	1	24
25 Congenital debility, &c.	—	2	2	—		8	8		1	1	—	—	1	1	25
26 Violence, apart from 27	2	1	1	—		9	1		2	—	—	—	—	1	26
27 Suicide	—	—	—	—		3	—		—	—	2	—	—	—	27
28 Other defined diseases	5	15	21	17		66	67		14	10	10	15	10	10	28
29 Causes ill-defined or unknown.	—	—	2	—		2	1		—	—	—	—	1	—	29

WILTSHIRE—cont.

Causes of Death.				Pewsey R.D.		Ramsbury R.D.		Salisbury R.D.		Tetbury (pt.) R.D.*		Tisbury R.D.		Warminster R.D.		Westbury & Whorwellsdown R.D.		Wilton R.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES ...				82	65	44	30	74	51	1	3	52	67	54	40	38	47	59	43	
1	Enteric fever	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough	2	1	—	2	—	—	—	—	—	—	1	—	1	—	1	—	5
6	Diphtheria and croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6
7	Influenza	—	—	1	1	6	1	—	—	2	2	—	1	3	1	3	2	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	—	1	2	1	6	1	—	1	3	4	4	3	2	—	4	3	9
10	Tuberculous meningitis	1	—	—	—	1	1	—	—	—	—	—	—	—	—	2	1	10
11	Other tuberculous diseases	1	3	—	—	—	1	—	—	1	—	—	—	—	1	—	—	11
12	Cancer, malignant disease	6	2	3	4	4	4	1	1	4	7	3	5	2	5	6	4	12
13	Rheumatic fever...	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	13
14	Meningitis	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	14
15	Organic heart disease	8	14	6	7	9	9	—	—	7	8	9	2	4	8	4	5	15
16	Bronchitis	4	3	2	1	5	3	—	—	4	9	7	2	4	8	9	3	16
17	Pneumonia (all forms)	2	2	2	—	1	2	—	—	—	7	1	4	1	1	2	2	17
18	Other respiratory diseases	—	1	1	—	1	—	—	—	1	—	1	1	1	2	2	—	18
19	Diarrhoea, &c. (under 2 yrs.)	2	—	—	—	1	—	—	—	2	1	2	1	1	1	1	2	19
20	Appendicitis and typhlitis	2	—	—	—	1	—	—	—	1	—	—	—	1	1	—	—	20
21	Cirrhosis of liver	1	2	1	1	—	—	—	—	1	—	1	—	1	2	1	—	21
21A	Alcoholism	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	5	3	2	2	3	—	—	—	2	—	1	—	—	—	2	2	22
23	Puerperal fever	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	23
24	Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	24
25	Congenital debility &c.	8	10	4	1	4	1	—	1	2	2	4	2	4	3	4	1	25
26	Violence, apart from 27	5	1	2	—	5	1	—	—	2	1	2	2	2	—	2	—	26
27	Suicide	1	—	—	—	1	—	—	—	—	—	—	—	1	1	2	—	27
28	Other defined diseases	33	20	16	9	23	27	—	—	17	26	19	15	11	12	14	16	28
29	Causes ill-defined or unknown.	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	29

WORCESTERSHIRE.

Causes of Death.				Bewdley M.B.		Broms-grove U.D.		Droitwich M.B.		Evesham M.B.		Kidderminster M.B.		King's Norton and Northfield U.D.		Lye and Wollescote U.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES ...				20	24	64	70	30	30	62	50	173	196	339	340	106	108	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	5	1	1	2	1	3	2	14	4	7	3	3
4	Scarlet fever	—	—	—	1	—	—	—	1	1	3	1	3	—	—	4
5	Whooping cough	—	—	—	1	1	2	—	2	1	1	2	4	1	—	5
6	Diphtheria and croup	—	1	1	—	—	—	1	—	—	—	5	3	2	3	6
7	Influenza	1	—	—	1	1	—	—	—	1	3	4	1	4	4	7
8	Erysipelas	—	—	—	—	—	—	—	—	1	1	—	—	—	1	8
9	Pulmonary tuberculosis	1	1	4	6	1	2	5	2	8	12	16	15	8	7	9
10	Tuberculous meningitis	—	—	—	—	—	—	—	—	4	8	6	1	—	1	10
11	Other tuberculous diseases	—	1	—	1	1	—	—	1	5	5	4	2	2	6	11
12	Cancer, malignant disease	1	3	5	4	2	—	3	3	15	9	19	36	6	6	12
13	Rheumatic fever...	—	—	—	—	—	—	—	—	1	—	—	2	—	—	13
14	Meningitis	—	—	3	1	—	—	—	—	2	—	3	4	2	1	14
15	Organic heart disease	3	2	6	9	3	5	5	5	9	17	35	36	1	5	15
16	Bronchitis	3	2	3	5	1	1	4	2	14	28	11	15	4	5	16
17	Pneumonia (all forms)	1	—	1	1	3	3	9	4	14	7	23	17	14	6	17
18	Other respiratory diseases	1	—	—	1	1	1	1	—	2	2	2	6	1	1	18
19	Diarrhoea, &c. (under 2 yrs.)	1	2	3	4	—	—	7	7	14	11	37	26	8	9	19
20	Appendicitis and typhlitis	—	—	1	1	—	—	—	—	—	2	1	2	1	—	20
21	Cirrhosis of liver	—	—	2	1	1	1	—	—	2	—	—	1	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	1	—	—	—	—	—	—	6	9	10	10	1	2	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	2	—	3	—	—	23
24	Parturition, apart from 23	—	1	—	—	—	—	—	1	—	—	—	5	—	1	24
25	Congenital debility, &c.	—	—	2	3	6	1	4	3	16	13	37	23	9	7	25
26	Violence, apart from 27	2	—	4	3	3	—	3	—	8	6	22	12	6	7	26
27	Suicide	—	—	1	—	—	—	—	—	1	—	2	1	—	1	27
28	Other defined diseases	6	10	27	20	5	13	18	17	45	53	84	105	27	31	28
29	Causes ill-defined or unknown.	—	—	1	2	—	—	—	1	—	2	1	3	1	—	29

* The remainder of Tetbury R.D. is in Gloucestershire ; see page 469.

ADMINISTRATIVE AREAS, 1911—continued.

WORCESTERSHIRE—cont.

	Malvern U.D.		North Broms- grove U.D.		Oldbury U.D.		Redditch U.D.		Stour- bridge U.D.		Stourport U.D.			Broms- grove R.D.		Droitwich R.D.		Evesham R.D.		Fecken- ham R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F	M	F	
1	94	122	43	45	294	249	85	99	140	120	33	30		82	73	75	82	50	57	39	42	1
2	—	—	—	1	3	—	1	—	1	—	1	—		—	—	—	—	—	—	—	—	2
3	1	3	—	1	23	19	2	—	3	1	2	—		1	2	2	—	—	—	1	—	3
4	—	—	—	—	2	1	2	2	1	—	1	—		—	—	—	—	1	—	—	2	4
5	—	3	2	6	6	13	—	—	1	—	—	—		—	—	—	1	1	—	—	2	5
6	—	—	—	—	2	1	2	1	—	—	—	—		—	—	4	—	—	—	1	1	6
7	—	2	1	1	1	—	—	—	3	1	—	2		2	—	—	1	—	—	—	—	7
8	1	—	—	—	2	—	1	—	—	—	—	—		—	—	—	—	—	—	—	—	8
9	5	11	1	2	19	8	10	2	6	10	4	2		9	7	3	6	2	2	1	5	9
10	1	2	—	—	2	1	2	1	1	—	—	1		2	—	1	1	—	1	—	—	10
11	2	—	1	—	5	5	1	3	3	1	1	1		1	1	2	1	1	—	—	2	11
12	12	11	1	3	6	15	5	11	9	7	—	4		7	7	3	8	2	5	4	3	12
13	—	—	—	—	—	2	—	2	1	—	1	—		—	—	—	—	—	1	—	—	13
14	1	1	—	—	6	7	1	—	1	—	—	—		2	1	—	—	—	1	1	—	14
15	13	13	2	2	16	12	6	9	11	14	1	2		4	9	11	8	5	4	4	3	15
16	10	4	5	5	25	16	7	6	6	6	1	2		3	2	2	9	4	4	2	5	16
17	9	9	4	3	23	22	4	8	3	4	3	2		8	8	3	3	1	2	2	1	17
18	—	5	1	—	5	—	6	3	2	2	—	—		2	2	1	—	1	1	1	1	18
19	1	1	1	3	26	24	7	7	14	10	1	1		4	3	1	2	1	5	1	1	19
20	—	2	1	1	1	1	1	—	2	—	—	1		1	1	2	1	—	—	1	—	20
21	2	1	1	—	1	1	1	1	1	2	—	—		—	—	—	—	—	1	1	—	21
21A	—	—	—	—	—	—	—	—	—	1	—	—		—	—	—	—	—	—	—	—	21A
22	4	4	5	1	5	6	—	2	5	5	2	1		3	—	2	3	—	2	—	1	22
23	—	—	—	—	—	1	—	—	—	1	—	—		—	—	—	1	—	—	—	—	23
24	—	—	—	—	—	3	—	1	—	1	—	—		—	—	—	—	—	—	—	—	24
25	2	5	5	—	20	21	3	6	12	6	1	2		6	5	4	4	1	4	1	2	25
26	2	3	3	—	11	4	2	1	4	4	3	—		3	1	4	2	3	1	—	—	26
27	1	—	—	—	4	1	—	—	2	1	2	—		—	1	3	—	1	—	1	—	27
28	27	42	9	15	78	64	21	32	47	42	9	9		23	22	27	30	27	23	17	13	28
29	—	—	—	1	2	1	—	1	2	—	—	—		1	1	—	1	—	—	—	—	29

WORCESTERSHIRE—cont.

	Halesowen R.D.		Kidder- minster R.D.		Martley R.D.		Pershore R.D.		Rock R.D.		Shipston on Stour R.D.		Stow on the Wold (pt.) R.D.*		Tenbury R.D.		Tewkes- bury (pt.) R.D.*		Upton on Severn R.D.		Winch- comb (pt.) R.D.*		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	227	178	70	54	85	85	112	70	12	10	56	44	3	1	30	32	20	12	93	98	1	—	1
2	2	4	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2
3	19	14	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	3
4	—	—	—	—	1	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	4
5	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—	—	—	2	—	—	—	—	5
6	2	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	1	2	—	—	—	6
7	—	2	1	—	3	—	1	—	—	—	—	2	—	—	—	1	—	2	2	—	—	—	7
8	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	6	15	5	2	4	6	10	—	1	1	2	2	—	—	3	1	3	3	6	2	—	—	9
10	2	3	1	1	2	1	2	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	10
11	4	2	—	—	2	—	2	—	—	1	1	—	—	—	—	—	1	—	2	—	—	—	11
12	9	11	7	8	3	11	4	6	—	5	3	—	—	—	1	4	2	1	7	13	—	—	12
13	1	2	—	—	1	2	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	13
14	6	1	—	1	—	—	—	—	—	—	2	—	—	—	—	—	—	—	1	—	—	—	14
15	13	8	6	9	9	9	14	10	—	3	6	9	—	—	3	7	5	4	18	19	—	—	15
16	19	6	6	5	2	4	8	6	2	—	1	5	—	—	1	4	—	—	6	3	—	—	16
17	12	11	3	2	5	3	4	4	1	1	1	2	1	1	2	—	1	5	6	2	—	—	17
18	1	1	—	1	—	1	1	—	—	—	—	1	—	—	1	1	—	4	4	2	—	—	18
19	17	12	4	2	1	—	7	1	—	—	1	—	—	—	—	1	—	—	1	—	—	—	19
20	3	—	2	1	4	2	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	20
21	1	1	—	—	—	—	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	6	4	4	—	6	5	5	3	—	—	3	1	—	—	—	1	—	—	2	2	—	—	22
23	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	3	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	24
25	28	18	7	—	6	4	7	4	—	—	2	—	—	—	1	3	3	—	2	4	—	—	25
26	18	4	5	—	3	2	7	1	1	—	2	—	1	—	1	1	—	8	—	—	—	—	26
27	2	—	1	1	2	1	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	27
28	52	50	18	18	29	29	32	31	7	4	28	15	1	—	11	7	5	3	27	36	1	—	28
29	2	3	—	2	—	—	3	—	—	—	1	1	—	—	—	—	1	—	—	1	—	—	29

* The remaining parts of Stow on the Wold, Tewkesbury, and Winchcomb R.D.'s are in Gloucestershire ; see page 469.

CAUSES OF DEATH IN

WORCESTERSHIRE—cont. YORKSHIRE, EAST RIDING.

Causes of Death.	Yardley R.D.		Redmarley D'Abitot and Staunton C.P.'s*		Beverley M.B.		Bridling- ton M.B.		Cotting- ham U.D.		Filey U.D.		Great Driffield U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	276	224	8	10	128	91	92	119	24	23	24	26	52	55	1
1 Enteric fever	—	—	—	—	2	1	—	1	—	—	—	1	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	8	2	—	—	1	—	1	1	—	—	—	—	—	—	4
4 Scarlet fever	1	1	—	—	—	—	1	—	1	—	1	1	—	—	5
5 Whooping cough	2	1	—	—	2	4	—	—	—	1	—	1	—	2	6
6 Diphtheria and croup	2	5	—	—	1	5	—	1	—	—	—	—	3	3	7
7 Influenza	2	1	—	1	1	2	—	3	—	—	—	—	—	—	8
8 Erysipelas	—	1	—	—	—	—	—	—	—	—	—	—	1	—	9
9 Pulmonary tuberculosis	23	10	1	—	9	7	6	7	2	1	2	1	6	—	10
10 Tuberculous meningitis	1	3	—	—	2	1	—	2	—	—	—	1	1	—	11
11 Other tuberculous diseases	7	6	—	—	1	3	1	2	—	1	—	—	1	2	12
12 Cancer, malignant disease	19	24	—	2	4	4	8	11	2	3	2	3	3	6	13
13 Rheumatic fever... ..	1	2	—	—	—	—	—	—	—	—	—	—	—	—	14
14 Meningitis	3	1	—	—	—	—	4	—	—	—	—	1	1	—	15
15 Organic heart disease	13	24	3	1	15	3	10	9	2	1	3	3	4	5	16
16 Bronchitis	21	13	—	—	6	7	4	6	1	1	1	—	1	1	17
17 Pneumonia (all forms)	22	18	1	1	7	3	3	7	1	1	—	2	4	2	18
18 Other respiratory diseases	4	2	—	—	1	1	2	1	1	—	2	—	—	2	19
19 Diarrhoea, &c.(under 2 yrs.)	21	13	—	1	9	5	2	6	3	—	1	—	1	4	20
20 Appendicitis and typhlitis	2	1	—	—	—	—	1	—	—	—	—	—	—	—	21
21 Cirrhosis of liver	5	1	—	—	—	—	3	—	2	—	1	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	1	—	—	—	—	1	—	22
22 Nephritis and Bright's dis.	11	8	—	—	5	3	4	3	2	—	—	—	3	3	23
23 Puerperal fever	—	1	—	—	—	—	—	1	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	1	—	—	—	1	—	3	—	1	—	—	—	—	25
25 Congenital debility, &c.	22	11	—	2	5	2	5	3	1	2	—	—	4	2	26
26 Violence, apart from 27	6	4	—	—	1	1	1	1	—	—	2	1	1	—	27
27 Suicide	4	2	—	—	—	—	1	3	—	—	—	—	—	1	28
28 Other defined diseases	73	64	3	2	55	37	34	45	6	10	9	11	17	21	29
29 Causes ill-defined or un- known.	3	4	—	—	1	1	1	2	—	1	—	—	—	1	29

YORKSHIRE, EAST RIDING—cont.

Causes of Death.	Hedon M.B.		Hessle U.D.		Hornsea U.D.		Norton U.D.		Pockling- ton U.D.		Withernsea U.D.		Beverley R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	3	12	27	28	13	16	26	22	24	18	16	15	70	75	1
1 Enteric fever	—	—	—	—	—	—	1	1	—	—	—	—	—	1	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	—	—	—	—	1	—	—	—	1	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	2	1	—	3	5
5 Whooping cough	—	—	2	1	—	—	—	—	—	—	—	—	2	2	6
6 Diphtheria and croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7
7 Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	1	—	—	—	9
9 Pulmonary tuberculosis	—	1	1	3	—	2	—	1	—	3	—	2	4	6	10
10 Tuberculous meningitis	—	—	—	1	—	—	—	—	2	—	—	—	1	1	11
11 Other tuberculous diseases	—	1	1	—	1	—	—	—	—	—	—	—	—	2	12
12 Cancer, malignant disease	—	1	1	1	2	2	2	2	4	3	—	1	2	4	13
13 Rheumatic fever... ..	—	—	—	—	—	—	—	—	1	—	—	—	—	—	14
14 Meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	1	15
15 Organic heart disease	1	1	3	3	—	3	7	1	—	1	5	4	5	9	16
16 Bronchitis	—	3	1	2	—	—	1	2	4	1	—	—	5	4	17
17 Pneumonia (all forms)	—	—	4	2	1	—	1	1	1	—	—	—	7	1	18
18 Other respiratory diseases	—	—	1	—	—	1	—	—	—	1	1	—	2	2	19
19 Diarrhoea, &c.(under 2 yrs.)	—	—	2	—	—	1	—	1	1	1	1	—	6	—	20
20 Appendicitis and typhlitis	—	—	—	1	—	—	—	—	—	—	—	—	1	—	21
21 Cirrhosis of liver	—	—	—	—	—	—	—	1	1	—	—	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	1	—	1	3	—	—	1	—	3	—	—	—	1	2	23
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	1	24
24 Parturition, apart from 23	—	—	—	—	—	—	1	—	1	—	—	—	—	1	25
25 Congenital debility, &c.	—	1	—	2	1	1	4	4	—	1	1	1	9	11	26
26 Violence, apart from 27	—	—	1	—	1	—	—	—	1	1	1	1	—	—	27
27 Suicide	—	—	—	—	1	—	—	—	—	—	1	—	2	—	28
28 Other defined diseases	1	3	8	8	6	6	9	7	6	5	4	3	22	22	29
29 Causes ill-defined or un- known.	—	1	1	1	—	—	—	—	—	—	—	1	1	1	29

* Administered by Newent R.D.C. (Gloucestershire).

ADMINISTRATIVE AREAS, 1911.—continued.
YORKSHIRE, EAST RIDING—cont.

	Bridlington R.D.		Driffield R.D.		Eserick R.D.		Howden R.D.		Norton R.D.		Patri- ngton R.D.		Pockling- ton R.D.		Riccall R.D.		Sculcoates R.D.		Sherburn R.D.		Skirlaugh R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	53	54	90	69	33	40	106	77	31	30	56	47	82	59	28	22	56	46	11	12	49	50	1
2	1	—	1	—	—	—	2	—	2	—	1	—	1	—	—	—	—	—	—	—	1	—	2
3	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	4
5	—	—	2	4	—	—	—	2	2	1	—	1	—	—	1	—	1	—	—	—	2	—	5
6	—	—	—	—	—	—	1	—	1	—	1	—	1	1	3	—	1	1	—	—	1	—	6
7	1	—	1	—	1	1	—	1	—	—	2	—	1	—	—	—	2	—	1	2	1	1	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	2	5	7	1	1	5	5	5	2	3	1	6	5	7	2	1	2	5	1	—	1	—	9
10	—	—	1	1	—	—	1	1	1	1	—	—	2	—	—	—	1	—	—	1	—	1	10
11	—	1	1	3	—	1	2	1	—	2	1	—	1	1	—	—	1	—	—	1	—	1	11
12	2	6	10	9	3	2	3	4	1	2	7	7	3	7	1	4	2	1	—	1	4	5	12
13	—	—	1	—	—	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	13
14	—	1	—	1	1	2	—	—	—	—	—	4	1	—	—	—	—	—	—	—	—	—	14
15	5	3	6	5	2	6	5	8	5	2	9	5	10	5	1	—	8	5	1	2	2	4	15
16	3	2	7	5	1	2	6	2	3	1	3	1	6	2	1	1	3	—	—	1	5	3	16
17	2	4	7	2	5	3	14	4	—	—	2	1	5	2	1	3	—	3	—	1	2	3	17
18	—	1	1	2	1	—	—	—	—	—	2	2	2	2	1	—	2	1	—	—	—	—	18
19	2	2	1	5	—	—	3	1	2	—	2	2	4	3	—	1	3	3	—	—	5	1	19
20	1	—	1	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	1	1	20
21	—	—	—	—	—	—	1	2	—	—	1	—	—	2	—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	21A
22	—	—	1	—	—	2	3	—	3	2	1	—	—	—	—	—	2	1	—	—	1	1	22
23	—	1	—	1	—	—	—	—	—	—	—	—	—	4	—	—	—	—	1	1	—	—	23
24	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	24
25	2	1	2	5	3	1	7	7	1	3	4	2	5	9	1	—	2	1	—	—	1	3	25
26	5	2	3	1	2	—	10	1	1	1	—	1	—	1	—	—	2	1	—	—	2	1	26
27	—	1	1	—	—	—	—	1	—	—	—	—	—	—	1	—	2	—	—	—	1	—	27
28	23	24	33	24	13	12	42	37	8	11	21	12	32	15	13	12	21	22	3	2	18	20	28
29	2	—	2	—	—	—	1	—	—	—	—	—	2	—	1	—	—	1	—	—	1	—	29

YORKSHIRE, NORTH RIDING.

	Eston U.D.		Guis- borough U.D.		Hinder- well U.D.		Kirkling- ton cum Upland U.D.		Loftus U.D.		Malton U.D.		Masham U.D.		North- allerton U.D.		Ormesby U.D.		Pickering U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	120	100	85	67	22	15	2	1	71	57	42	30	23	13	39	24	178	176	23	25	1
2	3	4	—	—	—	—	—	—	—	—	1	—	—	—	—	—	3	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	12	8	7	3	—	—	—	—	2	4	—	—	—	—	—	—	13	5	—	—	4
5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
6	1	2	6	1	1	1	—	—	4	5	—	1	1	—	1	1	5	10	—	1	6
7	1	2	1	1	—	—	1	—	1	—	—	—	—	—	—	—	3	—	—	—	7
8	—	—	—	—	—	—	—	—	3	2	—	1	2	—	2	—	1	1	—	—	8
9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10	6	10	6	1	3	1	—	—	6	3	4	2	—	1	4	3	12	23	2	1	10
11	1	2	—	2	1	—	—	—	1	1	2	—	—	—	—	—	2	2	1	—	11
12	2	3	3	2	3	—	—	—	—	1	—	1	—	—	—	—	3	4	—	1	12
13	1	4	4	5	—	2	—	—	4	—	3	—	2	2	4	3	4	7	2	5	13
14	—	—	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	14
15	5	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	3	—	—	15
16	2	4	8	9	1	1	—	—	3	1	4	7	1	1	4	2	6	8	3	2	16
17	3	4	1	1	3	1	—	—	8	5	1	2	3	—	—	1	9	17	2	—	17
18	19	7	8	1	1	1	—	—	4	2	2	1	3	—	2	1	26	22	—	1	18
19	2	2	1	1	—	—	—	—	—	—	—	—	1	1	1	1	1	3	—	—	19
20	4	6	1	2	—	—	—	—	3	4	2	1	—	—	4	1	25	14	—	—	20
21	1	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	21
21A	—	—	2	1	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	21A
22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
23	4	3	2	1	2	—	—	—	1	2	1	1	—	—	1	—	—	3	—	—	23
24	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	24
25	—	4	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	25
26	16	12	4	5	2	1	1	—	3	4	—	2	2	3	4	1	13	9	4	2	26
27	8	1	3	1	1	—	—	—	5	—	—	2	1	—	1	—	2	5	—	—	27
28	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	28
29	28	15	24	20	3	6	1	1	23	20	17	9	5	5	8	10	34	32	9	10	29
	1	1	—	—	—	—	—	—	—	—	1	—	—	—	2	—	3	3	—	—	

YORKSHIRE, NORTH RIDING—cont.

Causes of Death.		Redcar U.D.		Richmond M.B.		Saltburn by the Sea U.D.		Scalby U.D.		Scar- borough M.B.		Skelton and Brotton U.D.		South Bank in Normanby U.D.		Thornaby on Tees M.B.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES ...	83	50	30	23	15	23	10	9	306	320	138	98	154	131	164	184	1
1	Enteric fever ...	—	—	—	—	—	—	—	—	1	3	1	—	3	1	2	—	2
2	Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles ...	1	1	—	—	—	—	1	1	9	10	8	11	6	4	—	4	4
4	Scarlet fever ...	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	2	5
5	Whooping cough ...	6	2	1	—	—	—	—	—	2	5	1	6	9	13	1	2	6
6	Diphtheria and croup ...	1	3	1	6	—	—	2	—	2	4	1	1	3	1	—	1	7
7	Influenza ...	2	3	—	—	—	1	—	—	—	3	2	—	1	1	1	3	8
8	Erysipelas ...	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	9
9	Pulmonary tuberculosis	2	5	2	1	1	1	—	—	26	21	7	2	12	12	12	23	10
10	Tuberculous meningitis	1	—	—	—	—	—	—	—	2	3	—	—	10	4	3	2	11
11	Other tuberculous diseases	4	1	—	1	—	—	1	—	2	5	4	2	2	4	3	3	12
12	Cancer, malignant disease	2	2	2	1	—	2	2	1	19	40	2	5	5	11	5	9	13
13	Rheumatic fever...	1	1	—	—	—	—	—	—	1	—	—	—	—	1	—	—	14
14	Meningitis ...	3	1	—	—	—	—	—	—	3	1	3	1	3	5	4	2	15
15	Organic heart disease ...	2	1	1	3	1	1	—	1	29	42	11	6	3	8	10	16	16
16	Bronchitis ...	7	2	1	—	—	1	—	1	13	19	7	4	9	4	20	11	17
17	Pneumonia (all forms) ...	6	—	1	1	2	1	1	1	18	15	10	8	26	11	20	9	18
18	Other respiratory diseases	1	2	1	—	1	1	—	—	7	2	4	2	3	3	—	2	19
19	Diarrhoea, &c.(under 2 yrs.)	4	—	—	—	1	—	—	—	18	11	4	5	8	9	21	24	20
20	Appendicitis and typhlitis	—	1	—	—	—	1	1	—	—	1	—	—	2	—	—	—	21
21	Cirrhosis of liver ...	2	—	—	—	—	—	—	—	3	4	—	1	—	1	—	—	21A
21A	Alcoholism ...	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	22
22	Nephritis and Bright's dis.	4	2	2	—	1	—	—	1	18	12	2	3	1	3	3	5	23
23	Puerperal fever ...	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	24
24	Parturition, apart from 23	—	—	—	—	—	—	—	—	—	1	—	—	—	3	—	3	25
25	Congenital debility, &c.	4	—	4	2	1	—	—	2	16	12	9	8	22	11	21	16	26
26	Violence, apart from 27	4	1	2	—	1	—	—	—	10	2	14	3	7	3	4	3	27
27	Suicide ...	—	—	1	—	1	—	—	—	4	2	1	—	—	1	—	1	28
28	Other defined diseases ...	24	20	10	8	5	14	2	1	102	99	47	28	17	17	34	43	29
29	Causes ill-defined or un- known.	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	

YORKSHIRE, NORTH RIDING—cont.

Causes of Death.		Whitby U.D.		Aysgarth R.D.		Bedale R.D.		Croft R.D.		Easing- wold R.D.		Flaxton R.D.		Guis- borough R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES ...	90	91	39	38	48	46	13	12	74	63	58	38	54	40	1
1	Enteric fever ...	—	—	1	—	—	—	—	—	—	—	—	2	—	—	2
2	Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles ...	8	4	—	—	—	—	—	—	—	—	—	—	1	—	4
4	Scarlet fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5	Whooping cough ...	3	4	3	3	—	1	—	—	—	1	1	—	1	—	6
6	Diphtheria and croup ...	2	2	—	—	—	—	—	—	2	—	—	—	2	1	7
7	Influenza ...	—	—	—	2	—	1	—	—	—	3	—	1	1	—	8
8	Erysipelas ...	—	—	—	1	—	—	—	—	—	—	1	—	—	—	9
9	Pulmonary tuberculosis	4	5	2	3	6	3	1	—	1	2	6	2	—	4	10
10	Tuberculous meningitis	1	1	—	—	—	—	—	—	—	—	—	—	—	—	11
11	Other tuberculous diseases	1	3	—	1	—	—	—	—	—	—	—	1	1	—	12
12	Cancer, malignant disease	6	5	8	5	6	5	—	1	12	8	2	5	—	2	13
13	Rheumatic fever...	—	1	—	—	—	—	—	—	—	—	—	—	1	—	14
14	Meningitis ...	2	1	—	1	—	—	—	—	—	—	—	—	2	—	15
15	Organic heart disease ...	10	5	3	3	4	6	1	1	10	12	18	3	5	3	16
16	Bronchitis ...	7	5	3	5	1	—	2	—	2	—	1	3	6	4	17
17	Pneumonia (all forms) ...	4	5	1	1	5	3	1	1	4	2	2	—	4	4	18
18	Other respiratory diseases	—	1	—	—	1	—	—	1	—	1	1	4	—	—	19
19	Diarrhoea, &c.(under 2 yrs.)	1	1	—	—	1	1	1	2	1	1	3	—	1	1	20
20	Appendicitis and typhlitis	1	—	1	1	1	—	—	—	2	2	—	—	—	1	21
21	Cirrhosis of liver ...	—	1	—	—	—	—	—	1	2	—	—	—	—	—	21A
21A	Alcoholism ...	1	—	—	—	—	—	—	—	—	—	—	—	1	—	22
22	Nephritis and Bright's dis.	1	3	—	1	1	3	1	—	1	2	—	1	3	—	23
23	Puerperal fever ...	—	3	—	1	—	2	—	—	—	—	—	—	—	1	24
24	Parturition, apart from 23	—	1	—	—	—	—	—	—	—	1	—	—	—	—	25
25	Congenital debility, &c.	6	2	2	1	2	2	2	1	4	5	4	—	2	3	26
26	Violence, apart from 27...	4	3	7	—	1	1	—	—	5	—	1	—	3	—	27
27	Suicide ...	—	—	—	—	2	—	—	—	—	3	—	—	—	—	28
28	Other defined diseases ...	27	34	8	9	17	18	4	4	27	19	18	16	19	16	29
29	Causes ill-defined or un- known.	1	1	—	—	—	—	—	—	1	1	—	—	1	—	

ADMINISTRATIVE AREAS, 1911—continued.
YORKSHIRE, NORTH RIDING—cont.

	Helmsley R.D.		Kirkby Moorside R.D.		Leyburn R.D.		Malton R.D.		Middlesbrough R.D.		North-allerton R.D.		Pickering R.D.		Reeth R.D.		Richmond R.D.		Scarborough R.D.		Startforth R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	24	41	28	28	47	31	33	22	20	18	58	44	44	42	13	20	51	58	39	34	34	27	1
2	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	4
5	—	—	—	—	1	—	—	1	1	—	1	—	1	2	—	—	—	1	—	—	—	—	5
6	1	2	1	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	1	—	—	6
7	—	1	—	1	1	—	—	—	—	1	1	2	1	1	—	—	—	1	—	—	—	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	2	4	1	3	5	3	—	1	2	1	4	8	1	1	1	2	3	2	2	2	1	5	9
10	—	—	—	—	2	—	—	—	—	—	1	—	—	1	—	—	—	1	1	—	—	1	10
11	—	—	—	—	1	—	—	—	—	—	1	1	—	1	—	1	—	1	1	3	1	1	11
12	2	7	3	3	—	1	1	—	1	4	2	7	3	4	1	1	2	6	5	6	3	2	12
13	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	13
14	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	2	1	3	—	1	—	14
15	3	4	3	3	5	3	5	8	1	1	2	2	3	4	1	6	6	8	3	2	3	5	15
16	1	1	—	2	2	1	1	—	—	1	7	1	3	1	—	2	3	—	—	—	3	1	16
17	—	—	—	1	—	4	1	—	2	1	4	—	1	3	1	—	6	9	1	1	2	—	17
18	2	1	—	—	—	—	—	1	1	2	—	1	2	—	—	—	1	3	1	1	—	—	18
19	1	—	—	—	—	—	2	—	—	—	2	2	2	—	1	—	1	2	2	—	—	1	19
20	—	1	—	—	1	—	—	—	—	—	1	—	3	—	—	—	—	1	1	—	—	—	20
21	—	—	1	—	3	—	2	—	—	—	1	—	—	—	—	—	1	—	—	2	—	—	21
21A	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	5	3	—	1	1	1	—	1	1	1	—	2	2	1	—	2	2	1	1	4	2	22
23	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	23
24	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	24
25	1	5	1	2	5	3	—	1	—	—	5	—	2	—	—	—	4	5	3	2	4	1	25
26	—	—	—	2	—	2	3	—	3	—	1	—	—	1	1	—	3	—	1	3	—	—	26
27	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	—	—	1	—	27
28	10	8	15	11	16	12	17	9	6	6	21	18	20	15	6	7	17	10	13	11	10	7	28
29	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	29

YORKSHIRE, NORTH RIDING—cont. YORKSHIRE, WEST RIDING.

	Stokesley R.D.		Thirsk R.D.		Wath R.D.		Whitby R.D.			Altofts U.D.		Ardsley U.D.		Ardsley East and West U.D.		Baildon U.D.		Balby with Hexthorpe U.D.		Barkisland U.D.		
	M	F	M	F	M	F	M	F		M	F	M	F	M	F	M	F	M	F	M	F	
1	97	73	85	75	10	14	58	49		31	29	90	83	70	52	27	32	78	56	14	17	1
2	—	—	—	—	—	—	—	—		1	3	—	—	—	—	—	—	1	1	—	—	2
3	—	—	—	—	—	—	1	2		1	—	18	12	—	—	—	1	2	—	—	—	3
4	—	—	—	—	—	—	—	—		—	—	—	1	—	—	—	—	—	—	—	—	4
5	6	4	—	—	1	—	1	1		—	—	1	2	1	—	—	2	—	—	—	—	5
6	—	—	1	—	—	1	—	2		—	—	—	—	2	3	—	—	1	—	—	—	6
7	2	3	2	—	—	—	—	—		—	—	—	—	—	—	—	—	1	—	1	—	7
8	—	—	1	—	—	—	—	—		—	1	—	—	—	—	—	—	1	—	—	—	8
9	7	3	4	7	1	—	3	4		1	3	3	5	5	1	5	5	6	5	2	—	9
10	—	—	—	1	—	—	—	1		—	—	3	1	—	3	1	—	1	—	—	—	10
11	1	1	—	—	—	—	—	—		—	1	1	6	2	—	—	—	1	—	1	1	11
12	6	4	6	17	—	4	6	9		2	4	4	5	2	1	—	5	8	3	—	4	12
13	—	—	1	—	—	—	—	—		1	—	—	1	1	—	1	—	1	1	1	—	13
14	—	—	1	—	1	—	—	1		—	—	—	1	—	2	—	—	3	3	—	—	14
15	14	14	8	11	1	5	8	5		2	2	—	5	3	9	6	9	4	5	3	1	15
16	6	2	5	6	—	1	1	6		1	—	3	4	7	1	—	2	5	5	1	1	16
17	6	3	1	2	—	—	2	2		1	2	16	6	9	4	2	2	6	—	—	—	17
18	3	1	2	2	—	—	1	—		—	—	1	1	—	—	1	—	3	—	1	1	18
19	3	4	4	1	—	—	—	1		6	3	10	6	7	3	1	—	7	5	—	—	19
20	—	1	—	—	—	—	—	—		1	—	—	1	—	—	—	—	2	—	—	—	20
21	—	—	2	—	—	—	—	—		1	—	—	—	—	1	—	—	—	—	—	—	21
21A	1	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	1	—	—	—	21A
22	2	3	6	—	1	—	—	1		—	—	3	3	1	5	—	2	—	3	1	1	22
23	—	—	—	—	—	—	—	—		—	1	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	1		—	—	—	1	—	3	—	—	—	—	—	—	24
25	4	3	3	2	—	—	4	1		1	4	9	6	3	4	2	—	5	4	—	1	25
26	5	1	2	—	—	—	4	—		2	—	5	1	5	—	1	—	2	1	—	—	26
27	1	—	4	1	—	—	—	—		—	—	—	—	—	—	—	—	1	—	—	—	27
28	29	26	31	25	5	3	26	11		10	4	12	15	23	11	8	5	17	18	3	6	28
29	1	—	1	—	—	—	1	—		—	1	—	—	—	—	—	—	2	—	—	—	29

YORKSHIRE, WEST RIDING—cont.

Causes of Death.				Barnolds- wick U.D.		Barnsley M.B.		Batley M.B.		Bentley with Arksey U.D.		Bingley U.D.		Birken- shaw U.D.		Birstal U.D.		Bolton upon Dearne U.D.	
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	65	51	542	507	319	324	33	27	108	131	17	17	76	65	90	74
1 Enteric fever	—	—	8	2	6	3	1	1	—	—	—	—	4	1	1	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	44	47	1	2	1	—	—	2	—	—	3	—	2	3
4 Scarlet fever	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	1	2	5	7	15	14	—	2	—	—	—	—	—	1	4	4
6 Diphtheria and croup	2	1	2	2	5	4	—	—	—	2	—	1	—	2	—	—
7 Influenza	—	1	12	8	3	5	—	1	—	2	—	—	—	—	—	—
8 Erysipelas	—	—	1	1	3	—	—	—	1	1	—	—	—	—	—	—
9 Pulmonary tuberculosis	3	4	33	35	21	17	1	3	9	10	1	2	4	3	7	6
10 Tuberculous meningitis	—	—	2	7	5	3	1	—	1	1	—	—	—	1	3	—
11 Other tuberculous diseases	1	1	12	7	7	7	—	—	2	1	—	1	3	2	1	—
12 Cancer, malignant disease	6	2	23	28	11	24	1	2	9	13	—	1	6	5	—	1
13 Rheumatic fever...	1	—	3	1	2	2	—	—	—	—	—	—	1	—	1	—
14 Meningitis	—	—	2	1	5	9	—	—	—	—	—	—	2	1	—	—
15 Organic heart disease	7	10	32	29	22	36	1	2	10	16	5	4	2	9	4	1
16 Bronchitis	3	9	49	33	29	21	3	2	11	12	1	—	3	3	3	4
17 Pneumonia (all forms)	5	1	43	36	17	15	4	2	10	5	5	2	7	7	9	5
18 Other respiratory diseases	1	1	6	6	3	4	2	—	2	4	—	—	2	1	1	1
19 Diarrhoea, &c.(under 2 yrs.)	8	5	79	61	37	30	3	2	2	2	—	—	6	6	17	14
20 Appendicitis and typhlitis	—	—	3	—	3	1	—	—	1	1	—	—	1	—	—	—
21 Cirrhosis of liver	1	1	2	4	2	—	1	—	2	—	—	—	—	—	1	—
21A Alcoholism	—	—	4	—	1	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's dis.	2	1	11	16	11	8	—	2	1	2	1	1	3	—	—	1
23 Puerperal fever	—	—	—	3	—	2	—	—	—	1	—	—	—	—	—	—
24 Parturition, apart from 23	—	—	—	6	—	4	—	—	—	2	—	—	—	—	—	3
25 Congenital debility, &c.	5	1	42	38	17	17	6	5	9	14	—	—	7	4	12	9
26 Violence, apart from 27	1	—	21	5	6	3	4	—	5	2	—	—	3	—	2	1
27 Suicide	1	—	6	2	—	—	—	—	4	1	—	—	—	—	—	—
28 Other defined diseases	16	11	93	119	85	92	4	3	28	37	4	5	19	19	21	21
29 Causes ill-defined or un- known.	1	—	3	2	—	1	—	—	1	—	—	—	—	—	1	—

YORKSHIRE, WEST RIDING—cont.

Causes of Death.				Brighouse M.B.		Burley in Wharfe- dale U.D.		Calverley U.D.		Castleford U.D.		Clayton U.D.		Clayton West U.D.		Cleck- heaton U.D.		Cudworth U.D.	
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	126	134	23	25	11	16	208	179	32	35	11	11	85	97	61	46
1 Enteric fever	1	—	—	—	—	—	1	3	—	—	—	—	1	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	—	—	—	—	13	17	—	—	—	—	1	—	3	4
4 Scarlet fever	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
5 Whooping cough	2	—	—	—	—	—	—	3	1	1	—	—	—	1	1	—
6 Diphtheria and croup	1	2	—	—	—	—	1	1	—	—	—	—	2	2	—	—
7 Influenza	1	2	1	—	—	—	3	—	—	—	—	—	3	1	1	1
8 Erysipelas	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	15	11	1	1	—	3	12	6	2	1	—	—	5	4	2	1
10 Tuberculous meningitis	1	—	—	—	—	—	3	3	—	—	—	—	1	2	1	—
11 Other tuberculous diseases	7	5	3	—	—	—	6	7	1	1	—	—	2	1	—	—
12 Cancer, malignant disease	4	10	3	3	1	2	13	9	2	3	—	2	7	13	3	1
13 Rheumatic fever...	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
14 Meningitis	2	—	1	—	—	—	4	3	—	—	—	—	2	3	—	1
15 Organic heart disease	12	17	2	4	1	1	15	11	4	6	3	1	14	10	2	3
16 Bronchitis	10	10	—	1	—	1	15	13	4	2	—	1	5	6	2	2
17 Pneumonia (all forms)	7	12	—	—	1	—	16	13	1	3	—	—	2	6	1	1
18 Other respiratory diseases	3	1	1	—	—	—	1	—	1	1	—	—	4	1	1	—
19 Diarrhoea, &c.(under 2 yrs.)	3	6	—	—	—	—	31	28	1	1	1	—	3	4	14	11
20 Appendicitis and typhlitis	5	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
21 Cirrhosis of liver	1	1	—	—	—	1	2	1	—	—	—	—	—	—	1	—
21A Alcoholism	—	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—
22 Nephritis and Bright's dis.	8	3	—	—	—	1	1	3	—	2	1	1	—	1	1	1
23 Puerperal fever	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	1
24 Parturition, apart from 23	—	2	—	1	—	—	—	2	—	—	—	—	—	—	—	1
25 Congenital debility, &c.	5	3	1	2	1	1	17	15	1	—	—	—	2	6	7	3
26 Violence, apart from 27	1	1	—	—	1	—	8	2	—	1	—	—	3	—	4	2
27 Suicide	1	1	1	—	—	—	1	—	—	—	—	2	—	—	1	—
28 Other defined diseases	35	44	9	12	6	6	42	36	13	12	3	4	26	36	14	12
29 Causes ill-defined or un- known.	—	1	—	—	—	—	1	—	—	—	—	—	1	—	2	1

ADMINISTRATIVE AREAS, 1911—continued.

YORKSHIRE, WEST RIDING—cont.

	Darfield U.D.		Darton U.D.		Denby and Cumber- worth U.D.		Denholme U.D.		Dewsbury M.B.		Dodworth U.D.		Doncaster M.B.		Drighling- ton U.D.		Earby U.D.		Elland U.D.		Emley U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	62	41	70	79	22	28	28	28	468	470	32	40	245	263	41	31	29	35	68	84	13	9	1
2	—	—	—	—	—	—	—	—	5	2	1	—	3	6	—	1	1	—	1	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	2	3	4	6	—	—	2	—	12	13	6	8	10	6	—	1	—	—	1	1	—	—	4
5	—	—	—	3	1	—	—	1	3	3	—	—	1	—	—	—	—	—	—	—	—	—	5
6	5	3	—	1	—	—	—	1	6	11	1	—	2	4	—	—	—	—	3	—	—	—	6
7	—	1	1	1	—	1	—	—	6	3	1	2	2	1	—	—	—	—	2	1	—	—	7
8	2	1	—	—	—	—	—	—	3	3	—	—	1	—	—	—	—	—	1	—	—	—	8
9	—	2	1	6	—	2	2	2	1	1	—	—	—	—	1	—	—	—	—	—	—	—	9
10	—	—	—	—	—	—	—	—	31	32	—	—	11	16	3	1	2	1	2	6	—	—	10
11	2	—	1	1	—	2	—	—	9	—	—	1	1	3	—	1	—	—	1	—	—	—	11
12	—	—	4	6	1	2	2	6	8	4	—	—	7	3	1	1	—	—	2	—	1	1	12
13	1	—	—	—	—	—	—	—	23	31	—	3	18	22	3	2	—	4	4	5	—	—	13
14	3	—	1	1	—	—	1	—	1	1	—	—	—	—	—	—	—	1	2	—	—	—	14
15	2	2	—	6	2	6	1	3	5	2	—	—	4	3	—	—	—	—	1	—	—	—	15
16	1	2	11	4	3	2	4	2	32	48	2	4	16	27	5	6	4	8	4	18	2	—	16
17	8	4	5	4	3	2	—	—	36	41	6	7	20	18	1	—	6	2	3	4	—	1	17
18	2	1	—	1	—	1	—	—	38	28	1	—	29	20	6	4	1	1	5	4	—	—	18
19	10	9	7	6	1	—	1	—	3	7	—	1	6	2	—	—	—	—	1	—	—	—	19
20	—	—	—	—	—	—	—	—	35	29	2	2	8	21	1	—	1	—	5	2	1	—	20
21	1	—	1	1	—	—	—	—	4	—	—	—	3	1	—	—	1	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	—	—	—	—	—	1	—	1	—	—	—	5	3	1	1	2	1	3	—	—	—	22
23	—	—	—	—	—	—	—	1	14	—	—	1	—	2	—	—	—	—	—	—	—	—	23
24	—	—	—	1	—	1	—	—	1	7	—	—	—	2	—	1	—	1	—	—	—	—	24
25	4	2	9	4	3	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	25
26	3	—	4	1	3	—	—	—	31	28	4	1	18	9	3	1	3	4	2	5	—	—	26
27	—	1	1	—	1	1	—	—	19	1	1	—	13	7	1	—	1	1	3	1	3	2	27
28	15	9	19	21	4	8	14	11	6	2	—	—	3	2	—	—	—	—	3	—	—	—	28
29	—	1	—	—	—	—	—	—	128	157	7	10	59	81	14	10	6	10	23	30	6	4	29
									1	1	—	—	2	1	—	1	1	1	1	1	—	—	

YORKSHIRE, WEST RIDING—cont.

	Farnley Tyas U.D.		Farsley U.D.		Feather- stone U.D.		Flockton U.D.		Garforth U.D.		Gilder- some U.D.		Golcar U.D.		Gomersal U.D.		Goole U.D.		Greas- brough U.D.		Greetland U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	4	4	40	42	141	141	14	8	33	18	23	19	80	70	32	29	197	161	27	24	31	38	1
2	—	—	—	—	3	1	—	—	2	—	—	—	1	2	1	—	3	5	—	—	—	2	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	—	—	10	12	—	—	1	—	—	—	—	—	—	—	6	3	3	2	1	—	4
5	—	—	1	3	3	6	—	—	—	—	1	—	1	—	—	1	5	8	1	1	—	—	5
6	—	—	1	1	—	3	—	—	—	—	—	—	—	—	1	1	1	5	—	—	—	—	6
7	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	8
9	—	—	1	1	10	5	—	—	2	2	1	2	4	4	1	1	8	9	2	1	5	2	9
10	—	—	—	1	—	3	—	—	—	—	—	—	2	—	—	—	3	4	—	—	—	—	10
11	1	—	2	3	—	1	—	—	1	—	—	—	3	2	—	—	1	1	—	1	—	—	11
12	—	—	3	5	5	4	—	1	1	—	4	—	7	5	3	6	10	9	—	3	—	—	12
13	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	1	—	—	13
14	—	—	—	—	—	2	—	—	1	—	—	—	1	1	—	—	5	3	—	—	—	—	14
15	—	1	5	7	9	13	1	1	—	3	5	3	3	10	3	6	13	16	5	1	3	7	15
16	—	1	2	3	12	9	1	—	1	—	1	1	6	4	1	2	8	7	1	2	3	8	16
17	—	1	2	3	14	17	2	—	1	2	1	—	13	2	1	2	19	10	3	3	2	3	17
18	—	—	—	—	3	2	—	1	1	—	—	—	3	1	1	—	1	—	—	—	—	—	18
19	1	—	3	2	11	19	—	—	3	2	2	1	10	2	3	1	21	19	3	1	—	—	19
20	—	—	—	—	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	20
21	—	—	1	1	1	1	—	—	—	—	—	—	—	—	1	—	—	2	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	—	1	1	1	3	—	—	—	—	1	—	3	—	2	—	8	4	—	1	—	—	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	1	24
25	—	—	3	—	19	9	3	—	2	1	1	1	—	3	2	1	18	17	1	1	2	2	25
26	—	—	1	1	12	1	—	—	5	—	—	—	1	1	—	—	9	1	2	2	3	—	26
27	—	—	1	1	—	—	—	—	1	—	—	—	2	—	—	—	2	1	—	—	—	—	27
28	2	1	12	8	25	26	7	4	11	7	8	8	18	30	12	7	56	35	6	3	9	13	28
29	—	—	1	—	1	2	—	1	—	—	—	1	—	1	—	—	1	—	—	—	—	—	29

YORKSHIRE, WEST RIDING—cont.

Causes of Death.	Guiseley U.D.		Guth- waite and Ingbirch- worth U.D.		Hands- worth U.D.		Harrogate M.B.		Haworth U.D.		Hebden Bridge U.D.		Heck- mondwike U.D.		Hipper- holme U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	43	32	2	1	105	110	194	207	51	55	45	62	69	83	31	32	
1 Enteric fever ...	—	—	—	—	1	2	2	—	—	—	—	—	—	—	—	—	1
2 Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles ...	1	1	—	—	8	6	1	—	—	—	—	—	—	1	—	—	3
4 Scarlet fever ...	—	—	—	—	—	1	—	—	—	—	2	—	—	—	1	—	4
5 Whooping cough ...	—	—	—	—	—	2	3	2	1	—	—	—	—	1	1	1	5
6 Diphtheria and croup ...	—	—	—	—	—	2	—	1	—	—	1	—	—	—	—	1	6
7 Influenza ...	—	—	—	—	—	1	1	1	—	—	—	3	—	—	—	2	7
8 Erysipelas ...	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	8
9 Pulmonary tuberculosis	4	3	—	—	3	7	16	10	5	6	5	3	6	4	4	3	9
10 Tuberculous meningitis	—	—	—	—	—	—	2	2	—	—	—	—	1	1	—	—	10
11 Other tuberculous diseases	—	—	—	—	3	3	1	4	3	1	—	1	—	1	1	1	11
12 Cancer, malignant disease	5	1	—	—	2	6	18	17	2	9	4	4	5	10	2	2	12
13 Rheumatic fever...	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	13
14 Meningitis ...	—	—	—	—	2	5	—	2	—	2	—	—	—	—	—	—	14
15 Organic heart disease ..	6	3	—	—	5	4	17	27	9	11	8	11	5	10	1	2	15
16 Bronchitis ...	1	2	—	—	8	6	12	7	3	6	2	5	3	1	2	1	16
17 Pneumonia (all forms) ...	5	2	1	1	8	7	11	14	4	—	3	7	8	7	1	—	17
18 Other respiratory diseases	2	1	—	—	4	2	3	5	—	—	2	1	1	—	—	—	18
19 Diarrhoea, &c.(under 2 yrs.)	—	4	—	—	8	5	5	10	2	—	—	—	9	4	1	—	19
20 Appendicitis and typhlitis	—	—	—	—	—	1	2	2	—	—	—	—	—	—	—	—	20
21 Cirrhosis of liver ...	—	—	—	—	1	—	4	3	—	—	1	—	—	—	—	—	21
21A Alcoholism ...	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	—	2	—	—	4	2	4	10	2	2	1	5	4	1	1	—	22
23 Puerperal fever ...	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	23
24 Parturition, apart from 23	—	—	—	—	—	1	—	4	—	—	—	2	—	—	—	—	24
25 Congenital debility, &c.	1	4	—	—	14	18	14	8	6	—	4	2	4	3	2	—	25
26 Violence, apart from 27	2	2	1	—	7	3	6	5	2	—	1	—	3	—	—	—	26
27 Suicide ...	1	—	—	—	—	—	6	1	1	—	1	—	—	—	—	—	27
28 Other defined diseases ...	15	7	—	—	27	24	66	72	9	17	9	18	19	38	14	19	28
29 Causes ill-defined or un- known.	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	29

YORKSHIRE, WEST RIDING—cont.

Causes of Death.	Holme U.D.		Holmfirth U.D.		Honley U.D.		Horbury U.D.		Horsforth U.D.		Hoyland Nether U.D.		Hoyland Swaine U.D.		Huns- worth U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	5	5	76	82	45	43	64	58	51	65	117	112	2	7	5	18	
1 Enteric fever ...	—	—	1	—	3	—	1	1	—	1	—	—	—	—	—	—	1
2 Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles ...	—	—	—	—	—	—	1	1	—	—	4	6	—	—	1	—	3
4 Scarlet fever ...	—	—	—	—	—	—	—	1	—	2	—	—	1	—	—	—	4
5 Whooping cough ...	—	—	2	2	—	1	—	—	1	2	2	3	—	—	—	—	5
6 Diphtheria and croup ...	—	—	—	2	—	—	2	—	—	—	—	—	—	—	—	1	6
7 Influenza ...	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	7
8 Erysipelas ...	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1	8
9 Pulmonary tuberculosis	—	—	8	7	3	3	5	3	7	5	4	5	—	—	—	1	9
10 Tuberculous meningitis	—	—	2	2	—	—	5	3	1	—	3	3	—	1	—	—	10
11 Other tuberculous diseases	—	—	5	1	2	1	2	1	1	1	—	—	—	—	—	—	11
12 Cancer, malignant disease	—	1	2	8	2	2	3	5	2	5	4	3	1	—	—	1	12
13 Rheumatic fever...	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	13
14 Meningitis ...	—	—	—	1	—	—	1	—	1	—	4	3	—	—	—	—	14
15 Organic heart disease ...	2	1	7	19	3	5	3	11	5	6	9	7	—	1	—	1	15
16 Bronchitis ...	—	2	1	4	2	—	4	4	6	8	6	8	—	1	1	1	16
17 Pneumonia (all forms) ...	1	—	5	4	7	7	3	3	7	3	11	8	—	1	1	5	17
18 Other respiratory diseases	—	—	2	—	2	—	—	—	1	—	3	1	—	—	—	1	18
19 Diarrhoea, &c.(under 2 yrs.)	—	—	2	—	2	1	4	6	—	3	22	21	—	—	—	—	19
20 Appendicitis and typhlitis	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	20
21 Cirrhosis of liver ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21
21A Alcoholism ...	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	21A
22 Nephritis and Bright's dis.	—	—	2	6	1	1	2	—	—	4	3	—	—	—	—	—	22
23 Puerperal fever ...	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	23
24 Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	24
25 Congenital debility, &c.	1	—	8	2	1	1	5	1	—	4	14	10	—	—	1	1	25
26 Violence, apart from 27	—	—	2	1	1	1	4	—	1	—	6	2	—	—	—	—	26
27 Suicide ...	—	—	3	2	3	1	1	1	2	—	2	—	—	—	—	1	27
28 Other defined diseases ...	1	1	20	21	13	19	17	14	16	20	20	29	—	3	1	2	28
29 Causes ill-defined or un- known.	—	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	29

ADMINISTRATIVE AREAS, 1911—continued.

YORKSHIRE, WEST RIDING—cont.

	Ilkley U.D.		Keighley M.B.		Kirkburton U.D.		Kirkheaton U.D.		Knares- borough U.D.		Knotting- ley U.D.		Lepton U.D.		Linthwaite U.D.		Liversedge U.D.		Luddenden Foot U.D.		Marsden U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	32	40	336	331	26	25	28	16	51	42	62	56	20	24	68	65	128	101	26	26	56	34	1
2	—	—	1	1	—	—	—	—	1	—	1	—	—	—	1	—	1	1	1	—	—	1	2
3	—	—	—	3	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	4	—	3
4	—	—	12	8	—	1	—	—	—	—	—	—	—	2	1	—	1	1	1	1	1	—	4
5	1	1	8	11	—	—	—	—	1	5	—	—	—	—	—	—	2	—	—	—	1	2	5
6	—	—	2	4	—	—	—	—	2	1	—	2	—	—	—	—	1	—	2	—	—	2	6
7	—	2	1	—	1	1	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	7
8	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	—	2	23	24	3	1	4	—	—	2	5	3	—	—	4	2	10	5	2	8	7	—	9
10	—	1	1	3	—	—	—	—	—	—	—	—	—	—	1	1	2	2	1	—	1	—	10
11	1	1	5	6	—	1	1	—	—	—	1	1	1	—	—	—	1	3	—	—	—	1	11
12	3	1	20	23	—	3	—	1	2	3	3	1	3	2	7	8	7	7	—	2	4	4	12
13	—	1	2	2	—	—	2	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	13
14	—	1	2	4	—	—	—	—	1	—	2	—	—	—	1	—	3	1	—	—	2	—	14
15	5	4	33	40	2	—	3	1	8	6	3	7	2	2	5	6	10	14	1	2	1	2	15
16	—	2	25	26	2	3	—	2	4	6	7	4	4	3	4	1	7	5	5	1	7	4	16
17	2	2	23	35	1	—	1	2	1	1	4	—	1	2	4	2	10	1	1	—	1	2	17
18	2	1	7	3	—	—	—	—	—	—	2	4	—	—	3	1	3	1	—	2	1	1	18
19	2	—	16	13	1	2	2	1	1	3	8	5	1	3	5	4	12	7	—	1	3	—	19
20	—	—	1	—	—	1	1	—	—	1	—	—	—	—	1	—	—	1	—	—	1	—	20
21	—	1	2	1	1	—	—	—	1	—	—	—	—	—	1	1	1	1	—	—	—	1	21
21A	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	21A
22	5	1	17	13	2	3	1	1	3	1	1	1	1	—	5	2	8	2	—	2	3	—	22
23	—	—	—	3	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	1	23
24	—	2	—	2	—	—	—	2	—	—	—	—	—	—	—	—	—	2	—	—	—	—	24
25	—	1	25	16	4	1	—	1	1	1	5	10	—	1	3	5	8	9	2	—	1	4	25
26	—	—	8	4	—	—	—	2	4	—	3	—	—	1	2	—	3	2	—	1	2	1	26
27	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	1	1	27
28	11	15	92	84	9	8	11	3	20	12	16	16	7	7	18	30	36	32	7	6	15	6	28
29	—	—	6	—	—	—	—	—	1	—	1	—	—	1	1	1	—	1	—	—	—	1	29

YORKSHIRE, WEST RIDING—cont.

	Meltham U.D.		Methley U.D.		Mex- borough U.D.		Midgley U.D.		Mirfield U.D.		Monk Bretton U.D.		Morley M.B.		Mytholm- royd U.D.		Nether- thong U.D.		New Mill U.D.		Normanton U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	44	30	50	45	143	132	16	15	92	86	50	45	190	206	34	29	6	5	39	41	126	82	1
2	—	—	4	2	6	4	—	—	1	1	—	—	2	7	—	—	—	—	—	—	2	2	2
3	—	—	—	3	12	8	—	—	2	1	8	3	3	4	1	—	—	—	1	2	—	—	3
4	—	—	—	—	—	3	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	4
5	1	—	1	—	3	11	—	1	1	2	—	3	—	5	—	—	—	—	1	4	5	—	5
6	1	1	1	—	—	—	—	—	—	—	—	—	3	1	—	1	—	—	—	1	—	—	6
7	—	—	—	—	—	2	—	—	—	—	—	—	1	1	2	2	—	—	—	—	1	1	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	8
9	4	1	—	—	6	9	1	2	6	6	5	1	13	13	2	—	1	1	1	1	10	3	9
10	—	—	1	—	1	1	—	—	—	2	—	1	2	3	—	2	—	—	—	—	1	1	10
11	—	—	2	2	3	3	1	—	1	—	1	1	7	1	—	—	—	—	—	3	1	1	11
12	4	2	1	4	3	9	—	5	6	12	4	5	16	19	2	2	—	1	—	2	7	4	12
13	—	2	—	1	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	1	—	—	13
14	—	1	—	—	—	—	—	1	2	—	—	—	—	1	—	—	—	—	1	—	1	—	14
15	4	4	2	2	3	7	—	—	7	6	2	3	17	17	3	5	2	—	4	7	2	4	15
16	1	1	5	9	17	10	2	—	5	5	4	5	8	5	1	4	—	1	1	1	18	8	16
17	8	1	4	5	22	14	1	—	10	8	4	6	20	10	6	1	—	1	4	2	9	5	17
18	—	1	—	—	1	2	—	1	1	—	1	1	1	1	—	—	—	—	—	1	2	—	18
19	1	1	2	2	13	11	2	—	4	3	7	2	13	19	1	1	1	—	3	1	12	11	19
20	—	1	—	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	1	1	20
21	1	—	1	—	—	1	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	21A
22	—	—	2	—	1	1	—	—	6	7	—	—	6	8	1	4	—	—	2	3	2	4	22
23	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	23
24	—	1	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	24
25	2	—	2	2	10	11	1	—	3	5	6	1	11	14	2	—	1	—	5	2	11	8	25
26	1	—	1	1	8	3	2	—	4	1	2	2	8	6	—	—	—	—	2	1	10	3	26
27	—	—	3	—	—	—	—	—	3	—	—	1	1	—	1	—	—	—	1	2	2	—	27
28	16	13	16	11	29	20	3	5	30	25	5	8	54	67	9	6	1	1	13	10	25	25	28
29	—	—	—	—	5	2	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	29

CAUSES OF DEATH IN

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.				Oakworth U.D.		Ossett M.B.		Otley U.D.		Oxenhope U.D.		Penistone U.D.		Pontefract M.B.		Pudsey M.B.		Queens- bury U.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES				26	39	133	126	65	69	12	20	8	14	122	102	110	114	48	53	
1	Enteric fever	1	—	—	1	—	—	—	—	—	—	1	—	1	1	1	1	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	—	2	—	—	—	—	1	2	—	—	—	—	3
4	Scarlet fever	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough	1	1	—	1	4	7	—	—	—	—	2	2	4	5	1	—	5
6	Diphtheria and croup	—	—	2	1	—	—	—	—	1	—	1	—	1	—	—	—	6
7	Influenza	1	—	2	1	1	2	—	—	—	—	—	1	—	1	1	—	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis			2	4	5	12	4	2	1	—	1	—	18	4	4	3	2	4	9
10	Tuberculous meningitis			—	—	—	3	2	1	—	—	—	—	—	1	—	—	—	—	10
11	Other tuberculous diseases			1	1	4	—	2	2	2	1	1	—	2	1	1	3	1	1	11
12	Cancer, malignant disease			2	2	7	11	5	4	1	1	—	—	4	9	7	9	1	6	12
13	Rheumatic fever...	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	13
14	Meningitis	—	—	5	4	4	1	—	1	—	—	1	—	3	—	—	—	14
15	Organic heart disease	5	10	17	16	5	4	2	2	1	1	11	5	12	17	9	4	15
16	Bronchitis	—	2	13	11	4	1	—	2	—	—	7	7	8	11	5	3	16
17	Pneumonia (all forms)	2	2	7	9	5	5	—	1	—	3	9	6	8	11	2	5	17
18	Other respiratory diseases			—	1	3	1	2	1	—	—	—	—	2	—	2	—	3	—	18
19	Diarrhoea, &c.(under 2 yrs.)			—	—	4	4	3	6	—	—	—	1	14	12	6	1	—	2	19
20	Appendicitis and typhlitis			—	—	2	—	2	1	—	—	—	—	—	—	—	—	1	—	20
21	Cirrhosis of liver	—	—	—	—	—	—	—	1	—	1	2	1	1	3	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	21A
22	Nephritis and Bright's dis.			2	3	4	3	4	2	—	—	1	—	2	6	4	2	2	—	22
23	Puerperal fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	23
24	Parturition, apart from 23			—	—	—	1	—	4	—	—	—	—	—	2	—	3	—	2	24
25	Congenital debility, &c.			—	—	12	7	2	2	1	1	1	4	6	13	11	5	3	2	25
26	Violence, apart from 27			3	1	4	—	1	—	1	—	—	—	8	4	1	1	—	—	26
27	Suicide	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	27
28	Other defined diseases	5	12	42	35	15	21	3	10	2	4	31	26	34	38	13	21	28
29	Causes ill-defined or un- known.			1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	1	29

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.				Rawdon U.D.		Rawmarsh U.D.		Ripon M.B.		Rishworth U.D.		Rothwell U.D.		Royston U.D.		Saddle- worth U.D.		Scam- monden U.D.		
				F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
1	ALL CAUSES	19	20	138	143	66	66	10	3	113	108	56	44	94	99	1	3	1
2	Enteric fever	—	—	2	—	—	1	—	—	5	2	—	—	—	3	—	—	2
3	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	Measles	—	—	17	23	—	—	—	—	5	5	—	—	1	—	—	—	4
5	Scarlet fever	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	5
6	Whooping cough	1	1	3	4	1	—	—	—	—	1	—	—	1	3	—	—	6
7	Diphtheria and croup	—	1	—	—	—	—	—	—	—	4	—	—	—	—	—	—	7
8	Influenza	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Erysipelas	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	9
10	Pulmonary tuberculosis	—	2	5	8	11	5	1	2	4	4	2	3	1	6	—	—	10
11	Tuberculous meningitis	—	—	—	2	1	—	—	—	3	2	—	—	—	—	—	—	11
12	Other tuberculous diseases	—	—	5	2	—	1	1	—	1	6	2	2	2	1	—	—	12
13	Cancer, malignant disease	1	1	2	5	3	5	—	—	6	10	2	2	5	10	—	1	13
14	Rheumatic fever...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14
15	Meningitis	—	—	3	2	1	—	—	—	—	1	1	1	—	—	—	—	15
16	Organic heart disease	1	3	8	4	7	7	1	—	9	7	5	3	9	15	—	1	16
17	Bronchitis	1	2	5	7	3	3	2	—	5	8	3	3	2	10	—	—	17
18	Pneumonia (all forms)	1	1	17	19	2	2	—	—	10	8	2	2	9	7	1	—	18
19	Other respiratory diseases	1	—	4	5	1	1	2	—	2	2	2	—	1	3	—	—	19
20	Diarrhoea, &c. (under 2 yrs.)	—	—	19	16	3	4	—	—	10	8	16	11	4	2	—	—	20
21	Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	—	1	—	1	1	—	—	21
21A	Cirrhosis of liver	1	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	21A
22	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	22
23	Nephritis and Bright's dis.	1	—	4	—	2	6	—	—	1	—	—	—	8	4	—	—	23
24	Puerperal fever	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	24
25	Parturition, apart from 23	—	—	—	1	—	—	—	—	—	1	—	1	—	2	—	—	25
26	Congenital debility, &c.	1	1	11	9	3	3	1	—	8	5	3	6	4	5	—	—	26
27	Violence, apart from 27	—	1	3	1	3	1	—	—	10	—	7	—	7	1	—	—	27
28	Suicide	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	28
29	Other defined diseases	10	6	26	32	24	25	2	1	32	34	10	10	37	25	—	1	29
	Causes ill-defined or un- known.	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	

ADMINISTRATIVE AREAS, 1911—continued.
YORKSHIRE, WEST RIDING—cont.

	Selby U.D.		Shelf U.D.		Shelley U.D.		Shepley U.D.		Shipley U.D.		Silsden U.D.		Skelman- thorpe U.D.		Skipton U.D.		Slaith- waite U.D.		South Crosland U.D.		South- owram U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	73	57	21	16	15	10	13	12	173	212	26	45	19	27	89	97	42	27	24	19	21	15	1
2	—	1	—	—	2	1	—	—	1	1	—	—	—	—	1	—	1	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	1	—	—	—	—	—	—	—	4	4	—	—	—	—	—	—	—	—	—	1	—	—	4
5	—	1	—	—	1	—	—	1	—	3	—	—	—	—	1	1	—	1	1	—	—	—	5
6	—	—	—	—	—	—	—	2	1	5	—	—	3	—	1	3	—	—	—	—	1	—	6
7	—	—	—	—	—	1	—	—	2	1	—	—	—	—	1	—	—	—	—	—	1	—	7
8	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	8
9	5	4	2	—	1	—	2	—	17	16	2	3	—	1	5	8	—	—	1	—	—	—	9
10	1	1	—	—	—	1	—	1	—	1	1	2	—	—	1	1	2	1	2	1	3	1	10
11	—	1	—	1	—	—	—	—	3	4	2	2	—	1	1	—	2	1	—	—	1	—	11
12	7	3	—	1	1	2	1	4	13	15	1	4	1	3	6	7	4	1	1	3	2	—	12
13	—	2	—	—	—	1	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	13
14	—	—	—	—	—	—	—	—	1	4	1	—	—	—	3	2	1	—	—	—	—	—	14
15	6	3	—	2	1	2	2	—	14	33	4	7	—	—	10	15	2	5	4	3	3	6	15
16	4	9	6	2	2	1	—	—	9	10	1	1	—	1	8	3	3	1	2	1	1	2	16
17	5	4	3	—	—	—	1	1	18	8	3	5	4	1	8	8	1	1	1	1	1	1	17
18	1	1	1	—	—	—	—	—	2	1	—	1	1	—	2	7	1	2	1	—	1	—	18
19	6	5	—	—	1	—	—	1	6	7	—	1	1	—	3	5	1	—	—	—	—	—	19
20	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	1	—	—	1	—	—	20
21	—	—	—	—	—	—	—	—	3	—	1	—	—	—	—	—	—	—	—	—	—	—	21
21A	1	—	—	—	—	—	—	—	—	—	—	1	—	—	1	1	—	—	—	—	—	—	21A
22	—	—	—	3	1	1	1	—	8	10	1	2	—	1	1	—	—	—	2	—	1	—	22
23	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	—	—	5	—	1	—	—	—	—	—	—	—	—	—	—	24
25	7	5	1	1	1	—	2	—	13	10	1	—	1	1	—	—	2	1	—	—	—	—	25
26	3	1	1	—	1	—	—	1	6	2	—	—	2	—	9	3	2	1	—	1	2	—	26
27	—	1	—	—	—	—	—	—	3	2	—	—	—	—	2	—	2	2	—	2	—	—	27
28	25	15	7	6	3	—	4	—	46	66	7	14	6	11	21	31	16	12	8	7	2	2	28
29	1	—	—	—	—	—	—	—	2	1	1	—	—	—	2	1	2	—	—	—	—	—	29

YORKSHIRE, WEST RIDING—cont.

	Sowerby U.D.		Sowerby Bridge U.D.		Soyland U.D.		Springhead U.D.		Stainland with Old Lindley U.D.		Stanley U.D.		Stocks- bridge U.D.		Swinton U.D.		Thurlstone U.D.		Thurnscoe U.D.		Thurston- land U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	21	26	80	78	24	28	36	36	38	30	124	119	57	46	157	146	27	12	37	42	19	16	1
2	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	1	—	—	2
3	—	—	—	—	—	—	1	1	—	—	4	8	—	—	13	10	2	—	5	5	—	—	3
4	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	1	1	—	—	—	—	—	—	—	5	3	—	—	4	4	—	—	8	7	—	1	5
6	—	1	3	2	—	—	—	—	1	1	—	—	1	—	—	1	—	—	—	—	—	—	6
7	—	—	—	1	—	—	—	—	—	—	—	—	1	1	—	—	1	1	—	1	—	—	7
8	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	8
9	2	—	6	6	1	5	5	—	3	2	4	8	6	5	10	8	1	—	2	—	1	2	9
10	1	—	2	1	1	—	1	—	—	—	4	3	3	1	1	—	1	—	—	—	—	—	10
11	—	—	—	3	1	2	1	—	1	—	1	2	—	—	2	1	—	1	2	1	—	—	11
12	1	2	4	3	1	3	1	7	1	2	5	9	3	2	2	7	—	2	—	—	1	1	12
13	—	—	1	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	13
14	—	—	—	1	—	—	—	—	1	—	2	—	—	—	1	—	—	—	—	—	—	—	14
15	2	2	12	20	1	8	5	2	5	2	18	15	1	3	9	5	1	2	—	3	3	3	15
16	3	4	9	4	1	—	—	2	2	5	6	6	7	3	18	11	1	1	1	7	—	—	16
17	3	1	3	4	3	—	2	—	3	1	12	10	2	4	22	14	2	3	3	1	1	—	17
18	1	—	1	—	1	—	—	1	2	—	2	—	2	—	1	2	—	—	—	—	—	—	18
19	—	—	4	1	1	—	1	3	1	1	13	9	6	2	15	17	2	—	5	5	—	—	19
20	—	—	—	1	—	—	1	—	1	2	1	—	1	—	1	—	—	—	1	—	—	—	20
21	1	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	21A
22	1	3	3	2	2	—	1	2	—	1	1	4	1	—	3	2	1	—	1	1	1	—	22
23	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	23
24	—	—	—	1	—	1	—	2	—	—	—	—	—	—	—	3	—	—	—	—	—	—	24
25	—	—	6	5	2	—	3	4	2	—	13	4	6	3	13	17	2	—	3	1	—	—	25
26	1	2	2	—	—	—	2	2	—	1	5	3	3	2	16	3	2	—	4	—	—	—	26
27	1	—	1	1	1	—	—	—	1	—	1	—	1	2	2	—	1	—	—	—	—	—	27
28	4	10	19	22	7	9	10	8	11	11	22	29	13	17	23	39	10	2	1	8	10	9	28
29	—	—	1	—	1	—	—	1	—	—	1	—	—	1	—	2	—	—	1	—	—	—	29

YORKSHIRE, WEST RIDING—cont.

Causes of Death.	Tickhill U.D.		Todmorden M.B.		Wakefield M.B.		Wath upon Dearne U.D.		Wheatley U.D.		Whitley Upper U.D.		Whitwood U.D.		Wombwell U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	14	12	215	197	432	381	107	101	23	34	3	7	54	43	205	158	
1 Enteric fever	—	—	—	5	3	—	1	—	—	—	—	—	1	—	3	1	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	1	1	6	7	12	16	—	1	—	—	3	2	24	24	3
4 Scarlet fever	—	—	3	3	—	1	—	—	—	—	—	—	—	1	2	4	4
5 Whooping cough	—	—	—	—	3	5	2	3	—	—	—	—	—	1	7	10	5
6 Diphtheria and croup	—	—	1	1	—	4	—	—	—	—	—	—	—	—	1	6	6
7 Influenza	1	—	2	2	—	1	—	—	—	—	—	—	—	—	1	—	7
8 Erysipelas	—	—	—	2	—	1	—	—	—	—	—	—	—	1	—	—	8
9 Pulmonary tuberculosis	—	—	21	9	42	20	4	4	4	2	—	—	—	—	6	7	9
10 Tuberculous meningitis	—	—	1	1	10	6	1	1	—	—	—	—	2	1	3	1	10
11 Other tuberculous diseases	1	—	2	4	7	5	5	3	—	—	—	—	7	1	3	3	11
12 Cancer, malignant disease	2	1	14	18	25	46	1	5	4	1	—	1	3	—	2	3	12
13 Rheumatic fever... ..	—	—	1	2	1	2	1	—	—	—	—	1	—	—	2	1	13
14 Meningitis	—	—	5	—	2	2	—	1	1	—	—	—	2	—	2	1	14
15 Organic heart disease	3	2	19	22	41	53	9	8	4	5	—	1	4	3	11	6	15
16 Bronchitis	2	—	8	20	34	29	14	13	—	3	—	1	1	1	17	9	16
17 Pneumonia (all forms)	2	1	23	12	30	24	11	7	1	2	—	—	3	4	8	6	17
18 Other respiratory diseases	—	—	2	4	8	2	—	1	—	—	—	—	—	—	3	—	18
19 Diarrhoea, &c. (under 2 yrs.)	—	1	13	4	33	25	13	9	2	2	—	—	7	3	32	21	19
20 Appendicitis and typhlitis	—	—	2	—	3	1	—	—	—	—	—	—	—	—	—	—	20
21 Cirrhosis of liver	—	—	1	2	2	1	—	—	—	—	—	—	—	—	—	2	21
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	—	—	10	9	10	9	—	2	2	3	1	—	5	1	2	3	22
23 Puerperal fever	—	—	—	1	—	2	—	—	—	—	—	—	—	1	—	1	23
24 Parturition, apart from 23	—	—	—	1	—	3	—	1	—	1	—	—	—	—	—	5	24
25 Congenital debility, &c.	1	1	12	3	26	23	12	11	1	1	—	1	4	5	34	17	25
26 Violence, apart from 27	—	—	11	5	16	7	7	—	—	1	1	—	1	2	9	4	26
27 Suicide	—	—	3	2	5	2	—	2	—	—	—	—	—	—	2	—	27
28 Other defined diseases	2	6	55	63	123	99	12	13	4	12	1	2	11	15	31	30	28
29 Causes ill-defined or un- known.	—	—	5	1	2	1	2	1	—	—	—	—	—	2	2	—	29

YORKSHIRE, WEST RIDING—cont.

Causes of Death.	Wors- borough U.D.		Yeadon U.D.		Barnsley R.D.		Bishop- thorpe R.D.		Bowland R.D.		Doncaster R.D.		Goole R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	127	95	61	47	44	37	12	8	48	24	327	258	60	73	
1 Enteric fever	—	—	1	—	—	—	1	—	1	1	5	3	3	4	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	8	9	1	1	7	2	—	—	—	—	10	8	—	1	3
4 Scarlet fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	6	1	1	1	1	—	—	—	—	—	1	7	—	2	5
6 Diphtheria and croup	—	1	—	—	—	1	—	—	1	—	2	1	2	—	6
7 Influenza	2	—	2	—	—	—	1	2	—	—	4	—	—	—	7
8 Erysipelas	—	—	1	—	—	—	—	—	—	—	—	1	1	1	8
9 Pulmonary tuberculosis	3	5	12	6	1	2	1	—	4	2	17	14	2	5	9
10 Tuberculous meningitis	—	1	—	1	—	2	—	—	—	—	3	3	—	—	10
11 Other tuberculous diseases	2	3	1	—	2	2	—	—	—	—	9	9	2	1	11
12 Cancer, malignant disease	3	6	1	2	2	2	2	—	3	—	16	15	1	8	12
13 Rheumatic fever... ..	—	—	—	—	—	—	—	—	—	1	2	2	—	—	13
14 Meningitis	3	—	1	—	—	—	1	—	—	—	3	3	1	—	14
15 Organic heart disease	5	5	3	6	3	2	—	—	2	1	14	7	1	5	15
16 Bronchitis	4	8	2	7	2	6	1	2	4	2	19	15	3	—	16
17 Pneumonia (all forms)	8	9	9	4	2	8	1	—	2	—	30	29	7	4	17
18 Other respiratory diseases	3	4	2	2	—	—	—	2	—	—	3	6	—	—	18
19 Diarrhoea, &c. (under 2 yrs.)	17	13	1	1	—	2	—	—	1	—	53	35	3	4	19
20 Appendicitis and typhlitis	—	—	1	1	—	—	—	—	—	—	1	—	—	—	20
21 Cirrhosis of liver	3	—	—	—	—	—	1	2	—	—	—	1	—	—	21
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	1	2	1	1	—	—	—	3	3	—	4	—	1	2	22
23 Puerperal fever	—	—	—	—	—	1	—	—	—	—	—	2	—	—	23
24 Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	—	6	—	1	24
25 Congenital debility, &c.	14	5	4	3	4	3	3	—	4	2	31	20	6	4	25
26 Violence, apart from 27	11	1	—	—	7	—	—	—	3	—	25	4	2	1	26
27 Suicide	2	—	—	—	1	—	—	—	—	—	3	—	1	—	27
28 Other defined diseases	31	22	17	11	12	4	3	3	12	12	69	66	24	30	28
29 Causes ill-defined or un- known.	—	—	—	—	—	—	—	—	2	—	3	1	—	—	29

ADMINISTRATIVE AREAS, 1911—continued.
YORKSHIRE, WEST RIDING—cont.

	Great Ouseburn R.D.		Halifax R.D.		Hems-worth R.D.		Hunslet R.D.		Keighley R.D.		Kiveton Park R.D.		Knares-borough R.D.		Leeds (Round-hay and Seacroft) R.D.		Pateley Bridge R.D.		Penistone R.D.		Pontefract R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	77	66	38	49	349	316	49	41	43	37	98	76	52	50	21	15	63	41	35	28	141	113	1
2	—	1	1	—	2	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	1	—	1	—	19	22	—	—	1	—	4	3	—	1	1	—	1	1	—	—	5	9	3
4	—	—	—	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	4
5	—	1	1	2	12	12	1	1	—	—	3	4	1	—	—	—	—	—	2	1	3	3	5
6	—	—	—	—	6	2	—	—	2	—	—	2	1	—	1	1	—	—	—	—	—	—	6
7	—	2	—	1	2	2	—	1	—	1	2	3	1	1	—	—	—	—	—	—	1	—	7
8	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	8
9	10	4	3	4	17	9	2	2	2	2	2	1	2	2	2	1	3	1	3	2	12	9	9
10	—	—	—	—	2	2	1	—	—	—	1	—	—	—	—	—	—	—	1	—	2	2	10
11	—	2	1	1	11	5	2	1	—	1	—	1	2	—	1	—	—	1	—	1	3	6	11
12	7	12	1	4	18	13	—	3	4	6	5	5	—	5	1	2	3	2	4	2	—	4	12
13	—	—	1	1	1	2	—	—	—	—	1	1	1	1	—	—	—	—	—	—	2	—	13
14	—	—	2	—	1	2	2	2	—	2	3	—	1	1	1	—	1	—	—	2	—	1	14
15	4	6	3	3	15	14	5	8	5	3	4	3	8	4	1	1	11	5	1	4	11	12	15
16	2	4	2	3	25	24	6	1	2	1	7	5	1	5	—	3	5	2	5	5	11	9	16
17	4	3	5	2	34	26	7	1	2	2	10	4	1	1	—	3	4	1	1	—	18	8	17
18	—	1	—	—	4	3	1	—	—	1	—	—	—	—	—	—	—	3	—	2	—	1	18
19	3	—	—	1	49	47	5	3	—	1	5	9	—	—	1	—	2	1	—	13	7	—	19
20	—	—	—	—	1	—	—	—	1	—	—	—	—	1	1	—	—	1	—	—	—	—	20
21	3	—	—	—	1	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	1	2	2	9	9	—	—	1	2	4	7	2	2	1	—	—	1	1	—	3	2	22
23	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	7	—	2	—	—	—	2	—	—	—	—	—	2	—	—	—	1	24
25	6	6	3	3	37	33	3	3	—	—	16	8	3	3	—	—	6	1	—	1	10	6	25
26	5	1	—	5	20	7	5	1	—	3	7	1	2	—	—	—	4	—	2	—	14	1	26
27	—	1	1	—	2	1	—	—	2	—	—	—	4	—	2	—	—	—	2	—	—	—	27
28	29	21	11	17	58	65	8	12	21	11	23	16	22	21	8	4	23	20	13	6	34	32	28
29	1	—	—	—	2	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	1	—	29

YORKSHIRE, WEST RIDING—cont.

	Ripon R.D.		Rother-ham. R.D.		Sedbergh R.D.		Selby R.D.		Settle R.D.		Skipton R.D.		Tadcaster R.D.		Thorne R.D.		Tod-morden R.D.		Wakefield R.D.		Wetherby R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	33	33	323	225	25	21	40	45	70	75	114	109	208	210	82	79	35	34	132	131	101	101	1
2	—	—	5	2	—	—	—	1	—	—	1	—	2	2	3	5	—	—	5	2	—	1	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	39	23	4	—	—	—	—	—	2	—	4	2	—	—	—	1	6	8	—	—	4
5	1	—	—	9	—	1	—	—	—	—	—	2	—	4	1	—	1	—	4	1	—	—	5
6	—	—	1	—	—	—	1	1	2	—	3	—	4	5	2	—	—	1	2	2	—	—	6
7	1	—	3	1	—	1	—	—	1	1	3	1	1	3	—	—	—	1	1	3	—	—	7
8	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	8
9	1	3	16	8	1	—	1	2	2	1	5	9	12	13	3	2	4	1	4	5	6	11	9
10	—	—	2	2	—	2	—	—	—	—	1	2	2	2	1	—	—	3	5	—	—	—	10
11	—	1	6	5	—	—	—	—	—	—	—	1	2	3	1	1	—	2	2	1	2	—	11
12	1	1	6	5	4	3	1	5	5	12	6	6	10	16	5	3	—	2	2	7	12	—	12
13	—	—	—	—	—	—	—	1	1	1	—	—	1	—	1	—	—	—	—	—	—	—	13
14	1	—	2	—	—	—	1	—	—	—	1	—	1	—	1	—	—	—	2	—	—	—	14
15	2	10	18	9	4	3	3	5	10	14	15	13	14	22	5	6	5	2	12	14	10	17	15
16	3	2	14	19	1	1	3	2	4	4	7	12	3	16	6	9	2	4	8	7	6	3	16
17	2	—	42	21	3	1	2	3	2	3	7	6	22	14	6	8	5	3	20	10	4	4	17
18	—	—	5	1	—	—	—	1	—	—	—	—	3	4	1	—	2	—	1	1	4	2	18
19	1	—	49	30	—	—	—	2	1	—	2	1	26	15	8	8	—	2	13	12	3	—	19
20	1	—	3	1	—	—	—	—	2	—	2	—	1	—	—	—	1	—	—	—	—	—	20
21	—	1	2	—	—	—	—	—	1	—	1	—	3	2	—	—	—	—	—	—	1	—	21
21A	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	21A
22	2	—	3	4	1	1	1	2	2	1	2	5	6	2	—	—	1	1	2	3	4	3	22
23	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	23
24	—	1	—	1	—	—	—	—	—	1	—	2	—	1	—	—	—	1	—	5	—	3	24
25	1	3	24	18	2	—	1	3	7	—	2	2	13	19	7	7	1	1	15	13	10	6	25
26	—	—	20	2	—	—	1	—	1	2	2	3	10	4	5	—	—	—	9	1	4	3	26
27	1	—	3	—	—	—	1	—	2	—	1	1	2	1	2	3	—	—	3	2	—	—	27
28	15	11	55	59	5	8	24	17	25	34	50	42	60	59	24	25	13	12	24	31	30	33	28
29	—	—	3	1	—	—	—	—	2	—	1	—	5	—	—	2	—	—	—	1	—	—	29

1911.

VIOLENT DEATHS.

VIOLENT DEATHS, 1911.

ENGLAND AND WALES.—DEATHS FROM ACCIDENT AND NEGLIGENCE at DIFFERENT PERIODS of LIFE in the YEAR 1911—MALES.

No.	Cause or Character of Accident.	Ages at Death.																										
		All Ages.	Under 1 Month.	Months.			1—	2—	3—	4—	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and upwards.	
				1—	3—	6—																						
	TOTAL ...	11597	239	282	148	138	294	367	273	193	715	556	777	740	765	723	830	721	746	651	622	513	432	335	272	173	92	
1	MINES, QUARRIES, &C. :—																											
	(a) Coal mines ...	1,364	—	—	—	—	—	—	—	—	—	63	189	192	187	158	146	122	93	91	62	37	15	7	2	—	—	
	(b) Other mines ...	47	—	—	—	—	—	—	—	—	—	2	3	8	10	7	4	1	4	2	2	—	4	—	—	—	—	
	(c) Quarries, excavations ...	80	—	—	—	—	—	—	—	—	—	1	5	5	6	11	11	13	6	5	8	3	4	1	1	—	—	
2	VEHICLES AND HORSES :—																											
	(a) Railways ...	775	—	—	—	—	1	8	1	1	19	21	49	59	92	79	91	67	70	53	60	39	41	16	7	1	—	
	(b) Other vehicles mechanically propelled.	548	—	—	1	—	4	7	8	13	120	39	31	28	31	22	39	26	29	28	25	26	26	17	19	2	7	
	(c) Horse-drawn vehicles and horses ...	475	—	—	1	—	7	12	16	11	34	26	25	21	23	26	40	33	36	33	26	33	32	13	17	6	4	
	(d) Other and undefined vehicles ...	491	—	1	2	1	6	8	12	12	41	23	38	28	43	31	38	32	33	28	40	28	17	11	10	5	3	
3	SHIPS, BOATS, DOCKS, &C. (excluding drowning).	301	—	—	—	—	1	—	—	—	2	3	25	34	36	24	43	30	32	24	28	8	5	3	3	—	—	
4	BUILDING OPERATIONS ...	203	—	—	—	—	—	—	—	—	—	—	10	9	11	29	27	15	32	16	25	20	8	1	—	—	—	
5	MACHINERY ...	249	—	—	—	—	—	3	—	1	4	21	31	30	17	20	21	15	25	17	14	14	2	—	—	—	—	
6	WEAPONS AND IMPLEMENTS ...	81	—	—	—	—	1	—	—	2	3	5	21	6	5	5	5	9	7	5	3	2	2	—	—	—	—	
7	BURNS, SCALDS, EXPLOSIONS ...	1,052	4	3	5	56	170	198	154	75	96	11	26	27	25	24	31	18	17	10	14	8	17	21	20	18	4	
8	POISONS AND POISONOUS VAPOURS ...	284	2	3	1	4	4	6	7	2	12	8	8	12	13	23	24	23	30	26	23	17	13	10	9	4		
9	DROWNING ...	2,233	9	—	2	3	32	49	33	39	244	230	223	185	153	139	136	146	130	124	110	93	70	49	22	11	1	
10	SUFFOCATION ...	755	213	272	129	40	12	9	1	3	5	3	1	1	3	4	8	6	12	5	5	7	4	6	2	4	—	
11	FALLS ...	1,519	—	1	1	15	30	31	24	14	68	45	36	35	50	63	74	84	103	101	114	108	98	133	130	102	59	
12	WEATHER AGENCIES ...	456	3	1	3	10	10	17	4	10	31	12	18	16	11	16	27	25	38	33	31	40	38	24	20	10	8	
13	OTHERWISE OR NOT STATED ...	684	8	1	3	9	16	19	13	10	36	43	38	44	49	42	65	56	49	50	32	30	24	21	10	10	6	
1	IN MINES.																											
	(a) Coal Mines.																											
	Fall of coal, stone, &c., on ...	563	—	—	—	—	—	—	—	—	—	7	45	71	83	73	79	61	51	43	30	17	3	—	—	—	—	
	Crushing ...	13	—	—	—	—	—	—	—	—	—	2	3	2	1	2	1	2	—	2	—	—	—	—	—	—	—	
	Fall in pit or shaft ...	30	—	—	—	—	—	—	—	—	—	2	4	1	5	2	3	3	3	1	2	3	1	—	—	—	—	
	Fall (not otherwise described)	15	—	—	—	—	—	—	—	—	—	—	—	—	3	1	2	1	2	2	3	1	—	—	—	—	—	
	Machinery ...	54	—	—	—	—	—	—	—	—	—	3	8	5	7	9	2	6	4	3	3	2	—	—	—	—	—	
	Rope breaking ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
			(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
Wagon tram, &c. ...	113	—	—	—	—	—	—	—	—	—	3	17	15	14	12	17	5	4	7	3	4	6	4	2	—	—
Tub ...	110	—	—	—	—	—	—	—	—	—	23	42	11	2	8	3	2	2	5	6	4	1	1	—	—	—
Blasting ...	11	—	—	—	—	—	—	—	—	—	—	1	1	2	4	2	1	—	—	1	—	—	—	—	—	—
Horse ...	3	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Explosion of coal gas (Pretoria Mine Disaster).	342	—	—	—	—	—	—	—	—	—	17	55	75	59	36	29	24	21	14	9	3	—	—	—	—	—
Explosion of fire-damp ...	8	—	—	—	—	—	—	—	—	—	—	—	—	2	2	1	1	1	—	1	—	—	—	—	—	—
Explosion (not otherwise described)	19	—	—	—	—	—	—	—	—	—	—	1	—	5	7	—	1	1	—	2	—	—	—	—	—	—
Burn or scald (manner not stated)	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—
(choke-damp ...)	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
Carbon dioxide ...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—
Suffocation (manner not stated)	6	—	—	—	—	—	—	—	—	—	—	1	—	—	2	1	1	1	1	—	—	1	—	—	—	—
Electric shock ...	5	—	—	—	—	—	—	—	—	—	—	2	1	—	—	1	—	1	—	—	—	—	—	—	—	—
Otherwise (or not stated how)	64	—	—	—	—	—	—	—	—	—	6	9	8	4	2	4	10	2	12	3	2	—	2	—	—	—
<i>(b) Other Mines.</i>																										
Fall of stone, wood, &c., on ...	22	—	—	—	—	—	—	—	—	—	1	—	1	6	4	2	1	3	1	2	—	1	—	—	—	—
Fall in shaft ...	4	—	—	—	—	—	—	—	—	—	—	1	—	1	1	1	—	1	—	—	—	1	—	—	—	—
Fall (not otherwise described)	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Machinery ...	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Wagon, tram, &c. ...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Blasting ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Horse ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Explosion of gelignite ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Explosion (not otherwise described)	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Otherwise (or not stated how)	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>(c) Quarries, Excavations.</i>																										
Fall of stone, slate, &c. ...	52	—	—	—	—	—	—	—	—	—	—	5	2	4	10	8	8	4	2	4	1	2	1	1	—	—
By falling ...	11	—	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—	2	1	1	—	—	—	—	—	—
Machinery. ...	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Wagon, tram, &c. ...	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	—	—	1	—	—	—	—	—	—
Blasting ...	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	1	1	—	—	—	—
Drowning ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Otherwise ...	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—
VEHICLES AND HORSES.																										
<i>(a) On Railways.</i>																										
Run over on line ...	523	—	—	—	—	1	7	—	—	13	17	26	36	64	50	56	46	54	39	38	25	33	10	7	1	—
Collision ...	31	—	—	—	—	—	—	—	—	1	—	3	3	4	4	6	2	2	2	3	1	—	—	—	—	—
Carriage, &c., off rail ...	3	—	—	—	—	—	—	1	—	—	—	—	1	1	—	6	—	—	—	—	—	1	—	—	—	—
Fall from carriage or engine ...	47	—	—	—	—	—	—	—	—	2	—	4	4	6	3	6	4	3	2	6	3	1	—	—	—	—
Fall (not otherwise described)	16	—	—	—	—	—	—	—	—	—	1	1	2	—	2	1	1	—	1	2	2	—	3	—	—	—

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
Horse roller ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Other (<i>or undefined</i>)	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Horses...	67	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(d) Other and Undefined Vehicles.																									
Carriage ...	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Omnibus ...	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tramcar ...	42	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cab ...	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Van, wagon ...	119	—	—	—	—	—	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dray ...	81	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bicycle, tricycle ...	186	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Perambulator ...	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other ...	32	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
SHIPS, BOATS, DOCKS, &C.																									
Fall of heavy substance on ...	45	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Crushing ...	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Blow ...	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fall from rigging ...	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fall into hold ...	75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fall into dock ...	55	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fall (<i>not otherwise described</i>)	32	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Machinery ...	35	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Collision ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Conflagration ...	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns, scalds... ..	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Explosion (<i>not otherwise described</i>)	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Carbon monoxide ...	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Noxious gas (<i>kind not stated</i>)	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocated by bunker coal ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Otherwise ...	18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
BUILDING OPERATIONS.																									
Fall of material ...	25	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fall from roof, scaffold, ladder	177	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Machinery ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
MACHINERY.																									
By explosion of steam boiler	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
In metal works ...	34	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
In textile factories ...	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Electrical machinery ...	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
In other factories ...	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
POISONS AND POISONOUS VAPOURS.																										
Fish poisoning ...	1																									
Ptomaine poisoning ...	70	1	1			1	1	1	1	9	3	5	3	4	2	6	5	5	3	4	6	1	3	1	2	
Arsenic ...	4													1												
Mercury ...	1												1													
Phosphorus (<i>not otherwise described</i>)	1				1																					
Antimony ...	1										1															
Ammonia ...	7					2								1				1					1			
Camphorated oil ...	1			1																						
Hartshorn oil ...	1																									
Caustic soda ...	2					1		1	1																	
Hydrochloric acid ...	19												1		4		2	1	3	2	3	1				
Sulphuric acid ...	3												1													
Potassium bromide ...	1													1												
Potassium cyanide ...	5						1													1						
Potassium permanganate	1				1																					
Nitre ...	2				1																					
Chloride of mercury	2																									
Chloride of zinc	1																									
Carbolic acid ...	6						1				1															
Oxalic acid ...	5																	2		1						
Sorrel ...	1																	1								
Prussic acid ...	3																									
Chloral	2																									
Chlorodyne ...	1																									
Opium, morphia, laudanum	41	1	2		1						1	1	1		2	2	8	1	8	3	1	3	1	2		
Sulphonal ...	2																			1						
Veronal	8																			1						
Narcotic (<i>kind not stated</i>)	4									1										1						
Alcohol ...	2																		1	1						
Whisky ...	4																		1	1						
Belladonna ...	1						1																			
Strychnia ...	1																									
Liniment ...	2																									
Disinfectant ...	1																									
Sting of insect ...	2										1															
Carbon dioxide	7						1			2																
Carbon monoxide	6												1													
Coal gas	8										1			2						2						
Sewer gas	23						1					1	2							1						
Fumes—	1																									
Of ammonia ...	1																									
Of sulphur dioxide and chlorine gas ...	1																									
Of sulphuretted hydrogen ...	1												1													

ENGLAND AND WALES.—DEATHS FROM ACCIDENT AND NEGLIGENCE at DIFFERENT PERIODS of LIFE in the YEAR 1911.—MALES—continued.

No.	Cause or Character of Accident.	Ages at Death.																												
		All Ages.	Under 1 month.	Months.				1—	2—	3—	4—	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and upwards.		
				1—	3—	6—																								
8	POISONS AND POISONOUS VAPOURS— <i>continued.</i>																													
	Of nitric acid ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
	Of charcoal ...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	From kiln ...	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Gas fumes (<i>kind not stated</i>) ...	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Others (<i>or kind not stated</i>)... ..	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9	DROWNING.																													
	Bathing ...	392	—	—	—	—	—	—	—	—	38	91	126	64	28	14	10	7	9	2	—	—	—	—	—	—	—	—	—	—
	Sliding and skating ...	2	—	—	—	—	—	—	—	—	1	1	5	1	3	1	3	2	—	—	—	—	—	—	—	—	—	—	—	—
	Shipwreck ...	16	—	—	—	—	—	—	—	—	5	7	19	25	18	20	14	12	4	—	—	—	—	—	—	—	—	—	—	—
	Boat upset, fall overboard ...	145	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Collision ...	8	—	—	—	—	—	—	—	—	—	1	1	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	Otherwise (<i>or not stated how</i>) ...	821	2	—	—	—	30	43	26	31	183	114	49	50	41	25	29	31	35	30	26	25	15	15	10	5	1	—	—	
	"Found" (open verdict) ...	849	7	—	—	—	2	6	7	6	17	16	23	43	63	79	80	93	81	84	74	67	52	31	12	6	—	—	—	
10	SUFFOCATION.																													
	In bed... ..	587	196	248	107	29	4	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Food, or other foreign body ...	95	1	10	19	6	7	8	—	2	2	1	1	1	1	3	4	3	—	—	—	—	—	—	—	—	—	—	—	—
	Smothered by heavy substance ...	7	16	14	3	5	—	—	—	—	1	2	—	—	—	—	2	3	—	—	—	—	—	—	—	—	—	—	—	—
	Otherwise (<i>or not stated</i>) ...	66	—	—	—	—	1	1	1	—	2	—	1	—	1	1	1	3	4	2	2	1	—	3	2	1	—	—	—	—
11	FALLS.																													
	Diving ...	7	—	—	—	—	—	—	—	—	—	—	1	3	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	From window ...	80	—	—	—	—	—	—	—	—	4	—	2	3	6	7	8	9	6	8	—	—	—	—	—	—	—	—	—	—
	Down stairs ...	354	—	—	—	—	3	5	1	1	2	3	2	—	6	11	14	22	33	27	40	43	31	32	42	26	10	—	—	
	In room ...	89	—	—	—	7	8	3	2	1	3	1	—	—	2	—	—	1	5	2	1	4	6	10	7	17	9	—	—	
	Down lift well ...	17	—	—	—	—	—	—	—	—	—	—	7	1	—	2	3	—	1	1	2	—	1	88	—	—	—	—	—	
	Otherwise (<i>or not stated</i>) ...	972	—	1	1	8	15	22	17	8	59	41	24	28	36	42	48	51	58	62	72	59	58	—	78	57	39	—	—	
12	WEATHER AGENCIES.																													
	Lightning ...	22	—	—	—	—	—	—	—	—	—	1	6	5	1	2	1	3	—	—	1	2	—	—	—	—	—	—	—	—
	Sunstroke ...	354	3	1	2	10	10	17	4	10	31	11	12	11	6	10	21	18	30	24	8	28	29	18	15	7	8	—	—	
	Gelatio and exposure to cold ...	80	—	—	1	—	—	—	—	—	—	—	—	—	4	4	5	4	8	8	11	12	9	6	5	3	—	—	—	
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)			

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
13 OTHERWISE, OR NOT STATED.																										
Swallowing foreign body ...	25					2	4	4		1		1	2	1	3	1	1	2	2	1						
Fall of heavy substance on...	163							3	2	13	7	14	12	14	13	15	17	10	12	12						
Blow ...	67	2		1	1		7	2	2	4	6	2	3	2	2	4	5	6	5	4	2	6	5	1		
Fighting, wrestling, &c.	13											2	1	2	3	3	2	1	1	1						
Fracture ...	75	1				1			2				3	5	3	11	7	8	7	2	5	6	3	1	6	3
Injury by bull or cow ...	11																									
Injury by horse other than in sec. 2 (c)	70					1	1	1	2	6	8	4	5	6	3	7	8	3	2	5	6	1	2	2	1	
Injuries by other animals ...	5										1	1	4	1							1					
Football ...	10																									
Strain ...	10											1	2		2	1					2					
Electric shock ...	16											1	1	1	3	5		2	1		1				1	
Cricket ball ...	4											1	1	1				2	1							
Other wounds (not by Weap. or Imple.)...	20										1	1	1			3	1		3	1						
Strangulation...	18					1		2	1	3	5	3			1	1					1					
Neglect ...	2				2																					
Starvation ...	14	1			1		1					1						1	4							
Accident (not otherwise described)	94	2			2		6		1	2	7	4	6		6	8	7	7	8	3	5	4	1	1	1	1
Violence (cause or kind not stated)	50	2			1					3	3	1	2		2	7	2	8	2	2	3	2	3			
Battle ...	1																									
Execution ...	16											1			1	2	5	1	1		2					

ENGLAND AND WALES.—DEATHS FROM ACCIDENT AND NEGLIGENCE at DIFFERENT PERIODS of LIFE in the YEAR 1911.—FEMALES.

	TOTAL ...	4,868	223	262	162	118	276	234	214	164	418	129	105	97	92	86	129	143	165	187	189	205	228	298	279	259	206
2 VEHICLES AND HORSES :—																											
(a) Railways ...	60			1				1	2		4	6	5	1	3		4	3	4	2	7	4	7	4	1		
(b) Other vehicles mechanically propelled.	193							2	8	6	42	17	5	4	12	5	4	12	7	20	11	13	8	5	7	3	1
(c) Horse-drawn vehicles and horses ...	89						12	8	4	3	13	2	2		2	1	6	1	4	5	3	3	2	9	8	1	2
(d) Other and undefined vehicles ...	120				1	2	15	7	8	10	8	2	6	2	5	4	2	2	6	9	3	4	7	6	7	1	
3 SHIPS, BOATS, DOCKS, &c. (excluding drowning).	1													1													
5 MACHINERY ...	13								1		1	5	1	3	1				1								
6 WEAPONS AND IMPLEMENTS ...	12				1		1	1		1	1	1	2				1	1			2						
7 BURNS, SCALDS, EXPLOSIONS ...	1,395		4	7	9	41	163	141	153	124	247	57	39	35	26	21	26	22	26	25	22	36	35	50	34	33	19
8 POISONS AND POISONOUS VAPOURS ...	172		1			1	5	6	5	1	13	4	5	7	12	9	12	15	11	13	12	16	11	7	2	2	1
9 DROWNING ...	405		10	1		3	17	32	9	1	34	13	27	32	13	18	31	27	32	29	27	19	17	8	3	2	
10 SUFFOCATION ...	699		199	245	137	57	13	3	3	1	5	1	2			1	5	3	2	2	6	4	4	2	1	1	2
11 FALLS ...	1,313		1	1	5	10	20	15	10	4	18	5	5	7	13	12	30	36	55	62	77	84	117	178	189	198	161
12 WEATHER AGENCIES ...	204		1	1	5	1	15	12	3	7	22	8	2	5	3	5	5	13	11	13	6	10	8	18	12	7	11
13 OTHERWISE, OR NOT STATED	192		7	5	3	3	14	6	8	6	10	8	4		2	6	6	8	6	7	13	12	11	15	11	9	

ENGLAND AND WALES.—DEATHS FROM ACCIDENT AND NEGLIGENCE at DIFFERENT PERIODS of LIFE, in the YEAR 1911.—FEMALES—continued.

No.	Cause or Character of Accident.	Ages at Death.																										
		All Ages.	Under 1 Month.	Months.			1—	2—	3—	4—	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and upwards	
				1—	3—	6—																						
2	VEHICLES AND HORSES.																											
	(a) On Railways.																											
	Run over on line ...	49	—	—	—	—	1	2	—	—	3	5	4	1	3	4	1	2	4	1	5	2	7	3	1	—	—	—
	Collision ...	2	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	Carriage, &c., off rail ...	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Fall from carriage or engine ...	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	1	—	—	—	—	—
	Otherwise (or not stated how) ...	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	(b) Other Vehicles Mechanically Propelled.																											
	Electric tramcar ...	18	—	—	—	—	1	6	4	—	1	5	4	2	1	1	—	1	3	2	2	1	1	1	1	5	2	—
	Motor car ...	80	—	—	—	—	—	—	—	—	—	4	1	1	1	—	—	—	—	10	5	6	3	1	1	1	—	—
	Motor cab ...	36	—	—	—	—	—	—	—	—	—	2	1	1	2	1	2	4	1	1	1	1	1	1	—	—	—	—
	Motor omnibus ...	27	—	—	—	—	—	—	—	—	—	2	1	1	—	—	1	1	1	2	1	—	—	—	—	—	—	—
	Motor van, &c. ...	13	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1	2	—	—	—	—	—	—	—
	Motor cycle ...	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Steam wagon, &c. ...	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Steam roller ...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Motor vehicle (other, or undefined) ...	11	—	—	—	—	—	—	—	—	2	1	—	—	3	3	—	—	1	—	—	—	—	—	—	—	—	—
	(c) Horse drawn Vehicles and Horses.																											
	Wagonette ...	4	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—	1	—	—	—
	Carriage ...	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Dogcart, trap ...	11	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	1	1	2	1	—	2	1	2	1	—	—
	Omnibus ...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cab ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Van, wagon ...	13	—	—	—	—	—	—	—	—	—	5	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Dray ...	6	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cart ...	41	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other (or undefined) ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Horses ...	6	—	—	—	—	—	—	—	—	—	1	1	—	—	—	2	—	1	—	—	—	1	—	—	—	—	—
	(d) Other and Undefined Vehicles.																											
	Carriage ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Omnibus ...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
Tramcar ...	24	—	—	—	—	2	1	2	1	3	—	1	1	1	—	—	—	2	3	2	1	—	2	2	—	—
Cab ...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Van, wagon ...	26	—	—	—	—	4	5	3	4	—	—	1	—	—	—	1	1	1	—	—	—	2	1	—	—	—
Dray ...	15	—	—	—	—	3	—	2	3	—	—	1	—	2	—	—	—	—	2	—	—	1	—	—	—	—
Bicycle, tricycle	37	—	—	—	—	—	—	—	1	—	2	3	1	2	4	1	1	3	4	1	2	3	3	3	1	1
Perambulator ...	11	—	—	—	—	6	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other ..	2	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
SHIPS, BOATS, DOCKS, &c.																										
Fall (<i>not otherwise described</i>) ...	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
MACHINERY.																										
In textile factories ...	5	—	—	—	—	—	—	—	—	—	2	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
In other factories ...	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Lift ...	3	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Other machinery ...	4	—	—	—	—	—	—	1	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
WEAPONS AND IMPLEMENTS.																										
Gun-shot wound ...	8	—	—	—	—	—	1	—	—	—	1	2	—	—	—	1	1	—	—	2	—	—	—	—	—	—
Cut, stab ...	4	—	—	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
CONFLAGRATIONS, BURNS, &c.																										
Conflagration ...	33	—	1	1	1	2	2	2	3	6	1	—	1	—	—	1	1	—	—	2	—	3	1	2	2	1
Burn—																										
By lamp accident ...	22	—	—	—	—	—	—	—	—	1	1	1	1	2	—	1	—	1	2	1	2	5	2	2	—	—
By flannellette clothes ...	36	—	—	—	1	1	3	5	6	9	2	2	—	—	—	—	1	—	—	2	2	1	—	1	—	—
By other clothes (<i>not otherwise described</i>)	401	1	2	—	4	22	27	56	39	87	23	12	12	6	5	7	7	11	10	8	13	14	17	11	12	4
By celluloid comb ...	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
By petrol ...	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Otherwise (<i>or not stated how</i>) ...	642	2	4	4	14	48	60	57	71	126	29	21	19	16	12	17	11	10	11	7	17	11	29	18	10	—
Scald—																										
By steam ...	6	—	—	—	—	—	—	—	—	—	—	2	—	2	1	—	—	1	—	—	—	—	—	—	—	—
By drinking hot liquids ...	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Otherwise (<i>or not stated how</i>)	250	1	—	4	21	88	49	33	14	18	1	1	1	—	2	—	2	2	2	2	2	1	1	—	1	4
Explosion—																										
Of detonator ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Of kitchen boiler ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
POISONS AND POISONOUS VAPOURS.																										
Fish poisoning ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Mushrooms ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ptomaine poisoning ...	44	—	—	—	—	1	4	1	—	8	2	—	1	3	3	2	5	1	4	2	4	1	1	1	—	—
Arsenic ...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Phosphorus matches ...	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
DROWNING.																										
Bathing ...	7	—	—	—	—	—	—	—	—	—	—	2	3	—	—	1	—	—	1	—	—	—	—	—	—	—
Boat upset, fall overboard ...	8	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Otherwise ...	148	—	—	—	3	17	32	8	—	29	6	5	8	3	3	3	3	6	3	8	4	2	3	1	1	—
"Found" (open verdict) ...	242	10	1	—	—	—	—	1	1	3	6	18	20	10	14	26	24	23	25	19	15	15	5	2	1	—
SUFFOCATION.																										
In bed ...	570	174	217	123	47	6	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—
Food, or other foreign body ...	57	2	10	8	6	5	3	2	1	5	1	1	—	—	—	2	1	—	1	4	1	1	—	1	—	2
Otherwise (or not stated how) ...	72	23	18	6	4	2	—	1	—	—	—	—	—	—	—	2	2	—	1	2	3	3	2	—	1	—
FALLS.																										
From window ...	53	—	—	—	—	1	—	4	—	3	—	1	2	3	2	4	3	7	4	1	2	3	6	3	3	1
Down stairs ...	382	1	1	1	1	2	5	1	—	2	—	1	1	2	4	14	18	25	34	39	40	40	49	44	29	28
In room ...	172	—	—	3	3	7	4	—	—	1	—	—	1	1	2	—	2	3	3	5	12	15	21	29	31	29
Otherwise ...	706	—	—	1	6	10	6	5	4	13	4	3	3	7	4	12	13	20	21	32	30	59	102	113	135	103
WEATHER AGENCIES.																										
Lightning ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sunstroke ...	187	1	—	5	1	15	12	3	7	22	8	2	5	2	1	3	9	10	11	6	8	6	17	12	7	10
Gelatio and exposure to cold ...	16	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	4	1	2	—	2	2	1	—	—	1
OTHERWISE, OR NOT STATED.																										
Swallowing foreign body ...	16	—	—	1	—	2	—	2	—	—	—	1	—	1	2	—	1	1	2	2	—	—	1	—	—	—
Fall of heavy substance on ...	19	—	—	—	—	1	2	1	—	3	2	—	—	—	2	1	1	—	—	3	—	1	—	—	1	—
Blow ...	21	2	1	1	—	3	—	2	—	2	2	—	—	—	1	1	1	—	—	—	2	—	—	2	—	—
Fracture ...	62	2	3	—	—	1	—	1	—	1	2	—	—	—	—	1	1	4	1	3	4	8	5	9	8	8
Injury by bull or cow ...	3	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Injury by horse other than in Sec. 2 (c) ...	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Injuries by other animals ...	3	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cricket ball ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Strain ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Wounds (not weapons or implements)	8	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	1	—	2	1	—	1	1	—	—
Strangulation ...	6	1	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect ...	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Starvation ...	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Accident (not otherwise described)	32	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violence (cause or kind not stated)	12	2	—	1	2	3	1	—	4	1	—	2	—	—	1	2	1	—	2	2	4	1	2	3	1	1

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Caustic soda ...	1	—	—	1	—	—	—	—	1	2	—	—	—	—	1	—	—	—
Sulphuric acid	4	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Chloride of mercury	3	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mercury ...	1	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Chloride of lime	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Potassium bichromate	2	—	—	2	—	4	3	5	4	4	5	2	—	—	1	—	—	—
Potassium cyanide ...	33	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Acetic acid ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Carbolic acid	32	—	—	1	—	4	4	1	3	4	4	4	2	2	—	—	—	—
Oxalic acid	42	—	—	—	2	2	7	4	5	4	6	6	1	1	2	2	—	—
Prussic acid ...	22	—	—	1	2	2	2	3	—	4	2	3	1	—	—	—	—	—
Chloral	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Chlorodyne ...	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Chloroform ...	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Nicotine	7	—	—	—	—	—	—	2	1	3	1	6	1	—	—	—	—	—
Opium, laudanum, morphia	37	—	—	—	2	4	3	4	8	3	3	2	2	2	—	—	—	—
Cocaine and aconite	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—
Atropine	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Narcotic (<i>kind not stated</i>)	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Strychnia, nux vomica	7	—	—	—	—	1	1	1	—	1	—	2	1	1	—	—	—	—
Camphor ...	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Belladonna liniment	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Weed killer ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Vermin killer	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Lysol ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Salt of sorrel	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Carbon monoxide	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Coal gas	74	—	—	1	3	8	3	8	10	9	9	7	6	6	2	2	—	—
<i>Kind not stated</i>	39	—	—	1	3	3	3	5	5	4	4	2	5	4	—	—	—	—
DROWNING ...	506	—	—	16	33	28	57	40	45	61	53	58	44	33	24	11	3	—
By Hanging ...	739	—	2	17	32	35	37	51	73	89	75	112	90	64	35	20	4	3
Jumping from height	48	—	—	—	1	5	9	3	6	3	4	3	5	4	1	2	1	1
OTHERWISE OR NOT STATED	43	—	—	—	5	6	2	7	4	5	3	6	1	2	—	1	—	1

SUFFOCATION.

FALLS.

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Chloride of mercury	2	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—
Sulphate of copper	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
White precipitate	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Potassium bichromate	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Potassium cyanide	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Potassium oxalate	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Potassium oxide	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Potassium permanganate	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Acetic acid	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Carbolic acid	57	—	—	1	9	5	6	7	5	5	7	4	2	1	—	2	—	—
Oxalic acid	33	—	—	4	3	2	3	3	7	2	3	3	—	1	2	—	—	—
Prussic acid	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
Nicotine	1	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—
Opium, laudanum, morphia	11	—	—	—	1	—	—	2	3	2	1	—	—	—	—	—	—	—
Chlorodyne	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Veronal	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Aconite and belladonna	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Belladonna	4	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Strychnia, nux vomica	6	—	—	1	—	2	—	—	—	—	—	1	—	1	—	—	—	—
Paraffin	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—
Liniment	2	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—
Vermine killer	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Lysol	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Disinfectant	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cresolene	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Carbon monoxide	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Coal gas	26	—	—	—	1	1	6	4	3	3	4	3	—	—	—	—	—	—
Kind not stated	21	—	—	4	2	3	1	2	1	2	4	2	—	—	—	—	—	—
9 DROWNING	309	—	4	37	40	29	24	33	32	29	30	17	15	11	6	2	—	—
10 By Hanging	175	—	—	4	6	13	18	12	8	21	21	26	15	18	9	2	2	—
11 Jumping from height	37	—	—	1	2	—	6	9	3	6	3	3	2	—	1	1	—	—
13 OTHERWISE OR NOT STATED	14	—	—	1	—	1	2	2	—	—	5	2	—	—	1	—	—	—

SUFFOCATION.

FALLS.

ENGLAND AND WALES.—DEATHS FROM MURDER at DIFFERENT PERIODS of LIFE, in the YEAR 1911.—MALES.

No.	Method of Murder.	Ages at Death.																Total un- der 5 Years.	All Ages.						
		0—3 Months.	3—6 Months.	6—12 Months.	1—	2—	3—	4—	5—	10—	15—	20—	25—	30—	35—	40—	45—			50—	55—	60—	65—	70—	75—
	TOTAL	68	19	4	6	1	3	1	1	2	1	—	2	5	7	5	1	4	—	2	1	—	2	—	1
6	WEAPONS AND IMPLEMENTS.																								
7	BURNS, SCALDS, EXPLOSIONS	27	—	1	1	—	2	—	—	4	1	—	2	4	6	2	1	2	—	2	1	—	—	—	—
8	POISONS AND POISONOUS VAPOURS	3	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	
9	DROWNING	10	3	2	2	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10	SUFFOCATION	5	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
13	OTHERWISE OR NOT STATED	21	11	1	2	1	—	—	—	1	—	—	—	1	1	1	2	—	—	—	—	—	—	1	
6	WEAPONS AND IMPLEMENTS.																								
	Gun-shot wound	16	—	—	—	—	—	—	—	—	—	—	1	3	4	2	1	2	—	1	1	—	—	—	
	By knife	11	—	1	1	2	—	—	—	—	1	—	1	1	2	—	—	—	—	1	—	—	—	—	
7	BURNS, SCALDS, EXPLOSIONS.																								
	Clothes ignited	2	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	
8	POISONS AND POISONOUS VAPOURS.																								
	Arsenic	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
	Coal gas	2	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
9	DROWNING	10	3	2	2	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10	SUFFOCATION.																								
	Not stated how	5	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
13	OTHERWISE OR NOT STATED.																								
	Blow, kick	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	
	Fracture	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Navel hæmorrhage	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Strangulation	4	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Neglect	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Murder (not otherwise described)	10	5	—	—	1	—	—	—	—	—	—	—	1	1	1	—	1	—	—	—	—	—	—	

ENGLAND AND WALES.—DEATHS FROM MURDER at DIFFERENT PERIODS of LIFE, in the Year 1911.—FEMALES.

	TOTAL	86	13	3	4	2	1	1	1	25	2	2	6	10	9	8	7	5	7	1	1	1	2	—	—
6	WEAPONS AND IMPLEMENTS.																												
7	BURNS, SCALDS, EXPLOSIONS.																												
8	POISONS AND POISONOUS VAPOURS.																												
9	DROWNING																												
10	SUFFOCATION.																												
12	WEATHER AGENCIES.																												
13	OTHERWISE OR NOT STATED.																												
6	WEAPONS AND IMPLEMENTS.																												
7	BURNS, SCALDS, EXPLOSIONS.																												
8	POISONS AND POISONOUS VAPOURS.																												
9	DROWNING																												
10	SUFFOCATION.																												
12	WEATHER AGENCIES.																												
13	OTHERWISE OR NOT STATED.																												
6	WEAPONS AND IMPLEMENTS.																												
7	BURNS, SCALDS, EXPLOSIONS.																												
8	POISONS AND POISONOUS VAPOURS.																												
9	DROWNING																												
10	SUFFOCATION.																												
12	WEATHER AGENCIES.																												
13	OTHERWISE OR NOT STATED.																												

ENGLAND AND WALES.—DEATHS FROM MANSLAUGHTER AT DIFFERENT PERIODS OF LIFE, in the YEAR 1911.—MALES.

No.	Method of Manslaughter.	Ages at Death.													Total under 5 Years.	All Ages.												
		0—3 Months.	3—6 Months.	6—12 Months.	1—	2—	3—	4—	5—	10—	15—	20—	25—	30—		35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and upwards.		
	TOTAL	85	8	3	1	1	1	1	14	1	2	7	11	5	14	12	8	4	1	4	1	1	—	—	—			
2	VEHICLES AND HORSES	8	—	—	—	—	—	—	—	1	—	1	—	2	1	1	—	—	1	—	—	1	—	—	—			
6	WEAPONS AND IMPLEMENTS	3	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—	—	—			
9	DROWNING	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
10	SUFFOCATION	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
13	OTHERWISE OR NOT STATED	72	7	3	1	1	1	—	13	—	2	5	11	2	12	11	8	4	—	3	1	—	—	—	—			
	VEHICLES AND HORSES.																											
2	On railways	2	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—			
	Motor car	4	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—			
	Van	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—			
	Cart	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
6	WEAPONS AND IMPLEMENTS.																											
	Gun-shot wound	2	—	—	—	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—			
	By knife	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—			
9	DROWNING.																											
	Boat run down	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—			
10	SUFFOCATION.																											
	Not stated how	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
13	OTHERWISE OR NOT STATED.																											
	Blow, kick	32	—	—	—	—	—	—	1	—	1	1	4	2	4	8	5	4	—	1	1	—	—	—	—			
	Fight	2	1	—	—	—	—	—	—	—	—	—	3	—	2	—	—	—	—	—	—	—	—	—	—			
	Fracture	4	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	Starvation	2	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	Neglect	7	4	—	—	—	—	—	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	Manslaughter (<i>not otherwise described</i>)	13	1	—	—	—	—	—	2	—	1	3	—	—	4	2	3	—	—	1	1	—	—	—	—			
	Justifiable homicide... ..	12	—	—	—	—	—	—	—	—	—	—	4	—	2	1	—	—	—	—	—	—	—	—	—			

SECONDARY CLASSIFICATION OF CAUSES OF DEATH.

In pursuance of the plan sketched in last year's Annual Report (page vii) the deaths allocated to causes 1-19 of the International List have this year been subjected to secondary analysis. This was rendered possible by the introduction of cards for the purposes of tabulation. All the information in the certificate as to cause of death, other than that it was due to the disease to which it has been primarily allocated in the course of ordinary tabulation, was written on the card of each death allocated to any of the first 19 causes. These include the whole of the epidemic diseases, and form a convenient section of the list for dealing with in one year on the assumption that the whole list will be worked through in ten similar yearly sections. The cards were then sorted by hand in accordance with the information written upon them, and the results are shown in the accompanying tables and lists.

It was felt that information as to age and sex could only be given in the case of the complications and forms of disease most frequently met with, and in the tables showing the age and sex distribution of these accordingly (Table A) headings are not as a rule included which embrace fewer than ten deaths. All the forms of certificate separately shown which are of less numerical importance are included in the list following Table A for each disease. These tables and lists are therefore complementary to each other, and every death allocated in the primary classification to the disease to which a given table and list refer is included in one or other of them. Thus in the case of enteric fever there were 1,482 deaths regarding the cause of which no further information was afforded by the certificate, and these, therefore, appear as "unqualified" in the Table A, where their age and sex distribution are shown. There were, on the other hand, only three cases certified as "ambulatory typhoid," and these accordingly appear in the list, the number of cases, but no other particulars about them, being stated.

The separate ages shown in the tables are varied according to the characteristic age incidence of the diseases to which they refer, the number of separate age groups being in all cases fixed at eight for the sake of convenience in presentation.

In addition to the age and sex classification Table A distinguishes deaths occurring in institutions for the sick and infirm, marked "Inst." in the title margin, from other deaths which are marked "Pr."

The entries in Table B for each disease recapitulate information already given either in Table A or in the list. Table B is merely a summary of Table A and the list, which in themselves form a complete secondary classification of the deaths they deal with. The headings in Table B are more comprehensive than the corresponding headings in Table A, since the former include the latter and in addition material derived from the list. There were for instance 35 deaths certified simply as scarlatina maligna (or malignant scarlet fever) and these appear in Table A, where each heading implies that no further information was given than that contained in the heading. The supplementary list, however, contains eight other cases of scarlatina maligna as to which some further information was supplied, and these are included in the 43 deaths of which particulars are given in Table B under this heading. The total number of certificates classed to scarlet fever which stated that death was due to malignant scarlet fever was 43, shown in Table B; the number of certificates giving that, unsupplemented by further information, was 35, shown in Table A; details of the supplemental information afforded for the remaining eight cases are given in the list.

The scope of the headings in Table B is wider than that of those in Table A also in another direction, as indicated by the insertion of International List numbers in Table B. In Table A each term, say, "laryngitis" includes only cases certified as such or under some clearly synonymous term, such as "inflammation of the larynx." Laryngitis (87 B) however in Table B includes all forms of certificate shown in the "Manual of the International List" to be included under the heading "87 B Laryngitis." It would include, *e.g.*, "œdema glottidis," a term not synonymous with laryngitis and, therefore, excluded from that heading in Table A and to be sought, as such, under number 87 in the list.

In one or two cases group headings appear in Table A, but where this is the case the fact is made clear by insertion of the International List number signifying, as in the case of the Table B headings, that all deaths allocated in the International List to the number or numbers in question are included. Thus it was not thought worth while to distinguish all the different terms grouped under the heading "diarrhœa and enteritis" (this will be done when that portion of the List is reached), and this is indicated in Table A by insertion of the title "Diarrhœa, enteritis, &c. (104, 105)." On the other

hand a term—toxæmia—which is frequently used in certifying deaths from infectious disease, but which is grouped under No. 55 in the International List with a number of other conditions possessing little in common with it, appears in Table B without an attached number in order to indicate that the figures against it apply to toxæmia only and not to the whole contents of No. 55 (“Other general diseases”) in the International List.

As the secondary classification has been undertaken to throw light not only upon the complications of disease, but also on the present condition of death certification, terms regarded as undesirable but still in common use have not been excluded from the tables and lists. It is intended that these should present as complete a picture as possible of the state of death certification, and therefore it is essential that all terms used should be included impartially. To this statement a single exception has to be made. Certain terms, mostly in common use, but descriptive merely of modes of death or otherwise of little significance, were not copied on the cards, their use therefore not being recorded. These terms are as follows:—asthenia, atrophy, cachexia, cardiac failure, collapse, debility, decubitus, exhaustion, failure of circulation, heart failure, inanition, marasmus, respiratory failure, senile decay, shock, syncope, weakness.

The numbers shown in Table B do not aggregate to any total as do those in Table A. The same deaths may appear in the table twice or oftener, while others do not appear in it at all. Thus a death complicated by laryngitis appears under that heading and under that of “total respiratory diseases” as well. Just as each line of Table B summarises information derived from Table A and the supplementary list, so certain lines in Table B summarise the information contained in other lines of the table itself.

Different types of the disease of primary allocation are given first in the tables and lists, and then, in the order of the International List, the various complicating causes. The combination of a special type with a complicating cause is shown in the position for the cause. Where there are two or more complicating causes they are stated in the order of arrangement of the International List. Entry in the lists is made in all cases under the number of the complicating cause coming first in this order. Thus a certificate of death from enteric fever complicated by empyema and pericarditis is entered in the list of enteric fever complications as “pericarditis, empyema (1)” under number 77 because pericarditis (77) occurs earlier on the International List than empyema (93). In the lists numbers in brackets show the numbers of instances of the form of certificate in question.

In some cases considerable difficulty has been met with in distinguishing between forms of disease and complications of disease, and the arrangement adopted is doubtless open to criticism. Thus there is no doubt that the three cases of “ambulatory typhoid” can only appear as forms of enteric fever, but perforative peritonitis might have been entered under 117, peritonitis. It would have been useless, however, to distinguish cases of perforation with peritonitis mentioned from cases recorded simply as perforation, which was regarded as a part of the enteric attack.

Where there is little or no doubt that terms are synonymous they have not been separately listed. Thus, “croupous” is merged in “lobar” pneumonia. But where doubt was felt on this point, or the course seemed desirable for any other reason, the terms have been entered separately. Thus, “double” pneumonia is regarded for primary classification purposes as implying double lobar pneumonia, and cases so certified are listed to 92A. This interpretation is however open to doubt, and so in all the lists and tables relating to secondary classification, where it is desired to show as far as possible the exact form of certificate, “double” is given separately from “lobar” pneumonia.

1. ENTERIC FEVER.

TABLE A.

			All Ages.		0—		15—		20—		25—		30—		35—		45—		55—	
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Unqualified	...	Inst.	512	334	45	57	52	43	75	46	90	40	67	39	107	52	56	31	20	26
		Pr.	369	267	52	50	40	36	39	29	63	22	35	23	56	36	43	32	41	39
Perforation, perforative		Inst.	42	24	4	3	6	2	6	7	9	2	6	2	5	3	6	5	—	—
peritonitis.		Pr.	22	15	5	4	3	3	2	1	—	1	5	1	5	3	1	2	1	—
Hæmorrhage from in-		Inst.	62	26	5	5	3	6	12	3	13	4	12	1	8	3	4	2	5	2
testines (or stomach).		Pr.	19	15	3	2	2	6	4	—	1	1	4	1	1	3	4	1	—	1
Pulmonary tuberculosis,		Inst.	4	1	—	—	1	—	1	—	1	—	1	1	—	—	—	—	—	—
phthisis.		Pr.	4	2	—	—	1	2	—	—	1	—	—	—	2	—	—	—	—	—
Toxæmia	...	Inst.	27	16	1	2	4	3	8	3	7	1	5	2	1	3	1	2	—	—
		Pr.	7	9	1	—	2	1	2	2	—	1	1	1	—	2	1	1	—	1
Meningitis	...	Inst.	17	13	7	9	2	1	3	1	—	—	3	1	—	1	2	—	—	—
		Pr.	24	11	10	3	4	4	3	2	2	2	2	—	2	—	1	—	—	—
Bronchitis	...	Inst.	4	13	1	1	—	3	—	1	—	1	1	1	2	3	—	1	—	2
		Pr.	5	4	—	2	—	—	—	—	1	1	2	—	—	—	2	—	—	1
Broncho-pneumonia	...	Inst.	23	16	5	8	3	1	1	1	2	2	8	2	3	1	1	—	—	1
		Pr.	10	15	—	3	1	1	1	3	—	—	1	1	3	2	1	3	3	2
Lobar pneumonia	...	Inst.	4	5	—	1	1	3	—	—	2	—	—	1	1	—	—	—	—	—
		Pr.	8	3	1	1	—	1	1	—	—	—	—	—	2	1	3	—	1	—
Pneumonia (type not		Inst.	38	38	5	12	5	1	8	7	6	6	2	1	7	6	3	3	2	2
stated).		Pr.	46	30	3	8	7	4	3	1	2	2	8	2	11	6	5	4	7	3
Pulmonary congestion...		Inst.	1	5	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—
		Pr.	4	7	1	1	—	—	1	1	—	1	—	1	1	3	—	1	—	—
Hypostatic pneumonia...		Inst.	6	2	—	1	1	—	—	—	1	—	—	1	2	—	1	—	1	—
		Pr.	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—
Diarrhœa and enteritis,		Inst.	1	2	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	1
all forms (104, 105).		Pr.	6	1	2	1	—	—	2	—	—	—	—	—	1	—	—	—	1	—
Peritonitis	...	Inst.	13	12	3	3	2	1	1	4	1	2	2	—	4	—	—	2	—	—
		Pr.	3	4	1	1	—	—	—	—	1	1	—	—	1	1	—	1	—	—

LIST SUPPLEMENTARY TO TABLE A.

Ambulatory typhoid (3). Hyperpyrexia (8). Perforation, hæmorrhage (3). Perfn. of appendix, general peritonitis (1). Perfn. of bowel, anæsthetic (1). Ulcus duodenalis perforatio (1). Relapse (2). *Complications*.—6. Measles, meningitis (1). 7. Scarlet fever (1). 9. Diphtheria (2). 10. Influenza (5). 20. Pyæmia (2); septicæmia (5). 28. Tuberculosis (3); phthisis, hæmoptysis (1); phthisis, tubercular meningitis (1); phthisis, lobar pneumonia (1). 29. Acute pulmonary tuberculosis (2); acute tub. (1); general miliary tub. (1); miliary tub. (2). 30. Tub. meningitis (5). 31. Abdominal tub. (1); tub. of bowels (1); tub. peritonitis (1); tub. peritonitis, pneumonia (1). 35. General tub. (2). 37. Syphilis, toxæmia (1). 47. Rheumatic fever, endocarditis (1); acute rheumatism, valvular dis. (1). 50. Diabetes (1). 52. Addison's dis. (1). 55. Purpura (1); toxæmia, bronchitis (2); toxæmia pneumonia (1). 60. Brain abscess (1). 61. Posterior basal meningitis (1); meningitis, convulsions (1); meningitis, pneumonia (2); meningeal excitement (1). 64. Apoplexy (2); cerebral effusion (1); cerebral congestion (1); cerebral hæmorrhage (3); cerebral hæmorrhage, convulsions (1); effusion of blood on brain (1). 66. Hemiplegia (1); paralysis (1). 69. Epilepsy (1); ep., imbecility (2); ep. fit (1). 70, 71. Convulsions (1); perforation, convulsions (1). 72. Chorea (1). 74. Neurasthenia (1). 77. Pericarditis (4); pericarditis, empyema (1). 78. Infective endocarditis (1); hæmorrhage, infective endocarditis (1); septic endocarditis (1); septic endocarditis, embolic gangrene of leg (1); ulcerative endocarditis (3); endocarditis (5). 79. Valvular dis. (5); valvular dis., pneumonia (2); cardiac valvular degeneration (1); cardiac dilatation (2); cardiac dilatation, pulmonary congestion (1); cardiac dropsy (1); degeneration of heart muscle (1); morbus cordis (1); post-typhoid degeneration (1). 82. Cerebral embolism (1); cerebral thrombosis (1); pulmonary embolism (2); septic pulmonary embolism (1); femoral thrombosis (1); thrombosis, pulmonary embolism (1); thromb. of saphenous vein (1); thromb. of veins, ischio-rectal abscess (1). 83. Phlebitis (2); internal phlebitis (1). 87. Laryngitis, peritonitis (1); laryngeal paralysis (1); ulceration of larynx, general surgical emphysema (1). 90. Perforative peritonitis, bronchitis (1); hypostatic bronchitis (1); bronchitis, pneumonia (1); bronchial attack (1). 91. Double broncho-pneumonia (1). 92. Double pneum. (5); double lobar pneum. (1); lobar pneum., acute hepatitis (1); pneum., empyema, hæmatemesis (1); pneum., pleurisy (1); hæmorrhage, pneum. (1); intestinal hæmorrhage, pneum. (3); intestinal hæmorrhage, pneum., parotitis (1); pneum., abscess of lung (2); pneum., septic throat (1); pneum., abscesses (1); pneum., delirium (1). 93. Pleurisy (3); pleural effusion (1); pleurisy, peritonitis (1). 94. Pulmonary infarct (1); pulmonary œdema (2); ulcerative peritonitis, pulmonary œdema (1); hypostatic pulmonary congestion (2). 96. Bronchial asthma (1). 98. Abscess of lung (2); hæmoptysis (1). 99. Parotitis (1). 103. Gastritis (1); vomiting (2). 104. Hæmorrhage, diarrhœa (1); hæmorrhage, diarrhœa, peritonitis (1); ulceration of bowels (1). 108. Appendicitis (1). 115. Septic hepatitis (1). 117. Hæmorrhage, peritonitis (1); gangrenous peritonitis (1). 118. Perforation, sub-diaphragmatic abscess (1); hepato-diaphragmatic abscess (1). 120. Albuminuria (1); chronic Bright's dis. (1); chronic nephritis (2); nephritis (4); nephritis, uræmia, coma (1); uræmia (1). 124. Cystitis (1). 130. Pelvic abscess (1). 134. Abortion (1); miscarriage (1); premature labour (1). 136. Parturition (4). 142. Cancrum oris (4); gangrenous stomatitis (1). 143. Carbuncle (1). 147. Multiple arthritis (1). 173. Weakened by injuries received in pit (1). 189. Delirium (6); coma (3); collapse (1).

Paratyphoid (3); paratyphoid, hæmorrhage (1). 78. Paratyphoid, hæmorrhage, myocarditis (1). 90. Paratyphoid, bronchitis, diarrhœa (1).

1. ENTERIC FEVER—*continued*.

TABLE B.

	All Ages.		0—		15—		20—		25—		30—		35—		45—		55—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Perforation, perforative peritonitis.	67	44	10	7	9	5	8	10	9	4	12	3	10	8	8	7	1	—
Hæmorrhage from intestine (or stomach).	93	44	10	7	6	12	17	4	15	7	17	2	12	6	11	3	5	3
Pulmonary tuberculosis, phthisis (28 and 29).	16	7	1	1	4	3	3	—	2	—	2	1	3	2	1	—	—	—
Tuberculosis, all forms (28-35).	19	16	2	7	6	3	3	1	2	2	2	1	3	2	1	—	—	—
Toxæmia	37	26	2	2	6	4	10	5	8	3	7	3	2	5	2	3	—	1
Meningitis (61C)	45	24	20	12	6	5	7	3	2	2	5	1	2	1	3	—	—	—
Cerebral hæmorrhage, apoplexy (64).	3	6	—	—	1	—	1	1	—	1	—	—	1	2	—	1	—	1
Total nervous diseases (60-74).	53	37	22	14	8	5	9	7	2	5	5	1	3	3	4	1	—	1
Infective endocarditis (78B)	3	4	—	—	1	1	—	1	—	—	2	1	—	1	—	—	—	—
Valvular heart disease (79A)	4	5	—	—	—	1	—	—	—	—	—	2	—	1	2	—	2	1
Heart disease, all forms (77-80 and 85A).	17	20	1	2	2	4	1	4	2	—	2	4	3	4	4	—	2	2
Bronchitis (89, 90) ...	14	19	1	3	—	3	—	1	2	2	5	1	3	3	2	1	1	5
Broncho-pneumonia (91) ...	34	32	5	11	4	2	2	4	2	2	9	3	6	3	3	4	3	3
Lobar pneumonia (92A) ...	19	9	3	2	3	4	2	—	2	1	1	1	4	1	3	—	1	—
Pneumonia, type not stated (92B).	91	69	10	20	14	5	12	8	8	9	11	3	19	12	8	7	9	5
Pulmonary oedema and congestion (94B).	9	14	1	2	1	1	1	1	1	2	1	1	7	—	1	2	—	—
Hypostatic pneumonia (94C)	7	3	—	1	1	—	—	—	1	—	—	1	2	—	2	1	1	—
Total respiratory diseases (86-98).	183	151	20	40	23	15	19	17	18	16	28	10	38	26	20	14	17	13
Diarrhoea and enteritis (104, 105).	8	6	3	1	1	—	2	—	1	—	1	1	—	—	1	1	2	—
Peritonitis (117)	19	18	4	4	2	1	1	5	3	4	2	—	6	1	1	3	—	—

2. TYPHUS.

Ten deaths from typhus were registered, the cause of death being unqualified in each case.

4. MALARIA.

Unqualified (19). Algid form (1). Comatose malarial fever (1). *Complications*.—1. Enteric fever (1). 10. Influenza (1); influenza, fibroid phthisis (1). 28. Phthisis (3). 48. Gout, valvular dis. (1). 61. Meningitis (1). 78. Malignant endocarditis (1); ulcerative endocarditis (1). 79. Valvular dis. (1); fatty heart (1); heart dis. (1). 90. Bronchitis (3). 91. Broncho-pneumonia (1). 92. Pneumonia (2); pneumonia, hepatitis (1); pneumonia, tropical abscess of liver (1). 94. Hypostatic pneumonia (1). 102. Gastric ulcer (1). 104. Duodenal ulcer, hæmorrhage (1). 108. Æstivo-autumnal malaria, appendicitis (1). 110. Intestinal hæmorrhage (1). 113. Hepatic cirrhosis, splenic enlargement, ascites (1); interstitial hepatitis, malarial ascites (1). 117. Peritonitis (1). 120. Bright's dis. (2). 122. Hæmoglobinuria (1); hæmoglobinuria, cystitis (1); cystic consecutive nephritis (1).

Blackwater fever (1). 120. Blackwater fever, uræmia (1). 122. Blackwater fever, suppression of urine (1).

5. SMALL-POX.

Unqualified (17). *Complications*.—14. Dysentery (1). 42. Carcinoma of uterus (1). 55. Toxæmia (1). 91. Broncho-pneumonia (2). 92. Pneumonia (1).

6. MEASLES—*continued.*

LIST SUPPLEMENTARY TO TABLE A.

Hæmorrhagic measles (1); malignant measles (2); malignant measles, hyperpyrexia (1); suppressed measles (5). *Complications.*—1. Euteric fever (1). 7. Scarlet fever (6); scarlet fever, whooping-cough, broncho-pneumonia (1); scarlet fever, br.-pneumonia (2); scarlet fever, pneumonia (1). 8. Whooping-cough, diphtheria (1); wh.-cough, pulmonary tuberculosis, br.-pneumonia (2); wh.-cough, tuberculous br.-pneumonia (1); wh.-cough, meningitis (3); wh.-cough, men., br.-pneumonia (1); wh.-cough, cerebral hæmorrhage (1); wh.-cough, hemiplegia, br.-pneumonia (1); wh.-cough, convulsions, br.-pneumonia (4); wh.-cough, convulsions, pneumonia (1); wh.-cough, microphalic idiocy (1); wh.-cough, bronchitis (9); wh.-cough, br. pneumonia, epistaxis (1); wh.-cough, br.-pneumonia, diarrhœa (1); wh.-cough, br.-pneumonia, cellulitis (1); wh.-cough, lobar pneumonia (1); wh.-cough, pulmonary congestion (1); wh.-cough, diarrhœa (2). 9. Diphtheria, tracheotomy (1); diph., croup, br.-pneumonia (1); diph., corneal ulcer (1); diph., laryngitis, bronchitis (1); diph., bronchitis (2); diph., aphthous stomatitis (1); diph., cancerum oris (2); diph., congenital heart dis. (1); laryngeal diph. (3); lar. diph., meningitis, br.-pneumonia (1); lar. diph., br.-pneumonia (1); membranous croup (6); memb. croup, tracheotomy (1); memb. croup, br.-pneumonia (1); putrid sore throat, premature labour (1); croupous laryngitis (1); memb. laryngitis (4); croup, convulsions (2); croup, laryngitis (1); croup, bronchitis (2); croup, br.-pneumonia (1); croup, pneumonia (4). 10. Influenza, meningitis (1); influenza, laryngitis tonsillitis, pharyngitis (1); influenza, bronchitis (1). 14. Dysentery (1). 18. Erysipelas (2); erysip., cellulitis, br.-pneumonia (1); erysip., cervical abscess (1). 19. Mumps (1); mumps, cerebo-spinal meningitis (1); mumps, laryngitis, stomatitis (1); mumps, br.-pneumonia (2); rôtheln (1); chicken-pox (3); ch.-pox, toxæmia (1); ch.-pox, br.-pneumonia (4); ch.-pox, double pneumonia (1). 20. Pyæmia, diarrhœa (1); pyæmia, gangrene of scalp (1); blood poisoning (2); septicæmia (2); septic infection (1); septicæmia, cerebro-spinal meningitis (1); sept., br.-pneumonia (1); sept., ulcerative stomatitis (1). 28. Tuberculosis, br.-pneumonia (4); tuberculous br.-pneumonia (5); tub. br.-pneumonia, convulsions (1); tub. br.-pneumonia, bronchitis (1); tub. pneumonia (2); phthisis, tub. br.-pneumonia, tub. meningitis (1); phthisis, tub. of knee (1); phthisis, meningitis, bronchitis (1); phthisis, otitis media (1); phthisis, cardiac dropsy (1); phthisis, br.-pneumonia (2); phthisis, pneumonia (3). 29. Acute phthisis (1); acute phthisis, br.-pneumonia (2); acute pulmonary tuberculosis, br.-pneumonia (1); miliary pulmonary abscesses (1); acute tuberculosis (8); acute tub., encephalitis (1); acute tub., br.-pneumonia (1); acute general tub. (1); acute miliary tub., bronchitis (1); acute mil. tub., br.-pneumonia (1); acute mil. tub., pneumonia (1); mil. tub. (3). 30. Tuberculous meningitis, otitis media (2); tub. meningitis, br.-pneumonia (1); tub. meningitis, empyema (1); tub. meningitis, scabies (1). 31. Tabes mesenterica (2); enlarged mesenteric glands (1); abdominal tuberculosis (1); intestinal tub. (5); intestinal tub., br.-pneumonia (1); mesenteric tub. (1); tuberculous peritonitis (4); tub. peritonitis, general tuberculosis (1); tub. peritonitis, otitis media (1); tub. peritonitis, mitral stenosis (1); tub. peritonitis, bronchitis, br.-pneumonia (1); tub. peritonitis, empyema (1). 33. Hip joint dis. (1). 34. Struma (2). 35. General tuberculosis, br.-pneumonia (1); tub. of tibia and kidneys, cancerum oris (1). 36. Rickets, septic absorption from abscess (1); rickets, bronchitis (4); rickets, double pneumonia (1); rickets, pneumonia (1); spinal curvature, pneumonia (1). 37. Syphilis (1). 38. Gonococcal conjunctivitis (1). 47. Rheumatism (1); rheumatic endocarditis (1). 48. Osteo arthritis (1). 50. Diabetes, br.-pneumonia (1). 51. Graves' disease (1). 54. Chronic anæmia (1); splenic anæmia (1); anæmia, bronchitis (1); anæmia, cirrhosis of liver (1). 55. Purpura (1); purpura, abscess of tonsil (1); purpura, diarrhœa (1); auto-intoxication (1); toxæmia, convulsions (1); tox., br.-pneumonia (2); tox., pneumonia (4). 60. Encephalitis mastoiditis (1); chronic encephalitis, bronchitis (1). 61. Cerebro-spinal fever (1); post basic meningitis, br.-pneumonia (1); meningitis, convulsions (5); men., otitis, br.-pneumonia (1); men., otorrhœa, pneumonia (1); men., bronchitis (6); men., br.-pneumonia, empyema (1); men., catarrhal inflammation of throat (1); men., diarrhœa (1); men., peritonitis (1); men., eczema (1); men., hydrocephalus (1); pneumococcal men. (2); pneumococcal men., lobar pneumonia (1); pneumococcal men., pneumonia (1); septic men., br.-pneumonia (1); septic men., pneumonia (1); meningeal and pulmonary congestion (1). 63. Acute encephalopoliomyelitis (1); infantile paralysis (1); anterior poliomyelitis (2); antr. poliomyelitis, br.-pneumonia (1). 64. Cerebral effusion (1); cerebral effusion, tachycardia (2); cerebral congestion, convulsions (1); cerebral congestion, br.-pneumonia (2); cerebral congestion, delayed dentition (1); cerebral hæmorrhage, br.-pneumonia (1). 66. Hemiplegia, bronchitis, double pneumonia (1). 69. Epilepsy (4); epilepsy, bronchitis (1); status epilepticus (1); status epilepticus, br.-pneumonia (1). 70, 71. Malignant measles, convulsions (1); suppressed measles, conv. (2); hyperpyrexia, conv. (3); conv., otitis intima (1); conv., otitis media, br.-pneumonia (1); conv., otitis media, pneumonia (1); conv., otitis media, dentition (1); conv., bronchitis, br.-pneumonia (1); conv., capillary bronchitis (4); conv., double pneumonia (1); conv., pneumonia, pulmonary congestion (1); conv., pulmonary congestion (5); conv., stomatitis (1); conv., diarrhœa (1); conv., abscess of neck (1); conv., urticaria (1). 72. Choreia (1). 74. Congenital family idiocy, bronchitis (1); mongolism, pneumonia (1); cretinism (1); cretinism, br.-pneumonia (1); congenital diplegia (1); tetany (1); tetany, br.-pneumonia (1). 75. Conjunctivitis (1); conjunctivitis, bronchitis (1); panophthalmitis, br.-pneumonia (1). 76. Acute mastoid (operation), br.-pneumonia (1); otitis media (5); ot. med., cerebral abscess (1); ot. med., mastoid dis. (1); ot. med., lobar pneumonia (2); ot. med., br.-pneumonia (4); otorrhœa, suppurative adenitis (1); inflammation of internal ear (1); abscess of ear, cellulitis (1). 77. Pericarditis (3); pericarditis, br.-pneumonia (1). 78. Myocarditis (1); myocarditis, endocarditis (1); myocarditis, br.-pneumonia (1); endocarditis (3); endocarditis, br.-pneumonia (1). 79. Valvular dis. (2); valvular dis., bronchitis (1); valv. dis., br.-pneumonia (1); valv. dis., double lobar pneumonia (1); morbus cordis (1); morbus cordis, bronchitis (1); morbus cordis, lobar pneumonia (1); cardiac dilatation (4); cardiac dilatation, br.-pneumonia (3); cardiac degeneration (1); "heart" (1). 82. Cerebral thrombosis (1); thrombosis of lateral sinus (1); thrombosis of lateral sinus, bronchitis (1); pulmonary embolism (1). 84. Adenitis (4); adenitis of neck glands (1); adenitis of neck glands, br.-pneumonia (1); abscess in axilla (1); suppuration of axillary glands, br.-pneumonia (1). 87. Laryngismus stridulus (2); lar. strid., pneumonia (1); lar. strid., suffocation (1); laryngitis, tracheotomy (3); lar., spasmodic croup (1); lar., bronchitis, tracheotomy, chloroform (1); lar., septic br.-pneumonia (1); lar., pneumonia (9); lar., congestion of lungs (2); streptococcal lar., pharyngitis (1); lar., asphyxia (1); lar., dyspnœa (1);

6. MEASLES—continued.

croupy lar. (1); spasmodic croup (5); spasmodic croup, bronchitis (2); cedematous laryngitis (3); cedema of larynx (5); cedema of larynx, tracheotomy (1); cedema of larynx, br.-pneumonia (1); cedema glottidis (5); cedema glottidis, bronchitis (1); cedema glottidis, cellulitis of neck (1); laryngeal stenosis (2); laryngeal papilloma (1). 90. Catarrh (1); fibrous bronchitis (1); suffocative bronchitis (1); bronchitis, br.-pneumonia, diarrhoea (1); br., lobar pneumonia (1); br., double pneumonia (2); br., pneumonia (8); br., empyema (1); br., pleurisy (2); br., pulmonary congestion (3); br., pulmonary collapse (2); br., emphysema (1); br., hæmoptysis (1); br., stomatitis (1); br., tonsillitis (2); br., gastritis (2); suppressed measles, br., diarrhoea (1); br., peritonitis (1); br., gangrenous stomatitis (2); br., cancrum oris, alveolar necrosis (1); capillary br., br.-pneumonia (3); cap. br., pneumonia (1); cap. br., emphysema (1); cap. br., diarrhoea (3); bronchial dis. (1); tracheitis (1). 91. Suppressed measles, br.-pneumonia (3); malignant measles, br.-pneumonia (1); double br.-pneumonia (6); right br.-pneumonia (1); br.-pneumonia, empyema (7); br.-pneu., pleurisy (5); br.-pneu., congestion of lungs (3); br.-pneu., pulmonary collapse (2); br.-pneu., ulcerative stomatitis (2); br.-pneu., aphthous stomatitis (1); br.-pneu., sub-maxillary abscess (1); br.-pneu., tonsillitis (1); br.-pneu., Ludwig's angina (1); br.-pneu., pharyngitis (1); br.-pneu., gastritis (1); br.-pneu., intussusception (1); br.-pneu., cirrhosis of liver (1); br.-pneu., general peritonitis (1); br.-pneu., nephritis (1); br.-pneu., nephritis, uræmia (1); br.-pneu., pyelitis (1); br.-pneu., abortion (1); br.-pneu., cancrum oris (1); septic br.-pneu., cancrum oris (1); br.-pneu., cellulitis of neck (1); purulent br.-pneu., generalised surgical emphysema (1); br.-pneu., periostitis of humerus (1); br.-pneu., congenital heart dis. (1); br.-pneu., hare lip, cleft palate (1); br.-pneu., accelerated by burn (1); br.-pneu., general anasarca (1); br.-pneu., teething (1). 92. Apical pneu. (1); double lobar pneu. (2); pneu., unresolved lung (1); double pneu., pleurisy (1); pneu., empyema (3); pneu., pleurisy (6); pneu., pleural effusion (1); lobar pneu., diarrhoea (3); hæmorrhagic pneu. (1); suppressed measles, pneu. (2); pneu., gangrene of lung (2); pneu., stomatitis (1); septic pneu., acute infective peritonitis (1); pneu., acute nephritis (1); pneu., cancrum oris (1); pneu., emphysema of neck (1); pneu., hydrocephalus (1); inflammation of lungs (9); suppressed measles, inflammation of lungs (1). 93. Pleurisy (2); septic pleurisy (1). 94. Pulmonary congestion, diarrhoea (1); pulm. cong., mucous ulceration (1); pulm. cedema (4); pulm. collapse (4). 98. Disease of lung (1); hæmorrhage of lungs (1); pulmonary complication (2). 99. Stomatitis (5); septic stom. (1); ulcerative stom. (3); stom., diarrhoea (3); parotitis (1); suppurative parotitis (1); ulceration of mouth and throat (1). 100. Acute tonsillitis (2); follicular ton. (1); septic ton. (1); ulcerative ton. (1); quinsy (1); septic throat (4); naso-pharyngitis (1); septic pharyngitis (1); ulceration of throat (1). 102. Ulceration of stomach (1). 104. Diarrhoea (1); diar., cancrum oris (1); diar., surgical emphysema (1). 107. Ascaris lumbricoides (1). 109. Intestinal obstruction (1). 115. Congestion of liver and bowel (1). 117. Peritonitis (6). 136. Parturition (1). 142. Noma (1); gangrenous stomatitis (1); gangrene of cheek (1); gangrene (1); gangrene of neck (1); gangrene of scalp (1). 143. Furuncle (3). 144. Cellulitis (3); septic cellulitis (1); abscess of neck (3). 145. Eczema (2); erythema (1); urticaria (1). 146. Periostitis (1). 150. Hydrocephalus (4); congenital hydrocephalus (1); patent foramen ovale (1); microcephaly (1). 152. Atelectasis (1). 189. Dentition (15); delirium (1); general congestion (1).

TABLE B.

	All Ages.		Under 1 Year.		1—		2—		3—		4—		5—		10—		20—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Hyperpyrexia ...	4	9	1	4	3	3	—	—	—	1	—	—	—	—	—	—	—	1
Scarlet fever (7) ...	3	7	—	1	—	—	1	1	1	5	—	—	1	—	—	—	—	—
Whooping cough (8) ...	80	97	15	24	37	28	13	17	7	16	3	9	5	3	—	—	—	—
Diphtheria and croup (9) ...	65	77	5	4	21	25	16	16	9	11	8	7	6	12	—	1	—	1
Chronic phthisis (28) ...	32	29	5	—	11	10	6	6	2	8	4	—	4	4	—	—	—	1
Acute phthisis (29A) ...	7	10	1	—	3	1	1	5	—	1	—	1	2	2	—	—	—	—
Acute miliary tuberculosis (29B) ...	12	6	—	1	3	2	1	2	3	—	2	1	3	—	—	—	—	—
Phthisis, all forms (28 and 29) ...	51	45	6	1	17	13	8	13	5	9	6	2	9	6	—	—	—	1
Tuberculous meningitis (30) ...	14	18	2	1	7	8	2	5	1	1	1	2	1	1	—	—	—	—
Tuberculosis of peritoneum and intestines (31) ...	13	7	1	—	3	2	3	3	2	—	—	2	4	—	—	—	—	—
Disseminated tuberculosis (35) ...	12	15	1	2	3	4	2	3	2	2	2	—	2	4	—	—	—	—
Tuberculosis, all forms (28-35) ...	90	88	10	4	30	27	15	24	10	14	9	6	16	11	—	—	—	2
Rickets (36A) ...	18	13	2	2	8	2	5	8	2	1	—	—	—	—	1	—	—	—
Toxæmia ...	15	15	3	3	7	3	1	2	1	4	1	1	—	1	—	—	2	1
Meningitis (61C) ...	168	154	37	22	44	48	24	31	18	18	18	11	21	22	6	1	—	1
Cerebral hæmorrhage, apoplexy (64) ...	5	5	2	3	2	—	1	—	—	—	—	1	—	1	—	—	—	—
Convulsions (70, 71) ...	260	264	110	81	96	115	31	39	10	16	7	6	6	5	—	2	—	—
Total nervous diseases (60-74) ...	440	440	150	108	144	166	56	71	28	35	25	22	29	34	8	3	—	1
Ear disease (76) ...	15	21	5	7	6	6	1	3	1	1	—	2	2	2	—	—	—	—
Heart disease, all forms (77-80 and 85A) ...	12	21	2	4	2	4	4	3	1	2	—	2	3	2	—	2	—	2
Laryngitis (87B) ...	145	103	12	6	39	29	28	24	18	18	22	7	26	19	—	—	—	—
Bronchitis (89, 90) ...	723	701	204	186	290	305	103	89	44	54	31	23	46	37	3	2	2	5
Broncho-pneumonia (91) ...	3,599	3,274	740	578	1,530	1,351	617	596	300	335	158	179	240	218	10	13	4	4
Lobar pneumonia (92A) ...	151	85	20	11	60	16	20	14	15	11	14	8	17	18	5	2	—	5

6. MEASLES—continued.

TABLE B—continued.

	All Ages.		Under 1 Year.		1—		2—		3—		4—		5—		10—		20—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Pneumonia, type not stated (92B).	944	834	167	121	379	336	191	155	72	84	52	41	75	79	4	11	4	7
Empyema (93A) ...	11	11	—	—	8	4	2	4	—	—	1	1	—	2	—	—	—	—
Other pleurisy (93B) ...	6	13	—	1	—	3	2	—	—	3	1	1	3	3	—	—	—	2
Pulmonary œdema and congestion (94B).	65	56	11	10	24	20	9	11	7	6	4	5	8	2	2	—	—	2
Total respiratory diseases (86-98).	5,578	5,010	1,149	907	2,311	2,046	959	883	449	502	276	260	400	362	24	27	10	23
Inflammation of stomach (103A).	3	10	—	1	1	3	1	2	—	—	—	—	1	4	—	—	—	—
Diarrhoea and enteritis (104, 105).	134	166	53	54	56	72	11	20	8	6	3	7	3	6	—	—	—	1
Nephritis (119, 120) ...	12	8	2	2	3	1	2	2	1	2	—	—	1	—	1	1	2	—
Noma, gangrene of mouth (142B).	14	23	—	—	1	4	5	4	4	10	4	4	—	1	—	—	—	—

7. SCARLET FEVER.

TABLE A.

		All Ages.		Under 1 Year.		1—		2—		3—		4—		5—		10—		20—	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Unqualified ...	Inst.	242	250	8	6	17	16	38	31	45	46	33	37	69	79	23	23	9	12
	Pr.	144	137	9	10	18	16	19	20	17	11	18	17	44	39	13	18	6	6
Septic scarlet fever ...	Inst.	12	8	—	—	3	—	3	—	1	1	1	2	4	4	—	1	—	—
	Pr.	13	3	—	—	—	—	3	—	3	—	2	3	3	—	1	—	1	—
Scarlatina maligna ...	Inst.	13	6	—	1	1	1	—	—	3	1	—	—	6	2	2	1	1	—
	Pr.	13	6	—	1	2	2	1	2	2	1	1	1	2	1	4	—	—	—
Scarlatina anginosa ...	Inst.	12	8	—	—	—	2	3	3	—	—	—	—	—	—	1	—	1	—
	Pr.	5	5	—	—	—	2	3	3	—	—	—	—	—	—	1	—	1	—
Hyperpyrexia ...	Inst.	2	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
	Pr.	6	1	—	—	—	—	—	—	—	—	1	—	4	—	—	1	1	—
Diphtheria, diph. para-	Inst.	21	19	—	—	1	1	2	1	3	—	5	6	9	6	1	4	—	1
lysis.	Pr.	9	5	—	—	2	—	1	—	1	—	1	2	3	2	1	1	—	—
Septicæmia ...	Inst.	29	29	—	—	5	3	7	6	2	4	5	4	10	12	—	—	—	—
	Pr.	2	2	—	—	—	—	—	—	1	1	—	—	—	—	1	—	1	—
Toxæmia ...	Inst.	39	44	1	—	5	5	5	5	7	5	9	10	10	12	2	5	—	2
	Pr.	6	10	—	1	—	1	—	—	3	—	—	3	2	3	1	1	—	1
Meningitis ...	Inst.	13	11	—	—	1	2	1	2	3	2	4	1	3	3	1	—	—	1
	Pr.	8	11	—	—	—	1	—	1	1	1	2	—	4	6	1	1	—	1
Convulsions ...	Inst.	4	4	1	—	1	1	1	1	—	—	—	—	2	1	—	—	—	—
	Pr.	8	3	2	—	2	—	2	—	1	2	—	—	1	1	—	—	—	—
Endocarditis ...	Inst.	3	3	—	—	—	—	1	—	—	1	—	—	1	2	1	—	—	—
	Pr.	2	5	—	—	—	—	—	—	—	—	—	—	1	4	1	—	—	1
Laryngitis ...	Inst.	2	4	—	—	—	—	2	—	—	3	—	—	—	—	1	—	—	—
	Pr.	—	4	—	—	—	—	—	1	—	—	—	1	—	2	—	—	—	—
Bronchitis, bronchial	Inst.	4	2	—	—	1	1	—	2	—	—	1	1	—	—	—	—	—	—
catarrh.	Pr.	2	3	—	—	—	—	1	—	—	—	—	1	1	—	—	—	—	—
Broncho-pneumonia ...	Inst.	27	35	2	3	5	8	8	12	6	6	3	4	3	2	—	—	—	—
	Pr.	12	9	2	—	5	1	3	2	—	3	2	2	—	1	—	—	—	—
Lobar pneumonia ...	Inst.	4	4	—	—	1	—	2	1	1	—	—	—	1	1	1	—	—	—
	Pr.	1	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—
Pneumonia ...	Inst.	13	20	1	—	1	3	3	5	—	4	—	3	7	3	1	2	—	—
	Pr.	6	8	1	—	2	—	—	—	1	—	—	1	—	5	1	2	1	—
Septic pneumonia ...	Inst.	4	4	1	—	1	—	1	—	—	—	—	—	1	2	—	2	—	—
	Pr.	1	2	—	—	—	1	—	1	—	—	—	—	1	—	—	—	—	—
Diarrhoea, enteritis, &c.	Inst.	6	3	3	—	1	—	—	—	1	—	—	—	1	1	—	1	—	1
(104, 105).	Pr.	1	2	—	—	—	1	—	—	—	—	—	—	1	1	—	—	—	—
Nephritis } ...	Inst.	39	33	—	1	1	—	3	4	3	5	5	2	18	15	7	4	2	2
Uræmia }	Pr.	26	29	2	1	3	3	2	4	4	7	3	4	6	7	5	3	1	—
Childbirth ...	Inst.	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
	Pr.	—	10	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	9

SUPPLEMENTARY TO TABLE A.

Malignant scarlet fever (anginosa) (1); scarlatina maligna, hyperpyrexia (1); hæmorrhagic scar. fev. (1); toxic scar. fev. (6); toxic and malignant scar. fev. (1); scarlatina ulcerosa (5); scarlatinal rheumatism (1). *Complications.*—6. Measles (9); measles, croup (1); measles, septic absorption (1); measles, rheumatism, endocarditis (1); scarlatina anginosa, measles, mastoid abscess (1); measles, br.-pneumonia (5); measles, lobar pneumonia (1); measles, pneumonia (5). 8. Whooping cough (3); wh. cough, chicken pox (1); wh. cough, convulsions nephritis (1); wh. cough, bronchitis (1);

7. SCARLET FEVER—*continued.*

wh. cough, br.-pneumonia (1); wh. cough, pneumonia (1); wh. cough, nephritis (2). 9. Malignant sore throat (1); malignant sore throat, meningitis (1); diphtheria, tracheotomy (1); diph., cardiac paralysis (1); diph., septicæmia (3); scarlatina anginosa, diph., septicæmia (1); diph., cerebral abscess (1); diph., br.-pneumonia (7); diph., septic br.-pneumonia (1); diph., pneumonia (1); diph., septic pneumonia (1); diph., nephritis (2); diph., cellulitis (2). 10. Influenza, br.-pneumonia (1). 18. Erysipelas, nephritis (1). 19. Rôtheln (1); chicken pox (3); scarlatina anginosa, chicken pox, septicæmia (1); chicken pox, nephritis (1). 20. Pyæmia (3); pyæmia, pleurisy, peritonitis (1); pyæmia, nephritis (1); septicæmia, meningitis (2); sept., otitis media (2); sept., adenitis (1); sept., rhinitis (1); sept., purulent rhinitis (1); sept., br.-pneumonia (2); scarlatina anginosa, sept., cancerum oris (1); sept., cellulitis (2); septic absorption (8); septic poisoning, inflammation of throat and nose (1). 28. Tuberculosis (3); tub. br.-pneumonia, nephritis (1); tub. empyema, pneumonia (1); phthisis (2); phthisis, morbus cordis (1). 29. Acute pulmonary tub. (1); acute tub., abscess of mesenteric glands (1). 30. Tub. meningitis, otitis media (1). 31. Tabes mesenterica (1). 33. Tub. of hip (2); abscess of hip joint (1). 34. Tub. of bladder (1); tub. of kidney (1); tub. of femur, toxæmia (1); tub. glands (operation), bronchitis (1). 35. General tub. (6); general tub., br.-pneumonia (1). 36. Scarlatinal debility, rickets (1); rickets, double pneumonia (1); rickets, br.-pneumonia (1). 46. Lymphangioma (1). 47. Acute rheumatism (2); hyperpyrexia, acute rheum. (1); acute rheum., pericarditis (2); acute rheum., endocarditis (2); acute rheum., endocarditis, valvular dis. (1); acuterheum., dilatation of heart (1); acute rheum., lobar pneumonia (1); rheumatic endocarditis (1); rheumatism (1); rheum., pericarditis (1); rheum., endocarditis (1); rheum., endocarditis; pulmonary embolism (1). 50. diabetes mellitus (1). 54. Anæmia (1); scarlatinal rheum., anæmia, endocarditis (1). 55. Purpura hæmorrhagica (2); purpura fulminans (1); hæmophilia (1); scarlatina anginosa, toxæmia (5); tox., mixed infection (1); hypertoxæmia (1); septic scarlet fever, hypertoxæmia (1); tox., meningitis (1); tox., endocarditis (1); tox., adenitis (2); tox., ulcerative adenitis (1); tox., enlarged glands (1); tox., bronchitis (1); tox., br.-pneumonia (2); septic scarlet fever, tox., pleurisy (1); tox., septic pharyngitis (1); tox., nephritis (1); tox., septic nephritis (1). 60. Cerebral abscess (1); cerebral abscess, mastoiditis, otitis media (1); cerebral abscess, otitis media (1). 61. Hyperpyrexia, meningitis (1); septic men. (1); men., pseudo-hypertrophic muscular atrophy (1); men., traumatic epilepsy (1); men., mastoiditis (1); men., otitis media (4); men., otorrhœa (2); men., convulsions, rhinorrhœa (1); men., br.-pneumonia (2); men., pneumonia (2); pneumococcal men., pneumonia (1). 63. Poliomyelitis (1); spinal paralysis (1). 64. Cerebral effusion (1); cerebral hæmorrhage (1). 70, 71. Scarlatina maligna, convulsions (1); eclampsia (1); convulsions, pneumonia (1); conv., tonsillitis, coma (1); conv., acute nephritis (1); conv., hæmaturia (1); conv., teething (1). 72. Chorea, br.-pneumonia (1). 76. Mastoiditis (2); otitis or otitis media (4); otitis, hæmorrhage from ear (1); otitis media, diarrhœa (1); purulent otitis, nephritis, uræmia (1); otorrhœa, endocarditis, thrombosis (1); abscess of internal ear (2). 77. Pericarditis (6); pericarditis, endocarditis (1); peric., pneumonia (1); peric., pneumonia, nephritis (1); peric., pleural effusion (1); peric., nephritis (1). 78. Myocarditis (1); septic angina, toxic myoc. (1); myoc., pneumonia (1); myoc., nephritis (1); ulcerative endocarditis (1); septic endoc. (1); endoc., adenitis (1); endoc., br.-pneumonia, nephritis (1); endoc., lobar pneumonia (1); endoc., diarrhœa (1); endoc., nephritis (1); endoc., parturition (1). 79. Valvular dis. (1); septic scarlet fever, valv. dis. (1); valv. dis., pulmonary embolism (1); old rheumatic endocarditis (1); rheumatic cardiac dis. (1); cardiac dis. (1); morbus cordis (1); morbus cordis, pneumonia (1). 82. Cerebral embolism (1); cerebral thrombosis (septic) (1); cardiac embolism (1); pulmonary embolism (1); embolus, ulcer of intestine (1). 84. Adenitis (7); septic adenitis (1); inflammation of cervical glands (2). 85. Epistaxis (1); scarlatina maligna, hæmorrhage (1); internal hæmorrhage (1). 86. Rhinitis (1); rhinorrhœa (1); nasal and post-nasal discharge (1); ulceration of nose and larynx, septic pneumonia (1); ulceration of nose and throat, br.-pneumonia (1). 87. Ulcerative laryngitis (1); lar., br.-pneumonia (1); lar., septic pneumonia, ulcerative tonsillitis (1); œdema of larynx (1); œdema of larynx, tracheotomy (1); œdema glottidis (1); œdema glottidis, septic cellulitis (1). 90. Capillary bronchitis (1); septic bronchitis (1); bronchitis, abscess of neck (1). 91. Septic br.-pneumonia (3); br.-pneumonia, nephritis (2); br.-pneumonia, scarlatinal nephritis (1). 92. Double pneumonia (1); double pneu., nephritis (1); lobar pneu., nephritis (1); anginous scarlet fever, septic pneu. (2); septic pneu., ulceration of pharynx (1); pneu., tonsillitis (1); pneu., septic throat (2); pneu., nephritis (5); pneu., parturition (1); pneu., abscesses (1). 93. Empyema (4); pleurisy (1); septic scarlet fever, pleurisy (1); pleural effusion (1). 94. Congestion of lungs (1); pulmonary congestion, diarrhœa (1); pulmonary congestion, nephritis (1); pulmonary œdema, nephritis (1). 97. Emphysema (1). 98. Septic infection of lung, ulceration of pharynx (1); hæmoptysis (1); pulmonary complications (1). 99. Parotitis (1); ulceration of mouth and lip (1). 100. Septic throat (1); septic sore throat (1); ulcerated throat (3); ulceration of throat, hæmorrhage (1); septic absorption, ulceration of throat (1); gangrenous tonsillitis (1); septic tonsillitis (1); ulcerative tonsillitis (1); suppuration of tonsil (1); sloughing of tonsils, suppuration of sub-maxillary glands (1); tonsillar and pharyngeal abscess (1); pharyngitis (2); pharyngeal abscess (1). 108. Appendicitis (6); appendicitis, peritonitis (1); appendicostomy, idiopathic dilatation of colon (1). 113. Acute hepatitis (1); jaundice (1); relapse, jaundice (1). 116. Abscesses of spleen (1). 119. Scarlatina ulcerosa, nephritis (2); nephritis, suppression of urine (1); nephritis, arthritis (1); nephritis, synovitis of knee (1); nephritis, cellulitis of neck (1); nephritis, coma (2). 120. Albuminuria (5); albuminuria, uræmia (1); Bright's dis. (4); chronic Bright's (1); Bright's, hydrothorax, dropsy (1); suppression of urine (2). 134. Premature labour (1); miscarriage (1). 142. Cancerum oris (2); gangrenous stomatitis (1); gangrene of ear (1). 144. Cellulitis (4); cellulitis of neck (3); abscess (1); cervical abscess (3); malignant scarlet fever, cervical abscess (1). 146. Acute periostitis (1). 147. Arthritis (1). 150. Hydrocephalus (2); congenital heart dis. (2); congenital defect (1); hare lip (operation) (1). 186. Wound of mouth (1). 187. Dropsy (2). 189. Scarlatina maligna, hyperpyrexia, delirium (1); malignant scarlet fever, coma (1).

7. SCARLET FEVER—continued.

TABLE B.

	All Ages.		Under 1 Year.		1—		2—		3—		4—		5—		10—		20—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Septic scarlet fever ...	12	10	—	—	3	—	3	—	1	1	1	2	4	5	—	2	—	—
Scarlatina maligna ...	29	14	—	1	1	2	3	1	6	1	2	4	9	2	5	2	3	1
Scarlatina anginosa ...	20	21	—	1	2	4	4	8	2	3	2	3	4	2	5	—	1	—
Hyperpyrexia ...	9	3	—	—	—	—	—	—	—	—	1	—	—	—	1	2	2	1
Measles (6) ...	9	15	—	—	1	3	3	—	2	4	1	5	2	3	—	—	—	—
Diphtheria and croup (9) ...	42	35	—	—	4	1	4	5	5	2	10	10	16	10	3	6	—	1
Septicæmia (20B) ...	43	47	1	2	6	3	8	9	4	12	6	4	17	16	1	—	—	1
Tuberculosis, all forms (28-35).	16	10	—	—	1	1	1	1	2	3	—	—	8	3	4	2	—	—
Toxæmia ...	54	69	1	1	5	7	6	6	11	8	9	16	16	20	4	8	2	3
Meningitis (61C) ...	31	33	—	1	1	4	3	5	7	6	8	1	9	11	2	3	1	2
Convulsions (70, 71) ...	15	13	3	—	3	2	4	5	1	2	—	—	3	4	1	—	—	—
Total nervous diseases (60-74)	46	54	3	1	4	9	6	11	8	9	8	2	13	17	3	3	1	2
Mastoid disease (76A) ...	5	4	—	—	—	1	2	1	1	1	1	—	1	1	—	—	—	—
Eardis. other than 76A (76B)	10	10	2	1	2	1	1	1	2	2	—	1	2	3	1	1	—	—
Pericarditis ...	7	7	—	—	—	—	—	—	—	—	—	1	4	3	1	3	2	—
Endocarditis (78C) ...	14	19	—	—	1	—	1	—	—	1	1	3	8	11	3	3	—	1
Heart disease, all forms (77-80, 85A).	30	31	—	—	1	—	1	—	—	1	1	4	18	16	7	8	2	2
Laryngitis (87B) ...	7	10	1	—	—	2	3	1	2	3	—	1	1	3	—	—	—	—
Bronchitis (89, 90) ...	9	8	1	1	—	2	1	1	4	—	1	2	2	2	—	—	—	—
Broncho-pneumonia (91) ...	54	62	5	4	10	12	14	18	11	11	8	8	6	8	—	1	—	—
Lobar pneumonia (92A) ...	9	8	—	—	1	—	2	3	2	1	1	—	2	3	1	1	—	—
Pneumonia (92B) ...	40	51	3	1	6	5	5	9	3	8	3	9	14	10	2	7	4	2
Total respiratory diseases (86-98).	130	153	9	6	18	22	29	32	22	28	14	22	29	30	5	10	4	3
Diarrhoea and enteritis (104, 105).	11	5	4	—	1	1	—	—	1	—	—	—	3	2	2	1	—	1
Nephritis (119, 120)...	94	85	2	2	5	3	6	9	11	15	11	9	39	32	15	12	5	3
Total urinary diseases (119-126).	96	86	3	2	5	3	6	9	11	15	11	9	40	32	15	13	5	3
Childbirth ...	—	13	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	12
Total puerperal conditions...	—	15	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	14

8. WHOOPING COUGH.

TABLE A.

	All Ages.		Under 6 Months.		6 Mnth—		1—		2—		3—		4—		5—		10—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Unqualified ...	Inst. 47	42	10	7	9	16	19	11	6	4	2	3	1	1	—	—	—	—
Measles ...	Pr. 824	1068	322	417	235	256	166	257	53	83	30	24	10	13	7	17	1	1
Measles, bronchitis ...	Inst. 3	—	—	—	5	6	9	3	3	5	1	—	2	—	—	—	—	—
Measles, broncho-pneu-	Pr. 20	14	—	—	1	3	2	7	—	1	—	—	—	—	1	1	—	—
monia.	Inst. 4	12	—	—	1	3	5	2	—	3	—	—	—	—	—	—	—	—
Measles, pneumonia ...	Pr. 7	8	1	—	1	3	7	14	6	4	3	1	3	1	5	—	—	—
Pulmonary tuberculosis,	Inst. 22	34	—	—	3	3	7	14	6	4	3	1	3	1	5	—	—	—
phthisis.	Pr. 3	8	—	—	—	3	1	2	—	1	—	1	1	1	—	—	—	—
Tuberculosis ...	Inst. 2	1	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—	—
Tuberculous meningitis ...	Pr. 5	8	2	—	—	—	2	5	—	1	—	—	—	1	1	1	—	—
General tuberculosis ...	Inst. 7	7	—	1	—	1	4	1	2	1	1	2	—	1	—	—	—	—
Ricketts ...	Pr. 4	1	—	—	—	3	—	—	—	—	1	1	—	—	—	—	—	—
Meningitis ...	Inst. 6	3	—	—	1	—	1	1	1	1	—	—	—	1	2	—	—	—
Meningitis, broncho-pneu-	Pr. 6	7	1	—	—	4	5	1	1	—	—	—	—	1	—	—	—	—
monia.	Inst. 4	2	—	—	2	1	2	1	—	—	—	—	—	—	—	—	—	—
Meningitis, pneumonia ...	Pr. 44	47	4	4	16	6	12	19	5	8	3	8	1	—	3	2	—	—
Convulsions ...	Inst. 11	10	—	—	4	4	3	2	—	1	1	—	1	2	2	1	—	—
Convulsions, bronchitis ...	Pr. 4	5	—	—	—	1	3	2	—	1	1	1	—	—	—	—	—	—
Convulsions, broncho-pneu-	Inst. 8	4	—	1	4	—	4	2	—	1	—	—	—	—	—	—	—	—
monia.	Pr. 262	348	90	81	84	117	57	101	20	29	6	10	4	8	1	2	—	—
Convulsions, pneumonia ...	Inst. 15	22	—	1	6	8	7	12	2	1	—	—	—	—	—	—	—	—
Convulsions, diarrhoea,	Pr. 1	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
enteritis, &c. (104, 105).	Pr. 31	47	3	6	6	14	10	20	7	1	4	3	1	2	—	1	—	—

8. WHOOPING COUGH—*continued.*TABLE A—*continued.*

			All Ages.		Under 6 Months.		6 Mths—		1—		2—		3—		4—		5—		10—	
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Convulsions, dentition ...	Pr.		7	12	—	—	2	5	5	7	—	—	—	—	—	—	—	—	—	—
Laryngitis ...	Inst.		1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Pr.		5	7	1	2	—	—	1	—	1	—	1	2	—	2	2	—	—	—
Bronchitis ...	Inst.		10	9	3	1	4	4	2	1	1	—	1	—	—	—	1	—	—	—
	Pr.		361	464	89	116	110	118	104	149	34	41	12	20	8	10	3	9	1	1
Bronchitis, broncho-pneumonia.	Inst.		2	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—
	Pr.		4	10	—	—	1	1	1	6	—	2	2	—	—	—	1	—	—	—
Bronchitis, diarrhœa, enteritis, &c. (104, 105).	Pr.		6	10	3	—	—	6	2	4	1	—	—	—	—	—	—	—	—	—
Capillary bronchitis ...	Inst.		1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Pr.		31	28	3	2	9	8	13	6	3	8	—	1	2	1	1	2	—	—
Broncho-pneumonia ...	Inst.		99	109	12	8	20	15	35	44	14	15	7	8	8	8	3	11	—	—
	Pr.		950	1300	122	133	245	316	348	431	110	208	58	101	34	53	31	57	2	1
Br.-pneumonia, diarrhœa, enteritis, &c. (104, 105).	Inst.		1	2	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	Pr.		8	18	—	—	2	2	3	10	3	3	—	3	—	—	—	—	—	—
Lobar pneumonia ...	Inst.		2	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—
	Pr.		12	19	1	1	3	7	3	3	1	4	2	1	1	1	1	1	—	1
Double pneumonia ...	Pr.		12	7	1	2	2	1	6	1	1	1	—	2	1	—	1	—	—	—
Pneumonia ...	Inst.		14	18	—	—	4	4	5	10	2	1	—	1	—	1	2	1	—	—
	Pr.		178	269	19	20	45	69	55	97	26	30	12	32	11	13	10	8	—	—
Pulmonary congestion ...	Inst.		—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Pr.		21	39	2	8	10	9	7	12	1	6	—	4	—	—	1	—	—	—
Pulmonary collapse ...	Inst.		—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	Pr.		5	8	—	2	3	2	—	1	1	2	—	1	1	—	—	—	—	—
Diarrhœa, enteritis, &c. (104, 105).	Inst.		6	5	1	2	2	1	2	2	—	—	1	—	—	—	—	—	—	—
	Pr.		120	125	24	23	44	52	47	36	4	10	—	2	—	—	1	2	—	—
Dentition ...	Pr.		6	11	—	—	4	7	2	4	—	—	—	—	—	—	—	—	—	—

LIST SUPPLEMENTARY TO TABLE A.

Vomiting (1). *Complications.*—6. Measles, mumps, pneumonia (1); measles, German measles, br.-pneumonia, diarrhœa (1); measles, varicella, bronchitis (1); measles, tuberculous meningitis (1); measles, meningitis (2); measles, men., br.-pneumonia (1); measles, men., pneumonia (1); measles, convulsions (5); measles, convulsions, otitis media, bronchitis (1); measles, cretinism (1). 7. Scarlet fever (3); scarlet fever, acute periostitis (1). 9. Diphtheria (4); diphtheria, br.-pneumonia (4); croupous laryngitis (1); croup (5); croup, br.-pneumonia (1). 10. Influenza (2); influenza, varicella (1); influenzal bronchitis (1); influenza, br.-pneumonia, convulsions (1). 13. Choleraic diarrhœa (1). 19. German measles, bronchitis (1); rôtheln, diarrhœa (1); varicella, tuberculous meningitis, bronchitis (1); varicella, convulsions (1); varicella, laryngitis (1); varicella, bronchitis (1); varicella, br.-pneumonia (2); varicella, lobar pneumonia (1). 20. Septic infection of arm (1); septic infection, multiple abscesses (1). 28. Tuberculous br.-pneumonia (6); br.-pneumonia (? tubercular) (1); pneumonia (tubercular) (1); pulmonary and meningeal tub. (1); pulm. tub., tub. men., br.-pneumonia (1); pulm. tub., men. (1); tub., br.-pneumonia (2); phthisis, br.-pneumonia (2); phthisis, pneumonia (1). 29. Acute pulm. tub. or phthisis (7); acute phthisis., br.-pneumonia (1); acute miliary tub. (3); acute mil. tub., br.-pneumonia (1); mil. tub. (5); mil. tub., tub. meningitis (1); mil. tub., lobar pneumonia (1); general mil. tub. (1); acute tub. (1); acute tub., br.-pneumonia (1); acute general tub. (1). 30. Tub. meningitis, tub. mediastinal glands (1); tub. men., bronchitis (1); tub. men., br.-pneumonia (2); tub. men., diarrhœa, &c. (2). 31. Tabes mesenterica (3); tub. peritonitis (8); tub. enteritis (2). 32. Spinal caries (1). 33. Hip disease (1). 34. Tub. mastoiditis, br.-pneumonia (1). 35. General tub., br.-pneumonia (1); general tub., pneumonia (1). 36. Rickets, convulsions (1); rickets, bronchitis (2); rickets, br.-pneumonia (7); rickets, br.-pneumonia, diarrhœa, &c. (1); rickets, br.-pneumonia, dentition (1); rickets, pneumonia (1); rickets, diarrhœa, &c. (1). 37. Syphilis (7). 47. Rheumatism (1). 54. Anæmia (1); anæmia, emphysema (1); anæmia, nephritis (1). 55. Purpura (1); toxæmia, convulsions, cancrum oris (1); toxæmia, cancrum oris (1). 61. Posterior basic meningitis (1); basal meningitis (1); basal men., bronchitis (1); men., cerebral congestion (1); men., convulsions (3); leptomeningitis, convulsions, capillary bronchitis (1); hyperpyrexia, men., convulsions, pneumonia (1); men., otitis (1); men., bronchitis (4); men., pulmonary congestion (1); men., pharyngeal abscess (1); men., diarrhœa, &c. (3); men., dentition (1). 63. Polioencephalitis inferior (1). 64. Cerebral apoplexy (1); cerebral congestion (2); cerebral congestion, convulsions (1); cerebral hæmorrhage (7); cer. hæm., convulsions (1); cer. hæm., br.-pneumonia (2); cortical hæm. (1); sub-dural hæm. (1). 66. Hemiplegia (1); infantile hemiplegia, br.-pneumonia (1); cerebral palsy (1); cer. paralysis, br.-pneumonia (1); congenital paralysis of legs (1). 69. Epilepsy (4); epilepsy, bronchitis (1); status epilepticus (1). 70 and 71. Epileptiform convulsions (1); eclampsia (1); tetanic convul., bronchitis (1); convul., bronchitis, pulmonary congestion (1); convul., bronchitis, asthma (1); convul., bronchitis, dentition (3); convul., capillary bronchitis (3); convul., br.-pneumonia, diarrhœa, &c. (1); convul., br.-pneumonia, teething (2); convul., pulmonary congestion (3); fits, diarrhœa, &c. (1); convul. teething, pyrexia (1); convul., congestion (1). 74. Tetany (1); tetany, dentition (1). 75. Panophthalmitis, br.-pneumonia (1). 76. Mastoiditis (1); mastoiditis, lateral sinus thrombosis (1); mastoiditis, br.-pneumonia (1); otitis media, bronchitis (1); otorrhœa (2). 78. Endocarditis (1). 79. Valvular dis. (1); valv. dis., br.-pneumonia (1); cardiac dilatation (3); acute card. dilat. (1); morbus cordis (5); morbus cordis, bronchitis, tonsillitis (1). 81. Rupture of artery (1). 82. Cerebral

8. WHOOPING COUGH—continued.

embolism (1). 87. Laryngismus stridulus (4); spasm of glottis (4) cedematous laryngitis (1); laryngitis, bronchitis (1); laryngitis, br.-pneumonia (1); laryngitis, pneumonia (1); laryngitis, congenital dilatation of colon (1); ulceration of larynx (1). 90. Bronchiectasis (1); bronchitis, lobar pneumonia (1); bronchitis, lobar pneumonia, atelectasis (1); bronchitis, pneumonia (1); bronchitis, inflam. of lung (1); bronchitis, pulmonary congestion (2); bronchitis, emphysema (1); bronchitis, gastritis (1); bronchitis, nephritis (3); bronchitis, cancrum oris (1); bronchitis, eczema, impetigo (1); bronchitis, prematurity (2); bronchitis, atelectasis (3); bronchitis, teething (1); capillary bronchitis, br.-pneumonia (1); tracheitis (1). 91. Double br.-pneumonia (2); br.-pneumonia, empyema (1); br.-pneumonia, pleurisy (1); br.-pneumonia, pleural effusion (1); br.-pneumonia, glossitis (1); br.-pneumonia, pneumococcal peritonitis (1); br.-pneumonia, Bright's dis. (1); br.-pneumonia, cancrum oris (2); br.-pneumonia, atelectasis (1); br.-pneumonia, teething (1); br.-pneumonia, coma (1). 92. Septic pneumonia (1); pneumonia, diarrhœa, &c. (8); pneumonia, peritonitis (1); pneumonia, nephritis (2); pneumonia, cellulitis (1); pneumonia, abscess of face (1); pneumonia, cervical abscess (1); pneumonia, cyanosis (1); inflammation of lungs (5); inflam. of lungs, pleurisy (1); pulmonary consolidation (1). 93. Empyema (3); empyema, pulmonary congestion (1); pneumothorax (1). 94. Pulmonary œdema (4). 97. Emphysema (1). 98. Rupture of lung and pleura (1); hæmoptysis (2). 99. Stomatitis (2); stomatitis, acute nephritis (1); ulcerative stomatitis (1); parotitis (1). 103. Gastritis (4); gastritis, enteritis (2); gastritis, teething (1). 104. Intestinal toxæmia (1); diarrhœa, dentition (1). 107. Intestinal worms (1). 109. Hernia (1). 110. Prolapse of rectum (1). 118. Acute hæmorrhagic pancreatitis (1). 119. Nephritis or acute nephritis (6). 142. Cancrum oris (1). 145. Pemphigus (1). 150. Hydrocephalus (2); congenital hydrocephalus (1); congen. cyanosis (1); congen. heart dis. (7); patent foramen ovale (1); congen. kidney dis. (1). 151. Premature birth (6). 152. Atelectasis (5). 167. Scald (accelerated by) (1). 168. Asphyxia (3). 186. Milk in trachea and lungs during spasm (1). 187. Dropsy (2). 189. Cyanosis (1).

TABLE B.

	All Ages.		Under 6 Months.		6 Mnth—		1—		2—		3—		4—		5—		10—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Measles (6)	67	85	1	—	12	18	30	34	9	18	7	4	5	4	3	6	—	1
Diphtheria and croup (9) ...	9	6	—	—	2	—	5	1	—	—	1	1	—	2	1	2	—	—
Pulmonary tubercle, not acute (28).	31	35	2	1	3	3	10	12	4	8	3	3	3	3	6	4	—	1
Acute phthisis (29A)	5	3	—	—	—	1	—	—	1	—	1	1	1	—	2	1	—	—
Acute milary tuberculosis (29B).	7	8	—	—	1	—	—	3	1	—	2	—	2	2	1	3	—	—
Tuberculous meningitis (30)	14	19	1	1	3	1	3	7	4	4	2	4	—	2	1	—	—	—
Tuberculous of peritoneum and intestines (31).	5	8	—	1	1	1	2	5	2	—	—	—	—	1	—	—	—	—
Disseminated tuberculosis (35)	11	5	—	—	1	—	4	2	1	1	2	1	1	1	2	—	—	—
Tuberculosis, all forms (28-35)	73	78	3	3	9	6	20	28	12	14	10	9	7	9	12	8	—	1
Rickets (36A)	11	16	1	—	4	1	4	10	2	2	—	1	—	2	—	—	—	—
Meningitis (61C)	75	75	4	4	24	17	25	27	6	12	6	10	2	2	8	3	—	—
Cerebral hæmorrhage, apoplexy (64).	13	5	1	—	3	2	6	1	—	2	2	—	1	—	—	—	—	—
Convulsions (70, 71)	354	473	94	93	110	153	98	158	30	40	14	14	6	11	2	4	—	—
Total nervous diseases (60-74)	444	560	99	99	139	172	126	190	38	55	23	24	9	13	10	7	—	—
Heart disease, all forms (77-80, 85A).	7	7	1	—	—	—	—	—	1	3	1	1	1	—	2	2	1	1
Laryngismus stridulus (87A)	6	3	2	1	—	—	2	1	—	—	1	—	—	—	1	1	—	—
Laryngitis (87B)	6	13	1	2	—	1	1	3	—	2	—	2	2	1	2	2	—	—
Bronchitis (89, 90)	453	584	99	123	138	155	136	197	43	58	17	24	11	12	7	14	2	1
Broncho-pneumonia (91) ...	1162	1570	138	151	291	367	422	543	142	243	77	120	50	69	40	76	2	1
Lobar pneumonia (92A) ...	27	29	2	3	5	9	10	5	2	5	2	4	4	1	2	1	—	1
Pneumonia (92B)	223	332	22	22	54	85	71	123	31	36	17	36	13	18	15	12	—	—
Pulmonary œdema and congestion (94B).	24	49	2	8	10	11	9	15	1	8	—	6	1	1	1	—	—	—
Pulmonary collapse (94D) ...	5	9	—	2	3	3	—	1	1	2	—	1	1	—	—	—	—	—
Total respiratory diseases (86-98).	1900	2567	266	311	500	624	650	879	219	351	113	190	81	101	67	107	4	4
Diarrhœa and enteritis (104, 105).	152	183	28	28	51	66	61	64	8	16	3	6	—	1	1	2	—	—
Nephritis (119, 120)	7	7	—	—	1	—	2	4	1	1	2	—	—	—	1	2	—	—
Dentition (71A, 189C).	20	29	—	—	12	13	8	15	—	1	—	—	—	—	—	—	—	—

9A. DIPHTHERIA.

TABLE A.

		All Ages.		Under 1 year.		1—		2—		3—		4—		5—		10—		25—	
		M		M		M	F	M	F	M	F	M	F	M	F	M	F	M	F
Unqualified	...	Inst. 699	727	25	25	98	61	80	60	89	105	107	101	248	314	41	51	11	10
	...	Pr. 843	909	40	32	81	57	103	103	124	120	113	151	294	367	72	60	16	19
Laryngeal diphtheria	...	Inst. 38	41	3	3	10	4	5	11	7	3	5	11	8	8	—	1	—	—
	...	Pr. 84	80	9	4	13	15	18	16	13	11	11	13	19	19	1	5	—	—
Hæmorrhagic diphtheria	...	Inst. 16	10	—	—	1	—	1	1	3	2	—	—	9	6	3	—	—	—
	...	Inst. 3	5	—	—	2	1	1	—	—	—	—	1	1	1	1	—	—	—
Membranous croup	...	Pr. 104	93	8	7	28	10	12	21	24	17	13	14	16	20	3	4	—	—
	...	Inst. 23	16	2	1	5	2	6	—	3	4	3	2	4	5	—	2	—	—
Tracheotomy	...	Pr. 10	5	2	—	—	—	2	1	—	1	2	2	2	1	1	—	1	—
Laryngeal diphtheria, tracheotomy.	...	Inst. 15	11	—	1	4	3	3	2	—	2	4	1	3	2	1	—	—	—
	...	Pr. 1	2	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—
Cardiac paralysis	...	Inst. 48	54	—	—	1	—	4	4	3	4	8	10	22	32	10	4	—	—
	...	Pr. 14	15	—	—	1	—	—	—	2	2	3	6	6	3	3	—	1	—
Respiratory paralysis	...	Inst. 4	2	—	—	—	—	—	—	1	—	2	—	1	1	—	1	—	—
	...	Pr. 3	1	—	—	—	—	1	—	—	—	—	—	2	1	—	—	—	—
Paralysis (undefined)	...	Inst. 16	13	—	—	—	—	1	1	5	2	3	2	5	7	1	1	1	—
	...	Pr. 19	22	—	—	1	1	1	1	4	4	2	1	6	10	5	3	—	2
Diphtheritic croup	...	Inst. —	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	...	Pr. 11	9	1	—	1	1	1	4	1	1	3	1	3	2	1	—	—	—
Vomiting	...	Inst. 4	—	—	—	—	—	—	—	1	—	2	—	1	—	—	—	—	—
	...	Pr. 3	3	—	—	—	—	—	—	—	—	1	—	2	2	—	1	—	—
Measles	...	Inst. 5	4	—	—	2	2	1	—	2	—	—	1	—	1	—	—	—	—
	...	Pr. 1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Septicæmia	...	Inst. 5	6	—	—	1	—	1	—	1	—	1	2	1	1	—	3	—	—
	...	Pr. 1	2	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—
Toxæmia, hypertoxæmia	...	Inst. 58	67	—	1	3	5	6	3	11	10	14	15	20	32	3	1	1	—
	...	Pr. 15	12	2	—	3	1	2	2	3	3	—	—	5	5	—	—	—	1
Convulsions	...	Inst. 3	4	1	1	—	1	1	—	—	—	—	1	—	1	1	—	—	—
	...	Pr. 4	1	—	—	1	—	—	—	1	—	1	—	1	1	—	—	—	—
Neuritis	...	Inst. 6	—	—	—	—	—	—	—	—	—	—	—	4	—	2	—	—	—
	...	Pr. 3	1	—	—	—	—	—	—	—	—	—	1	3	—	—	—	—	—
Cardiac dilatation	...	Inst. 5	3	—	—	—	1	—	1	—	—	—	—	4	1	1	—	—	—
	...	Pr. 3	—	—	—	—	—	1	—	—	—	—	—	1	—	1	—	—	—
Hæmorrhage	...	Inst. 4	7	—	—	—	—	—	—	1	2	—	1	3	3	—	1	—	—
	...	Pr. 1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Laryngitis	...	Inst. 5	3	1	—	2	1	—	—	2	1	—	1	—	—	—	—	—	—
	...	Pr. 12	7	—	—	2	1	1	1	3	2	—	2	5	1	—	—	1	—
Bronchitis	...	Inst. 4	2	—	1	1	1	—	—	2	—	—	—	1	—	—	—	—	—
	...	Pr. 6	12	—	3	—	3	3	—	—	3	1	1	2	2	—	—	—	—
Broncho-pneumonia	...	Inst. 41	39	11	10	16	17	4	9	5	—	1	1	3	2	—	—	1	—
	...	Pr. 12	11	—	1	2	2	3	2	1	1	3	1	3	4	—	—	—	—
Pneumonia	...	Inst. 12	9	—	1	3	5	1	—	—	1	2	—	5	1	—	1	1	—
	...	Pr. 4	7	—	—	—	1	1	1	—	2	—	2	2	—	1	—	—	1
Diarrhoea, enteritis, &c. (104 and 105).	...	Inst. 5	3	3	1	2	1	—	—	—	—	—	—	—	—	—	1	—	—
	...	Pr. 4	—	1	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—
Nephritis	...	Inst. 12	9	—	—	—	1	1	—	2	2	4	1	4	5	—	—	1	—
Uræmia	...	Pr. 22	10	—	—	—	—	1	—	3	1	4	3	12	4	2	1	—	1
Asphyxia	...	Inst. 2	3	2	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—
	...	Pr. 8	8	—	—	1	—	1	1	1	1	2	2	2	4	1	—	—	—

LIST SUPPLEMENTARY TO TABLE A.

Gangrenous diphtheria (1); septic diph. (2); sepsis, hyperpyrexia (1); tracheal diph. (1); pulmonary diph. (1); laryngeal obstruction (2); hæmorrhagic diph., laryngeal obstruction (1); respiratory obstruction (1); operation, chloroform (1); anæsthetic (1); membranous croup (probably diphtheritic) (1); memb. croup, tracheotomy (2); memb. laryngitis (1); memb. laryngitis (probably diphtheritic), tracheotomy (1); hæmorrhagic diph., cardiac paralysis (3); laryngeal diph., cardiac paral. (1); respiratory paral. (4); respiratory failure (1); laryngeal paral. (1); paral. of diaphragm (5); paral. of diaphragm and vocal cords (1); paral. of larynx and œsophagus (1); paral. of intercostals and heart (1); paral. of soft palate (1); paral. of fauces (1); paral. of muscles of deglutition (2); paral. of bowel (1); paral. of vagus (4); cardiac, pulmonary and renal paral. (1); cardio-gastric paral. (1); paral., tracheotomy (1); croupous diphtheria (2); diphtheritic croup, tracheotomy (1); croupous laryngitis (2); croup (3); croup, tracheotomy (1); hyperpyrexia (1); albuminuria (7).

Complications.—1. Enteric fever (1). 6. Laryngeal diph., measles (1); laryngeal paralysis, measles (1); tracheotomy, measles, laryngitis (1); measles, broncho-pneumonia (5); measles, pneumonia (1); measles, septic throat (1). 7. Scarlet fever (8); scarlatina ulcerosa (1). 8. Whooping-cough (2); wh.-cough, broncho-pneumonia (2); wh.-cough, br.-pneumonia (probably tuberculous) (1). 10. Influenza (2); influenza peritonitis (1). 18. Erysipelas (2); erysipelas, br.-pneumonia (1). 19. German measles (1); varicella (1). 20. Pyæmia, cervical abscess (1); hæmorrhagic diph., pyæmia (1); septic diph., septicæmia (1); septic intoxication (3); septic intoxication, degenerative myocarditis (2); septicæmia, septic tonsillitis (1); septicæmia from umbilical sepsis (1); septic complications (1). 28. Phthisis (1); membranous croup, tubercular laryngitis (1). 29. Acute tuberculosis (1). 30. Tuberculous meningitis (1). 31. Tuberculous peritonitis (1). 32. Spinal caries, br.-pneumonia (1). 33. Tubercle of

9A. DIPHTHERIA.—continued.

knee (1). 35. General tuberculosis (5). 36. Rickets (3); rickets, congenital syphilis (1). 54. Splenic anæmia (1); pernicious anæmia (1). 55. Purpura (1); hypertoxæmia (1); laryngeal diph., toxæmia (7); laryngeal diph., hypertox. (1); laryngeal diph., hæmorrhage, hypertox. (1); laryngeal diph. tracheotomy, tox. (1); hæmorrhagic diph., tox. (4); hæmorrhagic, tox. (4); hæmorrhagic, hypertox. (7); tracheotomy, tox. (1); membranous croup, tox. (2); diphtheritic croup, tox. (1); cardiac paralysis, tox. (4); cardiac paralysis, hypertox (3); paralysis, tox. (1); vomiting, tox. (2); albuminuria, hypertox (1); tox., myocarditis (1); tox., cardiac dilatation (1); tox., hæmorrhage (1); laryngeal diph., tox., capillary bronchitis (1); tox., pneumonia (1); tox., diarrhœa (1); toxic poisoning (1). 56. Alcoholism (1). 61. Meningitis (9); septic men. (1); paralysis, men. (1); men., otitis media (2); men., pneumonia, empyema (1). 63. Bulbar paralysis (1); myelitis (1). 64. Cerebral congestion (1); cerebral hæmorrhage (1). 66. Hemiplegia (3); diaphragmatic paralysis, hemiplegia (1); paraplegia (1). 69. Epilepsy (2); epileptic convulsions (1). 70, 71. Laryngeal diph., convulsions (1); membranous croup, convulsions (1); tracheotomy, convulsions (1). 76. Mastoid abscess (1); mastoiditis, broncho-pneumonia (1); otitis media, thrombosis of lateral sinus (1). 77. Pericarditis (5). 78. Myocarditis (2); laryngeal and tracheal diph., early myocarditis (1); laryngeal diph., tracheotomy, early myocarditis (1); myocarditis, cardiac dilatation (1); post diphtheritic myocarditis, cardiac dilatation (1); endocarditis (5); post diphtheritic endocarditis, nephritis (1); endocarditis, nephritis, asphyxia (1); ulcerative endocarditis (1). 79. Valvular dis. (2); valvular dis., pneumonia (1); fatty degeneration of heart (1); membranous croup, fatty degen. of heart (1); fatty heart, dilatation (1); fatty degen. of heart, acute Bright's (1). Morbus cordis (7); post-diphtheritic paralysis, morbus cordis (1); morbus cordis, bronchitis (1); heart muscle degen. (1); laryngeal diph., cardiac dilatation (2); cardiac dil., lobar pneumonia (1); albuminuria, cardiac dil. (1); cardiac dil., nephritis (1). 84. Adenitis (3); suppurative adenitis (1); septic adenitis (1). 85. Vomiting, cardiac irregularity (1); epistaxis (3); reactionary hæmorrhage (1). 86. Adenoids (1); adenoids, septic pneumonia (1); septic rhinitis, bronchitis (1). 87. tracheotomy, laryngitis (1); laryngitis, broncho-pneumonia (2); laryngitis, pneumonia (1); laryngitis, asphyxia (1). 90. Suffocative catarrh (1); laryngeal diph., bronchitis (1); laryngeal diph., tracheotomy, bronchitis (1); diph. croup, bronchitis (1); membranous croup, bronchitis (5); croup, bronchitis (2); paralysis, bronchitis (3); cardiac paralysis, bronchitis (1); bronchitis, pneumonia (1); laryngeal diph., bronchitis, pneumonia (1); bronchitis, diarrhœa (1); bronchitis, nephritis (1); capillary bronchitis (2); laryngeal diph., capillary bronchitis (2). 91. Laryngeal diph., broncho-pneumonia (7); lar. diph., tracheotomy, br.-pneumonia (4); lar. diph., diaphragmatic paralysis, br.-pneumonia (1); tracheotomy, br.-pneumonia (5); septic diphtheria, br.-pneumonia (1); membranous croup, br.-pneumonia (7); paralysis, br.-pneumonia (2); post diphtheritic paral., double br.-pneumonia (1); deglutition pneumonia (1); gastric paral., deglutition pneumonia (1); br.-pneumonia, empyema (2); br.-pneumonia pleurisy (1); br.-pneumonia, diarrhœa (1); br.-pneumonia, hæmorrhage from bowel (1); br.-pneumonia, teething (1). 92. Lobar pneumonia (7); laryngeal diph., lobar pneumonia (1); membranous croup, lobar pneumonia (1); laryngeal diph., pneumonia (3); lar. diph., tracheotomy, pneumonia (1); diphtheritic paralysis, pneumonia (1); membranous croup, pneumonia (1); memb. croup, tracheotomy, pneumonia (1); septic pneumonia (4); diaphragmatic paralysis, septic pneumonia (1); pneumonia, mediastinitis (1); pneumonia, empyema (1); pneumonia, asthma (1); pneumonia, cholecystitis (1); septic pneumonia, cancrum oris (1); pneumonia, delirium, coma (1). 93. Pleurisy (1). 94. pulmonary congestion (2); diphtheritic croup, pulmonary congestion (1); diaphragmatic paralysis, pulmonary congestion (1); pulmonary collapse (1). 99. Parotitis (3). 100. tonsillitis (3); septic tonsillitis (1); recurrent septic tonsillitis (1); suppurative tonsillitis (1); faucial sepsis (1); quinsy (5); diphtheritic sore throat (1); septic angina (1); gangrene of fauces (1); gangrenous sore throat (1); retro-pharyngeal abscess (1). 102. Gastric ulcer (1); ulcerated stomach (1). 103. gastritis (3); gastritis, jaundice (1); hæmatemesis (1); vomiting, hæmatemesis (1). 104. Diarrhœa, emaciation (1); 109. Umbilical hernia, intestinal obstruction (1). 119, 120. Cardiac paralysis, uræmic convulsions (1); nephritis, cervical abscess (1); chronic renal dis. (1). 122. Anuria (2); suppression of urine (3); cardiac paralysis, suppression of urine (1); bacilluria (coli) (1); pyelitis (1). 130. Endometritis (1), 142. Cancrum oris (1); gangrene of scrotum (1); gangrene of skin (1). 144. Cellulitis of neck (4); abscess (2). 189. Laryngeal diph., asphyxia (4); membranous croup, asphyxia (8); diphtheritic croup, suffocation (1); paralysis, asphyxia (1); membranous croup, dyspnœa (1); cyanosis (2); albuminuria coma (1).

TABLE B.

	All Ages.		Under 1 year.		1—		2—		3—		4—		5—		10—		25—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Laryngeal diphtheria ...	164	152	16	7	33	30	31	31	21	17	23	27	35	34	5	6	—	—
Hæmorrhagic diphtheria ...	21	11	—	—	1	—	1	1	1	3	2	—	13	7	3	—	—	—
Membranous croup ...	128	109	11	10	31	13	20	23	28	18	16	16	18	25	4	4	—	—
Tracheotomy ...	59	44	5	2	12	8	13	4	3	8	9	7	12	13	4	2	1	—
Cardiac paralysis ...	71	77	—	—	2	—	4	5	5	8	13	13	31	42	16	8	—	1
Paralysis of respiration, various forms.	10	16	—	—	—	—	1	2	1	2	2	1	4	9	2	2	—	—
Paralysis (undefined) ...	41	41	—	—	1	2	2	2	9	6	7	4	14	21	7	4	1	2
Paralysis, all forms ...	121	143	—	1	3	2	7	9	15	20	22	18	49	74	24	16	1	3
Diphtheric croup ...	13	13	1	—	2	1	1	5	1	2	3	2	4	3	1	—	—	—
Vomiting ...	7	7	—	—	—	—	—	—	1	—	3	—	3	5	—	1	—	1
Measles (6) ...	11	9	—	1	3	2	2	1	4	2	1	1	1	2	—	—	—	—

9A. DIPHTHERIA—continued.

TABLE B—continued.

	All Ages.		Under 1 Year.		1—		2—		3—		4—		5—		10—		25—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Scarlet fever (7)	6	3	—	—	—	—	—	—	1	—	1	—	4	3	—	—	—	—
Septicæmia (20B)	8	15	—	1	1	—	1	1	2	—	2	3	1	6	—	3	1	1
Tuberculosis, all forms (28-35)	12	2	—	—	1	2	4	—	3	—	—	—	1	—	2	—	1	—
Toxæmia	91	106	4	2	6	11	9	5	15	18	15	19	35	47	5	3	2	1
Meningitis (61C)	7	7	—	—	2	—	—	1	1	—	1	2	1	2	2	1	—	1
Convulsions (70, 71)	9	6	1	1	1	1	1	—	2	1	2	1	1	2	1	—	—	—
Neuritis (73B)	9	1	—	—	—	—	—	—	—	—	—	1	7	—	2	—	—	—
Total nervous diseases (60-74)	30	21	1	1	3	1	3	2	4	1	3	5	9	8	7	2	—	1
Heart disease, all forms (77-80 and 85A).	33	22	—	—	—	1	2	2	4	2	5	2	16	10	5	1	1	4
Hæmorrhage	5	9	—	—	—	—	—	—	1	2	—	2	4	4	—	1	—	—
Laryngitis (87B)	20	12	2	—	4	3	2	1	5	3	—	3	6	2	—	—	1	—
Bronchitis (89, 90)	22	28	1	7	5	8	4	1	3	3	2	3	7	5	—	—	—	1
Broncho-pneumonia (91)	80	79	16	12	28	28	11	16	7	6	6	4	9	12	2	—	1	1
Lobar pneumonia (92A)	7	4	—	1	1	—	—	1	1	—	2	1	1	—	1	1	1	—
Pneumonia (92B)	26	28	1	3	4	7	6	3	1	4	3	4	7	2	2	3	2	2
Total respiratory diseases (86-98).	154	153	19	23	41	44	22	24	19	16	13	16	30	21	5	5	5	4
Diarrhœa and enteritis (104 and 105).	10	3	4	1	5	1	—	—	1	—	—	—	—	—	—	1	—	—
Nephritis (119 and 120)	39	22	—	—	—	1	2	—	5	4	9	4	19	10	3	1	1	2
Asphyxia	22	15	3	—	1	—	5	4	3	2	5	3	3	5	2	1	—	—

9B. MEMBRANOUS LARYNGITIS.

Unqualified (17). Tracheotomy (1). *Complications.*—90. Bronchitis, diarrhœa (1).

9C. CROUP.

Unqualified (60). Non-membranous (4). *Complications.*—91 Broncho-pneumonia (3); laryngeal croup, br.-pneumonia (1). 92. Pneumonia (1). 189. Teething (1).

10. INFLUENZA.

TABLE A.

	All Ages.		Under 5 Years.		5—		25—		35—		45—		55—		65—		75—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Unqualified { Inst.	49	26	1	1	2	2	2	2	4	3	9	1	7	2	12	9	12	6
... .. { Pr.	495	516	50	28	34	21	33	24	32	24	47	40	76	79	100	129	123	171
Pulmonary tuberculosis { Inst.	12	4	2	—	1	—	2	—	2	2	2	1	—	1	2	—	—	—
... .. { Pr.	121	73	24	16	34	20	20	14	22	6	10	9	7	3	4	4	—	1
Apoplexy { Inst.	6	4	—	—	—	—	—	—	—	—	3	—	1	1	1	2	1	1
Cerebral congestion { Pr.	6	6	2	—	2	—	1	1	—	—	—	2	—	1	1	—	—	2
Cerebral hæmorrhage { Inst.	10	13	—	—	1	—	—	1	1	1	2	1	2	5	1	4	3	1
Convulsions { Pr.	14	7	14	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Endocarditis { Inst.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
... .. { Pr.	12	10	—	—	4	1	—	1	—	3	4	1	2	3	1	1	1	—
Valvular dis. of heart, various forms. { Inst.	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
... .. { Pr.	13	28	—	—	1	5	3	—	—	2	2	5	1	5	2	8	4	3
Fatty heart { Inst.	1	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
... .. { Pr.	2	8	—	—	—	—	—	1	1	—	—	—	—	7	—	—	1	—
Cardiac dilatation { Inst.	3	1	—	—	—	—	—	—	1	—	—	—	—	—	1	1	1	—
... .. { Pr.	17	12	—	—	3	1	—	1	2	—	5	3	3	3	3	4	1	—
Heart dis. (undefined) { Inst.	3	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—
... .. { Pr.	30	25	—	—	—	1	2	—	3	3	7	3	10	8	6	6	2	4
Laryngitis { Inst.	7	7	3	3	3	1	1	1	—	—	—	—	—	1	—	—	—	1
... .. { Pr.	11	4	1	—	1	—	—	—	1	—	1	2	1	4	—	—	3	1
Bronchitis { Inst.	206	285	23	17	2	4	2	5	16	12	26	24	24	48	60	83	53	92
Bronchitis, pneumonia { Pr.	6	6	2	—	—	—	—	—	—	—	2	—	2	1	—	5	—	—
Capillary bronchitis { Inst.	7	5	2	1	1	—	—	—	—	—	1	1	—	1	2	2	1	—
Broncho-pneumonia { Pr.	28	7	2	—	1	—	—	—	3	1	3	—	9	3	7	1	3	2
... .. { Inst.	139	138	43	26	5	4	8	5	17	9	10	17	17	25	22	23	17	29
Lobar pneumonia { Pr.	86	53	1	2	9	3	12	8	17	8	11	10	20	12	10	6	6	4
Double pneumonia { Inst.	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
... .. { Pr.	21	8	1	—	2	—	2	1	7	—	6	1	2	3	1	3	—	—
Pneumonia { Inst.	22	9	1	1	—	—	2	—	3	—	3	1	7	2	3	4	3	1
... .. { Pr.	365	258	22	15	31	14	36	17	50	32	75	31	74	48	52	55	25	46

10. INFLUENZA—continued.

TABLE A—continued.

			All Ages.		Under 5 Years.		5—		25—		35—		45—		55—		65—		75—	
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Pneumonia, pleurisy ...	Pr.		11	8	1	—	2	—	—	—	1	3	5	1	2	2	—	2	—	—
Pleurisy ...	{ Inst.		1	1	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—
	{ Pr.		20	18	—	—	1	1	1	—	3	2	2	4	4	4	5	3	4	4
Pulmonary congestion ...	{ Inst.		—	5	—	—	—	—	—	—	—	1	—	3	—	—	—	—	—	1
	{ Pr.		29	37	3	—	1	—	3	—	—	2	3	3	4	8	10	8	5	16
Gastritis ...	{ Inst.		—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	{ Pr.		5	11	1	3	—	—	1	1	1	1	—	1	—	1	2	3	—	1
Diarrhœa ...	{ Inst.		2	1	—	—	—	—	—	—	1	—	—	—	—	—	1	1	—	—
	{ Pr.		25	28	4	5	4	1	2	1	—	1	3	2	5	6	3	10	4	2
Nephritis }																				
Uraemia }	Pr.		18	17	1	—	1	—	3	2	4	1	1	1	5	5	—	6	3	2
Childbirth ...	{ Inst.		—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	{ Pr.		—	11	—	—	—	2	—	6	—	2	—	1	—	—	—	—	—	—

LIST SUPPLEMENTARY TO TABLE A.

Influenza—Bronchial (1); cerebral (1); cerebro-spinal (1); gastric (8); gastro-intestinal (2); hepatic (1); nervous (1)—hyperpyrexia (5). *Complications.*—18. Erysipelas (6); erysip., meningitis (2); erysip., valvular dis. (1); erysip., septic pneumonia (1). 20. Pyæmia (2); hyperpyrexia, pyæmia (1); pyæmia, pneumonia (1); pyæmia, suppuration of parotid (1); septicæmia (5); sept., hæmorrhage, jaundice (1); sept., br.-pneumonia, empyema, abscess of lung (1); sept., pyorrhœa (1); sept., maxillary abscess (2); sept., dropsy (1); septic intoxication (1). 28. Tubercular abscess of lung, pneumonia (1); tuberculosis (1); tub., acute miliary tub., pneumonia (1); tub., tonsillitis (1); phthisis, pneumonia (3). 29. Acute phthisis (5); acute phthisis, cardiac dis. (1); acute pneumonic phthisis (1); acute miliary tub. (1); acute tub. (8); acute tub., stomatitis (1). 30. Tubercular meningitis (6); tub. men., bronchitis (1); tub. men., jaundice (1). 31. Tubercular peritonitis (1); tub. of intestine (1). 35. General tuberculosis (2). 36. Curvature of spine, bronchitis (1); spinal deformity (1). 46. Benign growth of chest wall (1); glioma, acute meningitis (1). 47. Acute rheumatism (1); acute rheum., heart dis., bronchitis (1); acute rheum., pneumonia (1); sub-acute rheum., Henoch's purpura, valvular dis. (1); rheumatism (3); rheum., toxæmia, bronchitis (1); rheum., pericarditis (1); rheum., bronchitis (2); rheum., pneumonia, pleurisy (1); rheumatic endocarditis (1). 48. Rheumatoid arthritis (6); rheumatoid arthritis, bronchitis (2); gout (1); dilated heart (gouty) (1). 50. Diabetes (8); diabetes, bronchitis, Bright's dis. (1); diabetes, pneumonia (1); diabetes, chronic Bright's dis. (1); glycosuria (2); glycosuria, br.-pneumonia (1); glycosuria, chronic interstitial nephritis (1). 51. Graves' disease (2); Graves' dis., meningitis, bronchitis (1); Graves' dis., hæmoptysis (1). 53. Leucocythæmia, bronchitis, albuminuria (1). 54. Anæmia (2); secondary anæmia (1); anæmia, endocarditis (1); pernicious anæmia (3); pernicious anæmia, cerebral effusion (1). 55. Purpura (1); toxæmia (9); tox., meningitis (1); tox., men., lobar pneumonia (1); tox., lobar pneumonia (2); tox., pneumonia (1); tox., jaundice (1); tox., cystitis (1). 56. Alcoholism (7); acute alcoholism, valvular dis. (1); alcoholism, pneumonia (1). 60. Encephalitis (8); inflammation of brain, paralysis, coma (1); cerebral abscess (1); cerebral abs., supraorbital abs. (1). 61. Acute meningo-encephalitis (1); influenzal meningitis (3); acute suppurative men. (2); cerebro-spinal inflammation (1); meningitis, acute spinal myelitis (1); men., effusion on brain (1); men., paralysis (1); men., epilepsy (1); men., mastoiditis (1); men., otitis, media (3); men., abscess of ear (1); men., phlebitis (1); men., bronchitis (3); men., br.-pneumonia (4); men., pneumonia (8); men., pneumonia, empyema (1); men., pleural effusion (1); men., pulmonary congestion (1); men., influenzal gastro-enteritis (1); men., teething (1). 62. Locomotor ataxy (2); L. ataxia, perforating ulcer (1). 63. Paralysis agitans (1); paral. agitans, valvular dis. (1); progressive muscular atrophy (1); pseudo-hypertrophic paralysis (1); acute poliomyelitis (1); acute ascending paralysis (1); disseminated sclerosis (2); sub-acute combined sclerosis, influenzal enteritis (1); myelitis (3); myelitis, pneumonia (1); myelitis, pleurisy (1). 64. Hyperpyrexia, apoplexy (1); gastric influenza, apoplexy (1); apoplexy, polyneuritis (1); ap., neurasthenia, br.-pneumonia (1); ap., endocarditis (1); ap., albuminuria (1); serous ap. (1); cerebral effusion (4); cer. ef., gastralgia (1); cer. ef., vomiting (1); cerebral hyperæmia (1); cerebral congestion, traumatism (crushed finger), coma (1); cerebral hæmorrhage, hemiplegia (1); cer. hæm., paralysis (1); cer. hæm., paral., bronchitis (1); cer. hæm., aphasia, cystic pyelitis (1); cer. hæm., morbus cordis (1); cer. hæm., bronchitis (5); cer. hæm., lobar pneumonia (1); cer. hæm., pneumonia (1); cer. hæm., influenzal pneumonia (1); cer. hæm., inflammation of lung (1); cer. hæm., pulmonary congestion (1). 65. Cerebral necrosis (1); cerebral softening (5); cer. softening, cardio-vascular degeneration, laryngitis, br.-pneumonia (1); cer. softening, arterio-sclerosis (1); cer. softening, bronchitis (1); cer. softening, pulmonary congestion (1). 66. Hemiplegia (6); hem., bronchitis (1); hem., br.-pneumonia (1); hem., pneumonia, pregnancy (1); paraplegia (5); paraplegia, pneumonia (1); paralysis (3); paralysis, pneumonia (1); paresis, bronchitis (1); general paralysis (1). 68. Dementia (4); dementia, diarrhœa (1); mania (6); acute delirious mania (1); chronic mania, pneumonia (1); melancholia (4); melancholia, pneumonia (1); mental depression, pneumonia (1); mental inanition (1); post febrile insanity (1). 69. Epilepsy (3); epilepsy, pneumonia (1); fit (1). 70 and 71. Epileptiform convulsions (1); hyperpyrexia, convulsions (1); convulsions, idiocy (1); conv., br.-pneumonia (2); conv., pleurisy (1); conv., gastritis (1); conv., dentition (1). 73. Anorexia nervosa (2); neuralgia (1);

10. INFLUENZA—*continued*.

sciatica (1); neuritis (4); neuritis, pericarditis, bronchitis (1); post influenzal neuritis, fatty heart (1); neuritis, bronchitis (2); influenzal neuritis, pneumonia (1). 74. Congenital idocy (2); atrophy of brain (2); cerebral atrophy, br.-pneumonia (1); nervous debility (1); nervous exhaustion (1); brain exhaustion (1). 76. Ear disease (1); otitis (2); otitis media, septic pneumonia (1). 77. Pericarditis (6); pericardial effusion (1); pericarditis, endocarditis (1); peric., dilatation and hypertrophy of heart (1); peric., bronchitis (1); peric., pleurisy (2); peric., pneumonia (1). 78. Myocarditis (8); myoc., valvular dis. (1); myoc., dilatation of heart (1); myoc., bronchitis (1); myoc., pneumonia (2); myoc., pneumonia, pleurisy (1); myoc., empyema, pleurisy, nephritis (1); infective endocarditis (2); malignant endoc. (3); malig. endoc., cerebral embolism (1); septic endoc. (2); ulcerative endoc. (1); endopericarditis (1); endocarditis, valvular dis. (1); endoc., cerebral embolism (2); endoc., br.-pneumonia (1); endoc., lobar pneumonia (1); endoc., pneumonia (2). 79. Valvular dis., dilatation of heart (2); valv. dis., bronchitis (6); valv. dis., br.-pneumonia (3); valv. dis., lobar pneumonia (1); valv. dis., pneumonia (1); valv. dis., pleurisy, gangrene of leg (1); valv. dis., pulmonary congestion (2); valv. dis., gastritis (2); val. dis., gastro-duodenitis (1); valv. dis., congestion of liver (1); valv. dis., nephritis (2); rheumatic heart (1); post-influenzal fatty degeneration of heart (1); fatty heart, dilatation (3); fatty heart, bronchitis (1); heart disease, bronchitis (2); ht. dis., bronchitis, pulmonary congestion (1); ht. dis., lobar pneumonia (1); ht. dis., pneumonia (5); ht. disease., pneumonia, pleurisy (1); ht. dis., pneumonia, gastritis (1); ht. dis., hypostatic pneumonia (1); ht. dis., hæmoptysis (1); ht. dis., gastro-duodenitis (2); ht. dis., gallstones (1); ht. dis., acute nephritis (1); ht. dis., chronic Bright's dis. (2); ht. dis., childbirth (1); hypertrophy (1); hypertrophy, tonsillitis (1); acute dilatation of heart (1); dilatation, arrhythmia (1); dilat., hypertrophy of heart, capillary bronchitis (1); dilat., bronchitis (7); dilat., bronchitis, emphysema (1); dilat., br.-pneumonia (1); dilat., double pneumonia (1); dilat., pneumonia (2); dilat., hydrothorax, general œdema (1); dilat., pulmonary œdema (1); dilat., asthma (1); dilat., asthma, emphysema (1); dilat., gastritis (1); dilat., dropsy (1); cardiac asthma (1); myocardial dis., br. pneumonia (1); myocardial degeneration, ascites (1); fibroid degeneration of ht. (1); cardiac degen. (6); degen. of ht. muscle (1). 80. Angina pectoris (6); angina pect., influenzal gastritis (1); angina pect., heat (1). 81. Atheroma (1); arterio-sclerosis (1); art. scler., cerebral thrombosis (1); art.-scler., br.-pneumonia (1); art.-scler., chronic Bright's dis. (1). 82. cerebral embolism, cerebral thrombosis (8); thromb. of brain, lung and leg (1); cerebral thromb., bronchitis (1); cer. thromb. br.-pneumonia (1); cer. thromb., pneumonia (1); cardiac embolism (1); embolism (2); emb. bronchitis (1); septic emb., pneumonia (1); pulmonary emb. (2); pulm. emb., thromb. of vein of rt. leg (1); pulm. emb., phlebitis (1); pulm. emb., pleurisy (1); pulm. infarct, gastro-enteritis (1); thrombosis (4); thromb. of leg (1); thromb. of brachial and mesenteric arteries (1); septic thromb. (1); septic thromb. of brachial vein (1). 83. Phlebitis (2); phlebitis, hypostatic pneu. (1); septic phlebitis (1). 84. Adenitis, br.-pneumonia (1). 85. Tachycardia (1); tachycardia, pulmonary congestion (1); cardiac neurosis (1); Stokes-Adams disease (1); irregular heart, bronchitis (1). 86. Rhinitis (1). 87. Laryngitis, œdema glottidis (1); laryngitis, bronchitis (1); laryngitis, pneumonia (1); laryngitis, ulceration of mouth (1); œdema glottidis, pneumonia (2). 90. Bronchiectasis, br.-pneumonia (1); influenzal catarrh (1); general catarrh (1); influenzal bronchitis (3); bronchitis, br.-pneumonia (4); bronchitis, br.-pneumonia, pleurisy (1); bronch. lobar pneumonia (6); bronch.-pneumonia, pleurisy (2); bronch.-pneumonia, childbed (1); bronch., empyema (1); bronch., pleurisy (9); bronch., pleur., pulmonary congestion (1); bronch., pulm. œdema (1); bronch., pulm., congestion (4); bronch., asthma (1); bronch. emphysema (4); bronch., hæmoptysis (1); bronch., follicular tonsillitis (1); bronch., gastritis (1); bronch., diarrhœa (7); bronch., umbilical hernia (1); bronch., chronic nephritis (2); bronch., œdema (1); bronch., dentition (1); capillary bronch., pneumonia, pulmonary congestion (1). 91. Double br.-pneumonia (2); double br.-pneumonia, gastritis (1); gastric influenza, br.-pneumonia (1); gastro-intestinal influenza, br.-pneumonia (1); br.-pneumonia, pneumonia (1); br.-pneu., pleurisy (2); br.-pneu., pleurisy with effusion (1); br.-pneu., ulceration of throat (1); br.-pneu., influenzal gastritis (1); br.-pneu., peritonitis (1); br.-pneu., nephritis (3); br.-pneu., albuminuria (1); br.-pneu., interstitial nephritis (1); br.-pneu., renal inadequacy (1); br.-pneu., parturition (2); br.-pneu., ulcerated leg (1); 92. Apical pneumonia (1); double lobar pneu. (3); double pneu., pleurisy (2); pneu. of left base (1); lobar pneu., pleurisy (1); lobar pneu., pulmonary œdema (1); lobar pneu., gastritis (1); lobar pneu., diarrhœa (1); lobar pneu., peritonitis (1); lobar pneu., parturition (1); typhoid pneu. (1); influenzal pneu. (1); gastric influenza, pneu. (1); hyperpyrexia, pneu. (1); septic pneu. (1); senile pneu. (1); pneu., empyema, pleurisy, hæmoptysis (1); pneu., pneumothorax (1); pneu., asthma, emphysema (1); pneu., emphysema (1); pneu., fibroid phthisis (1); pneu., pulmonary abscess (1); pneu., tonsillitis (2); pneu., diarrhœa (5); pneu., hepätitis (1); pneu., peritonitis (1); pneu., chronic nephritis (4); pneu., confinement (4); pneu., teething (1); pneu., acute delirium (1); inflammation of lungs (5). 93. Empyema (3); pleurisy with effusion (1); pleur., bronchitis, childbirth (1); pleur., pulmonary congestion (2); pleur., diarrhœa (1); pleur., abscess of breast (1). 94. Acute pulmonary congestion (2); hypostatic congestion of lungs (3); pulmonary congestion, hæmoptysis (1); congestion of lungs and bowels (1); pulmonary œdema (5); hypostatic pneumonia (4); hyp. pneumonia accelerated by fall (1). 96. Asthma (9). 98. Fibroid phthisis (3); pulmonary fibrosis (3); pulm. abscess (1); pulm. hæmorrhage (3); pulm. complications (1). 99. Aphthous stomatitis (1); parotid abscess (1); suppurative parotitis (1). 100. Tonsillitis (6); septic tonsillitis (1); pharyngitis (1); septic pharyngitis (1); influenzal sore throat (1); ulcerated sore throat (1); ulcerated throat, collapse (1). 102. Gastric ulceration, hæmatemesis (1). 103. Influenzal gastritis (3); gastritis, colitis, (1); dyspepsia (1); hæmatemesis (1). 104. Influenzal diarrhœa (1); influenzal diar., appendicitis (1); diar., jaundice (1); diar., suppression of urine (1). 108. Appendicitis or typhlitis (2); append. or typh., peritonitis (2). 109. Hernia (1); intestinal obstruction (1); intussusception (1). 110. Chronic constipation (1); enteroptosis (1); ischio-rectal abscess (1). 113. Cirrhosis of liver (2); chronic hepatitis (1); chronic hepatitis, œdema (1). 114. Hepatic colic, influenzal nephritis, uræmia, (1). 115. Cholangitis (1); hepatitis (2); hepatic congestion (2); jaundice (4); catarrhal jaundice (1); obstructive jaundice (1); jaundice, sub-phrenic abscess (1). 117. Peritonitis (8). 118. Sub-diaphragmatic abscess (1). 119. Acute nephritis, parturition (1); acute nephritis, anasarca (1). 120. Albuminuria (4); chronic kidney dis. (1); chronic nephritis, uræmia (2); Bright's dis., coma

10. INFLUENZA—*continued*.

(1); nephritis (7); nephritis, uræmia (1); renal cirrhosis (1); renal inflammation (1); gastric influenza, uræmia (1); gastro-enteric influenza, uræmia, anuria (1). 122. Suppression of urine, pregnancy (1). 124. Cystitis (9); cystitis, orchitis (1); cystitis, prostatic abscess (1); hypertrophy of bladder, enlarged prostate (1). 126. Acute prostatitis (1); hypertrophy of prostate (1). 128. Menorrhagia (1); uterine hæmorrhage (non-puerperal) (1). 130. Pelvic cellulitis (1). 131. Ovarian cyst (1). 134. Abortion, miscarriage (6). 142. Cancerum oris (1). 144. Cellulitis (2). 145. Ulcer of leg (1). 150. Hydrocephalus (1); congenital heart dis. (1); spina bifida (1); deformed from infancy (1). 175. Accelerated by fall of dust in pit (1). 187. Dropsy (5). 189. Dentition (2); continued fever (1); delirium (3); coma (2); abdominal operation (1).

TABLE B.

	All Ages.		0—		5—		25—		35—		45—		55—		65—		75—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Gastric influenza	5	7	—	—	—	—	1	—	1	3	—	1	1	—	2	2	—	1
Hyperpyrexia	4	6	2	1	—	1	1	—	—	—	2	1	1	—	1	—	—	—
Erysipelas (18)	4	6	—	—	—	—	—	—	1	1	—	1	—	3	2	—	1	1
Septicæmia (20B)	8	4	1	—	—	—	1	1	1	1	3	—	1	—	1	2	—	—
Pulmonary tuberculosis (28) ...	17	6	2	—	2	—	4	—	3	2	3	3	—	1	2	—	1	—
Acute phthisis (29A)	2	5	—	—	—	1	1	2	—	—	—	1	—	1	1	—	—	—
Acute miliary tuberculosis (29B)	8	3	—	—	4	—	2	2	1	—	1	—	—	—	—	—	—	—
Tuberculosis of brain (28-35)	34	19	2	1	12	2	7	5	—	3	4	6	—	2	3	—	1	—
Meningitis (61C)	144	103	30	20	40	30	26	19	24	10	11	11	8	7	5	5	—	1
Cerebral hæmorrhage, apoplexy (64).	35	42	2	—	4	1	3	2	1	3	7	7	8	8	4	11	6	10
Convulsions (70, 71)	19	12	17	11	2	—	—	—	—	—	—	—	—	1	—	—	—	—
Neuritis (73B)	4	6	—	—	—	1	1	—	2	—	—	4	—	1	1	—	—	—
Total nervous diseases (60-74)	257	203	49	31	50	36	35	24	30	20	29	25	27	26	24	25	13	16
Pericarditis (77)	7	10	—	1	1	—	2	—	2	2	1	2	—	1	—	3	1	1
Infective endocarditis (78B) ...	7	2	—	—	1	1	1	—	2	1	2	—	1	—	—	—	—	—
Endocarditis (78C)	16	15	—	—	5	2	—	2	1	5	5	2	2	3	1	1	2	—
Valvular dis. of heart (79A) ...	32	42	—	—	5	8	3	—	1	4	4	8	5	7	8	10	6	5
Fatty heart (79B)	8	10	—	—	—	—	—	1	2	—	2	—	1	8	1	—	2	1
Other organic dis. of heart (79C)	86	78	—	—	5	2	2	3	9	7	21	19	22	23	—	21	6	12
Angina pectoris (80)	8	—	—	—	—	—	—	—	1	—	—	—	4	—	1	—	2	—
Heart dis. all forms (77-80, 85A).	163	155	1	1	18	13	9	6	18	20	34	22	35	43	30	33	18	18
Laryngitis (87B)	9	12	4	3	4	1	1	3	—	1	—	—	—	1	—	2	—	1
Bronchitis (89, 90)	273	367	33	21	7	6	4	7	23	17	32	21	31	38	80	106	60	111
Broncho-pneumonia (91)	190	169	48	32	9	6	9	7	23	12	17	21	31	28	32	29	21	34
Lobar pneumonia (92A)	121	74	2	2	12	4	15	11	30	10	17	13	23	18	10	11	6	5
Pneumonia (92B)	457	323	31	16	35	21	47	21	64	47	91	38	98	57	60	76	31	52
Pleurisy (93B)	50	45	2	—	3	2	2	2	7	8	12	6	8	9	12	10	4	8
Pulmonary œdema and congestion (94B).	42	48	4	1	1	—	3	—	1	4	6	6	6	10	13	9	8	18
Total respiratory diseases (86-98).	1112	1021	120	73	50	41	81	48	143	97	166	116	122	188	207	230	130	245
Gastritis (103A)	13	18	2	4	—	—	1	1	1	1	3	5	2	2	4	4	—	1
Diarrhoea and enteritis (104, 105).	41	43	7	6	4	1	4	1	1	2	4	3	8	11	6	15	7	4
Peritonitis (117)	3	10	1	1	—	4	1	1	1	—	—	2	—	2	—	—	—	—
Nephritis (119, 120)	43	39	1	—	1	1	3	4	8	4	5	5	14	11	8	11	3	3
Diseases of the bladder (124) ...	8	5	—	—	—	—	—	—	—	—	2	1	2	1	3	2	1	1
Total urinary diseases (119-126)	55	46	1	—	1	1	3	5	8	4	7	6	16	12	14	13	5	5
Childbirth (134-141)	—	31	—	—	—	—	6	—	14	—	10	—	1	—	—	—	—	—

13. CHOLERA NOSTRAS.

Unqualified (75). Choleric diarrhoea (14). Epidemic cholera (23). Cholera (1). *Complications*.—61. Meningitis (2). 91. Br.-pneumonia (1). 92. Pneumonia (2). 120. Chronic interstitial nephritis (1); cirrhosis of kidneys (1); uræmia (1).

14. DYSENTERY.

Unqualified (178). Amoebic dysentery (1). Dysenteric diarrhoea (9). *Complications*.—20. Pyæmia, multiple abscesses (1). 28. Pulmonary tuberculosis, ulcerative colitis (1); phthisis (2). 34. Tub. of kidney (1). 61. Meningitis (1). 62. Tabes dorsalis (1). 64. Cerebral hæmorrhage (1). 67. General paralysis (3); general paralysis of the insane (1); gen. parali. of the insane, br.-pneumonia (1). 68. Mental alienation (24); m. alienation, epilepsy (1); m. alienation, arterio-sclerosis (2); m. alienation, lobar pneumonia (1); m. alienation, abscess of lung (1). 69. Epilepsy (2). 71. Convulsions (4). 74. Dermoid cyst of brain (1); cerebral atrophy (1); organic brain dis. (3); organic brain dis., fatty heart (1). 77. Pericarditis (1); pericarditis with effusion (1). 77. Valvular dis. (2); valv. dis., dysenteric ulceration of colon, gallstones (1); fatty heart (1); morbus cordis, diarrhoea (1); cardiac affection (1). 87. Arterio-sclerosis (2). 92. Bronchitis (2); dysenteric diarrhoea, bronchitis (1).

14. DYSENTERY—*continued*.

91. Br.-pneumonia (4); br.-pneumonia, gangrene of lung (1); br.-pneumonia, ulcerative colitis (2); br.-pneumonia, liver abscess (1). 92. Lobar pneumonia (2); pneumonia (5). 93. Dysenteric diarrhoea, pleurisy (1). 94. Pulmonary congestion (1); pulm. congest., ulcerative colitis (1). 95. Gangrene of lung, ulcerative colitis (1). 104. Diarrhoea (3); diar., hepatitis (1); ulcerative colitis (1). 110. Perforation of intestine (2); fistula in ano (1). 113. Cirrhosis of liver (1). Malarial dysentery, cirrhosis of liver (1). 115. Abscess of liver (3). 117. Dysenteric diarrhoea, peritonitis (1). 120. Chronic nephritis (4); bilious dysentery, uræmia (1). 150. Hydrocephalus (1); congenital porencephaly (1). 189. Dentition (2).

18. ERYSIPELAS.

TABLE A.

		All Ages.		0—		1—		15—		35—		45—		55—		65—		75—	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Unqualified	...	84	128	5	15	5	4	9	14	10	10	18	12	10	14	17	27	10	32
	Inst.	84	128	5	15	5	4	9	14	10	10	18	12	10	14	17	27	10	32
	Pr.	185	152	33	37	8	7	6	5	17	8	22	18	28	21	34	32	37	24
Arising from trauma	...	3	5	—	—	—	—	1	—	1	—	1	2	—	1	—	2	—	—
(various forms).	Pr.	3	5	—	—	—	—	1	—	—	—	1	—	—	—	3	3	—	—
Septicæmia	...	6	5	1	—	—	—	—	2	2	1	2	1	1	1	—	—	—	—
	Inst.	6	5	1	—	—	—	—	2	2	1	2	1	1	1	—	—	—	—
	Pr.	6	4	—	—	—	—	1	—	1	—	2	2	2	1	—	—	—	1
Toxæmia	...	5	5	—	—	—	2	1	—	1	1	—	—	—	—	3	1	—	1
	Inst.	5	5	—	—	—	2	1	—	1	1	—	—	—	—	3	1	—	1
	Pr.	3	6	1	—	—	2	—	—	1	1	—	—	—	1	1	1	—	1
Meningitis	...	8	2	2	—	—	—	3	1	1	—	1	—	—	—	1	1	—	—
	Inst.	8	2	2	—	—	—	3	1	1	—	1	—	—	—	1	1	—	—
	Pr.	12	12	1	4	2	1	3	3	1	1	3	—	2	1	—	1	—	1
Valvular disease of heart	...	1	2	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—
(various forms).	Inst.	1	2	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—
	Pr.	3	6	—	—	—	—	2	—	—	1	1	—	—	1	—	3	—	1
Bronchitis	...	7	7	—	1	—	—	1	—	1	—	—	—	1	—	3	1	1	2
	Inst.	7	7	—	1	—	—	1	—	1	—	—	—	1	—	3	1	1	2
	Pr.	9	11	2	—	1	—	—	—	—	1	3	2	—	4	3	3	—	1
Broncho-pneumonia	...	5	—	—	—	1	—	1	—	—	—	—	—	1	—	2	—	—	—
	Inst.	5	—	—	—	1	—	1	—	—	—	—	—	1	—	2	—	—	—
	Pr.	2	6	—	1	1	—	—	—	—	2	—	—	1	—	—	2	—	1
Pneumonia	...	5	2	—	—	—	—	—	—	—	—	2	—	2	2	1	—	—	—
	Inst.	5	2	—	—	—	—	—	—	—	—	2	—	2	2	1	—	—	—
	Pr.	15	10	1	—	2	—	3	2	3	2	2	3	1	2	2	1	1	—

LIST SUPPLEMENTARY TO TABLE A.

Idiopathic erysipelas (1). Phlegmonous erysip. (5). Erysip. following vaccination (2). Erysip. from vaccination (1). Hyperpyrexia (5). Post operative (hare lip) (1). *Complications*.—20. Pyæmia (6); general septicæmia (1); traumatic erysip., septicæmia (1); sept. multiple abscesses (1); septic absorption (1); septic absorp., varicose ulcer (1); septic intoxication (1); septic intox., suppuration of neck glands (1); septic poisoning, bedsores (1); blood poisoning (1); blood poisoning from scratch (1); blood poisoning, bronchitis (1). 38. Ophthalmia neonatorum, meningitis (1). 47. Rheumatism (1). 48. Chronic rheumatism (1). 55. Purpura, tonsillitis (1); idiopathic erysip., toxæmia (1); gangrenous erysip., tox. (1); tox., pneumonia (1); tox., pleurisy (1). 56. Alcoholism (2); traumatic erysip., alcoholism (2); delirium tremens, old traumatism (1). 61. Cellulo-cutaneous erysip., meningitis (1); men., otitis media (1); men., pediculus capitis (1). 63. Paralysis agitans (2); progressive muscular atrophy (1); disseminated sclerosis (1). 64. Cerebral congestion (3); cerebral hæmorrhage (7); cer. hæm., heart dis. (1). 65. Cer. softening (2). 66. Hemiplegia (4); phlegmonous erysip., hemiplegia (1); paralysis (1). 67. General progressive paralysis (1). 68. Dementia (1); melancholia, Bright's dis. (1). 70, 71. Convulsions (4); conv., capillary bronchitis (1); conv., abscess of scalp (1). 73. Peripheral neuritis (1). 74. Tetany (1). 76. Mastoid dis., arthritis (1); otitis media (1); abscess of ear (1). 77. Pericarditis (1); peric., pleurisy (1). 79. Valvular dis., bronchitis (1); valv. dis., hæmatemesis (1); valv. dis., dropsy (1); fatty heart (2); phlegmonous erysip., fatty heart (1); morbus cordis (8); morb. cord., bronchitis (1); morb. cord., Bright's dis. (1); cardiac dilatation (1); card. dil., Bright's dis. (1); cardiac thromb. (1); myocardial degeneration (1); degen. of heart (1). 81. Atheroma (1); arterio-sclerosis (1); art.-scler. br.-pneumonia (1). 82. Cerebral embolism (1); cer. thrombosis (1); thromb. of lateral sinus (1); septic thromb., ulcer of leg (1). 83. Phlebitis, ulcerated leg (1); varicose veins, hæmorrhage (1); varicose ulcer (1). 84. Adenitis (1); abscess of glands of groin (1). 87. Oedema glottidis (1). 90. Bronchitis, pneumonia (2); bronch., asthma (1); bronch., emphysema (1); bronch., nephritis (1); bronch., abscess (1). 92. Lobar pneumonia (7); double pneu. (1); septic pneu. (5); septic pneu. from scalp wound (1); traumatic erysip., pneu. (1); pneu., diarrhoea (1). 93. Empyema (1); pleurisy (2). 94. Congestion of lungs (3); traumatic erysip., pulmonary congestion (1); pulmonary oedema (1); hypostatic pneumonia (2); traumatic erysip., hyp. pneu. (1); hyp. pneu., cellulitis (1). 96. Asthma, gangrene (1). 99. Parotitis (1); septic parotitis (1). 100. Follicular tonsillitis (1). 103. Gastritis (2); dyspepsia, vomiting (1). 104. Diarrhoea (9). 109. Umbilical hernia (1). 110. Ischio-rectal abscess (1). 113. Cirrhosis of liver (2). 114. Gallstones (1). 115. Jaundice (2); chronic liver and kidney dis., accelerated by fall (1). 119. Acute nephritis (1); acute neph., uræmia (5); sub. acute neph. (1). 120. Albuminuria (1); Bright's dis. or chronic nephritis (9); chronic neph., delirium (1); lardaceous kidney (1); nephritis (3); uræmia (1); uræmia, pyuria, retention, cervical abscess (1). 122. Pyonephrosis (2). 124. Cystitis (1). 142. Gangrene (4). 143. Carbuncle (1). 144. Cellulitis (9); abscess (9); multiple abscesses (1); abscess of neck (1). 145. Ulcer of leg (8); cellulo-cutaneous erysip., ulcer of leg (1); suppurating cutaneous growth of temple (1); cellulo-cutaneous erysip., erythema intertrigo (1); phlegmonous erysip., psoriasis (1); Elephantiasis (1). 146. Hæmatoma of tibia (1). 149. Myalgia (1). 187. Dropsy (1). 189. Delirium (3).

18. ERYSIPELAS—continued.

TABLE B.

	All Ages.		0—		1—		15—		35—		45—		55—		65—		75—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Septicæmia (20B)	20	12	2	—	—	—	2	2	3	1	6	3	7	3	—	1	—	2
Toxæmia	10	13	1	—	—	5	3	—	1	2	1	1	—	1	4	2	—	2
Meningitis (61C)	21	16	4	4	2	1	6	4	2	2	4	—	2	2	1	2	—	1
Cerebral hæmorrhage, apoplexy (64).	4	7	—	1	—	—	1	1	—	—	—	1	2	3	—	1	1	—
Total nervous diseases (60-74)	38	35	8	6	2	3	8	6	3	3	6	1	8	8	1	7	2	1
Heart disease, all forms (77-80, 85A).	8	15	1	—	—	1	—	—	1	—	1	1	1	5	3	5	1	3
Bronchitis (89, 90)	19	25	2	2	1	—	1	—	1	1	3	7	2	7	7	5	2	3
Broncho-pneumonia (91) ...	7	7	—	1	2	—	1	—	—	2	—	—	2	—	2	3	—	1
Lobar pneumonia (92A) ...	3	6	—	1	1	1	1	2	—	1	1	—	—	1	—	—	—	—
Pneumonia (92B)	26	17	1	—	3	1	5	2	3	3	5	5	5	4	3	1	1	1
Total respiratory diseases (86-98).	65	59	3	4	7	3	9	4	5	8	11	11	12	13	15	10	3	6
Nephritis (119, 120)	17	12	—	—	1	—	—	—	3	1	4	2	4	3	5	5	—	1

19A. MUMPS.

Unqualified (23). Hyperpyrexia (1). *Complications.*—19. Chicken-pox, convulsions (1). 54. Splenic anæmia (1). 61. Meningitis (1); men., convulsions, epistaxis (1). 64. Congestion of brain and lung (1). 71. Convulsions (1). 78. Endocarditis (1). 85. Epistaxis (1). 90. Bronchitis (1). 91. Broncho-pneumonia (2). 92. Lobar pneumonia (1); pneumonia (2). 93. Empyema, gangrene of lung (1). 99. Parotitis (2); parotitis, confinement (1). 100. Tonsillitis (1); septic tonsillitis (1); ulcerative tonsillitis (1). 103. Dilatation of stomach (1) 108. Appendicitis (operation), ovaritis (1). 120. Nephritis (1). 144. Cellulitis (1).

19B. GERMAN MEASLES.

Unqualified (10). *Complications.*—61. Meningitis (1). 71. Convulsions (1) 77. Pericardial effusion (1). 79. Valvular dis. (1). 87. Laryngitis (1). 90. Bronchitis (1). 91. Broncho-pneumonia (1). 92. Lobar pneumonia (1). 94. Pulmonary collapse (1). 119. Acute interstitial nephritis (1). 189. Adynamia (1).

19C. VARICELLA.

Unqualified (36). Varicella impetiginosa (1). *Complications.*—18. Erysipelas (1). 20. Sepsis (1). 55. Purpura hæmorrhagica (1). 61. Meningitis (1). 71. Convulsions (1). 77. Pericarditis, pleurisy (1). 85. Bradycardia, tonsillitis (1). 87. Laryngitis (1). 90. Bronchitis (5). 91. Broncho-pneumonia (9); br.-pneumonia, diarrhœa (1); br.-pneumonia, teething (1). 92. Pneumonia (4). 93. Empyema, diarrhœa (1). 99. Parotitis, tonsillitis (1). 104. Diarrhœa (8). 142. Phagedæna (1.) 144. Cellulitis (2). 145. Eczema (1). 189. Dentition (1).



